

Available from

Superintendent of Documents  
U.S. Government Printing Office  
Post Office Box 37082  
Washington, D.C. 20013-7082

A year's subscription consists of 12 issues for  
this publication.

Single copies of this publication  
are available from National Technical  
Information Service, Springfield, VA 22161

---

# Title List of Documents Made Publicly Available

July 1-31, 1988

---

Date Published: October 1988

**Division of Freedom of Information and Publications Services  
Office of Administration and Resources Management  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555**





## CONTENTS

Preface.....	v
Arrangement of Items by Docket Number .....	ix
Alphabetic Arrangement of Docket Items by Facility Name.....	xv
Docketed Items.....	1
Domestic Licensing of Source Material — Docket 40 .....	1
Domestic Licensing of Production and Utilization Facilities — Docket 50.....	5
Domestic Licensing of Special Nuclear Material — Docket 70 .....	236
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 .....	239
Licensing of Independent Spent Fuel Storage — Docket 72 .....	243
Nondocketed Items .....	245
10 CFR — Commission Meeting Records .....	245
ACRS — Advisory Committee on Reactor Safeguards .....	245
ADVCM — NRC Advisory Committee .....	246
COMMISSION — NRC Commissioners .....	246
CONTRACT — NRC Contracts and Modifications .....	247
FOIA — Freedom of Information Act Requests and Releases .....	250
GEN TECH IS — Generic Technical Issues .....	254
I&E — Inspection and Enforcement .....	255
MISC — Public Document Room Miscellaneous .....	256
NUREG — NUREG Reports and Related Correspondence .....	256
ORG — Correspondence with Other Organizations .....	259
PR — Proposed Rule .....	260
PRM — Petition for Rulemaking .....	298
PROJ — Projects - Predocket Licensing .....	298
PT21 — Noncompliance Reports and Related Correspondence .....	298
QA999 — Quality Assurance Inspections .....	298
REGGD — Regulatory Guides .....	298
REVIEW GRP — NRC Research Review Groups .....	299
SECY — Position Papers Before the Commission .....	300
STATE PROG — State Programs .....	300
TOPREP — Vendor Reports and Related Correspondence .....	301
WASTE MGT — Nuclear Waste Management .....	302
WASTE RES — Waste Management Research Reports .....	308
XPORTLIC — Export and Import Licenses .....	309
Personal Author Index .....	311
Corporate Source Index .....	335
Report Number Index .....	353
Cross Reference of Enclosures to Principal Documents .....	355
Appendix A — Definitions of Docket 50 Categories .....	A-1
Appendix B — Definitions of Nondocketed Categories .....	B-1

## PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. In so far as possible, we would like this document to be a valuable part of your reference material.

## DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are:

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Report (PSAR), amendments
- C. Utility Environmental Report (ER), amendments and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), and correspondence
- E. NRC Safety Evaluation Report (SER), supplements and correspondence
- F. Security, medical, emergency and fire-protection plans
- G. Adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Report (FSAR) and amendments
- L. Limited work authorization and related correspondence
- M. Antitrust correspondence
- N. Antitrust hearing transcripts
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins and correspondence
- R. Periodic operating reports and related correspondence
- S. Reportable occurrences. LERs and related correspondence
- T. Hearing transcripts on non-antitrust matters
- U. Congressional/executive correspondence
- V. Licensing operators and related correspondence

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the entries in the list are:

① P. Operating license stage documents & correspondence

②

③

8411270362 Submits renewed, amended & updated petition under 2.206, urging NRC to require that util provide Commission full disclosure of intended sources & environ consequences prior to issuing full power OL.

④ SUGARMAN, R.J.

⑤ Sugarman, Denworth & Hellegers

⑥

84/11/21

⑦

Denton, H. Office of Nuclear Reactor Regulation, Director

⑧

2pp.

27628:356:27628:357

⑨

⑩

⑪

⑫

⑬

1. NRC/PDR Document category (see Appendix A).
2. NRC Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Corporate, agency or nonindividual source.
6. Date of document described.
7. Recipient of document and NRC or corporate affiliation.
8. Pages in this document.
9. This five-digit number is the NRC 48X microfiche designation.
10. The three-digit portion of this entry is the number of the frame on which this document starts.
11. The five-digit portion of this entry is the number of the frame on which this document ends.
12. The three-digit portion of this entry is the number of the frame on which this document ends.
13. If this space is blank, the document is available to the public only in the NRC Public Document Room, 1717 H St., N.W., Washington, D.C. 20555. If this space is filled, it gives other sources for copies of the document. The entry may be "Available at NRC" for sale; "Available at NTIS"; or "Available at GPO."

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number or a formal report number, it will appear in the last line of the item following entry 5.

#### NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:


10CFR—Commission Meeting Records  
ACRS—Advisory Committee on Reactor Safeguards  
COMMISSION—NRC Commissioners  
CONTRACT—NRC Contracts and Modifications  
DISCLOSURE—Financial Disclosure Information  
FOIA—Freedom of Information Act Requests and Releases  
GEN TECH IS—Generic Technical Issues

ORG—Correspondence with Other Organizations  
 PR—Proposed Rule  
 PRM—Petition for Rulemaking  
 PROJ—Projects—Predocket Licensing  
 PT21—Noncompliance Reports and Related Correspondence  
 QA999—Quality Assurance Inspections  
 REGGD—Regulatory Guides  
 RES—Research and Technical Assistance Reports  
 REVIEW GRP—NRC Research Review Groups  
 RM—Rulemakings  
 SECY—Position Papers Before the Commission  
 STATE PROG—State Programs  
 TOPREP—Vendor Reports and Related Correspondence  
 WASH—Regulatory Publications—Pre-NUREG Series  
 WASTE MGT—Nuclear Waste Management  
 WASTE RES—Waste Management Research Reports  
 XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are:

① NUREG—NUREG Reports and Related Correspondence



1. Nondocket category
2. NRC Accession Number (year, month, day, and sequence number of item)
3. NRC Report Number
4. Title and description of information contained in the document
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency or other nonindividual source.
7. Contract or financial (FIN) number (if any). If the document has a secondary report number, it will appear following this entry.
8. Secondary report number assigned by originator.
9. Date of document described.
10. NRC organizational recipient.
11. Pages in document.
12. All NUREG-series documents are available for purchase at NRC. Information on ordering documents is given below. All NUREG-series documents are also available at NTIS. Information on ordering from NTIS is also given below.
13. Price for which NRC sells the documents.

15. This three-digit portion of this entry is the number of the frame on which this document starts.
16. This five-digit number is the microfiche on which this document ends.
17. This three-digit number is the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

**NOTES:**

1. The address for NRC is:  
Director  
Division of Publications Services  
U.S. Nuclear Regulatory Commission  
Washington, D.C. 20555

To place orders, send check or money order, payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling (301) 492-9530.

2. The address for NTIS is:  
National Technical Information Service  
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express credit cards; supply the charge card number when placing your order.

3. The address for the PDR is:  
1717 H Street, N.W.  
Washington, D.C. 20555

To place orders, either write to the NRC PDR or call (202) 634-3274. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Paper copy and microfiche of the documents listed in this title list may be purchased. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

# ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
<b>Domestic Licensing of Source Material - Docket 40</b>			40-8905	KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK	
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1	40-8907	UNITED NUCLEAR CORP., SANTA FE, NM	
40-1162	WESTERN NUCLEAR, INC., JEFFREY CITY, WY	1	40-8911	MOBIL ALTERNATIVE ENERGY, INC., BOULDER, CO	
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	1	40-8964	SEQUOYAH FUELS CORP., OKLAHOMA CITY, OK	
40-2081	KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	1	40-8968	HYDRO RESOURCES, INC., DALLAS, TX	
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	1	<b>Domestic Licensing of Production and Utilization Facilities - Docket 50</b>		
40-3453	ATLAS MINERALS, INC., DENVER, CO	1	50-3	INDIAN POINT STATION, UNIT 1	
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	1	50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	2	50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	2	50-29	YANKEE-ROWE NUCLEAR POWER STATION	
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	2	50-70	GENERAL ELECTRIC NUCLEAR TEST REACTOR	
40-7604	SOHIO CHEMICAL CO., LIMA, OH	2	50-72	UNIV. OF UTAH RESEARCH REACTOR	
40-8027	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	2	50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	
40-8084	RIO ALGOM MINING CORP., MOAB, UT	2	50-83	UNIV. OF FLORIDA TRAINING REACTOR	
40-8102	EXXON CO., USA, HOUSTON, TX	2	50-102	ISRAEL ATOMIC RESEARCH REACTOR	
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	3	50-109	SEIBERSDORF RESEARCH REACTOR	
40-8502	MALAPAI RESOURCES CO., PHOENIX, AZ	3	50-113	UNIV. OF ARIZONA RESEARCH REACTOR	
40-8681	UMETCO MINERALS CORP., GRAND JUNCTION, CO	3	50-123	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	
40-8684	MALAPAI RESOURCES CO., CASPER, WY	3	50-132	UNIV. OF TEHERAN RESEARCH REACTOR	
40-8698	PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	3	50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	
40-8714	CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH	3	50-134	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	
40-8724	CHEMETRON CORP., CHICAGO, IL	3	50-141	STANFORD UNIV. RESEARCH REACTOR	
40-8768	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	4	50-142	UCLA TRAINING REACTOR	
40-8771	MALAPAI RESOURCES CO., PHOENIX, AZ	4	50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	
40-8829	FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE	4	50-155	BIG ROCK POINT NUCLEAR PLANT	
40-8857	EVEREST MINERALS CORP., CONVERSE COUNTY, WY	4	50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	
40-8902	ANACONDA MINERALS CO., GRANTS, NM	4	50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	
40-8903	HOMESTAKE MINING CO., GRANTS, NM	4	50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	
40-8904	BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE	4	50-192	UNIV. OF TEXAS RESEARCH REACTOR	
			50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	

50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	11	50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1
50-213	HADDAM NECK PLANT	13	50-285	FORT CALHOUN STATION, UNIT 1
50-219	OYSTER CREEK NUCLEAR POWER PLANT	14	50-286	INDIAN POINT STATION, UNIT 3
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	16	50-287	OCONEE NUCLEAR STATION, UNIT 3
50-223	UNIV. OF LOWELL RESEARCH REACTOR	17	50-288	REED COLLEGE RESEARCH REACTOR
50-224	UNIV. OF CALIFORNIA RESEARCH REACTOR	18	50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1
50-225	RPI CRITICAL EXPERIMENT	18	50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1
50-228	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	18	50-295	ZION NUCLEAR POWER STATION, UNIT 1
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	18	50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	20	50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	21	50-298	COOPER NUCLEAR STATION
50-247	INDIAN POINT STATION, UNIT 2	22	50-301	POINT BEACH NUCLEAR PLANT, UNIT 2
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	23	50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3
50-250	TURKEY POINT PLANT, UNIT 3	25	50-304	ZION NUCLEAR POWER STATION, UNIT 2
50-251	TURKEY POINT PLANT, UNIT 4	27	50-305	KEWAUNEE NUCLEAR POWER PLANT
50-254	QUAD-CITIES STATION, UNIT 1	29	50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2
50-255	PALISADES NUCLEAR PLANT	30	50-309	MAINE YANKEE ATOMIC POWER PLANT
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	31	50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	33	50-312	RANCHO SECO NUCLEAR GENERATING STATION
50-261	H.B. ROBINSON PLANT, UNIT 2	36	50-313	ARKANSAS NUCLEAR ONE, UNIT 1
50-263	MONTICELLO NUCLEAR GENERATING PLANT	37	50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1
50-265	QUAD-CITIES STATION, UNIT 2	38	50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	40	50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	41	50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2
50-269	OCONEE NUCLEAR STATION, UNIT 1	43	50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2
50-270	OCONEE NUCLEAR STATION, UNIT 2	44	50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1
50-271	VERMONT YANKEE NUCLEAR POWER STATION	45	50-322	SHOREHAM NUCLEAR POWER STATION
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	46	50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	48	50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	49	50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	51	50-326	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR
50-280	SURRY POWER STATION, UNIT 1	52	50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1
50-281	SURRY POWER STATION, UNIT 2	54		

50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	100	50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	143
50-329	MIDLAND PLANT, UNIT 1	103			
50-330	MIDLAND PLANT, UNIT 2	103	50-397	WPPSS NUCLEAR PROJECT, UNIT 2	145
50-331	DUANE ARNOLD ENERGY CENTER	103	50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	146
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	105	50-407	UNIV. OF UTAH RESEARCH REACTOR	147
50-334	BEAVER VALLEY POWER STATION, UNIT 1	106	50-409	LA CROSSE BOILING WATER REACTOR	147
50-335	ST. LUCIE PLANT, UNIT 1	107	50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	148
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	108	50-412	BEAVER VALLEY POWER STATION, UNIT 2	149
50-338	NORTH ANNA POWER STATION, UNIT 1	110	50-413	CATAWBA NUCLEAR STATION, UNIT 1	150
50-339	NORTH ANNA POWER STATION, UNIT 2	111	50-414	CATAWBA NUCLEAR STATION, UNIT 2	152
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	112	50-416	GRAND GULF NUCLEAR STATION, UNIT 1	154
50-344	TROJAN NUCLEAR PLANT	113	50-417	GRAND GULF NUCLEAR STATION, UNIT 2	155
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	115	50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	156
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	117	50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	157
50-352	LIMERICK GENERATING STATION, UNIT 1	118	50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	159
50-353	LIMERICK GENERATING STATION, UNIT 2	119	STN-50-437	FLOATING NUCLEAR PLANT	161
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	120	50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	161
50-358	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	122	50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	162
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	122	50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	162
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	124	50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	164
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	126	50-443	SEABROOK NUCLEAR STATION, UNIT 1	165
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	127	50-444	SEABROOK NUCLEAR STATION, UNIT 2	189
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	129	50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	212
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	130	50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	215
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	132	STN-50-454	BYRON STATION, UNIT 1	218
50-373	LASALLE COUNTY STATION, UNIT 1	134	STN-50-455	BYRON STATION, UNIT 2	219
50-374	LASALLE COUNTY STATION, UNIT 2	135	STN-50-456	BRAIDWOOD STATION, UNIT 1	220
50-382	WATERFORD GENERATING STATION, UNIT 3	136	STN-50-457	BRAIDWOOD STATION, UNIT 2	221
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	138	50-458	RIVER BEND STATION, UNIT 1	222
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	139	50-460	WPPSS NUCLEAR PROJECT, UNIT 1	224
50-389	ST. LUCIE PLANT, UNIT 2	140	50-461	CLINTON POWER STATION, UNIT 1	224
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	141	STN-50-470	CESSAR SYSTEM 80	225
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	142	STN-50-482	WOLF CREEK GENERATING STATION	225



STN-50-483	CALLAWAY PLANT, UNIT 1	226	70-0734	GA TECHNOLOGIES, INC., SAN DIEGO, CA	2
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	227	70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	2
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	229	70-0820	UNC RECOVERY SYSTEMS, WOOD RIVER JUNCTION, RI	2
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	230	70-0824	BABCOCK & WILCOX CO., LYNCHBURG, VA	2
STN-50-518	HARTSVILLE NUCLEAR PLANT, UNIT 1	231	70-0920	RENSSELAER POLYTECHNIC INSTITUTE, TROY, NY	2
STN-50-519	HARTSVILLE NUCLEAR PLANT, UNIT 2	231	70-0925	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	2
STN-50-520	HARTSVILLE NUCLEAR PLANT, UNIT 3	231	70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	2
STN-50-521	HARTSVILLE NUCLEAR PLANT, UNIT 4	231	70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	2
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	231	235,20	g Pu at existing facilities in Wilmington, NC.	2
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	232	<b>Domestic Licensing of Special Nuclear Material - Docket 70</b>		
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	234	70-1151	WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC	2
50-537	CLINCH RIVER BREEDER REACTOR	235	70-1201	BABCOCK & WILCOX CO., LYNCHBURG, VA	2
STN-50-553	PHIPPS BEND NUCLEAR STATION, UNIT 1	235	70-1257	ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA	2
STN-50-554	PHIPPS BEND NUCLEAR STATION, UNIT 2	235	70-1359	IRT CORP., SAN DIEGO, CA	2
STN-60-566	YELLOW CREEK NUCLEAR PLANT, UNIT 1	235	70-2479	TRANSNUCLEAR, INC., FALLS CHURCH, VA	2
STN-50-567	YELLOW CREEK NUCLEAR PLANT, UNIT 2	235	70-3055	GEORGIA POWER CO., WAYNESBORO, GA	2
50-601	RESAR SP/90	235	<b>Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71</b>		
50-602	UNIV. OF TEXAS RESEARCH REACTOR	235	71-0210	GULF NUCLEAR, INC.	2
50-603	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	236	71-0479	SOUTH CAROLINA ELECTRIC & GAS CO.	2
50-604	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	236	71-0498	GEARHART-OWEN INDUSTRIES	2
STN-50-605	GE ADVANCED BWR DESIGN	236	71-0642	RTS TECHNOLOGY, INC.	2
<b>Domestic Licensing of Special Nuclear Material - Docket 70</b>			71-0655	MICHIGAN STATE UNIV., EAST LANSING, MI	2
70-0025	ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA	236	71-0656	PROFESSIONAL WELDING ASSOCIATES	2
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	237	71-3002	MODEL: NR-10, NIPPON NUCLEAR FUEL DEVELOPMENT CO., LTD.	2
70-0113	PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	237	71-3003	MODEL: TN-1, TRANSNUCLEAR GMBH	2
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	237	71-4986	MODEL: RA-2, RA-3, RA-J, GENERAL ELECTRIC CO.	2
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	237	71-5552	MODEL: GAS CYLINDER FIRE IMPACT SHIELD, ENERGY, DEPT.	2
70-0270	MISSOURI, UNIV. OF, COLUMBIA, MO	237	71-5957	MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY	2
70-0364	BABCOCK & WILCOX CO., APOLLO, PA	237	71-5980	MODEL: GE-600, GENERAL ELECTRIC CO.	2
70-0371	UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT	237			2

Docket	Name	Page	Docket	Name
71-6574	MODEL: HN-200, WESTINGHOUSE-HITTMAN NUCLEAR, INC.	239	71-9137	MODEL: 820, TECH/OPS, INC.
71-6613	MODEL: 702, TECH/OPS, INC.	239	71-9141	MODEL: 900, TECH/OPS, INC.
71-6677	MODEL: LP-12, ENERGY, DEPT. OF	240	71-9143	MODEL: 920, TECH/OPS, INC.
71-6678	MODEL: LP-50, ENERGY, DEPT. OF	240	71-9145	MODEL: NUPAC 50-1.5L, NUCLEAR PACKAGING, INC.
71-6717	MODEL: 6717-B, GAMMA INDUSTRIES, INC.	240	71-9147	MODEL: 850, TECH/OPS, INC.
71-9006	MODEL: AI 500 SU, TECH/OPS, INC.	240	71-9148	MODEL: 770, TECH/OPS, INC.
71-9007	MODEL: 520, TECH/OPS, INC.	240	71-9149	MODEL: 910, TECH/OPS, INC.
71-9010	MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	240	71-9151	MODEL: HN-100 SERIES 3, WESTINGHOUSE-HITTMAN NUCLEAR
71-9019	MODEL: BU-7, GENERAL ELECTRIC CO.	240	71-9154	MODEL: 858, TECH/OPS, INC.
71-9021	MODEL: 750, TECH/OPS, INC.	240	71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.
71-9027	MODEL: 741 & 741E, TECH/OPS, INC.	240	71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.
71-9028	MODEL: 684 & 684E, TECH/OPS, INC.	240	71-9159	MODEL: NUPAC 14/190L, M & H, NUCLEAR PACKAGING, INC.
71-9029	MODEL: 676 & 676E, TECH/OPS, INC.	240	71-9160	MODEL: 20-VS & 40-VS, GULF NUCLEAR, INC.
71-9032	MODEL: 650, TECH/OPS, INC.	240	71-9165	MODEL: 855, TECH/OPS, INC.
71-9033	MODEL: 660 & 660E, TECH/OPS, INC.	240	71-9168	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.
71-9035	MODEL: 680 & 680E, TECH/OPS, INC.	240	71-9176	MODEL: NUPAC 14/210L & 14/210H, NUCLEAR PACKAGING, INC.
71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	240	71-9177	MODEL: NUPAC 10/140, NUCLEAR PACKAGING, INC.
71-9039	MODEL: 715, TECH/OPS, INC.	241	71-9178	MODEL: NUPAC 7/100, NUCLEAR PACKAGING, INC.
71-9053	MODEL: 683, TECH/OPS, INC.	241	71-9179	MODEL: NUPAC 6/100L & 6/100H, NUCLEAR PACKAGING, INC.
71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.	241	71-9180	MODEL: 500-SU-OP, AUTOMATION INDUSTRIES, INC.
71-9073	MODEL: OH-142 SERIES, NUCLEAR PACKAGING, INC.	241	71-9182	MODEL: HUSMAN IRRADIATOR, AGRICULTURE, DEPT. OF
71-9086	MODEL: HN-100, SERIES 1, HITTMAN NUCLEAR & DEVELOPMENT	241	71-9185	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.
71-9102	MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.	241	71-9187	MODEL: 865, TECH/OPS, INC.
71-9103	MODEL: NLI-6502, NUCLEAR ASSURANCE CORP.	241	71-9208	MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.
71-9107	MODEL: 771, TECH/OPS, INC.	241	71-9210	MODEL: NUS 10-135, NUS CORP.
71-9108	MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.	241	71-9218	MODEL: TRUPACT-II, ENERGY, DEPT. OF
71-9110	MODEL: MX-IC-100, MAGNAFLUX CORP.	241	71-9222	MODEL: HN-215H, WESTINGHOUSE HITTMAN NUCLEAR, INC.
71-9120	MODEL: TN-12, TRANSNUCLEAR, INC.	241	71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.
71-9126	MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.	241		
71-9127	MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.	241		
71-9128	MODEL: C-8, GAMMA INDUSTRIES, INC.	241		
71-9133	MODEL: C-10, GAMMA INDUSTRIES, INC.	241		
71-9135	MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.	242		
			<b>Licensing of Independent Spent Fuel Storage - Docket 72</b>	
			72-0004	DUKE POWER CO., 50-269

# ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
g Pu at existing facilities in Wilmington, NC.	235,20	238	UNITED NUCLEAR CORP., SANTA FE, NM	40-8907	
<b>Domestic Licensing of Source Material - Docket 40</b>			WESTERN NUCLEAR, INC., JEFFREY CITY, WY	40-1162	
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	1	<b>Domestic Licensing of Production and Utilization Facilities - Docket 50</b>		
ANACONDA MINERALS CO., GRANTS, NM	40-8902	4	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	50-228	1
ATLAS MINERALS, INC., DENVER, CO	40-3453	1	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	50-603	23
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	3	ALCHEMIE CENTRIFUGE ENRICHMENT PLANT	50-604	23
BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE	40-8904	4	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	15
CHEMETRON CORP., CHICAGO, IL	40-8724	3	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	15
CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH	40-8714	3	ARKANSAS NUCLEAR ONE, UNIT 1	50-313	7
EVEREST MINERALS CORP., CONVERSE COUNTY, WY	40-8857	4	ARKANSAS NUCLEAR ONE, UNIT 2	50-368	12
EXXON CO., USA, HOUSTON, TX	40-8102	2	BEAVER VALLEY POWER STATION, UNIT 1	50-334	10
FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE	40-8829	4	BEAVER VALLEY POWER STATION, UNIT 2	50-412	14
HOMESTAKE MINING CO., GRANTS, NM	40-8903	4	BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	16
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	5	BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	16
KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL	40-2061	1	BIG ROCK POINT NUCLEAR PLANT	50-155	1
KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK	40-8905	4	BRAIDWOOD STATION, UNIT 1	STN-50-456	22
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	40-8027	2	BRAIDWOOD STATION, UNIT 2	STN-50-457	22
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	40-8768	4	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-269	3
MALAPAI RESOURCES CO., CASPER, WY	40-8684	3	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	3
MALAPAI RESOURCES CO., PHOENIX, AZ	40-8502	3	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	6
MALAPAI RESOURCES CO., PHOENIX, AZ	40-8771	4	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-326	9
MOBIL ALTERNATIVE ENERGY, INC., BOULDER, CO	40-8911	5	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	9
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	1	BYRON STATION, UNIT 1	STN-50-454	21
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	2	BYRON STATION, UNIT 2	STN-50-455	21
PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	2	CALLAWAY PLANT, UNIT 1	STN-50-483	22
PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO	40-8698	3	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	8
RIO ALGOM MINING CORP., MOAB, UT	40-8084	2	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	8
SEQUOYAH FUELS CORP., OKLAHOMA CITY, OK	40-8964	5	CATAWBA NUCLEAR STATION, UNIT 1	50-413	15
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	2	CATAWBA NUCLEAR STATION, UNIT 2	50-414	15
SOHIO CHEMICAL CO., LIMA, OH	40-7604	2	CESSAR SYSTEM 80	STN-50-470	22
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	1	CLINCH RIVER BREEDER REACTOR	50-537	23
UMETCO MINERALS CORP., GRAND JUNCTION, CO	40-8681	3	CLINTON POWER STATION, UNIT 1	50-461	22
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	21
			COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	21

CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	69	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	12
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	115	KEWAUNEE NUCLEAR POWER PLANT	50-305	7
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	48	LA CROSSE BOILING WATER REACTOR	50-409	14
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	93	LASALLE COUNTY STATION, UNIT 1	50-373	13
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	80	LASALLE COUNTY STATION, UNIT 2	50-374	13
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	81	LIMERICK GENERATING STATION, UNIT 1	50-352	11
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	6	LIMERICK GENERATING STATION, UNIT 2	50-353	11
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	18	MAINE YANKEE ATOMIC POWER PLANT	50-309	7
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	23	MIDLAND PLANT, UNIT 1	50-329	10
DUANE ARNOLD ENERGY CENTER	50-331	103	MIDLAND PLANT, UNIT 2	50-330	10
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	85	MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	2
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	127	MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	10
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	112	MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	15
FLOATING NUCLEAR PLANT	STN-50-437	161	MONTICELLO NUCLEAR GENERATING PLANT	50-263	3
FORT CALHOUN STATION, UNIT 1	50-285	56	NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	1
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	41	NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	14
GE ADVANCED BWR DESIGN	STN-50-605	236	NORTH ANNA POWER STATION, UNIT 1	50-338	11
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-70	8	NORTH ANNA POWER STATION, UNIT 2	50-339	11
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	8	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	6
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	11	OCONEE NUCLEAR STATION, UNIT 1	50-269	4
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	164	OCONEE NUCLEAR STATION, UNIT 2	50-270	4
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	165	OCONEE NUCLEAR STATION, UNIT 3	50-287	5
H.B. ROBINSON PLANT, UNIT 2	50-261	36	OYSTER CREEK NUCLEAR POWER PLANT	50-219	1
HADDAM NECK PLANT	50-213	13	PALISADES NUCLEAR PLANT	50-255	1
HARTSVILLE NUCLEAR PLANT, UNIT 1	STN-50-518	231	PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	2
HARTSVILLE NUCLEAR PLANT, UNIT 2	STN-50-519	231	PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	2
HARTSVILLE NUCLEAR PLANT, UNIT 3	STN-50-520	231	PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	2
HARTSVILLE NUCLEAR PLANT, UNIT 4	STN-50-521	231	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	1
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	120	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	1
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	9	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	1
INDIAN POINT STATION, UNIT 1	50-3	5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	1
INDIAN POINT STATION, UNIT 2	50-247	22	PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	1
INDIAN POINT STATION, UNIT 3	50-286	58	PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	1
ISRAEL ATOMIC RESEARCH REACTOR	50-102	8	PHIPPS BEND NUCLEAR STATION, UNIT 1	STN-50-553	2
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	105	PHIPPS BEND NUCLEAR STATION, UNIT 2	STN-50-554	2
			PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	1

POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	40	TROJAN NUCLEAR PLANT	50-344	10
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	68	TURKEY POINT PLANT, UNIT 3	50-250	29
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	55	TURKEY POINT PLANT, UNIT 4	50-251	29
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	73	UCLA TRAINING REACTOR	50-142	10
QUAD-CITIES STATION, UNIT 1	50-254	29	UNIV. OF ARIZONA RESEARCH REACTOR	50-113	9
QUAD-CITIES STATION, UNIT 2	50-265	38	UNIV. OF CALIFORNIA AT IRVINE RESEARCH REACTOR	50-326	9
RANCHO SECO NUCLEAR GENERATING STATION	50-312	77	UNIV. OF CALIFORNIA RESEARCH REACTOR	50-224	10
REED COLLEGE RESEARCH REACTOR	50-288	60	UNIV. OF FLORIDA TRAINING REACTOR	50-83	5
RESAR SP/90	50-601	235	UNIV. OF LOWELL RESEARCH REACTOR	50-223	1
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	11	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	1
RIVER BEND STATION, UNIT 1	50-458	222	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	50-123	9
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	20	UNIV. OF TEHERAN RESEARCH REACTOR	50-132	5
RPI CRITICAL EXPERIMENT	50-225	18	UNIV. OF TEXAS RESEARCH REACTOR	50-192	1
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	46	UNIV. OF TEXAS RESEARCH REACTOR	50-602	23
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	75	UNIV. OF UTAH RESEARCH REACTOR	50-407	14
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	11	UNIV. OF UTAH RESEARCH REACTOR	50-72	8
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	122	VERMONT YANKEE NUCLEAR POWER STATION	50-271	4
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	124	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	14
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	10	WATERFORD GENERATING STATION, UNIT 3	50-382	13
SEABROOK NUCLEAR STATION, UNIT 1	50-443	165	WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	14
SEABROOK NUCLEAR STATION, UNIT 2	50-444	189	WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	14
SEIBERSDORF RESEARCH REACTOR	50-109	9	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	13
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	97	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	13
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	100	WILLIAM H. ZIMMER NUCLEAR STATION, UNIT 1	50-358	12
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	146	WOLF CREEK GENERATING STATION	STN-50-482	22
SHOREHAM NUCLEAR POWER STATION	50-322	87	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	50-134	1
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	227	WPPSS NUCLEAR PROJECT, UNIT 1	50-460	22
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	229	WPPSS NUCLEAR PROJECT, UNIT 2	50-397	14
ST. LUCIE PLANT, UNIT 1	50-335	107	WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	23
ST. LUCIE PLANT, UNIT 2	50-389	140	YANKEE-ROWE NUCLEAR POWER STATION	50-29	23
STANFORD UNIV. RESEARCH REACTOR	50-141	10	YELLOW CREEK NUCLEAR PLANT, UNIT 1	STN-50-566	23
SURRY POWER STATION, UNIT 1	50-280	52	YELLOW CREEK NUCLEAR PLANT, UNIT 2	STN-50-567	23
SURRY POWER STATION, UNIT 2	50-281	54	ZION NUCLEAR POWER STATION, UNIT 1	50-295	6
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	138	ZION NUCLEAR POWER STATION, UNIT 2	50-304	7
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	139	<b>Domestic Licensing of Special Nuclear Material - Docket 70</b>		
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	60	ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA	70-1257	23
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	84	BABCOCK & WILCOX CO., APOLLO, PA	70-0135	23

BABCOCK & WILCOX CO., LYNCHBURG, VA	70-1201	238	MODEL: 741 & 741E, TECH/OPS, INC.	71-9027	24
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0824	238	MODEL: 750, TECH/OPS, INC.	71-9021	24
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	238	MODEL: 770, TECH/OPS, INC.	71-9148	24
GA TECHNOLOGIES, INC., SAN DIEGO, CA	70-0734	237	MODEL: 771, TECH/OPS, INC.	71-9107	24
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	237	MODEL: 820, TECH/OPS, INC.	71-9137	24
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	238	MODEL: 850, TECH/OPS, INC.	71-9147	24
GEORGIA POWER CO., WAYNESBORO, GA	70-3055	239	MODEL: 855, TECH/OPS, INC.	71-9165	24
IRT CORP., SAN DIEGO, CA	70-1359	238	MODEL: 858, TECH/OPS, INC.	71-9154	24
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	70-0925	238	MODEL: 865, TECH/OPS, INC.	71-9187	24
MISSOURI, UNIV. OF, COLUMBIA, MO	70-0270	237	MODEL: 900, TECH/OPS, INC.	71-9141	24
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	237	MODEL: 910, TECH/OPS, INC.	71-9149	24
PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA	70-0113	237	MODEL: 920, TECH/OPS, INC.	71-9143	24
RENSSELAER POLYTECHNIC INSTITUTE, TROY, NY	70-0920	238	MODEL: AI 500 SU, TECH/OPS, INC.	71-9006	24
ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA	70-0025	236	MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY	71-5957	23
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-2479	239	MODEL: BU-7, GENERAL ELECTRIC CO.	71-9019	24
UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT	70-0371	237	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	24
UNC RECOVERY SYSTEMS, WOOD RIVER JUNCTION, RI	70-0820	238	MODEL: C-10, GAMMA INDUSTRIES, INC.	71-9133	24
WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC	70-1151	238	MODEL: C-8, GAMMA INDUSTRIES, INC.	71-9128	24
<b>Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71</b>			MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.	71-9135	24
			MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.	71-9108	24
			MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	71-9168	24
GEARHART-OWEN INDUSTRIES	71-0498	239	MODEL: GAS CYLINDER FIRE IMPACT SHIELD, ENERGY, DEPT.	71-5552	23
GULF NUCLEAR, INC.	71-0210	239	MODEL: GE-600, GENERAL ELECTRIC CO.	71-5980	23
MICHIGAN STATE UNIV., EAST LANSING, MI	71-0855	239	MODEL: HN-100 SERIES 3, WESTINGHOUSE-HITTMAN NUCLEAR	71-9151	23
MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.	71-9127	241	MODEL: HN-100, SERIES 1, HITTMAN NUCLEAR & DEVELOPMENT	71-9086	23
MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.	71-9126	241	MODEL: HN-200, WESTINGHOUSE-HITTMAN NUCLEAR, INC.	71-6574	23
MODEL: 20-VS & 40-VS, GULF NUCLEAR, INC.	71-9160	242	MODEL: HN-215H, WESTINGHOUSE HITTMAN NUCLEAR, INC.	71-9222	23
MODEL: 500-SU-OP, AUTOMATION INDUSTRIES, INC.	71-9180	243	MODEL: HUSMAN IRRADIATOR, AGRICULTURE, DEPT. OF	71-9182	23
MODEL: 520, TECH/OPS, INC.	71-9007	240	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	23
MODEL: 650, TECH/OPS, INC.	71-9032	240	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	23
MODEL: 660 & 660E, TECH/OPS, INC.	71-9033	240	MODEL: LP-12, ENERGY, DEPT. OF	71-6677	23
MODEL: 6717-B, GAMMA INDUSTRIES, INC.	71-8717	240	MODEL: LP-50, ENERGY, DEPT. OF	71-6678	23
MODEL: 676 & 676E, TECH/OPS, INC.	71-9029	240	MODEL: MX-IC-100, MAGNAFLUX CORP.	71-9110	23
MODEL: 680 & 680E, TECH/OPS, INC.	71-9035	240	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-9225	23
MODEL: 683, TECH/OPS, INC.	71-9053	241	MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	71-9010	23
MODEL: 684 & 684E, TECH/OPS, INC.	71-9028	240			

Name	Docket	Page	Name	Docket
MODEL: NLI-6502, NUCLEAR ASSURANCE CORP.	71-9103	241	MODEL: NUS 10-135, NUS CORP.	71-9103
MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.	71-9102	241	MODEL: OH-142 SERIES, NUCLEAR PACKAGING, INC.	71-9102
MODEL: NR-10, NIPPON NUCLEAR FUEL DEVELOPMENT CO., LTD.	71-3002	239	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	71-9102
MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.	71-9208	243	MODEL: RA-2, RA-3, RA-J, GENERAL ELECTRIC CO.	71-9102
MODEL: NUPAC 10/140, NUCLEAR PACKAGING, INC.	71-9177	243	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.	71-9102
MODEL: NUPAC 14/190L, M & H, NUCLEAR PACKAGING, INC.	71-9159	242	MODEL: TN-1, TRANSNUCLEAR GMBH	71-9102
MODEL: NUPAC 14/210L & 14/210H, NUCLEAR PACKAGING, INC.	71-9176	243	MODEL: TN-12, TRANSNUCLEAR, INC.	71-9102
MODEL: NUPAC 50-1.5L, NUCLEAR PACKAGING, INC.	71-9145	242	MODEL: TRUPACT-II, ENERGY, DEPT. OF PROFESSIONAL WELDING ASSOCIATES	71-9102
MODEL: NUPAC 6/100L & 6/100H, NUCLEAR PACKAGING, INC.	71-9179	243	RTS TECHNOLOGY, INC.	71-9102
MODEL: NUPAC 7/100, NUCLEAR PACKAGING, INC.	71-9178	243	SOUTH CAROLINA ELECTRIC & GAS CO.	71-9102
			<b>Licensing of Independent Spent Fuel Storage - Docket 72</b>	
			DUKE POWER CO., 50-269	72-0102

**DOCKET 40-0299 METALCO MINERALS CORP., RIVERTON, WY**

**8807150276** Forwards Amend 5 to License SUA-0848, revising License Condition 58 to permit receipt of 1,750,000 cubic yards of wastes from Riverton processing site in A-9 pit.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/06/03. UMETCO Minerals Corp (subs. of Union Carbide Corp.) 2pp. 46182-210-46182-243

**-8807150276** Amend 5 to License SUA-648, revising License Condition 58 to permit receipt of 1,750,000 cubic yards of wastes from Riverton processing site in A-9 pit.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/06/03. 14pp. 46182-212-46182-243.

**8807180033** Recommends approval of Amend 5 to License SUA-648, revising Condition 58 re disposal of scrap metal.  
JACOBY, D.L., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 88/06/03. Uranium Recovery Field Ofc, R4. 2pp. 46202-354-46202-355.

**8807150141** Forwards Amend 6 to License SUA-648, revising License Conditions 35 & 64.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/06/07. UMETCO Minerals Corp. (subs. of Union Carbide Corp.) 5pp. 46188-021-46188-061.

**-8807150160** Amend 6 to License SUA-648 for Umetco Minerals Corp. authorizing possession & use of unlimited amounts of natural U.  
SMITH, R.D. Region 4, Ofc of the Director, 88/06/07. 13pp. 46188-026-46188-055.

**-8807150164** Recommends that Conditions 35 & 64 to License SUA-648 be revised as listed. Detection monitoring program should be established to ensure compliance w/ 10CFR40, App A to include listed items.  
KONWINSKI, G.R. Uranium Recovery Field Ofc, R4. 88/06/06. Uranium Recovery Field Ofc, R4. 6pp. 46188-056-46188-061.

**DOCKET 40-1162 WESTERN NUCLEAR, INC., JEFFREY CITY, WY**

**8807180201** Requests that encl samples collected during Insp of Western Nuclear, Inc U mill be analyzed for U-nat & Ra-226.  
HEYER, R.S. Uranium Recovery Field Ofc, R4. 88/05/25. MARTIN, D.B. Energy, Dept. of. 1p. 46184-355-46184-355.

**8807210217** Forwards EPA NPDES lab performance evaluation for Green Mountain IX NPDES Permit WY-0024490.  
BAKER, J. Western Nuclear, Inc. (subs. of Phelps Dodge Corp.). 88/06/01. PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 3pp. 46235-228-46235-228.

**DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN**

**8807180199** Requests that encl samples from TVA Edgemont taken during insp be analyzed for Ra-226.  
OLSEN, T.T. Uranium Recovery Field Ofc, R4. 88/06/06. MARTIN, D.B. Energy, Dept. of. 1p. 46184-354-46184-354.

**8807140086** Recommends that License SUA-616 be amended by revising License Conditions 19D & 25 re installation of settlement plates in Cell 1 & rev to health physics manual as stated.  
OLSEN, T.T., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 88/06/10. Uranium Recovery Field Ofc, R4. 2pp. 46178-250-46178-263.

**-8807140087** Forwards Amend 29 to License SUA-616, deleting License Condition 19D re installation of settlement plates in Cell 1 & revising License Condition 25 re health physics manual.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/06/10. Tennessee Valley Authority. 2pp. 46178-252-46178-263.

**-8807140089** Amend 29 to License SUA-616 for TVA, deleting License Condition 19D re installation of settlement plates in Cell 1 & revising License Condition 25 re health physics manual.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/06/10. 10pp. 46178-254-46178-263.

**DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., WEST CHICAGO, IL**

**8807110234** Responds to 880427 ltr re siting of disposal facility for low level radwaste for Central Midwest Interstate Low Level Radwaste Compact State of IL, Dept of Nuclear Safety opposed to plan for disposal at Kerr-McGee, West Chicago facility.  
COOPER, J.W. Illinois, State of. 88/06/17. ROUSE, L.C. Fuel Cycle Safety Branch. 3pp. 46081-140-46081-142.

**DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY**

**8807140096** Advises that 880404 submittal of ALARA audit report revealed no deficiencies in radiation safety program for 1987. No licensing action recommended.  
HEYER, R.S., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/05/05. Uranium Recovery Field Ofc, R4. 3pp. 46178-153-46178-155.

**8807180053** Comments on 870427 request to withdraw mill & tailings area from state permit & bonding jurisdiction.  
PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/05/20. ERICKSON, J. Wyoming, State of. 2pp. 46203-192-46203-193.

**8807250259** Forwards report on compliance monitoring characterization of area east of Tailings Ponds 1 & 2 at Lucky McMill site w/o encl Fee paid.  
HARGROVE, T.W. Pathfinder Mines Corp. 88/06/06. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 1p. 46265-182-46265-182.

zpp. 46018-304-46018-318.

**-8807010652** Insp Rept 40-2259/88-01 on 880613-15. No violations & deviations noted. Major areas inspected U millng operations & radiation safety program including mgmt organization & controls/operations review & operator training & retraining.  
HEYER, R.S., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/06/27. 13pp. 46018-306-46018-318.

**DOCKET 40-3453 ATLAS MINERALS, INC., DENVER, CO**

**8807010022** "1987 Annual ALARA Audit." W/880503 ltr.  
EDWARDS, D.L., JENSEN, W.M., BLUBAUGH, R.E. Atlas Corp. 87/12/31. PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 63pp. 45891-138-45891-199.

**8807250438** Forwards proposed groundwater detection monitoring program, per NRC 880309 request discussed during 880414 meeting. Fee paid.  
BLUBAUGH, R.E. Atlas Corp. 88/04/27. HAWKINS, E. Uranium Recovery Field Ofc, R4. 1p. 46291-246-46291-274.

**-8807250439** Advises that fee for Atlas groundwater amend request & Atlas decommissioning amend request covered initial fee for both amend requests. Submittal of 880407 considered addl info to amend & does not require any addl fee charges.  
HOOD, M.C. Uranium Recovery Field Ofc, R4. 88/05/25. BLUBAUGH, R.E. Atlas Corp. 1p. 46291-247-46291-247.

**-8807250440** "Technical Response For Ground Water Detection Monitoring Program." W/one oversize figure encl.  
\* Enocotech, Inc. 88/04/28. 31pp. 46291-248-46291-274.

**8807010271** Forwards detailed decommissioning cost estimate required, per License Condition 21 & NRC 880421 ltr.  
BLUBAUGH, R.E. Atlas Corp. 88/05/13. PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 25pp. 45081-009-45081-033.

**8807210056** Forwards "1986 ALARA Audit Rept."  
BLUBAUGH, R.E. Atlas Corp. 88/08/09. SCOVILLE, V. Uranium Recovery Field Ofc, R4. 1p. 46235-348-46235-049.

**8807160072** Requests analysis of encl U-nat & Ra-226 environ samples taken during routine insp at U mill w/o encl.  
SCOVILLE, V.R. Uranium Recovery Field Ofc, R4. 88/06/10. MARTIN, D.B. Energy, Dept. of. 1p. 46183-265-46183-265.

**8807160030** Comments on Atlas Minerals MOAB U mill 1987 annual ALARA audit, per License Condition 29. Ra-222 levels will be monitored carefully to determine if addl licensing action will be necessary.  
SCOVILLE, V.R., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/06/14. Uranium Recovery Field Ofc, R4. 2pp. 46183-307-46183-308.

**8807150192** Forwards Amend 1 to License SUA-917, revising License Condition 49 re implementation of groundwater detection monitoring program to ensure compliance w/ 10CFR40, App A.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/06/15. Atlas Corp. 2pp. 46182-001-46182-032.

**-8807150184** Amend 1 to License SUA-917 for Atlas Corp., revising License Condition 49 re groundwater detection monitoring program.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/06/15. 14pp. 46182-003-46182-032.

**8807120302** Discusses Insp Rept 40-3453/88-01 on 880523-24 & forwards notices of violation & deviation.  
PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/06/30. BLUBAUGH, R. Atlas Corp. 2pp. 46155-109-46155-112.

**-8807120307** Notice of violation from Insp on 880523-24. Violation noted: field inspectors received no specialized training & personnel contamination survey instrument not calibr in over 6 months.  
PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/06/30. 2pp. 46155-111-46155-112.

**-8807120311** Notice of deviation from Insp on 880523-24. Deviation noted: survey instruments calibr at only three of six required distances.  
PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/06/30. 2pp. 46155-113-46155-114.

**-8807120313** Insp Rept 40-3453/88-01 on 880523-24. Violations noted: Major areas inspected mgmt organization, operator training, maint, surveillance & testing, radiation protection, radwaste mgmt & transportation of radioactive mail.  
ROSE, H.D., SCOVILLE, V.R., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/06/30. 16pp. 46155-115-46155-129.

**8807250394** Discusses review of Atlas Minerals, MOAB U Mill 1986 annual ALARA audit. Info provided indicates increases in Radon-222 at air sampler Site S2. Licensee believes increases could be attributed to temp inversions & exposed batches of tailings.  
SCOVILLE, V.R., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/07/05. Uranium Recovery Field Ofc, R4. 2pp. 46274-183-46274-184.

**DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY**

**8807210210** Clarifies misunderstanding re bonding requirement for Permit 352 & procedure by which bond might be reduced. Lists procedural ground rules licensee should observe.  
WOOD, R. Wyoming, State of. 88/05/23. FERGUSON, J.C. American Nuclear Corp. 33p. 46233-210-46233-242.



8807150184 Forwards Amend 31 to License SUA-667, revising License Condition 28 re implementation of groundwater detection monitoring program to ensure compliance w/10CFR40, App A.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/06/07. American Nuclear Corp. 2pp. 46182.060-46182.087.

8807150185 Amend 31 to License SUA-667 for American Nuclear Corp., revising License Condition 20 re implementation of groundwater detection monitoring program w/10CFR40, App A.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/08/07. 21pp. 46182.062-46182.087.

8807160208 Forwards Amend 32 to License SUA-667, revising License Conditions 15 & 18 re decommissioning & materials, respectively.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/06/09. ANDRUS, N. American Nuclear Corp. 3pp. 46188.062-46188.099.

8807150209 Amend 32 to License SUA-667 for Gas H.'s Project, American Nuclear Corp., authorizing use of natural U.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/08/09. 22pp. 46188.065-46188.091.

8807210114 Discusses decommissioning plan for American Nuclear Corp., License SUA-667. Rev to license recommended.  
HEYER, R.S., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/08/09. Uranium Recovery Field Ofc, R4. 8pp. 46188.092-46188.098.

8807250320 Clarifies several statements made in body of license 880608 ltr to R Wood of Wyoming Dept of Environ Quality (WDEQ). Advises that NRC 880523 request for facility groundwater info independent of licensee commitment w/WDEQ.  
PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 89/08/30. FERGUSON, J. American Nuclear Corp. 2pp. 46255.016-46255.017.

8807250366 Advises that as of 880701, NRC will terminate review of 871021 request for amend to License SUA-667 to authorize disposal of non-byproduct rad um-contaminated soil & debris in Tailings Pond 1.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/07/01. FERGUSON, J. American Nuclear Corp. 2pp. 46254.359-46254.360.

#### DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

8807250333 Informs that LG Doohey is new superintendent at Shirley Basin Mill.  
HOPKINS, R.J. Pathfinder Mines Corp. 88/05/17. Uranium Recovery Field Ofc, R4. 1p. 46269.273-46269.273.

8807140178 Forwards Amend 16 to License SUA-0442, revising License Condition 38 re implementation of environ & effluent monitoring program.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/05/27. MURDOCK, S. Pathfinder Mines Corp. 2pp. 46173.034-46173.082.

8807140183 Amend 16 to License SUA-0442 for Pathfinder Mines Corp., revising License Condition 38 re implementation of environ & effluent monitoring program.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 89/05/27. 10pp. 46173.038-46173.062.

8807140189 Recommends issuance of Amend 18 to License SUA-442, revising Condition 38 to reflect new location for background low vol, radon & direct radiation measurement station per license 880412 request.  
HEYER, R.S., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 89/05/27. Uranium Recovery Field Ofc, R4. 2pp. 46176.326-46176.327.

#### DOCKET 40-8659 PETROTONICS CO., SHIRLEY BASIN, WY

8807200212 Application for amend to License SUA-551, amending License Condition 41 B to reflect that size of enhanced evaporation sys dependent on listed factors & Condition 41 C re design of components described in Siegel II Fee paid.  
PFAFF, S.J. Petrotonics Co. (formerly Getty/Petrotonics Co.). 88/08/01. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 7pp. 46222.152-46222.168.

8807250418 Discusses Petrotonics Co 880512 & 0601 submit's re ground water quality data & tailings pond seepage mitigation plan in response to License Conditions 41 & 47. Rev of Conditions 41 & 47 as stated recommended.  
KONWINSKI, G.R., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 88/07/05. Uranium Recovery Field Ofc, R4. 5pp. 46273.226-46273.230.

8807250305 Application for amend to License SUA-551, deleting Condition 41B & C upon approval of proposed corrective action plan. Corrective action plan encl. Fee paid.  
PFAFF, S.J. Petrotonics Co. (formerly Getty/Petrotonics Co.). 88/07/08. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 24pp. 46255.277-46255.300.

#### DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

8807180291 Requests extension until 880715 for submittal of renewal application for License SMB-743.  
MORGENSTERN, M. Metallurg, Inc. 88/07/11. PENNINGTON, S. NRC - No Detailed Affiliation Given. 2pp. 46202.343-46202.344.

8807200154 Requests extension for application of NRC License renewal until 880715. Delay due to conduct of radiation protection programs & major environ programs.  
MORGENSTERN, M. Metallurg, Inc. 88/07/11. PENNINGTON, S. Uranium Fuel Licensing Branch. 2pp. 46229.282-46229.283.

#### DOCKET 40-7604 SOHIO CHEMICAL CO., LIMA, OH

8807190201 Application for amend to License SUB 0908, authorizing unrestricted release survey for catalyst plant. Fee paid.  
SIMON, S.J. BP America, Inc. 88/08/10. SWIFT, J. NRC - No Detailed Affiliation Given. 3pp. 46214.020-46214.024.

8807190209 Forwards fee inadvertently omitted from request for amend to License SUB-0908.  
BLYTHE, H.M. BP America, Inc. 89/06/28. SWIFT, J. NRC - No Detailed Affiliation Given. 1p. 46214.023-46214.023.

8807190211 Requests request fee for 880810 application for amend to License SUB-0908.  
JACKSON, G. License Fee Management Branch. 88/08/27. SIMON, S.J. BP America, Inc. 1p. 46214.024-46214.024.

8807120582 Forwards survey plan for work performed on 880608-07 at Catalyst Plant in Lima, OH. Ltr rept summarizing results will be sent later in wk. Draft of rept will be provided by 880722.  
LANDIS, M.R. Oak Ridge Associated Univs. 88/08/13. LAROCHE, G. NRC - No Detailed Affiliation Given. 8pp. 46113.003-46113.010.

8807120392 Informs that direct measurements did not identify any area of residual contamination exceeding NRC guidelines for unrestricted use. Soil contamination expected to be within limit already reported by licensee.  
LANDIS, M.R. Oak Ridge Associated Univs. 88/08/17. ROUSE, L.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 46111.322-46111.323.

#### DOCKET 40-8027 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

8807080040 Forwards "1988 Emergency Exercise Manual ..." Manual identifies details of emergency exercise scheduled for 880602.  
STAUTER, J.C. Sequoyah Fuels Corp. (subs of Kerr-McGee Nuclear Corp.). 88/05/17. BANGART, R.L. Region 4, Ofc of the Director. 3pp. 46133.138-46133.276.

8807080044 "1988 Emergency Exercise Manual, Sequoyah Fuels Corp., Sequoyah Facility Emergency Exercise 880602." Confidential portion withheld.  
Sequoyah Fuels Corp. (subs of Kerr-McGee Nuclear Corp.). 88/05/08. 137pp. 46133.140-46133.276.

8807250380 Discharge monitoring rept for Apr 1989. W/880513 ltr.  
UTNAGE, W.L. Sequoyah Fuels Corp. (subs of Kerr-McGee Nuclear Corp.). 88/04/30. KNUDSON, M.O. Environmental Protection Agency. 6pp. 46255.001-46255.006.

8806300188 Forwards Insp Rept 40-8027/88-02 on 880531-0803 No violations, deviations or deficiencies identified.  
FISHER, W.L. Region 4, Ofc of the Director. 88/08/24. STAUTER, J.C. Sequoyah Fuels Corp. (subs of Kerr-McGee Nuclear Corp.). 2pp. 46009.039-46009.047.

8806300195 Insp Rept 40-8027/88-02 on 880531.0603 No violations or deviations noted. Major areas inspected: emergency detection & classification, protective action decisionmaking, notifications & communications & fire protection.  
SPITZBERG, D.B. POWERS, D.A. Region 4, Ofc of the Director. 88/08/23. 7pp. 46009.041-46009.047.

8807140131 Forwards data from 2-yr comprehensive monitoring program for employees exposed or potentially exposed to release of UF6, per License Condition 30 Affidavit of JG Randolph re withholding encl (ref 10CFR2780(b)(3)).  
STAUTER, J.C. Sequoyah Fuels Corp. (subs of Kerr-McGee Nuclear Corp.). 88/08/20. ROUSE, L.C. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46184.098-46184.098.

#### DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

8807140034 Recommends that License Conditions 42B & 45B be revised to read as stated re reduced freeboard requirements & modified bioassay program, per license 880317 request.  
SCOVILL, V.R., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/05/06. Uranium Recovery Field Ofc, R4. 3pp. 46176.328-46176.330.

8807140201 Forwards Amend 17 to License SUA-1119, revising Conditions 42B & 45B to modify in vivo bioassay program & to incorporate reduced freeboard requirement for lower tailing pond, respectively.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/05/05. PATTISON, R.S. Rio Algom Mining Corp. 2pp. 46176.344-46177.008.

8807140204 Amend 17 to License SUA-1119 for Rio Algom Mining Corp., authorizing use of natural U at San Juan County, CA facility & releasing licensee from Dec 1992 commitment for performing in vivo measurements every 2 yrs.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/05/05. 13pp. 46176.346-46177.008.

8807140239 Advises that draft ltr of credit to be issued by Canadian Imperial Bank of Commerce satisfies 10CFR40, App A.  
PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/05/19. MAY, K.E. Utah, State Of. 2pp. 46177.239-46177.240.

8807180082 Requests 880122 amend for License SUA-1119 re detection monitoring program be modified to locate new point of compliance wells & to determine extent & concentration of Criterion 13 hazardous constituents in uppermost aquifer.  
HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 88/05/24. Rio Algom Mining Corp. 2pp. 46203.325-46203.328.

8807120546 Discusses financial surety for Amend 18 to License SUA-1119 for Rio Algom Mining Corp. Fee will serve as basis for annual adjustment of licensee surety until NRC completes technical review of current reclamation & decommissioning plan.  
ROSE, H.D., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4. 88/08/15. Uranium Recovery Field Ofc, R4. 3pp. 46189.003-46189.005.

8807130242 Forwards Amend 18 to License SUA-1119, removing requirement to maintain surety agreement w/State of UT.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/08/15. PATTISON, B. Rio Algom Mining Corp. 3pp. 46170.337-46171.001.

8807130246 Amend 18 to License SUA-1119 for Rio Algom Mining Corp., removing requirement for licensee to maintain surety arrangement w/State of UT Board of Oil, Gas & Mining & establishing Apr 15 as anniversary date for surety update.  
SMITH, R.D. Uranium Recovery Field Ofc, R4. 88/08/15. 23pp. 46170.340-46171.001.

#### DOCKET 40-8102 EXXON CO., USA, HOUSTON, TX

8807160041 Discusses review of Exxon 880503 annual rept land use within 5 miles of millland use survey addresses all necessary listed items & acceptable.  
KONWINSKI, G.R., HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 88/06/06. Uranium Recovery Field Ofc, R4. 2pp. 46183.156-46183.157.

8807150242 Forwards Amend 23 to License SUA-1139, revising License Condition 33 to modify groundwater detection monitoring program  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/08/15 Exxon Corp 2pp. 46182 244-46182 262.

-8807150250 Amend 23 to License SUA-1139 for Exxon Corp, amending License Condition 33 to modify detection monitoring program  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/07/15 17pp 46182 246-46182 262

8807140166 Submits review addressing adequacy of Exxon 880304 reclamation cost estimate for Highland U Mill Estimate should be increased to provide add'l 5% contingency over min 15%. License SUA-1139 should be amended when plan approved  
ROSE, H.D., PETTENGILL, H.J. Uranium Recovery Field Ofc, R4 88/06/16  
HAWKINS, E.F. Uranium Recovery Field Ofc, R4 4pp 46176 322-46176 325

#### DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

8807010235 Submits add'l info on water quality, erosion risks & stability analyses to complete Bear Creek Tailings dam stability review per NRC 880505 request  
MEDLOCK, R.L. Union Pacific Corp 88/05/16 JACOBY, D. Uranium Recovery Field Ofc, R4 4pp 45981 034-45981 037

8807140230 Lists info submitted in License 880503 & 16 ltrs for annual technical evaluation of tailings disposal area Submittals satisfactory address concerns in 880505 memo re structural stability of tailings disposal area  
JACOBY, D.L., HAWKINS, E.F. Uranium Recovery Field Ofc, R4 88/05/19. Uranium Recovery Field Ofc, R4 1p 46177 243-46177 243

8807130468 Discusses proposed Amend 17 to License SUA-1310 re enhanced evaporation sys, per license 880516 request. Proposed mod acceptable  
JACOBY, D.L., HAWKINS, E.F. Uranium Recovery Field Ofc, R4 88/05/27. Uranium Recovery Field Ofc, R4 2pp 46172 149-46172 150

8807140072 Forwards Amend 17 to License SUA-1310, revising License Condition 48 to modify current enhanced evaporation sys as sys no longer used to control blowing tails  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/05/27. SCOTT, E. Bear Creek Uranium Co. 2pp 46178 219-46178 249

-8807140074 Amend 17 to License SUA-1310 for Bear Creek U Co, changing License Condition 48 to modify current enhanced evaporation sys as sys no longer used to control blowing tails  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/05/27 10pp 46178 221-46178 249

#### DOCKET 40-8502 MALAPAI RESOURCES CO., PHOENIX, AZ

8807010206 Forwards "Quarterly Operations Rept, Jan-Mar 1988 for Ingray Mine Site."  
WICHES, D.L. Malapai Resources Co. 88/04/29. MOONEY, G. Wyoming, State of. 1p. 45970 266-45980 199

-8807010222 "Quarterly Operations Rept, Jan-Mar 1988 for Ingray Mine Site."  
\* Malapai Resources Co. 88/04/29. 203pp. 45979 267-45980 199

8807250346 Ack receipt of 880502 ltr stipulating new bond amount for license operations, permit to Mine 478. Licensee will revise ltr of Credit SB-9255 to reflect new reclamation estimate, per 880502 ltr  
WICHES, D.L. Malapai Resources Co. 88/05/18. WOOD, R. Wyoming, State of. 2pp. 46273 307-46273 308

8807210042 Confirms 880525 telcon re trunkline joint separation & loss of injection solution at Ingray Mine.  
WICHES, D.L. Malapai Resources Co. 88/05/27. KONWINSKI, G.R. Uranium Recovery Field Ofc, R4 1p. 46236 067-46236 067

8807210034 Submits publisher affidavit of publication re filing of Christensen Ranch amend application in listed newspapers.  
WICHES, D.L. Malapai Resources Co. 88/05/31. SHAFFER, R. Wyoming, State of. 4pp. 46237 300-46237 312

8807210260 Forwards application for permit to construct first well old production unit at Christensen Ranch, Production Unit 3  
WICHES, D.L. Malapai Resources Co. 88/08/02. LUCHT, B. Wyoming, State of. 5pp. 46233 300-46233 305

8807150195 Forwards Amend 9 to License SUA-1341, revising License Conditions 11, 25, 28, 33 & 40 re increasing plant capacity from current 1,800 gpm to 1,800 gpm & baseline water quality.  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/06/07. WICHES, D. Malapai Resources Co. 3pp. 46182 338-46182 355

-8807150197 Amend 9 to License SUA-1341 for Malapai Resources Co, revising License Conditions 11, 25, 28, 33 & 40 to increase plant capacity from current 1,800 gpm to 1,800 gpm & baseline water quality.  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/08/07. 10pp. 46182 341-46182 355

8807210176 Clarifies intent of Condition 4 to Permit to Construct 88-216 re Christensen Ranch Production Unit 3 per 880701 telcon. Per discussions, license Interpretation Condition 4 abandonment requirements apply to wells w/ annular failures.  
WICHES, D.L. Malapai Resources Co. 88/07/01. LUCHT, B. Wyoming, State of. 2pp. 46233 131-46233 132

8807210185 Requests authorization for temporary discharge to surface groundwater produced from aquifer testing. Testing will take place in first production unit under const per conditions of Water Quality Div Consent Permit 88-216  
WICHES, D.L. Malapai Resources Co. 88/07/01. WAGNER, J. Wyoming, State of. 2pp. 46233 166-46233 167

8807250411 Forwards response to 880621, 23 & 29 comments on Christensen Ranch application for amend re hydrology, soils, wildlife, adjudication & bond estimates.  
WICHES, D.L. Malapai Resources Co. 88/07/01. SHAFFER, R. Wyoming, State of. 78pp. 46276 007-46276 086

#### DOCKET 40-8681 UMETCO MINERALS CORP., GRAND JUNCTION, CO

8807150045 Discusses review of 1987 ALARA audit rept for UMETCO Minerals Corp. While Mesa Mill submitted by 880330 ltr. Info indicated elevated levels of radon daughter exposures toward end of 1987 NRC will continue review of corrective actions.  
SCOVILL, V.R., PETTENGILL, H.J. Uranium Recovery Field Ofc, R4 88/05/05. Uranium Recovery Field Ofc, R4 2pp. 46184 319-46184 320

8807140037 Recommends amend to License SUA-1350 to authorize receipt & disposal of byproduct mail from Mobil facility by revising License Condition 49.  
SCOVILL, V.R., PETTENGILL, H.J. Uranium Recovery Field Ofc, R4 88/05/25. Uranium Recovery Field Ofc, R4 3pp 46175 038-46175 040

8807180167 Forwards Amend 13 to License SUA-1358, revising License Condition 49 re receipt, processing & disposal of byproduct mail from Crownpoint in situ U recovery facility.  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/05/25. UMETCO Minerals Corp. (subs. of Union Carbide Corp.). 1p. 46199 167-46199 197

-8807180189 Amend 13 to License SUA-1358, for Umetco Minerals Corp, revising License Condition 49 re receipt, processing & disposal of byproduct mail from Crownpoint in situ U recovery facility.  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/05/25. 12pp 46199 168-46199 197

8807210110 Confirms telcon between V Scovill & J Hamorick re Reg Guide 3.83, Task ES 401-4, "Onsite Meteorological Measurement Program for U Recovery Facilities - Data Acquisition & Reporting." Licensee understands that response not needed.  
SPARLING, D.K. UMETCO Minerals Corp. (subs. of Union Carbide Corp.) 88/06/28. PETTENGILL, H.J. Uranium Recovery Field Ofc, R4 1p. 46237 355-46237 355

8807250307 Ack receipt of 880531 response to 880511 notice of violation. Item B corrective measures adequate to minimize potential for contamination of urine samples per License SUA-1358 Condition 38(B).  
PETTENGILL, H.J. Uranium Recovery Field Ofc, R4 88/06/30. SPARLING, D.K. UMETCO Minerals Corp. (subs. of Union Carbide Corp.) 2pp 46259 205-46259 208

#### DOCKET 40-8684 MALAPAI RESOURCES CO., CASPER, WY

8807250426 Forwards 7th quarterly operations rept & 4th semiannual ALARA audit rept  
WICHES, D.L. Malapai Resources Co. 88/04/29. KONWINSKI, G.R. Uranium Recovery Field Ofc, R4 3pp. 46278 008-46278 048

-8807250431 "Seventh Quarterly Operations Rept, Jan-Mar 1988."  
\* Malapai Resources Co. 88/03/31. 31pp. 46278 009-46278 038

-8807250433 "Fourth Semiannual ALARA Audit, Oct 1987 - Mar 1988."  
\* Malapai Resources Co. 88/03/31. 10pp. 46278 039-46278 048

8807180063 Summarizes Malapai Willow Creek ALARA audit rept & quarterly rept review. Appropriate site activities undertaken to maintain radon at or below exposure ALARA  
KONWINSKI, G.R., HAWKINS, E.F. Uranium Recovery Field Ofc, R4 88/05/23. Uranium Recovery Field Ofc, R4 1p. 46202 350-46202 350

#### DOCKET 40-8698 PLATEAU RESOURCES, LTD., GRAND JUNCTION, CO

8807150198 Forwards Amend 6 to License SUA-1371, revising License Condition 33 to incorporate arsenic & selenium values & establish threshold limit for chloride  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/08/07. Plateau Resources, Ltd 3pp. 46183 044-46183 064

-8807150203 Amend 6 to License SUA-1371 for Plateau Resources, Ltd, revising License condition to incorporate arsenic & selenium values & establish threshold limit for chloride.  
SMITH, R.D. Region 4, Ofc of the Director. 88/08/07. 9pp. 46183 047-46183 064

8807010614 Forwards Radiation Safety Insp Rept 40-8690/88-01 on 880525. No violations or deviations noted  
PETTENGILL, H.J. Uranium Recovery Field Ofc, R4 88/06/27. COLLINS, W. Plateau Resources, Ltd. 2pp. 46018 269-46018 279

-8807010618 Insp Rept 40-8690/88-01 on 880525. No violations or deviations noted. Major areas inspected: U milling operations & radiation safety program including mgmt organization & control/operations review & operator training & retraining  
ROSE, H.D., SCOVILL, V.R., PETTENGILL, H.J. Region 4, Ofc of the Director. 88/06/27. 9pp. 46018 271-46018 279

#### DOCKET 40-8714 CLEVELAND-CLIFFS IRON CO., CLEVELAND, OH

8807210079 Informs that collection of last scheduled ground water samples under 1-yr stability monitoring program at Collins Draw site planned on 880706, per 880624 telcon.  
AHO, G.D. Cleveland Cliffs, Inc. 88/06/29. KONWINSKI, G. Uranium Recovery Field Ofc, R4. ENGELMANN, R. Wyoming, State of. 1p. 46234 138-46234 138

8807210162 Requests vendor to accept 70 cubic yards contaminated soils & other wastes from U project in Campbell County, WY undergoing decontamination  
AHO, G.D. Cleveland-Cliffs Iron Co. 88/07/08. FERGUSON, J.C. American Nuclear Corp. 1p. 46233 243-46233 243

#### DOCKET 40-8724 CHEMETRON CORP., CHICAGO, IL

8807130334 Provides list of companies that filed petitions under Chapter 11 of Bankruptcy Code w/ US Bankruptcy Court for Western District of Pennsylvania in response to 880613 ltr to Chemetron Corp, demanding for info.  
CASS, G.L., Buchanan, Ingersoll, Rodewald, Kyle & Burger, 88/08/23. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards Director. 3pp. 46122 053-46122 055

**DOCKET 40-8768 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK**

- 8807010640 Forwards Radiation Safety Insp Rept 40-8768/89-01 on 880613-14 & notice of violation  
HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/06/28 Sequoyia Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.) 2pp 46017 069 46017 106
- 8807010643 Notice of violation from Insp on 880613-14 Violation noted three entrances to facility in vicinity of westernmost water treatment settling ponds not posted & no self-monitoring performed on 880603 work permit  
HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/06/28 2pp. 46017 091-46017 032
- 8807010645 Insp Rept 40 8768/89-01 on 880613-14 Violations noted Major areas inspected U in situ operations & radiation safety program including mgt organization & controls/operation review & operator training & refueling  
SCOVILL,V. GRACE S. OLSEN,T. Uranium Recovery Field O/c, R4. 68/06/27. 14pp. 46017 093-46017 106

**DOCKET 40-8771 MALAPAI RESOURCES CO., PHOENIX, AZ**

- 8807160095 Adresses of intent to terminate License SUA-1385 unless steps taken to meet present license contingencies by 880701  
HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/05/18 Malapai Resources Co 1p 46203 352-46203 352

**DOCKET 40-8829 FERRET EXPLORATION CO. OF NEBRASKA, INC., CRAWFORD, NE**

- 8807210153 Forwards public notice from Chadron Record re proposed EPA public hearing on Crow Butte aquifer exemption  
COLLINGS,S.P. Ferret Exploration Company of Nebraska, Inc. 88/07/07.  
KONWINSKI,G. Uranium Recovery Field O/c, R4 2pp 46234 245-46234 246

**DOCKET 40-8857 EVEREST MINERALS CORP., CONVERSE COUNTY, WY**

- 8807210086 Notices that pre-startup pump testing of Mine Units B-8, 12, 15 & 16 at Highland U Project will take place on 880627  
HILDEBRAND,P. Everest Minerals Corp. 88/06/23. OLSEN,T. Uranium Recovery Field O/c, R4 1p 46237 359-46237 359
- 8807210147 Forwards investigative rept of recent PVC polythene joint failures & analysis re injection line at Highland U project. Cause of rupture was weak fusion weld of flange to trunk line flange rewelded & inspected prior to return of flow.  
HILDEBRAND,P. Everest Minerals Corp. 88/07/01. OLSEN,T.T. Uranium Recovery Field O/c, R4 4pp. 46235 117-46235 120.

- 8807210185 Forwards Insp Rept 40-8857/88-01 on 880615-16 Violation noted Violators will be discussed at enforcement conference in Denver,CO on 880712.  
HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/07/05. MORZENTI,S. Everest Minerals Corp 2pp 46147 330-46147 340.

- 8807210202 Insp Rept 40-8857/88-01 on 880615-16 Violations & open items noted Major areas inspected U in situ operations & radiation safety program including mgt organization & controls/operation review & radwaste mgt  
SCOVILL,V. OLSEN,T.T. GRACE,S.R. Uranium Recovery Field O/c, R4. 68/07/05 9pp 46147 332-46147 340

**DOCKET 40-8902 ANACONDA MINERALS CO., GRANTS, NM**

- 8807150171 Forwards Amend 3 to License SUA-1470,amending groundwater detection monitoring program.  
SMITH,R.D. Uranium Recovery Field O/c, R4. 88/06/01. Anaconda Co. (div. of Atlantic Richfield Co.) 2pp 46187 001-46187 018.

- 8807160131 Amend 3 to License SUA-1470 for Anaconda Minerals Co, authorizing use of unlimited U byproducts & deleting Condition 29  
SMITH,R.D. Uranium Recovery Field O/c, R4. 88/06/01. 6pp. 46187 003-46187 016

- 8807160134 Informs that proposed groundwater detection monitoring program meets 10CFR40 App A, Condition 5 requirements & acceptable License SUA-1470 amended by deleting Condition 29 & adding Condition 32 as listed  
OLSEN,T.T. Uranium Recovery Field O/c, R4. 88/06/01. Uranium Recovery Field O/c, R4. 2pp 46187 017-46187 018

- 8807140045 Advises that Amend 4 to License SUA-1470/initiated by staff to correct inconsistencies caused by inadvertent issuance of dual Amend 3 on 880310 & 0601 & issued for benefit of Commission,considered fee exempt  
PETTINGILL,H.J. Uranium Recovery Field O/c, R4. 88/06/15. HOLLOWAY,C.J. License Fee Management Branch. 1p. 46175 041-46175 057.

- 8807140057 Forwards Amend 4 to License SUA-1470, revising License Condition 16, deleting License Conditions 28 & 29 & adding License Conditions 32 & 33 & re-issuing License Condition 32 as License Condition 34.  
SMITH,R.D. Uranium Recovery Field O/c, R4. 88/06/15. Anaconda Co. (div. of Atlantic Richfield Co.) 2pp 46175 042-46175 043.

- 8807140065 Amend 4 to License SUA-1470 for Anaconda Minerals Co, authorizing use of unlimited amount of U byproducts, revising License Condition 16, deleting Conditions 28 & 29, adding Conditions 32 & 33 & re-issuing Condition 32 as Condition 34.  
SMITH,R.D. Uranium Recovery Field O/c, R4. 88/06/15. 6pp. 46175 044-46175 057.

**DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM**

- 8807140301 Informs that 880428 request for extension of submittal date to 880601 for venting cleanup of windblown tailings acceptable.  
PETTINGILL,H.J. Uranium Recovery Field O/c, R4. 88/05/05. KENNEDY,E.E. Homestake Mining Co. 1p 46177 253-46177 253

**DOCKET 40-8804 BP AMERICA, INC./L-BAR URANIUM FACILITY, SALT LAKE**

- 8807150035 Forwards Amend 5 to License SUA-1472, revising License Conditions 2 & 28 re vendor address & cleanup of windblown contamination, respectively  
SMITH,R.D. Uranium Recovery Field O/c, R4. 88/05/06. BP America, Inc 2pp 46185 102-46185 124

- 8807150038 Amend 5 to License SUA-1472, changing License Conditions 2 & 28 re vendor address & cleanup of windblown contamination, respectively.  
SMITH,R.D. Uranium Recovery Field O/c, R4. 88/05/06. 6pp. 46185 104-46185 117

- 8807150039 Reviews licensee 880330 application for amend to License SUA-1472, modifying Conditions 2 & 28 to use 20 micrometers/h contour as cleanup threshold Methodology & schedule for cleanup acceptable & license should be amended  
GRACE,S.R. HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/05/06. Uranium Recovery Field O/c, R4. 7pp 46185 118-46185 124.

- 8807140315 Forwards copies of correspondence re British Petroleum America L-Bar site, per NRC agreement W/d end.  
GRACE,S. Uranium Recovery Field O/c, R4. 88/05/09. Cobaltola, NM. 1p. 46177 264-46177 264

- 8807140223 Comments on "Samanual Envron Monitoring Rept L-Bar U Mine, Carbon County, NM" for Second Half 1987 All values well within regulatory limits  
GRACE,S.R. Region 4, O/c of the Director. HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/05/18. Uranium Recovery Field O/c, R4. 3pp. 46177 244-46177 246

- 8807180070 Requests licensee submit application for amend to License SUA-1472 and deleting Condition 13 hazardous constituents in uppermost aquifer.  
HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/05/23. BP America, Inc 2pp 46203 356-46203 357.

- 8807150217 Forwards comments on revised L-Bar U mill & mill reclamation & closure plan & Tech Specs document Open items identified that will need to be addressed before further review of plan can proceed No fatal flaws in revised plan found  
HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/05/27. BP America, Inc 6pp 46183 318-46183 328

- 8807250280 Forwards Table 1, "Major Earthquake Events Near L-Bar Site" for Comment 2 of geotechnical section of NRC comments on reclamation & closure plan  
GRISAK,G.E. INTERA Technologies, Inc. 88/08/17. HAWKINS,E.F. Uranium Recovery Field O/c, R4. 7pp. 46255 007-46255 013

- 8807250276 States understanding of actions arising from 880622 meeting re L-Bar reclamation plan, including providing surface water diversion sys & soil cover map with version channel longitudinal section stations labelled  
GRISAK,G.E. INTERA Technologies, Inc. 88/08/24. HAWKINS,E. Uranium Recovery Field O/c, R4. 2pp. 46274 241-46274 242

**DOCKET 40-8905 KERR-MCGEE CORP./QUIVIRA MINING CO., OKLAHOMA CITY, OK**

- 8807180090 Requests licensee modify 880421 application for amend to License SUA-1473 re detection monitoring program to determine extent & concentration of uranium 13 hazardous constituents in uppermost aquifer  
HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/05/24. Quivira Mining Co 3pp 46203 349-46203 351.

- 8807220023 Forwards application for amend to License SUA-1473 re receipt of water containing natural U.  
STAUTER,J.C. Quivira Mining Co 88/08/07. PETTINGILL,H. Uranium Recovery Field O/c, R4. 1p. 46249 180-46249 191.

- 8807220024 Application for amend to License SUA-1473, authorizing receipt of natural U for processing through mill circuit or consolidation in tailings facility.  
Quivira Mining Co. 88/08/02. 3pp. 46249 180-46249 191.

- 8807250389 Summarizes info provided in ALARA rept re ALARA audit for Ambrosia Lake Mill, per 880224 ltr. Review indicates acceptable performance of ALARA audit  
GARCIA,P.J. PETTINGILL,H.J. Uranium Recovery Field O/c, R4. 88/07/11. Uranium Recovery Field O/c, R4. 2pp. 46276 359-46276 360.

**DOCKET 40-8907 UNITED NUCLEAR CORP., SANTA FE, NM**

- 8807210231 Discusses fundamentals' issues noted as being in substantial disagreement during 880519 meeting re Billings document, particularly total dissolved solids & nitrate values & EPA postulation of contamination plume in southwest alluvium.  
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC Resources, Inc.). 88/05/24. ROWE,W. Environmental Protection Agency. 2pp. 46235 138-46235 137.

- 8807210249 Provides description of scope of work for geochemical sampling & analytical program described during 880519 meeting. Data will be used to demonstrate that elevated concentrations of listed chemicals not related to seepage.  
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC Resources, Inc.). 88/05/24. ROWE,W. Environmental Protection Agency. 3pp. 46234 154-46234 156.

- 8807150018 Confirms 880531 meeting in Denver,CO to discuss revs to reclamation plan per 880525 telcon  
PETTINGILL,H.J. Uranium Recovery Field O/c, R4. 88/05/26. LANGE,F. United Nuclear Corp. (subs. of UNC Resources, Inc.). 1p. 46182 323-46182 323

- 8807150236 Requests response to encl comments re proposed settlement plan per 880121 & 0531 meetings. Licensee should provide sufficient add info to enable NRC to evaluate ability of proposed design to meet requirements of App A to 10CFR140.  
HAWKINS,E.F. Uranium Recovery Field O/c, R4. 88/06/01. VELASQUEZ,J. United Nuclear Corp. (subs. of UNC Resources, Inc.). 2pp. 46183 327-46183 330.

- 8807150205 Confirms NRC position that licensee should now submit 880428 ltr as addendum to reclamation plan. Consideration for draft License Condition 30 in response to 880301 application for initiation of groundwater compliance monitoring offroad  
SMITH,R.D. Uranium Recovery Field O/c, R4. 88/08/09. VELASQUEZ,J.F. United Nuclear Corp. (subs. of UNC Resources, Inc.). 2pp. 46186 351-46186 352.

VELASQUEZ,J.R. United Nuclear Resources, Inc. 88/06/29.  
HAWKINS,E. Uranium Recovery Field Ofc. R4. 55pp. 46288-189-46288-243.

#### DOCKET 40-8911 MOBIL ALTERNATIVE ENERGY, INC., BOULDER, CO

8807180080 Requests encl Re-226 environ sample taken from Mobil Crownpoint Insp be analyzed w/o encl.  
KONWINSKI,G.R. Uranium Recovery Field Ofc. R4. 88/08/08. MARTIN,D.B. Energy. Dept. of. 1p. 46202-351-46202-351.

#### DOCKET 40-8964 SEQUOYAH FUELS CORP., OKLAHOMA CITY, OK

8807210184 Forwards response to State of WY 880807 "completeness-related" comments re Smith Ranch project in situ mining application.W/o stated encl  
FREEMAN,M.D. Sequoyah Fuels Corp (subs. of Kerr-McGee Nuclear Corp.) 88/06/30. SHAFFER,R. Wyoming. State of. 1p. 46233-340-46233-340.

#### DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

8807140109 Summary of meeting w/URI re application for license for Church Rock project.  
HAWKINS,E.F. Uranium Recovery Field Ofc. R4. 88/05/05. Uranium Recovery Field Ofc. R4. 2pp. 46176-102-46176-103.

8807220030 Ack receipt of 880519 ltr requesting public hearing on U Resources,Inc./Hydro Resources,Inc Discharge Plan DP-558  
MITZELFELT,R. New Mexico. State of. 88/06/21. BECENTI,E. Churchrock Chapter House. 1p. 46250-004-46250-004

8807250408 Advises that package submitted to support application package lacking in areas of hydrology & radiological data.  
HAWKINS,E.F. Uranium Recovery Field Ofc. R4. 88/07/05. Hydro Resources, Inc. 1p. 46276-347-46276-347.

### DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

#### DOCKET 60-3 INDIAN POINT STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

8807130288 Forwards Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively & safety evaluation Amends modify licenses to require compliance w/amended physical security plan. Plan revised to meet requirements of 10CFR73.55.  
SLOSSON,M.M. Project Directorate I-1. 88/07/06. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 3pp. 46169-336-46169-345.

-8807130288 Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively, revising licenses to require compliance w/amended physical security plan.  
CAPRA,R.A. Project Directorate I-1. 88/07/06. 4pp. 46169-339-46169-342.

-8807130295 Safeguards evaluation rept supporting Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively.  
\* NRC - No Detailed Affiliation Given. 88/07/06. 3pp. 46169-343-46169-345.

##### H. General correspondence

8807220015 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in oil&gas emergency planning.  
HOLT,J. Public Interest Research Group, New York. 87/02/18. Commissioners 5pp. 46230-249-46230-263.

##### J. Insurance & indemnity information

8807140252 Forwards Endorsements 180 & 141 to NELA Policy NF-100 & MAELU Policy MF-29, respectively.  
O'CONNOR,D.J. Marsh & McLennan, Inc. 88/07/11. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46177-229-46177-233.

##### P. Operating license stage documents & correspondence

8807120026 Forwards Amends 38 & 131 to Licenses DPR-5 & DPR-26, respectively & safety evaluation. Amends revise Tech Specs to incorporate changes to facility organization.  
SLOSSON,M.M. Project Directorate I-1. 88/08/21. BRAM,S.B. Commonwealth Edison Co. 2pp. 46112-326-46112-339.

-8807120031 Amends 38 & 131 to Licenses DPR-5 & DPR-26, respectively, revising organizational figures contained in Tech Specs.  
CAPRA,R.A. Project Directorate I-1. 88/08/21. 10pp. 46112-328-46112-337.

-8807120039 Safety evaluation supporting Amends 38 & 131 to Licenses DPR-5 & DPR-26, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/21. 2pp. 46112-338-46112-339.

8807110356 Forwards notice of consideration of issuance of amends to OL & proposed NSHC determination & opportunity for hearing re 880615 application requesting removal of organization charts per Generic Ltr 88-08.  
SLOSSON,M.M. Project Directorate I-1. 88/06/23. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 2pp. 46082-038-46082-043.

charts per Generic Ltr 88-08.  
SLOSSON,M.M. Project Directorate I-1. 88/06/23. 6pp. 46082-038-46082-043.

8807130288 Forwards Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively & safety evaluation Amends modify licenses to require compliance w/amended physical security plan. Plan revised to meet requirements of 10CFR73.55.  
SLOSSON,M.M. Project Directorate I-1. 88/07/06. BRAM,S.B. Consolidated Edison Co. of New York, Inc. 3pp. 46169-336-46169-345.

-8807130288 Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively, revising licenses to require compliance w/amended physical security plan.  
CAPRA,R.A. Project Directorate I-1. 88/07/06. 4pp. 46169-339-46169-342

-8807130295 Safeguards evaluation rept supporting Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively.  
\* NRC - No Detailed Affiliation Given. 88/07/06. 3pp. 46169-343-46169-345.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc ltr & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

##### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Redcirculation Pumps W/ Power Oscillation Event" Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-268.

8807010251 Forwards Safety Insp Repts 50-003/88-01,50-247/88-17 & 50-288/88-09 on 880509-13.No violations noted.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/06/21. BRAM,S. Consolidated Edison Co. of New York, Inc. 2pp. 46008-168-46008-176

-8807010268 Insp Repts 50-003/88-01,50-247/88-17 & 50-288/88-09 on 880509-13.No violations noted.Major areas inspected radiological environ monitoring program,including mgt controls & analytical measurements QC program.  
STRUCKMEYER,R. PASCIAK,W.J. Region 1, Ofc of the Director. 88/06/18. 8pp. 46008-168-46008-176

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

8806120038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-163-46019-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807050182 Forwards Safety Insp Repts 50-003/88-02 & 50-247/88-16 on 880509-13.No violations noted.Weaknesses identified in oversight of whole body counting Addl attention to area warranted.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/24. BRAM,S. Consolidated Edison Co. of New York, Inc. 2pp. 46025-143-46025-148.

-8807050185 Insp Repts 50-003/88-02 & 50-247/88-16 on 880509-13.No violations noted.Major areas inspected access control, radiation work permits,area posting,high radiation area controls,surveys & whole body counting.  
SHERBINI,S. SHANBAKY,M.M. Region 1, Ofc of the Director. 88/06/23. 4pp. 46026-145-46026-148.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-048, "Marking,Handling,Control,Storage & Destruction of Safeguards Info." Svc ltr encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-006.



8807120553 NRC Info Notice 88-051, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 11pp. 46257.258-46258.018

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206

## DOCKET 60-6 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

### F. Security, medical, emergency & fire protection plans

8807070140 Forwards Safeguards Insp Repts 50-005/88-02 & 70-0113/88-01 on 880503-06. No violations noted. Steps taken to correct violations brought to u/l attention in NRC 850827 ltr also ven'd.

BELLAMY,R.R. Region 1, O/c of the Director. 88/06/28. HOSLER,C.L. Pennsylvania State Univ., University Park, PA. 2pp. 46125.258-46125.268.

-8807070143 Mail Control Accounting & Physical Security Insp Repts 50-005/88-02 & 70-0113/88-01 on 880503-06. Major areas inspected organization & operation, shipping & receiving storage & internal controls, inventory & record & repts.  
DELLA RATTIA,A., KEIM,G.R.R. Region 1, O/c of the Director. 88/06/28. 7pp. 46125.260-46125.268

### Q. Inspection reports, IE Bulletins & correspondence

8807050361 Forwards Exam Rept 50-005/88-01OL of exam administered on 880512-13.  
GALLO,R.M. Region 1, O/c of the Director. 88/08/22. HOSLER,C.L. Pennsylvania State Univ., University Park, PA. 2pp. 46025.063-46025.069

-8807050366 Exam Rept 50-005/88-01OL on 880512-13. Exam results: reactor operator passed operating & written exams. Sen or reactor operator failed Section H of written exam.  
SILK,D.M., ESELGROTH,P.W. Region 1, O/c of the Director. 88/08/21. 5pp. 46025.065-46025.068.

8807070140 Forwards Safeguards Insp Repts 50-005/88-02 & 70-0113/88-01 on 880503-06. No violations noted. Steps taken to correct violations brought to u/l attention in NRC 850827 ltr also ven'd.

BELLAMY,R.R. Region 1, O/c of the Director. 88/08/28. HOSLER,C.L. Pennsylvania State Univ., University Park, PA. 2pp. 46125.258-46125.268

-8807070143 Mail Control Accounting & Physical Security Insp Repts 50-005/88-02 & 70-0113/88-01 on 880503-06. Major areas inspected organization & operation, shipping & receiving storage & internal controls, inventory & record & repts.

DELLA RATTIA,A., KEIM,G.R.R. Region 1, O/c of the Director. 88/06/28. 7pp. 46125.260-46125.268.

### V. Operator Examinations

8807050361 Forwards Exam Rept 50-005/88-01OL of exam administered on 880512-13.  
GALLO,R.M. Region 1, O/c of the Director. 88/08/22. HOSLER,C.L. Pennsylvania State Univ., University Park, PA. 2pp. 46025.063-46025.069.

-8807050366 Exam Rept 50-005/88-01OL on 880512-13. Exam results: reactor operator passed operating & written exams. Sen or reactor operator failed Section H of written exam.  
SILK,D.M., ESELGROTH,P.W. Region 1, O/c of the Director. 88/06/21. 5pp. 46025.065-46025.068.

## DOCKET 60-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

8807150078 Rev 7 to Emergency Plan Implementing Procedure EPIP 200-T1, "Classification of Generating Station Emergency Plan Conditions."  
Commonwealth Edison Co. 88/07/06. 21pp. 46185.155-46185.175.

8807140216 Requests add'l info re emergency plan requirements for fuel storage. Lists questions requiring licensee response needed for evaluation of emergency action lists in emergency plan. Rev of site emergency plan suggested.  
ERICKSON,P.B. Standardization & Non Power Reactor Project Directorate. 88/07/07. MORGAN,W.E. Commonwealth Edison Co. 3pp. 46177.262-46177.264.

8807180162 Informs that 880527 Rev 24 to security plan for facility consistent w/ 10CFR50.54(p) & acceptable. Stated item deleted due to administrative error must be returned to plan Encl withheld.  
MALLET,T.B.S. Region 3, O/c of the Director. 88/07/08. BLISS,H.E. Commonwealth Edison Co. 2pp. 46215.345-46215.346.

8807250401 Rev 1 to Procedure DSSP 100-A, "Hot Shutdown Procedure Path A."  
Commonwealth Edison Co. 88/07/31. 14pp. 46273.231-46273.244.

8807250008 Rev 1 to Emergency Plan Implementing Procedure DSSP 100-B, "Hot Shutdown Procedure Path B."  
Commonwealth Edison Co. 88/07/31. 13pp. 46269.260-46269.272.

8807250133 Rev 2 to Procedure DSSP 100-E, "Hot Shutdown Procedure-Path E."  
Commonwealth Edison Co. 88/07/31. 15pp. 46274.301-46274.316.

8807250177 Rev 2 to Procedure DSSP 100-D, "Hot Shutdown Procedure - Path D."  
Commonwealth Edison Co. 88/07/31. 13pp. 46273.068-46273.080.

8807250349 Rev 2 to Procedure DSSP 100-F, "Hot Shutdown Procedure-Path F."  
Commonwealth Edison Co. 88/07/31. 15pp. 46255.312-46255.326.

## P. Operating license stage documents & correspondence

8807120100 Forwards Rev 51 changes to QA program Topical Rept CE-1-A and 880707 Rev made to reflect organizational changes, to provide add'l organization position description & identification to change commitment to ANSI/ASME NQA-1.  
MORGAN,W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46156.046-46156.075.

-8807190205 Rev 51 to licensee QA Program Topical Rept CE-1-A.  
SHEWSKI,W.J. Commonwealth Edison Co. CE-1-A RS1. 88/07/07. 25pp. 46156.051-46156.075.

8807140312 Summarizes discussions held on 880626-29 re performance of operating nuclear power plants. Facilities categorized as requiring continued close monitoring.  
STELLO,V. O/c of the Executive Director for Operations. 88/07/08. O'CONNOR,J.J. Commonwealth Edison Co. 1p. 46178.108-46178.108.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807220277 Confirms 880706 plans re 880714 mgt meeting at Region III to discuss plant performance.  
GREENMAN,E.G. Region 3, O/c of the Director. 88/07/12. REED,C. Commonwealth Edison Co. 1p. 46249.111-46249.111.

### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978.166-45978.268.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BF-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46018.037-46018.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807120033 Forwards HJ Major 880608 memo re site visit to attend exit meeting for Insp of emergency operating procedures & to tour facility.  
DAVIS,A.B. Region 3, O/c of the Director. 88/07/05. REED,C. Commonwealth Edison Co. 1p. 46154.358-46154.360.

-8807120037 Summary of 880608 facility site visit to attend exit meeting for Insp of emergency operating procedures (EOP) performed by assigned Region I EOP team.  
MILLER,H.J. Region 3, O/c of the Director. 88/06/20. DAVIS,A.B. NRC - No Data-Id Affiliation Given. 2pp. 46154.359-46154.360.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206.

**F. Security, medical, emergency & fire protection plans**

**8807010318** Forwards Resident Safety Insp Rept 50-029/88-09 on 880401-0531 & notice of violation response to violation re failure to maintain written meeting minutes for plant operation review committee, per Tech Spec 6.5.1.8, not required.  
WIGGINS, J.T. Region 1, Ofc of the Director. 88/06/21. DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 2pp. 46008:081-46008:112.

**-8807010327** Onsite Regular & Backshift Insp Rept 50-029/88-09. Violations noted Major areas inspected previous insp findings, bi-monthly safety sys verification, operational safety verification, radiological controls & emergency exercise. HAVERKAMP, D.R. Region 1, Ofc of the Director. 88/06/21. 29pp. 46008:084-46008:112.

**8807070259** Forwards SALP Rept 50-029/88-99 on 881007-880331. Advises that meeting will be scheduled to discuss SALP evaluation.  
RUSSELL, W.T. Region 1, Ofc of the Director. 88/06/23. DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 2pp. 46125:068-46125:128.

**-8807070285** SALP Rept 50-029/88-99 for 881007-880331.  
\* Region 1, Ofc of the Director. 88/06/23. 5pp. 46125:070-46125:128.

**8807060313** Discusses 880311 mgmt meeting in Region 1 of re security program initiatives & regulatory effectiveness review. List of attendees & security program status encl.  
WIGGINS, J.T. Region 1, Ofc of the Director. 88/06/29. DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 10pp. 46116:105-46116:114.

**8807140289** Change 17 to Rev 13 to "Yankee Emergency Plan," re fire of agreement between utility & off to authorities & organizations.  
\* Yankee Atomic Electric Co. 88/06/30. 12pp. 46174:320-46174:331.

**8807180028** Summarizes initiatives conducted by utility in emergency planning area of which SALP Board may not have been fully apprised.  
DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 88/07/07. COLLINS, S. Region 1, Ofc of the Director. 2pp. 46202:352-46202:353.

**8807130378** Rev 9 to Emergency Plan Implementing Procedure OP-3344, "Security Force Actions Under Emergency Conditions."  
\* Yankee Atomic Electric Co. 88/07/31. 20pp. 46184:070-46184:087.

**H. Major correspondence**

**8807010722** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DESFOSES, W.J. Affiliation Not Assigned. 88/06/22. Office of the Secretary of the Commission. 1p. 45994:045-45994:045.

**K. Utility Final Safety Analysis Report (FSAR) & amendments**

**8807050197** Updated Yankee FSAR W/880828 ltr.  
DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 88/06/28. 497pp. 46068:139-46068:275.

**P. Operating license stage documents & correspondence**

**8807060349** Application for amend to License DPR-3, increasing nitrogen supply pressure to safety injection accumulator from 473 to 488 pounds per square inch gauge. Fee paid.  
DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 88/06/27. Document Control Branch (Document Control Desk). 3pp. 46103:193-46103:196.

**-8807060352** Proposed Tech Specs 3.5.1.e, increasing nitrogen supply pressure to safety injection accumulator to 488 pounds per square inch gauge.  
\* Yankee Atomic Electric Co. 88/06/27. 1p. 46103:196-46103:196.

**8807060614** Application for amend to License DPR-3, adding Tech Spec Section C 2 re check valves to Table 3.6-1, containing check valve WC-V-822 & manual isolation valves WC-V-821, VD-V-1170 & VD-V-1171 to Section B.1 of Table 3.6-1. Fee paid.  
DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 88/06/27. Document Control Branch (Document Control Desk). 4pp. 46115:109-46115:114.

**-8807060523** Proposed Tech Specs Table 3.6-1.  
\* Yankee Atomic Electric Co. 88/06/27. 2pp. 46115:113-46115:114.

**8807070091** Application for amend to License DPR-3, modifying Tech Spec Table 3.6.1, "Containment Barriers" to delete Valve VD-V-752 & Tech Spec 3.4.5.1, "Main Coolant Leakage Detection Sys." to add requirements for level switch. Fee paid.  
DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 88/06/27. Document Control Branch (Document Control Desk). 3pp. 46126:035-46126:040.

**-8807070095** Proposed Tech Spec Table 3.6.1, "Containment Barriers," deleting Valve VD-V-752 & Tech Spec 3.4.5.1, "Main Coolant Leakage Detection Sys." adding operability, action & surveillance requirements for telltale level switch.  
\* Yankee Atomic Electric Co. 88/06/27. 3pp. 46126:036-46126:040.

**8807110225** Application for amend to License DPR-3, changing Tech Specs to allow for installation of two piping mods necessary for installation of enhanced water cleanup sys. Fee paid.  
DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 88/06/27. Document Control Branch (Document Control Desk). 4pp. 46141:184-46141:203.

**-8807060551** Amend 111 to License DPR-3, removing requirement for plant operations manager to maintain senior reactor operator license from Tech Specs.  
WESSMAN, R.H. Project Directorate I-3. 88/06/28. 4pp. 46002:276-46002:279.

**-8807060559** Safety evaluation supporting Amend 111 to License DPR-3.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/28. 2pp. 46002:280-46002:281.

**8807080223** Submits clarification of info in 880429 ltr re operational QA program (YOAP-1-A). Rev 18, per questions in 880629 telcon between PK Eapen, RW Winters & A Shepard. Changes to Sections III.B.1.b & X.B.1.b discussed.  
SHEPARD, A.M. Yankee Atomic Electric Co. 88/06/29. Document Control Branch (Document Control Desk). 2pp. 46140:069-46140:070.

**8807120637** Forwards safety evaluation accepting utility proposed steam cooling model for large break LOCA analysis.  
FAIRFILL, M.B. Project Directorate I-3. 88/06/29. PAPANIC, G. Yankee Atomic Electric Co. 2pp. 46121:096-46121:102.

**-8807120642** Safety evaluation accepting utility proposed reflood steam cooling model.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/29. 3pp. 46121:100-46121:102.

**8807140077** Grants 880511 request for further extension in implementation date of emergency operating procedures from prior to startup of Cycle 20 operation to 880701.  
VARGA, S.A. Project Directorate I-2. 88/07/06. PAPANIC, G. Yankee Atomic Electric Co. 3pp. 46176:350-46175:352.

**8807120206** Responds to NRC 880509 ltr re reactor vessel supports. Encl info demonstrates that ample margin exists in support to perform satisfactorily under all design conditions.  
PAPANIC, G. Yankee Atomic Electric Co. 88/07/08. FAIRFILL, M.B. Project Directorate I-3. 8pp. 46232:130-46232:137.

**8807180076** Notification of 880721 meeting w/utility in Rockville, MD to discuss routine monthly scheduling & prioritization.  
FAIRFILL, M.B. Project Directorate I-3. 88/07/11. WESSMAN, R. Project Directorate I-3. 2pp. 46202:380-46202:381.

**8807130454** Generic ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

**8807210351** Enviro assessment & finding of no significant impact re application for amend to License DPR-3, revising Tech Specs to permit loads greater than 900 lbs to travel over spent fuel pit to enable removal of control rods from pit.  
WESSMAN, R.H. Project Directorate I-3. 88/07/13. 6pp. 46235:276-46235:281.

**Q. Inspection reports, IE Bulletins & correspondence**

**8806130168** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:166-45978:266.

**8807010318** Forwards Resident Safety Insp Rept 50-029/88-09 on 880401-0531 & notice of violation response to violation re failure to maintain written meeting minutes for plant operation review committee, per Tech Spec 6.5.1.8, not required.  
WIGGINS, J.T. Region 1, Ofc of the Director. 88/06/21. DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 2pp. 46008:081-46008:112.

**-8807010324** Notice of violation from Insp on 880401-0531 Violation noted approved written meeting minutes, written approvals or disapprovals of required reviews & rat determinations not issued for period 871014-0504.  
\* Region 1, Ofc of the Director. 88/06/21. 1p. 46008:083-46008:083.

**-8807010327** Onsite Regular & Backshift Insp Rept 50-029/88-09. Violations noted Major areas inspected previous insp findings, bi-monthly safety sys verification, operational safety verification, radiological controls & emergency exercise. HAVERKAMP, D.R. Region 1, Ofc of the Director. 88/06/21. 29pp. 46008:084-46008:112.

**8806160340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

**8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

**8807050112** Ack receipt of 880601 ltr informing NRC that Westinghouse DS series circuit breakers not used in safety-related applications at facility. Response to NRC Bulletin 88-001, satisfactory.  
FAIRFILL, M.B. Project Directorate I-3. 88/06/23. PAPANIC, G. Yankee Atomic Electric Co. 2pp. 45998:055-45998:058.

8807070259 Forwards SALP Rept 50-029/86-99 on 861007-880331. Advises that meeting will be scheduled to discuss SALP evaluation.  
RUSSELL, W.T. Region 1, O/c of the Director. 88/08/23. DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 2pp. 46125 068-46125.128

-8807070265 SALP Rept 50-029/86-99 for 861007-880331.  
\* Reg on 1, O/c of the Director. 88/06/23. 5pp. 46125 070-46125.128

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 48019 153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 48019 268-46020.018.

8807060328 Provides response to NRC 680427 request for additional info re 880110-15 insp concerning main steam line pressure switches. Based on failure analysis results & vendor recommendations, program instituted that maintains plant per Tech Specs.  
DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 88/06/30. Document Control Branch (Document Control Desk). 5pp. 46115 311-46115.315.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242.212.

8807180028 Summarizes initiatives conducted by ut in emergency planning area of which SALP Board may not have been fully apprised.  
DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 88/07/07. COLLINS, S. Region 1, O/c of the Director. 2pp. 46202 352-46202.353

8807090006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 261-46232.027.

8807120291 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower Than Expected Rod Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Salvageable Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257 258-46259.016.

8807180161 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 098-46257.206.

#### V. Operator Examinations

8807070259 Forwards SALP Rept 50-029/86-99 on 861007-880331. Advises that meeting will be scheduled to discuss SALP evaluation.  
RUSSELL, W.T. Region 1, O/c of the Director. 88/08/23. DRAWBRIDGE, B.L. Yankee Atomic Electric Co. 2pp. 46125 068-46125.128.

-8807070265 SALP Rept 50-029/86-99 for 861007-880331.  
\* Region 1, O/c of the Director. 88/08/23. 5pp. 46125 070-46125.128.

#### DOCKET 50-70 GENERAL ELECTRIC NUCLEAR TEST REACTOR

##### S. Reportable occurrences, LERs & related correspondence

8807110218 PNO-V-88-044 on 880627, earthquake occurred 5 miles east of Santa Cruz, CA. Seismic instrumentation not triggered at Vallecitos, Aerotest operations or at Univ of California at Berkeley.  
NORTH, H.S., YUHAS, G.P. Region 5, O/c of the Director. 88/06/27. 2pp. 46141:330-46141:331.

#### DOCKET 50-72 UNIV. OF UTAH RESEARCH REACTOR

##### H. General correspondence

8806300242 Advises that DK Gehrmlich replaces RE Stephenson as reactor administrator, effective on 880609. Current membership of reactor safety committee listed.  
BENNION, J.S. Utah, Univ. of, Salt Lake City, UT. 88/06/13. SEIDEL, W.C. Region 4, O/c of the Director. 1p. 45997:225-45997:225.

##### Q. Inspection reports, IE Bulletins & correspondence

8807120282 EN 88-058 informs Commission of order modifying licenses & notices of violation & deviation being issued to Univ. Action based on licensee failure to take prompt corrective actions re number of aud. findings.  
LUEHAM, J., LIEBERMAN, J. O/c of Enforcement (Post 870413). 88/07/08. 1p.

#### DOCKET 60-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

##### S. Reportable occurrences, LERs & related correspondence

8807110218 PNO-V-88-044 on 880627, earthquake occurred 5 miles east of Santa Cruz, CA. Seismic instrumentation not triggered at Vallecitos, Aerotest operations or at Univ of California at Berkeley.  
NORTH, H.S., YUHAS, G.P. Region 5, O/c of the Director. 88/06/27. 2pp. 46141:330-46141:331.

#### DOCKET 60-83 UNIV. OF FLORIDA TRAINING REACTOR

##### K. Utility Final Safety Analysis Report (FSAR) & amends

8807110407 Forwards Rev 5 to Univ of Florida training reactor FSAR.  
VERNETSON, W.G. Florida, Univ. of, Gainesville, FL. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46141:108-46141:115.

-8807110410 Rev 5 to Univ of Florida training reactor FSAR.  
\* Florida, Univ. of, Gainesville, FL. 88/06/30. 6pp. 46141:108-46141:115.

##### S. Reportable occurrences, LERs & related correspondence

8806300022 RO on 880610, control blade safety 2 clutch indicating lamp burned out. Burned out clutch current indicating bulb replaced to include necessary control blade drive & drop time checks.  
VERNETSON, W.G. Florida, Univ. of, Gainesville, FL. 88/06/23. GRACE, J.N. Region 2, O/c of the Director. 5pp. 45989 020-45989.024.

8807120120 RO on 880610, clutch current indication lamp for control blade safety 2 burned out at full power dropping control blade from 56% withdrawn to fully inserted position. Clutch replaced & lamp replacement frequency increased.  
VERNETSON, W.G. Florida, Univ. of, Gainesville, FL. 88/06/23. GRACE, J.N. Region 3, O/c of the Director. 2pp. 46143:197-46143:201.

-8807120128 Advises that failure of control blade safety 2 clutch indicating lamp constitutes RO per 880613 telcon.  
WHALEY, P.M. Florida, Univ. of, Gainesville, FL. 88/06/13. GRACE, J.N. Region 2, O/c of the Director. 2pp. 46143 199-46143.201.

#### DOCKET 60-102 ISRAEL ATOMIC RESEARCH REACTOR

##### P. Operating license stage documents & correspondence

8807220366 Final response to FOIA request Forwards App A documents. App A documents also available in PDR. No records subj to Category 1 of request located.  
GRIMSLEY, D.H. NRC - No Data Related Affiliation Given. 88/07/12. Affiliation Not Assigned. 3pp. 46252 311-46252.357.

-8807220381 License for American Machine & Foundry Co to export 1,000 kW pool-type research reactor to Israel.  
PRICE, H.L. Atomic Energy Commission. 58/06/12. 5pp. 46252 314-46252.318.

-8807250035 Amends License XR-0021 for American Machine & Foundry Co, extending expiration date from 590630 to 600630. License authorizes export of 1,000 kW pool-type research reactor to Israel.  
LEE, F.C. NRC - No Data Related Affiliation Given. 59/07/07. PITRELLI, J.A. American Machine & Foundry Co. 1p. 46252 319-46252.319.

-8807250042 Amends License XR-0021 for American Machine & Foundry Co, authorizing to export 1,000 kW pool-type research reactor to Israel, to expire on 610630.  
KIRK, R.L. Atomic Energy Commission. 80/06/24. PITRELLI, J.A. American Machine & Foundry Co. 1p. 46252:320-46252.320.

-8807250059 Advises that AMF Atomics does not desire to renew License XR-0021 which expires 610630, in response to NRC 610414 ltr.  
PITRELLI, J.A. American Machine & Foundry Co. 61/04/17. FLEURY, E.R. Atomic Energy Commission. 1p. 46252:321-46252.321.

-8807260072 Notice of pending expiration of Licenses XR-0021, XR-0023 & XR-0020.  
FLEURY, E.R. Atomic Energy Commission. 61/04/14. PITRELLI, J.A. American Machine & Foundry Co. 1p. 46252:322-46252.323.

-8807260080 Application for amend to License XR-0021, extending expiration date from 600630 to 610630.  
PITRELLI, J.A. American Machine & Foundry Co. 60/05/28. 1p. 46252:324-46252.324.

-8807260084 Application for amend to License XR-0021, extending expiration date from 590630 to 600630.  
PITRELLI, J.A. American Machine & Foundry Co. 59/06/15. JOHNSON, L. Atomic Energy Commission. 1p. 46252.325-46252.325.

-8807260088 Notices of expiration of License XR-0021 on 590630.  
JOHNSON, L. Atomic Energy Commission. 59/06/10. CHAMBERLAIN, W. American Machine & Foundry Co. 1p. 46252:326-46252.326.

-8807260093 Forwards License XR-0021 for American Machine & Foundry Co, authorizing exportation of 1,000 kW pool-type research reactor to Israel.  
PRICE, H.L. Atomic Energy Commission. 58/06/12. CHAMBERLAIN, W. American Machine & Foundry Co. 1p. 46252 327-46252.328.

-8807260103 Submits addl info re 580408 application for license to export research reactor to Israel per 580529 telcon.  
DENNIS, S. American Machine & Foundry Co. 58/06/02. KARAS, F.W. Atomic Energy Commission. 1p. 46252 329-46252.329.

--8807250110 Forwards notice submitted to FBI for filing & publication covering proposed export of pool type research reactor to Israel.  
PHICEL, J.L. Atomic Energy Commission. 58/04/20. American Machine & Foundry Co  
2pp. 46252.331-46252.332

--8807250116 Application for license to export one MW pool type research reactor to Israel  
CHAMBERLAIN, W. American Machine & Foundry Co. 58/04/08. PHICEL, J.L. Atomic Energy Commission. 6pp. 46252.333-46252.337.

--8807250127 Advances of FBI publication of notice of issuance of export license to American Machine & Foundry Co  
FLEIDENBERG, J. NRC - No Dated Affiliation Given. 58/08/30. EDWARDS, C.T. NRC - No Dated Affiliation Given. 1p. 46252.338-46252.338.

--8807250138 Urges to officially inform Govt of Israel that observations & comments previously offered for advice only & that issuance of export license does not imply assumption of responsibility for safety of facility by Commission  
PHICEL, J.L. Atomic Energy Commission. 58/08/25. HALL, J. Atomic Energy Commission. 2pp. 46252.339-46252.340

--8807250143 Inform of issuance of license XR 0021 to American Machine & Foundry Co authorizing export of 1,000 kW pool type research reactor to Israel & of filing of notice of proposed issuance of license w/FFH on 580502 for publication  
PHICEL, J.L. NRC - No Dated Affiliation Given. 58/08/12. FLEIDENBERG, J. NRC - No Dated Affiliation Given. 1p. 46252.341-46252.341

--8807250160 Recommends issuance of export license to AMF Atomic, Inc. re proposed export of one MW pool type research reactor to Israel.  
HALL, J.A. NRC - No Dated Affiliation Given. 58/05/18. PHICEL, J.L. NRC - No Dated Affiliation Given. 1p. 46252.342-46252.342.

--8807250168 Advances of FBI publication of notice of filing of application for facility export license on 580501.  
FLEIDENBERG, J. NRC - No Dated Affiliation Given. 58/05/07. EDWARDS, C.T. NRC - No Dated Affiliation Given. 1p. 46252.343-46252.343

--8807250170 Forwards application by AMF Atomic for license to export one MW pool type research reactor to Israel & requests to advise whether proposed export comes within purview of effective agreement for cooperation w/Govt of Israel.  
JOHNSON, J. Atomic Energy Commission. 58/04/17. HALL, J. Atomic Energy Commission. 2pp. 46252.344-46252.345

--8807250207 Calls to attention that Commission does not evaluate safety characteristics of reactors for which export license issued & that issuance of export license implies approval of design and assumption of responsibility for facility  
VANDERKAM, J. Atomic Energy Commission. 58/07/14. LAMAR, J. Israel, Govt of. 1p. 46252.350-46252.350

--8807250212 Forwards notice of issuance of export license to American Machine & Foundry Co for publication  
DEBARK, Office of the General Counsel. 58/08/13. KENNEDY, B.H. National Archives & Records Administration. 2pp. 46252.351-46252.352

--8807250221 Inform Joint Commission on Atomic Energy that AEC issued license XR 0021 to American Machine & Foundry Co authorizing export of one 1,000 kW pool type research reactor to Israel, to FBI for filing & publication  
PHICEL, J.L. Atomic Energy Commission. 58/08/12. HALL, J. Congress, Joint Commission on Atomic Energy. 1p. 46252.353-46252.353

--8807250232 Inform Joint Commission that AEC submitted notice of filing of application by American Machine & Foundry Co for license to export one 1,000 kW pool type research reactor to Israel, to FBI for filing & publication  
PHICEL, J.L. Atomic Energy Commission. 58/04/20. HALL, J. Congress, Joint Commission on Atomic Energy. 1p. 46252.354-46252.354

--8807250236 Forwards notice of filing of application for export license for American Machine & Foundry Co for publication in FBI  
DEBARK, Office of the General Counsel. 58/04/20. KENNEDY, B.H. National Archives & Records Administration. 3pp. 46252.355-46252.357

## DOCKET 50-100 BEIERSDORF RESEARCH REACTOR

### P. Operating license stage documents & correspondence

8807220388 Final response to FOIA request Forwards App A documents App A documents also available in PDF No records subj to Category 1 of request located.  
GHIMSEY, D.H. NRC - No Dated Affiliation Given. 88/07/12. Affiliation Not Assigned. 3pp. 46252.311-46252.357

--8807250072 Notice of pending expiration of licenses XR 0021, XR 0023 & XR 0028  
FLEIDENBERG, J. Atomic Energy Commission. 61/04/14. PITRELLI, J.A. American Machine & Foundry Co. 1p. 46252.322-46252.323

## DOCKET 50-113 UNIV. OF ARIZONA RESEARCH REACTOR

### Q. Inspection reports, IE Bulletins & correspondence

8807250001 Submit update of info in response IE Bulletin 70-10 re low level waste packaging for transport & burial Burial site under license 10 24 no longer used Thomas Gray & Assoc now used to dispose of low level radioactive  
NEIDHART, W. Arizona, Univ. of, Tucson, AZ. 88/08/08. Region 5, Ofc of the Director. 3pp. 46273.245-46273.247

## DOCKET 50-123 UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA

### Q. Inspection reports, IE Bulletins & correspondence

8807250017 Forwards Mail Control & Accounting Insp Repts 50-123/88-02 & 70 0270/88 02 on 880627-20 No violations noted.  
MALLETT, B.S. Region 3, Ofc of the Director. 88/07/14. WARNE, D. Missouri, Univ. of, Rolla, MO. 2pp. 46290.068-46290.070

--8807250019 Partially with'd Mail Control & Accounting Insp Repts 50-123/88-02 & 70 0270/88-02 on 880627-20 (of 10CFR2.700). No violations noted. Major areas inspected mail control & accounting. reactors  
CHRISTOFFER, G. CHIED, J.R. Region 3, Ofc of the Director. 88/07/14. 1p. 46290.070-46290.070

## DOCKET 50-132 UNIV. OF TEHRAN RESEARCH REACTOR

### P. Operating license stage documents & correspondence

8807220388 Final response to FOIA request Forwards App A documents App A documents also available in PDF No records subj to Category 1 of request located.  
GHIMSEY, D.H. NRC - No Dated Affiliation Given. 88/07/12. Affiliation Not Assigned. 3pp. 46252.311-46252.357

--8807250072 Notice of pending expiration of licenses XR 0021, XR 0023 & XR 0028  
FLEIDENBERG, J. Atomic Energy Commission. 61/04/14. PITRELLI, J.A. American Machine & Foundry Co. 1p. 46252.322-46252.323

## DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

### P. Operating license stage documents & correspondence

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation unshieldment of reactor vessel walls & impact on plant operations. Svc list encl.  
MIRAGLIA, J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "Leakage Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 46078.166-46078.268.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG-070122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.326-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45078.034-45078.155.

8806170201 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 110pp. 46010.037-46010.152.

8806210030 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 3 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.268-46020.018.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080008 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.008-46242.108.

8807080388 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-040, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257.258-46258.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46267.086-46267.206.



## DOCKET 50-134 WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR

## H. General correspondence

8807010600 Advises that telephone number for facility will change as stated beginning 880716.  
 HEWTON, T.H. Worcester Polytechnic Institute, Worcester, MA. 88/06/24. Document Control Branch (Document Control Desk). 1p. 46016.337-46018.337.

## DOCKET 50-141 STANFORD UNIV. RESEARCH REACTOR

## P. Operating license stage documents &amp; correspondence

8807250393 Forwards NRC order terminating license of Sanford pool reactor & some associated documents, per 880705 telcon.  
 GARCIA, E.M. Region 5, Ofc of the Director. 88/07/06. WONG, J. California, State of. 4pp. 46272.251-46272.274.

## DOCKET 50-142 UCLA TRAINING REACTOR

## P. Operating license stage documents &amp; correspondence

8806280172 Requests comments re decommissioning plan for facility by 880918.  
 RUBENSTEIN, L. Standardization & Non-Power Reactor Project Directorate. 88/06/20. WENSLAWSKI, F.A. Region 5, Ofc of the Director. 1p. 45972.359-45972.359.

## DOCKET 50-148 SAXTON NUCLEAR EXPERIMENTAL FACILITY

## Q. Inspection reports, IE Bulletins &amp; correspondence

8807200184 Responds to violations noted in Insp Rept 50-146/88-01. Corrective actions review performed by company QA group at TM-1 to determine if other items had left site w/o required documented survey improvement of documentation needed.  
 HEWARD, R.W. Saxton Nuclear Experimental Corp. 88/06/27. BELLAMY, R.R. Region 1, Ofc of the Director. 4pp. 46222.176-46222.178.

8807200382 Forwards Mgt Meeting Rept 50-146/88-01 on 880606 re radiological control deficiencies noted in Insp Rept 88-01.  
 BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/01. HEWARD, R.W. Saxton Nuclear Experimental Corp. 3pp. 46221.173-46221.181.

8807200384 Mgt Meeting Rept 50-146/88-01 on 880606 Major areas discussed deficiencies identified during Insp 50-146/88-01 & current radiological status of Saxton's site & plans for additional site characterization.  
 WEADOCK, A. SHANBAKY, M. Region 1, Ofc of the Director. 88/06/27. 8pp. 46221.176-46221.181.

8807250413 Discusses investigation of water in containment vessel sump noted during second quarterly insp on 880628. Radioisotopic analysis of subj water revealed Co-60, Cs-137, Cs-134 & Sr-90 contamination. Analysis results encl.  
 HEWARD, R.W. Saxton Nuclear Experimental Corp. 88/07/16. Document Control Branch (Document Control Desk). 3pp. 46254.327-46254.329.

## DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

## F. Security, medical, emergency &amp; fire protection plans

8806290484 Rev 3 to General Oic Emergency Planning Procedure GORT-1, "General Oic Response Team" w/Rev 17 to copyholders list.  
 Consumers Power Co. 88/06/21. 14pp. 45997.022-45997.035.

8807050411 Ack receipt of 880614 ltr forwarding Rev 66 to site emergency plan. Review indicated that changes made in Chapter 9 have improved on previous submittal & provided more guidance & criteria for licensee to follow.  
 SHAFER, W.D. Region 3, Ofc of the Director. 88/06/29. HOFFMAN, D.P. Consumers Power Co. 2pp. 46109.343-46109.344.

8807110183 Rev 104 to Vol 9A of Emergency Plan Implementing Procedure EPIP-6H, "Emergency Dosimetry for Offsite Emergency Response Personnel".  
 HOBE, M.A. Consumers Power Co. 88/06/30. 7pp. 46138.307-46138.313.

8807120288 Notifies of postponement of reactor sys portion of emergency response facility appraisal scheduled for 880718-21 due to lack of completion of DCDR.  
 SHAFER, W.D. Region 3, Ofc of the Director. 88/07/06. HOFFMAN, D.P. Consumers Power Co. 2pp. 46141.353-46141.354.

8807180022 Forwards Rev 19 to security plan, reflecting new camera installations. Rev withheld (ref 10CFR73.21).  
 BORDINE, T.C. Consumers Power Co. 88/07/12. Document Control Branch (Document Control Desk). 1p. 46203.358-46203.358.

## P. Operating license stage documents &amp; correspondence

8807130139 Forwards application for amend to License DPR-6, revising Tech Specs re reactor depressurization sys (RDS) surveillance testing, eliminating partial quarterly stroke exercising of RDS depressurizing valves.  
 BERRY, K.W. Consumers Power Co. 88/07/05. Document Control Branch (Document Control Desk). 2pp. 46165.225-46165.259.

8807130143 Application for amend to License DPR-6, changing Tech Specs re reactor depressurization sys (RDS) surveillance testing, eliminating quarterly partial stroke exercising of RDS depressurizing valves.  
 HOFFMAN, D.P. Consumers Power Co. 88/07/05. 10pp. 46165.227-46165.245.

8807130147 Proposed Tech Specs re reactor depressurization sys, including testing of

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CIs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc ltr & Rev 2 to Reg Guide 1.90 encl.  
 MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807210122 Documents error in NRC 880517 safety evaluation re continuing control blade surveillance program & requests correction to eliminate future misinterpretations.  
 FRISCH, R.R. Consumers Power Co. 88/07/15. Document Control Branch (Document Control Desk). 1p. 46235.152-46235.152.

## Q. Inspection reports, IE Bulletins &amp; correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc ltr encl.  
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.268.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc ltr encl.  
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc ltr encl.  
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc ltr encl.  
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Retention Device in Westinghouse Type DS-418 Circuit Breakers." Svc ltr encl.  
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46010.153-46010.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc ltr encl.  
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46010.266-46020.018.

8806280129 Forwards listing of all retail requests superseding 881222 retail request. All changes made as result of retail request review, per concerns raised in Insp Rept 50-155/87-22 did 871125.  
 FRISCH, R.R. Consumers Power Co. 88/06/24. Document Control Branch (Document Control Desk). 28pp. 45985.246-45985.274.

8807010064 Forwards Safety Insp Rept 50-165/88-12 on 880523-27 & 0609 & notice of violation.  
 HARRISON, J.J. Region 3, Ofc of the Director. 88/06/27. HOFFMAN, D.P. Consumers Power Co. 2pp. 45998.017-45998.027.

8807010066 Notice of violation from Insp on 880523-27. Violation noted: Maint Procedure MGP-14, "Disassembly & Assembly of SMA-0 to SMA-4 Limitswitch," Rev 3 & prints used for safety-related valves inappropriate to circumstances.  
 HARRISON, J.J. Region 3, Ofc of the Director. 88/06/27. 1p. 45998.019-45998.019.

8807010067 Insp Rept 50-165/88-12 on 880523-27 & 0609. Violations noted. Major areas inspected: scheduled maint activities using selected portions of Insp Modules 62700, 62702, 62704 & 62705.  
 EICK, S.D., JABLONSKI, F.J. Region 3, Ofc of the Director. 88/06/27. 4pp. 45998.020-45998.027.

8807120005 Forwards Safety Insp Rept 50-155/88-11 on 880421-0600 & 0510-0607. Violations noted. Licensee will be notified by separate correspondence of NRC decision re enforcement action.  
 MILLER, H.J. Region 3, Ofc of the Director. 88/06/29. HOFFMAN, D.P. Consumers Power Co. 2pp. 46147.275-46147.289.

8807120008 Insp Rept 50-155/88-11 on 880421-0607. Violations noted. Major areas inspected: licensee activities with respect to NRC Bulletin 85-003 & Suppl 1.  
 HUBER, M.P., SMITH, J.F., DANIELSON, D.H. Region 3, Ofc of the Director. 88/06/29. 13pp. 46147.277-46147.289.

8807120044 Forwards Safety Insp Rept 50-165/88-09 on 880420-0601. No violations noted.  
 AXELSON, W.L. Region 3, Ofc of the Director. 88/06/29. HEINS, G.L. Consumers Power Co. 2pp. 46143.270-46143.282.

8807120046 Insp Rept 50-165/88-09 on 880420-0601. No violations noted. Major areas inspected: site QA staffing, operational safety verification, maint observations of work on emergency diesel generator & NRC Bulletin 88-03.  
 JACKWY, J.N. Region 3, Ofc of the Director. 88/06/29. 11pp. 46143.272-46143.282.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc ltr encl.  
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807130104 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Unit intends to evaluate existing fire pump surveillance testing re vendor recommendations & either revise procedures or propose sys mods.  
 BERRY, K.W. Consumers Power Co. 88/07/07. Document Control Branch (Document Control Desk). 6pp. 46165.260-46165.265.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc ltr encl.  
 ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-008-46242-108.

8807220293 Confirms 880721 enforcement conference in Region III etc to discuss inadequate testing of reactor depressurization sys at plant & following meeting to discuss addl info re environ qualification of cables  
GREENMAN,E.G. Region 3, Ofc of the Director. 88/07/13. HOFFMAN,D.P. Consumers Power Co. 1p. 46250-147-46250-147.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-049, "Marking Handling Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-208.

#### R. Periodic operating reports & related correspondence

8807180102 Monthly operating rept for June 1988 for Big Rock Point W/ 880705 ltr.  
JOHNSTON,J.R., ELWARD,T.W. Consumers Power Co. 88/08/30. 6pp. 48209-195-48209-200.

#### S. Reportable occurrences, LERs & related correspondence

8807080354 PNO-III-88-059 on 880629, undr shutdown after unsuccessful efforts to calbr newly installed wide range power monitor sys. Calbr problem related to sys software GE has been notified of problem.  
JACKWILLIN, AXELSON,W.L. Region 3, Ofc of the Director. 88/08/20. 1p. 46087-312-46087-312.

#### V. Operator Examinations

8807120278 Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/23. DUCKNER,R. Consumers Power Co. 1p. 46148-355-46148-355.

#### DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

##### F. Security, medical, emergency & fire protection plans

8806300149 Forwards Insp Rept 50-160/88-01 on 880317-18 & 0406-11. No violations or deviations noted. One area of particular interest involves personnel errors. Neely Nuclear Research Ctr has not effectively established performance stds.  
GRACE,J.N. Region 2, Ofc of the Director. 88/08/16. CRECINE,J.P. Georgia Institute of Technology, Atlanta, GA. 2pp. 45997-206-45997-213.

-8806300161 Insp Rept 50-160/88-01 on 880317-18 & 0406-11. No violations or deviations identified. Major areas inspected: licensee method for identifying & correcting reactor operations & health physics safety problems.  
FREDRICKSON,P., VERRELLI,D.M. Region 2, Ofc of the Director. 88/05/18. 6pp. 45997-208-45997-213.

##### P. Operating license stage documents & correspondence

8807210209 Forwards Amend 7 to License R-97 & safety evaluation. Amend removes authority to receive & possess up to 700 grams U-235 in form of AGN-201 reactor fuel, allows nitrogen to be used as cover gas & clarifies number & timing of samples.  
ADAMS,A. Standardization & Non-Power Reactor Project Directorate. 88/07/12. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 6pp. 46235-030-46235-051.

-8807210211 Amend 7 to License R-97, removing authority to receive & possess up to 700 grams U-235 in form of AGN-201 reactor fuel, allows nitrogen to be used as cover gas & clarifying number & timing of samples to be analyzed.  
RUBENSTEIN,L.S. Standardization & Non-Power Reactor Project Directorate. 88/07/12. 11pp. 46235-036-46235-048.

-8807210213 Safety evaluation supporting Amend 7 to License R-97.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. 6pp. 46235-047-46235-051.

##### Q. Inspection reports, IE Bulletins & correspondence

8806300149 Forwards Insp Rept 50-160/88-01 on 880317-18 & 0406-11. No violations or deviations noted. One area of particular interest involves personnel errors. Neely Nuclear Research Ctr has not effectively established performance stds.  
GRACE,J.N. Region 2, Ofc of the Director. 88/08/15. CRECINE,J.P. Georgia Institute of Technology, Atlanta, GA. 2pp. 45997-206-45997-213.

-8806300161 Insp Rept 50-160/88-01 on 880317-18 & 0406-11. No violations or deviations identified. Major areas inspected: licensee method for identifying & correcting reactor operations & health physics safety problems.  
FREDRICKSON,P., VERRELLI,D.M. Region 2, Ofc of the Director. 88/05/18. 6pp. 45997-206-45997-213.

8806290085 Forwards summary of 880520 enforcement conference re activities authorized under SOP 20327-1. Concerns over lack of adherence to procedure, lack of diligence in recording info in operating logs & casual attitude noted.  
GRACE,J.N. Region 2, Ofc of the Director. 88/08/17. DOWNS,W.H. Affiliation Not Assigned. 26pp. 45974-274-45974-299.

#### V. Operator Examinations

8806290085 Forwards summary of 880520 enforcement conference re activities authorized under SOP 20327-1. Concerns over lack of adherence to procedure, lack of diligence in recording info in operating logs & casual attitude noted.  
GRACE,J.N. Region 2, Ofc of the Director. 88/08/17. DOWNS,W.H. Affiliation Not Assigned. 26pp. 45974-274-45974-299.

#### DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

##### H. General correspondence

8807280074 Comment on proposed rule 10CFR50 re cooperation w/states at commercial nuclear power plants & other facilities. Suggests rev to policy to grant same rights & responsibilities to all states within 10 miles of plant.  
MAGETTE,T. Maryland, State of. 88/07/19. CHILKES,J. Office of the Secretary of the Commission. 2pp. 48253-130-48253-131.

##### P. Operating license stage documents & correspondence

8807150006 Provides summary of NRC discussions held re until during 880628-29. NRC senior managers meetings to review performance of operating nuclear power plants licensed by NRC. U1 categorized as requiring substantial improvement.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/08. PAQUETTE,J. Philadelphia Electric Co. 2pp. 48185-359-48185-360.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation monitoring of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

#### DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

##### P. Operating license stage documents & correspondence

8807120543 Requests 14-day extension in time to respond to NRC 880610 questions re until 880912 application for amend to license, authorizing use of extended life aluminum fuel (ELAF) element containing higher dosages of U & burnable poison.  
MCKIBBEN,J.C., BRUGGER,R.M. Missouri, Univ. of, Columbia, MO. 88/07/08. ADAMS,A. Standardization & Non-Power Reactor Project Directorate. 1p. 48154-001-48154-001.

8807250318 Grants unv request for 14-day extension to respond to NRC 880610 questions re life aluminum fuel.  
ADAMS,A. Standardization & Non-Power Reactor Project Directorate. 88/07/14. MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 3pp. 46285-177-46285-179.

#### DOCKET 50-192 UNIV. OF TEXAS RESEARCH REACTOR

##### Q. Inspection reports, IE Bulletins & correspondence

8807180231 Responds to NRC 880324 ltr re violations noted in Insp rept on 880324. Corrective actions: immediate check of review dates on all procedures & list made of all modes of any type.  
BAUER,T.L. Texas, Univ. of, Austin, TX. 88/04/22. CALLAN,L.J. Associate Director for Projects (Post 870411). 13pp. 46198-332-46198-344.

#### DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

##### P. Operating license stage documents & correspondence

8806280382 Requests that date for submission of low enriched U conversion application be extended to 880308. Extension required to do remaining work for selection & validation of low enriched core for facility.  
DIMEGLIO,A.F. Rhode Island, State of. 88/08/23. MICHAELS,T. Standardization & Non-Power Reactor Project Directorate. 1p. 45972-324-45972-324.

8807200279 Advises that 880823 ltr re extension to 880308 of submission dtd 880705 on high & low enriched U acceptable.  
MICHAELS,T.S. Standardization & Non-Power Reactor Project Directorate. 88/07/11. DIMEGLIO,A.F. Rhode Island, State of. 3pp. 46240-116-46240-118.

##### Q. Inspection reports, IE Bulletins & correspondence

8807250383 Ack receipt of 880519 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-193/88-01.  
BETTENHAUSEN,L. Region 1, Ofc of the Director. 88/07/11. DIMEGLIO,A.F. Rhode Island, State of. 2pp. 46273-291-46273-293.

#### DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

## F. Security, medical, emergency & fire protection plans

8807050394 Revised emergency plan implementing procedures including Temporary Change Notice 4-1 for Rev 4 to 50123-VIII-40, Health Physics Leader Direct and Temporary Change Notice 4-2 to Rev 4 to 50123-VIII-50, Technical ... W/880623 Ltr. WARTON, M.A. Southern California Edison Co. 88/08/23 117pp. 46028.122-46026.238

8807070599 Forwards Rev 20 to physical security plan incorporating textual & figure (drawing) changes Rev withheld (ref 10CFR73.21). MORGAN, H.E. Southern California Edison Co. 88/08/24 Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46118:264-46118.264.

8807070603 Forwards Rev 19 to physical security plan Rev incorporates textual changes to permit relaxation of access safeguards requirements during preplanned emergency drills. Rev withheld (ref 10CFR73.21). MORGAN, H.E. Southern California Edison Co. 88/08/24 Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46118:149-46118.149.

8807080288 Forwards Addendum 10-1E to physical security plan Addendum withheld (ref 10CFR73.21). MORGAN, H.E. Southern California Edison Co. 88/08/28 Document Control Branch (Document Control Desk). 1p. 46136:047-46136.047.

## P. Operating license stage documents & correspondence

8807110285 Forwards notice of consideration of issuance of amend to provision OL & opportunity for hearing. Notice re 880428 request for approval to transport spent fuel using 7 element spent fuel shipping cask & store spent fuel in pools. TRAMMELL, C.M. Project Directorate V. 88/08/10. BASKIN, K.P. Southern California Edison Co. 3pp. 46101.014-46101.021.

8807110286 Notice of consideration of issuance of amend to License DPR-13 & proposed NSHC determination & opportunity for hearing. Amend would permit licensees to transport spent fuel from Unit 1 spent fuel pool using spent fuel shipping cask. TRAMMELL, C.M. Project Directorate V. 88/08/20. 5pp. 46101.017-46101.021.

8807110312 Responses to 880527 near final results of environmental qualification of electrical equipment review. Subj to successful completion of cable walk-downs & actions described in lettering to svc acceptable. TRAMMELL, C.M. Project Directorate V. 88/08/18. BASKIN, K.P. Southern California Edison Co. 4pp. 46100.358-46100.361.

8807050019 Forwards Amend Application 153 to License DPR-13, consisting of Proposed Change 183, revising Tech Spec 4.4 to increase diesel generator loading limit & largest rejected load. DIETCH, R. Southern California Edison Co. 88/08/22. Document Control Branch (Document Control Desk). 3pp. 46026:315-46026.338.

8807050020 Application for Amend 153 to License DPR-13, consisting of Proposed Change 180 modifying Tech Specs 4.4, "Emergency Power Sys Periodic Testing," to increase diesel generator loading limit & largest rejected load. Fee paid. DIETCH, R. Southern California Edison Co. 88/08/22. 19pp. 46026:318-46026.336.

8807050021 Processed Tech Specs 4.4, "Emergency Power Sys Periodic Testing" \* Southern California Edison Co. 88/08/22. 2pp. 46026:337-46026.338.

8807080244 Forwards notice of consideration of issuance of amend to License DPR-13 & opportunity for hearing re request to revise Tech Specs concerning control room emergency air treatment sys & PORV block valve surveillance testing. TRAMMELL, C.M. Project Directorate V. 88/08/28. BASKIN, K.P. Southern California Edison Co. 3pp. 46134.174-46134.177.

8807080252 Notice of consideration of issuance of amend to License DPR-13 & proposed NSHC determination & opportunity for hearing. Amend revises Tech Specs re control room emergency air treatment sys & PORV block valve surveillance testing. ROCD, H. Project Directorate V. 88/08/28. 4pp. 46134.174-46134.177.

8807140081 Forwards application for amend to License DPR-13, consisting of Proposed Change 188, revising Tech Spec re nuclear safety group review responsibilities. Fee paid. BASKIN, K.P. Southern California Edison Co. 88/07/01. Document Control Branch (Document Control Desk). 1p. 46177:202-46177.217.

8807140084 Application for amend to License DPR-13, consisting of Proposed Change 188, revising Tech Specs re nuclear safety group review responsibilities. BASKIN, K.P. Southern California Edison Co. 88/07/01. 9pp. 46177:203-46177.211.

8807140086 Proposed Tech Specs re nuclear safety group review responsibilities. \* Southern California Edison Co. 88/07/01. 6pp. 46177:212-46177.217.

8807120071 Provides add info re Generic Ltr 83-28, item 4.2 re testing of reactor trip breakers, per NRC 880315 request. Two Westinghouse DB-50 breakers utilized. Due to space considerations, bypass breakers not feasible. MEDFORD, M.O. Southern California Edison Co. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46154.173-46154.175.

8807130268 Forwards Amend 11 to Topical Rep SCE-1-A, "QA Program" MEDFORD, M.O. Southern California Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 2pp. 46177:155-46177.316.

8807130281 Amend 11 to "QA Program" BASKIN, K.P. Southern California Edison Co. SCE-1-A A 11. 88/07/31. 159pp. 46171:157-46171.315.

8807140139 Forwards proprietary & nonproprietary Westinghouse nuclear instrumentation sys drawings, per Amend Application 150 submitted on 880527. W/16 oversize drawings. Proprietary drawings withheld (ref 10CFR2.790). MEDFORD, M.O. Southern California Edison Co. 88/07/08. Document Control Branch (Document Control Desk). 1p. 46184.054-46184.082.

8807140142 Requests that proprietary nuclear instrumentation sys functional block drawings be withheld from public disclosure, per 10CFR2.790 Affidavit encl. WIESEMANN, R.A. General Electric Co. 88/08/21. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 7pp. 46184.055-46184.082.

8807150224 Forwards update of progress made re environ qualification program at facility list of 10CFR50.49(b)(1) equipment & corrective actions encl. MEDFORD, M.O. Southern California Edison Co. 88/07/09. Document Control Branch (Document Control Desk). 19pp. 46187.019-46187.037.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl. M'RAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807200028 Provides results of analysis of water discharge through facility PORV discharge piping. Discharge piping sys determined to be qualified for postulated water discharge events per NUREG 0737, item II.D.1. MEDFORD, M.O. Southern California Edison Co. 88/07/13. Document Control Branch (Document Control Desk). 2pp. 46221:135-46221.136.

8807200031 Forwards schedule for actions resulting from SEP. Topic XV-1 will be resolved per USI A-47. MEDFORD, M.O. Southern California Edison Co. 88/07/13. Document Control Branch (Document Control Desk). 8pp. 46222.022-46222.029.

8807200391 Expresses appreciation for special assistance provided by E. Murphy on 880711 re safety issue on TDI diesel generator. TRAMMELL, C.M. Project Directorate V. 88/07/13. CHENG, C.Y. Materials Engineering Branch. 2pp. 46222:121-46222.122.

8807210099 Forwards design calculation for emergency diesel generator loading DC-1809, Rev 2 & DO Harris 880815 re MEDFORD, M.O. Southern California Edison Co. 88/07/15. Document Control Branch (Document Control Desk). 3pp. 46238.051-46238.158.

8807210105 Rev 2 to "Design Calculation for Emergency Diesel Generators Loading DC 1809." \* Southern California Edison Co. 88/08/17. 47pp. 46238.054-46238.100.

8807210112 "Influence of Reduced Peak Firing Pressure on Fatigue Performance of Modified-AF Piston Skirts at San Onofre, Unit 1" \* Failure Analysis Associates. 88/07/31. 58pp. 46238.101-46238.158.

8807220045 Responds to NRC 880523 ltr re seismic analyses for operating basis earthquake, Sphero encl bldg & diesel generator bldg not part of SEP seismic reviews. Original seismic design analyses continue to be seismic design based for structures. MEDFORD, M.O. Southern California Edison Co. 88/07/15. Document Control Branch (Document Control Desk). 2pp. 46240:152-46240.153.

8807250276 Forwards Westinghouse Rept 88-13, "Charging Pump Motor Overload Evaluation." Rept concludes that these motors will perform satisfactorily under accident conditions. MEDFORD, M.O. Southern California Edison Co. 88/07/21. Document Control Branch (Document Control Desk). 1p. 46273.162-46273.172.

8807250284 "Charging Pump Motor Overload Evaluation" \* Westinghouse Electric Corp. 88-13. 88/07/31. 10pp. 46273.163-46273.172.

## Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.268.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019:037-46019.152.

8807140220 Forwards Insp Repts 50-206/88-13, 50-361/88-11 & 50-362/88-11 on 880410-0521. No violations noted. ZIMMERMAN, R.P. Region 5, Ofc of the Director. 88/08/22. BASKIN, K.P. Southern California Edison Co. 2pp. 46178.050-46178.064.

8807140222 Insp Repts 50-206/88-13, 50-361/88-11 & 50-362/88-11 on 880410-0521. No violations noted. Major areas inspected, operational safety verification, evaluation of plant trips & events & monthly surveillance & maint activities. HUEY, F.R., TATUM, J.E., HONAN, L. Region 6, Ofc of the Director. 88/08/22. 13pp. 46178:052-46178.064.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807200324 Forwards Insp Repts 50-206/88-18, 50-361/88-17 & 50-362/88-18 on 880502-0609. No noncompliance noted. SCARANO, R.A. Region 5, Ofc of the Director. 88/08/29. BASKIN, K.P. Southern California Edison Co. 2pp. 46221:194-46221.207.

review of personnel & special reports & allegation follow-up  
RUSSELL, J.E., BLOCK, S., YUHAS, G.P. Region 5, Ofc of the Director. 88/06/29.  
12pp. 46221-196-46221-207

8808300347 NRC Info Notice 88-045, "Problems In Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 103pp. 46242-109-46242-212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807190139 Responds to NRC 880610 ltr re violations noted in Insp Rept 60-208/88-10 & proposed imposition of civil penalty. Corrective actions task force established to ensure responsibility for engineering & technical work. Fee paid.  
BASKIN, K.P. Southern California Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 6pp. 46209-189-46209-194.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807220100 Discusses steam generator Insp Tech Spec reporting requirements in response to NRC 880415 request. Unit Proposed Change 176 requiring repl & NRC approval per Tech Spec 6.9.2 acceptable.  
MEDFORD, M.O. Southern California Edison Co. 88/07/15. Document Control Branch (Document Control Desk). 2pp. 46248-206-46248-207.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Application." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257-258-46258-016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-088-46257-206.

#### R. Periodic operating reports & related correspondence

8807130107 "San Onofre Nuclear Generating Station 10CFR50.59 Annual Rept 1987." W/880701 ltr.  
MORGAN, H.E. Southern California Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 88pp. 46165-137-46165-224.

8807190269 Monthly operating repl for June 1988 for San Onofre Nuclear Generating Station Unit 1. W/880715 ltr.  
SIACORE, R., MORGAN, H.E. Southern California Edison Co. 88/06/30. 6pp. 46205-102-46205-107.

#### S. Reportable occurrences, LERs & related correspondence

8807060166 LER 88-008-00 on 880524, inadvertent omission of safety injection vent valves from local leak rate testing program. Cause still being investigated. Penetration E15 will be added to local leak rate testing program. W/880623 ltr.  
MORGAN, H.E. Southern California Edison Co. 88/06/23. 6pp. 46103-106-46103-110.

8807101048 LER 88-009-00 on 880526, determined that max electrical load imposed on diesel generators in excess of Tech Spec 4.4 limit. Cause under investigation. Members involved have reviewed event & received training. W/880627 ltr.  
MORGAN, H.E. Southern California Edison Co. 88/06/27. 6pp. 46009-051-46009-056.

8807110227 PNO-V-88-042 on 880626, magnitude 4.7 earthquake occurred. Telephone contact established that earthquake not felt, no damage identified, no releases of radioactivity occurred & seismic instrumentation operable & did not respond.  
NORTH, H.S., YUHAS, G.P. Region 6, Ofc of the Director. 88/06/27. 1p. 46140-265-46140-265.

8807200391 Expresses appreciation for special assistance provided by E. Murphy on 880711 re safety issue on TDI diesel generator.  
FRAMMELL, C.M. Project Directorate V. 88/07/13. CHENG, C.Y. Materials Engineering Branch. 2pp. 46222-121-46222-122.

#### DOCKET 60-213 HADDAM NECK PLANT

#### F. Security, medical, emergency & fire protection plans

8807070521 Revised emergency plan implementing procedures, including Change 88-507 to Rev 18 to "Shift Supervisor Staff Assistant & Change 88-508 to Rev 33 to "Notification & Communication."  
BROWN, R.E. Connecticut Yankee Atomic Power Co. 88/06/20. 55pp. 46123-287-46123-341.

8807050070 Forwards Safety Insp Rept 50-213/88-10 on 880523-27. No violations noted.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/24. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 2pp. 46020-313-46020-322.

organization, environment, sample collection & meteorological monitoring  
JANG, J.C., PASCIAK, W.J. Region 1, Ofc of the Director. 88/06/21. 8pp. 46020-316-46020-322.

8807050213 Forwards Insp Rept 50-213/88-12 on 880517-20, 0526 & 0601. Enforcement conference planned to discuss violations noted, including adequacy of supervisory overview of work re vital barriers.  
KANE, W.F. Region 1, Ofc of the Director. 88/06/24. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 3pp. 46074-006-46074-010.

8807050214 Partially withheld Insp Rept 50-213/88-12 on 880517-20 & 0526 0601 (re 10CFR73.21 & 2.790). Violation noted Major areas inspected, security events of 880517-26 involving vital area barriers.  
MCCABE, E.C. Region 1, Ofc of the Director. 88/06/22. 2pp. 46074-009-46074-010.

8807070311 Forwards revised emergency plan implementing procedures & temporary procedure changes (TPCs), including Rev 10 to EIP 1.5.5, "Site Area Emergency" & TPC 88-508 to Rev 33 to EIP 1.5.2, "Notification & Communication." W/o encl.  
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 88/06/29. Document Control Branch (Document Control Desk). 1p. 46139-008-46139-008.

8807200001 Rev 7 to Emergency Plan Implementing Procedure EIP 1.5-45, "Emergency Communication Sys Testing." W/880711 ltr.  
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 88/07/11. 16pp. 46221-308-46221-323.

#### H. General correspondence

8807100654 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HENDERSON, A.W. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45993-189-45993-199.

#### P. Operating license stage documents & correspondence

8807080484 Forwards application fee for review of zircaloy fuel cladding conversion.  
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 88/06/27. Document Control Branch (Document Control Desk). 1p. 46087-319-46087-319.

8807110174 Forwards Amend 105 to License DPR-61 & safety evaluation. Amend revises Tech Spec Table 3.11-1, "Containment Isolation Valves," by adding live now containment isolation valves & deleting two.  
WANG, A.B. Project Directorate I-4. 88/07/01. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 2pp. 46141-036-46141-051.

8807110176 Amend 105 to License DPR-61, revising Tech Specs Table 3.11-1, "Containment Isolation Valves," by adding live now containment isolation valves (CIV) & deleting two CIVs.  
STOLZ, J.F. Project Directorate I-4. 88/07/01. 6pp. 46141-041-46141-048.

8807110179 Safety evaluation supporting Amend 105 to License DPR-61.  
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/01. 5pp. 46141-047-46141-051.

8807140101 Application for amend to License DPR-61, revising Tech Specs that provide limiting conditions for operation & surveillance requirements in response to Generic Ltr 83-37. Fee paid.  
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. 88/07/01. Document Control Branch (Document Control Desk). 3pp. 46178-114-46178-152.

8807140103 Proposed Tech Specs, providing limiting conditions for operation per Generic Ltr 83-37.  
Connecticut Yankee Atomic Power Co. 88/07/01. 30pp. 46178-117-46178-152.

8807130464 Generic Ltr 88-11 to all licensees of operating reactors & holders of CIPs re NRC position on radiation ambient monitoring of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130166 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 46978-156-46978-206.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 48019-037-48019-152.

8806210036 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device In Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46010-153-46010-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Pipings Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24  
Consolidated Edison Co. of New York, Inc. 114pp. 46019 266 46020 018.

8807050070 Forwards Safety Insp Rept 50-213/88-10 on 880523-27. No violations noted.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/06/24. MROCZKA,E.J. Connecticut  
Yankee Atomic Power Co. 2pp. 46020 313-46020 322

8807050072 Insp Rept 50-213/88-10 on 880523-27. No violations noted. Major areas inspected operational radiological environ monitoring program including mgt organization, environ sample collection & meteorological monitoring.  
JANIG,J.C., PASCIAK,W.J. Region 1, Ofc of the Director. 88/06/21. 4pp. 46020 315-46020 322.

8807050213 Forwards Insp Rept 50-213/88-12 on 880517-20,0526 & 0601. Enforcement conference planned to discuss violations noted, including adequacy of supervisory overview of work re vital barriers.  
KAKE,W.F. Region 1, Ofc of the Director. 88/06/24. MROCZKA,E.J. Connecticut  
Yankee Atomic Power Co. 3pp. 46074 006-46074 010

8807050214 Partially withheld Insp Rept 50-213/88-12 on 880517-20 & 0526-0601 (rel 10CFR73.21 & 2.780). Violation noted Major areas inspected security events of 880517-26 Involving vital area barriers.  
MCCABE,E.C. Region 1, Ofc of the Director. 88/06/22. 2pp. 46074 009-46074 010.

8807070139 Forwards final summary report addressing IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures." No add work w/ respect to bulletin report necessary for Milestone Unit 1.  
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/06/27. Document Control Branch (Document Control Desk) 28pp. 46139:103-46139 130.

8807130075 Informs that it's do not possess, use or transport Model SPEC 2-T radiographic exposure devices, per Bulletin 88-038.  
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/06/29. Document Control Branch (Document Control Desk). 1p. 46184:039-46184 033.

8807070053 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Most pumps not susceptible to sub problem because sys lineup &/or operational procedures do not allow pump to run near shutoff conditions.  
MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/06/30. Document Control Branch (Document Control Desk) 6pp. 46126:168-46126 173.

8807150110 Informs that it's plants use GE HFA-type latching relays per NRC Bulletin 88-03. All plants will be inspected during next refueling outage in 1989.  
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/07/06. Document Control Branch (Document Control Desk) 2pp. 46184:358-46184 359.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Detective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08.  
Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Detective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 109.

8807200036 Responds to NRC Bulletin 87-002, Suppl. 1, "Fastener Testing to Determine Conformance With Applicable Mat Specs." List of safety-related fastener suppliers w/ typical mat specs & list of non-safety-related suppliers w/ mat specs encl.  
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities) MROCZKA,E.J. Northeast Utilities. 88/07/12. Document Control Branch (Document Control Desk) 7pp. 46221 320-46221 334.

8807250085 Advises that util 880325 response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
BOYLE,M.L. Project Directorate 1-4. 88/07/13. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46289 294-46289 295.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807280231 Discusses 880708 mgt meeting in Region 1 of corporate resource allocations, engineering support & plant activities.  
BETTENHAUSEN,L. Region 1, Ofc of the Director. 88/07/14. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 102pp. 46325 248-46325 359.

8807120550 NRC Info Notice 88-049, "Marking Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 118pp. 46257 258-46258 016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 208.

8807250129 Monthly operating repl for June 1988 for Haddam Neck Plant W/8907's ltr.  
WALL,K.C., MILLER,D.B. Connecticut Yankee Atomic Power Co. 88/06/30. 10pp. 46278:116-46278:125

**S. Reportable occurrences, LERs & related correspondence**

8806290124 LER 87-018-01 on 871120, motor-operated valves disabled inoperable. Caused by inadequate maint procedure & technical info & inadequate instruction & job oversight by supervisor. Valves affected by grease reworked w/ 880623 ltr.  
EVOLA,J.H., MILLER,D.B. Connecticut Yankee Atomic Power Co. 88/06/23. 9pp. 45987 231-45987:239

8807060565 LER 87-013-01 on 870805, disabled cable vault fire suppression sys not attended by fire watch. Caused by personnel error. Involved individual counseled & incident reviewed w/ personnel. W/880630 ltr.  
DANIELSON,B.R., MILLER,D.B. Connecticut Yankee Atomic Power Co. 88/05/30. 5pp. 48114 291-48114:295.

8807070101 LER 87-005-01 on 870418, turbine control sys malfunction caused high steam flow condition resulting in reactor trip. Caused by contamination of control sys w/ water. Water sources identified & eliminated. W/880630 ltr.  
BEGANSKI,R., MILLER,D.B. Connecticut Yankee Atomic Power Co. 88/06/30. 5pp. 46125 348-46125:352.

8807070550 LER 87-012-01 on 870801, steam generator's required 160% eddy-current tests based on initial Insp results. Cause of tube defects attributed to primary water stress corrosion cracking. Revised repl issued re actions taken. W/880701 ltr.  
CALDERONE,J.W., MILLER,D.B. Connecticut Yankee Atomic Power Co. 88/07/01. 5pp. 48125 246-48125:250

**DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT**

**F. Security, medical, emergency & fire protection plans**

8807130083 Forwards Safety Insp Rept 50-219/88-14 on 880516-20 & notices of violation & deviation.  
DUNN,J.P. Region 1, Ofc of the Director. 88/07/01. FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46165:110-46165 136

8807130085 Notice of violation from Insp on 880516-20. Violation noted on 880516, inspector found isolation valve to sprinkler sys pressure switch closed.  
Region 1, Ofc of the Director. 88/07/01. 1p. 46165 112-46165 112.

8807130088 Notice of deviation from Insp on 880516-20. Deviation noted. Licensee lacks established training program for ignition source fire watches to satisfy NRC guidance document & NFPA 518.  
Region 1, Ofc of the Director. 88/07/01. 1p. 46165 113-46165 113

8807130094 Insp Rept 50-219/88-14 on 880516-20. Violation noted. Major areas inspected selected areas of fire protection & electric power sys, including reviews of administrative control, surveillance & fire brigade procedures.  
WOODARD,C. Region 1, Ofc of the Director. 88/06/27. 23pp. 46165 114-46165 136.

8807120104 Forwards revised page to physical security plan re miscellaneous amendments/search requirements. Page withheld (rel 10CFR73.21).  
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/07/06. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46155 100-46155 107.

8807200133 Forwards Insp Rept 50-219/88-05 on 880511-12. No violations noted.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/07/07. FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46220 294-46220 302.

8807200134 Insp Rept 50-219/88-05 on 880511-12. No violations noted. Major areas inspected emergency exercise conducted on 880511-12.  
AMATO,C.G., LAZARUS,W.J. Region 1, Ofc of the Director. 88/06/30. 7pp. 46229 296-46229 302.

8807200373 Forwards Rev 1 to "Post Exercise Assessment, 870512, Exercise of Radiological Emergency Response Plans of State of NJ, Ocean County & Sixteen Municipalities."  
KRUMM,R.W. Federal Emergency Management Agency. 88/07/11. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 46230 140-46230 244.

8807200377 Rev 1 to "Post Exercise Assessment, 870512, Exercise of Radiological Emergency Response Plans of State of NJ, Ocean County & Sixteen Municipalities." Federal Emergency Management Agency. 87/12/10. 104pp. 46230 141-46230 244.

8807200328 Responds to 880503 ltr. providing comments stemming from NRC review of Rev 1 to emergency plan for facilities. Provides proposed changes to address NRC concerns.  
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 88/07/11.  
BELLAMY,R.R. Region 1, Ofc of the Director. 2pp. 46336 141-46336 154.

**P. Operating license stage documents & correspondence**

8807010608 Forwards application for amend to License DPR-18, consisting of Tech Spec Change Request 172. Amend eliminates requirement to perform daily exercise of MSIVs. Fee paid.  
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/06/21. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46017 081-46017 069

8807100610 Application for amend to License DPR-18, consisting of Tech Spec Change Request 172. Amend deletes requirement for daily exercise of MSIVs.  
FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 88/06/21. 5pp. 46017 083-46017 087.



8807010615 Proposed Tech Specs re daily exercise of MSIVs.

\* General Public Utilities Corp. - GPU Service Corp. 88/06/21. 2pp. 46017.068-46017.069.

8807120280 Summary of 880525 meeting w/GPU in Rockville, MD re matters related to site specific response spectra. Viewgraphs encl.  
DROMERICK, A.W. Project Directorate I-4. 88/06/22. Project Directorate I-4. 78pp. 46114.035-46114.112.

8808290048 Forwards proprietary errata & addenda to NEDE-31462P, "SAFER/CORE-COOL/GESTR-LOCA LOCA Analysis," per 10CFR2790. Previous repl. submitted w/ Tech Spec Change Request 166, contained incorrect setpoints. Repl withheld.  
WILSON, H.F. General Public Utilities Corp. - GPU Service Corp. 88/06/23. Document Control Branch (Document Control Desk). 1p. 45978.331-45978.331.

8807060426 Notification of 880804 Significant Licensee Meeting 88-103 in Region 1 ofc w/util to discuss facility outage.  
WECHSELBERGER, Region 1, Ofc of the Director. 88/06/27. Region 1, Ofc of the Director. 2pp. 46110.014-46110.015.

8807080587 Forwards Amend 123 to License DPR-16 & safety evaluation. Amend revises Tech Specs to allow continued power operation for Cycle 11 if primary & backup safety valve indicators become inoperable on no more than two safety valves.  
DROMERICK, A.W. Project Directorate I-4. 88/06/28. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46002.282-46002.291.

8807080572 Amend 123 to License DPR-16, revising Tech Specs to allow continued power operation for Cycle 11 if both primary & backup safety valve indicators become inoperable on no more than two safety valves & making administrative changes.  
STOLZ, J.F. Project Directorate I-4. 88/06/28. 5pp. 46002.284-46002.288.

8807060576 Safety evaluation supporting Amend 123 to License DPR-16.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/28. 3pp. 46002.289-46002.291.

8807110274 Notification of 880713 meeting w/licensee in Rockville, MD to discuss status of licensing activities for facility.  
DROMERICK, A.W. Project Directorate I-4. 88/06/28. STOLZ, J.F. Project Directorate I-4. 3pp. 46101.030-46101.032.

8807120884 Discusses current activities & future plans re drywell airborne particulate & gaseous RMS concerning SEP Top C V-5 on reactor coolant pressure boundary leakage detection.  
FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/07/01. Document Control Branch (Document Control Desk). 3pp. 46154.346-46154.348.

8807120700 Advises that no further review of Procedure 1000-ADM-1291.01 necessary. Util incorporated NRC recommendation into Rev 4 to sub procedure per 880426 meeting w/NRC.  
LONG, R.L. General Public Utilities Corp. - GPU Service Corp. 88/07/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46148.080-46148.081.

8807140117 Forwards environ assessment & finding of no significant impact re 880510 application for amend to License DPR-16, revising Tech Specs to reflect use of enriched sodium pentaborate solution in standby liquid control sys.  
DROMERICK, A.W. Project Directorate I-4. 88/07/08. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46177.007-46177.011.

8807140120 Environ assessment & finding of no significant impact re 880510 request to amend Tech Specs to reflect use of enriched sodium pentaborate solution in standby liquid control sys.  
STOLZ, J.F. Project Directorate I-4. 88/07/08. 3pp. 46177.009-46177.011.

8807180329 Forwards description & proposed schedule for resolution of human engineering discrepancies identified in DCDR. Mods subj to review methodology described in integrated schedule plan.  
FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46189.246-46189.249.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radlat on embrittlement of reactor vessel walls & impact on plant operations. Svc list encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807250345 Notification of 880721 meeting w/util & Int Technical Svcs in Rockville, MD to discuss RETRAN Analytical Model & Cycle 12 fuel reload analysis.  
DROMERICK, A.W. Project Directorate I-4. 88/07/14. STOLZ, J.F. Project Directorate I-4. 3pp. 46276.317-46276.319.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.166-45978.266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.285.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807130083 Forwards Safety Insp Rept 50-219/88-14 on 880516-20 & notices of violation & deviation.  
DURR, J.P. Region 1, Ofc of the Director. 88/07/01. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46165.110-46165.136.

8807130085 Notice of violation from Insp on 880516-20 Violation noted on 880516, Inspector found isolation valve to sprinkler sys pressure switch closed.  
\* Region 1, Ofc of the Director. 88/07/01. 1p. 46165.112-46165.112.

8807130086 Notice of deviation from Insp on 880516-20 Deviation noted: licensee lacks established training program for ignition source fire watches to satisfy NRC guidance document & NFPA 61 B.  
\* Region 1, Ofc of the Director. 88/07/01. 1p. 46165.113-46165.113.

8807130094 Insp Rept 50-219/88-14 on 880516-20 Violation noted: Major areas inspected selected areas of fire protection & electric power sys, including reviews of administrative control, surveillance & fire brigade procedures.  
WOODARD, C. Region 1, Ofc of the Director. 88/06/27. 23pp. 46165.114-46165.136.

8807110487 Summary of 880628 meeting w/util in Rockville, MD re facility outage IGSCC inspection/improvement plans.  
DROMERICK, A.W. Project Directorate I-4. 88/07/08. Project Directorate I-4. 22pp. 46141.001-46141.022.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807200133 Forwards Insp Rept 50-219/88-05 on 880511-12 No violations noted.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/07. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46229.294-46229.302.

8807200134 Insp Rept 50-219/88-05 on 880511-12 No violations noted. Major areas inspected: emergency exercises conducted on 880511-12.  
AMATO, C.G., LAZARUS, W.J. Region 1, Ofc of the Director. 88/06/30. 7pp. 46229.296-46229.302.

8807250243 Ack receipt of 880609 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-219/88-11.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/07. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46274.316-46274.320.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.201-46232.027.

8807200164 Forwards Safety Insp Rept 50-219/88-12 on 880425-20. No violations noted. Attention directed to need to improve 10CFR21 reportability documentation mgt & to establish procedure for evaluation of commercial grade items.  
GALLO, R.M. Region 1, Ofc of the Director. 88/07/08. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46222.160-46222.169.

8807200165 Insp Rept 50-219/88-12 on 880425-20. No violations noted. Major areas inspected: review of licensee program implementation of 10CFR21 regulation & review of station procurement program.  
DEV, M., BLUMBERG, N. Region 1, Ofc of the Director. 88/07/08. 9pp. 46222.161-46222.169.

8807210117 Responds to violations noted in Insp Rept 50-219/88-13. Corrective actions individual involved consolidated area in which violation occurred reported to ensure clarity & event reviewed w/station staff at 880505 meeting.  
FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/07/11. BETTENHAUSEN, L. Region 1, Ofc of the Director. 3pp. 46234.157-46234.158.

8807210184 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Followup rept will be submitted after obtaining verification from pump suppliers that current min flow rates adequate.  
FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/07/11. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46237.147-46237.151.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807250331 Advises that util 880407 response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
DROMERICK, A.W. Project Directorate I-4. 88/07/14. FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 2pp. 46251.214-46251.215.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257.268-46258.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.208.

8807080110 Monthly operating rpt for June 1988 for Oyster Creek.  
\* General Public Utilities Corp. - GPU Service Corp. 88/05/31. 1p. 46020.040-46020.040.  
46020.035-46020.039

8807080114 Refueling info - June 1988 for Oyster Creek.

\* General Public Utilities Corp. - GPU Service Corp. 88/06/30. 1p. 46020.040-46020.040.

8807250044 Monthly operating rpt for June 1988 for Oyster Creek. W/880715 ltr.  
SEAR, J.H., FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/06/30. 8pp. 46259.135-46259.142

#### S. Reportable occurrences, LERs & related correspondence

8807080471 LER 88-009-00 on 880602, isolation condenser automatic actuation pressure sensors RE15A & RE15C tripped at values greater than Tech Spec 2.3.E Caused by inadequate instrument repeatability. Pressure sensors adjusted W/880623 ltr.  
GALANTO, J., FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/06/23. 5pp. 45116.304-46116.308

8807080214 LER 88-010-00 on 880601, standby gas treatment sys manually initiated due to rising radiation levels. Caused by personnel error. Personnel counseled operating procedure rev computed & min sump level raised to increase pressure W/880630 ltr.  
LEITMAN, L.W., FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/06/30. 5pp. 46140.071-46140.075.

8807200115 PHO1-88-072 on 880709, inboard MSIV failed to closure test. Subsequent testing indicated that valve stem may be separated from valve disc. MSIV repair estimated to take 18 days.  
COGILL, C. Region 1, Ofc of the Director. 88/07/12. 1p. 45226.215-46226.215

#### DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807080284 Revised emergency plan implementing procedures, including Rev 9 to EPP-3, "Search & Rescue," Rev 12 to EPP-4, "Personnel Injury or Illness," & Rev 10 to EPP-8, "Onsite & Offsite Radiological Dose Assessment Procedure" W/880630 ltr.  
TERRY, C.D. Niagara Mohawk Power Corp. 88/06/30. 342pp. 46089.001-46089.342.

8807080158 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-220/88-08 & 50-410/88-07. Corrective actions operability of detection in affected areas verified. Fire watch patrol posted & plus 25% tolerance of Type B tests removed.  
PERKINS, T.J. Niagara Mohawk Power Corp. 88/06/30. Document Control Branch (Document Control Desk). 5pp. 46139.185-46139.192.

8807180057 Forwards amended SALP Repts 50-220/88-99 & 50-410/87-99 for Nov 1986 - Feb 1988 & Feb 1987 - Feb 1988, respectively.  
RUSSELL, W.T. Region 1, Ofc of the Director. 88/07/01. ENDRIES, J.M. Niagara Mohawk Power Corp. 3pp. 46200.041-46200.174.

8807180087 Amended SALP Repts 50-220/86-90 & 50-410/87-99 for Nov 1986 - Feb 1988 & Feb 1987 - Feb 1988, respectively. Licensee has shown limited success w/ initiatives to improve previously identified weaknesses.  
\* Region 1, Ofc of the Director. 88/07/01. 100pp. 46200.041-46200.174.

8807150179 Forwards Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively & safety evaluation Amends change Tech Specs to require compliance w/amended physical security plan per 10CFR73.55 search requirements.  
HAUGHEY, M.F. Project Directorate I-1. 88/07/05. MANGAN, C.V. Niagara Mohawk Power Corp. 4pp. 46185.341-46185.351.

8807150180 Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively, changing Tech Specs to require compliance w/amended physical security plan per 10CFR73.55 search requirements.  
CAPRA, R.A. Project Directorate I-1. 88/07/05. 4pp. 46185.345-46185.348.

8807150182 Safety evaluation supporting Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively.  
\* NRC - No Detailed Affiliation Given. 88/07/05. 4pp. 46185.349-46185.351.

8807150036 Provides summary of NRC discussions re unit performance of operating nuclear power plant, per 880628-29 meeting. Facility categorized as requiring close monitoring. Commission public meeting scheduled for 880713.  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/08. ENDRIES, J. Niagara Mohawk Power Corp. 2pp. 46185.238-46185.237.

8807200192 Forwards Safety Insp Repts 50-220/88-22 & 50-410/88-23 on 880620-24. Stated significant deficiencies re Unit 1 should be addressed prior to restart. Response re stated deficiencies requested within 30 days of receipt of ltr.  
JOHNSTON, W.V. Region 1, Ofc of the Director. 88/07/08. MANGAN, C.V. Niagara Mohawk Power Corp. 3pp. 46221.245-46221.277.

8807200195 Insp Repts 50-220/88-22 & 50-410/88-23 on 880620-24. No violations noted. Major areas inspected emergency operating procedures (EOPs), including comparison of EOPs w/BWR Owners Group emergency procedure guidelines.  
FLOREK, D.J., GALLO, R.M. Region 1, Ofc of the Director. 88/07/07. 30pp. 46221.248-46221.277.

8807190314 Forwards changes to security training & qualification plan. Changes withheld (ref 10CFR73.290).  
BERATTA, J.P. Niagara Mohawk Power Corp. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46206.259-46206.259.

8807190322 Forwards changes to physical security plan. Supporting info also encl. Encls withheld (ref 10CFR73.21).  
BERATTA, J.P. Niagara Mohawk Power Corp. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46206.202-46206.202.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

8807060213 Forwards Rev 6 to Vol I to updated FSAR for Nine Mile Point Nuclear Station Unit 1, for mods completed prior to 880101.  
TERRY, C.D. Niagara Mohawk Power Corp. 88/06/24. Document Control Branch (Document Control Desk). 13pp. 46098.237-46098.079.

8807060238 Rev 6 to Vol I to updated FSAR for Nine Mile Point Nuclear Station Unit 1.  
\* Niagara Mohawk Power Corp. 88/06/30. 180pp. 46098.250-46098.079

#### P. Operating license stage documents & correspondence

8807050063 Forwards application for amend to License DPR-63, revising Tech Spec Section 3.6.2, "Protective Instrumentation" & associated bases, Tables 3.6.2.1, 4.6.2.1, 3.6.2m, 4.6.2m, table of contents & Bases 3.8.11, "Accident Monitoring..."  
TERRY, C.D. Niagara Mohawk Power Corp. 88/06/20. Document Control Branch (Document Control Desk). 1p. 46020.336-46020.350.

8807050040 Application for amend to License DPR-63, changing Tech Spec Section 3.6.2, "Protective Instrumentation" & associated bases, Tables 3.6.2.1, 4.6.2.1, 3.6.2m, 4.6.2m, bases for Section 3.6.11 & table of contents. Fee paid.  
TERRY, C.D. Niagara Mohawk Power Corp. 88/06/20. 2pp. 46020.337-46020.338.

8807050042 Proposed Tech Specs Section 3.6.2 & associated bases.  
\* Niagara Mohawk Power Corp. 88/06/20. 12pp. 46020.339-46020.350

8807080203 Forwards notice of withdrawal of utl 880123 application for amend to License DPR-63 re insurance insp & testing.  
BENEDICT, R.A. Project Directorate I-1. 88/06/22. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46076.356-46076.359.

8807080208 Notice of withdrawal of 880123 application for amend to License DPR-63 re insurance insp & testing.  
BENEDICT, R.A. Project Directorate I-1. 88/06/22. 2pp. 46076.358-46076.359.

8807050415 Forwards request for schedule exemption from requirements of 10CFR50 App J, Section III for four RCS valves for period up to & including next refueling outage currently scheduled for 1990.  
TERRY, C.D. Niagara Mohawk Power Corp. 88/06/23. Document Control Branch (Document Control Desk). 11pp. 46026.263-46026.273.

8807070039 Responds to two open items from 880518 meeting w/NRC re procurement of commercial grade items. Audits performed indicate that Okonite design & mfg controls sufficient to maintain uniformly quality product.  
TERRY, C.D. Niagara Mohawk Power Corp. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46125.256-46125.257.

8807150179 Forwards Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively & safety evaluation Amends change Tech Specs to require compliance w/amended physical security plan, per 10CFR73.55 search requirements.  
HAUGHEY, M.F. Project Directorate I-1. 88/07/05. MANGAN, C.V. Niagara Mohawk Power Corp. 4pp. 46185.341-46185.351.

8807150180 Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively, changing Tech Specs to require compliance w/amended physical security plan per 10CFR73.55 search requirements.  
CAPRA, R.A. Project Directorate I-1. 88/07/05. 4pp. 46185.345-46185.348.

8807150182 Safety evaluation supporting Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively.  
\* NRC - No Detailed Affiliation Given. 88/07/05. 4pp. 46185.349-46185.351.

8807120406 Responds to request for addl info on ATWS review re alternate rod injection & recirculation pump trip sys. W/ seven oversize drawings.  
TERRY, C.D. Niagara Mohawk Power Corp. 88/07/06. Document Control Branch (Document Control Desk). 62pp. 46158.032-46158.084.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel nozzles & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, G.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.268.

880710619 Ack receipt of 880509 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-220/88-04 & 50-410/88-05.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/21. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46018.332-46018.336.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, G.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155

**8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp. 48019.037-48019.152

**8807080203** Forwards notice of withdrawal of util 860123 application for amend to License DPR-83 re inservice insp & testing  
BENEDICT,R.A. Project Directorate I-1. 88/06/22 MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 46076.358-46076.359

**8807080208** Notice of withdrawal of 860123 application for amend to License DPR-63 re inservice insp & testing.  
BENEDICT,R.A. Project Directorate I-1. 88/08/22. 2pp. 46076.358-46076.359.

**8806210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

**8806240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.010

**8807060560** Advises that licensee unable to respond to violations noted in Insp Repts 50-220/88-08 & 50-410/88-07 by due date, due to Unit 1 outage activities & heavy work load in other areas. Responses will be submitted by 880701  
MANGAN,C.V. Niagara Mohawk Power Corp. 88/06/28 Document Control Branch (Document Control Desk). 1p. 48114.296-48114.296

**8807080158** Responds to NRC 880525 ltr re violations noted in Insp Repts 50-220/88-08 & 50-410/88-07. Corrective actions operability of detection in affected areas verified, fire watch patrol posted & plus 25% tolerance of Type B tools removed  
PERKINS,T.J. Niagara Mohawk Power Corp. 88/06/30. Document Control Branch (Document Control Desk). 5pp. 46139.188-46139.192.

**8807070035** Advises that validation of vendor technical manuals associated with safety-related or ATWS components completed. Verification that all safety-related "Q" list components manuals will be reviewed & approved by 881231 scheduled.  
TERRY,C.D. Niagara Mohawk Power Corp. 88/07/01. Document Control Branch (Document Control Desk). 1p. 48139.148-48139.149

**8807180057** Forwards amended SALP Repts 50-220/88-09 & 50-410/87-09 for Nov 1986 - Feb 1987 & Feb 1987 - Feb 1988, respectively.  
RUSSELL,W.T. Region 1, Ofc of the Director. 88/07/01. ENDRIES,J.M. Niagara Mohawk Power Corp. 3pp. 46200.041-46200.174.

**8807180087** Amended SALP Repts 50-220/88-09 & 50-410/87-09 for Nov 1986 - Feb 1987 & Feb 1987 - Feb 1988, respectively. Licensee has shown limited success w/ initiatives to improve previously identified weaknesses  
\* Region 1, Ofc of the Director. 88/07/01. 100pp. 46200.044-46200.174.

**8806300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

**8807190290** Submits listed changes to util 880809 comments on SALP, including advise that review of nonradiological chemistry program revised to more accurately describe how review performed  
TERRY,C.D. Niagara Mohawk Power Corp. 88/07/07 Document Control Branch (Document Control Desk). 4pp. 46259.050-46259.063

**8807080006** NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

**8807150038** Provides summary of NRC discussions re util performance of operating nuclear power plant, per 880620-29 meeting Facility categorized as requiring close monitoring Commission public meeting scheduled for 880713.  
STELLO,V. Ofc of the Executive Director for Operations 88/07/08. ENDRIES,J. Niagara Mohawk Power Corp. 2pp. 46185.236-46185.237.

**8807200192** Forwards Safety Insp Repts 50-220/88-22 & 50-410/88-23 on 880620-24. Stated significant deficiencies re Unit 1 should be addressed prior to restart. Response re stated deficiencies requested within 30 days of receipt of ltr  
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/07/08 MANGAN,C.V. Niagara Mohawk Power Corp. 3pp. 46221.245-46221.277.

**8807200195** Insp Repts 50-220/88-22 & 50-410/88-23 on 880620-24. No violations noted. Major areas inspected emergency operating procedures (EOPs), including comparison of EOPs w/ BWR Owners Group emergency procedure guidelines  
FLOREK,D.J., GALLO,R.M. Region 1, Ofc of the Director. 88/07/07. 30pp. 46221.248-46221.277.

**8807120291** NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

**8807210052** Commits to perform reactor bldg closed loop cooling HX piping stress analysis, per Insp Rept 50-220/88-07. Analysis to be completed prior to startup from current refueling outage.  
TERRY,C.D. Niagara Mohawk Power Corp. 88/07/13. Document Control Branch (Document Control Desk). 1p. 46237.358-46237.358.

**8807260045** Provides results of insps completed during current refueling & maint outage per NRC Bulletin 88-003 Two failed relays have been sent to Volney svc ctr for non-nuclear use  
TERRY,C.D. Niagara Mohawk Power Corp. 88/07/14. Document Control Branch (Document Control Desk). 3pp. 46273.222-46273.224.

**8807120550** NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

**8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257.258-46258.016.

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206

## R. Periodic operating reports & related correspondence

**8807200095** Monthly operating rpt for June 1988 for Nine Mile Point 1. W/880708 ltr  
ROMAN,T. WILLIS,J.L. Niagara Mohawk Power Corp. 88/08/30 10pp. 46240.031-46240.010.

## S. Reportable occurrences, LEIs & related correspondence

**8807130087** Special report on 880524, fire door failed to latch automatically during daily fire door insp & declared inoperable Fire watch patrol established within 1 h & crash bar on door repaired on 880607.  
WILLIS,J.L. Niagara Mohawk Power Corp. 88/07/08 RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 48170.273-48170.273

## V. Operator Examinations

**8807180057** Forwards amended SALP Repts 50-220/88-09 & 50-410/87-09 for Nov 1986 - Feb 1987 & Feb 1987 - Feb 1988, respectively.  
RUSSELL,W.T. Region 1, Ofc of the Director. 88/07/01 ENDRIES,J.M. Niagara Mohawk Power Corp. 3pp. 46200.041-46200.174.

**8807180087** Amended SALP Repts 50-220/88-09 & 50-410/87-09 for Nov 1986 - Feb 1987 & Feb 1987 - Feb 1988, respectively. Licensee has shown limited success w/ initiatives to improve previously identified weaknesses  
\* Region 1, Ofc of the Director. 88/07/01 100pp. 46200.044-46200.174.

## DOCKET 60-223 UNIV. OF LOWELL RESEARCH REACTOR

## F. Security, medical, emergency & fire protection plans

**8807050282** Forwards Safety Insp Rept 50-223/88-03 on 880517-10 & notice of violation  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/24. BEGHIAN,L.E. Lowell, Univ. of Lowell, MA. 2pp. 46025.091-46025.099.

**8807050283** Notice of violation from insp on 880517-10. Violations noted: Pinanski bldg not posted w/ notice to employees & both personnel airlocks to reactor containment not posted w/ sign bearing radiation caution symbol  
\* Region 1, Ofc of the Director. 88/08/24. 2pp. 46025.093-46025.094.

**8807050286** Insp Rept 50-223/88-03 on 880517-10. Violations noted: Major areas inspected radiation protection program, including status of previously identified items, mgt organization & controls & emergency preparedness  
LOESCH,R., SHANBAKY,M.M. Region 1, Ofc of the Director. 88/08/21. 5pp. 46025.095-46025.099.

## Q. Inspection reports, IE Bulletins & correspondence

**8807050282** Forwards Safety Insp Rept 50-223/88-03 on 880517-10 & notice of violation.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/08/24. BEGHIAN,L.E. Lowell, Univ. of Lowell, MA. 2pp. 46025.091-46025.099.

**8807050283** Notice of violation from insp on 880517-10. Violations noted: Pinanski bldg not posted w/ notice to employees & both personnel airlocks to reactor containment not posted w/ sign bearing radiation caution symbol.  
\* Region 1, Ofc of the Director. 88/08/24. 2pp. 46025.093-46025.094.

**8807050286** Insp Rept 50-223/88-03 on 880517-10. Violations noted: Major areas inspected radiation protection program, including status of previously identified items, mgt organization & controls & emergency preparedness.  
LOESCH,R., SHANBAKY,M.M. Region 1, Ofc of the Director. 88/08/21. 5pp. 46025.095-46025.099.

**8807200174** Forwards Safety Insp Rept 50-223/88-01 on 880314-16 & notice of violation. Concern noted that violation need greater mgt oversight & attention to licensed activities  
KANE,W.F. Region 1, Ofc of the Director. 88/07/11. BEGHIAN,L.E. Lowell, Univ. of Lowell, MA. 6pp. 46229.347-46229.361.



-8807200177 Insp Rept 50-223/88-01 on 880423 Violators noted Findings document. ed in rect discussed Licensee described corrective actions taken or planned & NRC enforcement policy explained  
FOWLER, J. LAHEY, R.T. Region 1, Ofc of the Director. 88/07/05. 2pp. 46123-355-46123-361

# DOCKET 50-224 UNIV. OF CALIFORNIA RESEARCH REACTOR

## F. Security, medical, emergency & fire protection plans

8807080239 Informs of change in arrangement re emergency response plan for Univ of California Triga Mark II Berkeley research reactor Plan now call's upon Hemlock Hosp to provide emergency sites for contaminated patients  
FOWLER, J. California, Univ. of Berkeley, CA. 88/06/22 Document Control Branch (Document Control Desk). 1p. 46134-217-46134-217

8807250238 Informs of change in arrangements for emergency care re "Emergency Response Plan for Univ of California Triga Mark III Berkeley Research Reactor." Alta Bates Hosp will honor existing agreement w/Hemlock Hosp  
FOWLER, J. California, Univ. of Berkeley, CA. 88/06/22 Region 5, Ofc of the Director. 1p. 46276-320-46276-320

## P. Operating license stage documents & correspondence

8807250113 Discusses changes in reactor surveillance per termination of operation on 880101  
FOWLER, J. California, Univ. of Berkeley, CA. 88/01/12 Region 5, Ofc of the Director. 1p. 46276-100-46276-100

8807209129 Requests advance route approval as required, per 10CFR73.37(b)(7)  
FOWLER, J. California, Univ. of Berkeley, CA. 88/06/09. HILLMAN, C. Division of Safeguards & Transportation (Post 870413). 6pp. 46240-084-46240-089

8807110391 Ack receipt of 880517 re advising NRC of Univ intent to prepare environ impact retractor decommissioning & removal of reactor  
SCARAFIORA, Region 5, Ofc of the Director. 88/06/24 SANDERS, D. California, Univ. of Berkeley, CA. 1p. 46140-207-46140-207

8807130076 Application for amend to License R-101, adding listed sections to Tech Specs re proper operation of sys & surveillance postponement  
FOWLER, J. California, Univ. of Berkeley, CA. 88/06/28. ADAMS, A. Document Control Branch (Document Control Desk). 2pp. 46165-011-46165-012

8807120647 Forwards Amend 5 to License R-101 & safety evaluation Amend allows surveillance requirements that involve raising control rods to be postponed if reactor not in operation for period of time that causes surveillance to be missed  
ADAMS, A. Standardization & Non-Power Reactor Project Directorate. 88/07/05 FOWLER, J. California, Univ. of Berkeley, CA. 3pp. 46155-003-46155-012

-8807120654 Amend 5 to License R-101, allowing surveillance requirements that involve raising control rods to be postponed if reactor not in operation for period of time that causes surveillance to be missed  
RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 88/07/05 5pp. 46155-006-46155-010

-8807120659 Safety evaluation supporting Amend 5 to License R-101.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/05. 2pp. 46155-011-46155-012

## S. Reportable occurrences, LERs & related correspondence

8807110218 PNO-V-88-044 on 880627, earthquake occurred 5 miles east of Santa Cruz, CA. Seismic instrumentation not triggered at Vallecitos Aerotest operations or at Univ of California at Berkeley.  
NORTH, H.S. Region 5, Ofc of the Director. 88/06/27. 2pp. 46141-330-46141-331.

# DOCKET 50-226 RPI CRITICAL EXPERIMENT

## O. Inspection reports, IE Bulletins & correspondence

8807070206 Forwards Exam Rept 50-225/88-010L of exam administered during wk of 880523 Licensee should describe within 30 days, what steps will be taken to assure future license applicants will possess adequate experience.  
GALLORINI, Region 1, Ofc of the Director. 88/06/28. LAHEY, R.T. Rensselaer Polytechnic Institute, Troy, NY. 2pp. 46122-300-46122-351

-8807070212 Exam Rept 50-225/88-010L on 880524-25 Exam results one senior reactor operator failed both written & operating exams Proposed license denial issued  
DUDLEY, N. EISENGROTH, P.W. Region 1, Ofc of the Director. 88/06/21. 50pp. 46122-302-46122-351

## V. Operator Examinations

8807070206 Forwards Exam Rept 50-225/88-010L of exam administered during wk of 880523 Licensee should describe within 30 days, what steps will be taken to assure future license applicants will possess adequate experience.  
GALLORINI, Region 1, Ofc of the Director. 88/06/28. LAHEY, R.T. Rensselaer Polytechnic Institute, Troy, NY. 2pp. 46122-300-46122-351.

-8807070212 Exam Rept 50-225/88-010L on 880524-25 Exam results one senior reactor operator failed both written & operating exams Proposed license denial issued  
DUDLEY, N. EISENGROTH, P.W. Region 1, Ofc of the Director. 88/06/21. 50pp. 46122-302-46122-351.

# DOCKET 50-228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR

## S. Reportable occurrences, LERs & related correspondence

8807110218 PNO-V-88-044 on 880627, earthquake occurred 5 miles east of Santa Cruz, CA. Seismic instrumentation not triggered at Vallecitos Aerotest operations or at Univ of California at Berkeley.  
NORTH, H.S. Region 5, Ofc of the Director. 88/06/27. 2pp. 46141-330-46141-331

# DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

## F. Security, medical, emergency & fire protection plans

8807160076 Rev 7 to Emergency Plan implementing Procedura EPIP 200-T1, "Classification of Generating Station Emergency Plan Conditions"  
\* Commonwealth Edison Co. 88/07/06. 21pp. 46185-155-46185-175.

8807190162 Informs that 880527 Rev 24 to security plan for facility consistent w/ 10CFR50.54(p) & acceptable State item deleted due to administrative error must be returned to plan Encl withheld.  
MALLET, B.S. Region 3, Ofc of the Director. 88/07/08. BLISS, H.E. Commonwealth Edison Co. 2pp. 46215-345-46215-346

8807250401 Rev 1 to Procedure DSSP 100-A, "Hot Shutdown Procedure Path A"  
\* Commonwealth Edison Co. 88/07/31. 14pp. 46273-231-46273-244.

8807210348 Forwards revs to 10CFR50. App R, Exemption Requests 3.6.4.5 & 7.4. per discussions w/NRC Requests 3.6 & 4.5 revised to reflect capability of using local instruments to monitor reactor water level & pressure.  
SILADY, J.A. Commonwealth Edison Co. 88/07/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 46234-101-46234-202

8807250008 Rev 1 to Emergency Plan implementing Procedura DSSP 100-B, "Hot Shutdown Procedure Path B"  
\* Commonwealth Edison Co. 88/07/31. 13pp. 46269-260-46269-272.

8807250133 Rev 2 to Procedure DSSP 100-E, "Hot Shutdown Procedure Path E."  
\* Commonwealth Edison Co. 88/07/31. 15pp. 46274-301-46274-315

8807250177 Rev 2 to Procedure DSSP 100-D, "Hot Shutdown Procedure Path D."  
\* Commonwealth Edison Co. 88/07/31. 13pp. 46273-086-46273-080

8807250349 Rev 2 to Procedure DSSP 100-F, "Hot Shutdown Procedure Path F."  
\* Commonwealth Edison Co. 88/07/31. 15pp. 46255-312-46255-326

## K. Utility Final Safety Analysis Report (FSAR) & amendments

8806280158 Forwards Rev 6 to updated FSAR for Dresden Station Units 2 & 3. Updated FSAR prepared per guidance provided by 880509 FR notice in original format w/ong-nal level of detail. All changes requiring NRC approval reviewed by NRC.  
BLISS, H.E. Commonwealth Edison Co. 88/06/17. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 45071-034-45072-171.

-8806280159 Rev 6 to Updated FSAR for Dresden Station Units 2 & 3.  
SCHROEDER, B.A., EENIGENBURG, E. Commonwealth Edison Co. 88/06/01. 500pp. 45971-036-45972-171.

## P. Operating license stage documents & correspondence

8807010629 Application for amendments to Licenses DPR-18 & DPR-25, reflecting instrument enhancements for post-accident monitoring per Reg Guide 1.97 & Suppl 1 to NUREG-0737 Fee paid.  
SILADY, J.A. Commonwealth Edison Co. 88/06/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46018-280-46018-303.

-8807010635 Proposed Tech Specs reflecting instrumentation enhancements for post-accident monitoring per Reg Guide 1.97 & Suppl 1 to NUREG 0737.  
\* Commonwealth Edison Co. 88/06/20. 22pp. 46018-280-46018-303.

8806280152 Forwards "Effects of Postulated DC Power Failures on ECCS Availability, Quad Cities Unit 1," by Sargent & Lundy, demonstrating that battery failure could lead to degraded ECCS equipment availability or isolated design weaknesses  
SILADY, J.A. Commonwealth Edison Co. 88/06/21. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 45981-221-45981-252.

-8806280154 "Effects of Postulated DC Power Failures on ECCS Availability, Quad Cities Unit 1."  
\* Sargent & Lundy, Inc. 88/06/08. 400pp. 45981-222-45982-252.

8807010180 Confirms 880618 plans re 880718 meeting w/utl at Region III ofc to discuss several engineering issues associated w/ plants.  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/06/24. REED, C. Commonwealth Edison Co. 2pp. 46008-058-46008-059.

8807120407 Summary of 880510 counterpart meeting w/utl in Rockville, MD re past, present & future BWR-related licensing actions &/or safety issues List of meeting participants encl.  
ROSS, T.M. Project Directorate III-2. 88/06/27. Project Directorate III-2. 5pp. 46111-288-46111-292.

8807120411 Forwards safety evaluation supporting utl 870811 revised proposal for monitoring of dc sys at facility. Proposal reflects scheme for monitoring dc power including battery current, charger current & battery breaker open alarm.  
NORRHOLM, L. Project Directorate III-2. 88/06/27. BLISS, H. Commonwealth Edison Co. 7pp. 46111-281-46111-287.

**8807070456** Forwards safety evaluation supporting utl 870420 response to outstanding issue on radiography requirements identified in Section 4.2.1 of NUREG CR23 Based on SEP, utl agreed to implement certain safety improvements  
SIEGEL,B Project Directorate III-2 88/06/28. BLISS,H.E. Commonwealth Edison Co. 3pp. 46139 097-46130 101.

**-8807070459** Safety evaluation supporting utl response re radiography requirements of certain vessel & pump casings.  
\* Project Directorate III-2 88/06/28 2pp 46139 100-46139 101.

**8807120378** Forwards request for add info re 880328 application to amend licenses on 4 kv undervoltage relay setting  
SIEGEL,B Project Directorate III-2. 88/06/29. BLISS,H.E. Commonwealth Edison Co 5pp 46111-336-46111-340

**8807130145** Forwards environ assessment & finding of no significant impact re 880328 amend to Tech Specs to correct discrepancy between Table 3.2.2 value for 4 kv emergency bus undervoltage trip (3092V) & current trip value (2930V)  
SIEGEL,B Project Directorate III-2 88/07/06. BLISS,H.E. Commonwealth Edison Co 4pp. 46184-007-46184-010

**-8807130155** Environ assessment & finding of no significant impact re 880328 amend to Tech Specs to correct discrepancy between Table 3.2.2 value for 4 kv emergency bus undervoltage trip (3092V) & current trip value (2930V).  
MULLER,D.R. Project Directorate III-2 88/07/06. 4pp 46184-007-46184-010

**8807120100** Forwards Rev 51 changes to QA program Topical Rept CE-1-A did 880707.Rev made to reflect organization changes, to provide add organization position description & identification to change commitment to ANSI/ASME NQA-1.  
MORGAN,W. Commonwealth Edison Co 88/07/07 Document Control Branch (Document Control Desk) 1p. 46156-048-46156-075

**-8807180205** Rev 51 to license QA Program Topical Rept CE-1-A  
SHEWSKI,W.J. Commonwealth Edison Co CE-1-A R51. 88/07/07 25pp 46156 051-46156-076.

**8807140312** Summarizes discussions held on 880628-29 re performance of operating nuclear power plants Facilities categorized as requiring continued close monitoring.  
STELLO,V. Ofc of the Executive Director for Operations 88/07/08 O'CONNOR,J.J. Commonwealth Edison Co 1p. 46178-108-46178-108

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIHAGLIA,F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp 46257-207-46257-257

**8807220277** Confirms 880706 plans re 880714 mgt meeting at Reg on III to discuss plant performance.  
GREENMAN,E.G. Region 3, Ofc of the Director. 88/07/12 REED,C. Commonwealth Edison Co. 1p. 46249-111-46249-111.

**8807210348** Forwards revs to 10CFR150, App R, Exemption Requests 3.6.4.5 & 7.4, per discussions w/NRC Requests 3.6 & 4.5 revised to reflect capability of using local instruments to monitor reactor water level & pressure.  
SLADY,J.A. Commonwealth Edison Co 88/07/13. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 46234-181-46234-202

#### Q. Inspection reports, IE Bulletins & correspondence

**8806130168** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-158-45978-268.

**8806160340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp 46240-325-46241-201

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp 45978-034-45978-155

**8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 110pp. 46019-037-46019-152

**8807130298** Responds to NRC 880525 ltr re violations noted in Insp Repts 50-237/88-06 & 50-249/88-07 on 880318-0508 Corrective actions:nitrogen inerting makeup sys line damaged on 880429 repaired & Maint Memo 40 issued re proper rigging practices.  
BLISS,H.E. Commonwealth Edison Co. 88/06/22. DAVIS,A.B. Region 3, Ofc of the Director. 5pp. 46169-252-46169-256.

**8806210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

**8806240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

**8807060202** Forwards Safety Insp Repts 50-237/88-14, 50-249/88-15, 50-254/88-14 & 50-285/88-14 on 880525 0618.No violations noted.  
HARRISON,J.J. Region 3, Ofc of the Director. 88/06/28. REED,C. Commonwealth Edison Co. 2pp. 46106-238-46106-247.

**-8807060210** Insp Repts 50-237/88-14, 50-249/88-15, 50-254/88-14 & 50-285/88-14 on 880525 0618.No violations or deviations noted.Major areas inspected action on previously identified noncompliances & LERs.  
GAVULA,J.A., DANIELSON,D.H. Region 3, Ofc of the Director. 88/06/28. 7pp. 46106-241-46106-247.

**8807120019** Forwards Insp Rept 50-237/88-13 on 880517-24.No violations noted  
GREENMAN,E.G. Region 3, Ofc of the Director. 88/06/30 REED,C. Commonwealth Edison Co 2pp. 46152-316-46152-360.

**-8807120022** Insp Rept 50-237/88-13 on 880517-24.No violations noted. Major areas inspected plant 880518 & 17 MSIV failure to close during loss of air testing.  
RING,M.A. Region 3, Ofc of the Director. 88/06/29 30pp 46152-318-46152-349

**-8807120023** Forwards charter developed for Insp of events associated w/ plant 880518 & 17 MSIV testing failures Charter prepared per NRC Incident Investigation Manual & 871002 draft augmented Insp team implementing procedure  
GREENMAN,E.G. Region 3, Ofc of the Director. 88/05/20 DUPONT,S.G. NRC - No Detailed Affiliation Given. 11pp. 46152-350-46152-360.

**8807130022** Forwards SALP 7 Board Repts 50-237/88-01 & 50-249/88-01 for Jan 1987 - Jan 1988  
DAVIS,A.B. Region 3, Ofc of the Director. 88/06/30 REED,C. Commonwealth Edison Co. 2pp. 46163-239-46163-246.

**-8807130026** SALP Repts 50-237/88-01 & 50-249/88-01 for Jan 1987 - Jan 1988.Overall ratings in affected areas unchanged.  
\* Region 3, Ofc of the Director 88/06/30. 3pp. 46163-241-46163-243.

**-8807130027** Responds to SALP 7 Board Repts 50-237/88-01 & 50-249/88-01. Maint Category 3 should not be viewed as decline from last yr.  
REED,C. Commonwealth Edison Co. 88/06/01. DAVIS,A.B. Region 3, Ofc of the Director. 3pp 46163-244-46163-246.

**8807060485** Responds to 880429 notice of violation & proposed civil penalty re use of AMP nylon-insulated built splices at plant Affidavit of JS Abel encl.  
STEPHOF,P.P. Sidley & Austin 88/07/01. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp 46087-313-46087-318

**8807120033** Forwards HJ M18 880608 memo re site visit to attend exit meeting for Insp of emergency operating procedures & to tour facility.  
DAVIS,A.B. Region 3, Ofc of the Director. 88/07/05. REED,C. Commonwealth Edison Co. 1p. 46154-350-46154-360

**-8807120037** Summary of 880608 facility site visit to attend exit meeting for Insp of emergency operating procedures (EOP) performed by assigned Reg on I EOP team.  
MILLER,H.J. Region 3, Ofc of the Director. 88/06/20 DAVIS,A.B. NRC - No Detailed Affiliation Given. 2pp 46154-359-46154-360.

**8807210288** Forwards notarized version of JS Abel affidavit,per violations noted in Insp Repts 50-237/88-13 & 50-249/88-15  
STEPHOF,P.P. Sidley & Austin 88/07/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413) 1p. 46236-231-46236-285.

**-8807210270** Affidavit of JS Abel re degraded AMP splices in Unit 3 containment penetrations.  
ADEL,J.S. Commonwealth Edison Co 88/07/05. 4pp. 46236-232-46236-235.

**-8807210271** Responds to NRC 880429 ltr re violations noted in Insp Repts 50-237/88-16 & 50-249/88-15 & proposed imposition of civil penalty in amount of \$150,000. Corrective actions:affected AMP nylon-insulated built splices repaired w/qualified tape.  
DELGEORGE,L.O. Commonwealth Edison Co 88/06/28. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 3pp 46236-236-46236-238.

**-8807210272** Responds to violations noted in Environ Qualification Insp Repts 50-237/88-13 & 50-249/88-15 & proposed imposition of civil penalty in amount of \$150,000 re use of unqualified AMP built splices in GE F01 containment penetrations encls  
STEPHOF,P.P. Commonwealth Edison Co. STEPHOF,P.P. Sidley & Austin. 88/06/28. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. 46236-239-46236-246.

**-8807210273** Affidavit of VS Noonan & RG LaGrange re 880429 notice of violation & proposed imposition of civil penalty concerning use of unqualified AMP nylon type splices in Unit 3 containment.  
NOONAN,V.S., LAGRANGE,R.G. NUS Corp. 88/06/23. 11pp 46236-247-46236-257.

**-8807210276** Affidavit of MS Turbak re qualification of AMP built splices.  
TURBAK,M.S. Commonwealth Edison Co. 88/06/28. 2pp. 46236-258-46236-259.

**-8807210278** Affidavit of IM Johnson re environ qualification of AMP built splices in GE penetrations  
JOHNSON,I.M. Commonwealth Edison Co. 88/06/28. 6pp. 46236-260-46236-265.

**8807120018** Discusses environ qualification Insp of butyl rubber insulated cable on 870608-0728 Implementation of surveillance (condition monitoring) program suggested. Response requested within 30 days of ltr date.  
MILLER,H.J. Region 3, Ofc of the Director. 88/07/06. REED,C. Commonwealth Edison Co 2pp 46148-224-46148-225.

**8806300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

**8807080008** NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

**8807190023** Informs that utl response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
ROSS,T. Project Directorate III-2 88/07/11. BLISS,H.E. Commonwealth Edison Co. 7pp. 46209-097-46209-103

**8807200196** Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate min flow capacity.  
MORGAN,W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228-182-46228-211.

**8807200213** Forwards Safety Insp Repts 50-237/88-15 & 50-249/88-16 on 880525 & 28 & 0823 & 24.No violations noted.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/07/11. REED,C. Commonwealth Edison Co. 2pp. 46222-136-46222-141.

88071200185 Forwarded Safety Insp 50-244/88-09 on 880525-0612 & 880623 & 880624. Major areas inspected LER & actions on previous violations noted. COWGILL, C.J. Region 1, Ofc of the Director. 88/07/07. 4pp. 46222-138. 46222-141.

8807120231 NRC Info Notice 88-048. Licensee Rept of Defective Refurbished Valves. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

8807120364 NRC Info Notice 88-047. "Lower Than Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46245-222-46240-324.

8807120550 NRC Info Notice 88-043. Making, Handling, Control, Storage & Destruction of Substances. Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050. "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-018.

8807120591 NRC Info Notice 88-051. Failure of MSIVs. Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-066-46257-206.

#### V. Operator Examinations

8807120237 Forwarded Draft Rev 5 to ES-601. "Administration of NRC Recertification Program Evaluations." W/enc. WRIGHT, G.C. Region 3, Ofc of the Director. 88/06/23. STILES, S.R. Commonwealth Edison Co. 1p. 46149-349-46149-349.

#### DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

##### F. Security, medical, emergency & fire protection plans

8807060268 Forwarded Safety Insp 50-244/88-09 on 880503-0612 No violations or deviations noted. BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/06/27. SNOW, B.A. Rochester Gas & Electric Corp. 2pp. 46115-302-46115-310.

8807060271 Insp Rept 50-244/88-09 on 880503-0612 No violations or deviations noted. Major areas inspected plant operations, ESF, walkdown, operational safety verification, surveillance, maintenance, radiological protection & physical security. COWGILL, C.J. Region 1, Ofc of the Director. 88/06/24. 7pp. 46115-304-46115-310.

8807070047 Revised emergency plan implementing procedures including Rev 10 to SC-200, "Emergency Response Organization/Responsibilities" & Rev 5 to SC-205, "Local Radiation Emergency." W/880627 ltr. SNOW, B.A. Rochester Gas & Electric Corp. 88/06/27. STAHL, C. NRC - No Detailed Affiliation Given. 136pp. 46124-028-46124-163.

##### P. Operating license stage documents & correspondence

8806300083 Forwarded corrected Tech Spec 1.4, "Operable-Operability," adding word "support" after word "lubrication" & explanation of add issues re monitoring & documentation per UL870724 application for amend to License DPR-18. SNOW, B.A. Rochester Gas & Electric Corp. 88/06/21. STAHL, C. NRC - No Detailed Affiliation Given. 1p. 45988-212-45988-214.

8807050018 Corrected proposed Tech Spec 1.4, "Operable-Operability," adding word "support" after word "lubrication" for clarification. Rochester Gas & Electric Corp. 88/06/21. 2pp. 45988-213-45988-214.

8807050517 Forwarded AEOD Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Braidwood Unit 1. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER, C.H. Genenc Communications Branch. 2pp. 45998-060-45998-066.

8807050550 Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector." Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45998-063-45998-066.

8807120437 Forwarded Amend 29 to License DPR-18 & safety evaluation. Amend revises Tech Specs to correct inconsistency associated w/monitoring containment mini-purge release & to clarify actions following inoperability for 31 days. STAHL, C. Project Directorate I-3. 88/06/23. KOBER, R.W. Rochester Gas & Electric Corp. 4pp. 46111-258-46111-276.

8807120447 Amend 29 to License DPR-18, revising Tech Specs to correct inconsistency associated w/monitoring containment mini-purge release & to clarify actions following inoperability for 30 days. WESSMAN, R.H. Project Directorate I-3. 88/06/23. 13pp. 46111-262-46111-274.

8807120449 Safety evaluation supporting Amend 29 to License DPR-18. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 2pp. 46111-275-46111-278.

8807120351 Forwarded request for add info on procedures generation package describing development & implementation of emergency operating procedures. Requests schedule for submitting responses. STAHL, C. Project Directorate I-3. 88/06/27. KOBER, R.W. Rochester Gas & Electric Corp. 10pp. 46113-159-46113-178.

8807080123 Notification of 880719 meeting w/utl in Rockville, MD to discuss steam generator snubber replacement w/mechanical constraints & sleeving utilizing new technique for sleeve installation. STAHL, C. Project Directorate I-3. 88/07/06. WESSMAN, R.H. Project Directorate I-3. 3pp. 46134-199-46134-201.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel nozzles & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl. MINAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-267.

8807250273 Notification that 880719 meeting rescheduled for 880720 w/utl in Rockville, MD to discuss steam generator sleeving utilizing a new technique for sleeve installation. STAHL, C. Project Directorate I-3. 88/07/14. WESSMAN, R.H. Project Directorate I-3. 1p. 46285-164-46285-164.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-168-45978-266.

8807010360 Ack receipt of 880428 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-244/88-03. BELLA, M.R. Region 1, Ofc of the Director. 88/06/20. SNOW, B.A. Rochester Gas & Electric Corp. 2pp. 46008-127-46008-137.

8807010370 Responds to NRC ltr re violations noted in Insp Rept 50-244/88-03. Corrective actions/technician provided for continuous monitoring, workers w/masks re moved from area & area posting changed to be consistent w/work conditions. SNOW, B.A. Rochester Gas & Electric Corp. 88/04/28. RUSSELL, W.T. Region 1, Ofc of the Director. 9pp. 46008-129-46008-137.

8808180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BP-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019-037-46019-162.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018-163-46018-285.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807070389 Responds to violations noted in Insp Rept 50-244/88-08. Corrective actions: Valve 879 closed & locked & complete safety injection sys lineup outside containment performed. SNOW, B.A. Rochester Gas & Electric Corp. 88/06/24. RUSSELL, W.T. Region 1, Ofc of the Director. 5pp. 46125-237-46125-241.

8807060266 Forwarded Safety Insp 50-244/88-09 on 880500-0612. No violations or deviations noted. BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/06/27. SNOW, B.A. Rochester Gas & Electric Corp. 2pp. 46115-302-46115-310.

8807060271 Insp Rept 50-244/88-09 on 880500-0612. No violations or deviations noted. Major areas inspected plant operations, ESF, walkdown, operational safety verification, surveillance, maintenance, radiological protection & physical security. COWGILL, C.J. Region 1, Ofc of the Director. 88/06/24. 7pp. 46115-304-46115-310.

8807060287 Responds to NRC 880610 ltr re issues noted in Insp Rept 50-244/88-09. Based on end evaluations, util has reasonable assurance that valves would perform safety function. Postulated valve failure bounded by updated FSAR analysis. SNOW, B.A. Rochester Gas & Electric Corp. 88/06/29. JOHNSTON, W.V. Region 1, Ofc of the Director. 8pp. 46115-094-46115-101.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807130187 Responds to NRC Bulletin 88-004 re potential safety-related pump loss. Sizing of min flow bypass lines for RHR & safety injection pumps adequate to provide pump protection for short term operation in min flow mode. SNOW, B.A. Rochester Gas & Electric Corp. 88/07/07. STAHL, C. Document Control Branch (Document Control Desk). 28pp. 46188-129-46188-158.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807130068 Forwarded summary rept required by IE Bulletin 85-003 re development & implementation of program to ensure that switch settings on motor-operated valves in HPCI & emergency feedwater sys set properly. SMITH, R.E. Rochester Gas & Electric Corp. 88/07/08. STAHL, C. NRC - No Detailed Affiliation Given. 42pp. 46188-072-46188-139.

8807130072 Rev 2 to "Design Criteria Ginna Station Safety-Related Motor-Operated Valve Program." SMITH, J.H., DAVIS, R.T. Rochester Gas & Electric Corp. 87/12/29. 26pp. 46186-114-46186-139.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co of New York, Inc. 103pp 46242.006-46242.108

-8807060388 "Spent Fuel Pool Capacity Expansion Project Description & SAR" \* Northeast Nuclear Energy Co (subs of Northeast Utilities) 88/06/30. 20pp 46090 010-46090 218.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co of New York, Inc. 103pp 46240 222-46240.324

8807080107 Forwards Amend 18 to License DPR-21 & safety evaluation Amend revises Tech Spec Section 3.5.C, "Core & Containment Cooling Sys - Feedwater Coolant Injection Subsys," by increasing min required condensate storage tank vol.  
BOYLE,M.L. Project Directorate I-4. 88/08/27. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities). 2pp 46134 208-46134 216

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co of New York, Inc. 103pp 46241 263-46242.005

-8807080112 Amend 18 to License DPR-21, revising Tech Spec Section 3.5.C, "Core & Containment Cooling Sys - Feedwater Coolant Injection Subsys," by increasing min required condensate storage tank vol to 250,000 gallons.  
STOLZ,J.F. Project Directorate I-4. 89/06/27. 5pp 46134 210-46134 214

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co of New York, Inc. 119pp 46257 258-46258.016

-8807080129 Safety evaluation supporting Amend 18 to License DPR-21 \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/27. 2pp. 46134 215-46134 216.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co of New York, Inc. 121pp 46257 068-46257 208

8807060024 Notification of 880707 meeting w/ulj in Rockville,MD to discuss seismic/ structural aspects of spent fuel pool rack  
BOYLE,M.L. Project Directorate I-4. 88/06/28 STOLZ,J.F. Project Directorate I-4 3pp. 46003 010-46003 012

#### S. Reportable occurrences, LERs & related correspondence

8807100008 PNO-1-88-057A Identified radioactive contamination on contractor exiting facility protected area Contamination also identified in individual home & co-worker car Caused by inadequate monitoring before leaving restricted area.  
COSTELLO,F., ALLAN,J. Region 1, Ofc of the Director. 88/06/22 1p. 46020 247-46020 247.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC action on radiation embrittlement of reactor vessel nozzles & impact on plant operations Svc list & Rev 2 to RG Regd. 1.88 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp 46257 207-46257 257

8807080142 LER 88-005-00 on 880601 reactor trip occurred followed by safety injection initiation from pressurizer low pressure. Caused by blown fuse in steam generator B & RCS shutdown. Plant stabilized per emergency procedures W/880701 Ltr.  
BACKUS,W.H., SNOW,B.A. Rochester Gas & Electric Corp. 88/07/01 12pp 46134 154-46134 105.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "Leakage Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp 45978 168-45978 266.

8807190156 Special rept on 880516 turbine driven auxiliary feedwater sys inoperable during period from 880516-25. Valve V-3504B operated w/ notable resistance Procedure A-52.4 revised to incorporate check valve.  
SNOW,B.A. Rochester Gas & Electric Corp. 88/07/07. RUSSELL,W.T. Region 1, Ofc of the Director. 3pp. 46214 055-46214 057

8807080020 Ack receipt of 880516 ltr discussing Info Notice 88-021 on inadvertent criticalities Discovery of three repts dealing w/ thrao events mentioned in ltr noted.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/16. HANAUER,S.H. Technical Analysis Corp. 2pp. 46134 179-46134 180

#### DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807080107 Forwards Amend 18 to License DPR-21 & safety evaluation Amend revises Tech Spec Section 3.5.C, "Core & Containment Cooling Sys - Feedwater Coolant Injection Subsys," by increasing min required condensate storage tank vol.  
BOYLE,M.L. Project Directorate I-4. 88/06/27. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities). 2pp 46134 208-46134 216

8806160340 NRC Info Notice 88-040, "Examners Handbook for Developing Operator License Exams" NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp 46240 325-46241 201.

-8807080112 Amend 18 to License DPR-21, revising Tech Spec Section 3.5.C, "Core & Containment Cooling Sys - Feedwater Coolant Injection Subsys," by increasing min required condensate storage tank vol to 250,000 gallons.  
STOLZ,J.F. Project Directorate I-4. 88/08/27. 6pp. 46134 210-46134 214

8807100033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp 45978 034-45978 155

-8807080129 Safety evaluation supporting Amend 18 to License DPR-21. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/27. 2pp. 46134 215-46134 216.

8806170291 NRC Bulletin 88-001, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152.

8807200217 Forwards Insp Rept 50-245/88-07 on 880128-0606 No violations noted. Discusses concerns re adherence to ACP-QA-4.03B, "Mail Equipment Parts Lists."  
BETTENHAUSEN,L. Region 1, Ofc of the Director. 88/07/01. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp 46240 098-46240 115.

8807050250 Forwards Safety Insp Repts 50-245/88-08 & 50-338/88-12 on 880500-13 No violations noted.  
DELLAMY,R.R. Region 1, Ofc of the Director. 88/08/23. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities). 2pp 46025 052-46025 062.

-8807200218 Insp Rept 50-245/88-07 on 880428-0808 No violations noted. Major areas inspected: previously identified items, plant operations, physical security including strike by bargaining unit security officers & potential ECCS suction strainer.  
MCCABE,E.C. Region 1, Ofc of the Director. 88/07/01. 18pp 46240 098-46240 115

-8807050252 Insp Repts 50-245/88-09 & 50-338/88-12 on 880500-13 No violations noted. Major areas inspected: radiological measurements program, including QC of analytical measurements, records & procedures & mgmt controls.  
KIRKWOOD,A. PASCIAK,W.J. Region 1, Ofc of the Director. 88/06/20. 9pp 46025 054-46025 062

8807210282 Forwards Safeguards Insp Repts 50-245/88-10, 50-338/88-14 & 50-423/88-11 on 880518-17. No violations noted.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/07/01. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46237 219-46237 222.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018 153-46018 265.

-8807210285 Insp Repts 50-245/88-10, 50-338/88-14 & 50-423/88-11 on 880518-17. No violations noted. Major areas inspected: review of licensee continued implementation of strike plans & compliance w/ NRC approved security & contingency plans.  
MARTIN,W.G. Region 1, Ofc of the Director. 88/06/20. 2pp. 46237 221-46237 222.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp 46018 266-46020 018.

#### H. General correspondence

8807200337 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
SUSPENSKI,A.J. Affiliation Not Assigned. 87/03/04. NRC - No Dated Affiliation Given. 1p. 46197 088-46197 088.

8807070139 Forwards final summary rept addressing IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures" No addl work w/ respect to bulletin suppl necessary for Millstone Unit 1.  
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/06/27. Document Control Branch (Document Control Desk). 28pp 46130 103-46130 130.

#### P. Operating license stage documents & correspondence

8807060365 Application for amend to License DPR-21 re expansion of spent fuel pool storage capacity & mods to spent fuel pool rack Fee paid.  
MROCZKA,E.J. Northeast Nuclear Energy Co (subs of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/08/24. Document Control Branch (Document Control Desk). 3pp. 46090 005-46090 218.

8807130075 Informs that uls do not possess, use or transport Model SPEC 2-T radiographic exposure devices, per Bulletin 88-008.  
MROCZKA,E.J. Connecticut Yankee Atomic Power Co. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/06/29. Document Control Branch (Document Control Desk). 1p. 46164 030-46164 039.

8807070053 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss" Most pumps not susceptible to subp problem because sys lineup &/or operational procedures do not allow pump to run near shutoff conditions.  
MROCZKA,E.J. Northeast Nuclear Energy Co (subs of Northeast Utilities). MROCZKA,E.J. Northeast Utilities. 88/06/30. Document Control Branch (Document Control Desk). 6pp. 46126 168-46126 173.

8807200217 Forwards Insp Repts 50-245/88-07 on 880426-0606 No violations noted Discusses concerns re adherence to ACP-QA 403B. "Mati Equipment Parts List".  
EETTERHAUSEN L Region 1, Ofc of the Director 88/07/01. MROCZKA, E J Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 46240 096-46240 115

8807200218 Insp Rept 50-245/88-07 on 880426-0606 No violations noted Major areas inspected previously identified items plant operations physical security including strike by lightning and security officers & potential ECCS suction strainer.  
MCCASE, E C Region 1, Ofc of the Director 88/07/01 18pp 46240 098-46240 115

8807210282 Forwards Safeguards Insp Repts 50-245/88-10-50-336/88-14 & 50-423/88-11 on 880516-17 no violations noted  
EETTERHAUSEN L Region 1, Ofc of the Director 88/07/01. MROCZKA, E J Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 46237 219-46237 222

8807210285 Insp Repts 50-245/88-10-50-336/88-14 & 50-423/88-11 on 880516-17 no violations noted Major areas inspected review of licensee continued implementation of strike plans & compliance with NRC approved security & contingency plans  
MARTIN, W G, KEIM, G R R Region 1, Ofc of the Director 88/06/29 2pp 46237 221-46237 222

8807150110 Informs that listed plants use GE HFA type latching relays per NRC Bulletin 88-03A. Plans will be inspected during next refueling outage in 1989  
MROCZKA, E J Connecticut Yankee Atomic Power Co MROCZKA, E J Northeast Nuclear Energy Co (subs of Northeast Utilities) MROCZKA, E J Northeast Utilities 88/07/06 Document Control Branch (Document Control Desk) 2pp 46184 358-46184 359

8806300147 NRC Info Notice 88-045 "Problems in Protective Relay & Circuit Breaker Coordination" Svc list encl  
ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co of New York, Inc 104pp 46242 109-46242 212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers" Svc list encl  
ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co of New York, Inc 107pp 46231 281-46232 027

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl  
ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co of New York, Inc 103pp 46242 096-46242 108

8807200038 Responds to NRC Bulletin 87-002, Suppl 1, "Fastener Testing to Determine Compliance With Applicable Mat Specs" List of safety related fastener suppliers w/ typical mat specs & list of non-safety related suppliers w/o mat specs encl  
MROCZKA, E J Connecticut Yankee Atomic Power Co MROCZKA, E J Northeast Nuclear Energy Co (subs of Northeast Utilities) MROCZKA, E J Northeast Utilities 88/07/12 Document Control Branch (Document Control Desk) 7pp 46221 328-46221 334

8807250085 Advises that Ltr 880325 response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory  
BOYLE, M L Project Directorate 14 88/07/13 MROCZKA, E J Connecticut Yankee Atomic Power Co MROCZKA, E J Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 46269 294-46269 295

8807080366 NRC Info Notice 88-047, "Slower Than Expected Rod-Drop Times" Svc list encl  
ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co of New York, Inc 103pp 46240 222-46240 324

8807120550 NRC Info Notice 88-049, "Marking/Handling/Control/Storage & Destruction of Safeguards Info" Svc list encl  
ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co of New York, Inc 103pp 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power" Svc list encl  
ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co of New York, Inc 115pp 46257 258-46258 016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl  
ROSSI, C E Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co of New York, Inc 121pp 46257 088-46257 208

#### R. Periodic operating reports & related correspondence

8807210214 Monthly operating rept for June 1988 for Millstone Unit 1. W/880711 ltr.  
NEWBURGH, G SCACE, S E, KEENAN, J S Northeast Nuclear Energy Co (subs of Northeast Utilities) 88/08/30 5pp 46237 178-46237 182

#### S. Reportable occurrences, LERs & related correspondence

8806280380 LER 88-005-00 on 880527 containment spray interlock setpoint insufficient to ensure ECCS pump cavitation would not occur Emergency operating procedures revised to ensure sufficient pressure maintained W/880623 ltr.  
KANE, S E, SCACE, S E Northeast Nuclear Energy Co (subs of Northeast Utilities) 88/06/23 3pp 45985 313-45985 315

#### DOCKET 50-247 INDIAN POINT STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807010109 Notification of Licensee Requested Meeting 88-097 on 880629 in King of Prussia, PA to discuss security program topics.  
SWETLAND, P D Region 1, Ofc of the Director 88/08/23 Region 1, Ofc of the Director 2pp 46008 194-46008 195

8807130286 Forwards Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively & safety evaluation Amends modify licenses to require compliance w/amended physical security plan revised to meet requirements of 10CFR73.55.  
SLOSSON, M M Project Directorate 1-1. 88/07/08. BRAM, S B. Consolidated Edison Co of New York, Inc 3pp 46169 338-46169 345

8807130288 Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively, revising licenses to require compliance w/amended physical security plan.  
CAPRA, R A Project Directorate 1-1. 88/07/08. 4pp 46169 339-46169 342

8807130295 Safeguards evaluation rept supporting Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively.  
\* NRC - No Detailed Affiliation Given 88/07/08 3pp 46169 343-46169 345

#### H. General correspondence

8807220015 Comment opposing proposed rule 10CFR150 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
HOLT, J Public Interest Research Group, New York 87/02/18 Consolidated Edison Co of New York, Inc 4pp 46230 249-46230 253

#### J. Insurance & indemnity information

8807140252 Forwards Endorsements 100 & 141 to NELIA Policy NF-100 & MALLIN Policy MF-29, respectively.  
O'CONNOR, D J Marsh & McLennan, Inc 88/07/11 DUNITZ, J Office of Nuclear Reactor Regulation, Director (Post 870411) 5pp 46177 220-46177 233

#### K. Utility Final Safety Analysis Report (FSAR) & amends

8806300199 Rev 6 to updated FSAR for Indian Point Unit 2. W/880630 ltr.  
BRAM, S B Consolidated Edison Co of New York, Inc 88/06/30. 200pp 46008 050

#### P. Operating license stage documents & correspondence

8807120026 Forwards Amends 39 & 131 to Licenses DPR-5 & DPR-26, respectively. A safety evaluation Amends revise Tech Specs to incorporate changes to facility safety design.  
SLOSSON, M M Project Directorate 1-1. 88/08/21. BRAM, S B. Consolidated Edison Co of New York, Inc 2pp 46112 326-46112 338

8807120031 Amends 39 & 131 to Licenses DPR-5 & DPR-26, respectively, revising organizational figures contained in Tech Specs.  
CAPRA, R A Project Directorate 1-1. 88/08/21. 10pp 46112 328-46112 337

8807120039 Safety evaluation supporting Amends 39 & 131 to Licenses DPR-5 & DPR-26, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/21 2pp 46112 338-46112 339

8807110358 Forwards notice of consideration of issuance of amends to OL & proposed NSIC determination & opportunity for hearing re 880815 application requesting removal of organization charts per Generic Ltr 88-08.  
SLOSSON, M M Project Directorate 1-1. 88/08/23. BRAM, S B. Consolidated Edison Co of New York, Inc 2pp 46082 038-46082 043

8807110362 Notice of consideration of issuance of amends to OL & proposed NSIC determination & opportunity for hearing re 880815 application concerning organization charts per Generic Ltr 88-08.  
SLOSSON, M M Project Directorate 1-1. 88/08/23 6pp 46082 038-46082 043

8807120578 Forwards Amend 132 to License DPR-20 & safety evaluation Amends revises Tech Spec Section 5.2 C re containment spray flow & fan cooler heat removal performance per 870812 application & supply.  
SLOSSON, M M Project Directorate 1-1. 88/08/29. BRAM, S B. Consolidated Edison Co of New York, Inc 3pp 46112 352-46112 362

8807120585 Amend 132 to License DPR-20, revising Tech Spec Section 5.2 C re containment spray flow & fan cooler heat removal performance.  
CAPRA, R A Project Directorate 1-1. 88/08/29. 5pp 46112 355-46112 359

8807120598 Safety evaluation supporting Amend 132 to License DPR-20.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/29 3pp 46112 360-46112 362

8807130016 Notification of 880712 meeting w/utl in Rockville, MD to discuss status of licensing actions.  
SLOSSON, M M Project Directorate 1-1. 88/07/08. CAPRA, R A Project Directorate 1-1. 2pp 46169 187-46169 188

8807130286 Forwards Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively. A safety evaluation Amends modify licenses to require compliance w/amended physical security plan revised to meet requirements of 10CFR73.55.  
SLOSSON, M M Project Directorate 1-1. 88/07/08. BRAM, S B. Consolidated Edison Co of New York, Inc 3pp 46169 338-46169 345

8807130288 Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively, revising licenses to require compliance w/amended physical security plan.  
CAPRA, R A Project Directorate 1-1. 88/07/08. 4pp 46169 339-46169 342

8807130295 Safeguards evaluation rept supporting Amends 39 & 133 to Licenses DPR-5 & DPR-26, respectively.  
\* NRC - No Detailed Affiliation Given 88/07/08. 3pp 46169 343-46169 345

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of Passive NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F J Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co of New York, Inc 51pp 48257 207-48257 257

8807190198 Forwards safety evaluation supporting licensee rept on dimensions of flow indication Sufficient info provided to approve plant startup & operation to full power.  
SLOSSON, M M Project Directorate 1-1. 88/07/12. BRAM, S B. Consolidated Edison Co of New York, Inc 2pp 46208 291-46208 298



8807190199 Safety evaluation re flow indication detected in reactor pressure vessel Concludes plant could safely return to full power.  
\* Office of Nuclear Reactor Regulation Director (Post 870411). 88/07/12. 7pp.  
46208-203-46208-299

8807200208 Advises that 880510 response to Generic Ltr 88-03, "Steam Binding of Auxiliary Feedwater Pumps," confirming that appropriate procedures in place & will be maintained to minimize occurrence of binding/saturation.  
SLOSSON, M.M. Project Directorate 1-1. 88/07/14. BRAM, S.B. Consolidated Edison Co. of New York, Inc. 2pp. 46222-179-46222-180

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-268.

8807010251 Forwards Safety Insp Rpts 50-003/88-01, 50-247/88-17 & 50-286/88-09 on 880509-13. No violations noted.  
BELLAMY, R.R. Region 1, OIC of the Director. 88/06/21. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp. 46008-180-46008-176

8807010288 Insp Rpts 50-003/88-01, 50-247/88-17 & 50-286/88-09 on 880509-13. No violations noted. Major areas inspected: radiological environ monitoring program, including mgt controls & analytical measurements QC program.  
STUCKMEYER, R., PASCIAK, W.J. Region 1, OIC of the Director. 88/06/18. 9pp. 46008-168-46008-176

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/3R-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-165

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152

8807070119 Responds to NRC 880523 ltr re violations noted in Insp Rpt 50-247/88-13. Corrective actions full compliance w/ temporary tracking requirements for SWN-617 achieved on 880428.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 88/06/22. Document Control Branch (Document Control Desk). 3pp. 46124-353-46124-357.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS 416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807050162 Forwards Safety Insp Rpts 50-003/88-02 & 50-247/88-16 on 880509-13. No violations noted. Weaknesses identified in oversight of whole body counting. Add'l attention to area warranted.  
BELLAMY, R.R. Region 1, OIC of the Director. 88/06/24. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp. 46025-143-46025-148

8807050105 Insp Rpts 50-003/88-02 & 50-247/88-16 on 880509-13. No violations noted. Major areas inspected: access control, radiation work permits, area posting, high radiation area controls, surveys & whole body counting.  
SHERBINI, S., SHANBAKY, M.M. Region 1, OIC of the Director. 88/08/23. 4pp. 46025-145-46025-148

8807050179 Forwards Insp Rpt 50-247/88-16 on 880503-30 & notice of violation. Licensee requested to provide assessment of quality for implementation of sys lineups & actions to assure independent verification program implemented.  
WENZINGER, E.C. Region 1, OIC of the Director. 88/06/24. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp. 46068-108-46068-130.

8807050181 Notice of violation from Insp on 880503-0530. Violation noted: breaker handle for Containment Spray Sys Valve B89A not locked.  
\* Region 1, OIC of the Director. 88/06/24. 2pp. 46068-108-46068-109

8807050187 Insp Rpt 50-247/88-16 on 880503-0530. Violations noted: Major areas inspected: daily & unscheduled backshift insps of onsite activities, licensee action on previously identified insp findings & review of periodic & special rpts.  
SWETLAND, P. Region 1, OIC of the Director. 88/06/17. 21pp. 46068-110-46068-130.

8807070131 Forwards Safety Insp Rpt 50-247/88-15 on 880408-27. No violations noted.  
GALLOR, M. Region 3, OIC of the Director. 88/06/29. BRAM, S. Consolidated Edison Co. of New York, Inc. 2pp. 46123-004-46123-019.

8807070133 Safety Insp Rpt 50-247/88-15 on 880408-27. No violations or deviations noted. Major areas inspected: verification that emergency operating procedures are technically correct.  
LOVE, R.S., WRIGHT, G. Region 3, OIC of the Director. 88/06/22. 14pp. 46123-008-46123-019.

8807120102 Responds to NRC 880607 ltr re violations noted in Insp Rpt 50-247/88-14. Corrective actions: all nine valves tested & placed back on monthly testing frequency.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 88/07/05. Document Control Branch (Document Control Desk). 4pp. 46148-068-46148-071.

8807080006 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-261-46232-027

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-506-46242-108.

8807080388 NRC Info Notice 88-047, "Slower Than Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards In." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-206.

#### R. Periodic operating reports & related correspondence

8808300341 Monthly operating rpt for May 1988 for Indian Point Unit 2 W/880615 ltr.  
KRIEGER, K., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 88/05/31. 5pp. 45997-226-45997-230

#### S. Reportable occurrences, LERs & related correspondence

8807120680 Summary of Operating Reactors Events Meeting 88-25 on 880621. List of attendees, discussion of significant elements of events & summary of reactor scrams encl.  
LANNING, W. Events Assessment Branch. 88/06/22. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 14pp. 46121-180-46121-193.

8807280350 Part 21 rpt re 880CD series of microprocessor controller. Caused by defective battery backed up RAM Controller family to be re-designed.  
SMITH, J.A., STAFFORD, K.E. Victorien, Inc. (subs of Sholler-Globe Corp.). 88/07/08. DEFAYETTE, R. Region 3, OIC of the Director. 3pp. 46344-001-46344-003.

8807250371 LER 88-008-00 on 880617, unplanned reactor trip on main boiler feedwater pump occurred caused by personnel error. Use of contract employee cleaning in vicinity of operating equipment being reviewed W/880715 ltr.  
DEL PERCIO, J.G., BRAM, S.B. Consolidated Edison Co. of New York, Inc. 88/07/15. 6pp. 46276-354-46276-358

#### V. Operator Examinations

8807140249 Forwards revised response to Generic Ltr 87-14, updating need for FY89, FY90 & FY91 operator licensing exams. Mods made to requalification exam schedule for FY89 to support scheduled plant outage.  
BRAM, S.B. Consolidated Edison Co. of New York, Inc. 88/06/21. Document Control Branch (Document Control Desk). 3pp. 46177-234-46177-238.

#### DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

8807150078 Rev 7 to Emergency Plan Implementing Procedure EPIP 200-T1, "Classification of Generating Station Emergency Plan Conditions."  
\* Commonwealth Edison Co. 88/07/08. 21pp. 48185-155-48185-176.

8807190162 Inform that 880527 Rev 24 to security plan for facility consistent w/ 10CFR50.54(p) & acceptable. Stated item deleted due to administrative error must be returned to plan Encl withheld.  
MALLET, B.S. Region 3, OIC of the Director. 88/07/08. BLISS, H.E. Commonwealth Edison Co. 2pp. 46216-345-46216-346.

8807250401 Rev 1 to Procedure DSSP 100-A, "Hot Shutdown Procedure Path A."  
\* Commonwealth Edison Co. 88/07/31. 14pp. 46273-231-46273-244.

8807210348 Forwards revs to 10CFR50, App R. Examination Requests 3.6.4.5 & 7.4, per discussions w/NRC Requests 3.6 & 4.5 revised to reflect capability of using local instruments to monitor reactor water level & pressure.  
SILADY, J.A. Commonwealth Edison Co. 88/07/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 23pp. 45234-181-45234-202.

8807250008 Rev 1 to Emergency Plan Implementing Procedure DSSP 100-B, "Hot Shutdown Procedure Path B."  
\* Commonwealth Edison Co. 88/07/31. 13pp. 46269-260-46269-272.

8807250133 Rev 2 to Procedure DSSP 100-E, "Hot Shutdown Procedure Path E."  
\* Commonwealth Edison Co. 88/07/31. 15pp. 46274-301-46274-315.

8807250177 Rev 2 to Procedure DSSP 100-D, "Hot Shutdown Procedure - Path D."

## K. Utility Final Safety Analysis Report (FSAR) &amp; amendments

- 8806280158 Forwards Rev 6 to updated FSAR for Dresden Station Units 2 & 3 Updated FSAR prepared per guidance provided by 880503 FR notice in original format w/long list of detailed changes requiring NRC approval reviewed by NRC BLISS, H.E. Commonwealth Edison Co. 88/06/17. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 45971 034 45972 171
- 8806280159 Rev 6 to Updated FSAR for Dresden Station Units 2 & 3 SCHEGGER, B.A., EEN, GENSLAGE, Commonwealth Edison Co. 88/06/01 500pp 45971 035 45972 171

## P. Operating license stage documents &amp; correspondence

- 8807010629 Application for amendments to Licenses DPR-19 & DPR-25, reflecting instrument enhancements for post-accident monitoring per Reg Guide 1.97 & Suppl 1 to NUREG 0737 Rev. 1.0. SIELBY, J.A. Commonwealth Edison Co. 88/06/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 46018 280 46018 303.
- 8807010635 Proposed Tech Specs reflecting instrumentation enhancements for post-accident monitoring per Reg Guide 1.97 & Suppl 1 to NUREG 0737. \* Commonwealth Edison Co. 88/06/20 22pp 46018 282 46018 303.
- 8807080140 Forwards notice of issuance of Amend 94 to License DPR-25, revising Tech Specs to support changes specific to Cycle 11 load fuel & analyses & changes resulting from analyses performed to allow equipment out-of-svc. SIEGEL, B. Project Directorate III-2 88/06/20. BLISS, H.E. Commonwealth Edison Co. 88/06/20 4pp 46139 328 46139 332.
- 8807080144 Notice of issuance of Amend 94 to License DPR-25, revising Tech Specs to support changes to Cycle 11 reload fuel & analyses & changes resulting from analyses performed to allow equipment out-of-svc. \* Commonwealth Edison Co. 88/06/20 22pp 46018 282 46018 303.
- 8807140068 Forwards Amend 94 to License DPR-25 & safety evaluation Amend changes Tech Specs to support Cycle 11 operation w/ Advanced Nuclear Fuels Co 999 reload fuel. \* Commonwealth Edison Co. 88/06/20. BLISS, H.E. Commonwealth Edison Co. 88/06/20 4pp 46175 171 46175 248.
- 8807140070 Amend 94 to License DPR-25, changing Tech Specs to support Cycle 11 operation w/ Advanced Nuclear Fuels Co 999 reload fuel. \* Commonwealth Edison Co. 88/06/20 4pp 46175 171 46175 248.
- 8807140073 Safety evaluation supporting Amend 94 to License DPR-25. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 68/08/20 14pp 46175 235 46175 248.
- 8806280152 Forwards "Effects of Postulated DC Power Failures on ECCS Availability, Quad Cities Unit 1," by Sargent & Lundy, demonstrating that battery failure could lead to degraded ECCS equipment availability or isolated design weakness. SIEGEL, B. Project Directorate III-2 88/06/21. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 45981 221 45981 252.
- 8806280154 "Effects of Postulated DC Power Failures on ECCS Availability, Quad Cities Unit 1." \* Sargent & Lundy, Inc. 88/06/09 400pp 45981 222 45982 252.

- 8807010160 Confirms 880616 plans re 880718 meeting w/utl in Rockville, MD re past, present & future BWR related licensing actions & for safety issues. List of meeting participants encl. GREENMAN, G. Region 3, Ofc of the Director 88/06/24. REED, C. Commonwealth Edison Co. 2pp 46009 059 46009 059.
- 8807120407 Summary of 880510 counterpart meeting w/utl in Rockville, MD re past, present & future BWR related licensing actions & for safety issues. List of meeting participants encl. ROSSI, C.E. Project Directorate III-2 88/06/27. Project Directorate III-2. 5pp 46111 288 46111 292.
- 8807120378 Forwards request for addl info re 880328 application to amend Licenses on 4 kV undervoltage relay setting. SIEGEL, B. Project Directorate III-2 88/06/29. BLISS, H.E. Commonwealth Edison Co. 5pp 46111 336 46111 340.
- 8807130145 Forwards environ assessment & finding of no significant impact re 880328 amend to Tech Specs to correct discrepancy between Table 3.2.2 value for 4 kV emergency bus undervoltage trip (3092V) & current trip value (2930V). SIEGEL, B. Project Directorate III-2 88/07/06. BLISS, H.E. Commonwealth Edison Co. 4pp 46184 003 46184 010.
- 8807130155 Environ assessment & finding of no significant impact re 880328 amend to Tech Specs to correct discrepancy between Table 3.2.2 value for 4 kV emergency bus undervoltage trip (3092V) & current trip value (2930V). MULLER, D.R. Project Directorate III-2 88/07/06. 4pp 46184 007 46184 010.

- 8807120100 Forwards Rev 51 changes to QA program Topical Rept CE-1-A did 880707 Rev made to reflect organization changes to provide addl organization position description & identification to change commitment to ANSI/ASME NQA-1. MORGAN, W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk) 1p 46156 048 46156 075.
- 8807190205 Rev 51 to licensee QA Program Topical Rept CE-1-A. SHEW, S.W. Commonwealth Edison Co. CE-1-A R51. 88/07/07. 25pp 46156 051 46156 075.

- 8807140312 Summarizes discussions held on 880628/29 re performance of operating nuclear power plants facilities categorized as requiring continued close monitoring. STELLIO, V. Ofc of the Executive Director for Operations 88/07/08. O'CONNOR, J.J. Commonwealth Edison Co. 1p 46178 108 46178 108.
- 8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. See list & Rev 2 to Reg Guide 1.99 encl. MURAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp 46257 207 46257 257.

- 8807120378 Forwards request for addl info re 880328 application to amend Licenses on 4 kV undervoltage relay setting. SIEGEL, B. Project Directorate III-2 88/06/29. BLISS, H.E. Commonwealth Edison Co. 5pp 46111 336 46111 340.

- 8807130145 Forwards environ assessment & finding of no significant impact re 880328 amend to Tech Specs to correct discrepancy between Table 3.2.2 value for 4 kV emergency bus undervoltage trip (3092V) & current trip value (2930V). SIEGEL, B. Project Directorate III-2 88/07/06. BLISS, H.E. Commonwealth Edison Co. 4pp 46184 003 46184 010.
- 8807130155 Environ assessment & finding of no significant impact re 880328 amend to Tech Specs to correct discrepancy between Table 3.2.2 value for 4 kV emergency bus undervoltage trip (3092V) & current trip value (2930V). MULLER, D.R. Project Directorate III-2 88/07/06. 4pp 46184 007 46184 010.

- 8807120100 Forwards Rev 51 changes to QA program Topical Rept CE-1-A did 880707 Rev made to reflect organization changes to provide addl organization position description & identification to change commitment to ANSI/ASME NQA-1. MORGAN, W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk) 1p 46156 048 46156 075.

- 8807190205 Rev 51 to licensee QA Program Topical Rept CE-1-A. SHEW, S.W. Commonwealth Edison Co. CE-1-A R51. 88/07/07. 25pp 46156 051 46156 075.

- 8807140312 Summarizes discussions held on 880628/29 re performance of operating nuclear power plants facilities categorized as requiring continued close monitoring. STELLIO, V. Ofc of the Executive Director for Operations 88/07/08. O'CONNOR, J.J. Commonwealth Edison Co. 1p 46178 108 46178 108.

- 8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. See list & Rev 2 to Reg Guide 1.99 encl. MURAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp 46257 207 46257 257.

- 8807190026 Forwards corrected instruction sheet, including removal of Page B3/4 6 44 re Cycle 11 reload for Amend 94 to License DPR-25. MULLER, D.R. Project Directorate III-2 88/07/12. BLISS, H.E. Commonwealth Edison Co. 5pp 46209 169 46209 174.

- 8807190032 Corrected instruction sheet for Amend 94 to License DPR-25 re Cycle 11 reload. \* NRC - No Detailed Action Given 88/07/12. 1p 46209 174 46209 174.

- 8807220277 Confirms 880706 plans re 880714 mgt meeting at Region III to discuss plant performance. GREENMAN, G. Region 3, Ofc of the Director. 88/07/12. REED, C. Commonwealth Edison Co. 1p 46249 111 46249 111.

- 8807210348 Forwards revs to 10CFR50. App R, Exemption Requests 3.6, 4.5 & 7.4, per discussions w/NRC Requests 3.6 & 4.5 revised to reflect capability of using local instruments to monitor reactor water level & pressure. SIELBY, J.A. Commonwealth Edison Co. 88/07/13. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 23pp 46234 181 46234 202.

## Q. Inspection reports, IE Bulletins &amp; correspondence

- 8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps w/ Power Oscillation Event." \* Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp 45878 158 45878 286.

- 8807120839 Advises that subsequent programs for future outages should address changes in IGSCC cracking. Summary results of augmented insp activities submitted in 880617 ltr acceptable. SIEGEL, B. Project Directorate III-2 88/06/17. BLISS, H.E. Commonwealth Edison Co. 1p 46121 103 46121 103.

- 8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." \* NUREG/BP-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp 46240 325 46240 301.

- 8806170033 NRC Info Notice 88-041, "Physical Protection Workgroups Identified Through Regulatory Effectiveness Reviews." \* Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp 45878 034 45878 155.

- 8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to IGCS." \* Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/27. Consolidated Edison Co. of New York, Inc. 116pp 46010 037 46010 152.

- 8807130298 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-237/88-06 & 50-249/88-07 on 880318-0508 Corrective actions nitrogen inerting makeup system damaged on 880420 repaired & Maint Memo 40 issued re proper rigging practices. BLISS, H.E. Commonwealth Edison Co. 88/06/22. DAVIS, A.B. Region 3, Ofc of the Director. 5pp 46169 252 46169 258.

- 8807110385 Forwards Safety Sys Outage Mode Insp Rept 50-249/88-200 on 880227/20 & 0307-11. Inspectors found improvements in procedures, programs & physical condition of plant & no addl violations or deviations identified. CRUTCHFIELD, D. Division of Reactor Projects - MIV, V & Special Projects (Post 870411). 88/06/23. REED, C. Commonwealth Edison Co. 5pp 46081 337 46082 020.

- 8807110389 Insp Rept 50-249/88-200 on 880222-20 & 0307-11. No violations noted. Major areas inspected: uncorrected & deficiency items from NRC Safety Sys Outage Mode Insps 50-249/88-006 & 50-249/88-012 & evaluate corrective actions. KONKIN, J.E., HAUGHNEY, C.J., STEIN, S.N. Division of Reactor Inspection & Safeguards (Post 870411). 88/08/13. 40pp 46081 343 46082 020.

- 8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-410 Circuit Breaker." \* Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp 46019 153 46019 285.

- 8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to IGCS." \* Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp 46010 268 46020 018.

- 8807050421 Forwards Insp Rept 50-249/88-10 on 880404-07, 0503-05, 10-18 & 0813-14, 21-22. No violations noted. HARRISON, J.J. Region 3, Ofc of the Director. 88/08/28. REED, C. Commonwealth Edison Co. 2pp 46075 354 46076 007.

- 8807050430 Insp Rept 50-249/88-10 on 880404-07, 0503-05, 10-18 & 0813-14, 21-22. No violations noted. Major areas inspected: inservice insp activities including review of program, procedures, observation of work & work activities & of data review. SCHAPKER, J.F., DANIELSON, D.H. Region 3, Ofc of the Director. 88/08/28. 13pp 46075 356 46076 007.

- 8807060202 Forwards Safety Insp Repts 50-237/88-14, 50-249/88-15, 50-264/88-14 & 50-265/88-14 on 880525-0816. No violations noted. HARRISON, J.J. Region 3, Ofc of the Director. 88/08/28. REED, C. Commonwealth Edison Co. 2pp 46106 239 46106 247.

- 8807060210 Insp Repts 50-237/88-14, 50-249/88-15, 50-264/88-14 & 50-265/88-14 on 880525-0816. No violations or deviations noted. Major areas inspected: action on previously identified noncompliances & LERs. GAVULA, J.A., DANIELSON, D.H. Region 3, Ofc of the Director. 88/08/28. 7pp 46106 241 46106 247.

- 8807130022 Forwards SALP ? Board Repts 50-237/88-01 & 50-249/88-01 for Jan 1987 - Jan 1988. DAVIS, A.B. Region 3, Ofc of the Director. 88/08/30. REED, C. Commonwealth Edison Co. 2pp 46163 239 46163 246.

--8807130025 SALP 70-237/88-01 & 50-249/88-01 for Jan 1987 - Jan 1988. Overall ratings in affected areas unchanged.  
\* Region 3, Ofc of the Director 88/06/30 3pp 46183-241-46183-243

--8807130027 Responds to SALP 7 Board Repts 50-237/88-01 & 50-249/88-01, Maint Category 3 should not be viewed as decline from last yr  
REED,C Commonwealth Edison Co. 88/06/01. DAVIS,A.B. Region 3, Ofc of the Director 3pp 46163-244-46163-246

8807080485 Responds to 880429 notice of violation & proposed civil penalty re use of AMP nylon-insulated butt splices at plant. Affidavit of JS Abol incl STEPTOE,P.P. Sidley & Austin 88/07/01 LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp 46087-313-46087-318.

8807120033 Forwards HJ Miller 880808 memo re site visit to attend ex-l meeting for insp of emergency operating procedures & to tour facility.  
DAVIS,A.B. Region 3, Ofc of the Director 88/07/05. REED,C Commonwealth Edison Co 1p 46154-358-46154-360

--8807120037 Summary of 880608 facility site visit to attend ex-l meeting for insp of emergency operating procedures (EOP) performed by assigned Region 1 EOP team. MILLER,H.J. Region 3, Ofc of the Director 88/06/20. DAVIS,A.B. NRC - No Detailed Affiliation Given 2pp 46154-359-46154-360

8807210268 Forwards notarized version of JS Abol affidavit per violations noted in Insp Repts 50-237/88-13 & 50-249/88-15.  
STEPTOE,P.P. Sidley & Austin 88/07/05 LIEBERMAN,J. Ofc of Enforcement (Post 870413) 1p. 46236-231-46236-265

--8807210270 Affidavit of JS Abol re degraded AMP splices in Unit 3 containment penetrations  
ABEL,J.S. Commonwealth Edison Co 88/07/05. 4pp 46236-232-46236-235

--8807210271 Responds to NRC 880429 ltr re violations noted in Insp Repts 50-237/88-16 & 50-249/88-15 & proposed imposition of civil penalty in amount of \$150,000. Corrective actions affected AMP nylon-insulated butt splices repaired w/qual fid tape  
DELGORGHE,L.O. Commonwealth Edison Co. 88/06/20. LIEBERMAN,J. Ofc of Enforcement (Post 870413) 3pp 46236-236-46236-238.

--8807210272 Responds to violations noted in Environ Qualification Insp Repts 50-237/88-13 & 50-249/88-15 & proposed imposition of civil penalty in amount of \$150,000 re use of unqualified AMP butt splices in GE F01 containment penetration on oncls  
STEPTOE,P.P. Commonwealth Edison Co STEPTOE,P.P. Sidley & Austin 88/06/20. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. 46236-239-46236-246

--8807210273 Affidavit of VS Noonan & RG LaGrange re 880429 notice of violation & proposed imposition of civil penalty concerning use of unqualified AMP nylon-type splices in Unit 3 containment  
NOONAN,V.S. LAGRANGE,R.G. NUS Corp. 88/08/23. 11pp 46238-247-46238-257.

--8807210275 Affidavit of MS Turbak re qualification of AMP butt splices.  
TURBAK,M.S. Commonwealth Edison Co. 88/06/28. 2pp. 46236-258-46236-259.

--8807210278 Affidavit of IM Johnson re environ qualification of AMP butt splices in GE penetrations  
JOHNSON,I.M. Commonwealth Edison Co. 88/06/28 6pp. 46238-260-46238-265

8807120016 Discusses environ qualification Insp of butyl rubber insulated cable on 870808-0728 Implementation of surveillance (condition monitoring) program suggested. Response requested within 30 days of ltr date.  
MILLER,H.J. Region 3, Ofc of the Director 88/07/08 REED,C Commonwealth Edison Co. 2pp 46148-224-46148-225.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co of New York, Inc. 104pp. 46242-109-46242-212.

8807080066 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co of New York, Inc. 107pp. 46231-281-46232-027.

8807190023 Informs that ulr response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
ROSS,T. Project Directorate III-2. 88/07/11. BLISS,H.E. Commonwealth Edison Co 7pp 46209-087-46209-103.

8807200198 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate min flow capacity.  
MORGAN,W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228-182-46228-211.

8807200213 Forwards Safety Insp Repts 50-237/88-15 & 50-249/88-16 on 880525 & 26 & 0623 & 24. No violations noted.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/07/11. REED,C. Commonwealth Edison Co 2pp 46222-136-46222-141.

--8807200388 Insp Repts 50-237/88-15 & 50-249/88-16 on 880525 & 26 & 0623 & 24. No violations or deviations noted. Major areas inspected. LER & actions on previous insp findings  
MENDEZ,R. PHILLIPS,M.P. Region 3, Ofc of the Director. 88/07/07. 4pp. 46222-138-46222-141.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Draw Times." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-206.

#### S. Reportable occurrences, LERs & related correspondence

8807050334 LER 88-018-02 on 880918, unit tripped from APRM monitor hi-hi level scram caused by personnel error. Changes to Scram Procedure DGP 2-3 initiated W/ 880620 ltr.  
WHALEN,R.J., EENIGENBURG,E. Commonwealth Edison Co. 88/06/20 5pp 46074-051-46074-055

8807130385 LER 88-013-00 on 880607, reactor protection sys Channel A half scram occurred due to loss of Bus 3A. Caused by loose connection on one of two overload relays. Al cable connects to overload relays lugged W/880630 ltr.  
JACKSON,R., EENIGENBURG,E. Commonwealth Edison Co 88/06/30. 7pp 46164-063-46164-069

8807130456 LER 88-014-00 on 880808, Groups II & III primary containment isolations occurred. Caused by procedure deficiency. Dresden Operating Surveillance DOS G600-3 re bus undervoltage & ECCS integrated functional test revised W/880705 ltr.  
BILIMAN,L., EENIGENBURG,E. Commonwealth Edison Co 88/07/05. 6pp. 46166-323-46166-328

8807260428 LER 88-016-00 on 880614, ATWS sys activation occurred. Caused by inadequate operator training on how to isolate instruments. Instrument line backfired & ATWS trip reset W/880712 ltr.  
JACKSON,R., EENIGENBURG,E. Commonwealth Edison Co 88/07/12. 5pp. 46278-333-46278-307.

8807260147 LER 88-015-00 on 880616, pneumatic supply line to inboard MSIV manifold block assembly did not meet FSAR stress level. Caused by design deficiency during consist. Mod performed to revise 1/2-inch supply line W/880715 ltr.  
WELCH,J., EENIGENBURG,E. Commonwealth Edison Co 88/07/15 6pp 46273-294-46273-299

#### V. Operator Examinations

8807120237 Forwards draft Nov 5 to ES-601, "Administration of NRC Requirement Program Evaluations." W/o incl.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/06/23. STILES,S.R. Commonwealth Edison Co 1p 46149-349-46149-349

#### DOCKET 60-250 TURKEY POINT PLANT, UNIT 3

#### F. Security, medical, emergency & fire protection plans

8807010589 Emergency Plan Implementing Procedure 20126, "Offsite Dose Calculations." W/880624 ltr.  
CONWAY,W.F. Florida Power & Light Co 88/08/24. 31pp. 46017-107-46017-139

8807120147 Forwards Insp Repts 50-250/88-12 & 50-251/88-12 on 880806-10. No violations or deviations noted.  
COLLINS,D.M. Region 2, Ofc of the Director. 88/07/01. CONWAY,W.F. Florida Power & Light Co 2pp 46154-025-46154-032.

--8807120154 Insp Repts 50-250/88-12 & 50-251/88-12 on 880806-10. No violations or deviations noted. Major areas inspected. emergency preparedness, including review of listed programmatic elements.  
KREH,J.L., DECKER,T.R. Region 2, Ofc of the Director. 88/08/30 6pp 46154-027-46154-032.

8807080352 Forwards Amends 131 & 125 to Licenses DPR-31 & DPR-41, respectively & safety evaluation Amends delete Paragraphs 3.F.1.1, 3.J.3.E.3.G & 3.I. re physical security plan.  
EDISON,G.E. Project Directorate II-2 88/07/05. CONWAY,W.F. Florida Power & Light Co 4pp 46139-237-46139-247.

--8807080355 Amends 131 & 125 to Licenses DPR-31 & DPR-41, respectively, deleting Paragraphs 3.F.3.H.3.J.E.3.G & 3.I. from Licenses DPR-31 & DPR-41, respectively & adding 3.I. to both licenses.  
BERKOW,H.N. Project Directorate II-2. 88/07/05. 4pp 46139-241-46139-244.

--8807080357 Safety evaluation supporting Amends 131 & 125 to Licenses DPR-31 & DPR-41, respectively.  
\* NRC - No Detailed Affiliation Given. 88/07/05. 3pp. 46139-245-46139-247.

8807190331 Forwards Rev 14 to physical security plan pages inadvertently deleted from 880623 submittal. Rev withheld.  
CONWAY,W.F. Florida Power & Light Co. 88/07/13. Document Control Branch (Document Control Desk) 1p. 46219-358-46219-359.

8807190087 Forwards draft SALP rept for June 1987 - June 1988. Comments requested by 880720 SALP Board meeting scheduled for 880823.  
EDISON,G.E. Project Directorate II-2. 88/07/14. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). LAINAS,G.C. Project Directorate II-1. 8pp. 46215-331-46215-339

#### G. Adjudicatory correspondence

8807080047 Order.\* Invites parties to submit views on question re applicant establishment of surveillance programs for Boreflex by 880715. Served on 880628.  
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #388 6837. 88/08/27. Florida Power & Light Co. 2pp. 45998-035-45998-036.



Board failure to act conservatively in affirming amendments to Certificate of Svc encl  
LORION, J. Center for Nuclear Responsibility #388 8741. 88/07/13. Atomic Safety  
and Licensing Appeal Panel. 20pp. 46193 028-46193 047

8807200050 NRC Staff reply to Appeal Board order of 880627 \* Imposition of license  
conditions not necessary in matter Certificate of Svc encl.  
VOGLER, B.H. Assistant General Counsel for Hearings #388 8740 88/07/14 Atomic  
Safety and Licensing Appeal Panel. 26pp. 46194 008-46194 033

8807200014 Licensee memorandum on whether license conditions should be imposed  
on Turkey Point spent fuel pool expansion. \* Issuance of license conditions unwarranted  
and w/o support in record w/ Certificate of Svc encl.  
FRANTZ, S.P. Florida Power & Light Co. FRANTZ, S.P. Newman & Holtzinger. #388  
6719. 88/07/15 Atomic Safety and Licensing Appeal Panel. 24pp. 46193 004-  
46193 027

8807290221 Decision. \* Affirms LBP-88 9A on basis of direction for applicant not to  
store fuel w/enrichment in U-235 greater than 4.1% weight & review of record. Served  
on 880728.  
SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #388 6806. 88/07/28.  
Office of the General Counsel. 10pp. 46258 149-46258 156.

#### H. General correspondence

8807280375 Comment on proposed rule 10CFR76 re regulation of U enrichment  
facilities. UII interested in any licensing regulations that would govern const & operation  
of U enrichment facilities.  
COE, W.E. Florida Power & Light Co. 88/07/21 CHUK, S.J. Office of the Secretary of  
the Commission. 2pp. 46252 360-46252 361.

#### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807260250 Rev 6 to updated FSAR for Turkey Point Units 2 & 3 w/880718 ltr.  
CONWAY, W.F. Florida Power & Light Co. 88/07/18. 600pp. 46259 328-46261 298

#### P. Operating license stage documents & correspondence

8807050455 Summary of 880602 meeting w/utl in Bethesda, MD to discuss response to  
Generic Ltr 87-02 re seismic qualification of equipment per USI A-46.  
TOURIGNY, E.G., EDISON, G.E. Project Directorate II-2. 88/06/16 Project Directorate  
II-2. 10pp. 45991:296-45992 003.

-8807050457 "Seismic Hazard Data Prepared for Resolution of USI A-46."  
\* Ebasco Services, Inc. (subs. of Enserch Corp). 88/06/18. 21pp. 45991:306-  
45991 326.

-8807050479 "Radiological Data Prepared for Resolution of USI A-46."  
\* Ebasco Services, Inc. (subs. of Enserch Corp). 88/06/16. 31pp. 45991:327-  
45991 357.

-8807050491 Forwards evaluation of safety issues re regulatory analysis for plant specific  
emergency feedwater sys backfit.  
CONGEL, F.J. Risk & Reliability Assessment Branch 88/03/06 PARR, O. Plant Electrical,  
Instrumentation & Control Systems Branch (PWRB). 6pp. 45991:358-45992 003.

8806280296 Forwards "Emergency Power Sys Enhancement Rept." per 880527 proposed  
schedule. Rept provides preliminary info re proposed electrical power enhancement  
which will be installed at facility.  
CONWAY, W.F. Florida Power & Light Co. 88/06/23. Document Control Branch (Document  
Control Desk). 1p. 45978 272-45978 330.

-8806280297 "Emergency Power Sys Enhancement Rept."  
\* Florida Power & Light Co. 88/06/30. 69pp. 45978 273-45978 330.

8807080085 Forwards "NRC Evaluation Rept of Independent Mgt Appraisal for Turkey  
Point Plant." for info & action per 880419 memo Forwarding of sub rpt to licensee &  
PDR w/request for recommendations requested.  
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 88/06/  
24. GRACE, J.N. Region 2, Ofc of the Director. 2pp. 46134:235-46134 292.

-8807080088 "NRC Evaluation Rept of Independent Mgt Appraisal for Turkey Point  
Plant."  
SPESSARD, R.L. Diagnostic Evaluation & Incident Investigation Branch JORDAN, E.L.  
Office for Analysis & Evaluation of Operational Data, Director. 88/06/24. 59pp.  
46134:237-46134 292.

8807130165 Grants extension for issuance of revised engineering evaluation for operation  
of component cooling water HX to 881231 per 880509 request.  
REYES, L.A. Region 2, Ofc of the Director. 88/06/24. CONWAY, W.F. Florida Power &  
Light Co. 1p. 46167:334-46167 334.

8807070019 Informs that utl will provide next 6-month integrated schedule rept following  
Nov 1988 rept.  
CONWAY, W.F. Florida Power & Light Co. 88/05/23. Document Control Branch (Document  
Control Desk). 1p. 46123:359-46123 359.

8807180270 Forwards NRC evaluation of independent mgt appraisal for facility. Rept together  
w/addl supporting details from ENERCON, plus NRC evaluation of rept should  
provide valuable input for utl to understand plant problems & causes.  
GRACE, J.N. Region 2, Ofc of the Director. 88/07/01. HUDIBURG, J.J. Florida Power  
& Light Co. 3pp. 46184:162-46184 218.

8807080352 Forwards Amendments 131 & 125 to Licenses DPR-31 & DPR-41, respectively  
& safety evaluation. Amends delete Paragraphs 3.F.3.H.3.J.3.E.3.G & 3.I re physical  
security plan.  
EDISON, G.E. Project Directorate II-2. 88/07/05. CONWAY, W.F. Florida Power & Light  
Co. 4pp. 46138:237-46138 247.

-8807080355 Amendments 131 & 125 to Licenses DPR-31 & DPR-41, respectively, deleting  
Paragraphs 3.F.3.H.3.J.3.E.3.G & 3.I from Licenses DPR-31 & DPR-41, respectively,  
& adding 3.I. to both licenses.  
BERKOW, H.N. Project Directorate II-2. 88/07/05. 4pp. 46138:241-46138 244.

\* NRC: No Detailed Affirmation Given. 88/07/05. 3pp. 46138 245-46139 247

8807140308 Summarizes NRC Senior Manager 880628-29 meetings re review of performance  
of plant facility categorized as requiring continued close  
monitoring. Summary of NRC discussion re facility provided.  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/08. HUDIBURG, J.J.  
Florida Power & Light Co. 1p. 46175:349-46175 349.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation embrittlement of reactor vessel metals & impact on plant  
operations. Svc list & Rev 2 to Reg Guide 1.09 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated  
Edison Co. of New York, Inc. 51pp. 46257 207-46257 257.

8807250325 Notification of 880725 meeting w/utl in Juno Beach, FL to discuss status of  
licensing actions.  
EDISON, G.E. Project Directorate II-2. 88/07/18. BERKOW, H.N. Project Directorate II-  
2. 2pp. 46265:022-46265 023.

#### Q. Inspection reports, IE Bulletins & correspondence

8806300165 Ack receipt of 880516 ltr informing NRC of steps taken to correct violations  
noted in Insp Repts 50-250/88-02 & 50-251/88-02.  
WILSON, B.A. Region 2, Ofc of the Director. 88/06/14. CONWAY, W.F. Florida Power  
& Light Co. 1p. 45989 011-45989 011.

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/16.  
Consolidated Edison Co. of New York, Inc. 110pp. 45978 156-45978 266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc  
list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152.

8806210036 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to  
RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018.

8807050545 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-250/87-  
47 & 50-251/87-47. Corrective actions procedures will be revised or new procedure will  
be generated to address handling of response to NRC violations.  
CONWAY, W.F. Florida Power & Light Co. 88/06/24. Document Control Branch (Document  
Control Desk). 2pp. 46025 263-46025 264.

8807130203 Ack receipt of 880526 ltr informing NRC of steps taken to correct violations  
noted in Insp Repts 50-250/88-07 & 50-251/88-07.  
WILSON, B.A. Region 2, Ofc of the Director. 88/06/24. CONWAY, W.F. Florida Power  
& Light Co. 1p. 46170:336-46170 336.

8807120124 Discusses Insp Repts 50-250/88-01 & 50-251/88-01 on 880222 25 & for-  
wards notice of violation.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/27. CONWAY, W.F. Florida Power  
& Light Co. 2pp. 46148 246-46148 251.

-8807120129 Notice of violation from Insp on 880222 25. Violations noted: offsite dose  
assessment calculations could result in nonconservative dose estimates in event of  
radioactive release & failure to establish computer control procedure.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/27. 2pp. 46148:250-46148 251.

8807120147 Forwards Insp Repts 50-250/88-12 & 50-251/88-12 on 880606-10. No violations  
or deviations noted.  
COLLINS, D.M. Region 2, Ofc of the Director. 88/07/01. CONWAY, W.F. Florida Power  
& Light Co. 2pp. 46164:025-46164 032.

-8807120154 Insp Repts 50-250/88-12 & 50-251/88-12 on 880606-10. No violations or  
deviations noted. Major areas inspected: emergency preparedness, including review of  
listed programmatic elements.  
KREH, J.L., DECKER, T.R. Region 2, Ofc of the Director. 88/08/30. 6pp. 46154 027-  
46154 032.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker  
Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit  
Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08.  
Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves."  
Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14  
Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324

8807190087 Forwards draft SALP rept for June 1987 - June 1988 Comments requested by 880720 SALP Board meeting scheduled for 880823  
EDISON,G.E. Project Directorate II-2. 88/07/14. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) LAINAS,G.C. Project Directorate II-1. 9pp. 46215.331-46215.339.

8807120550 NRC Info Notice 88-049, "Marking,Handling Control,Storage & Destruction of Safeguards Info." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18  
Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.016

8807250053 Forwards response to first concern noted in NRC Bulletin 88-004, "Potential Safety-Related Pump Loss" re potential for dead-heading of pumps under stated conditions. Schedule for completion of second concern expected by 881101  
CONWAY,W.F. Florida Power & Light Co. 88/07/18. Document Control Branch (Document Control Desk). 14pp. 46273.034-46273.047

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206

#### R. Periodic operating reports & related correspondence

8807050484 Forwards mgt on shift (MOS) weekly rept for wk of 880523 per NRC 871019 order. Plant supervisor nuclear MOS repts also encl.  
CONWAY,W.F. Florida Power & Light Co. 88/06/01. GRACE,J.N. Region 2, Ofc of the Director. 4pp. 46073.208-46073.254.

8807060082 Forwards summary of mgt-on-shift weekly repts & plant supervisor-nuclear shift repts  
CONWAY,W.F. Florida Power & Light Co. 88/06/15. GRACE,J.N. Region 2, Ofc of the Director. 50pp. 46115.248-46115.289.

8807120366 Forwards mgt-on-shift weekly repts for wk of 880613.  
CONWAY,W.F. Florida Power & Light Co. 88/06/22. GRACE,J.N. Region 2, Ofc of the Director. 50pp. 46145.158-46145.205.

8807190057 Forwards summary of mgt-on-shift repts for wk starting 880620, per NRC 871019 order. Plant supervisor-nuclear shift repts also encl.  
CONWAY,W.F. Florida Power & Light Co. 88/06/29. GRACE,J.N. Region 2, Ofc of the Director. 4pp. 46218.112-46218.168

8807250004 Monthly operating repts for June 1988 for St Lucie & Turkey Points W/  
880715 ltr.  
GRANT,N.W. CONWAY,W.F. Florida Power & Light Co. 88/06/30. 17pp. 46269.341-46269.357.

8807250281 Forwards status rept for 880514-0615 for Turkey Point Units 3 & 4.  
GRACE,J.N. Region 2, Ofc of the Director. 88/07/08. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 46274.185-46274.189.

#### S. Reportable occurrences, LERs & related correspondence

8807010149 LER 87-007-01 on 870128, diesel fuel storage tank sample did not meet Tech Spec surveillance requirements. Caused by not using sampling techniques in accordance w/aid ASTM sampling procedures. Procedure revised. W/880622 ltr.  
HART,R.D. CONWAY,W.F. Florida Power & Light Co. 88/06/22. 6pp. 46008.177-46008.182.

8807010442 LER 88-009-00 on 880527, determined that Tech Spec surveillances for station battery pilot cell rotation not properly implemented in 1987. Caused by personnel error & procedure inadequacy. Training bulletin issued. W/880824 ltr.  
HART,R.D. CONWAY,W.F. Florida Power & Light Co. 88/06/24. 5pp. 46008.181-46008.185.

8807050086 LER 88-010-00 on 880528, containment ventilation & control room ventilation isolation occurred while containment radiation monitor setpoint being checked. Drawer for monitor R-11 initiated signals. Drawer replaced. W/880827 ltr.  
HART,R.D. CONWAY,W.F. Florida Power & Light Co. 88/06/27. 4pp. 46020.259-46020.262

8807120243 Confirms 880713 enforcement conference w/util in Region II ofc to discuss recent events (notice of emergency diesel generator fuel oil sys) at facility, per 880620 telcon. Notice of meeting encl.  
GRACE,J.N. Region 2, Ofc of the Director. 88/06/28. CONWAY,W.F. Florida Power & Light Co. 1p. 46153.305-46153.306.

-8807180378 Notification of 880713 meeting w/util in Atlanta, GA to discuss isolation of emergency diesel generator fuel oil sys.  
CALENJAK,R.V. Region 2, Ofc of the Director. 88/06/28. Region 2, Ofc of the Director. 1p. 46153.308-46153.308.

8807070188 LER 88-011-00 on 880529, discovered that diesel oil storage tank isolation valve 70.003 locked closed. Caused by personnel error. Technician disciplined & info bulletin re work controls & procedural compliance issued. W/880630 ltr.  
LYONS,E. CONWAY,W.F. Florida Power & Light Co. 88/06/30. 5pp. 46138.352-46138.356

8807120613 Special rept. discusses breached fire barriers & other fire protection sys impairments due to plant mods. Plant continues to implement compensatory measures as

8807250226 LER 88-012-00 on 880614, QA audit caused investigation into delay in issuing fire protection impairment form for four penetration seals in switchgear room. Caused by inadequate contractor's seal surveillance being generated. W/880718 ltr.  
GROSS,K.W. CONWAY,W.F. Florida Power & Light Co. 88/07/18. 4pp. 46258.248-46259.251.

#### V. Operator Examinations

8807190087 Forwards draft SALP rept for June 1987 - June 1988 Comments requested by 880720 SALP Board meeting scheduled for 880823.  
EDISON,G.E. Project Directorate II-2. 88/07/14. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) 9pp. 46215.331-46215.339.

#### DOCKET 80-251 TURKEY POINT PLANT, UNIT 4

#### F. Security, medical, emergency & fire protection plans

8807010589 Emergency Plan Implementing Procedure 20126, "Offsite Dose Calculations." W/880624 ltr.  
CONWAY,W.F. Florida Power & Light Co. 88/06/24. 31pp. 46017.107-46017.138

8807120147 Forwards Insp Repts 50-250/88-12 & 50-251/88-12 on 880606. 10 No violations or deviations noted.  
COLLINS,D.M. Region 2, Ofc of the Director. 88/07/01. CONWAY,W.F. Florida Power & Light Co. 2pp. 46154.025-46154.032.

-8807120164 Insp Repts 50-250/88-12 & 50-251/88-12 on 880606. 10 No violations or deviations noted. Major areas inspected: emergency preparedness, including review of listed programmatic elements.  
KRIEH,J.L. Region 2, Ofc of the Director. 88/08/30. 6pp. 46154.027-46154.032

8807080352 Forwards Amends 131 & 125 to Licenses DPR-31 & DPR-41, respectively & safety evaluation. Amends delete Paragraphs 3.F.3 H.3.J.3.E.3.G & 3.I re physical security plan.  
EDISON,G.E. Project Directorate II-2. 88/07/05. CONWAY,W.F. Florida Power & Light Co. 4pp. 46139.237-46139.247.

-8807080356 Amends 131 & 125 to Licenses DPR-31 & DPR-41, respectively, deleting Paragraphs 3.F.3 H.3.J.3.E.3.G & 3.I from Licenses DPR-31 & DPR-41, respectively & adding 3.L to both licenses.  
BERKOW,H.N. Project Directorate II-2. 88/07/05. 4pp. 46139.241-46139.244.

-8807080357 Safety evaluation supporting Amends 131 & 125 to Licenses DPR-31 & DPR-41, respectively.  
\* NRC - No Datafile Affiliation Given. 88/07/05. 3pp. 46139.245-46139.247.

8807180331 Forwards Rev 14 to physical security plan pages inadvertently deleted from 880623 submittal. Rev withheld.  
CONWAY,W.F. Florida Power & Light Co. 88/07/13. Document Control Branch (Document Control Desk). 1p. 46218.358-46218.359.

8807190087 Forwards draft SALP rept for June 1987 - June 1988 Comments requested by 880720 SALP Board meeting scheduled for 880823.  
EDISON,G.E. Project Directorate II-2. 88/07/14. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) 9pp. 46215.331-46215.339.

#### G. Adjudicatory correspondence

8807080047 Order.\* Invites parties to submit views on question re applicant establishment of surveillance programs for Boralox by 880716. Served on 880628.  
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #388 6637. 88/06/27. Florida Power & Light Co. 2pp. 45998.035-45998.036.

8807200081 Intervenor memorandum in support of conditioning license amends.\* Suggests that ASLAB consider placing listed conditions on license amends based on Board failure to act conservatively in affirming amends. Certificate of Svc encl.  
LORION,J. Center for Nuclear Responsibility. #388 6741. 88/07/13. Atomic Safety and Licensing Appeal Panel. 20pp. 46193.026-46193.047.

8807200050 NRC Staff reply to Appeal Board order of 880627.\* Imposition of license conditions not necessary in matter Certificate of Svc encl.  
VOGLER,B.I. Assistant General Counsel for Hearings. #388 6740. 88/07/14. Atomic Safety and Licensing Board Panel. 26pp. 46194.006-46194.033.

8807200014 Licensee memorandum on whether license conditions should be imposed on Turkey Point spent fuel pool expansion.\* Issuance of license conditions unwarranted & w/o support in record. W/ Certificate of Svc.  
FRANTZ,S.P. Florida Power & Light Co. FRANTZ,S.P. Newman & Holtzinger. #388 6719. 88/07/15. Atomic Safety and Licensing Appeal Panel. 24pp. 46193.004-46193.027.

8807290221 Decision.\* Affirms LSP-88-9A on basis of direction for applicant not to store fuel w/enrichment in U-235 greater than 4.1% weight & review of record. Served on 880728.  
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #388 8808. 88/07/29. Office of the General Counsel. 10pp. 46258.149-46258.158.

#### H. General correspondence

8807280375 Comment on proposed rule 10CFR76 re regulation of U enrichment facilities. UMI interested in any licensing regulations that would govern const & operation of U enrichment facilities.  
COE,W.E. Florida Power & Light Co. 88/07/21. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 46252.360-46252.361.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

8807050455 Summary of 880602 meeting w/utl in Bethesda, MD to discuss response to Generic Ltr 87-02 re seismic qualification of equipment per USF A-46.  
TOUNG, N.Y.E.G. EDISON, G.E. Project Directorate II-2 88/06/16. Project Directorate II-2 10pp. 45931-298-45932-003

-8807050467 "Seismic Hazard Data Prepared for Resolution of USF A-46"  
Ebasco Services, Inc. (subs. of Enserch Corp.) 88/05/16. 21pp. 45931-306-45931-326

-8807050478 "Radiological Data Prepared for Resolution of USF A-46"  
Ebasco Services, Inc. (subs. of Enserch Corp.) 88/06/16. 31pp. 45931-327-45931-357

8806280296 Forwards "Emergency Power Sys Enhancement Rept." per 880527 proposed schedule Rept provides preliminary info re proposed electrical power enhancements which will be installed at facility  
CONWAY, W.F. Florida Power & Light Co. 88/06/23. Document Control Branch (Document Control Desk). 1p. 45978-272-45978-330

-8806280297 "Emergency Power Sys Enhancement Rept."  
Florida Power & Light Co. 88/06/30. 58pp. 45978-273-45978-330.

8807080085 Forwards "NRC Evaluation Rept of Independent Mgt Appraisal for Turkey Point Plant," for info & action per 880419 memo Forwarding of sub-rept to licensee & PDR w/request for recommendations requested  
JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 88/06/24. GRACE, J.N. Region 2, Ofc of the Director. 2pp. 46134-235-46134-292

-8807080086 "NRC Evaluation Rept of Independent Mgt Appraisal for Turkey Point Plant"  
SPESSARD, R.L. Diagnostic Evaluation & Incident Investigation Branch, JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 88/06/24. 58pp. 46134-237-46134-292.

8807130185 Grants extension for issuance of revised engineering evaluation for operation of component cooling water HX to 881231 per 880508 request  
REYES, L.A. Region 2, Ofc of the Director. 88/06/24. CONWAY, W.F. Florida Power & Light Co. 1p. 46167-334-46167-334.

8807070019 informs that utl will provide next 6-month integrated schedule rept following Nov 1988 rept  
CONWAY, W.F. Florida Power & Light Co. 88/06/29. Document Control Branch (Document Control Desk). 1p. 46123-359-46123-359

8807180270 Forwards NRC evaluation of independent mgt appraisal for facility Rept together w/addl supporting details from ENERCON plus NRC evaluation of rept should provide valuable input for utl to understand plant problems & causes  
GRACE, J.N. Region 2, Ofc of the Director. 88/07/01. HUDIBURG, J.J. Florida Power & Light Co. 3pp. 46194-162-46194-216.

8807080352 Forwards Amends 131 & 125 to Licenses DPR-31 & DPR-41, respectively & safety evaluation Amends delete Paragraphs 3.F, 3.H, 3.J, 3.E, 3.G & 3.I to physical security plan  
EDISON, G.E. Project Directorate II-2. 88/07/05. CONWAY, W.F. Florida Power & Light Co. 4pp. 46139-237-46139-247.

-8807080355 Amends 131 & 125 to Licenses DPR-31 & DPR-41, respectively, deleting Paragraphs 3.F, 3.H, 3.J, 3.E, 3.G & 3.I from Licenses DPR-31 & DPR-41, respectively & adding 3.L to both licenses  
BERKOW, H.N. Project Directorate II-2. 88/07/05. 4pp. 46139-241-46139-244.

-8807080357 Safety evaluation supporting Amends 131 & 125 to Licenses DPR-31 & DPR-41, respectively.  
NRC - No Data'd Affirmation Given. 88/07/05. 3pp. 46139-245-46139-247.

8807140308 Summarizes NRC Senior Manager 880623-29 meetings re review of performance of plant facility categorized as requiring continued close monitoring Summary of NRC discussion re facility provided  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/08. HUDIBURG, J.J. Florida Power & Light Co. 1p. 46175-348-46175-349

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal's & impact on plant operations Svc list & Ref 2 to Reg Guide 1.99 encl  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

8807250325 Notification of 880725 meeting w/utl in June Beach, FL to discuss status of licensing actions.  
EDISON, G.E. Project Directorate II-2. 88/07/18. BERKOW, H.N. Project Directorate II-2. 2pp. 46255-022-46255-023.

#### Q. Inspection reports, IE Bulletins & correspondence

8806300165 Ack receipt of 880516 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-250/88-02 & 50-251/88-02  
WILSON, B.A. Region 2, Ofc of the Director. 88/06/14. CONWAY, W.F. Florida Power & Light Co. 1p. 45989-011-45989-011.

8806160168 NRC Info Notice 88-039, "Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-268.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams" NUREG/BR-0122 & svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170633 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

8806210038 NRC Info Notice 88-044, "Mechanical Bending of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807050545 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-250/87-47 & 50-261/87-47. Corrective actions/procedures will be revised or new procedure will be generated to address handling of response to NRC violations.  
CONWAY, W.F. Florida Power & Light Co. 88/06/24. Document Control Branch (Document Control Desk). 2pp. 46025-263-46025-264.

8807130203 Ack receipt of 880526 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-250/88-07 & 50-251/88-07  
WILSON, B.A. Region 2, Ofc of the Director. 88/06/24. CONWAY, W.F. Florida Power & Light Co. 1p. 46170-336-46170-338.

8807120124 Discusses Insp Repts 50-250/88-01 & 50-251/88-01 on 880222-25 & forwards notice of violation.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/27. CONWAY, W.F. Florida Power & Light Co. 2pp. 46148-248-46148-251.

-8807120129 Notice of violation from Insp on 880222-25. Violations noted offsite dose assessment calculations could result in nonconservative dose estimates in event of radioactive release & failure to establish computer control procedure  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/27. 2pp. 46148-250-46148-251.

8807120147 Forwards Insp Repts 50-250/88-12 & 50-251/88-12 on 880606-10. No violations or deviations noted.  
COLLINS, D.M. Region 2, Ofc of the Director. 88/07/01. CONWAY, W.F. Florida Power & Light Co. 2pp. 46154-025-46154-032.

-8807120154 Insp Repts 50-250/88-12 & 50-251/88-12 on 880606-10. No violations or deviations noted. Major areas inspected: emergency preparedness, including review of listed programmatic elements  
KREH, J.L., DECKER, T.R. Region 2, Ofc of the Director. 88/06/30. 6pp. 46154-027-46154-032.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-108-46242-212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-008-46242-108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807190087 Forwards draft SALP rept for June 1987 - June 1988 Comments requested by 880720 SALP Board meeting scheduled for 880823.  
EDISON, G.E. Project Directorate II-2. 88/07/14. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). LAINAS, G.C. Project Directorate II-1. 9pp. 46215-331-46215-338.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257-258-46258-016.

8807250053 Forwards response to first concern noted in NRC Bulletin 88-004, "Potential Safety-Related Pump Loss" re potential for dead-heading of pumps under stated conditions. Schedule for completion of second concern expected by 881101  
CONWAY, W.F. Florida Power & Light Co. 88/07/18. Document Control Branch (Document Control Desk). 14pp. 46273-034-46273-047.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-208.

#### R. Periodic operating reports & related correspondence

8807050484 Forwards mgt on shift (MOS) weekly rept for wk of 880523 per NRC 871019 Order. Plant supervisor nuclear MOS rept also encl  
CONWAY, W.F. Florida Power & Light Co. 88/06/01. GRACE, J.N. Region 2, Ofc of the Director. 47pp. 46073-208-46073-254.

8807060062 Forwards summary of mgt-on-shift weekly repts & plant supervisor-nuclear shift rept.  
CONWAY, W.F. Florida Power & Light Co. 88/06/15. GRACE, J.N. Region 2, Ofc of the Director. 60pp. 46115-249-46115-299.

8807120366 Forwards mgt-on-shift weekly rept for wk of 880613.

CONWAY,W.F. Florida Power & Light Co. 88/06/22. GRACE,J.N. Region 2, Ofc of the Director. 50pp. 46145.156-46145.205

8807190057 Forwards summary of mgt-on-shift rept for wk starting 880620, per NRC 871019 order Plant supervisor-nuclear shift rept also encl  
CONWAY,W.F. Florida Power & Light Co. 88/06/29. GRACE,J.N. Region 2, Ofc of the Director. 47pp. 46216.112-46216.158

8807250004 Monthly operating rept for June 1988 for St Lucie & Turkey Points W/ 880715 ltr  
GRANT,N.W., CONWAY,W.F. Florida Power & Light Co. 88/06/30. 17pp. 46260.341-46260.357.

8807250281 Forwards status rept for 880514-0815 for Turkey Point Units 3 & 4.  
GRACE,J.N. Region 2, Ofc of the Director. 88/07/08. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46274.185-46274.188.

## S. Reportable occurrences, LERs & related correspondence

8807120243 Confirms 880713 enforcement conference w/utl in Region II ofc to discuss recent events (isolation of emergency diesel generator fuel oil sys) at facility, per 880620 telcon Notice of meeting encl  
GRACE,J.N. Region 2, Ofc of the Director. 88/06/28. CONWAY,W.F. Florida Power & Light Co. 1p. 46153.305-46153.306

-8807180378 Notification of 880713 meeting w/utl in Atlanta, GA to discuss isolation of emergency diesel generator fuel oil sys.  
CHLENJAK,R.V. Region 2, Ofc of the Director. 88/06/28. Region 2, Ofc of the Director. 1p. 46153.308-46153.306.

8807120057 LER 87-015-01 on 870715 & 10, failure to deactivate inoperable containment isolation valve within 4 hrs as required by Tech Specs discovered. Caused by personnel error. Procedures revised w/880708 ltr.  
SALAMON,G., CONWAY,W.F. Florida Power & Light Co. 88/07/06. 6pp. 46145.141-46145.146.

8807120613 Special rept discusses breached fire barriers & other fire protection sys impairments due to plant mods. Plant continues to implement compensatory measures as applicable.  
CONWAY,W.F. Florida Power & Light Co. 88/07/07. Document Control Branch (Document Control Desk). 4pp. 46148.231-46148.234

## V. Operator Examinations

8807190087 Forwards draft SALP rept for June 1987 - June 1988. Comments requested by 880720 SALP Board meeting scheduled for 880823.  
EDISON,G.E. Project Directorate III-2. 88/07/14. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 8pp. 46215.331-46215.339.

## DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

## F. Security, medical, emergency & fire protection plans

8806200051 Advises that utl proposed objectives responsive to NRC concerns from previous exercise & clearly indicate utl willingness to demonstrate program updates from 1988. Proposed objectives acceptable.  
SHAFFER,W.D. Region 3, Ofc of the Director. 88/06/22. REED,C. Commonwealth Edison Co. 1p. 45974.300-45974.300.

8807060124 Revised emergency plan implementing procedures, including Rev 11A to Table B.4.1, "Environ Radiological Monitoring Program."  
Commonwealth Edison Co. 88/06/23. 8pp. 46122.097-46122.104.

## P. Operating license stage documents & correspondence

8807120393 Advises that Rev 1 to NEDC-313456 SAFETY/GESTR-LOCA analysis will be withheld from public disclosure (ref 10CFR2.780) per 880328 application to amend license, changing Tech Specs. Reasons listed.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/17. BLISS,H.E. Commonwealth Edison Co. 4pp. 46111.318-46111.321.

8807120442 Notice of relocation of drywell temp indicator, per DCRDR human factors commitment Amend to Tech Spec revising instrument location will be submitted by 880718.  
JOHNSON,J.M. Commonwealth Edison Co. 88/06/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46150.280-46150.281.

8806280152 Forwards "Effects of Postulated DC Power Failures on ECCS Availability, Quad Cities Unit 1," by Sargent & Lundy, demonstrating that battery failure could lead to degraded ECCS equipment availability or isolated design weakness.  
SILADY,J.A. Commonwealth Edison Co. 88/06/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 45981.221-45981.262.

-8806280154 "Effects of Postulated DC Power Failures on ECCS Availability, Quad Cities Unit 1."  
Sargent & Lundy, Inc. 88/06/08. 400pp. 45981.222-45981.252.

8807110404 Forwards Amends 109 & 105 to Licenses DPR-29 & DPR-30, respectively & safety evaluation Amends delete upper tolerance of reactor to-lo water level setpoint & correct typos in bases section.  
ROSSI,T. Project Directorate III-2. 88/06/23. BLISS,H.E. Commonwealth Edison Co. 4pp. 46141.307-46141.324.

-8807110417 Amends 109 & 105 to Licenses DPR-29 & DPR-30, respectively, deleting upper tolerance of reactor to-lo water level setpoint & correcting typos in bases section.  
NORRHOLM,L.J. Project Directorate III-2. 88/06/23. 12pp. 46141.311-46141.322

-8807110424 Safety evaluation supporting Amends 109 & 105 to Licenses DPR-29 & DPR-30, respectively.  
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 2pp. 46141.323-46141.324.

8807010160 Confirms 880616 plans re 880718 meeting w/utl at Region III ofc to discuss several engineering issues associated w/ plants.  
GREENMAN,E.G. Region 3, Ofc of the Director. 88/06/24. REED,C. Commonwealth Edison Co. 2pp. 46009.058-46009.059.

8807120407 Summary of 880510 counterpart meeting w/utl in Rockville, MD re past, present & future BWR-related licensing actions & for safety issues. List of meeting participants encl.  
ROSSI,T.M. Project Directorate III-2. 88/06/27. Project Directorate III-2. 5pp. 46111.288-46111.292

8807130385 Forwards Amends 110 & 106 to Licenses DPR-29 & DPR-30, respectively & safety evaluation Amends change Tech Specs to revise insp setpoint for refueling floor radiation monitors & to delete mgt authorization re changes to procedures.  
ROSSI,T. Project Directorate III-2. 88/06/30. BLISS,H.E. Commonwealth Edison Co. 4pp. 46168.040-46168.057.

-8807130389 Amends 110 & 106 to Licenses DPR-29 & DPR-30, respectively, changing Tech Specs to revise trip setpoint for refueling floor radiation monitors & to delete mgt authorization required for approving operating procedure changes.  
NORRHOLM,L.J. Project Directorate III-2. 88/06/30. 12pp. 46166.044-46166.055

-8807130371 Safety evaluation supporting Amends 110 & 106 to Licenses DPR-29 & DPR-30, respectively.  
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/30. 2pp. 46168.058-46168.057

8807120245 Provides revised schedule for completion of mod refueling reactor water relief leg for two units in response to Generic Ltr 84-23. Work will be completed during refueling outages.  
JOHNSON,J.M. Commonwealth Edison Co. 88/07/01. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46154.276-46154.276

8807180230 Application for amends to Licenses DPR-29 & DPR-30, changing Tech Specs to increase filter efficiencies for control room HVAC air filter unit & correcting typos. Fee paid.  
JOHNSON,J.M. Commonwealth Edison Co. 88/07/05. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46194.240-46194.254

-8807180232 Proposed Tech Specs re control room emergency filtration sys & control room air filtration sys.  
Commonwealth Edison Co. 88/07/05. 13pp. 46194.242-46194.254

8807120100 Forwards Rev 51 changes to QA program Topical Rept CE-1-A dtd 880707. Rev made to reflect organization changes, to provide additional organization position description & identification to change commitment to ANSI/ASME NQA-1.  
MORGAN,W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46158.048-46158.076

-8807190205 Rev 51 to license QA Program Topical Rept CE-1-A.  
SIEWICKI,W.J. Commonwealth Edison Co. CE-1-A 051. 88/07/07. 25pp. 46158.051-46158.076

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.09 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

## Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.158-45978.266.

8807080020 Ack receipt of 880516 ltr discussing Info Notice 88-021 on inadvertent criticality. Discovery of three rept's dealing w/three events mentioned in ltr noted.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. HANAUER,S.H. Technical Analysis Corp. 2pp. 46134.170-46134.180

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.163-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807080099 Forwards Safety Insp Repts 50-254/88-12 & 50-265/88-06 on 880310-0620. No violations noted.  
HARRISON,J.J. Region 3, Ofc of the Director. 88/06/28. REED,C. Commonwealth Edison Co. 2pp. 46118.290-46118.299.

8807060111 Insp Repts 50-254/88-12 & 50-265/88-08 on 880310-0411-12, 18, 21, 26-29 & 05-10, 17-18 & 0601 & 20 No violations noted Major areas inspected inservice insp activities, including review of Programs 73051, Procedures 73052 & observation of work.  
WARD, D. Region 3, O/c of the Director 88/06/28 6pp. 46118, 292, 46118, 299

8807060202 Forwards Safety Insp Repts 50-237/88-14, 50-249/88-15, 50-254/88-14 & 50-265/88-14 on 880525-0616 No violations noted  
HARRISON, J.J. Region 3, O/c of the Director 88/06/28. REED, C. Commonwealth Edison Co. 2pp. 46106, 239, 46106, 247.

8807060210 Insp Repts 50-237/88-14, 50-249/88-15, 50-254/88-14 & 50-265/88-14 on 880525-0616 No violations or deviations noted Major areas inspected action on previously identified noncompliances & LERs  
GAVULA, J.A., DANIELSON, D.H. Region 3, O/c of the Director 88/06/28 7pp. 46106, 241, 46106, 247.

8807120217 Forwards Safety Insp Repts 50-254/88-16 & 50-265/88-16 on 880607-15 & notice of violation  
MILLER, H.J. Region 3, O/c of the Director. 88/07/01 REED, C. Commonwealth Edison Co. 2pp. 46135, 232, 46135, 254.

8807120221 Notice of violation from insp on 880607-15. Violation noted, operator in charge of performing temporary fix on 2A containment atmospheric monitoring post-accident hydrogen/oxygen sys did not field verify status of monitors.  
MILLER, H.J. Region 3, O/c of the Director. 88/07/01. 1p. 46135, 234, 46135, 234

8807120224 Insp Repts 50-254/88-16 & 50-265/88-16 on 880607-15. Violations noted Major areas inspected containment integrated leak rate test procedure, performance & results, local leak rate test results & LER oil swab  
MENDEZ, R., MAURA, F.A., PHILLIPS, M.P. Region 3, O/c of the Director. 88/07/01. 20pp. 46135, 235, 46135, 254.

8807210268 Forwards enlarged version of JS Abel affidavit per violations noted in Insp Repts 50-237/88-13 & 50-249/88-15.  
STEPHENS, P.P. Sidney & Austin. 88/07/05. LIEBERMAN, J. O/c of Enforcement (Post 870413). 1p. 46236, 231, 46236, 265.

8807210275 Affidavit of MS Turbak re qualification of AMP built splices.  
TURBAK, M.S. Commonwealth Edison Co. 88/06/28 2pp. 46236, 258, 46236, 259.

8807210278 Affidavit of IM Johnson re environmental qualification of AMP built splices in GE penetrations  
JOHNSON, I.M. Commonwealth Edison Co. 88/06/28 6pp. 46236, 260, 46236, 265.

8807120016 Discusses environmental qualification of Insp of butyl rubber insulated cable on 870608-0728. Implementation of surveillance (condition monitoring) program suggested. Responses requested within 30 days of its date.  
MILLER, H.J. Region 3, O/c of the Director. 88/07/05 REED, C. Commonwealth Edison Co. 2pp. 46148, 224, 46148, 225.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242, 100, 46242, 112

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231, 281, 46232, 027.

8807190023 Informs that unit response to NRC Bulletin 89-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
ROSSI, C.E. Project Directorate II-2. 88/07/11. BLISS, H.E. Commonwealth Edison Co. 7pp. 46209, 097, 46209, 103

8807200196 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate millflow capacity.  
MORGAN, W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk) 30pp. 46220, 192, 46220, 211.

8807120281 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242, 008, 46242, 108

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240, 222, 46240, 324.

8807120560 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241, 263, 46242, 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 115pp. 46257, 258, 46258, 316

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257, 008, 46257, 208.

#### R. Periodic operating reports & related correspondence

8807210262 Forwards listing of changes, tests & experiments completed during June 1988  
ROBEY, R.A. Commonwealth Edison Co. 88/06/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 46233, 348, 46233, 357.

8807280324 Forwards monthly operating reports for June 1988 for Quad Cities, Units 1 & 2 & revised monthly operating reports for Apr & May 1988 for Quad Cities, Unit 2.  
ROBEY, R.A. Commonwealth Edison Co. 88/06/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46261, 298, 46261, 321.

8807180362 Monthly operating reports for June 1988 for Quad Cities Nuclear Station Units 1 & 2  
DEELSNYDER, L. Commonwealth Edison Co. 88/06/30 20pp. 46261, 300, 46261, 319.

8807280327 Revised monthly operating report for Apr 1988 for Quad Cities Unit 2  
DEELSNYDER, L. Commonwealth Edison Co. 88/04/30. 1p. 46261, 320, 46261, 320

8807280329 Revised monthly operating report for May 1988 for Quad Cities Unit 2  
DEELSNYDER, L. Commonwealth Edison Co. 88/05/31. 1p. 46261, 321, 46261, 321.

#### S. Reportable occurrences, LERs & related correspondence

8807160283 LER 88-009-00 on 880608, HPCI sys declared inoperable when oil pump motor breaker turned off due to smoke odor. Odor determined not to be coming from pump motor. Training lesson plans revised to provide info re motor heaters W880705 tr.  
HILL, K.J., BAX, R.L. Commonwealth Edison Co. 88/06/30 4pp. 46182, 191, 46182, 194.

#### V. Operator Examinations

8807120109 Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT, G.C. Region 3, O/c of the Director. 88/06/23 NEAL, J. Commonwealth Edison Co. 1p. 46149, 350, 46149, 350

#### DOCKET 50-256 PALISADES NUCLEAR PLANT

#### F. Security, medical, emergency & fire protection plans

8806290309 Temporary Change Notice TCN-EI-88-001 to Page 15 of Rev 15 to Emergency Plan Implementing Procedure EI-1, "Activation of Site Emergency Plan/Emergency Classification." W/rev & approval summary sheet.  
DAWSON, M., KOZUP, C.S., BRUNET, J.R. Consumers Power Co. 88/05/19 4pp. 45987, 090, 45987, 093

8806290297 Rev 7 to Emergency Plan Section 8, "Maintaining Emergency Preparedness."  
DAWSON, M. Consumers Power Co. 88/06/17. 15pp. 45987, 171, 45987, 185

8806290301 Rev 4 to Emergency Plan Implementing Procedure EI-6.13, "Protective Action Recommendations for Offs to Populations."  
\* Consumers Power Co. 88/06/17. 3pp. 45987, 186, 45987, 188.

8806290305 Rev 0 to Emergency Plan Implementing Procedure App I, "NUREG 0854 Crossreference."  
DAWSON, M. Consumers Power Co. 88/06/17. 8pp. 45988, 010, 45988, 017

8806290484 Rev 3 to General O/c Emergency Planning Procedure GOH-1, "General O/c Response Team." W/Rev 17 to copyholders list.  
\* Consumers Power Co. 88/06/21. 14pp. 45997, 022, 45997, 035

8807010059 Advises that 880526 revs to plant emergency plan consistent w/ 10CFR50.54(g) & acceptable.  
SHAFFER, W.D. Region 3, O/c of the Director. 88/06/27. HOFFMAN, D.P. Consumers Power Co. 2pp. 46008, 180, 46008, 200

8807060303 Rev 2 to Emergency Plan Implementing Procedure EI-15.2, "Communications Drills." rev & approval summary cover sheet.  
BRUNET, J.R. Consumers Power Co. 88/06/27. 2pp. 46115, 300, 46115, 301.

8807110188 Rev 13 to Attachment 1 to Emergency Plan Implementing Procedure EI-2.1, "Emergency Notification."  
\* Consumers Power Co. 88/06/29. 2pp. 46140, 355, 46140, 356

8807120009 Ack receipt of 880617 ltr which transmitted Rev 7 to Section 8 of site emergency plan & App I to plan. Revs do not decrease effectiveness of plan & consistent w/ 10CFR50.54(g).  
SHAFFER, W.D. Region 3, O/c of the Director. 88/07/05. HOFFMAN, D.P. Consumers Power Co. 2pp. 46148, 157, 46148, 168.

8807190147 Ack receipt of 880519 changes to site emergency plan, including Rev 9 to Section 4, "Emergency Conditions" & Rev 6 to Figure 7-1, "Emergency Facilities." Changes acceptable  
SHAFFER, W.D. Region 3, O/c of the Director. 88/07/08. HOFFMAN, D.P. Consumers Power Co. 2pp. 46217, 253, 46217, 254

8807250021 Rev 6 to Emergency Plan Implementing Procedure EI-6.1, "Release Rate Determination From Stack Gas Monitors."  
BRUNET, J.R., KOZUP, C.S. Consumers Power Co. 88/07/13. 11pp. 46259, 208, 46259, 218.

8807190324 Forwards Rev 20 to facility security plan Encl withheld (ref 10CFR73.21).  
BERRY, K.W. Consumers Power Co. 88/07/15. Document Control Branch (Document Control Desk). 1p. 46219, 360, 46219, 360.

8807260384 Rev 0 to Emergency Implementation Procedure EI-4.4, "Maint Support Cx."  
BRUNET, J.R. Consumers Power Co. 88/07/20. 2pp. 46274, 321, 46274, 322

#### P. Operating license stage documents & correspondence

8807050289 Forwards GAMMA-METRICS proprietary Documents 088 & 073 inadvertently omitted from 880325 submittal re reactor protection sys mod & Tech Specs changes. Responses to NRC request for add'l info encl.  
KUEMIN, J.L. Consumers Power Co. 88/06/27. Document Control Branch (Document Control Desk). 11pp. 46069, 276, 46069, 286.



**8807050306** Requests authorization to expand 871112 & 880125 requests to retain soil to include entire south radwaste area. Unit intends to transfer radwaste activities which caused contamination of soil from south radwaste area  
KUEMIN, J.L. Consumers Power Co. 88/06/27. Document Control Branch (Document Control Desk). 7pp. 46026-289-46026-295.

**8807070536** Forwards notice of consideration of issuance of amend to provisional license & opportunity for hearing based on 880325 application for amend.  
WAMBACH, T.V. Project Directorate III-1. 88/06/28 BERRY, K.W. Consumers Power Co. 3pp. 46118-215-46118-222

**8807070538** Notice of consideration of issuance of amend to License DPR-20 & opportunity for hearing Amend would revise Tech Specs to add additional limitations to plant operation w/loss than four reactor coolant pumps operating.  
VIRGILIO, M.J. Project Directorate III-1. 88/06/28 5pp. 46119-218-46119-222

**8807130141** Informs that concern re plant cable degradation due to past overloads satisfactorily resolved based on reanalysis of remaining cable life & proposed replacement within 2 yrs  
VIRGILIO, M.J. Project Directorate III-1. 88/07/08. MILLER, H.J. Region 3, Ofc of the Director. 2pp. 46165-009-46165-010.

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

**8807260076** Forwards SSER accepting until 880122 proposal to resolve six open items re Generic Ltr 82-33. Proposed implementation of schedule of second refueling outage also acceptable.  
WAMBACH, T.V. Project Directorate III-1. 88/07/19 BERRY, K.W. Consumers Power Co. 3pp. 46269-172-46269-177.

**8807250086** Supplemental safety evaluation accepting until proposal to resolve six open items re Generic Ltr 82-33  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/19. 3pp. 46269-175-46269-177.

#### Q. Inspection reports, IE Bulletins & correspondence

**8806130168** NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-260.

**8806160340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

**8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019-037-46019-152.

**8807060314** Forwards Safety Insp Rept 50-255/88-15 on 880531 & 0601-02. No violations noted  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/06/23. HOFFMAN, D.P. Consumers Power Co. 2pp. 46118-096-46118-100.

**8807060316** Insp Rept 50-255/88-15 on 880531 & 0601-10. No violations or deviations noted. Major areas inspected: chemistry program, including procedures, organization, training, reactor sys water QC programs & QA/QC program in lab.  
HOLTZMAN, R.B., HOUSE, J.E., SCHUMACHER, M.C. Region 3, Ofc of the Director. 88/06/23. 10pp. 46118-091-46118-100.

**8806210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type OS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

**8806240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

**8806300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

**8807130181** Response to NRC Bulletin 88-004 re potential safety-related pump loss.  
BERRY, K.W. Consumers Power Co. 88/07/07. Document Control Branch (Document Control Desk). 12pp. 46187-335-46187-346.

**8807080006** NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

**8807120291** NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

**8807080366** NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.

**8807120550** NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Sequestrated Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

**8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257-258-46258-016.

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-208.

#### R. Periodic operating reports & related correspondence

**8807150119** Monthly operating rpt for June 1988 for Palisades Nuclear Plant W/ 880707 ltr.  
PACKARD, G.C., GORALSKI, G. Consumers Power Co. 88/06/30. 4pp. 46185-353-46185-358.

#### V. Operator Examinations

**8807120135** Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT, G.C. Region 3, Ofc of the Director. 88/06/23. MERWIN, W. Consumers Power Co. 1p. 46148-353-46149-353.

#### DOCKET 60-269 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

**8807120162** Forwards listed drawings, per NRC 880524 request for add info to support App R audit item 9 not requested for facility, per discussion during 880606-08 site visit. Related documentation encl. W/151 overall drawings.  
GRIDLEY, R. Tennessee Valley Authority. 88/08/07. Document Control Branch (Document Control Desk). 1,940pp. 46158-086-46163-234.

**8806200370** Forwards info documenting utility concurrence w/security restart issues identified during 880510 telcon Encl withheld (rel 10CFR73.21).  
GRIDLEY, R. Tennessee Valley Authority. 88/06/16. Document Control Branch (Document Control Desk). 2pp. 45985-212-45985-213.

**8807060068** Forwards Insp Repts 50-259/88-14, 50-260/88-14 & 50-266/88-14 on 880508-13. No violations or deviations noted.  
MCCOY, F.R. Ofc of Special Projects. 88/06/20. WHITE, S.A. Tennessee Valley Authority. 2pp. 46110-088-46110-104.

**8807060071** Health Physics Insp Repts 50-259/88-14, 50-260/88-14 & 50-266/88-14 on 880508-13. No violations or deviations noted. Major areas inspected: followup on previous enforcement issues, organization & mgmt controls & training.  
WEDDINGTON, R.E. Region 2, Ofc of the Director. 88/06/03. 16pp. 46110-030-46110-104.

**8807010036** Forwards supplemental response to NRC 880521 ltr re violation noted in Insp Repts 50-259/88-09, 50-260/88-09 & 50-266/88-09. Present schedule for physical completion of secondary containment fire barrier sealing is 881031.  
GRIDLEY, R. Tennessee Valley Authority. 88/08/22. Document Control Branch (Document Control Desk). 3pp. 46008-048-46009-050.

**8807110427** Forwards safety evaluation accepting stated responses to Generic Ltr 82-33 re post-accident monitoring instrumentation & associated Reg Guide 1.97 as applied to emergency response facilities.  
BLACK, S. Ofc of Special Projects. 88/06/23. WHITE, S.A. Tennessee Valley Authority. 3pp. 46100-139-46100-144.

**8807110447** Safety evaluation accepting post-accident monitoring instrumentation design conformance w/Reg Guide 1.97.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 3pp. 46100-142-46100-144.

**8803250380** "Conformance to Reg Guide 1.97, Browns Ferry Nuclear Plant, Units 1, 2 & 3."  
UDY, A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.) FIN A-6483 EGG-EA-6673. 85/09/13. Division of Systems Integration (811005-851124). 27pp. 46100-145-46100-171.

**8807060470** Notices that separate ltr sent to NRC re utility objectives for 1988 radiological emergency plan exercise in order to protect objectives from disbar to exercise participants. Objectives supplied per NRC 841011 request.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46103-331-46103-332.

**8807070552** Forwards Rev 8 to physical security/contingency plan Rev withheld (rel 10CFR73.21).  
GRIDLEY, R.L. Tennessee Valley Authority. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46118-278-46118-280.

**8807250410** Immediate temporary change to Rev 1 to Procedure EPIP-01, "Emergency Plan Classification Logic." W/880715 ltr.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/15. 11pp. 46254-285-46254-296.

**8807280008** Discusses emergency preparedness mod of low threshold event reporting & emergency reporting procedures for plants. Util will no longer classify & report events in manner described in radiological emergency plan due to const status.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/15. Document Control Branch (Document Control Desk). 2pp. 46103-331-46103-332.

# **I. General correspondence**

8807220396 Confirms telcon re voluntary retirement of H.L. Abernethy, also director on 880722. JT Laporit will be assigned acting site director info transmitted per all revised corporate nuclear performance plan dtd Jul 1987  
WHITE, S.A. Tennessee Valley Authority 88/07/20. PARTLOW, J.G. O/c of Special Projects 2pp 46330 136-46300.137.

## **J. Insurance & Indemnity Information**

8807160094 Forwards Endorsements 101,87,66,58 & 42 to NELIA Policies NF-198,MF-68,NF-247,MF-102 & NF-255,respectively.  
SANNIA, L.J. Marsh & McLennan, Inc 88/07/05 DINI, T.I. Office of Nuclear Reactor Regulation, Director (Post 870411) 6pp 46184.149 46184.154.

## **K. Utility Final Safety Analysis Report (FSAR) & amendments**

8807200344 Amend 6 to Updated FSAR for Browns Ferry Nuclear Plant Units 1,2 & 3 W/880719 Ltr & one oversight figure  
GRIDLEY, R. Tennessee Valley Authority. 88/07/19. 209pp 46239 001-46239.339

## **P. Operating license stage documents & correspondence**

8807050091 Forwards facilities public notice for publication on 880924 in Decatur Daily & advertising order approving publication.  
BLACK, S. O/c of Special Projects 88/06/22. SMITH, P. Decatur, AL. 9pp 45998 043-45998.051.

8807010650 Advises that proposed Tech Specs 6.2.1.b & 6.2.1.c in 880517 application for amendments do not specify position titles for corresponding mgt positions. Listed positions should be incorporated into proposed Tech Specs.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/23. Document Control Branch (Document Control Desk). 2pp 45997 247-45997.248

8807010721 Notification of 880630 meeting w/utl in Rockville, MD to discuss seismic design methodology for pipe & pipe supports  
KELLY, J.L. O/c of Special Projects 88/06/23. BLACK, S. O/c of Special Projects. 3pp 45991 230-45991.232.

8807110427 Forwards safety evaluation accepting related responses to Generic Ltr 82-33 re post-accident monitoring instrumentation & associated Reg Guide 1.97 as applied to emergency response facilities.  
BLACK, S. O/c of Special Projects. 88/06/23. WHITE, S.A. Tennessee Valley Authority. 3pp 46100 139-46100.171.

8807110447 Safety evaluation accepting post-accident monitoring instrumentation design conformance w/Reg Guide 1.97  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 68/06/23 3pp 46100.142-46100.144.

88033250360 "Conformance to Reg Guide 1.97, Browns Ferry Nuclear Plant, Units 1,2 & 3."  
UDY, A.C. EGG & Idaho, Inc. (subs. of EGG & Inc.) F.N.A. 6483. EGG-EA-6673. 65/09/13. Divs on of Systems Integration (0110C5-851124) 27pp 46100 145-46100.171.

8807050530 Application for amendments to Licenses DPR-33,DPR-52 & DPR-68, clarifying limiting conditions for operation for RHR svc water & emergency equipment cooling water sys Fed pad  
GRIDLEY, R. Tennessee Valley Authority. 88/06/24. Document Control Branch (Document Control Desk) 2pp 46073 282-46073.278.

8807050531 Proposed Tech Specs revs clarifying limiting conditions for operation for RHR svc water & emergency equipment cooling water.  
\* Tennessee Valley Authority. 88/06/24. 16pp 46073 264-46073.270

8807060173 Forwards ampacity evaluation program plan Rev 1, incorporating results of 880428 meeting w/NRC at site. Summary of comments also encl.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/24. Document Control Branch (Document Control Desk). 11pp 46117 318-46117.328.

8807070093 Application for amendments to Licenses DPR-33,DPR-52 & DPR-68, replacing reactor water level refs to top of active fuel w/ corresponding ref to vessel zero Proposed determination of NSHC provided Fed pad.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/24. Document Control Branch (Document Control Desk). 2pp 46125.147-46125.167.

8807070099 Proposed Tech Specs 1.1/2.1.3 1/2.1 & 3.2/4.2 for facilities  
\* Tennessee Valley Authority. 88/06/24. 19pp 46125.149-46125.167.

8807070083 Forwards summary of 880524 presentation re min edge distance for anchor bolts discussed in 880318 10CFR21 notification from Hill, Inc.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/28. Document Control Branch (Document Control Desk). 3pp 46136.298-46136.300.

8807070110 Confirms actions agreed to during 880518 meeting w/NRC re PRA Unit will provide summary document to NRC by 880630, including rationale for concluding that revised PRA will conservatively reflect configuration of Unit 2 at restart.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/28. Document Control Branch (Document Control Desk). 2pp 46123 351-46123.352.

8807060018 Summary of 880602 meeting w/TVA re implementation of ATWS rule, 10CFR50.62 List of attendees & calculations encl. Specifics of standby liquid control sys, 6 termite rod injection & recirculation on pump trip designs discussed.  
KELLY, J.L. O/c of Special Projects 88/06/28. O/c of Special Projects. 124pp 46133.331-46134.094.

8807070510 Summary of 880618 meeting w/utl re pipe & pipe supports seismic design methodology. Utl agreed to reevaluate piping & pipe supports according to SRP & compare to original design basis to establish margin of difference.  
KELLY, J.L. O/c of Special Projects. 88/06/28. O/c of Special Projects 6pp 46118 100-46118.104.

DPR-33,DPR-52 & DPR-68 for publication in Huntsville Times & Decatur Daily Amend deletes organizational charts from Tech Specs  
BLACK, S. O/c of Special Projects 88/06/29. WHITE, S.A. Tennessee Valley Authority. 12pp 46112 117-46112.128

8807130331 Forwards Amends 149,145 & 120 to Licenses DPR-33,DPR-52 & DPR-68, respectively & safety evaluation. Amends delete organizational charts from administrative controls section of Tech Specs in accordance w/Generic Ltr 88-06  
BLACK, S. O/c of Special Projects 88/06/30. WHITE, S.A. Tennessee Valley Authority. 3pp 46164 098-46164.215

8807130332 Amends 149,145 & 120 to Licenses DPR-33,DPR-52 & DPR-68, respectively, delete organizational charts from administrative controls section of Tech Specs in accordance w/Generic Ltr 88-06  
BLACK, S. O/c of Special Projects 88/06/30. 108pp 46164 101-46164.208

8807130333 Safety evaluation supporting Amends 149,145 & 120 to Licenses DPR-33,DPR-52 & DPR-68, respectively  
\* O/c of Special Projects 88/06/30. 7pp 46164 209-46164.215

8807120519 Forwards Amends 150,146 & 121 to Licenses DPR-33,DPR-52 & DPR-68, respectively & safety evaluation. Amends modify Tech Spec surveillance requirements to replace "not to exceed" w/ "at least once every"  
BLACK, S. O/c of Special Projects. 88/07/05. WHITE, S.A. Tennessee Valley Authority 4pp 46148 101-46148.140

8807120528 Amends 150,146 & 121 to Licenses DPR-33,DPR-52 & DPR-68, respectively. Amends modify Tech Spec surveillance requirements to replace "not to exceed" w/ "at least once every"  
BLACK, S. O/c of Special Projects 88/07/05 32pp 46148 105-46148.137.

8807120534 Safety evaluation supporting Amends 150,146 & 121 to Licenses DPR-33,DPR-52 & DPR-68, respectively  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/05 3pp 46148 136-46148.140

8807120609 Informs that 880519 response to Generic Ltr 87-06 re periodic ventilation of low light integrity of pressure isolation valves acceptable  
BLACK, S. O/c of Special Projects 88/07/06. WHITE, S.A. Tennessee Valley Authority. 4pp 46156 103-46156.168

8807130395 Provides info re plans to reload fuel into reactor upon completion of certain procedures established by TVA Fuel reload scheduled to begin on 880001 Rev 2 to Procedure SDSP-12.4 & Rev 0 to SDSP-12.7 encl.  
GRIDLEY, R. Tennessee Valley Authority 88/07/06. Document Control Branch (Document Control Desk). 4pp 46166 174-46166.218

8807130402 Rev 2 to Site Director Sid Practice SDSP-12.4, "Return to Svc & Closure of Mods."  
CZUBAKOWSKI, T., MCKEON, R. Tennessee Valley Authority. 88/04/18 16pp 46166 178-46166.193.

8807140085 Rev 0 to Site Director Sid Practice SDSP-12.7, "Sys Properly Checklist (SPOC)"  
CZUBAKOWSKI, T., MCLENNAN, J., MARTIN, J. Tennessee Valley Authority. 88/06/13. 23pp 46166 194-46166.218

8807120675 Forwards Rev 1 to "Ampacity Evaluation Program Plan," which includes Attachment 1 inadvertently excluded from submittal  
GRIDLEY, R. Tennessee Valley Authority 88/07/07. Document Control Branch (Document Control Desk). 3pp 46154 033-46154.047.

8807130048 Rev 1 to "Ampacity Evaluation Program Plan."  
\* Tennessee Valley Authority. 88/07/07. 12pp 46154 036-46154.047

8807140268 Provides summary of NRC 880628 & 20 discussions of nuclear plant performance shortcomings noted in Sequoyah 2 secondary sys maint & personnel performance as areas contributing to series of reactor trips during initial operations STELLOV, O/c of the Executive Director for Operations 88/07/08. WHITE, S.A. Tennessee Valley Authority. 2pp 46172.354-46172.355

8807190192 Forwards page inadvertently omitted from 880628 PRA submittal re restart commitments.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk) 3pp 46208 183-46208.185

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation ambientment of reactor vessel matts & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc 51pp 46257 207-46257.257

## **Q. Inspection reports, IE Bulletins & correspondence**

8807010609 Ack receipt of 880523 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/88-06, 50-260/88-08 & 50-286/88-06  
MCCOY, F.R. O/c of Special Projects 88/06/14. WHITE, S.A. Tennessee Valley Authority. 2pp 46017.075-46017.078.

8806130168 NRC Info Notice 88-038, "Leakage Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/15. Consolidated Edison Co. of New York, Inc 110pp 45978.156-45978.266

8806290099 Ack receipt of 880523 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/88-06, 50-260/88-08 & 50-286/88-06  
MCCOY, F.R. O/c of Special Projects 88/06/16. WHITE, S.A. Tennessee Valley Authority. 1p 45974 301-45974.301

8807060068 Forwards Insps Repts 50-259/88-14, 50-260/88-14 & 50-286/88-14 on 880508-13 No violations or deviations noted  
MCCOY, F.R. O/c of Special Projects. 88/06/20. WHITE, S.A. Tennessee Valley Authority. 2pp 46110 098-46110.104.

8807080071 Health Physics Insp Repts 50-259/88-14.50-260/88-14 & 50-296/88-14 on 880500-13.No violations or deviations noted. Major areas inspected:clowup on previous enforcement issues,organization & mgt controls & training  
WEDDINGTON,R.E. HOSEY,C.M. Region 2, Ofc of the Director. 88/06/03. 15pp  
46110.090-46110.104.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/88-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8807010036 Forwards supplemental response to NRC 860521 ltr re violation noted in Insp Repts 50-259/88-09,50-260/88-09 & 50-296/88-09.Present schedule for physical completion of secondary containment ltr barrier sealing is 881031.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/22. Document Control Branch (Document Control Desk). 3pp. 46009.046-46009.050.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807050139 Confirms agreements reached at 880620 meeting w/NRC re safety sys functional Insp.Utl proposed to perform safety sys functional Insp & systematic review of plant programs as conclusion to technical verification program.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/24. Document Control Branch (Document Control Desk). 4pp. 46026.279-46026.282.

8807050563 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-259/88-05,50-260/88-05 & 50-296/88-05.Corrective actions: Individuals involved made aware of violation & reviewed procedural & Tech Spec requirements.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/24. Document Control Branch (Document Control Desk). 12pp. 46073.303-46073.314.

8807190019 Forwards Insp Repts 50-259/88-12,50-260/88-12 & 50-296/88-12 on 880502-06.No violations or deviations noted.  
MCCOY,F. Ofc of Special Projects. 88/07/05. WHITE,S.A. Tennessee Valley Authority. 1pp. 46209.298-46209.310.

-8807190021 Insp Repts 50-259/88-12,50-260/88-12 & 50-296/88-12 on 880502-06.No violations or deviations noted.Major areas inspected.Mark 1 containment program mod & IE Bulletins 79-02 & 79-14.  
CHOU,R.C. CARRION,R.P., BLAKE,J.J. Region 2, Ofc of the Director. 88/06/20. 11pp. 46209.300-46209.310.

8807120021 Forwards list of commitments re NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA-Type Latching Relays Mtg by GE."  
GRIDLEY,R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 4pp. 46147.280-46147.293.

8807130445 Responds to violation noted in Insp Repts 50-260/88-10, 50-260/88-10 & 50-296/88-10.Violation denied.Procedure adequately ensures proper mgt approval & technical accuracy of info provided to NRC.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 4pp. 46168.019-46168.022.

8807140071 Responds to NRC Bulletin 87-002,Suppl 1 & 2, "Fastener Testing to Determine Conformance W/Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 880130 to provide proper response.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 3pp. 46184.146-46184.148.

8806300347 NRC Info Notice 88-045, "Problems In Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807250218 Forwards revised response to Violation 3 noted in Insp Repts 50-438/87-08,50-439/87-08,50-259/87-38,50-260/87-38, 50-296/87-38,50-327/87-88,50-328/87-88,50-390/87-18 & 50-391/87-18.Corrective actions:memo issued on 880331.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 5pp. 46259.095-46259.099.

8807120291 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp. 46242.008-46242.108.

8807200309 Summary of 880620 meeting w/utl proposed restart technical verification program for plant & safety sys functional Insp currently being conducted at site Viewgraphs,list of attendees & Insp plan encl.  
GEARS,G.E. Ofc of Special Projects. 88/07/12. Ofc of Special Projects. 21pp. 46228.216-46228.323.

-8807200312 "Safety Sys Functional Insp Plan."  
BURDETTE,T.E. Tennessee Valley Authority. 88/06/10. 87pp. 46228.237-46228.323.

8807080366 NRC Info Notice 88-047, "Slower-Than Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Salvageable Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206.

#### R. Periodic operating reports & related correspondence

8807080282 Discharge monitoring rept for May 1988  
BROOKS,R.H. Tennessee Valley Authority. 88/05/31. 12pp. 46139.221-46139.232

8807070535 Forwards weekly schedule of TVA activities for wks of 880704 & 11.  
KELLY,J.L. Ofc of Special Projects. 88/06/29 BLACK,S. Ofc of Special Projects. 4pp. 46122.175-46122.178

8807250061 Forwards monthly operating rept for June 1988 & repts to Apr & May 1988 repts for Browns Ferry Units 1,2 & 3.  
WALKER,J.G. Tennessee Valley Authority. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46274.064-46274.159.

-8807250065 Monthly operating rept for June 1988 for Browns Ferry Units 1,2 & 3.  
WALKER,J.G., CRAWFORD,J.D. Tennessee Valley Authority. 88/06/30. 85pp. 46274.065-46274.157.

-8807250067 Revised radwaste summary to monthly operating rept for Apr 1988 for Browns Ferry Units 1,2 & 3  
\* Tennessee Valley Authority. 88/04/30. 1p. 46274.158-46274.159.

-8807250069 Revised radwaste summary to monthly operating rept for May 1988 for Browns Ferry Units 1,2 & 3  
\* Tennessee Valley Authority. 88/05/31. 1p. 46274.159-46274.159.

#### S. Reportable occurrences, LERs & related correspondence

8807070364 LER 87-019-01 on 870006,flow test of high pressure ltr protection sys not completed as required per Tech Spec 3.11.A 9 due to vibration problems w/bst hydriants Defective hydriant replaced & surveillance completed W/880623 ltr.  
WILLARD,S.C., WALKER,J.G. Tennessee Valley Authority. 88/06/17. 4pp. 46118.242-46118.245

8807050473 Responds to 880610 notice of violation of biochemical oxygen demand permit limits during Mar. 1988 Corrective actions: personnel will continue to trend lagoon data to predict & attempt to prevent recurrence of discharge.  
BROOKS,R.H. Tennessee Valley Authority. 88/06/23 HORN,C. Alabama, State of. 2pp. 46073.279-46073.280.

8807120011 LER 88-017-00 on 880604,unplanned standby gas treatment actuation occurred while sys being returned to svc following maint.Caused by personnel error Maint procedures revised to add more detail defining states of MCX relays W/ 880702 ltr.  
WILLARD,S.C., WALKER,J.G. Tennessee Valley Authority. 88/07/01. 4pp. 46142.358-46142.381.

8807080226 LER 88-018-00 on 880605,unplanned ESF actuation occurred due to circuit protector trip caused by unstable relay failure. Undervoltage relay was unstable when subj to minor vibrations.Circuit protector reset W/880705 ltr.  
WILLARD,S.C., WALKER,J.G. Tennessee Valley Authority. 88/07/05. 4pp. 46138.050-46138.053.

8807130193 LER 88-019-00 on 880606,unanticipated ESF actuations occurred.Caused by jumper falling off while plant personnel replacing fuse Personnel involved instructed to be more careful when performing functions W/880707 ltr.  
BAKER,R.L., WALKER,J.G. Tennessee Valley Authority. 88/07/07. 4pp. 46170.022-46170.025.

#### V. Operator Examinations

8807130201 Requests that utl furnish approved ref matl requirements for reactor/senior reactor operator licensing exams by 880630 in order to meet schedule for 881205 written exams & 881206 09 simulator/operating exams at facilities.  
JULIAN,C.A. Region 2, Ofc of the Director. 88/06/22. WHITE,S.A. Tennessee Valley Authority. 10pp. 46167.347-46167.358.

#### DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807120162 Forwards listed drawings per NRC 880524 request for addl info to support App R audit item D not requested for facility,per discussion during 880606-08 site visit.Related documentation encl W/ 151 oversize drawings.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/07. Document Control Branch (Document Control Desk). 1,849pp. 46158.085-46163.234.

8806200370 Forwards info documenting utl concurrence w/security restart issues identified during 880519 telecon Encl withheld (ref 10CFR73.21).  
GRIDLEY,R. Tennessee Valley Authority. 88/06/16. Document Control Branch (Document Control Desk). 2pp. 45985.212-45985.213



880706068 Forwards Resp Repts 50-259/88 14 50-260/88-14 & 50-286/88-14 on 880523 13 No violations or deviations noted  
MCCOY, R. Oic of Special Projects 88/06/20 WHITE, S.A. Tennessee Valley Authority 2pp 46110 068 46110 104

880706071 Health Physics Resp Repts 50-259/88 14 50-260/88-14 & 50-286/88-14 on 880523 13 No violations or deviations noted Major areas inspected followup on previous enforcement issues organization & mgmt controls & training  
WEDD, VICTOR E. Region 2, Oic of the Director 88/06/03 15pp 46110 090-46110 104

8807010038 Forwards supplemental response to NRC 660521 for re violation noted in Resp Repts 50-259/88-14 50-260/88-09 & 50-286/88-09 Present schedule for phys cal completion of secondary containment fire barrier sealing is 881031  
GRIDLEY, R. Tennessee Valley Authority 88/06/22 Document Control Branch (Document Control Desk) 3pp 46609 048 45009 050

8807110427 Forwards safety evaluation accepting stated responses to Generic Ltr 82-33 re post accident monitoring instrumentation & associated Reg Guide 1 97 as applied to emergency response facilities  
BLACK, S. Oic of Special Projects 88/06/23 WHITE, S.A. Tennessee Valley Authority 3pp 46100 135-46100 144

8807110447 Safety evaluation accepting post-accident monitoring instrumentation design conformance w/Reg Guide 1 97  
\* Office of Nuclear Reactor Regulation Director (Post 870411) 88/06/23 3pp 46100 142-46100 144

88070102380 Conformance to Reg Guide 1 97 Browns Ferry Nuclear Plant, Units 1, 2 & 3  
UDY, A.C. EG&G Idaho, Inc (subs of EG&G, Inc.) FIN A-6483 EGG-EA-8873 85/09/13 Division of Systems Integration (811005-851124) 27pp 46100 145-46100 171

8807060470 Notices that separate it sent to NRC re unit objectives for 1988 radiological emergency plan exercise in order to protect objectives from disclosure to exercise participants Objectives supplied per NRC 841011 request.  
GRIDLEY, R. Tennessee Valley Authority 88/06/30 Document Control Branch (Document Control Desk) 2pp 46103 331-46103 332

8807070552 Forwards Rev 9 to physical security contingency plan Rev withheld (ref 10CFR73.21)  
GRIDLEY, R. Tennessee Valley Authority 88/06/30 Document Control Branch (Document Control Desk) 2pp 46116 279-46116 287

8807250410 Immediate temporary change to Rev 1 to Procedure EPIP-01, "Emergency Plan Classification Log C" W/880715  
GRIDLEY, R. Tennessee Valley Authority 88/07/15 11pp 46254 285-46254 296

8807260008 Discusses emergency preparedness mod of low threshold event reporting & emergency reporting procedures for plants Unit will no longer classify & report events in manner described in radiological emergency plan due to const status  
GRIDLEY, R. Tennessee Valley Authority 88/07/15 Document Control Branch (Document Control Desk) 3pp 46285 294-46285 296

#### H. General correspondence

8807260396 Confirms telcon re voluntary retirement of HL Abercrombie, site director on 880722 JT Lapoint will be assigned acting site director info transmitted per unit revised corporate nuclear performance plan dtd Jul 1987  
WHITE, S.A. Tennessee Valley Authority 88/07/20 PARTLOW, J.G. Oic of Special Projects 2pp 46300 136-46300 137

#### X. Utility Final Safety Analysis Report (FSAR) & amendments

8807200344 Amend 6 to updated FSAR for Browns Ferry Nuclear Plant Units 1, 2 & 3 W/880719 lu & one overview figure  
GRIDLEY, R. Tennessee Valley Authority 88/07/19 200pp 46239 001-46239 330

#### P. Operating license stage documents & correspondence

8807180224 Forwards plant program for resolving seismic qualification of HVAC ductwork per RJ Clark 880731 request Requests review of program & issuance of written statement documenting program acceptability  
GRIDLEY, R. Tennessee Valley Authority 88/05/26 Document Control Branch (Document Control Desk) 5pp 46188 153-46188 212

8807180228 Summary Rept for HVAC Ducts Seismic Qualification & Verification/Improvement Program  
HEELY, B.B. WARRICK, L. Tennessee Valley Authority MA2-79-1 79/06/16 44pp 46188 169 46188 212

8807180235 Forwards plant program for seismic qualification of drywell steel for review & requests issuance of written statement documenting programs acceptability  
GRIDLEY, R. Tennessee Valley Authority 88/05/26 Document Control Branch (Document Control Desk) 4pp 46188 213-46188 228

8807180238 "Operability Criteria for Evaluation of Lower Drywell Access Platforms - Browns Ferry"  
\* Tennessee Valley Authority 88/05/23 12pp 46188 217-46188 228

8807180243 Forwards plant program for seismic qualification of miscellaneous steel for review & requests issuance of written statement documenting program acceptability  
GRIDLEY, R. Tennessee Valley Authority 88/05/26 Document Control Branch (Document Control Desk) 5pp 46188 229-46188 238

8807180244 "Operability Criteria for Miscellaneous Steel"  
\* Tennessee Valley Authority 88/05/24 5pp 46188 234-46188 238

8807050091 Forwards facilities public notice for publication on 880624 in Decatur Daily & advertising order approving publication  
BLACK, S. Oic of Special Projects 88/06/22 SMITH, P. Decatur, AL 9pp 45998 043-45998 051

8807010650 Advises that proposed Tech Specs 6.2.1.b & 6.2.1.c in 880617 application for amendments to Licenses do not specify position titles for corresponding mgmt positions Listed positions should be incorporated into proposed Tech Specs  
GRIDLEY, R. Tennessee Valley Authority 88/06/23 Document Control Branch (Document Control Desk) 2pp 45997 247-45997 248

8807010721 Notification of 880630 meeting w/utl in Rockville MD to discuss seismic design methodology for pipe & pipe supports  
KELLY, J.L. Oic of Special Projects 88/06/23 BLACK, S. Oic of Special Projects 3pp 45991 230-45991 232

8807110427 Forwards safety evaluation accepting stated responses to Generic Ltr 82-33 re post-accident monitoring instrumentation & associated Reg Guide 1 97 as applied to emergency response facilities  
BLACK, S. Oic of Special Projects 88/06/23 WHITE, S.A. Tennessee Valley Authority 3pp 46100 139-46100 171

8807110447 Safety evaluation accepting post-accident monitoring instrumentation design conformance w/Reg Guide 1 97  
\* Office of Nuclear Reactor Regulation Director (Post 870411) 88/06/23 3pp 46100 142-46100 144

8803250380 "Conformance to Reg Guide 1 97 Browns Ferry Nuclear Plant, Units 1, 2 & 3"  
UDY, A.C. EG&G Idaho, Inc (subs of EG&G, Inc.) FIN A-6483 EGG-EA-8873 85/09/13 Division of Systems Integration (811005-851124) 27pp 46100 145-46100 171

8807050120 Confirms agreements reached in 880620 meeting re mod schedule to address item IIF 2 of NUREG-0737.  
GRIDLEY, R. Tennessee Valley Authority 88/06/24 Document Control Branch (Document Control Desk) 3pp 46024 347-46024 349

8807050530 Application for amendments to Licenses DPR-33, DPR-52 & DPR-68 clarifying limiting conditions for operation for RHTR svc water & emergency equipment cooling water sys Fee paid  
GRIDLEY, R. Tennessee Valley Authority 88/06/24 Document Control Branch (Document Control Desk) 2pp 46073 262-46073 270

8807050531 Proposed Tech Specs revs clarifying limiting conditions for operation for RHTR svc water & emergency equipment cooling water  
\* Tennessee Valley Authority 88/06/24 15pp 46073 264-46073 270

8807060173 Forwards impact evaluation program plan, Rev 1, incorporating results of 880426 meeting w/NRC at site. Summary of commitments, also incl  
GRIDLEY, R. Tennessee Valley Authority 88/06/24 Document Control Branch (Document Control Desk) 11pp 46117 318-46117 328

8807070093 Application for amendments to Licenses DPR-33, DPR-52 & DPR-68, replacing reactor water level rate to top of active fuel w/ corresponding ref to vessel zero Proposed determination of NSIC provided Fee paid  
GRIDLEY, R. Tennessee Valley Authority 88/06/24 Document Control Branch (Document Control Desk) 2pp 46125 147-46125 167

8807070099 Proposed Tech Specs 1.1/2 1.3 1/2 1.4 & 3.2/4 2 for facilities  
\* Tennessee Valley Authority 88/06/24 10pp 46125 149 46125 167

8807070083 Forwards summary of all 880524 presentation to mgmt edge distance for anchor bolts discussed in 880310 10CFR42.1 notification from Fluor, Inc.  
GRIDLEY, R. Tennessee Valley Authority 88/06/28 Document Control Branch (Document Control Desk) 3pp 46136 298-46136 300

8807070110 Confirms actions agreed to during 880518 meeting w/NRC re PRA Use will provide summary document to NRC by 880630, including rationale for concluding that revised PRA will conservatively reflect configuration of Unit 2 at constant  
GRIDLEY, R. Tennessee Valley Authority 88/06/28 Document Control Branch (Document Control Desk) 2pp 46123 351-46123 352

8807080018 Summary of 880602 meeting w/TVA re implementation of ATWS rule, 10CFR50.62 list of attendees & calculations and Specifics of standby liquid control sys, alternate rod injection & recirculation pump trip designs discussed  
KELLY, J.L. Oic of Special Projects 88/06/28 Oic of Special Projects 124pp 46133 331-46134 094

8807070519 Summary of 880616 meeting w/utl re pipe & pipe supports seismic design methodology. Utl agreed to reevaluation piping & pipe supports according to SHP & compare to original design basis to establish margin of difference  
KELLY, J.L. Oic of Special Projects 88/06/28 Oic of Special Projects 5pp 46119 100-46119 104

8807120342 Forwards public notice of all 880617 application for amendments to license DPR-33, DPR-52 & DPR-68 for publication in Huntsville Times & Decatur Daily Amend deletes organizational charts from Tech Specs  
BLACK, S. Oic of Special Projects 88/06/20 WHITE, S.A. Tennessee Valley Authority 12pp 46112 117-46112 120

8807120710 Staff requirements memo re Commission 880621 briefing on TVA reorganization & status of plants  
CHILK, S.J. Office of the Secretary of the Commission 88/06/20 STELLOV, V. Oic of the Executive Director for Operations 1p 46120 183-46120 183

8807070515 Notification of 880707 meeting w/utl in Decatur, AL to discuss fuel load licensing issues  
MORAND, H. Oic of Special Projects 88/06/30 BLACK, S. Oic of Special Projects 4pp 46119 130-46119 133

8807130331 Forwards Amends 149, 145 & 120 to Licenses DPR-33, DPR-52 & DPR-68, respectively, deleting organization charts from administrative controls section of Tech Specs in accordance w/Generic Ltr 88-06  
BLACK, S. Oic of Special Projects 88/06/30 WHITE, S.A. Tennessee Valley Authority 3pp 46164 098-46164 216

8807130332 Amends 149, 145 & 120 to Licenses DPR-33, DPR-52 & DPR-68, respectively, deleting organization charts from administrative controls section of Tech Specs in accordance w/Generic Ltr 88-06  
BLACK, S. Oic of Special Projects 88/06/30 108pp 46164 101-46164 208

-8807130333 Safety evaluation supporting Amends 149,145 & 120 to Licenses DPR-33,DPR-52 & DPR-68, respectively.  
\* Oic of Special Projects 88/08/33 7pp 46184:208-46184:216.

8807120519 Forwards Amends 150,146 & 121 to Licenses DPR-33,DPR-52 & DPR-68, respectively. Amends modify Tech Spec surveillance requirements to replace "not to exceed" w/ "at least once every".  
BLACK,S. Oic of Special Projects 88/07/05. WHITE,S.A. Tennessee Valley Authority. 4pp. 46148:101-46148:140.

-8807120528 Amends 150,146 & 121 to Licenses DPR-33,DPR-52 & DPR-68, respectively. Amends modify Tech Spec surveillance requirements to replace "not to exceed" w/ "at least once every".  
BLACK,S. Oic of Special Projects 88/07/05 32pp. 46148:105-46148:137.

-8807120534 Safety evaluation supporting Amends 150,146 & 121 to Licenses DPR-33,DPR-52 & DPR-68, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/05 3pp. 46148:138-46148:140.

8807120689 Informs that until 870619 response to Generic Ltr 87-08 re periodic verification of leak tight integrity of pressure isolation valves acceptable  
BLACK,S. Oic of Special Projects 88/07/06. WHITE,S.A. Tennessee Valley Authority. 4pp 46156:163-46156:166

8807130395 Provides info re plans to re-load fuel into reactor upon completion of certain prerequisites established by TVA Fuel reload scheduled to begin on 880901 Rev 2 to Procedure SDSP-12.4 & Rev 0 to SDSP-12.7 encl.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 4pp 46166:174-46166:216

-8807130402 Rev 2 to Site Director Std Practice SDSP-12.4, "Return to Svc & Closure of Mods".  
CZUBAKOWSKI,T., MCKEON,R. Tennessee Valley Authority. 88/04/18. 16pp 46166:178-46166:183.

-8807140065 Rev 0 to Site Director Std Practice SDSP-12.7, "Sys Preoperability Checklist (SPOC)".  
CZUBAKOWSKI,T., MCLEMORE,J., MARTIN,J. Tennessee Valley Authority. 88/08/13. 23pp. 46166:184-46166:216.

8807120675 Forwards Rev 1 to "Ampacity Evaluation Program Plan," which includes Attachment 1 inadvertently excluded from submittal.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/07. Document Control Branch (Document Control Desk) 3pp. 46154:033-46154:047.

-8807130048 Rev 1 to "Ampacity Evaluation Program Plan"  
\* Tennessee Valley Authority. 88/07/07. 12pp. 46154:036-46154:047.

8807140288 Provides summary of NRC 880628 & 20 discussions of nuclear plant performance shortcomings noted in Sequoyah 2 secondary sys maint & personnel performance as areas contributing to series of reactor trips during initial operations.  
STELLO,V. Oic of the Executive Director for Operations. 88/07/08. WHITE,S.A. Tennessee Valley Authority. 2pp 46172:354-46172:355.

8807190192 Forwards page inadvertently omitted from 880628 PRA submittal re restart commitments.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46208:183-46208:185.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.80 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257:207-46257:257.

8807210139 Notification of 880720 meeting w/utl in Rockville,MD to discuss electrical cable installation.  
MORAN,D.H. Oic of Special Projects. 88/07/14. BLACK,S. Oic of Special Projects. 3pp. 46234:168-46234:170.

8807250391 Notification of rescheduled & relocated 880721 meeting w/ utl in Rockville,MD to discuss cable installation.  
MORAN,D.H. Oic of Special Projects. 88/07/14. BLACK,S. Oic of Special Projects. 3pp. 46285:128-46285:130.

#### G. Inspection reports, IE Bulletins & correspondence

8807010609 Ack receipt of 880523 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/88-06, 50-260/88-06 & 50-268/88-06.  
MCCOY,F.R. Oic of Special Projects. 88/08/14. WHITE,S.A. Tennessee Valley Authority. 2pp. 46017:075-46017:078.

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:288.

8806290099 Ack receipt of 880523 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-28, 50-260/87-28 & 50-268/87-29.  
MCCOY,F.R. Oic of Special Projects. 88/08/16. WHITE,S.A. Tennessee Valley Authority. 1p. 45974:301-45974:301.

8807080088 Forwards Insp Repts 50-259/88-14, 50-260/88-14 & 50-268/88-14 on 880509-13. No violations or deviations noted.  
MCCOY,F.R. Oic of Special Projects. 88/08/20. WHITE,S.A. Tennessee Valley Authority. 2pp. 48110:088-48110:104.

-8807060071 Health Physics Insp Repts 50-259/88-14, 50-260/88-14 & 50-268/88-14 on 880509-13. No violations or deviations noted. Major areas inspected: followup on previous enforcement issues, organization & mgt controls & training.  
WEDDINGTON,R.E., HOSEY,C.M. Region 2, Oic of the Director. 88/08/03. 15pp 46110:080-46110:104.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensee Exams." NUREG/RR-0122 & svc list encl.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

8807010038 Forwards supplemental response to NRC 880521 ltr re violation noted in Insp Repts 50-259/88-09, 50-260/88-09 & 50-268/88-09. Present schedule for physical completion of secondary containment fire barrier sealing is 881031.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/22. Document Control Branch (Document Control Desk). 3pp. 46009:048-46009:050.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:285.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

8807050139 Confirms agreements reached at 880620 meeting w/NRC re safety sys functional insp. Util proposed to perform safety sys functional insp & systematic review of plant programs as conclusion to technical verification program.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 4pp. 45028:278-46028:282.

8807050207 Responds to 880419 request for addl info re Phase II Weld Project Repl. Response to NRC questions & info related independent mechanical overview of weld reinspection encl.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 16pp. 46021:019-46021:036.

8807050583 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-259/88-05, 50-260/88-05 & 50-268/88-05. Corrective actions. Individuals involved made aware of violation & reviewed procedural & Tech Spec requirements.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 12pp. 46073:303-46073:314.

8807190019 Forwards Insp Repts 50-259/88-12, 50-260/88-12 & 50-268/88-12 on 880502-06. No violations or deviations noted.  
MCCOY,F. Oic of Special Projects. 88/07/05. WHITE,S.A. Tennessee Valley Authority. 2pp. 46208:288-46208:310.

-8807190021 Insp Repts 50-259/88-12, 50-260/88-12 & 50-268/88-12 on 880502-06. No violations or deviations noted. Major areas inspected. Mark I containment program mod & IE Bulletins 79-02 & 79-14.  
CHOU,R.C., CARRION,R.P., BLAKE,J.J. Region 2, Oic of the Director. 88/08/20. 11pp. 46208:300-46208:310.

8807120021 Forwards list of commitments re NRC Bulletin 88-003, "Inadequate Latch Engagement in IFA-Type Latching Relays Mfg by GE."  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46147:290-46147:293.

8807130445 Responds to violation noted in Insp Repts 50-259/88-10, 50-260/88-10 & 50-268/88-10. Violation denied. Procedure adequately ensures proper mgt approval & technical accuracy of info provided to NRC.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46168:018-46168:022.

8807140071 Responds to NRC Bulletin 87-002, Suppls 1 & 2, "Fastener Testing to Determine Conformance W/Apply Cable Spacs." Requests clarification of bulletin to provide necessary info & extension to 880130 to provide proper response.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46184:146-46184:148.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807120587 Summary of 880517 meeting w/utl re fuel insp & reconstruction planned by utl & GE w/goal of avoiding fuel failures during fuel cycle following restart. Viewgraphs encl.  
GEARS,G.E. Oic of Special Projects. 88/07/07. Oic of Special Projects. 22pp 46148:252-46148:277.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807250218 Forwards revised response to Violation 3 noted in Insp Repts 50-438/87-08, 50-438/87-08, 50-268/87-38, 50-260/87-38, 50-268/87-38, 50-327/87-68, 50-328/87-68, 50-380/87-18 & 50-391/87-18. Corrective actions memo issued on 880931.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 5pp. 46259:095-46259:099.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807200309 Summary of 880620 meeting w/utl proposed restart technical verification program for plant & safety sys functional insp currently being conducted at site. Viewgraphs, list of attendees & insp plan encl.  
GEARS,G.E. Oic of Special Projects. 88/07/12. Oic of Special Projects. 21pp. 46228:216-46228:323.

8807210107 Advises that util 880624 responses to concerns raised during safety sys functional insp at plant satisfactory.  
BLACK,S. Ofc of Special Projects. 88/07/12. WHITE,S.A. Tennessee Valley Authority  
2pp. 46233 201-46233 202.

8807080368 NRC Info Notice 88-047, "Sower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/14  
Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240 324

8807120550 NRC Info Notice 88-049, "Marking Handling Control Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18  
Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257:259-46258 016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257:096-46257 206

#### R. Periodic operating reports & related correspondence

8807080282 Discharge monitoring rept for May 1988  
BROOKS,R.H. Tennessee Valley Authority. 88/05/31. 12pp. 46139:221-46139 232

8807070535 Forwards weekly schedule of TVA activities for wks of 880704 & 11.  
KELLY,J.L. Ofc of Special Projects. 88/06/29. BLACK,S. Ofc of Special Projects. 4pp.  
46122:175-46122 176.

8807250081 Forwards monthly operating rept for June 1988 & revs to Apr & May 1988  
repts for Browns Ferry Units 1,2 & 3.  
WALKER,J.G. Tennessee Valley Authority. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p. 46274 064-46274 159

8807250085 Monthly operating rept for June 1988 for Browns Ferry Units 1,2 & 3.  
WALKER,J.G. CRAWFORD,J.D. Tennessee Valley Authority. 88/08/30. 95pp.  
46274 065-46274 157.

8807250087 Revised radwaste summary to monthly operating rept for Apr 1988 for Browns Ferry Units 1,2 & 3.  
Tennessee Valley Authority. 88/04/30. 1p. 46274 158-46274 158

8807250089 Revised radwaste summary to monthly operating rept for May 1988 for Browns Ferry Units 1,2 & 3.  
Tennessee Valley Authority. 88/05/31. 1p. 46274 159-46274 150.

#### S. Reportable occurrences, LERs & related correspondence

8807050473 Responds to 880610 notice of violation of biochemical oxygen demand permit limits during Mar 1988. Corrective actions personnel will continue to trend lagoon data to predict & attempt to prevent recurrence of discharge.  
BROOKS,R.H. Tennessee Valley Authority. 88/06/23. HORN,C. Alabama State of 2pp. 46073 279-46073 280.

8807060517 LER 88-003-00 on 880527, rust found in lower containment spray header due to leaking isolation valves. Performance of hydrostatic test stopped, sys depressurize & lower containment spray header drained. W/880627 lr.  
BAKER,R.L., WALKER,J.G. Tennessee Valley Authority. 88/06/24. 5pp. 46115:320-46115 324.

8807070171 LER 88-002-00 on 880528 & 27, insp of reactor protection sys bus 2B feeder breaker initiated ESF. Cause undetermined. Breaker 952 replaced w/modified case switch. W/880827 lr.  
NAVE,E.D., WALKER,J.G. Tennessee Valley Authority. 88/06/24. 5pp. 46139:144-46139 148

#### T. Hearing transcripts on non-antitrust matters

8807050409 Transcript of TVA 880621 briefing in Bethesda, MD re util reorganization & plant status.  
Commissioners. 88/06/21. 91pp. 45998 073-45998 163

#### V. Operator Examinations

8807130201 Requests that util furnish approved ref mat requirements for reactor/senior reactor operator licensing exams by 880830 in order to meet schedule for 881205 written exams & 881206-09 simulator/operating exams at facilities.  
JULIAN,C.A. Region 2, Ofc of the Director. 88/06/22. WHITE,S.A. Tennessee Valley Authority. 10pp. 46167:347-46167 356.

#### DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807080558 Revised plant emergency procedures, including Rev 3 to PEP-152, "Emergency Repair Director" & Rev 2 to PEP-153, "Logistics Support Director." W/880829 lr.  
MORGAN,R.E., JOHNSON,R.L. Carolina Power & Light Co. 88/06/29. 18pp. 46109 208-46109 225

8807120335 Forwards exemption from requirements of 10CFR50, App R, Section III J re access & egress routes to safety injection pump room & to svc water intake structure.  
ADENSAM,E.G. Project Directorate II-1. 88/06/30. UTLEY,E.E. Carolina Power & Light Co. 4pp. 46112 212-46112 225

8807120348 Exemption from 10CFR50, App R, Section III J requirements re access & egress to safety injection pump room & to svc water intake structure.  
VARGA,S.J. Division of Reactor Projects - I/II (Post 870411) 88/06/30. 10pp. 46112 216-46112 225

8807120552 Notification of 880714 meeting w/utl in Harlsville, SC to discuss emergency response facility implementation.  
L.O.R.H. Project Directorate II-1. 88/07/07. ADENSAM,E.G. Project Directorate II-1. 2pp. 46153 359 46153 360.

8807150122 Revised emergency plan implementing procedures, including Rev 5 to PEP-253, "Collection of Very High Level Radioactive Samples" & Rev 5 to PEP-351, "Emergency Environ Monitoring Procedure." W/880711 lr.  
MORROW,M.C., JOHNSON,R.L. Carolina Power & Light Co. 88/07/11. 24pp. 46183 227-46183 250

8807150259 Revised emergency plan implementing procedures, including Rev 2 to PEP-151, "Plant Operations Director," Rev 2 to PEP-161, "Damage Control Team Leader" & Rev 3 to PEP-182, "Operational Support Director." W/880711 lr.  
MORROW,M.C., JOHNSON,R.L. Carolina Power & Light Co. 88/07/11. 119pp. 46184 155-46184 274

8807150288 Revised emergency plan implementing procedures, including Rev 0 to PEP-163, "Environ & Radiation Control Team Leader," Rev 4 to PEP-251, "In-Plant & Onsite Monitoring & Surveys" & Rev 3 to PEP-401, "Radioactive..." W/880711 lr.  
MORROW,M.C., JOHNSON,R.L., MORGAN,R.E. Carolina Power & Light Co. 88/07/11. 90pp. 46186 086 46186 187

8807210304 Forwards Insp Rept 50-261/88-15 on 880613-17 No violations or deviations noted.  
CLINE,W.E. Reg on 2, Ofc of the Director. 88/07/11. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46235 149 46235 151

8807210309 Partially withheld Insp Rept 50-261/88-15 on 880613-17 (ref 10CFR2.760(d) & 73.21) No violations identified. Major areas inspected security program aud. records & rept, testing & maintenance & keys & combinations & alarm functions.  
STANSBERRY,W.W., MCGUIRE,D.R. Reg on 4, Ofc of the Director. 88/07/11. 1p. 46235 151-46235 151.

#### P. Operating license stage documents & correspondence

8806280399 Forwards summary of 880607 mtg meeting re activities authorized for Brunswick, Robinson & Hans facilities. Issues discussed re mgt overview of company nuclear program.  
GRACE,J.N. Region 2, Ofc of the Director. 88/06/16. UTLEY,E.E. Carolina Power & Light Co. 5pp. 45974:348-45974 350.

8806300011 Forwards supplemental info re implementation of AMSAC sys. Installation of AMSAC equipment planned for next refueling outage, currently scheduled for late Summer, 1988.  
LOFLIN,L.I. Carolina Power & Light Co. 88/06/24. Document Control Branch (Document Control Desk). 17pp. 45985 001-45985 018

8807120478 Forwards environ assessment & finding of no significant impact re license 880130 request for exemption from certain requirements of 10CFR20.103(c)(2) on physicals for users of respiratory equipment.  
L.O.R.H. Project Directorate II-1. 88/06/29. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46113:327-46113 332

8807120497 Environ assessment & finding of no significant impact re administration of physical exams for users of respiratory equipment.  
ADENSAM,E.G. Project Directorate II-1. 88/06/29. 4pp. 46113 320-46113 332

8807080504 Forwards request for addl info re adequacy of "Station Electric Distribution Sys Voltages (Multi-Plant Action B-48)," to assess impact of electrical sys changes on conformance to NRC Branch Technical Position PDS-1.  
L.O.R.H. Project Directorate II-1. 88/06/30. UTLEY,E.E. Carolina Power & Light Co. 3pp. 46003 020-46003 022.

8807120335 Forwards exemption from requirements of 10CFR50, App R, Section III J re access & egress routes to safety injection pump room & to svc water intake structure.  
ADENSAM,E.G. Project Directorate II-1. 88/06/30. UTLEY,E.E. Carolina Power & Light Co. 4pp. 46112 212-46112 225

8807120348 Exemption from 10CFR50, App R, Section III J requirements re access & egress to safety injection pump room & to svc water intake structure.  
VARGA,S.J. Division of Reactor Projects - I/II (Post 870411). 88/06/30. 10pp. 46112 216-46112 225.

8807130464 Generic Ltr 88-11 to all licensees of operating reactors & holders of CI's re NRC position on radiation embrittlement of reactor vessel nozzles & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 and  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 257

8807250368 Notification of 880727 meeting w/utl in Rockville, MD to discuss facility RTD bypass.  
L.O.R.H. Project Directorate II-1. 88/07/18. ADENSAM,E.G. Project Directorate II-1. 3pp. 46285:165-46285 167.

#### Q. Inspection reports, IE Bulletins & correspondence

8808130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978:158-45978 266.

8806300155 Discusses Insp Repts 50-261/88-03 & 50-261/88-04 & forwards notice of violation & proposed imposition of civil penalty in amount of \$50,000 Violat on involved failure of 10CFR50, App K required evaluation model.  
GRACE,J.N. Reg on 2, Ofc of the Director. 88/06/15. UTLEY,E.E. Carolina Power & Light Co. 3pp. 45985 285-45985 289.

-8806300158 Notice of violation and proposed imposition of civil penalty in amount of \$50,000. Violation noted: combination of ECCS subsystem assumed to be operative in evaluation model in updated SAR did not reflect failures of ECCS equipment GRACE, J.N. Region 2, Ofc of the Director. 88/06/15. 2pp. 45995 288-45995 289.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152

8807100586 Advises that until completed actions required by NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays Mfg by GE." No HFA relays used in HB Robinson & Shalom Harris plants. EURY, L.W. Carolina Power & Light Co. 88/06/22. Document Control Branch (Document Control Desk). 4pp. 46020 233-46020 236

8807120483 Forwards Insp Rept 50-261/88-10 on 880511-0609 & notice of violation VERRELLI, D.M. Region 2, Ofc of the Director. 88/06/23. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46154 262-46154 275

-8807120490 Notice of violation from Insp on 880511-0609 Violation noted: written Procedure MST-552, Rev 3 does not contain instructions to fully test turbine redundant over speed trip sys. VERRELLI, D.M. Region 2, Ofc of the Director. 88/06/23. 1p. 46154 264-46154 264

-8807120493 Insp Rept 50-261/88-10 on 880511-0609 One violation noted: Major areas inspected: operational safety verification, physical protection, surveillance/observation, maintenance observation & on-site review committee. FREDRICKSON, P., GARNER, L.W., LATTAR, R.M. Region 2, Ofc of the Director. 88/06/23. 11pp. 46164 265-46164 275

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 285

8806240139 Suppl. 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46019 018

8807080052 Forwards Exam Rept 50-261/OL-88-01 of makeup simulator exam administered on 880523 Simulation facility fidelity rept also encl. JULIAN, C.A. Region 2, Ofc of the Director. 88/06/27. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46139 341-46139 345

-8807080053 Exam Rept 50-261/OL-88-01 on 880523 Exam results senior reactor operator candidate passed, based on result of makeup simulator exam. PAYNE, D.C., BROCKMAN, K.E. Region 2, Ofc of the Director. 88/06/21. 3pp. 46139 343-46139 345

8807130146 Forwards Insp Rept 50-261/88-11 on 880523-24 No violations or deviations noted. CLINE, W.E. Region 2, Ofc of the Director. 88/06/28. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46163 235-46163 238

-8807130148 Partially withheld Insp Rept 50-261/88-11 on 880523-24 (ref 10CFR2.790) No violations or deviations noted: Major areas inspected: procedures, records & operations for use, control & accountability of SNM possessed under license. TODD, G.A., MCALPINE, E.J. Region 2, Ofc of the Director. 88/06/28. 1p. 46163 237-46163 238

8807220097 Forwards Insp Rept 50-261/88-13 on 880607-10 No violations or deviations noted. HERDT, A.R. Region 2, Ofc of the Director. 88/06/29. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46249 093-46249 099

-8807220098 Insp Rept 50-261/88-13 on 880607-10 No violations noted: Major areas inspected: QA/QC controls & work activities for dry spent fuel storage facility, seismic monitoring program & followup on previously identified insp items. HARRIS, J.R., CONLON, T. Region 2, Ofc of the Director. 88/06/22. 5pp. 46249 095-46249 099

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212

8807260319 Forwards Insp Rept 50-261/88-12 on 880608-10 No violations or deviations noted. HERDT, A.R. Region 2, Ofc of the Director. 88/07/07. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46285 180-46285 194

-8807260322 Insp Rept 50-261/88-12 on 880608-10 No violations or deviations noted: Major areas inspected: compliance w/order modifying license, primary coolant sys pressure isolation valves Weakness noted in areas of mgmt involvement in QA. KLEINSORGE, W.P., BLAKE, J.J. Region 2, Ofc of the Director. 88/08/30. 13pp. 46265 182-46265 194

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 261-46232 027

8807190136 Responds to NRC Bulletin 88-004 re potential safety-related pump loss. Two miniflow design concerns re pump-to-pump interaction w/potential to dead-head pump & intermediate miniflow capacity during single-flow operation identified.

8807210304 Forwards Insp Rept 50-261/88-15 on 880613-17 No violations or deviations noted. CLINE, W.E. Region 2, Ofc of the Director. 88/07/11. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46235 148-46235 151

-8807210308 Partially withheld Insp Rept 50-261/88-15 on 880613-17 (ref 10CFR2.790(d) & 73.21) No violations identified: Major areas inspected: security program audit, records & reports, testing & maintenance & keys & combinations & alarm stations. STANSBERRY, W.W., MCGUIRE, D.R. Region 4, Ofc of the Director. 88/07/11. 1p. 46235 151-46235 151

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108

8807080386 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324

8807120550 NRC Info Notice 88-040, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257 258-46258 018

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 208

#### R. Periodic operating reports & related correspondence

8807140200 Monthly operating report for June 1988 for HB Robinson. W/880708 ltr. HAYNESWORTH, V., MORGAN, R.E. Carolina Power & Light Co. 88/06/30. 4pp. 46178 104-46178 107

#### S. Reportable occurrences, LERs & related correspondence

8807050374 Resolves Westinghouse June 1987 Part 21 concerns re containment isolation of component cooling water (CCW) sys. Mod implemented to ensure that CCW surge tank vents to waste holdup tank. LOFLIN, L.A. Carolina Power & Light Co. 88/06/28. Document Control Branch (Document Control Desk). 1p. 46080 105-46080 105

8807080569 LER 88-012-00 on 880603, 10CFR21 reported condition existed re post-accident neutron flux monitor w/potential for defective solder connections. Caused by mfg process used. Plan for repair will be developed. W/880701 ltr. SAYRE, D., MORGAN, R.E. Carolina Power & Light Co. 88/07/01. 5pp. 46114 262-46114 266

8807210044 Revised 30-day special report on 870330, low temp overpressure protection actuation on occurred. Caused by fluid drive bearing failure due to end of life. Gauges installed to monitor fluid drive tube oil pressure of charging pumps. MORGAN, R.E. Carolina Power & Light Co. 88/07/12. Document Control Branch (Document Control Desk). 3pp. 46234 046-46234 048

#### V. Operator Examinations

8807130084 Advises that written & operating exams scheduled for wk of 881212. UII should furnish approved rel mail listed in Encl 1 by 880801. JULIAN, C.A. Region 2, Ofc of the Director. 88/06/22. UTLEY, E.E. Carolina Power & Light Co. 10pp. 46185 018-46185 027

8807080052 Forwards Exam Rept 50-261/OL-88-01 of makeup simulator exam administered on 880523 Simulation facility fidelity rept also encl. JULIAN, C.A. Region 2, Ofc of the Director. 88/06/27. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46139 341-46139 345

-8807080053 Exam Rept 50-261/OL-88-01 on 880523 Exam results senior reactor operator candidate passed, based on result of makeup simulator exam. PAYNE, D.C., BROCKMAN, K.E. Region 2, Ofc of the Director. 88/06/21. 3pp. 46139 343-46139 345

#### DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

#### F. Security, medical, emergency & fire protection plans

8807060363 Forwards Safety Insp Rept 50-263/88-08 on 880409-0527 & notice of violation. AXELSON, W.L. Region 3, Ofc of the Director. 88/08/21. LARSON, C.E. Northern States Power Co. 2pp. 46109 300-46109 317

-8807060385 Notice of violation from Insp on 880409-0527 Violation noted: access door to turbine bldg found to be open & automatic door closure device not connected to door. AXELSON, W.L. Region 3, Ofc of the Director. 88/08/17. 1p. 46109 302-46109 302

-8807060386 Insp Rept 50-263/88-08 on 880409-0527 No violations noted: Major areas inspected: previous insp findings, operational safety verification, main surveillance RDC, sys turbine, turbine condenser, turbine investigation &

8807120077 Forwards Enforcement Conference Rept 50-263/88-11 on 880615.  
NORELIUS,C.E. Region 3, Ofc of the Director 88/07/01. LARSON,C.E. Northern  
States Power Co. 2pp. 46155:130-46155:132

-8807120085 Partially withheld Enforcement Conference Rept 50-263/88-11 on 880615  
(rel 10CFR73.21). Major areas discussed: enforcement options, circumstances surround-  
ing & corrective actions in response to potential violations of security plan.  
MADEDA,T.J., CREED,J.R., MALLETT,B.S. Region 3, Ofc of the Director. 88/06/28  
1p. 46155:132-46155:132

8807210098 Rev 20 to Emergency Plan Implementing Procedure EPIP A.2-001, "Emer-  
gency Organization" & revised page list. W/880714 ltr.  
FEY,F.L. Northern States Power Co. 88/07/14. 26pp. 46234:213-46234:238.

#### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807190060 Forwards Rev 4 to updated SAR for Monticello Nuclear Generating Plant &  
Rev 12 to "Operational QA Plan."  
MUSOLF,D. Northern States Power Co. 88/08/30. Office of Nuclear Reactor Regula-  
tion, Director (Post 870411). 18pp. 46211:212-46212:335.

-8807190066 Rev 6 to updated SAR  
\* Northern States Power Co. 88/06/30. 250pp. 46211:229-46212:185

-8807190068 Rev 12 to "Operational QA Plan."  
ALBRECHT,K.J., JENSEN,R.J. Northern States Power Co. 88/05/26. 100pp.  
46212:186-46212:335

#### P. Operating license stage documents & correspondence

8807140288 Forwards Rev 4 to 840403 application for amend to License DPR 22, revis-  
ing Tech Specs re control room habitability.  
MUSOLF,D. Northern States Power Co. 88/07/05. Document Control Branch (Docu-  
ment Control Desk). 2pp. 46178:065-46178:099.

-8807140292 Application for amend to License DPR 22, changing Tech Specs re instru-  
mentation for control room habitability protection, control room ventilation sys & con-  
trol room emergency filtration sys.  
MUSOLF,D. Northern States Power Co. 88/07/05. 7pp. 46178:067-46178:073.

-8807140293 Proposed Tech Specs re instrumentation for control room habitability  
protection, control room ventilation sys & control room emergency filtration sys.  
\* Northern States Power Co. 88/07/05. 26pp. 46178:074-46178:099.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation embrittlement of reactor vessel steels & impact on plant  
operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated  
Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15.  
Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:268.

8807060383 Forwards Safety Insp Rept 50-263/88-08 on 880409-0527 & notice of vio-  
lation.  
AXELSON,W.L. Region 3, Ofc of the Director. 88/06/21. LARSON,C.E. Northern  
States Power Co. 2pp. 46109:300-46109:317.

-8807060385 Notice of violation from Insp on 880409-0527. Violation noted access door  
to turbine bldg found to be open & automatic door closure device not connected to  
door.  
AXELSON,W.L. Region 3, Ofc of the Director. 88/06/17. 1p. 46109:302-46109:302.

-8807060386 Insp Rept 50-263/88-06 on 880409-0527. No violations noted. Major  
areas inspected previous Insp findings, operational safety  
verification, main surveillance, RCIC sys turbine trips, condenser tubing investigation &  
fire doors.  
JACKWILLIN. Region 3, Ofc of the Director. 88/06/16. 15pp. 46109:303-46109:317.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
License Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc  
list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:162.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Washinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46018:153-46019:265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to  
RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

8807120077 Forwards Enforcement Conference Rept 50-263/88-11 on 880615.  
NORELIUS,C.E. Region 3, Ofc of the Director. 88/07/01. LARSON,C.E. Northern  
States Power Co. 2pp. 46155:130-46155:132.

-8807120085 Partially withheld Enforcement Conference Rept 50-263/88-11 on 880615  
(rel 10CFR73.21). Major areas discussed: enforcement options, circumstances surround-  
ing & corrective actions in response to potential violations of security plan.  
MADEDA,T.J., CREED,J.R., MALLETT,B.S. Region 3, Ofc of the Director. 88/06/28.  
1p. 46155:132-46155:132.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker  
Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807060006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit  
Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08.  
Consolidated Edison Co. of New York, Inc. 107pp. 46231:261-46232:027.

8807180245 Responds to NRC Bulletin 88-004 re potential safety-related pump  
loss. Analysis of miniflow lines indicates no potential for adverse pump to pump inter-  
actions.  
LARSON,C.E. Northern States Power Co. 88/07/08. Document Control Branch (Docu-  
ment Control Desk). 8pp. 46203:001-46203:009.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves."  
Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807060366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc  
list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction  
of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/16.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Avail-  
ability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/16.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257:256-46258:016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257:208.

#### R. Periodic operating reports & related correspondence

8807200390 Monthly operating rept for June 1988 for Monticello Nuclear Generating  
Station. W/880711 ltr.  
MYRABO,A.L., MUSOLF,D. Northern States Power Co. 88/08/30. 5pp. 46221:21C-  
46221:214.

#### S. Reportable occurrences, LERs & related correspondence

8807140279 LER 83-022-01 on 831024, recirculation pump 11 MG set drive motor & cir-  
cuit breaker ACB failed to trip during attempted automatic close circuit 4 kV bus  
transfer. Caused by abnormal wear of sleeve bearings. W/880705 ltr.  
PUDLUK,L.E., MUSOLF,D. Northern States Power Co. 88/07/05. 5pp. 46178:106-  
46178:113.

#### V. Operator Examinations

8807120140 Forwards revised draft Rev 5 to ES-601, "Administration of NRC Regula-  
tion Program Evaluations." W/o encl.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/08/23. ANTONY,D. Northern States  
Power Co. 1p. 46148:356-46148:356.

#### DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8806290061 Advises that util proposed objectives responsive to NRC concerns from  
previous exercise & clearly indicate util willingness to demonstrate program updates  
from 1988. Proposed objectives acceptable.  
SHAFFER,W.D. Region 3, Ofc of the Director. 88/06/22. REED,C. Commonwealth  
Edison Co. 1p. 45974:300-45974:300.

8807060124 Revised emergency plan implementing procedures, including Rev 11A to  
Table 8.4-1, "Environ Radiological Monitoring Program."  
\* Commonwealth Edison Co. 88/08/23. 8pp. 46122:097-46122:104.

#### P. Operating license stage documents & correspondence

8807120393 Advises that Rev 1 to NEDC-31345P SAFER/GESTR-LOCA analysis will  
be withheld from public disclosure (rel 10CFR2.790) per 880328 application to amend  
license, changing Tech Specs. Reasons listed.  
ROSS,T.M. Project Directorate III-2. 88/06/17. BLISS,H.E. Commonwealth Edison Co.  
4pp. 46111:318-46111:321.

8807130033 Forwards Amend 104 to License DPR-30 & safety evaluation. Amend  
changes Tech Specs to revise operating safety limits, expand operating domain &  
allow continued operation w/some equipment out of svc.  
NORRHOLM,L.J. Project Directorate III-2. 88/06/17. BLISS,H.E. Commonwealth  
Edison Co. 3pp. 46163:262-46163:267.



& deleting license condition restrictions on coastdown operation  
NORRHOLM, L. J. Project Directorate III-2. 88/08/17. 2pp. 46163.265-46163.288

-8807130043 Safety evaluation supporting Amend 104 to License DPR-30.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/17. 8pp.  
46163.289-46163.297.

8807120442 Notices of relocation of drywell temp indicator, per DCRDR human factors  
commitment Amend to Tech Spec revising instrument location will be submitted by  
880715.  
JOHNSON, I.M. Commonwealth Edison Co. 88/08/20. MURLEY, T.E. Office of Nuclear  
Reactor Regulation, Director (Post 870411). 2pp. 46156.280-46156.281

8808280152 Forwards "Effects of Postulated DC Power Failures on ECCS  
Availability, Quad Cities Unit 1," by Sargent & Lundy, demonstrating that battery failure  
could lead to degraded ECCS equipment availability or isolated design weakness.  
SILADY, J.A. Commonwealth Edison Co. 88/08/21. MURLEY, T.E. Office of Nuclear  
Reactor Regulation, Director (Post 870411). 1p. 45981.221-45981.221.

-8808280154 "Effects of Postulated DC Power Failures on ECCS Availability, Quad  
Cities Unit 1"  
\* Sargent & Lundy, Inc. 88/08/08. 400pp. 45981.222-45981.252

8807110404 Forwards Amends 109 & 105 to Licenses DPR-29 & DPR-30, respectively  
& safety evaluation Amends delete upper tolerance of reactor to low water level set-  
point & correct typos in basis section.  
ROSS, T.M. Project Directorate III-2. 88/08/23. BLISS, H.E. Commonwealth Edison Co.  
4pp. 46141.307-46141.324.

-8807110417 Amends 109 & 105 to Licenses DPR-29 & DPR-30, respectively, deleting  
upper tolerance of reactor to low water level setpoint & correcting typos in basis sec-  
tion.  
NORRHOLM, L. J. Project Directorate III-2. 88/08/23. 12pp. 46141.311-46141.322.

-8807110424 Safety evaluation supporting Amends 109 & 105 to Licenses DPR-29 &  
DPR-30, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/23. 2pp.  
46141.323-46141.324.

8807010180 Confirms 880610 plans re 880710 meeting w/ unit at Region III etc to dis-  
cuss several engineering issues associated w/ plans.  
GREENMAN, E. G. Region 3, Ofc of the Director. 88/08/24. REED, C. Commonwealth  
Edison Co. 2pp. 46009.058-46009.059.

8807120407 Summary of 880510 counterpart meeting w/ unit in Rockville, MD re  
past, present & future BWR-related licensing actions & for safety issues List of meeting  
participants encl.  
ROSS, T.M. Project Directorate III-2. 88/08/27. Project Directorate III-2. 5pp.  
46111.288-46111.292

8807130365 Forwards Amends 110 & 106 to Licenses DPR-29 & DPR-30, respectively  
& safety evaluation Amends change Tech Specs to revise trip setpoint for refueling  
floor radiation monitors & to elevate mgt authorization re changes to procedures.  
ROSS, T.M. Project Directorate III-2. 88/08/30. BLISS, H.E. Commonwealth Edison Co.  
4pp. 46168.040-46168.057.

-8807130369 Amends 110 & 106 to Licenses DPR-29 & DPR-30, respectively, changing  
Tech Specs to revise trip setpoint for refueling floor radiation monitors & to elevate  
mgt authorization required for approving operating procedure changes.  
NORRHOLM, L. J. Project Directorate III-2. 88/08/30. 12pp. 46168.044-46168.055.

-8807130371 Safety evaluation supporting Amends 110 & 106 to Licenses DPR-29 &  
DPR-30, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/30. 2pp.  
46166.056-46166.057.

8807120245 Provides revised schedule for completion of mod, rerouting reactor water rel-  
ief for two units in response to Generic Ltr 84-23. Work will be completed during refuel-  
ing outages.  
JOHNSON, I.M. Commonwealth Edison Co. 88/07/01. MURLEY, T.E. Office of Nuclear  
Reactor Regulation, Director (Post 870411). 1p. 46154.278-46154.278.

8807180230 Application for amends to Licenses DPR-29 & DPR-30, changing Tech  
Specs to increase filter efficiencies for control room HVAC air filter unit & correcting  
typos. Fee paid.  
JOHNSON, I.M. Commonwealth Edison Co. 88/07/05. MURLEY, T.E. Office of Nuclear  
Reactor Regulation, Director (Post 870411). 2pp. 46194.240-46194.254.

-8807180232 Proposed Tech Specs re control room emergency filtration sys & control  
room air filtration sys.  
\* Commonwealth Edison Co. 88/07/05. 13pp. 46194.242-46194.254.

8807120100 Forwards Rev 51 changes to QA program Topical Rept CE-1-A did  
880707. Rev made to reflect organization changes, to provide addl organization posi-  
tion description & identification to change commitment to ANSI/ASME NQA-1.  
MORGAN, W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Docu-  
ment Control Desk). 1p. 46168.048-46168.076.

-8807190205 Rev 51 to licensee QA Program Topical Rept CE-1-A  
SHEWSKI, W. J. Commonwealth Edison Co. CE-1-A R51. 88/07/07. 25pp. 46166.051-  
46166.075.

8807210087 Application for amend to License DPR-30, revising Tech Specs re DCRDR  
human factors mod Fee paid.  
JOHNSON, I.M. Commonwealth Edison Co. 88/07/07. MURLEY, T.E. Office of Nuclear  
Reactor Regulation, Director (Post 870411). 2pp. 46233.290-46233.298.

-8807210090 Proposed Tech Specs re DCRDR human factors mod.  
\* Commonwealth Edison Co. 88/07/07. 8pp. 46233.292-46233.299.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation embrittlement of reactor vessel walls & impact on plant  
operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F. J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated  
Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

re RES research program & addl info re analysis & testing of samplos encl.  
ROSS, T.M. Project Directorate III-2. FIN A-6350. 88/07/14. BLISS, H.E. Commonwealth  
Edison Co. 6pp. 46276.308-46276.316.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-038, "LeSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event." Svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15.  
Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266

8807080020 Ack receipt of 880516 ltr discussing Info Notice 88-021 on inadvertent  
criticalities. Discovery of three repts dealing w/ three events mentioned in ltr noted.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/08/16.  
HANAUER, S. H. Technical Analysis Corp. 2pp. 46134.170-46134.180.

8807080224 Advises that condition of respective pipe welds at facility should not pre-  
clude restart. In response to utl 880122.0601 & 13 submittals of info re IGSCC inspec-  
tion insp program. Final safety evaluation will be issued at later date.  
ROSS, T.M. Project Directorate III-2. 88/08/17. BLISS, H.E. Commonwealth Edison Co.  
4pp. 46003.015-46003.018.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46240.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170281 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc  
list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Westinghouse Type DS 410 Circuit Breakers." Svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to  
RCS." Svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46019.018.

8807080089 Forwards Safety Insp Repts 50-254/88-12 & 50-265/88-06 on 880310-  
0620 No violations noted.  
HARRISON, J.J. Region 3, Ofc of the Director. 88/08/28. REED, C. Commonwealth  
Edison Co. 2pp. 46116.290-46116.290.

-8807080111 Insp Repts 50-254/88-12 & 50-265/88-06 on 880310-0411-12, 18, 21, 20,  
20 & 05-10, 17-18 & 0601 & 20 No violations noted. Major areas inspected: inservice  
insp activities, including review of Programs 73051, Procedures 73052 & observation of  
work.  
WARD, D. Region 3, Ofc of the Director. 88/08/28. 8pp. 46116.292-46116.299.

8807080202 Forwards Safety Insp Repts 50-237/88-14, 50-249/88-15, 50-254/88-14 &  
50-265/88-14 on 880525.0616. No violations noted.  
HARRISON, J.J. Region 3, Ofc of the Director. 88/08/28. REED, C. Commonwealth  
Edison Co. 2pp. 46108.239-46108.247.

-8807080210 Insp Repts 50-237/88-14, 50-249/88-15, 50-254/88-14 & 50-265/88-14 on  
880525.0616. No violations or deviations noted. Major areas inspected: action on pre-  
viously identified noncompliances & LERs.  
GAVULA, J.A. Region 3, Ofc of the Director. 88/08/28. 7pp. 46106.241-46106.247.

8807120217 Forwards Safety Insp Repts 50-254/88-16 & 50-285/88-16 on 880607-16  
& notice of violation.  
MILLER, H.J. Region 3, Ofc of the Director. 88/07/01. REED, C. Commonwealth  
Edison Co. 2pp. 46135.232-46135.254.

-8807120221 Notice of violation from insp on 880607-15. Violation noted operator in  
charge of performing temporary lift on 2A containment atmospheric monitoring post-  
accident hydrogen/oxygen sys did not field verify status of monitors.  
MILLER, H.J. Region 3, Ofc of the Director. 88/07/01. 1p. 46135.234-46135.234.

-8807120224 Insp Repts 50-254/88-16 & 50-265/88-16 on 880607-15. Violations  
noted. Major areas inspected: containment integrated leak rate test  
procedure, performance & results, local leak rate test results & LER followup.  
MENDEZ, R., MAURA, F.A., PHILLIPS, M.P. Region 3, Ofc of the Director. 88/07/01.  
20pp. 46135.235-46135.254.

8807210268 Forwards notarized version of JS Abel affidavit, per violations noted in Insp  
Repts 50-237/88-13 & 50-249/88-15.  
STEPTOE, P.P., Sidley & Austin. 88/07/05. LIEBERMAN, J. Ofc of Enforcement (Post  
870413). 1p. 46236.231-46236.265.

-8807210278 Affidavit of IM Johnson re environ qualification of AMP butt splices in GE  
penetrations.  
JOHNSON, I.M. Commonwealth Edison Co. 88/08/28. 6pp. 46236.280-46236.265.

8807120018 Discusses environ qualification insp of butyl rubber insulated cable on  
870608.0728 Implementation of surveillance (condition monitoring) program suggest-  
ed. Response requested within 30 days of ltr date.  
MILLER, H.J. Region 3, Ofc of the Director. 88/07/08. REED, C. Commonwealth  
Edison Co. 2pp. 46148.224-46148.225.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker  
Coordination." Svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers," Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/09  
Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807190023 Informs that ut. response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
ROSSI,T. Project Directorate III-2 88/07/11. BLISS,H.E. Commonwealth Edison Co. 7pp. 46209:097-46209:103

8807200186 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate min flow capacity.  
MORGAN,W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 33pp. 46228:182-46228:211.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves," Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:109.

8807080368 NRC info Notice 88-047, "Slower-Than-Expected Rod-Drop Times," Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324

8807120550 NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Safeguards Info," Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power," Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 110pp. 46257:258-46258:016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs," Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46267:096-46267:208

#### R. Periodic operating reports & related correspondence

8807210262 Forwards listing of changes,tests & experiments completed during June 1988.  
ROBEY,R.A. Commonwealth Edison Co. 88/06/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 10pp. 46233:348-46233:357.

8807280324 Forwards monthly operating repts for June 1988 for Quad Cities Units 1 & 2 & revised monthly operating repts for Apr & May 1988 for Quad Cities Unit 2.  
ROBEY,R.A. Commonwealth Edison Co. 88/06/27. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46261:299-46261:321.

-8807180352 Monthly operating repts for June 1988 for Quad Cities Nuclear Power Station Units 1 & 2.  
DEELSNYDER,L. Commonwealth Edison Co. 88/06/30. 20pp. 46281:300-46281:319.

-8807280327 Revised monthly operating rpt for Apr 1988 for Quad Cities Unit 2.  
DEELSNYDER,L. Commonwealth Edison Co. 88/04/30. 1p. 46261:320-46261:320.

-8807280328 Revised monthly operating rpt for May 1988 for Quad Cities Unit 2.  
DEELSNYDER,L. Commonwealth Edison Co. 88/05/31. 1p. 46261:321-46261:321.

#### S. Reportable occurrences, LERs & related correspondence

8807120644 LER 88-006-01 on 880404,discovered that 11 fused heat anchors did not meet design requirements of FSAR & pin missing from one of affected fused heat anchors.Caused by misinterpretation of scope of IE bulletins W/880527 tr.  
KUBAN,T.A. BAX,R.L. Commonwealth Edison Co. 88/06/27. 8pp. 46153:329-46153:334.

8806290319 LER 88-013-00 on 880526,discovered that steam jet air ejector suction valve installed incorrectly.Caused by insufficient work instruction & mod testing.Valve replaced w/properly oriented valve & verified.W/880617 tr.  
KRONICH,C.L. BAX,R.L. Commonwealth Edison Co. 88/06/17. 6pp. 45988:004-45988:009.

8806290374 LER 88-012-00 on 880524,existing pipe supports on Line 2-1265-2 do not meet design requirements.Caused by improper design analysis during earlier mod of line.Supports mod filed to bring line within FSAR allowances W/880620 tr.  
KRONICH,C.L. BAX,R.L. Commonwealth Edison Co. 88/06/20. 5pp. 45988:107-45988:111.

8806290385 LER 88-014-00 on 880420,decon to ALARA concerns,facility supplied solidification contractor w/cold sample for decon as representative sample.Caused by mgt deficiency.New station procedures will be developed.W/880622 tr.  
PETRI,R.L. Commonwealth Edison Co. 88/06/22. 5pp. 45984:269-45984:273.

8807070137 LER 88-016-00 on 880601,partial Group II isolation signal received causing ESF actuations to occur.Caused by blown fuses Fuses replaced & partial Group II isolation reset W/880622 tr.  
BRITZ,D.J. BAX,R.L. Commonwealth Edison Co. 88/06/22. 5pp. 46123:025-46123:029.

8807070144 LER 88-015-00 on 880530,partial Group II isolation signal received Blown fuse caused sys to actuate causing Isolations Root cause of blown fuse not determined Fuse replaced & isolation reset W/880622 tr.  
BRITZ,D.J. BAX,R.L. Commonwealth Edison Co. 88/06/22. 5pp. 46124:314-46124:318.

8807120638 LER 88-017-00 on 880807,engineering dept noted that,based on as-built analysis,1-inch drywet pneumatic line to Inboard MSIV failed to meet FSAR allowable stress criteria. Two structural hanger added to MSIV W/880628 tr.  
MATRISOTTO,J. BAX,R.L. Commonwealth Edison Co. 88/06/28. 4pp. 46148:242-46148:245

8807150274 LER 88-019-00 on 880511,reactor bldg ventilation & control room ventilation sys isolated when fuse inside panel 902-40 pulled.Caused by personnel error Fuse replaced Sys returned to normal W/880701 tr.  
CASTRO,B., BAX,R.L. Commonwealth Edison Co. 88/06/20. 5pp. 46182:268-46182:292

8807150108 LER 88-018-00 on 880609,RWCU sys valve closed due to spurious high nonregenerative HX out of temp.Caused by inadequate review of jumper removal and/or involved consoldated Faulty switch caused event on 88-013.W/ 880707 tr.  
PAIRITZ,J.P. BAX,R.L. Commonwealth Edison Co. 88/07/07. 5pp. 46185:143-46185:144.

#### V. Operator Examinations

8807120109 Forwards draft Rev 5 to ES 601, "Administration of NRC Reactor Operator Program Evaluations," W/o encl.  
WRIGHT,G.C. Region 3. Ofc of the Director. 88/06/23. NEAL,J. Commonwealth Edison Co. 1p. 46149:350-46149:350

#### DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807200281 Forwards Insp Repts 50-266/88-12 & 50-301/88-11 on 880501-0630 No violations noted.  
KNOP,R.C. Region 3. Ofc of the Director. 88/07/12. FAY,C.W. Wisconsin Electric Power Co. 2pp. 46228:001-46228:011

-8807200293 Insp Repts 50-266/88-12 & 50-301/88-11 on 880501-0630 No violations noted.Major areas inspected licensee action on previous insp findings,operational safety,surveillance, maint,physical security & radiological protection.  
DEFAYETTE,R. Region 3. Ofc of the Director. 88/07/07. 8pp. 46228:003-46228:011.

8807250132 Forwards revised fire protection Tech Spec Change Request 79 per NRC 880325 draft technical evaluation Specs cover reinstating requirement to shut down reactor when fire main loop water supply inoperable.  
FAY,C.W. Wisconsin Electric Power Co. 88/07/14. Document Control Branch (Document Control Desk). 3pp. 46278:075-46278:088.

-8807250137 Proposed Tech Specs re fire suppression water supply,water sprinkler sys,fire hose stations & Helon gaseous suppression sys.  
\* Wisconsin Electric Power Co. 88/07/14. 8pp. 46278:078-46278:086

#### P. Operating license stage documents & correspondence

8807120305 Forwards safety evaluation of response to Generic Ltr 83-28, Item 2.1 re confirmation that components required to trip reactor identified as safety-related on documents which control safety-related activity Confirmation acceptable.  
WAGNER,D.H. Project Directorate III-3. 88/06/21. FAY,C.W. Wisconsin Electric Power Co. 2pp. 46113:155-46113:158

-8807120322 Safety evaluation accepting responses to Generic Ltr 83-28, Item 2.1, confirming that program exists for identifying, classifying & treating components required for performance of reactor trip function as safety-related.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/21. 2pp. 46113:157-46113:158

8807140078 Forwards SER re Implementation of NUREG-0737,TMI Action Item 2 K 3.5, "Automatic Trip of Reactor Coolant Pumps." Response adequately addresses issues in Generic Ltr 85-12. Work associated w/TACs 40656 & 40657 completed.  
WAGNER,D.H. Project Directorate III-3. 88/07/08. FAY,C.W. Wisconsin Electric Power Co. 5pp. 46178:001-46178:005.

8807180192 Application for amendments to Licenses DPR-24 & DPR-27,changing Tech Specs to provide for storage of fuel assemblies of higher enrichment than currently specified Fee paid.  
FAY,C.W. Wisconsin Electric Power Co. 88/07/08. Document Control Branch (Document Control Desk). 7pp. 46188:283-46188:293

-8807180193 Proposed Tech Specs re fuel storage capacity.  
\* Wisconsin Electric Power Co. 88/07/08. 4pp. 46188:290-46188:293.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on rad on embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

8807250132 Forwards revised fire protection Tech Spec Change Request 79 per NRC 880325 draft technical evaluation Specs cover reinstating requirement to shut down reactor when fire main loop water supply inoperable.  
FAY,C.W. Wisconsin Electric Power Co. 88/07/14. Document Control Branch (Document Control Desk). 3pp. 46278:075-46278:088.

-8807250137 Proposed Tech Specs re fire suppression water supply,water sprinkler sys,fire hose stations & Helon gaseous suppression sys.  
\* Wisconsin Electric Power Co. 88/07/14. 8pp. 46278:078-46278:086

#### Q. Operating reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-038, "LeSafe Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event," Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15  
Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams," NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22  
Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018

8807050332 Responds to NRC Bulletin 88-004 re possible loss of function of safety-related pumps due to inadequate main flow design. Sys affected by design listed.  
FAY,C.W. Wisconsin Electric Power Co. 88/06/28. Document Control Branch (Document Control Desk). 7pp. 46074:058-46074 062

8807060285 Forwards Safety Insp Rept 50-266/88-14 on 880613-17. No violations noted.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/06/29. FAY,C.W. Wisconsin Electric Power Co. 2pp. 46115:229-46115 235.

-8807080287 Insp Rept 50-266/88-14 on 880613-17. No violations or deviations noted. Major areas inspected: control rod testing, core power distribution limits, calibr of nuclear instrumentation sys & control rod worth measurements.  
WETZEL,B.A., PHILLIPS,M.P. Region 3, Ofc of the Director. 88/06/29. 5pp. 46115:231-46115 235

8807070411 Provides final response to IE Bulletin 88-003 re motor operated valve switch settings. Will confirm that all motor-operated valves will perform required safety functions under design basis conditions.  
FAY,C.W. Wisconsin Electric Power Co. 88/06/30. Document Control Branch (Document Control Desk). 13pp. 46125:173-46125 185.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242 212.

8807120041 Forwards Safety Insp Repts 50-266/88-15 & 50-301/88-13 on 880606 & 23. No violations identified.  
HARRISON,J.J. Region 3, Ofc of the Director. 88/07/07. FAY,C.W. Wisconsin Electric Power Co. 2pp. 46147 269-46147 263

-8807120046 Safety Insp Repts 50-266/88-15 & 50-301/88-13 on 880606 & 23. No violations or deviations noted. Major areas inspected: licensee action on IE Bulletin 79-14.  
GAVULA,J.A., DANIELSON,D.H. Region 3, Ofc of the Director. 88/07/08. 3pp. 46147 261-46147 263.

8807080006 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232 027.

8807190106 Responds to NRC Compliance Bulletin 87-002, Suppls 1 & 2, "Fastener Testing to Determine Conformance With Applicable Matl Specs." List of suppliers & mfgs encl.  
FAY,C.W. Wisconsin Electric Power Co. 88/07/11. Document Control Branch (Document Control Desk). 21pp. 46208:119-46208 139.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242 109.

8807200291 Forwards Insp Repts 50-266/88-12 & 50-301/88-11 on 880501-0630. No violations noted.  
KNOP,R.C. Region 3, Ofc of the Director. 88/07/12. FAY,C.W. Wisconsin Electric Power Co. 2pp. 46229 001-46229 011.

-8807200293 Insp Repts 50-266/88-12 & 50-301/88-11 on 880501-0630. No violations noted. Major areas inspected: licensee action on previous Insp findings, operational safety, surveillance, maint, physical security & radiological protection.  
DEFAYETTE,R. Region 3, Ofc of the Director. 88/07/07. 9pp. 46229 003-46229 011.

8807200099 Informs that will does not possess or utilize Model Spec 2-T radiographic exposure device at facilities, in response to NRC Bulletin 88-006.  
FAY,C.W. Wisconsin Electric Power Co. 88/07/13. Document Control Branch (Document Control Desk). 1p. 46229 256-46229 256.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rad Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46241 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258 018.

## R. Periodic operating reports & related correspondence

8807220368 Forwards monthly operating repts for June 1988 for Point Beach Nuclear Plant Units 1 & 2 & revised monthly operating rpt for May 1988 for Point Beach Nuclear Plant Unit 1.  
FAY,C.W. Wisconsin Electric Power Co. 88/07/08. Document Control Branch (Document Control Desk). 1p. 46249:351-46249 360.

-8807190088 Monthly operating repts for June 1988 for Point Beach Units 1 & 2.  
KRAUSE,C.W. Wisconsin Electric Power Co. 88/06/30. 8pp. 46249 352-46249 359.

-8807220374 Revised monthly operating rpt for May 1988 for Point Beach Nuclear Plant Unit 1.  
KRAUSE,C.W. Wisconsin Electric Power Co. 88/05/31. 1p. 46249 360-46249 360.

## V. Operator Examinations

8807120122 Forwards Draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/06/23. BRUNO,R. Wisconsin Electric Power Co. 1p. 46148:354-46148 354

## DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

## F. Security, medical, emergency & fire protection plans

8807050022 Forwards "Radiological Emergency Preparedness Exercise Rept." for 870905 exercise State of CO & Weld County located in 5-mi<sup>2</sup> plume EPZ fully participated in exercise Remedial drill scheduled for June 1988.  
KRAMER,R.W. Federal Emergency Management Agency. 88/08/14. CONGEL,F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 46073:108-46073 207.

-8807050024 "Radiological Emergency Preparedness Exercise Rept."  
\* Federal Emergency Management Agency. 88/02/03. 89pp. 46073:108-46073 207.

8807050480 Forwards Issue 2 of fire protection operability requirements comprising of Section FP.6.1 of plant fire protection program plan.  
WILLIAMS,R.O. Public Service Co. of Colorado. 88/06/27. CALVO,J.A. Project Director. 1v. 5pp. 46068:006-46068 091.

-8807050495 "Fire Protection Operability."  
SCHIMALTZ,G., FULLER,A.M. Public Service Co. of Colorado. 88/05/04. 81pp. 46068 011-46068 091.

8807150005 Notifies that const activities re circulating water makeup pump house completed. Area being protected per Rev 19 to physical security plan as non-Type 1 vital area.  
FULLER,C.H. Public Service Co. of Colorado. 88/08/28. Document Control Branch (Document Control Desk). 2pp. 46181:325-46181 328.

8807070041 Responds to NRC 880602 ltr re violations noted in Insp Rept 50-267/88-11. Corrective actions listed: personnel required to complete annual training & retraining program for emergency directors.  
WILLIAMS,R.O. Public Service Co. of Colorado. 88/07/01. Document Control Branch (Document Control Desk). 8pp. 46124:293-46124 301.

8807120358 Forwards Insp Rept 50-267/88-12 on 880501-31 & notice of deviation.  
CALLAN,L.J. Region 4, Ofc of the Director. 88/07/08. WILLIAMS,R.O. Public Service Co. of Colorado. 2pp. 46147:209-46147 313

-8807120380 Insp Rept 50-267/88-12 on 880501-31. Deviation noted. Major areas inspected: operational safety verification, LER review, monthly maint observation, monthly surveillance observation, radiological protection & monthly security observation.  
FARRELL,R.E., MICHAUD,P.W., HEITNER,K.L. Region 4, Ofc of the Director. 88/06/21. 12pp. 46147:302-46147 313.

8807210007 Requests 30-day extension in submitting Rev 21 to physical security plan re violation noted in Insp Rept 50-267/87-28. Bases for request listed.  
FULLER,C.H. Public Service Co. of Colorado. 88/07/07. Document Control Branch (Document Control Desk). 2pp. 46237:347-46237 348.

8807160200 Revised emergency plan implementing procedures, including Issue 65 to EP A, "Moisture In-Leakage," Issue 64 to EP C, "Loop Shutdown" & Issue 57 to EP K-1, "Environ Disturbances - Earthquake." W/880708 ltr.  
FULLER,C.H. Public Service Co. of Colorado. 88/07/08. 73pp. 46186:207-46186 345.

8807190318 Forwards corrected pages to Rev 19 of physical security plan, explanation of changes & schedule detailing projected const activities & implementation of items. Encl withheld (ref 10CFR73.21).  
FULLER,C.H. Public Service Co. of Colorado. 88/07/15. Document Control Branch (Document Control Desk). 2pp. 46205:274-46205 275.

## J. Insurance & Indemnity Information

8807130166 Advises that financial info submitted for 1988 in 880525 ltr satisfies requirements of 10CFR140.21.  
NASH,D.A. Policy Development & Technical Support Branch (Post 870411). 88/06/27. POLLACK,S.G. Public Service Co. of Colorado. 1p. 46122 045-46122 045.

## P. Operating license stage documents & correspondence

8807220287 "Fort St Vrain Initial Approach to Power (D-Series)," Interim Rept 47 for period ending 880510 W/880715 ltr.



-8807200191 Amend 00 to License DPR-34, revising certain salpoints for protective sys to allow for instrumental on error  
CALVO, J.A. Project Directorate IV. 68/06/20 40pp. 46230.011-46230.050.

-8807200193 Safety evaluation supporting Amend 60 to License DPR 34.  
Ofc of Nuclear Reactor Regulation, Director (Post 870411). 88/06/20 3pp  
46230.051-46230.055

-8807200198 "Technical Evaluation Rpt for Plant Protective Sys Trip Salpoints for Fort St. Vrain Nuclear Generating Station," Informal rept  
STACHEW, J.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). STACHEW, J.C. Idaho National Engineering Laboratory, P.O. Box 6023 EGG-NTA-7289 88/03/31 NRC - No Detailed Affiliation Given. 51pp. 46230.056-46230.105

8807250252 FOIA request for documents re Ofc of Inspector & Auditor investigation into allegations of Reg on IV misconduct at facility.  
REAL, D. Dallas Morning News, Dallas, TX 88/06/20. NRC - No Detailed Affiliation Given. 1p 46230.353-46230.353.

8806280058 Provides addl info re proposed changes to Tech Spec Section 7, "Administrative Controls," in response to 880524 ltr. Util eliminated position of superintendent of training, results of supervisor & shift supervisor training.  
WILLIAMS, R.O. Public Service Co. of Colorado 88/06/23 Document Control Branch (Document Control Desk). 3pp. 45974.332-45974.304.

8807120423 Forwards request for addl info re review of 880628 & 870331 submittals concerning role of operators in mitigating high energy line breaks Response requested within 60 days.  
HEITNER, K.L. Project Directorate IV. 88/06/24. WILLIAMS, R.O. Public Service Co. of Colorado. 5pp 46111.001-46111.005.

8807070402 Advises that review of 880627 response to Generic Ltr 88-03 discloses need for addl info as described in encl request.  
MICHAEL, P.W. Project Directorate IV. 88/06/29 WILLIAMS, R.O. Public Service Co. of Colorado. 4pp. 46125.335-46125.339

8807070529 Documents results of page by page review of Tech Specs, per K Heitner request following initial review of proposed 880420 license amend No technical differences between util & NRC Tech Specs exist Word processing formats different.  
WILLIAMS, R.O. Public Service Co. of Colorado. 88/07/01 CALVO, J.A. Project Directorate IV. 15pp 46110.134-46110.148.

8807140299 Submits summary of discussion held on 880628 & 29 re performance of nuclear power plants licensed by NRC Util categorized as requiring no further NRC spec attention. Summary of discussions re util provided.  
STELL, O.V. Public Service Co. of Colorado. 88/07/08. WALKER, R.F. Ofc of the Executive Director for Operations. 1p. 46177.282-46177.292.

8807250135 Summarizes NRC senior managers 880628 & 29 meetings re performance of operating nuclear power plants Util continues to demonstrate improved performance & discipline in operational activities.  
STELL, O.V. Ofc of the Executive Director for Operations 88/07/08. WALKER, R.F. Public Service Co. of Colorado. 1p 46268.251-46268.251.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Cd. 1.89 encl  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

## Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "Leakage Unit 2 Loss of Recirculation Pumps W/ Pwco Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.158-45978.266.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019.037-46019.152.

8806290028 Responds to NRC 880524 ltr re violations noted in Insp Rept 50-267/88-00 Corrective actions taken chemistry personnel instructed in importance of following procedures & in utilization of procedure rev sys to correct problems.  
WILLIAMS, R.O. Public Service Co. of Colorado. 88/06/22. Document Control Branch (Document Control Desk). 3pp. 45972.321-45972.323.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807070041 Responds to NRC 880602 ltr re violations noted in Insp Rept 50-267/86-11 Corrective actions listed personnel required to complete annual training & retraining program for emergency directors.  
WILLIAMS, R.O. Public Service Co. of Colorado. 88/07/01. Document Control Branch (Document Control Desk). 5pp. 46124.293-46124.301.

8807120358 Forwards Insp Rept 50-267/88-12 on 880501-31 & notice of deviation.  
CALLAN, L.J. Region 4, Ofc of the Director 88/07/06 WILLIAMS, R.O. Public Service Co. of Colorado. 2pp. 46147.299-46147.313

-8807120372 Notice of deviation from Insp on 880501-31 Deviation noted on 880518 & 19, reactor pressure greater than 100 psig helium purge flow indicated to submitters on flow instruments reading 0 or below & flow to CRD porolization 0 or below.  
Region 4, Ofc of the Director. 88/07/06 1p. 46147.301-46147.301.

-8807120380 Insp Rept 50-267/88-12 on 880501-31 Deviation noted Major areas inspected operational safety verification, LER review, monthly maintenance observation, monthly surveillance observation, radiological protection & monthly security observation.  
FARRELL, R.E., MICHAEL, P.W., HEITNER, K.L. Region 4, Ofc of the Director 88/06/21. 12pp. 46147.302-46147.313

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807210007 Requests 30 day extension in submitting Rev 21 to physical security plan reval on noted in Insp Rept 50-267/87-29. Bases for request listed.  
FULLER, C.H. Public Service Co. of Colorado. 88/07/07. Document Control Branch (Document Control Desk). 2pp. 46237.347-46237.348

8807080006 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027

8807120627 Responds to NRC 880610 ltr re violations noted in Insp Rept 50-267/88-10 Corrective actions: Operating Procedures 23 & 31 revised.  
WILLIAMS, R.O. Public Service Co. of Colorado. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46148.235-46148.237

8807190334 Ack receipt of util 880531 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-267/88-08.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/08 WILLIAMS, R.O. Public Service Co. of Colorado. 2pp. 46205.137-46205.138

8807180197 Submits initial response to NRC Bulletin 88-004, "Potential Safety Fluid out Pump Loss." Parallel operation while on main flow does not represent concern due to flow being relatively high on centrifugal pump off design curves.  
WILLIAMS, R.O. Public Service Co. of Colorado. 88/07/11. Document Control Branch (Document Control Desk). 5pp. 46198.345-46198.349.

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valve." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108

8807080386 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807250231 Forwards addl info per IE Bulletin 85-003 concerning motor-operated valve program Max allowable torque switch settings previously used for motor-operated valve program acceptable.  
WILLIAMS, R.O. Public Service Co. of Colorado. 88/07/15. Document Control Branch (Document Control Desk). 8pp. 46274.051-46274.058.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Sequestrants Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.283-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206

## R. Periodic operating reports & related correspondence

8807010543 Forwards monthly operating rept for May 1988 for Fort St Vrain Nuclear Generating Station & "CRD Partial Scram Test Results & Max Daily Temp Rept."  
FULLER, C.H. Public Service Co. of Colorado. 88/06/18. Document Control Branch (Document Control Desk). 1p. 45978.338-45978.351.

-8807010003 Monthly operating rept for May 1988 for Fort St Vrain Nuclear Generating Station.  
NOVACHEK, F.J. Public Service Co. of Colorado. 88/05/31. 8pp. 45978.339-45978.348.

-8807010554 "CRD Partial Scram Test Results & Max Daily Temp Rept."  
SPIKER, O.L., MCCALEY, J. Public Service Co. of Colorado. 88/05/31 5pp. 45978.347-45978.351.

8807070050 Provides 1987 annual rept on actions taken by util to mitigate moisture ingress into primary coolant sys & actions pending to mitigate moisture ingress into primary coolant sys  
WILLIAMS, R.O. Public Service Co. of Colorado. 88/06/30. Document Control Branch (Document Control Desk). 7pp. 46125.230-46125.236

# S. Reportable occurrences, LERs & related correspondence

8807110363 PNO-IV-88-054 on 880705, reactor shut down to commence 98-day planned outage to replace fasteners associated w/titanium circulators. Licensee schedule calls for return to operations on 881007. Region IV prepared to respond to media inquiries.  
WESTERMAN, T.F. Region 4, OIC of the Director. 88/07/06. 1p. 46185.031-46185.031

8807250191 LER 88-010-01 on 880509, wide-range nuclear channel upscalded from noise source & activated scram channel. Caused by electronic noise induction into channels. Zero cross switches installed & cab's grounded W/880715 ltr.  
JOSEPH, M.A., FULLER, C.H. Public Service Co. of Colorado. 88/07/14. 6pp. 46273.301-46273.306

# DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

# F. Security, medical, emergency & fire protection plans

8807070221 Rev 26 to crisis mgt plan W/880824 ltr  
TUCKER, H.B. Duke Power Co. 88/06/15. 38pp. 46118.281-46118.321.

8807080189 Forwards Revs 88-2 & 88-3 to Vol B & C of plant implementing procedures emergency plan, respectively.  
TUCKER, H.B. Duke Power Co. 88/06/27. Document Control Branch (Document Control Desk). 2pp. 46118.141-46118.289.

-8807080585 Rev 88-2 to Vol B of "Implementing Procedures Emergency Plan."  
TUCKMAN, M.S. Duke Power Co. 88/05/20. 64pp. 46118.143-46118.227.

-8807080588 Rev 88-3 to Vol C of "Implementing Procedures Emergency Plan."  
\* Duke Power Co. 88/05/20. 70pp. 46118.228-46118.289.

8807130186 Forwards public version of revised emergency plan implementing procedures, including Rev 88-3 to Vol B.  
TUCKER, H.B. Duke Power Co. 88/06/28. Document Control Branch (Document Control Desk). 4pp. 46163.298-46163.333.

-8807130191 Public version of revised emergency plan implementing procedures, including HP/O/1009/11, "Protocol of Offsite Dose from Uncontrolled Release of Radioactive Metals Through Unit Vent" & HP/O/B/1009/12 re potassium distribution.  
TUCKMAN, M.S. Duke Power Co. 88/06/28. 32pp. 46163.301-46163.333.

8807050287 Rev 88-1 to "Oconee Nuclear Station Emergency Plan Manual," Vol A.W/880821 ltr.  
TUCKMAN, M.S., TUCKER, H.B. Duke Power Co. 88/06/30. 10pp. 46020.324-46020.335.

8807130183 Provides updated implementation schedule for development of emergency operating facility, including crisis mgt ltr.  
TUCKER, H.B. Duke Power Co. 88/07/06. Document Control Branch (Document Control Desk). 2pp. 46164.040-46164.041.

# K. Utility Final Safety Analysis Report (FSAR) & amendments

8807050081 Update to FSAR for Oconee Nuclear Station W/880701 ltr.  
TUCKER, H.B. Duke Power Co. 88/07/01. 290pp. 46089.302-46070.231.

# P. Operating license stage documents & correspondence

8807050455 Summary of 880602 meeting w/util in Bethesda, MD to discuss response to Generic Ltr 87-02 re seismic qualification of equipment per USI A-48.  
TOURIGNY, E.G. Project Directorate II-2. 88/06/16. Project Directorate II-2. 10pp. 45991.296-45992.003.

-8807050491 Forwards evaluation of safety issues re regulatory analysis for plant-specific emergency feedwater sys backfit.  
CONGEL, F.J. Risk & Reliability Assessment Branch. 88/03/08. PARR, O. Plant Electrical, Instrumentation & Control Systems Branch (PWR-B). 6pp. 45981.358-45992.003.

8807110283 Forwards Amends 188, 168 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively. Amends revise Tech Specs to update LOCA - limited max allowable linear heat rates reflecting effects of NUREG-0630 models & analytical results using FLEXSET.  
PASTIS, H.N. Project Directorate II-3. 88/06/23. TUCKER, H.B. Duke Power Co. 3pp. 46100.073-46100.087.

-8807110291 Amends 188, 168 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively, revising Tech Specs to update LOCA-limited max allowable linear heat rates reflecting effects of NUREG-0630 models & analytical results w/use of FLEXSET correlation.  
MATTHEWS, D.B. Project Directorate II-3. 88/06/23. 8pp. 46100.076-46100.083.

-8807110303 Safety evaluation supporting Amends 168, 168 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively.  
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 3pp. 46100.084-46100.088.

-8807110308 Requests FR publication of notice of issuance of Amends 168, 168 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively. Amends revise common Tech Specs to update LOCA-limited max allowable linear heat rates.  
PASTIS, H.N. Project Directorate II-3. 88/06/23. NRC - No Detailed Affidavit Given. 1p. 46100.087-46100.087.

8807130323 "Oconee 2 Cycle 10 Startup Testing Rept." W/880707 ltr.  
TUCKER, H.B. Duke Power Co. 88/07/07. 15pp. 46184.001-46184.015.

8807150081 Notification of 880714 meeting w/B&W Owners Group in Rockville, MD to discuss plant operation in decay heat removal modes. Meeting agenda encl.  
TRAMMELL, C.M. Project Directorate V. 88/07/07. KNIGHTON, G.W. Project Directorate V. 3pp. 46183.151-46183.317.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807180017 Ack receipt of 880720 ltr appealing NRC 871029 denial of util 870901 backfit claim re containment integrated leak rate testing requirements per App J of 10CFR50. Matter currently under review.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. TUCKER, H.B. Duke Power Co. 4pp. 46203.010-46203.023.

# Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.268.

8807050575 Forwards Insp Repts 50-269/88-14, 50-270/88-14 & 50-287/88-14 on 880516-19. No violations or deviations noted. Major areas inspected: emergency power, engineering, design changes, resolution of design problems & surveillance testing.  
HERDT, A.R. Region 2, OIC of the Director. 88/06/20. TUCKER, H.B. Duke Power Co. 2pp. 46074.039-46074.045.

-8807050578 Insp Repts 50-269/88-14, 50-270/88-14 & 50-287/88-14 on 880516-19. No violations or deviations noted. Major areas inspected: emergency power, engineering, design changes, resolution of design problems & surveillance testing.  
FILLION, P., CONLON, T. Region 2, OIC of the Director. 88/06/14. 5pp. 46074.041-46074.045.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46010.037-46010.152.

8807130048 Confirms 880701 enforcement conference w/util at Region II oic to discuss NRC findings resulting from equipment qualification inspections at plants.  
GRACE, J.N. Region 2, OIC of the Director. 88/06/22. TUCKER, H.B. Duke Power Co. 1p. 46172.175-46172.175.

8807130128 Ack receipt of 880608 ltr re weaknesses noted in Insp Repts 50-268/88-09, 50-270/88-09 & 50-287/88-09 on 880505.  
COLLINS, D.M. Region 2, OIC of the Director. 88/06/22. TUCKER, H.B. Duke Power Co. 1p. 46180.328-46180.329.

8806210036 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.285.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.286-46020.018.

8807120105 Forwards summary of 880607 meeting re concerns noted in Insp Repts 50-269/88-13, 50-270/88-13 & 50-287/88-13. List of attendees also encl.  
GRACE, J.N. Region 2, OIC of the Director. 88/06/27. TUCKER, H.B. Duke Power Co. 4pp. 46148.083-46148.088.

8807120254 Forwards Insp Repts 50-269/88-11, 50-270/88-11 & 50-287/88-11 on 880425-0505. No violations or deviations noted. Rept documents commitments made by licensee & disputed recommendations. Response requested with n 30 days.  
GRACE, J.N. Region 2, OIC of the Director. 88/06/28. TUCKER, H.B. Duke Power Co. 2pp. 46154.235-46154.261.

-8807120257 Insp Repts 50-269/88-11, 50-270/88-11 & 50-287/88-11 on 880425-0505. No violations or deviations noted. Major areas inspected: review of adequacy of emergency operation procedures.  
LAWYER, L., JULIAN, C.A. Region 2, OIC of the Director. 88/06/07. 25pp. 46154.237-46154.261.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807250182 Forwards supporting viewgraphs used during 880701 enforcement conference re environ qualification of equipment loop accuracy calculation for Oconee high-range radiation monitor also encl.  
TUCKER, H.B. Duke Power Co. 88/07/07. Document Control Branch (Document Control Desk). 104pp. 46255.080-46255.183.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.022.

8807260316 Responds to NRC Bulletin 88-004, "Potentially Safety Related Pump Loss." Receipt of manufacturer info & evaluation of info expected by 8/28/81.  
TUCKER, H.B. Duke Power Co. 88/07/11. Document Control Branch (Document Control Desk) 5pp. 46268-159-46288-163.

8807120281 NRC Info Notice 88-046, "Licensee Report of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-109

8807080366 NRC Info Notice 88-047, "Slower Than Expected Rod Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324

8807120550 NRC Info Notice 88-049, "Marking/Handling/Control/Storage & Destruction of Safety-related Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-016

8807260269 Responds to NRC Bulletin 87-032, Supp's 1 & 2 re safety-related boiling reactors & fastener testing.  
TUCKER, H.B. Duke Power Co. 88/07/18. Document Control Branch (Document Control Desk) 13pp. 46287-249-46287-261.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-006-46257-208

#### R. Periodic operating reports & related correspondence

8807140276 Summary of Nuclear Station Mode & Exempl Change Variation Notices Completed Under 10CFR50.59 for 1987. W/880701 tr.  
TUCKER, H.B. Duke Power Co. 87/12/31. 23pp. 46177-326-46177-347

8807250310 Monthly operating reports for June 1988 for Oconee Station, Units 1, 2 & 3. W/880715 tr.  
REAVIS, J.A., TUCKER, H.B. Duke Power Co. 88/06/20. 17pp. 46255-260-46255-278.

#### S. Reportable occurrences, LERs & related correspondence

8806290169 Advises that LER 88-007-06 re scenarios for which adequate NPSH for high pressure injection pumps will be substituted by 880620.  
TUCKER, H.B. Duke Power Co. 88/06/20. Document Control Branch (Document Control Desk) 1p. 46973-347-45973-347.

8806290419 Advises that LER 88-007-09 re missed firewatches due by 880622, will be submitted by 880706.  
TUCKER, H.B. Duke Power Co. 88/06/22. Document Control Branch (Document Control Desk) 1p. 45987-267-45987-267.

8807130327 LER 88-007-03 on 880518, multiple firewatches missed resulting in Tech Spec violation caused by personnel error & mgt deficiency. Firewatch tours placed on separate firewatch surveillance log sheet. W/880706 tr.  
NORTH, P.J., TUCKER, H.B. Duke Power Co. 88/07/06. 11pp. 46169-100-46169-208.

#### Y. Dry Cask Independent Spent Fuel Storage Installations

8807110386 Forwards questions re environ repl for ISFSI dtd 880331. Questions will be discussed during upcoming site visit on 880714.  
ROBERTS, J.P. Fuel Cycle Safety Branch. 88/06/24. TUCKER, H.B. Duke Power Co. 5pp. 46082-051-46082-055

8807130404 Forwards notice of consideration of issuance of matts license & amends to OLS & opportunity for hearing. Amends would modify Tech Specs to allow use of multi-element spent fuel dry shielded canisters, per 880331 request.  
ROUSE, L.C. Fuel Cycle Safety Branch. MATTHEWS, D.B. Project Directorate II-3. 88/06/30. TUCKER, H.B. Duke Power Co. 2pp. 46166-223-46166-230.

8807130409 Notice of consideration of issuance of matts license for storage of spent fuel & amends to Licenses DPR-38, DPR-47 & DPR-55. Amend would revise Tech Specs to allow use of multi-element spent fuel dry shielded canisters.  
ROUSE, L.C. Fuel Cycle Safety Branch. MATTHEWS, D.B. Project Directorate II-3. 88/06/30. 6pp. 46166-225-46166-233.

#### DOCKET 80-270 OCONEE NUCLEAR STATION, UNIT 2

##### F. Security, medical, emergency & fire protection plans

8807070221 Rev 26 to crisis mgmt plan. W/880624 tr.  
TUCKER, H.B. Duke Power Co. 88/06/15. 38pp. 46118-281-46118-321.

8807060189 Forwards Revs 88-2 & 88-3 to Vol B & C of plant implementing procedures emergency plan, respectively.  
TUCKER, H.B. Duke Power Co. 88/06/27. Document Control Branch (Document Control Desk) 2pp. 46118-141-46118-289.

8807060585 Rev 88-2 to Vol B of "Implementing Procedures Emergency Plan."  
TUCKMAN, M.S. Duke Power Co. 88/05/20. 64pp. 46118-143-46118-227.

8807060588 Rev 88-3 to Vol C of "Implementing Procedures Emergency Plan."  
Duke Power Co. 88/05/20. 70pp. 46118-228-46118-289

8807130188 Forwards public version of revised emergency plan implementing procedures, including Rev 88-3 to Vol B.  
TUCKER, H.B. Duke Power Co. 88/06/28. Document Control Branch (Document Control Desk) 4pp. 46163-298-46163-333.

8807130191 Public version of revised emergency plan implementing procedures, including I-P/O/1009/11, "Protection of Offsite Dose from Uncontrolled Release of Radioactive Mists Through Unit Vent" & I-P/O/B/1009/12 re potability distribution.  
TUCKMAN, M.S. Duke Power Co. 88/06/28. 32pp. 46163-301-46163-333

8807050287 Rev 88-1 to "Oconee Nuclear Station Emergency Plan Manual," Vol A. W/880521 tr.  
TUCKMAN, M.S., TUCKER, H.B. Duke Power Co. 88/06/30. 10pp. 46020-321-46020-335

8807130183 Provides updated implementation schedule for development of emergency operating facility, including 88-3 to Vol B.  
TUCKER, H.B. Duke Power Co. 88/07/08. Document Control Branch (Document Control Desk) 2pp. 46164-040-46164-041

##### K. Utility Final Safety Analysis Report (FSAR) & amends

8807050081 Update to FSAR for Oconee Nuclear Station W/880701 tr.  
TUCKER, H.B. Duke Power Co. 88/07/01. 28pp. 46069-302-46070-231.

##### P. Operating license stage documents & correspondence

8807050455 Summary of 880602 meeting w/Unit in Bethesda, MD to discuss response to Generic LR 87-02 re seismic qualification of equipment per USI A-48.  
TUCKMAN, M.S., Project Directorate II-2. 88/06/16. Project Directorate II-2. 10pp. 45991-258-45992-003.

8807050491 Forwards evaluation of safety issues re regulatory analysis for plant-specific emergency feedwater system backfill.  
CONGEE, F.J. Risk & Reliability Assessment Branch. 88/03/06. PARRO, Paul. Etowah Co., Instrumentation & Control Systems Branch (PWR-B) 8pp. 45091-358-45092-003

8807110283 Forwards Amends 160, 168 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively. Amends revise Tech Specs to update LOCA limited max allowable linear heat rates reflecting effects of NUREG-0830 models & analytical results using FLEXSET.  
PASTIS, H.N. Project Directorate II-3. 88/06/23. TUCKER, H.B. Duke Power Co. 3pp. 46100-073-46100-087.

8807110291 Amends 160, 168 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively, revising Tech Specs to update LOCA limited max allowable linear heat rates reflecting effects of NUREG-0830 models & analytical results using FLEXSET correlation.  
MATTHEWS, D.B. Project Directorate II-3. 88/06/23. 8pp. 46100-076-46100-093.

8807110303 Safety evaluation supporting Amends 160, 168 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively.  
Office of Nuclear Reactor Regulation, Director (Post 870411) 88/06/23. 3pp. 46100-084-46100-086.

8807110308 Requests FR publication of notice of issuance of Amends 160, 168 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively. Amends revise common Tech Specs to update LOCA limited max allowable linear heat rates.  
PASTIS, H.N. Project Directorate II-3. 88/06/23. NRC - No Detailed Affiliation Given. 1p. 46100-087-46100-087.

8807130323 "Oconee 2 Cycle 10 Startup Testing Rept." W/880707 tr.  
TUCKER, H.B. Duke Power Co. 88/07/07. 15pp. 46164-001-46164-015

8807150081 Notification of 880714 meeting w/B&W Owners Group in Rocky Hill, MD to discuss plant operation in decay heat removal modes Meeting agenda encl.  
TRAMMELL, C.M. Project Directorate V. 88/07/07. KNIGHTON, G.W. Project Directorate V. 3pp. 46183-315-46183-317.

8807130454 Generic LR 88-11 to all licensees of operating reactors & holders of CFEs re NRC position on regulation embrittlement of reactor vessel matts & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

8807180017 Ack receipt of 880720 tr. appealing NRC 871020 denial of w/ 870501 backfill claim re containment integrated leak rate testing requirements per App J of 10CFR50. Matter currently under review.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/12. TUCKER, H.B. Duke Power Co. 4pp. 46203-010-46203-023.

##### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-166-45978-260

8806280389 Provides info re Unit 2 steam generator inspection insp completed on 880320. Lists to tubes located in once-through steam generator A & B respectively which have eddy current indications of degraded tubes encl.  
TUCKER, H.B. Duke Power Co. 88/06/20. Document Control Branch (Document Control Desk) 6pp. 45984-274-45984-279.

8807050575 Forwards Insp Repts 50-269/88-14, 50-270/88-14 & 50-287/88-14 or 880518-19. No violations or deviations noted.  
HERDT, A.R. Region 2, Oic of the Director. 88/06/20. TUCKER, H.B. Duke Power Co. 2pp. 46074-039-46074-045.

8807050576 Insp Repts 50-269/88-14, 50-270/88-14 & 50-287/88-14 on 880518-19. No violations or deviations noted. Major areas inspected emergency power, engineering, design changes, resolution of design problems & surveillance testing.  
FILLION, P., CONLON, T. Region 2, Oic of the Director. 88/06/14. 5pp. 46074-041-46074-045.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:165

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

8807130049 Confirms 880701 enforcement conference w/utl at Region II o/c to discuss NRC findings resulting from equipment qualification insps at plants. GRACE,J.N. Region 2, O/c of the Director. 88/06/22. TUCKER,H.B. Duke Power Co. 1p. 46172:175-46172:175.

8807130128 Ack receipt of 880608 ltr re weaknesses noted in Insp Repts 50-269/88-09, 50-270/88-09 & 50-287/88-09 on 880505 COLLINS,D.M. Region 2, O/c of the Director. 88/06/22. TUCKER,H.B. Duke Power Co. 1p. 46168:329-46168:329.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:163-46019:265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018

8807120105 Forwards summary of 880607 meeting re concerns noted in Insp Repts 50-269/88-13, 50-270/88-13 & 50-287/88-13. List of attendees also encl. GRACE,J.N. Region 2, O/c of the Director. 88/06/27. TUCKER,H.B. Duke Power Co. 4pp. 46148:093-46148:096.

8807120254 Forwards Insp Repts 50-269/88-11, 50-270/88-11 & 50-287/88-11 on 880425-0505 No violations or deviations noted.Rept documents comments made by licensee & disputed recommendations.Response requested within 30 days. GRACE,J.N. Region 2, O/c of the Director. 88/06/28. TUCKER,H.B. Duke Power Co. 2pp. 46154:235-46154:261

-8807120257 Insp Repts 50-269/88-11, 50-270/88-11 & 50-287/88-11 on 880425-0505 No violations or deviations noted.Major areas inspected review of adequacy of emergency operation procedures. LAWYER,L. JULIAN,C.A. Region 2, O/c of the Director. 88/06/07. 25pp. 46154:237-46154:261

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807250182 Forwards supporting photographs used during 880701 enforcement conference in environ qualification of equipment Loop accuracy calculation for Oconee high-range radiation monitor also encl. TUCKER,H.B. Duke Power Co. 88/07/07. Document Control Branch (Document Control Desk) 104pp. 46255:060-46255:163.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:006.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257:258-46258:018.

8807160101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:088-46257:206.

## R. Periodic operating reports & related correspondence

8807140278 "Summary of Nuclear Station Mods & Exempt Change Variation Notices Completed Under 10CFR50.59 for 1987." W/880701 ltr. TUCKER,H.B. Duke Power Co. 87/12/31. 23pp. 46177:326-46177:347.

8807250310 Monthly operating repts for June 1988 for Oconee Station, Units 1, 2 & 3 W/880715 ltr.

## S. Reportable occurrences, LERs & related correspondence

8807200190 LER 88-031:01 on 880215 brace used to help secure printed circuit boards in vital inverter 2DIB discovered missing On 880222, determined by design engineering that inverter was mechanically tested & qualified w/brace W/880712 ltr. NORTH,P.J., TUCKER,H.B. Duke Power Co. 88/07/12. 8pp. 46229:201-46229:208

## Y. Dry Cask Independent Spent Fuel Storage Installations

8807110386 Forwards questions re environ rpt for ISFSI dtd 880331. Questions will be discussed during upcoming site visit on 880714. ROBERTS,J.P. Fuel Cycle Safety Branch. 88/06/24. TUCKER,H.B. Duke Power Co. 5pp. 46082:051-46082:055

8807130404 Forwards notice of consideration of issuance of mats license & amends to OLS & opportunity for hearing Amends would modify Tech Specs to allow use of multi-element spent fuel dry shielded caskisters, per 880331 request. ROUSE,L.C. Fuel Cycle Safety Branch. MATTHEWS,D.B. Project Directorate II-3. 88/06/30. TUCKER,H.B. Duke Power Co. 2pp. 46166:223-46166:230.

-8807130409 Notice of consideration of issuance of mats license for storage of spent fuel & amends to Licenses DPR-38,DPR-47 & DPR-55 Amend would revise Tech Specs to allow use of multi-element spent fuel dry shielded caskisters. ROUSE,L.C. Fuel Cycle Safety Branch. MATTHEWS,D.B. Project Directorate II-3. 88/06/30. 6pp. 46166:225-46166:230.

## DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

## F. Security, medical, emergency & fire protection plans

8807150071 Requests exemption from provisions of 10CFR50, App R, Section III J, "Emergency Lighting" for reactor building torus area. Fee paid. MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 88/06/28. Document Control Branch (Document Control Desk). 2pp. 46181:334-46181:335.

8807180072 Forwards Safety Insp Rept 50-271/88-08 on 880517-0630 No violations noted. WIGGINS,J.T. Region 1, O/c of the Director. 88/07/08. MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 2pp. 46215:302-46215:330

-8807190074 Insp Rept 50-271/88-08 on 880517-0630 No violations noted. Major areas inspected actions on previous insp findings, operational safety, security, plant operations, maint & surveillance, engineering support & radiological controls. HAVERKAMP,D.R. Region 1, O/c of the Director. 88/07/08. 27pp. 46215:304-46215:330.

## G. Adjudicatory correspondence

8807110007 Memorandum & order.\* Joint motion of NRC, State of VT & Vermont Yankee Nuclear Power Corp. to terminate proceeding, dtd 880603, granted & State of VT petition to intervene dismissed based on absence. Served on 880701. HOYT,H.F. Atomic Safety and Licensing Board Panel. #388 6649. 88/06/30. Office of the General Counsel. 2pp. 46033:297-46033:298.

8807150017 Licensee response to joint motion of Commonwealth of MA & New England Coalition on Nuclear Pollution for order staying effectiveness of License Amend 104..\* Motion should be denied W/ Certificate of Svc. GAD,R.K., SELLECK,K.A. Vermont Yankee Nuclear Power Corp. GAD,R.K. Ropes & Gray. #388 6698. 88/07/07. Atomic Safety and Licensing Board Panel. 27pp. 46191:013-46191:049.

-8807150021 Affidavit of WP Murphy.\* Discusses installation of new NES racks prior to next refueling outage. W/Certificate of Svc. MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 88/07/07. 10pp. 46191:040-46191:049.

8807140063 Joint motion of New England Coalition on Nuclear Pollution & Commonwealth of MA for leave to reply to applicant response to stay motion.\* Motion should be granted W/ Certificate of Svc. FERSTER,A. New England Coalition on Nuclear Pollution. FERSTER,A. Massachusetts, Commonwealth of. FERSTER,A. Harmon & Wells. #388 6695. 88/07/08. Atomic Safety and Licensing Board Panel. 6pp. 46117:293-46117:297.

8807150079 Joint motion of New Coalition on Nuclear Pollution & Commonwealth of MA for leave to reply to applicants response to stay motion.\* Served on 880713. Granted for Board on 880712. \* New England Coalition on Nuclear Pollution. \* Massachusetts, Commonwealth of. #388 6700. 88/07/08. Atomic Safety and Licensing Board Panel. 1p. 46189:301-46189:301.

8807150026 Second prehearing conference order (rulings on temporary stay order & on schedules).\* Temporary stay of License Amend 104 denied, further discovery in supra authorized & NRC requested to provide status report by 880801. Served on 880713. BECHHOEFER,C. Atomic Safety and Licensing Board Panel. #388 6699. 88/07/12. Vermont Yankee Nuclear Power Corp. 6pp. 46180:350-46189:355.

8807200041 NRC Staff response to joint motion of Commonwealth of MA & New England Coalition on Nuclear Pollution.\* Board has no jurisdiction to grant stay sought & should deny motion W/ Certificate of Svc. HODGDON,A.P. Assistant General Counsel for Hearings. #388 6732. 88/07/12. Atomic Safety and Licensing Board Panel. 13pp. 46193:266-46193:308.

8807200027 Forwards 880715 stipulation among State of VT, utl & NRC. RITSHER,J.A. Vermont Yankee Nuclear Power Corp. RITSHER,J.A. Ropes & Gray. #388 6731. 88/07/15. Docketing & Services Branch. 1p. 46192:357-46192:359.

-8807200029 Stipulation.\* Stipulation re utl 880523 application for amend to OL allowing utilization of GE & RB fuel. RITSHER,J.A. Vermont Yankee Nuclear Power Corp. RITSHER,J.A. Ropes & Gray. #388 6732. 88/07/15. Docketing & Services Branch. 1p. 46192:357-46192:359.

8807220021 Joint reply of New England Coalition on Nuclear Pollution & Commonwealth of MA to applicant & Staff response to stay motion \* Requests that intervenors joint motion be granted. Certificate of Svc encl  
FERSTER,A. Vermont Yankee Nuclear Power Corp. FERSTER,A. Harmon & Weiss #388 8760 88/07/15. Atomic Safety and Licensing Board Panel. 21pp 46195 236-46195 258.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp 46019 153-46019 265

8807220027 Prehearing conference order/rulings on contention & schedules \* State of VT & Commonwealth of MA admitted as intervenors to proceeding & discovery schedule established on 880628 Certificate of Svc encl Served on 880719  
BECHHOEFER,C. Assistant General Counsel for Hearings #388 8763 88/07/18. Office of the General Counsel 9pp 46196-097-46196 016.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/24 Consolidated Edison Co. of New York, Inc. 114pp 46019 266-46020 018.

8807220042 Forwards stipulation executed by NRC to allow amendment to license to use GE 8x8 fuel.  
WEISMAN,R.M. Assistant General Counsel for Hearings #388 8750 88/07/18. Office of the Secretary of the Commission 1p. 46195 359-46195 361

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 46242 100-46242 212

8807220046 Stipulation. \* Stipulation to allow request to amend license to allow utilization of GE 8x8 fuel.  
WEISMAN,R.M. Assistant General Counsel for Hearings 88/07/18. 2pp 46195 360-46195 361.

8807080006 NRC Info Notice 88-046, "Licensee Report of Defective Refueled Circuit Breakers." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/06 Consolidated Edison Co. of New York, Inc. 107pp 46231 281-46232 027

#### H. General correspondence

8807010675 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 88/06/15. NRC - No Detailed Affiliation Given 2pp 45903 106-45903 107.

8807190072 Forwards Safety Insp Rept 50-271/88-08 on 880517 0630 No violations noted  
WIGGINS,J.T. Region 1, Ofc of the Director 88/07/08 MURPHY,W.P. Vermont Yankee Nuclear Power Corp 2pp 46215 302-46215 330

8807190074 Insp Rept 50-271/88-08 on 880517 0630 No violations noted. Major areas inspected actions or previous Insp findings, operational safety security, plant operations, maint & surveillance, engineering support & radiological controls  
HAVERKAMP,D.R. Region 1, Ofc of the Director. 88/07/08 27pp 46215 304-46215 330.

#### P. Operating license stage documents & correspondence

8806300019 Forwards addl pages not included in "Report on Containment Safety at Vermont Yankee," did 880429.  
ROONEY,V.L. Project Directorate I-3. 88/06/23 MCKINIGHT,J. Document Control Branch (Document Control Desk) 4pp 45983 025-45989 029.

8807180180 Responds to NRC Bulletin 88-004 re potential safety related pump loss. Long-term resolution actions, including obtaining pump vendor recommendations, expected to be completed by 880901.  
MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 88/07/14. Document Control Branch (Document Control Desk). 10pp. 46188 272-46188 281

8807080223 Submit clarification of info in 880429 ltr re operational OA program (YOOP-1-A). Rev 16 per questions in 880629 letter between P.K. Eapen RW Winters & A. Shepard. Changes to Sections I.B.1.b & X.B.1.b discussed.  
SHEPARD,A.M. Yankee Atomic Electric Co. 88/06/29 Document Control Branch (Document Control Desk). 2pp. 46140 069-46140 070.

8807120291 NRC Info Notice 88-048, "Licensee Report of Defective Refueled Valves" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp 46242 006-46242 109

8807120034 Responds to NRC 880404 ltr requesting addl info re Generic Ltr 83-28. All reactor trip function components classified as safety related identified & entered onto master equipment list  
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 88/07/01. Document Control Branch (Document Control Desk) 2pp 46155 301-46155 002.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Climb Times" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.63 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257 207-46257 257.

8807260382 Forwards Insp Rept 50-271/88-09 on 880608-10 Determination as to whether further action appropriate w.r.t. be made after full review of unresolved issues concerning radioactivity detected in town of Brattleboro waste treatment facility  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/07/14. MURPHY,W.P. Vermont Yankee Nuclear Power Corp. 3pp. 46273 173-46273 181.

8807250299 Forwards "Impact of Alternate Testing on Component & Sys Availability," per NRC 880509 request for addl info re 871207 amend request, revising surveillance/alternate testing requirements of certain engineered safeguards equipment  
CAPSTICK,R.W. Vermont Yankee Nuclear Power Corp. 88/07/15. Document Control Branch (Document Control Desk). 2pp 46273 311-46274 036.

8807250386 Insp Rept 50-271/88-09 on 880620 24 Unresolved item identified. Major areas inspected offsite disposal of sewage waste containing licensed mill from Jan 1986 - May 1988.  
PASCIAK,W.J., BELLAMY,R.R. Region 1, Ofc of the Director 88/07/13 6pp 46273 176-46273 181.

8807260327 "Impact of Alternate Testing on Component & Sys Availability,"  
BURNS,K.J. Vermont Yankee Nuclear Power Corp. DYKES,A.A. Pickard, Lowe & Garlick, Inc. 88/07/15. 85pp 46273 313-46274 036.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Distribution of Safeguards Info." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/16 Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Redirection Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45976 156-45976 266.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/16 Consolidated Edison Co. of New York, Inc. 118pp 46257 258-46258 016

8807080020 Ack receipt of 880516 ltr discussing Info Notice 88-021 on inadvertent criticalities. Discovery of three repts dealing w/ three events mentioned in ltr noted.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/16. HANAUER,S.H. Technical Analysis Corp. 2pp. 46134 176-46134 180

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46257 086-46257 206

8807010037 Forwards Safety Assessment Team Insp Rept 50-271/88-05 on 880404-08. Weaknesses noted. Plant safety operated, well maintained & adequately staffed. Strengths & weaknesses listed.  
JOHNSTON,W.V. Region 1, Ofc of the Director. 88/06/21. MURPHY,W.P. Vermont Yankee Nuclear Power Corp 3pp. 46020 162-46020 203.

#### R. Periodic operating reports & related correspondence

8807210229 Monthly operating rept for June 1988 for Vermont Yankee Nuclear Power Station W/880710 ltr.  
WALLIN,G.A., MURPHY,W.P. Vermont Yankee Nuclear Power Corp 88/06/30 6pp 46236 068-46236 073.

8807010039 Insp Rept 50-271/88-05 on 880404 C3. Weaknesses noted. Major areas inspected: facility & effluent radiological controls, plant operations, surveillance testing, plant maint activities & design changes  
ANDERSON,C. Region 1, Ofc of the Director. 88/06/08 30pp. 46020 165-46020 203.

#### T. Hearing transcripts on non-antitrust matters

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8807080390 Transcript of 880628 prehearing conference in Brattleboro, VT. Pp 226 363  
\* Atomic Safety and Licensing Board Panel 88/06/28 117pp. 46088 653 46088 663

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45970 034-45978 165.

8807080394 Transcript of 880628 prehearing status conference in Brattleboro, VT. Pp 5-43.  
\* Atomic Safety and Licensing Board Panel 88/06/28. 46pp 46102 181 46102 229



## F. Security, medical, emergency &amp; fire protection plans

8807070398 Forwards Amends 86 & 59 to Licenses DPR-70 & DPR-75, respectively. Amends modify Paragraph 2 E to require compliance w/amended physical security plan.

FISCHER, D.C. Project Directorate I-2. 88/06/27. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 4pp. 46136-339-46136-351.

8807070399 Amends 86 & 59 Licenses DPR-70 & DPR-75, respectively, modifying Paragraph 2 E to require compliance w/amended physical security plan.

BUTLER, W.R. Project Directorate I-2. 88/06/27. 6pp. 46136-343-46136-348.

8807070400 Safeguards evaluation rept supporting Amends 86 & 59 to Licenses DPR-70 & DPR-75, respectively.

\* NRC - No Detailed Affiliation Given. 88/06/27. 3pp. 46136-349-46136-351.

8807070577 Forwards final exercise rept on 870809 for Artificial Island Radiological Emergency Station Offsite radiological emergency plans & preparedness remain adequate to protect health & safety on public in event of accident.

BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/28. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 3pp. 46123-110-46123-157.

8807050378 Forwards Rev 1 to Artificial Island security contingency plan, including recent NRC/FBI agreement that only FBI can classify event as sabotage & implementation of unit response to Insp Repts 50-272/86-30 & 50-311/86-32.

MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/06/29. Document Control Branch (Document Control Desk). 2pp. 46075-317-46075-318.

8807200225 Documents 880806 meeting in Region I re proposed changes to protected area perimeter, security program enhancements & NRC-approved safeguards contingency plan concerning Insp Repts 50-272/86-30 & 50-311/86-32.

SJOBLUM, G.L. Region 1, Ofc of the Director. 88/07/01. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 46228-324-46228-327.

8807110475 Rev 6 to Artificial Island Emergency Plan Administrative Procedure EPIP 1013, "Emergency Response Personnel Telephone List."

\* Public Service Electric & Gas Co. of New Jersey. 88/07/08. 19pp. 46153-286-46153-304.

8807120233 Rev 4 to Emergency Plan Implementing Procedure EPIP 802, "Radiological Dose Assessment."

\* Public Service Electric & Gas Co. of New Jersey. 88/07/08. 87pp. 46143-001-46143-088.

8807190219 Informs of revised implementation schedule for App R mod. Mod to CO2 sys redesign due to identified seismic concerns & desire to eliminate need for local operator response. Mods will be completed by 880830.

MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/07/12. Document Control Branch (Document Control Desk). 2pp. 46208-167-46208-168.

H. General correspondence

8807200338 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.

BIDEN, J.R. Affiliation Not Assigned. 87/02/24. NRC - No Detailed Affiliation Given. 2pp. 46208-049-46208-050.

K. Utility Final Safety Analysis Report (FSAR) & amends

8807250328 Rev 8 to updated FSAR for Salem Generating Station. W/880722 ltr.

MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/07/22. 300pp. 46283-152-46283-024.

P. Operating license stage documents & correspondence

8807180280 Forwards results of review priority for open TACs per 880527 memo.

BUTLER, W.R. Project Directorate I-2. 88/06/10. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 3pp. 46200-175-46200-177.

8807050103 Ack receipt of 880527 ltr confirming that procedures re Generic Ltr 88-03, "Steam Binding Auxiliary Feedwater Pumps," acceptable.

FISCHER, D.C. Project Directorate I-2. 88/06/22. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 45988-052-45988-054.

8807100591 Application for amends to Licenses DPR-70 & DPR-75, correcting typos in Tech Spec Sections 3.1.3.4 & 3.1.3.5, including changes to clarify applicability of surveillance requirement for rod position verification. Fee paid.

MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/06/23. Document Control Branch (Document Control Desk). 6pp. 46017-267-46017-280.

8807100602 Proposed Tech Specs revising Sections 3.1.3.4 & 3.1.3.5 to correct typos incorporated by previously approved amend.

\* Public Service Electric & Gas Co. of New Jersey. 88/06/23. 8pp. 46017-273-46017-280.

8807050517 Forwards AEOB Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Braidwood Unit 1.

ROSENTHAL, J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER, C.H. Generic Communications Branch. 2pp. 45988-060-45988-066.

8807050550 Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector."

\* Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45988-062-45988-066.

8806210325 "Evaluation of Offsite Dose Calculation Manual, Rev 3, Salem Generating Station Units 1 & 2." Technical evaluation rept.

SERRANO, W. YOUNG, T.E. EG&G Idaho, Inc. (subs of EG&G, Inc.) SERRANO, W. Idaho National Engineering Laboratory. FIN D-6034. EGG-PHY-7830. 88/04/30. NRC - No Detailed Affiliation Given. 23pp. 46100-275-46100-297.

8807110201 Forwards safety evaluation accepting until 851004 response to Generic Ltr 85-12, "Automatic Trip of Reactor Coolant Pumps."

FISCHER, D.C. Project Directorate I-2. 88/06/24. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 6pp. 46082-112-46082-117.

8807070398 Forwards Amends 86 & 59 to Licenses DPR-70 & DPR-75, respectively. Amends modify Paragraph 2 E to require compliance w/amended physical security plan.

FISCHER, D.C. Project Directorate I-2. 88/06/27. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 46136-339-46136-351.

8807070399 Amends 86 & 59 Licenses DPR-70 & DPR-75, respectively, modifying Paragraph 2 E to require compliance w/amended physical security plan.

BUTLER, W.R. Project Directorate I-2. 88/06/27. 6pp. 46136-343-46136-348.

8807070400 Safeguards evaluation rept supporting Amends 86 & 59 to Licenses DPR-70 & DPR-75, respectively.

\* NRC - No Detailed Affiliation Given. 88/06/27. 3pp. 46136-349-46136-351.

8807120640 Forwards Amends 85 & 58 to Licenses DPR-70 & DPR-75, respectively. Amends would revise reactor trip block w/ turbine trip from P-7 (11%) permissive up to P-8 (50%) permissive.

FISCHER, D.C. Project Directorate I-2. 88/06/27. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46121-104-46121-123.

8807120845 Amends 85 & 58 to Licenses DPR-70 & DPR-75, respectively, revising reactor trip block w/turbine trip from P-7 (11%) permissive up to P-9 (50%) permissive.

BUTLER, W.R. Project Directorate I-2. 88/06/27. 14pp. 46121-107-46121-120.

8807120849 Safety evaluation supporting Amends 85 & 58 to Licenses DPR-70 & DPR-75, respectively.

\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/27. 2pp. 46121-121-46121-123.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPAs re NRC position on radiat on embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.88 encl.

MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

8807190219 Informs of revised implementation schedule for App R mod. Mod to CO2 sys redesign due to identified seismic concerns & desire to eliminate need for local operator response. Mods will be completed by 880830.

MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/07/12. Document Control Branch (Document Control Desk). 2pp. 46208-167-46208-168.

8807250173 Advises that plant review briefing for Murlay & executive team re PDI-2 plants scheduled for 880721. Viewgraphs encl.

BUTLER, W.R. Project Directorate I-2. 88/07/13. BOGER, B.A. Project Directorate I-2. 97pp. 46272-285-46273-021.

Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-266.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46018-037-46018-162.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018-163-46018-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46018-266-46020-018.

8807130180 Forwards Licensee Mgt Meeting Repts 50-354/88-21, 50-311/88-15 & 50-272/88-15 on 880526.

KANE, W.F. Region 1, Ofc of the Director. 88/06/29. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 46165-057-46165-085.

8807130182 Licensee Mgt Meeting Repts 50-272/88-15, 50-311/88-15 & 50-354/88-21 on 880526. Major areas discussed safety sys functional review program, including program goals, program scope & results.

SWETLAND, P.D. Region 1, Ofc of the Director. 88/06/24. 27pp. 46165-059-46165-085.

8807250234 Ack receipt of 880519 information NRC of steps taken to correct violations noted in Insp Repts 50-272/88-03, 50-311/88-03 & 50-354/88-07  
BELLAMY, R.R. Region 1, OIC of the Director, 88/07/01. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 3pp. 46285 106-46285 112

8807200227 Forwards Safety Insp Repts 50-272/88-13 & 50-311/88-13 on 880503-0606 & notice of violation  
WENZINGER, C. Region 1, OIC of the Director, 88/07/06. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 2pp. 46229 228-46229 242

8807200228 Notice of violation from Insp on 880503-0606. Violation violation on 880426 determined that Surveillance Procedure SP(D)4.0.5 V.MISC.1 not properly implemented on 880210.  
\* Region 1, OIC of the Director, 88/07/06 1p. 46229 230-46229 230.

8807200229 Insp Repts 50-272/88-13 & 50-311/88-13 on 880503-0606. Violations noted Major areas inspected for follow up outstanding Insp. items, operational safety verification, maintenance & ESF walkdown.  
SWETLAND, P.D. Region 1, OIC of the Director, 88/07/06 12pp. 46220 231-46229 242

8806300347 NRC Info Notice 88-045, "Problems In Protective Relay & Circuit Breaker Coordination" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07 Consolidated Edison Co. of New York, Inc. 10pp. 46242 109-46242 212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08 Consolidated Edison Co. of New York, Inc. 10pp. 46231 281-46232 027

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 10pp. 46242 006-46242 108

8807080388 NRC Info Notice 88-047, "Slower Than Expected Rod-Drop Times" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14 Consolidated Edison Co. of New York, Inc. 10pp. 46240 222-46240 324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc. 10pp. 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc. 11pp. 46257 258-46259 016

8807180101 NRC Info Notice 88-051, "Features of MSIVs" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21 Consolidated Edison Co. of New York, Inc. 12pp. 46257 006-46257 206

8807280338 Responds to NRC Bulletin 87-002, Supp. 2 re provision of list of suppliers & mfgs from which fasteners purchased for both safety-related & nonsafety-related applications  
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 88/07/21 Document Control Branch (Document Control Desk) 7pp. 46336 123-46336 128

#### R. Periodic operating reports & related correspondence

8807180365 Monthly operating report for June 1988 for Salem Unit 1. W/880713 ltr.  
WHITE, P., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey 88/08/30. 10pp. 46195 001-46195 010.

#### S. Reportable occurrences, LERs & related correspondence

8807070102 LER 84-017-01 on 840718, small amount of resin particles & metal filings discovered in pump casing. Caused by lack of adequate procedural guidance to prevent resin from entering chemical vol control sys Pump repaired W/880628 ltr.  
POLLOCK, M.J., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey 88/06/28 6pp. 46125 338-46125 344.

#### DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807110199 Advises that 880307 Rev 3, Change B to emergency plan meets planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50  
FISHER, F. Region 5, OIC of the Director, 88/06/27. SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 46138 305-46138 300.

8807250215 Ack receipt of 880608 ltr furnishing scope & objectives of annual emergency plan exercise.  
FISHER, F. Region 5, OIC of the Director, 88/07/13. SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 46265 125-46265 127.

8807250217 Forwards objectives, guidelines & listing of participants developed for 1988 emergency preparedness field exercise to be held on 880824 W/o encl.  
SHIFFER, J.D. Pacific Gas & Electric Co. 88/06/06. MARTIN, J.B. Region 5, OIC of the Director, 1p. 46265 127-46265 127.

#### H. General correspondence

8807070380 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
RICCIO, J.P. Nuclear Information & Resource Service 88/06/23. CHILK, S. Office of the Secretary of the Commission, 14pp. 46018 021-46018 034.

#### P. Operating license stage documents & correspondence

8807120874 Forwards report on ACRS Subcommittee meeting on 880223-24 in Birmingham, CA re status of long term seismic program at plant  
SCAVUZZO, R.J. Scavuzzo, R.J. 88/04/19. STESS, G.P. ACRS - Advisory Committee on Reactor Safeguards, 1p. 46121 174-46121 177

8807120885 Comments on ACRS Subcommittee on Diablo Canyon meeting on 880223-24 in Birmingham, CA re status of long term seismic program at plant  
SCAVUZZO, R.J. Scavuzzo, R.J. 88/03/31 3pp. 46121 175-46121 177

8807160286 Final response to FOIA request for documents Forwards App A documents Sub, documents also available in PDR Addl records being addressed re FOIA-88-156 instructions for obtaining records from PDR also encl.  
GRIMSLEY, D.H. Division of Rules & Records (870413-880514) 88/06/20 DALY, L.A. California, State of, Public Utilities Commission, 2pp. 46153 003-46153 034.

8807150289 Forwards PG&E request for preliminary site review involving siting of company proposed nuclear power plant at site near Diablo Canyon, CA & requests draft report of preliminary review by early Nov 1988  
CASE, E.G. Atomic Energy Commission 88/07/07 LEMMON, D.M. Interior, Dept. of Geological Survey 26pp. 46153 025-46153 028

8807150303 Forwards two colored photographs that should be inserted in App 3 of PG&E report forwarded by 861007 ltr W/o encl.  
CASE, E.G. Atomic Energy Commission 66/10/12 LEMMON, D.M. Interior, Dept. of Geological Survey, 1p. 46153 029-46153 029

8807160305 Forwards Vols 1 & II of PSAR filed by PG&E for proposed construction & operation of pressurized water nuclear reactor at Diablo Canyon site in San Luis Obispo County, CA & requests report of review by 870415 W/o encl.  
CASE, E.G. Atomic Energy Commission 67/02/06 LEMMON, D.M. Interior, Dept. of Geological Survey, 1p. 46153 030-46153 031.

8807180003 Forwards Amendments 1 & 2 to PG&E license application, consisting of First & Second Suppl to PSAR for proposed Diablo Canyon nuclear reactor & addl technical info requested by Commission W/o encl.  
BOYD, R.S. Atomic Energy Commission, 67/07/31. LEMMON, D.M. Interior, Dept. of Geological Survey, 1p. 46153 032-46153 032

8807180005 Forwards third suppl to PSAR for nuclear reactor proposed by PG&E to construct & operate at Diablo Canyon site, containing addl technical data answering Commission questions W/o encl.  
BOYD, R.S. Atomic Energy Commission, 67/08/11 LEMMON, D.M. Interior, Dept. of Geological Survey, 1p. 46153 033-46153 036

8807180006 Forwards Amend 5 to PG&E facility license application, containing Fourth Suppl to PSAR for proposed nuclear plant at Diablo Canyon site W/o encl.  
BOYD, R.S. Atomic Energy Commission 67/10/25 LEMMON, D.M. Interior, Dept. of Geological Survey, 1p. 46153 037-46153 037.

8807180008 Suppl 671025 ltr re nuclear plant PG&E 671214 ltr forwarding revised page 2 to Amend 5 to application for license encl W/o encl.  
BOYD, R.S. Atomic Energy Commission 68/01/23. LEMMON, D.M. Interior, Dept. of Geological Survey, 1p. 46153 038-46153 038

8807180012 Forwards Div of Reactor Licensing 880123 safety evaluation re proposed nuclear plant USGS comments attached as App D to report W/o encl.  
BOYD, R.S. Atomic Energy Commission 68/02/07. WALDRON, H.N. Interior, Dept. of Geological Survey, 2pp. 46153 039-46153 039

8807180024 "Preliminary Site Rept Diablo Canyon, San Luis Obispo County, CA" W/o one oversize drawing  
\* Pacific Gas & Electric Co. 66/09/30. 27pp. 46153 040-46153 068.

8807180038 "Diablo Canyon Nuclear Plant Site Preliminary Geologic Investigation," W/3 oversize drawings  
MCHELL, M. Pacific Gas & Electric Co. 66/01/25 26pp. 46153 068-46153 093

8807180086 Forwards 680123 safety evaluation re facility W/o encl.  
BOYD, R.S. Atomic Energy Commission, 68/02/07. LEMMON, D.M. Interior, Dept. of Geological Survey, 1p. 46153 094-46153 094

8806280194 Discusses results of review of actions re reactor coolant pump motor upper oil reservoir assemblies degradation. Review of licensee evaluation supporting continued operation of Unit 2 & restart of Unit 1 found acceptable.  
KIRSCH, D.F. Region 5, OIC of the Director, 88/06/23. SHIFFER, J.D. Pacific Gas & Electric Co. 2pp. 45985 283-45985 284.

8807130056 Forwards addl info re qualification of isolation capability of 12-inch containment vacuum/overpressure relief valves & License Amend Request 86-11.  
SHIFFER, J.D. Pacific Gas & Electric Co. 88/07/05. Document Control Branch (Document Control Desk), 14pp. 46165 096-46165 109

8807130134 Forwards description of items completed prior to restart from second refueling outage. Ack of receipt of mail requested.  
SHIFFER, J.D. Pacific Gas & Electric Co. 88/07/05. Document Control Branch (Document Control Desk) 3pp. 46172 199-46172 201.

8807130284 Discusses NRC TIA-FV-88-08 re plant reactor coolant pump bearing lubrication sys failures  
HOLAHAN, G. Assistant Director for Region III & Region V Reactors, 88/07/05 KIRSCH, D.F. Region 5, OIC of the Director, 4pp. 46170 331-46170 334.

8807190323 Forwards biweekly notice of applications & amendments to OLs involving NSIC, dtd 880628 W/o encl.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/11. SHIFFER, J.D. Pacific Gas & Electric Co. 4pp. 46208 171-46208 174.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.98 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411), 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 257.



## Q. Inspection reports, IE Bulletins & correspondence

**8806130168** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15 Consolidated Edison Co. of New York, Inc. 110pp. 45978:168-45978:268.

**8807010428** Forwards Insp Repts 50-275/88-11 & 50-323/88-10 on 880410-0528 & notice of violation. Requests discussion of corrective actions to preclude further instances of potentially unacceptable changes to plant configuration.  
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 88/08/17. SHIFFER,J.D. Pacific Gas & Electric Co. 3pp. 46020:041-46020:085.

**-8807010430** Notice of violation from Insp on 880410-0528. Violation noted: corrective actions noted. Major areas inspected: plant operations, maint & surveillance activities, followup of onsite events, open items & LERs.  
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 88/08/17. 2pp. 46020:044-46020:045.

**-8807010434** Insp Repts 50-275/88-11 & 50-323/88-10 on 880410-0528. Violations noted. Major areas inspected: plant operations, maint & surveillance activities, followup of onsite events, open items & LERs.  
PADOVANI,L.M., JOHNSON,K.E., NARBUT,P.P. Region 5, Ofc of the Director. 88/08/16. 41pp. 46020:046-46020:085.

**8806180340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:326-46241:201.

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

**8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

**8806290108** Ack receipt of 880806 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-275/88-07. Actions re Item A concerning cleanliness controls will be evaluated in conjunction w/response to ref subsequent violation.  
ZIMMERMAN,R. Region 5, Ofc of the Director. 88/08/22. SHIFFER,J.D. Pacific Gas & Electric Co. 1p. 45984:260-45984:265.

**8806210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:163-46019:285.

**8806240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

**8806300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

**8807080008** NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

**8807130387** Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Further response to Item 2 of bulletin re results of deaerating tests for RHTR pumps will be submitted by Sept 1988 & supplemental re Item 3 by May 1989.  
SHIFFER,J.D. Pacific Gas & Electric Co. 88/07/08. Document Control Branch (Document Control Desk). 12pp. 46170:281-46170:272.

**8807120291** NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:008-46242:108.

**8807210164** Discusses Insp Repts 50-275/88-33 & 50-323/88-31 on 861215-19 & forwards notice of violation.  
PATE,R.J. Region 5, Ofc of the Director. 88/07/12. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 46233:332-46233:335.

**-8807210168** Notice of violation from Insp on 861215-19. Violation noted: qualification documentation for resistance temp devices did not demonstrate qualification for post-LOCA submerge conditions.  
PATE,R.J. Region 5, Ofc of the Director. 88/07/12. 2pp. 46233:334-46233:335.

**8807080368** NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

**8807120550** NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

**8807120563** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257:258-46258:018.

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257:206.

## R. Periodic operating reports & related correspondence

**8807010068** Forwards "Rept on Discharge Monitoring at Diablo Canyon Power Plant During May 1988." per Order 85-101, NPDES CAG003751.  
TOWNSEND,J.D. Pacific Gas & Electric Co. 88/06/20. LEONARD,W.R. California, State of. 3pp. 46009:073-46009:089.

**-8807010070** "Rept on Discharge Monitoring at Diablo Canyon Power Plant During May 1988."  
Pacific Gas & Electric Co. 88/05/31. 14pp. 46009:076-46009:089.

## S. Reportable occurrences, LERs & related correspondence

**8807080207** RO on 880628, ECCS check valve SI-1-8818C leaking at rate of 8 gpm, exceeding Tech Spec limit of 1 gpm. County Sheriff o/c watch commander notified. Check valve will be repaired prior to reentry into hot shutdown.  
TOWNSEND,J.D. Pacific Gas & Electric Co. 88/06/27. BRIAM,W. San Luis Obispo, CA. 2pp. 46103:113-46103:114.

**8807110223** PNO-V-88-043 on 880627, settlement of rate case announced. UH will receive 7.2 cents per kW-hr for power produced from plant. Settlement also calls for three-member independent safety committee.  
COOK,G., KUNIHIRO,D. Region 5, Ofc of the Director. 88/08/27. 2pp. 46141:187-46141:188.

**8807110263** PNO-V-88-045 on 880625, during testing of check valve on pump 1-1 & flush of other check valves suspected of leakage, water hammer was reported. Snubber removal & operational testing in progress. Licensee proceeded to cold shutdown.  
PEREIRA,D., NARBUT,P. Region 5, Ofc of the Director. 88/08/27. 2pp. 46140:357-46140:358.

**8807220090** LER 88-016-00 on 880616, channel functional test to demonstrate operability of low temp overpressure protection sys not performed. Caused by procedural deficiency. Operating & administrative procedures will be revised W/880715 ltr.  
KELLY,W.J., SHIFFER,J.D. Pacific Gas & Electric Co. 88/07/15. 6pp. 46249:146-46249:151.

## DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

## F. Security, medical, emergency & fire protection plans

**8807080299** Revised emergency plan implementing procedures including Rev 18 to EP-105, "General Emergency Response," Rev 13 to EP-203, "Telephone Units for Emergency Use" & Rev 7 to EP-205A, "Chemistry Sampling & Analysis Team" W/880627 ltr.  
GALLAGHER,J.W. Philadelphia Electric Co. 88/06/27. 97pp. 46126:274-46127:010.

**8807070592** Forwards security contract transition plan & summary of special monitoring efforts, per 880624 agreement W/o encl.  
SMITH,D.M. Philadelphia Electric Co. 88/08/30. RUSSELL,W.T. Region 1, Ofc of the Director. 1p. 46122:352-46122:352.

**8807200124** Forwards Safety Insp Repts 50-277/88-22 & 50-278/88-22 on 880623. No violations noted.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/07/07. MCNEILL,C.A. Philadelphia Electric Co. 2pp. 46220:342-46229:346.

**-8807200141** Insp Repts 50-277/88-22 & 50-278/88-22 on 880623. No violations noted. Major areas inspected: emergency preparedness, annual emergency drill & followup of corrective actions on previously identified issues.  
CONKLIN,C., LAZARUS,W.J. Region 1, Ofc of the Director. 88/07/07. 3pp. 46220:344-46220:346.

**8807220079** Discusses change in storage location of fire protection equipment. New location enhances accessibility to equipment & fire fighting capability of brigade to provide appropriate control to prevent unauthorized use.  
GALLAGHER,J.W. Philadelphia Electric Co. 88/07/14. BUTLER,W.R. Project Director. 1-2. 2pp. 46249:194-46249:195.

## G. Adjudicatory correspondence

**8807200037** Requests listed additions &/or deletions to svc list in proceeding Related correspondence.  
Atomic Safety and Licensing Board Panel. #388 8713. 88/05/11. Docketing & Services Branch. 1p. 46193:114-46193:114.

## H. General correspondence

**8807280074** Comment on proposed rule 10CFR50 to cooperation w/states at commercial nuclear power plants & other facilities. Suggests rev to policy to grant same rights & responsibilities to all states within 10 miles of plant.  
MACETTE,T. Maryland, State of. 88/07/19. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 46253:130-46253:131.

## P. Operating license stage documents & correspondence

**8807180280** Forwards results of review priority for open TACs, per 880527 memo.  
BUTLER,W.R. Project Directorate 1-2. 88/08/10. VARGAS,A. Division of Reactor Projects - I/II (Post 870411). 3pp. 46200:175-46200:177.

**8807110166** Requests that util be allowed to restart plant. Sanctions resulted in loss of many util executives & staff along w/ flight of capital out of region.  
CORTES,M.A. Affiliation Not Assigned. 88/08/22. ROGERS,K. NRC - No Dated Af-filiation Given. 2pp. 46155:184-46155:185.

14598 Tech Spec Section 6 to reflect new corporate & plant organizational structure  
MARTIN, R.E. Project Directorate I-2. 88/06/22. ALDEN, W.M. Philadelphia Electric Co  
4pp 46091:269-46081:332

-8807110331 Amends 132 & 135 to Licenses DPR-44 & DPR-56, respectively, modifying  
Tech Spec Section 8 to reflect new corporate & plant staff organizational structure &  
revised composition of plant operations review committee  
BUTLER, W.R. Project Directorate I-2. 88/06/22. 4pp 46081:273-46081:316

-8807110339 Safety evaluation supporting Amends 132 & 135 to Licenses DPR-44 &  
DPR-56, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/22 13pp.  
46081:317-46081:329

-8807110347 Notice of issuance of amends to Licenses DPR-44 & DPR-56 & final de-  
termination of NSHC Amends modify Section 6 of Tech Specs to reflect new corporate  
& new plant staff organizational structure  
BUTLER, W.R. Project Directorate I-2. 88/06/22. 3pp 46091:330-46081:332.

8806300177 Provides licensee exemption request for Penetration N-102B (breathing ar-  
sys) which conforms to 10CFR50.12(a) requirements committed to in 880421 ltr.  
FOGARTY, E.P. Philadelphia Electric Co. 88/06/23. MURLEY, T.E. Office of Nuclear  
Reactor Regulation, Director (Post 870411). 4pp. 46006:173-46006:176.

8807050497 Notification of 880701 meeting w/31 in Rockville, MD to discuss changes  
proposed by licensee to equipment providing protection from degraded disc voltage &  
loss of offsite power supplies  
MARTIN, R.E. Project Directorate I-2. 88/06/24. BUTLER, W.R. Project Directorate I-2  
3pp. 46596:057-46596:059.

8807060116 Forwards Rev 1 to "Peach Bottom Atomic Power Station Units 2 & 3 Pump  
& Valve Inservice Testing Program, Second 10-Yr Interval"  
GALLAGHER, J.W. Philadelphia Electric Co. 88/06/29. BUTLER, W.R. Project Directorate  
I-2. 2pp. 46030:219-46031:158.

-8807060125 "Peach Bottom Atomic Power Station Units 2 & 3 Pump & Valve Inservice  
Testing Program, Second 10-Yr Interval"  
\* Philadelphia Electric Co. 88/06/29. 298pp 46090:221-46091:158

8807070417 Advises that w/ 880601 response to NRC request for addl info re Rev 1 to  
restart plan will be submitted by 880722  
MCNEILL, C.A. Philadelphia Electric Co. 88/07/01. RUSSELL, W.T. Region 1, Ofc of the  
Director. 1p 46139:143-46139:143.

8807150006 Provides summary of NRC discussions held re w/ 880628-29 NRC  
senior managers meetings to review performance of operating nuclear power plants  
licensed by NRC w/ 880701 categorized as requiring substantial improvement  
STELLOV, O. Ofc of the Executive Director for Operations. 88/07/08. PAQUETTE, J.  
Philadelphia Electric Co. 2pp. 46185:359-46185:360.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation embrittlement of reactor vessel materials & impact on plant  
operations Svc list & Rev 2 to Reg Guide 1.99 encl  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated  
Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

8807200365 Forwards Commonwealth of PA comments on revised plan for restart of  
plant & list of issues to which NRC will respond.  
RUSSELL, W.T. Region 1, Ofc of the Director. 88/07/12. MCNEILL, C.A. Philadelphia  
Electric Co. 3pp. 46228:149-46228:161.

-8807200367 Submits detailed comments on revised plan for restart of plant, in re-  
sponse to Governor of Commonwealth of PA request.  
MYERS, M.M. Pennsylvania, Commonwealth of. 88/08/16. RUSSELL, W.T. Region 1,  
Ofc of the Director. 30pp. 46228:152-46228:181.

8807250173 Advises that plant review briefing for Murley & executive team re PD-2  
plants scheduled for 880721. Viewgraphs encl  
BUTLER, W.R. Project Directorate I-2. 88/07/13. BOGER, B.A. Project Directorate I-2.  
97pp. 46272:285-46273:021.

8807250403 Forwards supplementary info per commitment in 880712 ltr to provide info  
before 880715 meeting.  
MCNEILL, C.A. Philadelphia Electric Co. 88/07/14. MYERS, M.M. Pennsylvania, Com-  
monwealth of. 260pp. 46251:216-46252:072

8807250256 Proposes action plan that defers decision re upgrade of neutron monitoring  
sys until completion of NRC review of BWR Owners Group study requesting excep-  
tions to Reg Guide 1.97, Rev 3.  
GALLAGHER, J.W. Philadelphia Electric Co. 88/07/18. BUTLER, W.R. Project Directorate  
I-2. 6pp. 46285:158-46285:162

#### Q. Inspection reports, IE Bulletins & correspondence

8806130166 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15.  
Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266.

8807080020 Ack receipt of 880516 ltr discussing ltr Notice 88-021 on inadvertent  
criticality. Discovery of three repts dealing w/ three events mentioned in ltr noted.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/16.  
HANAUER, S.H. Technical Analysis Corp. 2pp. 46134:179-46134:180.

8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 69pp/06/22.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019:037-46019:152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to  
RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019:265-46020:018

8807130202 Ack receipt of 880504 ltr informing NRC of steps taken to correct violations  
noted in Insp Repts 50-277/88-02 & 50-278/88-02  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/05/29. MCNEILL, C.A. Philadelphia  
Electric Co. 2pp. 46166:359-46166:361.

8807120673 Forwards response to NRC Bulletin 88-004, "Potential Safety Related  
Pump Loss." Core spray sys designed to provide min flow of 320 gpm per pump  
KOWALSKI, S.J. Philadelphia Electric Co. 88/06/30. ROSSI, C.E. Division of Operational  
Events Assessment (Post 870411). 16pp. 46154:330-46154:345

8807050133 Advises that drug screening program expected to start in Aug 1988, per  
880224 ltr to Insp Repts 50-277/87-06 & 50-278/87-06 on fitness for duty program  
GALLAGHER, J.W. Philadelphia Electric Co. 88/07/06. PARTLOW, J.G. Document  
Control Branch (Document Control Desk). 1p. 46183:305-46183:305

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker  
Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242:100-46242:212

8807200124 Forwards Safety Insp Repts 50-277/88-22 & 50-278/88-22 on 880623. No  
violations noted  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/07. MCNEILL, C.A. Philadelphia  
Electric Co. 2pp. 46228:342-46228:346

-8807200141 Insp Repts 50-277/88-22 & 50-278/88-22 on 880623. No violations  
noted. Major areas inspected: emergency preparedness, nuclear emergency drill & fol-  
low-up of corrective actions on previously identified issues  
CONKLIN, C. LAZARUS, W.J. Region 1, Ofc of the Director. 88/07/07. 3pp  
46228:344-46229:316

8807250165 Ack receipt of 880516 ltr informing NRC of steps taken to correct violations  
noted in Insp Repts 50-277/88-09 & 50-278/88-09.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/07. MCNEILL, C.A. Philadelphia  
Electric Co. 3pp. 46268:261-46268:265

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Relubricated Circuit  
Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08.  
Consolidated Edison Co. of New York, Inc. 107pp. 46231:201-46232:027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Relubricated Valves."  
Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:109

8807080386 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc  
list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction  
of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:035.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Avail-  
ability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258:016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257:206.

#### R. Periodic operating reports & related correspondence

8807010011 Forwards plant status rept for 880603-20  
LINVILLE, J.C. Region 1, Ofc of the Director. 88/06/21. KANE, W.F. Region 1, Ofc of  
the Director. 4pp. 46020:248-46020:251.

8807110300 Forwards NRC resident ofc status rept for 880603-20.  
LINVILLE, J.C. Region 1, Ofc of the Director. 88/06/21. KANE, W.F. Region 1, Ofc of  
the Director. 4pp. 46081:285-46081:288

8807060489 Forwards "1987 Annual Plant Mod Rept, per 10CFR50.59," describing  
changes made to facility & procedures.  
ALDEN, W.M. Philadelphia Electric Co. 88/08/30. RUSSELL, W.T. Region 1, Ofc of the  
Director. 1p. 46101:131-46101:288.

-8807060498 "1987 Annual Plant Mod Rept, per 10CFR50.59."  
\* Philadelphia Electric Co. 87/12/31. 167pp. 46101:132-46101:288.

8807210301 Monthly operating repts for June 1980 for Peach Bottom Atomic Power  
Station W/880712 ltr.  
MIDDLETON, L.L. ALDEN, W.M. Philadelphia Electric Co. 88/08/30. 14pp. 46235:001-  
46235:014.

mgmt & overview of plant activities  
LINVILLE, J.C. Reg on 1, Ofc of the Director. 88/07/11. KANE, W.F. Region 1, Ofc of the Director. 4pp 46228 353-46228 356

#### S. Reportable occurrences, LERs & related correspondence

**8807070042** LER 88-008-01 on 880328, failure to submit special report re inoperability of cardex sys in control room on time determined. Caused by lack of programmatic controls limiting condition for operation instructions revised W/880628 ltr. BIRELY, W.C., LOGUE, R.H. Philadelphia Electric Co. 88/04/28. 7pp. 46123.344-46123.350

**8807070074** NPDES noncompliance notification on 880501, pH of settling basin discharges exceeded permit limit. Cause unknown. Discharge to river stopped & soda ash added to neutralize settling basin. SMITH, D.M. Philadelphia Electric Co. 88/08/22. Pennsylvania, Commonwealth of. 2pp 46139.134-46139.135

**8806300173** LER 88-012-00 on 870804, discovered that drywell radiation monitors inoperable w/o being reported to NRC per Tech Specs. Caused by inadequate controls for tracking limiting conditions for operations. Procedures developed W/880623 ltr. BIRELY, W.C., LOGUE, R.H. Philadelphia Electric Co. 88/06/23. 6pp. 45988.202-45988.207

**8807080223** LER 88-005-02 on 880303, as-built anchorage configurations of Unit 2 & 3 main control room panel did not conform w/ original installation requirements. Caused by original installation error. Base channels welded W/880628 ltr. BIRELY, W.C., LOGUE, R.H. Philadelphia Electric Co. 88/06/28. 5pp. 46103.266-46103.270

**8807120454** LER 88-013-00 on 880802, grace period for functional testing of 14 of 25 smoke detectors in cable spreading room expired & surveillance test not completed. Caused by personnel safety concern. Surveillance Test ST 15 88.28 revised W/880705 ltr. BIRELY, W.C., FOGARTY, E.P. Philadelphia Electric Co. 88/07/05. 5pp. 46194.107-46194.111

**8807210119** LER 88-014-00 on 880614, primary containment ventilation isolation occurred. Caused by personnel error & procedural inadequacy. Isolation reset after standby gas treatment system secured W/880713 ltr. BIRELY, W.C., FOGARTY, E.P. Philadelphia Electric Co. 88/07/13. 6pp. 46234.028-46234.033

#### DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

**8807080299** Revised emergency plan implementing procedures, including Rev 18 to EP-105, "General Emergency Response," Rev 13 to EP-200, "Telephone Lists for Emergency Use" & Rev 7 to EP-205A, "Chemistry Sampling & Analysis Team" W/880627 ltr. GALLAGHER, J.W. Philadelphia Electric Co. 88/06/27. 97pp. 46126.274-46127.010

**8807200124** Forwards Safety Insp Repts 50-277/88-22 & 50-278/88-22 on 880623. No violations noted. BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/07. MCNEILL, C.A. Philadelphia Electric Co. 2pp. 46229.342-46229.346

**8807200141** Insp Repts 50-277/88-22 & 50-278/88-22 on 880623. No violations noted. Major areas inspected: emergency preparedness, annual emergency drill & follow-up of corrective actions on previously identified issues. CONKLIN, C. Region 1, Ofc of the Director. 88/07/07. 3pp. 46229.344-46229.346

**8807220079** Discusses change in storage location of fire protection equipment. New location enhances accessibility to equipment & fire fighting capability of brigade to provide appropriate control to prevent unauthorized use. GALLAGHER, J.W. Philadelphia Electric Co. 88/07/14. BUTLER, W.R. Project Directorate I-2. 2pp. 46249.194-46249.195

#### G. Adjudicatory correspondence

**8807200037** Requests listed additions &/or deletions to svc list in proceeding. Related correspondence. \* Atomic Safety and Licensing Board Panel #388 6713. 88/05/11. Docketing & Services Branch. 1p. 46193.114-46193.114

#### H. General correspondence

**8807280074** Comment on proposed rule 10CFR50 re cooperation w/states at commercial nuclear power plants & other facilities. Suggests rev to policy to grant same rights & responsibilities to all states within 10 miles of plant. MAGETTE, T. Maryland, State of. 88/07/18. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 46253.130-46253.131

#### P. Operating license stage documents & correspondence

**8807180280** Forwards results of review priority for open TACs per 880527 memo. BUTLER, W.R. Project Directorate I-2. 88/06/10. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 3pp. 46200.175-46200.177

**8807110188** Requests that until be allowed to restart plant. Sanctions resulted in loss of many utility executives & staff along w/ flight of capital out of region. CORTES, M.A. Affiliation Not Assigned. 88/06/22. ROGERS, K. NRC - No Detailed Affiliation Given. 2pp. 46155.184-46155.185

**8807110331** Amends 132 & 135 to Licenses DPR-44 & DPR-56, respectively, modifying Tech Spec Section 6 to reflect new corporate & plant staff organizational structure & revised composition of plant operations review committee. BUTLER, W.R. Project Directorate I-2. 88/06/22. 4pp. 46081.273-46081.316

**8807110339** Safety evaluation supporting Amends 132 & 135 to Licenses DPR-44 & DPR-56, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/22. 13pp. 46081.317-46081.329

**8807110347** Notice of issuance of amendments to Licenses DPR-44 & DPR-56 & final determination of NSHC Amends modify Section 6 of Tech Specs to reflect new corporate & new plant staff organizational structure. BUTLER, W.R. Project Directorate I-2. 88/06/22. 3pp. 46081.330-46081.332

**8806300177** Provides licensee exemption request for Penetration N-102B (breathing air sys) which conforms to 10CFR50.12(a) requirements committed to in 880421 ltr. FOGARTY, E.P. Philadelphia Electric Co. 88/06/23. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 46006.173-46006.178

**8807050497** Notification of 880701 meeting w/ utility in Rockville, MD to discuss changes proposed by licensee to equipment providing protection from degraded grid voltage & loss of offsite power supplies. MARTIN, R.E. Project Directorate I-2. 88/06/24. BUTLER, W.R. Project Directorate I-2. 3pp. 45998.057-45998.059

**8807080116** Forwards Rev 1 to "Peach Bottom Atomic Power Station Units 2 & 3 Pump & Valve Inservice Testing Program, Second 10-Yr Interval." GALLAGHER, J.W. Philadelphia Electric Co. 88/06/28. BUTLER, W.R. Project Directorate I-2. 2pp. 46090.210-46091.158

**8807080125** "Peach Bottom Atomic Power Station Units 2 & 3 Pump & Valve Inservice Testing Program, Second 10-Yr Interval." \* Philadelphia Electric Co. 88/06/29. 28pp. 46090.221-46091.158

**8807070417** Advises that until 880801 response to NRC request for additional info re Rev 1 to restart plan will be submitted by 880722. MCNEILL, C.A. Philadelphia Electric Co. 88/07/01. RUSSELL, W.T. Region 1, Ofc of the Director. 1p. 46130.143-46130.143

**8807150221** Forwards application for amendment to License DPR-56, changing Tech Specs re Cycle 8 operation. Fee paid. BRADLEY, E.J. Philadelphia Electric Co. 88/07/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46181.225-46181.324

**8807150227** Application for amendment to License DPR-56, changing Tech Specs re Cycle 8 operation. BRADLEY, E.J. Philadelphia Electric Co. 88/07/07. 28pp. 46181.230-46181.257

**8807150229** Proposed Tech Specs re Cycle 8 operation. \* Philadelphia Electric Co. 88/07/07. 30pp. 46181.258-46181.287

**8807150232** Errata to NEDO-24082, "LOCA Analysis for Peach Bottom Atomic Power Station Unit 3." \* General Electric Co. NEDO-24082 H07 ERR. 88/01/31. 6pp. 46181.288-46181.297

**8807150238** Rev 0 to 23A5889, "Supplemental Reload Licensing Submittal for Peach Bottom Atomic Power Station, Unit 3, Reload 7, Cycle 8." LAMBERT, P.A., RASH, J.L., CHARNEY, J.S. General Electric Co. 23A5889 R00. 88/01/31. 27pp. 46181.298-46181.324

**8807150008** Provides summary of NRC discussions held re until during 880628-29 NRC senior managers meetings to review performance of operating nuclear power plants licensed by NRC. Util categorized as requiring substantial improvement. STELLO, V. Ofc of the Executive Director for Operations. 88/07/08. PAQUETTE, J. Philadelphia Electric Co. 2pp. 46185.359-46185.360

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MURAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257

**8807200365** Forwards Commonwealth of PA comments on revised plan for restart of plant & list of issues to which NRC will respond. RUSSELL, W.T. Region 1, Ofc of the Director. 88/07/12. MCNEILL, C.A. Philadelphia Electric Co. 3pp. 46228.149-46228.181

**8807200367** Submits detailed comments on revised plan for restart of plant, in response to governor of Commonwealth of PA request. MYERS, M.M. Pennsylvania, Commonwealth of. 88/06/18. RUSSELL, W.T. Region 1, Ofc of the Director. 30pp. 46228.152-46228.181

**8807250173** Advises that plant review briefing for Murley & executive team re PDI-2 plants scheduled for 880721. Viewgraphs encl. BUTLER, W.R. Project Directorate I-2. 88/07/13. BOGER, B.A. Project Directorate I-2. 97pp. 46272.285-46273.021

**8807250403** Forwards supplementary info per commitment in 880712 ltr to provide info before 880716 meeting. MCNEILL, C.A. Philadelphia Electric Co. 88/07/14. MYERS, M.M. Pennsylvania, Commonwealth of. 200pp. 46251.216-46252.072

**8807250256** Proposes action plan that defers decision re upgrade of neutron monitoring sys until completion of NRC review of BWR Owners Group study requesting exceptions to Reg Guide 1.97, Rev 3. GALLAGHER, J.W. Philadelphia Electric Co. 88/07/18. BUTLER, W.R. Project Directorate I-2. 5pp. 46265.158-46265.162

8806130168 NRC Info Notice 88-039, "LeSafe Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/15.  
Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-266.

8807080020 Ack receipt of 880516 ltr discussing Info Notice 88-021 on inadvertent  
circuit breaker discovery of three receipts dealing with three events mentioned in ltr noted.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/18.  
HANAUER,S.H. Technical Analysis Corp. 2pp. 46134-179-46134-180.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams." NUREG/SR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22.  
Consolidated Edison Co. of New York, Inc. 23pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc  
list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-285.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to  
RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019-286-46020-018.

8807130202 Ack receipt of 880504 ltr informing NRC of steps taken to correct violations  
noted in Insp Repts 50-277/88-02 & 50-278/88-02.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/06/29. MCNEILL,C.A. Philadelphia  
Electric Co. 2pp. 46166-359-46166-361.

8807120673 Forwards response to NRC Bulletin 88-004, "Potential Safety-Related  
Pump Loss." Core spray sys designed to provide min flow of 320 gpm per pump.  
KOWALSKI,S.J. Philadelphia Electric Co. 88/08/30. ROSSI,C.E. Division of Operational  
Events Assessment (Post 870411). 18pp. 46154-330-46154-345.

8807150133 Advises that drug screening program expected to start in Aug 1988, per  
880224 ltr re Insp Repts 50-277/88-06 & 50-278/88-06 on fitness for duty program.  
GALLAGHER,J.W. Philadelphia Electric Co. 88/07/08. PARTLOW,J.G. Document  
Control Branch (Document Control Desk). 1p. 46183-305-46183-305.

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker  
Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807200124 Forwards Safety Insp Repts 50-277/88-22 & 50-278/88-22 on 880623 No  
violations noted.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/07/07. MCNEILL,C.A. Philadelphia  
Electric Co. 2pp. 46229-342-46229-346.

8807200141 Insp Repts 50-277/88-22 & 50-278/88-22 on 880623 No violations  
noted. Major areas inspected emergency preparedness annual emergency drill & follow-  
up of corrective actions on previously identified issues.  
CONKLIN,C. LAZARUS,W.J. Region 1, Ofc of the Director. 88/07/07. 3pp.  
46228-344-46228-348.

8807200165 Ack receipt of 880516 ltr informing NRC of steps taken to correct violations  
noted in Insp Repts 50-277/88-03 & 50-278/88-03.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/07/07. MCNEILL,C.A. Philadelphia  
Electric Co. 3pp. 46268-261-46268-285.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit  
Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08.  
Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807120291 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves."  
Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc  
list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction  
of Safety-related Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Avail-  
ability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-208.

## R. Periodic operating reports & related correspondence

8807010011 Forwards plant status rpt for 880603-20.  
LINVILLE,J.C. Region 1, Ofc of the Director. 88/08/21. KANE,W.F. Region 1, Ofc of  
the Director. 4pp. 46020-248-46020-251.

8807110300 Forwards NRC info rpt status report 880603-20.  
LINVILLE,J.C. Region 1, Ofc of the Director. 88/06/21. KANE,W.F. Region 1, Ofc of  
the Director. 4pp. 46091-265-46091-268.

8807080489 Forwards "1987 Annual Plant Mod Rept, per 10CFR50.59," describing  
changes made to facility & procedures.  
ALDEN,W.M. Philadelphia Electric Co. 88/06/30. RUSSELL,W.T. Region 1, Ofc of the  
Director. 1p. 46101-131-46101-298.

8807080498 "1987 Annual Plant Mod Rept, per 10CFR50.59."  
Philadelphia Electric Co. 87/12/31. 167pp. 46101-132-46101-298.

8807210301 Monthly operating repts for June 1988 for Peach Bottom Atomic Power  
Station W/880712 ltr.  
MIDDLETON,L.L. ALDEN,W.M. Philadelphia Electric Co. 88/06/30. 14pp. 46235-001-  
46235-014.

8807150105 Forwards third monthly schedule update of 880408 restart plan.  
MCNEILL,C.A. Philadelphia Electric Co. 88/07/05. RUSSELL,W.T. Region 1, Ofc of  
the Director. 12pp. 46181-339-46181-350.

8807200269 Forwards plant status rpt for 880620-0708 Rept intended to provide NRC  
mgt & public w/overview of plant activities.  
LINVILLE,J.C. Region 1, Ofc of the Director. 88/07/11. KANE,W.F. Region 1, Ofc of  
the Director. 4pp. 46228-353-46228-356.

## S. Reportable occurrences, LERs & related correspondence

8807070074 NPDES noncompliance notification on 880501 pH of settling basin dis-  
charge point exceeded permit limit Cause unknown. Discharge to river stopped & soda  
ash added to neutralize settling basin.  
SMITH,D.M. Philadelphia Electric Co. 88/06/22. Pennsylvania, Commonwealth of.  
2pp. 46130-134-46130-135.

8807120617 LER 88-005-00 on 880613 RWCU outboard isolation valve logic actuation  
occurred on false high flow signal Caused by equipment failure Insp & rework of  
Class 1E spaces & cables performed isolation reset. W/880708 ltr.  
BIRELY,W.C. FOGARTY,E.P. Philadelphia Electric Co. 88/07/08. 4pp. 46148-236-  
46148-241.

## DOCKET 50-280 SURRY POWER STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

8807070017 Forwards Insp Repts 50-280/88-23 & 50-281/88-23 on 880606-10 No vi-  
olations or deviations noted.  
CLINE,W.E. Region 2, Ofc of the Director. 88/06/23. CRUDEN,D.S. Virginia Power  
(Virginia Electric & Power Co.). 2pp. 46123-001-46123-003.

8807070020 Insp Repts 50-280/88-23 & 50-281/88-23 on 880606-10 No violations or  
deviations noted. Major areas inspected: barriers, access controls, detection  
alarms, training, contingency & safeguards info.  
TOBIN,W.J., MCGUIRE,D.R. Region 2, Ofc of the Director. 88/06/22. 1p. 46123-001-  
46123-003.

8807120126 Forwards Rev 22 to security program, per NRC 880427 & 0518  
requests. Rev withheld from 10CFR73.21.  
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/05. Document  
Control Branch (Document Control Desk). 1p. 46148-247-46148-247.

### H. General correspondence

8807110115 Comment opposing proposed rule 10CFR50 re leak-before-break technol-  
ogy for safety-related equipment. NRC reliance on leak-before-break is irrational re-  
sponse to very real safety problem. NRC should implement mandatory piping Insp.  
BEAUDON,R. Nuclear Information & Resource Service. 88/06/30. CHILK Office of  
the Secretary of the Commission. 8pp. 46138-339-46138-346.

8807110200 Comment opposing proposed rule 10CFR50 re leak-before-break (LBB)  
technology. Pipes do not always leak before breaking. NRC has accepted faulty as-  
sumptions as facts reaching conclusion that LBB eliminates need for Insp. Add'l info  
encl.  
BOLEY,K. Public Citizen's Critical Mass Energy Project. 88/07/01. CHILK,S. Office of  
the Secretary of the Commission. 4pp. 46140-351-46140-354.

8807180147 Comment opposing proposed rule 10CFR50 re expansion of applicability of  
leak before break technology to functional & performance requirements for ECCS &  
environment qualification.  
DRAKE,G.A. Affiliation Not Assigned. 88/07/02. Docketing & Services Branch. 1p.  
46185-335-46185-335.

8807110086 Comment opposing proposed rule 10CFR50 re leak-before-break  
technology. Further use of subj technology for ECCS would reduce safety assurances  
& safety benefits. Experience shows that pipe thinning progresses faster than expect-  
ed.  
BIRNIE,P. Maryland Nuclear Safety Coalition. 88/07/04. Office of the Secretary of the  
Commission. 1p. 46138-338-46138-338.

### P. Operating license stage documents & correspondence

8807050136 Forwards SER granting request for relief from hydrostatic test required by  
ASME Boiler & Pressure Vessel Code Section XI. Requirements impractical.  
BERKOW,H.N. Project Directorate II-2. 88/08/17. CRUDEN,D.S. Virginia Power (Vir-  
ginia Electric & Power Co.). 3pp. 45891-243-45891-248.

8807050142 SER granting request for relief from hydrostatic test requirements follow-  
ing valve replacements.  
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/17. 3pp.  
45891-248-45891-248.

**8807070422** Forwards VP-NOS-39, "Surry Unit 1, Cycle 9 Performance Rept." info to CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/28. Document Control Branch (Document Control Desk). 1p. 46119:152-46119:202.

**-8807070439** "Surry Unit 1, Cycle 9 Core Performance Rept." FARLEY, M.K., BROOKMIRE, T.A., FORD, C.A. Virginia Power (Virginia Electric & Power Co.). VP-NOS-39. 88/08/30. 43pp. 46119:153-46119:202.

**8807120450** Confirms that util 880523 response to Generic Ltr 88-03, "Steam Bndng of Auxiliary Feedwater Pumps," satisfactory. PATEL, C.P. Project Directorate II-2. 88/06/29. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46111:253-46111:254.

**8807120680** Discusses schedule for rev to ASME Section XI inservice testing program for pumps & valves, per 880329 & 30 meetings w/NRC. Rev to program will be submitted by 880930. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/01. Document Control Branch (Document Control Desk). 2pp. 46154:281-46154:282.

**8807180226** Application for amends to Licenses DPR-32 & DPR-37, making administrative changes to Tech Specs associated w/primary coolant specific activity limits, per Generic Ltr 85-19 Fee paid. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/01. Document Control Branch (Document Control Desk). 3pp. 46200:008-46200:017.

**-8807180229** Proposed Tech Specs re primary coolant specific activity limit. \* Virginia Power (Virginia Electric & Power Co.). 88/07/01. 7pp. 46200:011-46200:017.

**8807190089** Requests relief from ASME Section XI flow instrument accuracy requirements of plus/minus 2% for inside recirculation spray pumps 1-RS-P-1A & 1B until scheduled Sept 1989 refueling outage. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/07. Document Control Branch (Document Control Desk). 2pp. 46206:200-46206:201.

**8807190292** Forwards safety evaluation supporting util 871006 request for relief from ASME Section XI hydrostatic test requirements for 4-inch isolation valve replacement. BERKOW, H.N. Project Directorate II-2. 88/07/08. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46205:078-46205:081.

**-8807190293** Safety evaluation supporting util 871006 request for relief from ASME Section XI hydrostatic test requirements to replacement of 4-inch isolation valve in main steam sys. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/08. 2pp. 46205:080-46205:081.

**8807190454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation ambientment of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:267.

#### Q. Inspection reports, IE Bulletins & correspondence

**8808130168** NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:158-45978:266.

**8808290035** Forwards Insp Repts 50-280/88-21 & 50-281/88-21 on 880523-27. No violations or deviations noted. HERDT, A.R. Region 2, Ofc of the Director. 88/08/16. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 45974:315-45974:326.

**-8808290038** Insp Repts 50-280/88-21 & 50-281/88-21 on 880523-27. No violations or deviations noted. Major areas inspected: Inservice insp, fabrication NDE acceptance & preservice insp of replacement welds in recirculation spray sys. NEWSOME, R.W., BLAKE, J.J. Region 2, Ofc of the Director. 88/08/13. 8pp. 45974:317-45974:325.

**8808290118** Ack receipt of 880522 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-280/88-12 & 50-281/88-12. GRACE, J.N. Region 2, Ofc of the Director. 88/08/17. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 1p. 45974:330-45974:330.

**8807060041** Forwards Insp Repts 50-280/88-17 & 50-281/88-17 on 880509-12. No violations or deviations noted. HERDT, A.R. Region 2, Ofc of the Director. 88/06/20. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46103:118-46103:131.

**-8807060042** Insp Repts 50-280/88-17 & 50-281/88-17 on 880509-12. No violations or deviations noted. Major areas inspected: mod re replacement of containment recirculation spray coolers, procurement & field installation including weld fabrication. ECONOMIC, N., BLAKE, J.J. Region 2, Ofc of the Director. 88/08/17. 11pp. 46103:121-46103:131.

**8808160340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

**8808170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

**8808170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:162.

**8808300218** Identifies schedule for responding to 880523 request for addl info re second 10-yr inservice insp program. Response will be provided by 880930.

**8807070017** Forwards Insp Repts 50-280/88-23 & 50-281/88-23 on 880606. 10 No violations or deviations noted. CLINE, W.E. Region 2, Ofc of the Director. 88/08/23. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46123:001-46123:003.

**-8807070020** Insp Repts 50-280/88-23 & 50-281/88-23 on 880606. 10 No violations or deviations noted. Major areas inspected: barriers, access controls, detection aids, training, contingency & safeguards info. TOBIN, W.J., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/06/22. 1p. 46123:003-46123:003.

**8808210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265.

**8806240130** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

**8807120308** Forwards Insp Repts 50-280/88-25 & 50-281/88-25 on 880531-0603. Violations noted. Enforcement conference to discuss violations noted in encl rept & in Insp Repts 50-280/88-16 & 50-281/88-16 scheduled for 880706. GRACE, J.N. Region 2, Ofc of the Director. 88/06/28. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46147:264-46147:274.

**-8807120310** Insp Repts 50-280/88-25 & 50-281/88-25 on 880531-0603. Violations noted. Major areas inspected: circumstances surrounding overexposure of greater than 3 rema per calendar quarter to contract worker during Unit 1 refueling outage. COLLINS, T.R., HOSEY, C.M. Region 2, Ofc of the Director. 88/06/28. 9pp. 46147:268-46147:274.

**8807120355** Forwards Insp Repts 50-280/88-16 & 50-281/88-16 on 880502-08. Violations noted. Major areas under consideration for escalated enforcement action. GRACE, J.N. Region 2, Ofc of the Director. 88/06/28. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46148:278-46148:293.

**-8807120359** Insp Repts 50-280/88-16 & 50-281/88-16 on 880502-08. Violations noted. Major areas inspected: radiation protection aspects of Unit 1 outage including organization & night control, training & qualifications. BASSETT, C.H., HOSEY, C.M. Region 2, Ofc of the Director. 88/06/08. 13pp. 46148:281-46148:293.

**8807120714** Confirms 880606 telcon w/DA Wilson re enforcement conference to be held in Region II ofc on 880706 to discuss emergency diesel generator out of svc at North Anna & overexposure issue at Surry. GRACE, J.N. Region 2, Ofc of the Director. 88/06/28. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46155:103-46155:105.

**-8807180334** Notification of 880706 enforcement conference in Region II ofc to discuss inoperable emergency diesel generators at North Anna & overexposure issues at Surry. CANTRELL, F. Region 2, Ofc of the Director. 88/06/28. Region 2, Ofc of the Director. 1p. 46165:105-46165:105.

**8807120297** Forwards Insp Repts 50-280/88-10 & 50-281/88-10 on 880516. 20 No violations or deviations noted. Unresolved item identified in rept will be pursued in future insps. HERDT, A.R. Region 2, Ofc of the Director. 88/07/01. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46148:332-46148:341.

**-8807120300** Insp Repts 50-280/88-19 & 50-281/88-19 on 880515-20. No violations or deviations noted. Major areas inspected: local leak rate testing & containment integrity. WHITENER, H.L., JAEF, F. Region 2, Ofc of the Director. 88/06/28. 8pp. 46148:334-46148:341.

**8808300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

**8807190077** Responds to NRC 880607 ltr re violations noted in Insp Repts 50-280/88-11 & 50-281/88-11. Corrective actions requirement for senior reactor operators to adequately assess & test components re forced by issuing written guidance. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/07. Document Control Branch (Document Control Desk). 5pp. 46215:357-46215:360.

**8807080006** NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

**8807190226** Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Potentially susceptible safety-related pump & piping configurations do exist. Evaluations of sys in progress but have not been completed. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/11. Document Control Branch (Document Control Desk). 2pp. 46208:140-46208:141.

**8807120291** NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

**8807190262** Responds to NRC 880613 ltr re violations noted in Insp Repts 50-280/88-04 & 50-281/88-04. Corrective actions: new monthly surveillance program for under/overtemp setpoint & control relay verification implemented. Payment encl. CRUDEN.D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/13. Document Control Branch (Document Control Desk). 6pp. 46208:254-46208:258.

**8807200396** Responds to NRC 880613 ltr re violations noted in Insp Repts 50-280/88-10 & 50-281/88-10. Corrective actions: mgmt issued directives requiring addl review & evaluation of proposed tasks w/similar potential for high radiation exposures.



8807080366 NRC info Notice 88-047, "Slower-Than-Expected Rod-Drop Times" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safety-related Information" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120551 NRC info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.016.

8807180101 NRC info Notice 88-051, "Failures of MSIVs" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206.

## 5. Reportable occurrences, LERs & related correspondence

8807120688 Summary of Operating Reactors Events Meeting 88-25 on 880621 List of attendees discussion of significant elements of events & summary of reactor scrams encl.  
LANNING,W. Events Assessment Branch 88/06/22. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 14pp. 46121.187-46121.193.

8807070520 NPDES noncompliance notification on 880619, station security personnel reported oil sheen in station discharge canal. Caused by faulty skimmer on turbine sump. B Spill was contained by temporary boom placed in discharge canal.  
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 88/06/23. JENKINS,R.R. Virginia Power (Virginia Electric & Power Co.). 3pp. 46123.342-46123.343.

8807130329 LER 88-017-00 on 880606, discovered debris in temporary discharge cone strainer & recirculation spray sump pumps. Caused by inadequate insp program. Containment sump & pump screen surveillance will be implemented. W/ 880706 tr.  
BENSON,D.L. Virginia Power (Virginia Electric & Power Co.). 88/07/06. 5pp. 46166.354-46166.358.

## V. Operator Examinations

8807120197 Advises that reactor operator & senior operator licensing exams scheduled for wk of 881024 & simulator/operating exams scheduled for 881025-27, per section 12.1 should provide approval of all listed in End 1 by 880801.  
JULIAN,C.A. Region 2, Ofc of the Director. 88/06/27. STEWART,W.L. Virginia Power (Virginia Electric & Power Co.). 10pp. 46153.319-46153.328.

## DOCKET 50-281 SURRY POWER STATION, UNIT 2

## F. Security, medical, emergency & fire protection plans

8807070017 Forwards Insp Repts 50-280/88-23 & 50-281/88-23 on 880606-10. No violations or deviations noted.  
CLINE,W.E. Region 2, Ofc of the Director. 88/06/23. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46123.001-46123.003.

8807070020 Insp Repts 50-280/88-23 & 50-281/88-23 on 880606-10. No violations or deviations noted. Major areas inspected: barriers, access controls, detection & alarming, contingency & safeguards info.  
TOBIN,W.J. Region 2, Ofc of the Director. 88/06/22. 1p. 46123.003-46123.003.

8807120125 Forwards Rev 22 to security programmer NRC 880427 & 0518 requests Rev withheld (ref 10CFR73.21).  
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/05. Document Control Branch (Document Control Desk). 1p. 46149.247-46148.247.

## H. General correspondence

8807110115 Comment opposing proposed rule 10CFR50 re leak-before-break technology for safety-related equipment. NRC reliance on leak-before-break is irrational response to very real safety problem. NRC should implement mandatory piping insp.  
BEAUD,N.R. Nuclear Information & Resource Service. 88/06/30. CHILK, Office of the Secretary of the Commission. 8pp. 46128.339-46128.346.

8807110200 Comment opposing proposed rule 10CFR50 re leak-before-break (LBB) technology. Pipes do not always leak before breaking. NRC has accepted faulty assumptions as facts reaching conclusion that LBB eliminates need for insp. Add info encl.  
BOLEY,K. Public Citizen's Critical Mass Energy Project. 88/07/01. CHILK, Office of the Secretary of the Commission. 4pp. 46140.351-46140.354.

8807180147 Comment opposing proposed rule 10CFR50 re expansion of applicability of leak before break technology to functional & performance requirements for ECCS & environ qual. location.  
DRAKE,G.A. Affiliation Not Assigned. 88/07/02. Docketing & Services Branch. 1p. 46165.335-46165.335.

8807110085 Comment opposing proposed rule 10CFR50 re leak-before-break technology. Further use of sub technology for ECCS would reduce safety assurances & safety benefits. Experience shows that pipe thinning progresses faster than expected.  
BIRNIE,P. Maryland Nuclear Safety Coalition. 88/07/04. Office of the Secretary of the Commission. 1p. 46138.338-46138.338.

## P. Operating license stage documents & correspondence

8807050136 Forwards SER granting request for relief from hydrostatic test required by ASME Boiler & Pressure Vessel Code Section XI Requirements impractical.  
BERKOW,H.N. Project Directorate II-2. 88/06/17. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 3pp. 45991.243-45991.248.

8807050142 SER granting request for relief from hydrostatic test requirements following valve replacements.  
Office of Nuclear Reactor Regulation, Director. (Post 870411). 88/06/17. 3pp. 45991.246-45991.248.

8807050517 Forwards AED Technical Review Rpt T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Braidwood Unit 1.  
ROSENTHAL,J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER,C.H. Generic Communications Branch. 2pp. 45908.080-45908.086.

8807050528 Forwards AED Technical Review Rpt T809, "Blocked Thimble Tubes/Stuck Incore Detector." Events where recovery of stuck detector & cleaning of thimble tubes led to personnel hazard discussed.  
WEGNER,M.S. Reactor Operations Analysis Branch. 88/06/23. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 1p. 45908.082-45908.082.

8807050550 Technical Review Rpt T809, "Blocked Thimble Tubes/Stuck Incore Detector."  
Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45998.063-45998.068.

8807120456 Confirms that unit 880523 response to Generic Ltr 88-03, "Steam Binding of Auxiliary Feedwater Pumps," satisfactory.  
PADEL,C.P. Project Directorate II-2. 88/06/28. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46111.253-46111.254.

8807120680 Discusses schedule for rev to ASME Section XI inservice testing program for pumps & valves per 880328 & 30 mountings w/NRC Rev to program will be submitted by 880930.  
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/01. Document Control Branch (Document Control Desk). 2pp. 46154.201-46154.202.

8807180226 Application for amendments to Licenses DPR-32 & DPR-37, making administrative changes to Tech Specs associated w/primary coolant specific activity limit per Generic Ltr 88-18. Fee paid.  
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/01. Document Control Branch (Document Control Desk). 3pp. 46200.008-46200.017.

8807180229 Proposed Tech Specs re primary coolant specific activity limit.  
Virginia Power (Virginia Electric & Power Co.). 88/07/01. 7pp. 46200.011-46200.017.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of Class NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46267.207-46267.257.

## Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps w/Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 46078.168-46078.260.

8806290035 Forwards Insp Repts 50-280/88-21 & 50-281/88-21 on 880523-27. No violations or deviations noted.  
HERDT,A.R. Region 2, Ofc of the Director. 88/06/10. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 45974.316-45974.325.

8806290038 Insp Repts 50-280/88-21 & 50-281/88-21 on 880523-27. No violations or deviations noted. Major areas inspected: inservice insp, fabrication NDE acceptance & preservice insp of replacement welds in recirculation spray system.  
NEWSOME,R.W., BLAKE,J.J. Region 2, Ofc of the Director. 88/06/13. 8pp. 45974.317-45974.325.

8806290118 Ack receipt of 880522 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-280/88-12 & 50-281/88-12.  
GRACE,J.N. Region 2, Ofc of the Director. 88/06/17. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 1p. 45974.330-45974.330.

8807060041 Forwards Insp Repts 50-280/88-17 & 50-281/88-17 on 880509-12. No violations or deviations noted.  
HERDT,A.R. Region 2, Ofc of the Director. 88/06/20. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46103.119-46103.131.

8807060042 Insp Repts 50-280/88-17 & 50-281/88-17 on 880509-12. No violations or deviations noted. Major areas inspected: mod re replacement of containment recirculation spray coolers, procurement & field installation including weld fabrication.  
ECONOMOS,D.N., BLAKE,J.J. Region 2, Ofc of the Director. 88/06/17. 11pp. 46103.121-46103.131.

8806180340 NRC info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.326-46241.201.

8806170033 NRC info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.162.

8806300218 Identifies schedule for responding to 880523 request for add info re second 10-yr inservice insp program. Response will be provided by 880930.  
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/06/22. Document Control Branch (Document Control Desk). 2pp. 46006.327-46006.328.

8807070017 Forwards Insp Repts 50-280/88-23 & 50-281/88-23 on 880606-10. No violations or deviations noted.  
CLINE,W.E. Region 2, Ofc of the Director. 88/06/23. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46123.001-46123.003.

8807070020 Insp Rpts 50-280/88-23 & 50-281/88-23 on 880606-10 No violations or deviations noted Major areas inspected barriers, access controls, detection as training, contingency & safeguards info  
TOBIN, W.J., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/06/22 1p 46123 003-46123 003

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp 46019 153-46019:265

8806240138 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp 46019 266-46020:018

8807120308 Forwards Insp Rpts 50-280/88-25 & 50-281/88-25 on 880531-0603 Violations noted Enforcement conference to discuss violations noted in encl rpt & in Insp Rpts 50-280/88-16 & 50-281/88-16 scheduled for 880706  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/28. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp 46147-264-46147:274

8807120310 Insp Rpts 50-280/88-25 & 50-281/88-25 on 880531-0603 Violations noted Major areas inspected circumstances surrounding overexposure of greater than 3 rams per calendar quarter to contract worker during Unit 1 refueling outage  
COLLINS, T.R., HOSEY, C.M. Region 2, Ofc of the Director. 88/06/28. 9pp 46147-266-46147:274

8807120355 Forwards Insp Rpts 50-280/88-16 & 50-281/88-16 on 880502-06 Violations noted under consideration for escalated enforcement action  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/28. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp 46148 279-46148 293

8807120359 Insp Rpts 50-280/88-16 & 50-281/88-16 on 880502-06 Violations noted Major areas inspected radiation protection aspects of Unit 1 outage including organization & mgt controls, training & qualifications  
BASSETT, C.H., HOSEY, C.M. Region 2, Ofc of the Director. 88/06/28. 13pp 46148 281-46148:293

8807120714 Confirms 880606 telcon w/BA Watson re enforcement conference to be held in Region II ofc on 880706 to discuss emergency diesel generator out of svc at North Anna & overexposure issue at Surry  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/28. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp 46155 103-46155 105

8807180334 Notification of 880706 enforcement conference in Region II ofc to discuss inoperable emergency diesel generators at North Anna & overexposure issues at Surry  
CANTRELL, F. Region 2, Ofc of the Director. 88/06/28 Region 2, Ofc of the Director 1p 46155 105-46155 105

8807120297 Forwards Insp Rpts 50-280/88-19 & 50-281/88-19 on 880516-20 No violations or deviations noted Unresolved item identified in rpt will be pursued in future insps  
HERDT, A.R. Region 2, Ofc of the Director. 88/07/01. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp 46148 332-46148 341

8807120300 Insp Rpts 50-280/88-19 & 50-281/88-19 on 880515-20 No violations or deviations noted Major areas inspected local leak rate testing & containment integrity  
WHITENER, H.L., JAFE, F. Region 2, Ofc of the Director. 88/06/28. 8pp 46148 334-46148 341

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 46242 109-46242:212

8807190077 Responds to NRC 880607 ltr re violations noted in Insp Rpts 50-280/88-11 & 50-281/88-11 Corrective actions requirement for senior reactor operators to adequately assess & test components reinforced by issuing written guidance  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/07. Document Control Branch (Document Control Desk). 6pp 46215 357-46215 360

8807080006 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/00. Consolidated Edison Co. of New York, Inc. 107pp 46231 261-46232:027

8807190226 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Potentially susceptible safety-related pump & piping configurations do exist. Evaluations of sys in progress but have not been completed  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/11. Document Control Branch (Document Control Desk). 2pp 46208 140-46208:141

8807120291 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Valves." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp 46242 006-46242:108

8807190282 Responds to NRC 880613 ltr re violations noted in Insp Rpts 50-280/88-04 & 50-281/88-04 Corrective actions now monthly surveillance program for under/over temp setpoint & control relay verification implemented Payment encl  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/13. Document Control Branch (Document Control Desk). 6pp 46206 254-46206:258

8807200398 Responds to NRC 880613 ltr re violations noted Insp Rpts 50-280/88-10 & 50-281/88-10 Corrective actions mgt issued directives requiring add review & evaluation of proposed tasks w/similar potential for high radiation exposures  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/13. Document Control Branch (Document Control Desk). 11pp 46228 126-46228:136

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp 46240 222-46240 324

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp 46257 258-46258:016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp 46257 086-46257:208

## S. Reportable occurrences, LERs & related correspondence

8807120688 Summary of Operating Reactors Events Meeting 88-25 on 880621 List of attendees, discussion of significant elements of events & summary of reactor scrams encl  
LANNING, W. Events Assessment Branch. 88/06/22. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 14pp 46121 180-46121:193

8807104560 LER 88-014-00 on 880528 RCS PORV PCV-2455C cycled open & closed, simultaneous w/RCS venting & lifting caused by failure to revise RCS venting procedure Operating procedures revised w/880627 ltr  
BENSON, D.L. Virginia Power (Virginia Electric & Power Co.). 88/06/27 4pp 46008 150 48008 153

## V. Operator Examinations

8807120197 Advises that reactor operator & senior operator licensing exams scheduled for wk of 881024 & simulator/operatoring exams scheduled for 881026-27, per 10:con Unit should provide approved ref mail listed in Encl 1 by 880601  
JULIAN, C.A. Region 2, Ofc of the Director. 88/06/27. STEWART, W.L. Virginia Power (Virginia Electric & Power Co.). 10pp 46153 319-46153 328

## DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

## F. Security, medical, emergency & fire protection plans

8807050380 Revised emergency plan implementing procedures including Rev 48 to F3-2, "Classifications of Emergencies," Rev 2 to F3-5.1, "Switchboard Operator Duties" & F3-23.5, "Post-Accident Primary Hydrogen & Radiogas" w/880616 ltr  
FEY, F.L. Northern States Power Co. 88/06/16 10pp 46025 265-46026:013

8807210320 Forwards Safety Insp Rpts 50-282/88-06 & 50-306/88-06 on 880622-24 No violations noted  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/07/12. LARSON, C.E. Northern States Power Co. 2pp 46233 250-46233 282

8807210341 Insp Rpts 50-282/88-06 & 50-306/88-06 on 880622-24 No violations, deficiencies or deviations noted Major areas inspected emergency preparedness exercise  
SMITH, M.J., FOSTER, J.E., SNELL, W.G. Region 3, Ofc of the Director. 88/07/11. 8pp 46233 252-46233 282

8807210347 Rev 0 to "Northern States Power Co. Section II Exercise Objectives & Guidelines."  
Northern States Power Co. 88/07/12. 18pp 46233 261-46233:278

8807210350 Rev 0 to "Northern States Power Co. Section V Exercise Scenario, Part 1: Narrative Summary."  
Northern States Power Co. 88/07/12. 4pp 46233 270-46233:282

## I. Financial Information

8807070386 Forwards summary of completed & planned notification & consultation activities Systemwide communication plan under development for consolidation effort including development of new publication to update employees on progress  
KINGSLEY, O.D. System Energy Resources, Inc. 88/06/29. Document Control Branch (Document Control Desk). 7pp 46125 353-46125:359

## P. Operating license stage documents & correspondence

8806280383 Submits add info re 870928 application for amendments to Licenses DPR-42 & DPR-60 re turbine valve test frequency reduction. Valves tested for proper operation on monthly basis  
MUSOLF, D. Northern States Power Co. 88/06/24. Document Control Branch (Document Control Desk). 3pp 45984 266-45984:268

8807050548 Notification of 880719 meeting w/Unit in Rockville, MD to discuss plans for installation of two add diesel generators that would provide alternate power capability to meet NRC station blackout requirements Meeting agenda encl  
DIANNI, D.C. Project Directorate III-1. 88/06/28. VIRGILIO, M.J. Project Directorate III-1. 6pp 45988 067-45988 072

8807070386 Forwards summary of completed & planned notification & consultation activities Systemwide communication plan under development for consolidation effort including development of new publication to update employees on progress  
KINGSLEY, O.D. System Energy Resources, Inc. 88/06/29. Document Control Branch (Document Control Desk). 7pp 46125 353-46125:359

8807180202 Forwards application for amendments to Licenses DPR-42 & DPR-60, changing peaking factors per upper plenum injection best estimate LOCA program Fee paid  
MUSOLF, D. Northern States Power Co. 88/07/05. 8pp 46204 242-46204:242

8807180204 Application for amendments to Licenses DPR-42 & DPR-60, changing peaking factors per upper plenum injection best estimate LOCA program  
MUSOLF, D. Northern States Power Co. 88/07/05. 8pp 46204 242-46204:242

## 56 DOCKETED ITEMS

-8807180211 Rev 1 to Safety Evaluation of Increased FO & Fidelity  
MONTGOMERY, S.D. Northern States Power Co. NSPHAD 8705 R01. 88/06/30  
3pp. 46204 265-46204 295

-8807180212 "Demonstration of Compliance of Prairie Island Units 1 & 2 to App K &  
10CFR10.46 for Large Break LOCAs"  
Westinghouse Electric Corp. 88/05/31 14pp. 46204 297-46204 310

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation embrittlement of reactor vessel mats & impact on plant  
operations. Svc ltr & Rev 2 to Reg Guide 1.59 encl.  
McRAGLIA, J. Associate Director for Projects (Post 870411). 88/07/12 Consolidated  
Edison Co. of New York, Inc. 51pp. 46257 207-46257 257.

### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Operation Event." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15  
Consolidated Edison Co. of New York, Inc. 11pp. 45978 155-45978 266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams." NUREG/BR 0122 & Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22  
Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22  
Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc  
lstr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Westinghouse Type DS-416 Circuit Breakers." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24  
Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265.

8806240138 Suppl. 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to  
RCS." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018.

8807060273 Forwards Safety Insp Repts 50-282/88-09 & 50-308/88-09 on 880526 &  
0617. No violations noted.  
HARRISON, J. Region 3, Ofc of the Director. 88/06/30. LARSON, C.E. Northern  
States Power Co. 2pp. 46106 233-46106 238.

-8807060278 Insp Repts 50-282/88-09 & 50-308/88-09 on 880526-0617. No violations  
or deviations noted. Major areas inspected action on previously identified concerns re  
piping operability analysis.  
GAVULA, J.A., DANIELSON, D.H. Region 3, Ofc of the Director. 88/06/30. 4pp.  
46106 235-46106 238.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker  
Coordination." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

8807180260 Responds to NRC Bulletin 88-004, "Potential Safety Related Pump Loss."  
Facility has no safety-related sys w/pump & piping sys configuration that does not  
preclude pump-to-pump interaction.  
LARSON, C.E. Northern States Power Co. 88/07/07. Office of Nuclear Reactor Regu-  
lation, Director (Post 870411). 5pp. 46158 354-46158 358.

8807210354 Forwards Insp Repts 50-282/88-08 & 50-308/88-08 on 880515-0625. No  
violations noted. Response clarifying events surrounding 880525 actuation & status of  
controls over substation work requested.  
AXELSON, W.L. Region 3, Ofc of the Director. 88/07/07. LARSON, C.E. Northern  
States Power Co. 2pp. 46234 203-46234 212.

-8807210357 Insp Repts 50-282/88-08 & 50-308/88-08 on 880515-0625. No violations  
noted. Major areas inspected previous Insp findings, plant operational  
safety, maintenance, ESF sys LER followup & spent fuel pool activities.  
BURGESS, B.L. Region 3, Ofc of the Director. 88/07/07. 6pp. 46234 205-46234 212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit  
Breakers." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08  
Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807140022 Informs that w/ 880316 response to NRC Bulletin 88-001, "Defects in  
Westinghouse Circuit Breakers," satisfactory. Response confirms that Westinghouse  
DS series circuit breakers not used in safety-related applications at plant.  
DIANNI, D.C. Project Directorate III-1. 88/07/08. MUSOLF, D.M. Northern States  
Power Co. 4pp. 46175 357-46175 360.

8807220253 Informs that response to NRC Bulletin 88-001, "Defects in Westinghouse  
Circuit Breakers," satisfactory & no further reply necessary.  
DIANNI, D.C. Project Directorate III-1. 88/07/08. MUSOLF, D.M. Northern States  
Power Co. 3pp. 46249 105-46249 106.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves."  
Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12  
Consolidated Edison Co. of New York, Inc. 103pp. 46242 008-46242 108.

-8807210341 Insp Repts 50-282/88-08 & 50-308/88-08 on 880822-24. No  
violations, deficiencies or deviations noted. Major areas inspected emergency prepared-  
ness exercise.  
SMITH, M.J., FOSTER, J.E., SNELL, W.G. Region 3, Ofc of the Director. 88/07/11. 9pp.  
46233 252-46233 282.

-8807210347 Rev 0 to "Northern States Power Co. Section II Exercise Objectives &  
Guidelines."  
Northern States Power Co. 88/07/12. 18pp. 46233 281-46233 278.

-8807210350 Rev 0 to "Northern States Power Co. Section V Exercise Scenario, Part  
I: Narrative Summary."  
Northern States Power Co. 88/07/12. 4pp. 46233 270-46233 282.

8807080388 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc  
lstr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14  
Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction  
of Safeguards Info." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16  
Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Avail-  
ability of Emergency Power." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16  
Consolidated Edison Co. of New York, Inc. 110pp. 46257 268-46258 018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21  
Consolidated Edison Co. of New York, Inc. 121pp. 46257 008-46257 206.

### R. Periodic operating reports & related correspondence

8807210328 Monthly operating repts for June 1988 for Prairie Island Nuclear Generating  
Plant W/880711 ltr.  
DUGSTAD, D., MUSOLF, D.M. Northern States Power Co. 88/08/30. 9pp. 46237 119-  
46237 127.

### V. Operator Examinations

8807120115 Forwards draft Nov 5 to ES-601, "Administration of NRC Requirement for  
Program Evaluations." W/o encl.  
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/23. AMUNDSON, T. Northern  
States Power Co. 1p. 46149 352-46149 362.

### DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

8807130362 Forwards Rev 11 to Radiological Emergency Response Plan Section M  
"Recovery & Reentry Planning & Post-Accident Operations."  
MORRIS, K.J. Omaha Public Power District. 88/07/07. Document Control Branch  
(Document Control Desk). 2pp. 46184 011-46184 023.

-8807130388 Rev 11 to Radiological Emergency Response Plan Section M, "Recovery  
& Reentry Planning & Post-Accident Operations."  
FRANCO, F.F. Omaha Public Power District. 88/07/07. 11pp. 46184 013-46184 023.

### H. General correspondence

8807080365 Notices of NRC project manager assignments in effect for plant PD M&A  
designated project manager. Project manager duties in absence of Milano will be as-  
sumed by PW O'Connor.  
CALVO, J.A. Project Directorate IV. 88/06/23. ANDREWS, R.L. Omaha Public Power  
District. 1p. 46100 263-46100 263.

8807070158 Advises of organizational changes designed to increase communications &  
improve operations & support performance.  
MORRIS, K.J. Omaha Public Power District. 88/07/01. Document Control Branch  
(Document Control Desk). 6pp. 46125 272-46126 278.

### J. Insurance & Indemnity Information

8807210297 Advises that 880627 financial information requirements of 10CFR140  
NASH, D.A. Policy Development & Technical Support Branch (Post 870411). 88/07/01.  
LEARCH, R.C. Omaha Public Power District. 1p. 46234 172-46234 172.

### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807060545 Forwards updated SAR for Fort Calhoun. Update addresses organizational  
changes & revises Sections 9 & 12, Apps A & E of updated SAR.  
ANDREWS, R.L. Omaha Public Power District. 88/08/30. Document Control Branch  
(Document Control Desk). 3pp. 46110 217-46110 280.

-8807060554 "New or Revised Page, Figure &/or Table Numbers to Updated SAR."  
Omaha Public Power District. 88/06/30. 68pp. 46110 220-46110 280.

### P. Operating license stage documents & correspondence

8807050433 Forwards "Fort Calhoun Station Performance Indicators." ANDREWS,R.L. Omaha Public Power District 88/06/27 BOURNIA,A. Project Directorate IV. 1p. 48073.033-48073.107.

-8807050483 "Fort Calhoun Station Performance Indicators" \* Omaha Public Power District 88/05/31. 74pp. 48073.034-48073.107.

8807070532 Forwards response to NRC 8803217 request for addl info re NUREG-0737, Item II.D.1, "Performance Testing of Relief & Safety Valves" Boeing Compilar Svcs memorandum also encl. ANDREWS,R.L. Omaha Public Power District 88/06/28 Document Control Branch (Document Control Desk) 12pp. 46125.188-46125.197.

8807110405 Forwards Amend 114 to License DPR-40 & safety evaluation. Amend updates RCS pressure-temp limits for heatup & cooldown to reflect new licensee prediction developed & more limiting chemistry factor for Weld 3-410. MILANO,P.D. Project Directorate IV 88/06/28 ANDREWS,H.L. Omaha Public Power District 4pp. 46141.089-46141.105.

-8807110414 Amend 114 to License DPR-40 updating RCS pressure-temp limits for heatup & cooldown to reflect new licensee prediction developed & more limiting chemistry factor associated w/Weld 3-410. CALVO,J.A. Project Directorate IV 88/06/28 9pp. 46141.093-46141.101.

-8807110431 Safety evaluation supporting Amend 114 to License DPR-40 \* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/06/28 4pp. 46141.102-46141.105.

8807070229 Forwards response to request for addl info re NUREG-0737, Item II.D.1, "Performance Testing of Relief & Safety Valves for Fort Calhoun Station." Final response will be submitted by 881118. ANDREWS,R.L. Omaha Public Power District 88/06/30 Document Control Branch (Document Control Desk) 5pp. 46136.287-46136.291.

8807070169 Summarizes 880630 discussion w/NRR & Region IV re errors found in Cycle II setpoint analysis. Errors caused by procedural omissions in C.E. training & misunderstanding between C.E. & util. Thermal margin trip setpoints changed. MORRIS,K.J. Omaha Public Power District 88/07/01. Document Control Branch (Document Control Desk) 4pp. 46136.335-46136.338.

8807110191 Forwards Amend 115 to License DPR-40 & safety evaluation. Amend revises Section 5 of Tech Specs to incorporate recent organizational & job title changes & to remove onsite & offsite organizational charts. MILANO,P.D. Project Directorate IV 88/07/01. ANDREWS,R.L. Omaha Public Power District 3pp. 46138.314-46138.333.

-8807110197 Amend 115 to License DPR-40, revising Section 5 of Tech Specs to incorporate recent organizational & job title changes & to remove onsite & offsite organizational charts. CALVO,J.A. Standardization & Non-Power Reactor Project Directorate. 88/07/01. 13pp. 46138.317-46138.329.

-8807110198 Safety evaluation supporting Amend 115 to License DPR-40. \* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/01. 4pp. 46138.330-46138.333.

8807120292 Forwards changes to reactor methodology topical rept to reflect use of more efficient computer code utilized for core analysis Encl documents withheld (ref 10CFR2.700). MORRIS,K.J. Omaha Public Power District 88/07/08. Document Control Branch (Document Control Desk) 4pp. 46156.030-46156.033.

8807140307 Summarizes discussions re plant at NRC senior managers 880628-29 meetings conducted to review performance of operating plants. Public meeting scheduled for 880713 to review results of meetings. STELLO,V. Ofc of the Executive Director for Operations. 88/07/08. PETERSON,F.M. Omaha Public Power District. 2pp. 46175.100-46175.101.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations Svc list & Rev 2 to Reg Guide 1.90 encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807250179 Forwards application for amend to License DPR-40, amending table of contents of Tech Specs & ref in Section 2.19 Fao pa d. MORRIS,K.J. Omaha Public Power District. 88/07/19. Document Control Branch (Document Control Desk). 1p. 46273.022-46273.033.

-8807250181 Application for amend to License DPR-40, amending table of contents & ref in Section 2.19. MORRIS,K.J. Omaha Public Power District 88/07/19. 3pp. 46273.023-46273.025.

-8807250185 Proposed Tech Specs table of contents & Section 2.19. \* Omaha Public Power District 88/07/19. 8pp. 46273.026-46273.033.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BF-0122 & svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019.037-46019.152.

8806290482 Forwards Insp Rept 50-285/88-12 on 880404.08 & 18-22 & notice of violation. Concern expressed re apparent inattention to detail which resulted in individual w/inspcd qualifications performing a signature approval. CALLAN,L.J. Region 4, Ofc of the Director. 88/06/23. ANDREWS,R.L. Omaha Public Power District 2pp. 45988.125-45988.141.

-8806290491 Notice of violation from insp on 880404-22 Violation noted. Licensed senior reactor operator failed to attend majority of preplanned lectures scheduled by licensee requalification program. \* Region 4, Ofc of the Director 88/06/23. 1p. 45988.127-45988.127.

-8806290495 Insp Rept 50-285/88-12 on 880404-22. Violations noted. Major areas inspected. Licensed operator training programs. PICK,K.A. GAGLIARDO,J.E. Region 4, Ofc of the Director. 88/06/13. 14pp. 45988.128-45988.141.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807050485 Ack receipt of 880603 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-285/88-10. Followup insp will be conducted to determine if unresolved item acceptable. Deviation or other more violations. CALLAN,L.J. Region 4, Ofc of the Director. 88/06/28. ANDREWS,R.L. Omaha Public Power District. 2pp. 46114.210-46114.211.

8807070205 Forwards addl info as requested in NRC 880517 ltr re violation noted in Insp Rept 50-285/88-02. MORRIS,K.J. Omaha Public Power District 88/07/01. Document Control Branch (Document Control Desk) 2pp. 46125.277-46125.331.

-8807070474 Rev 4 to Administrative Procedure A-5, "Procurement of Mat'l & Labor." \* Omaha Public Power District 88/04/30. 22pp. 46125.278-46125.300.

-8807070480 Rev 6 to Design Procedure B-5, "Control of Mat'l & Equipment for GSE Engineered Modes at Fort Calhoun Station." \* Omaha Public Power District 87/06/30. 15pp. 46125.301-46125.315.

-8807070483 Rev 2 to Design Procedure B-7, "Evaluation of Risks." \* Omaha Public Power District 88/02/20. 1pp. 46125.316-46125.331.

8807070434 Ack receipt of 880526 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-285/88-20. Revised schedule for completion of deficiencies noted in rept acceptable. CALLAN,L.J. Region 4, Ofc of the Director. 88/07/01. ANDREWS,R.L. Omaha Public Power District. 2pp. 46118.232-46118.235.

8807120123 Ack receipt of 880527 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-285/88-11. CALLAN,L.J. Region 4, Ofc of the Director. 88/07/01. ANDREWS,R.L. Omaha Public Power District. 2pp. 46154.171-46154.172.

8807120108 Forwards Insp Rept 50-285/88-16 on 880501-31. No violations noted. CALLAN,L.J. Region 4, Ofc of the Director. 88/07/05. ANDREWS,R.L. Omaha Public Power District. 2pp. 46135.263-46135.275.

-8807120108 Insp Rept 50-285/88-16 on 880501-31. No violations or deviations noted. Major areas inspected. Operational safety verification, safety-related sys walkdown, monthly maint & surveillance observations & review of periodic reports. HARRELL,P.H. REIST, WESTERMAN,T.F. Region 4, Ofc of the Director. 88/06/30. 11pp. 46135.285-46135.275.

8807140304 Forwards slide presentation used during 880608 enforcement conference held to discuss details of Insp Rept 50-285/88-15. Responses to question raised during conference also encl. MORRIS,K.J. Omaha Public Power District. 88/07/05. Document Control Branch (Document Control Desk) 40pp. 46175.280-46175.289.

8807130066 Forwards updated status rept for open items from NRC Insp Rept 50-285/88-05. Procedure HP-B, "Contamination Control" revised on 880701 to include requirements for placement of radiological waste & used protective clothing. MORRIS,K.J. Omaha Public Power District 88/07/06. Document Control Branch (Document Control Desk) 14pp. 46163.334-46163.347.

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807110411 Forwards Insp Rept 50-285/88-18 on 880806-10. No violations or deviations noted. CALLAN,L.J. Region 4, Ofc of the Director. 88/07/07. ANDREWS,R.L. Omaha Public Power District. 2pp. 46141.243-46141.260.

-8807110418 Insp Rept 50-285/88-18 on 880806-10. No violations or deviations noted. Major areas inspected. Water chemistry & radiochemistry programs, post-accident sampling sys & water chemistry confirmatory measurements. NICHOLAS,J.B. WISE,R., BAER,R.E. Region 4, Ofc of the Director. 88/08/30. 16pp. 46141.245-46141.280.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807120611 Responds to NRC Bulletin 88-004 re potential safety-related pump loss. Response limited only to safety-related centrifugal pumps equipped w/common miniflow recirculation lines. MORRIS,K.J. Omaha Public Power District 88/07/08. Document Control Branch (Document Control Desk) 5pp. 46148.226-46148.230.

8807120291 NRC Info Notice 88-048, "Licensee Rep: of Defective Refurbished Valves" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46241 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc. 118pp. 46257 258-46258 016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 206

## 9. Reportable occurrences, LERs & related correspondence

8807010054 LER 84-016-01 on 840702 load over RCS suspended from auxiliary hook of polar crane violated Tech Spec 2.11(f). Procedure change made to RCS vent & leak test operating instructions W/880621 lir  
PHILLIPS,W.C., ANDREWS,R.L. Omaha Public Power District 88/06/10. 3pp. 46017 282-46017 284.

8807060371 LER 88-011-03 on 880327, containment integrity lost because Swageelok cap on PC-743 test tee removed for leak rate testing not reinstalled until discovered on 880419 Caused by inadequate procedure Procedure upgraded W/880701 lir  
KECY,J.D., MORRIS,K.J. Omaha Public Power District 88/07/01 8pp. 46103 336-46103 345

## V. Operator Examinations

8806290482 Forwards Insp Rept 50-285/88-12 on 880404-08 & 16-22 & notice of violation Concern expressed re apparent inattention to detail which resulted in individuals w/apsed qualifications performing signature approval  
CALLAN,L.J. Region 4, Ofc of the Director 88/06/23 ANDREWS,R.L. Omaha Public Power District 2pp. 45988 125-45988 141.

-8806290491 Notice of violation from Insp on 880404-22 Violation noted licensed senior reactor operator failed to attend majority of preplanned lectures scheduled by licensee requalification program.  
\* Region 4, Ofc of the Director. 88/06/23. 1p. 45988 127-45988 127.

-8806290495 Insp Rept 50-285/88-12 on 880404-22 Violations noted Major areas inspected licensed operator training programs.  
PICK,G.A., GAGLIARDO,J.E. Region 4, Ofc of the Director. 88/06/13. 14pp. 45988 128-45988 141.

8807060252 Notification of 880714 meeting w/utl in Arlington, TX to discuss summary of facility requalification exams & lessons learned job task analysis, exam item development & procedure rev & compliance  
PELLET,J.L. Region 4, Ofc of the Director. 88/06/24. Region 4, Ofc of the Director. 2pp. 46068 132-46068 133.

## DOCKET 50-286 INDIAN POINT STATION, UNIT 3

## F. Security, medical, emergency & fire protection plans

8807180258 Revised emergency plan implementing procedures, including Rev 2 to IP-1016, "Post-Accident Environ Sampling & Counting," Rev 2 to IP-1018, "Emergency Use of Potassium Iodide (KI)" & Rev 5 to IP-1026, "Repair & Corrective Action Teams."  
WELSH,R. New York Power Authority (formerly Power Authority of the State of New York). 88/07/08. 85pp. 46231 185-46231 278

## H. General correspondence

8807220015 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
HOLT,J. Public Interest Research Group, New York. 87/02/18. Commissioners. 5pp. 46230 248-46230 253.

## J. Insurance & indemnity information

8807140252 Forwards Endorsements 160 & 141 to NELIA Policy NF-100 & MAELU Policy MF-28, respectively.  
O'CONNOR,D.J. Marsh & McLennan, Inc. 88/07/11. DINITZ,I. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46177 229-46177 233.

50N  
NEIGHBORHOOD PROJECT DIRECTORATE I-1 88/08/23 BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York) 3pp. 46111 203-46111 308

-8807120405 Notice of consideration of issuance of amendment to License DPR-84 & proposed NSIC determination & opportunity for hearing re 880509 application for amendment concerning spent fuel storage racks  
CAPRIA,R.A. Project Directorate I-1. 88/06/23. 13pp. 46111 286-46111 308

8807080098 Responds to 880524 request for addl info re response to Generic Ltr 83-28, Items 4.2.3 & 4.2.4. Comparison of plant reactor trip breaker maint program to requirements of ongoing life qualification program encl  
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/06/27. Document Control Branch (Document Control Desk). 4pp. 46088 324-46088 327.

8807130093 Notification of 880713 meeting w/utl in Rockville, MD to discuss status of licensing actions.  
SLOSSON,M.M. Project Directorate I-1. 88/07/06. CAPRIA,R.A. Project Directorate I-1. 2pp. 46168 231-46168 232

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl  
MIRAGLIA,F.J. Assoc. Dir. for Projects (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 257

8807250224 Advises that required reviews of util 10CFR50.59 safety evaluations re steam generator replacement program complete  
BRONS,J.C. New York Power Authority (formerly Power Authority of the State of New York) 88/07/14. Document Control Branch (Document Control Desk). 2pp. 46255 014-46255 015.

## Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "Leakage Unit 2 Loss of Circulation Pumps W/ Power Oscillation Event" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/16 Consolidated Edison Co. of New York, Inc. 110pp. 45978 156-45978 266

8807010018 Forwards Insp Rept 50-286/88-10 on 880503-0606 & notice of violation Violation involved failure to follow procedural requirements for electrical jumper installation Violation indicates that shift mgr attention focused in subj area  
WEININGER,E.C. Region 1, Ofc of the Director 88/06/17 JOSIGER,W. New York Power Authority (formerly Power Authority of the State of New York) 2pp. 46017 077-46017 080

-8807010019 Notice of violation from Insp on 880503-0606 Violation noted licensee completed transfer of all site electrical loads from normal to backup power supply w/o established procedure specific activity in place  
\* Region 1, Ofc of the Director. 88/06/17. 1p. 46017 070-46017 079

-8807010020 Insp Rept 50-286/88-10 on 880503-0606 Violations noted Major areas inspected plant operations, including shift logs & records, outage activities, surveillance, maint, PRA based insps & actions on Bulletin 88-001.  
JOHNSON,J.R. Region 1, Ofc of the Director 88/06/16 9pp. 46017 080-46017 088.

8807010041 Forwards Insp Rept 50-286/88-09 on 880425-29 No violations noted Delays in radiation protection program procedure upgrades & lack of participation of individuals in required program audits control rule to require mgr attention  
BELLAMY,R.R. Region 1, Ofc of the Director 88/06/20 JOSIGER,W. New York Power Authority (formerly Power Authority of the State of New York) 2pp. 46025 005-46025 014

-8807010043 Insp Rept 50-286/88-09 on 880425-29 No violations noted Major areas inspected radiation protection program, including mgr controls, status of radiation protection procedure upgrades & implementation of ALARA program  
GRESICK,J.A., SHANBAKY,M.M. Region 1, Ofc of the Director 88/06/10. 7pp. 46025 007-46025 014.

8807010251 Forwards Safety Insp Repts 50-003/88-01, 50-247/88-17 & 50-286/88-09 on 880509-13 No violations noted  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/06/21. BRAM,S. Consolidated Edison Co. of New York, Inc. 2pp. 46008 168-46008 176.

-8807010268 Insp Repts 50-003/88-01, 50-247/88-17 & 50-286/88-09 on 880509-13 No violations noted Major areas inspected radiological environ monitoring program, including mgr controls & analytical measurements QC program.  
STLUCKMEYER,R., PASCIAK,W.J. Region 1, Ofc of the Director. 88/06/16. 9pp. 46008 168-46008 176.

8807010306 Forwards Safety Insp Rept 50-286/88-09 on 880509-13 No violations noted  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/06/21. JOSIGER,W. New York Power Authority (formerly Power Authority of the State of New York) 2pp. 46008 183-46008 193.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 165



8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/22  
Consolidated Edison Co. of New York, Inc. 116pp 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Birding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers" Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/24  
Consolidated Edison Co. of New York, Inc. 114pp 46019.266-46020.018.

8807050231 Forwards summary of 880614 meeting in Region 1 of re follow-up actions to NRC safety sys outage mod insp, steam generator replacement program & recent startup self assessment  
WEININGER,E.C. Region 1, Ofc of the Director. 88/06/24. JOSIGER,W. New York Power Authority (formerly Power Authority of the State of New York) 2pp 46025-149-46025-202

-8807110079 Summary of 880614 meeting w/licenses in King of Prussia, PA re safety sys outage mod insp response & status, steam generator replacement program plans & recent plant startup self assessment program.  
KOTAY,P.S., JOHNSON,J.R. Region 1, Ofc of the Director 88/06/24 Region 1, Ofc of the Director 5pp 46025.151-46025.202

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp 46242.109-46242.212

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/08.  
Consolidated Edison Co. of New York, Inc. 107pp 46231.281-46232.027

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp 46242.006-46242.108.

8807210172 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Justification for continued operations pending completion of technical evaluation of two millflow design concerns listed in Attachment 2  
JOSIGER,W.A. New York Power Authority (formerly Power Authority of the State of New York) 88/07/13 RUSSELL,W.J. Region 1, Ofc of the Director. 15pp. 46238.074-46238.088

8807000368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/14  
Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18  
Consolidated Edison Co. of New York, Inc. 103pp 46241.263-46242.005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.010.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/21  
Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.208.

#### S. Reportable occurrences, LERs & related correspondence

8807120006 Special rept on 880527, unit brought above cold shutdown condition w/Fire Hydrant 39 out of svc. Hydrant valve stem found to be bent. Replacement hydrant will be available within approx 3 wks.  
JOSIGER,W.A. New York Power Authority (formerly Power Authority of the State of New York) 88/06/29. Document Control Branch (Document Control Desk). 2pp 46145.360-46145.361.

8807180137 LER 88-005-00 on 880612, reactor trip occurred on generated low-to-steam generator level received from steam generator 32. Caused by failure of smoothing orifice coil of device in Westinghouse main turbine orifice repaired w/880712 Lr.  
COULHAN,V.R., JOSIGER,W.A. New York Power Authority (formerly Power Authority of the State of New York) 88/07/12 9pp. 46199.201-46199.209.

#### DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

8807070221 Rev 26 to crisis mgmt plan, W/880624 Ltr.  
TUCKER,H.B. Duke Power Co. 88/06/15. 38pp. 46118.281-46118.321.

8807080189 Forwards Repts 88-2 & 88-3 to Vols B & C of plant implementing procedures emergency plan, respectively.  
TUCKER,H.B. Duke Power Co. 88/06/27. Document Control Branch (Document Control Desk). 2pp. 46116.141-46116.289.

-8807060585 Rev 88-2 to Vol B of "Implementing Procedures Emergency Plan."  
TUCKMAN,M.S. Duke Power Co. 88/05/20. 64pp. 46116.143-46116.227.

-8807060588 Rev 88-3 to Vol C of "Implementing Procedures Emergency Plan"

-8807130191 Public version of revised emergency plan implementing procedures, including HP/O/1009/11, "Protection of Offsite Dose from Uncontrolled Release of Radioactive Mists Through Unit Vent" & HP/O/B/1009/12 re potassium distribution  
TUCKMAN,M.S. Duke Power Co. 88/06/28. 32pp 46163.301-46163.333

8807050287 Rev 88-1 to "Oconee Nuclear Station Emergency Plan Manual." Vol A.W/ 880621 Ltr.  
TUCKMAN,M.S., TUCKER,H.B. Duke Power Co. 88/06/30. 10pp. 46020.324-46020.335.

8807130183 Provides updated implementation schedule for development of emergency operating facility, including crisis mgmt ctr.  
TUCKER,H.B. Duke Power Co. 88/07/08. Document Control Branch (Document Control Desk). 2pp. 46164.040-46164.041.

#### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807050081 Update to FSAR for Oconee Nuclear Station, W/880701 Ltr.  
TUCKER,H.B. Duke Power Co. 88/07/01. 29Cp. 46089.302-46070.231.

#### P. Operating license stage documents & correspondence

8807050455 Summary of 880832 meeting w/ultr in Bethesda, MD to discuss response to Generic Ltr 87-02 re seismic qualification of equipment per USI A-46.  
TOURIGNY,E.G. Project Directorate II-2. 88/08/16. Project Directorate II-2. 10pp. 45991.298-45992.003

-8807050491 Forwards evaluation of safety issues re regulatory analysis for plant-specific emergency feedwater sys backfit.  
CONGEL,F.J. Risk & Reliability Assessment Branch. 88/03/06. PARR,O. Plant Electrical, Instrumentation & Control Systems Branch (PWR-B) 6pp. 45991.358-45992.003

8807110283 Forwards Amendments 168,168 & 165 to Licenses DPR-38,DPR-47 & DPR-55, respectively. Amends revise Tech Specs to update LOCA-limited max allowable linear heat rates reflecting effects of NUREG-0830 models & analytical results using FLEXSET.  
PASTIS,H.N. Project Directorate II-3. 88/06/23. TUCKER,H.B. Duke Power Co. 3pp. 46100.073-46100.087.

-8807110291 Amends 168,168 & 165 to Licenses DPR-38,DPR-47 & DPR-55, respectively, revising Tech Specs to update LOCA-limited max allowable linear heat rates reflecting effects of NUREG-0830 models & analytical results w/uso of FLEXSET correlation.  
MATTHEWS,D.B. Project Directorate II-3 88/06/23. 8pp. 46100.076-46100.083

-8807110303 Safety evaluation supporting Amendments 168,168 & 165 to Licenses DPR-38,DPR-47 & DPR-55, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 3pp. 46100.084-46100.086.

-8807110308 Requests FR publication of notice of issuance of Amendments 168, 168 & 165 to Licenses DPR-38,DPR-47 & DPR-55, respectively. Amends revise common Tech Specs to update LOCA-limited max allowable linear heat rates.  
PASTIS,H.N. Project Directorate II-3. 88/06/23. NRC - No Detailed Affiliation Given. 1p 46100.087-46100.087.

8807130323 "Oconee 2,Cycle 10 Startup Testing Rept." W/880707 Ltr.  
TUCKER,H.B. Duke Power Co. 88/07/07. 15pp 46164.001-46164.015.

8807160081 Notification of 880714 meeting w/B&W Owners Group in Rockville, MD to discuss plant operation in decay heat removal modes Meeting agenda incl  
TRAMMELL,C.M. Project Directorate V. 88/07/07. KNIGHTON,G.W. Project Directorate V. 3pp. 46183.313-46183.317.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel nozzles & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 incl  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp 46257.207-46257.257.

8807180017 Ack receipt of 880720 Ltr appealing NRC 871029 denial of unit 870901 backfit claim re containment integrated leak rate testing requirements per App J of 10CFR50. Matter currently under review.  
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. TUCKER,H.B. Duke Power Co. 4pp. 46203.010-46203.023

#### Q. Inspection reports, IE Bulletins & correspondence

8808130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list incl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/16  
Consolidated Edison Co. of New York, Inc. 110pp. 45978.158-45978.268.

8807060575 Forwards Insp Repts 50-269/88-14, 50-270/88-14 & 50-207/88-14 on 880518-19. No violations or deviations noted.  
HERDT,A.R. Region 2, Ofc of the Director. 88/06/20. TUCKER,H.B. Duke Power Co. 2pp 46074.038-46074.045

-8807060578 Insp Repts 50-269/88-14, 50-270/88-14 & 50-207/88-14 on 880518-19. No violations or deviations noted. Major areas inspected: emergency power, engineering, design changes, resolution of design problems & surveillance testing.  
FILLION,P., CONLON,T. Region 2, Ofc of the Director. 88/06/14. 6pp. 46074.041-



## H. General correspondence

**8807180134** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to operate in offsite emergency planning CUNNINGHAM,P. Affiliation Not Assigned 87/03/02 ZECH,L.W. Commissioners 2pp. 46178.003-46178.004.

**8807220246** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning PEPERCORN,M. Affiliation Not Assigned 87/03/05. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46230.272-46230.272

**8807210149** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning BARNES,J.P., BARNES,M., BARNES,J. Affiliation Not Assigned 87/03/07 NRC - No Detailed Affiliation Given. 3pp. 46208.104-46208.108.

**8807070360** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations RICCIO,J.P. Nuclear Information & Resource Service. 88/06/23 CHILK,S. Office of the Secretary of the Commission 14pp. 46018.021-46018.034

**8807180176** Comment opposing proposed rule 10CFR50 re expansion of applicability of leak before break technology to functional & performance requirements for ECCS & environ qualification EPSTEIN,E. Three Mile Island Alert. 88/07/02. Docking & Services Branch. 2pp. 46165.339-46165.340.

## P. Operating license stage documents & correspondence

**8807130325** Provides NRC evaluation of B&W Topical Rept 47-1159001-00, "Design Requirements for DSS (Diverse Scram Sys) & AMSAC (ATWS Mitigation Sys Activation Circuitry)." Most sections acceptable. Several design requirements presented. STOLZ,J.F. Project Directorate I-4. 88/07/07. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 3pp. 46184.347-46185.008.

**8807130326** "Design Requirements for DSS (Diverse Scram Sys) & AMSAC (ATWS Mitigation Sys Activation Circuitry)," safety evaluation of Topical Rept 47-1159001-00. COLLINS,B.L., THOMAS,V.D. Idaho National Engineering Laboratory. 88/02/20. NRC - No Detailed Affiliation Given. 20pp. 46184.350-46185.008.

**8807150081** Notification of 880714 meeting w/B&W Owners Group in Rockville,MD to discuss plant operation in decay heat removal modes Meeting agenda encl TRAMMELL,C.M. Project Directorate V. 88/07/07. KNIGHTON,G.W. Project Director. 4p. 46183.315-46183.317.

**8807180099** Forwards notice of environ assessment & findings of no significant impact re util 880418 application for license amend to increase rated core power level to 2,588 MWt. HERNAN,R.W. Project Directorate I-4. 88/07/11. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 46203.311-46203.322.

**8807180106** Environ assessment & finding of no significant impact re util 880418 application for license amend to upgrade rated core power level to 2,588 MWt. STOLZ,J.F. Project Directorate I-4. 88/07/11. 10pp. 46203.313-46203.322.

**8807260074** Forwards environ assessment & finding of no significant impact re 880405 application for amend to support Cycle 7 of operation for plant. HERNAN,R.W. Project Directorate I-4. 88/07/11. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 3pp. 46289.231-46289.236.

**8807260076** Environ assessment & finding of no significant impact re 880405 amend request Amend revises Tech Spec to support core reload for Cycle 7 operation. STOLZ,J.F. Project Directorate I-4. 88/07/11. 3pp. 46269.234-46269.236.

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation ambientment of reactor vessel mats & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46267.207-46267.257.

**8807260357** Concurs w/util 871210 justification that parameters meet intent of Reg Guide 1.97. Based on review of encl Rev 2 to Technical Evaluation Rept EGG-NTA-7079 concludes that util design for pressurizer level & heater status acceptable. HERNAN,R.W. Project Directorate I-4. 88/07/15. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 3pp. 46264.297-46264.323.

**8807260385** Rev 2 to "Conformance to Reg Guide 1.97-TMI-1," technical evaluation report. STOFFEL,J.W. EG&G Idaho, Inc. (subs. of EG&G, Inc.). STOFFEL,J.W. Idaho National Engineering Laboratory. FIN A-6463. EGG-NTA-7079 R02. 88/05/31. NRC - No Detailed Affiliation Given. 24pp. 46264.300-46264.323.

## Q. Inspection reports, IE Bulletins & correspondence

**8807010103** Responds to violation noted in Insp Rept 50-289/88-01. Corrective actions: Maint Procedure 1410-Y-36, "Installation of Expansion Joints" will be revised to provide descriptive info &/or illustrations to differentiate between joints. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 88/04/22. RUSSELL,W.T. Region 1, Ofc of the Director. 4pp. 45998.039-45998.042.

**8806130168** NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Redcirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.168-45978.268.

**8807010015** Insp Rept 50-289/88-11 on 880502-06 No violations noted. Major areas inspected Number 7 refusing outage preparation, maint backlog prior to entering outage & method of performing surveillances & preventive & corrective maint. FINKEL,A., BLUMBERG,N. Region 1, Ofc of the Director. 88/08/03. 13pp. 46020.206-46020.218.

**8807010033** Forwards Safety Insp Rept 50-289/88-08 on 880410 0514 Ack receipt of 880506 response to Insp Rept 50-289/88-04 re technical & safety review program. BETTENHAUSEN,L. Region 1, Ofc of the Director. 88/06/20. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 2pp. 46017.163-46017.208.

**8807010034** Insp Rept 50-289/88-08 on 880410 0514 & 19 No violations noted. Major areas inspected: emergency feedwater sys standby alignment & selected equipment operability status & actions associated w/IE Bulletin 85-003. COWGILL,C. Region 1, Ofc of the Director. 88/06/16. 44pp. 46017.165-46017.208.

**8808180340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

**8808170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019.037-46019.152.

**8808210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

**8808240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.268-46020.011.

**8808300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

**8807080006** NRC Info Notice 88-040, "Licensee Rept of Defective Rebuilt Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

**8807200214** Forwards Safety Insp Repts 50-289/88-12 & 50-320/88-09 on 880530-0603 & notice of violation Concern re mgt control sys expressed. BELLAMY,R.N. Region 1, Ofc of the Director. 88/07/08. STANDERFER,F. General Public Utilities Corp. - GPU Service Corp. 3pp. 46222.181-46222.195.

**8807200216** Notice of violation from insp on 880531-0603. Violations noted: cracking of highly contaminated block wall in basement of reactor bldg started w/o assessment & worker fell into reactor vessel because of failure to use security lift off. Region 1, Ofc of the Director. 88/07/08. 1p. 46222.184-46222.184.

**8807200218** Insp Repts 50-289/88-12 & 50-320/88-09 on 880531-0603. Violations noted: Major areas inspected: organization, mgt controls, qualifications, training, surveys, posting, internal exposure controls & external exposure controls. LOESCH,R., GRESICK,J., SHERBINI,S. Region 1, Ofc of the Director. 88/07/07. 11pp. 46222.185-46222.195.

**8807120291** NRC Info Notice 88-048, "Licensee Rept of Defective Rebuilt Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.008-46242.108.

**8807080368** NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

**8807120550** NRC Info Notice 88-040, "Marking, Handling, Control, Storage & Destruction of Safeguards Encl." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

**8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.016.

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.008-46257.208.

## R. Periodic operating reports & related correspondence

**8807080134** Forwards "TMI Aquatic Study Monthly Progress Rept for May 1988." RESSLER,W.C. General Public Utilities Corp. - GPU Service Corp. 88/06/27. MASNIK,M. NRC - No Detailed Affiliation Given. 1p. 46109.323-46109.338.

**8807060242** "TMI Aquatic Study Monthly Progress Rept For May 1988." Radiation Management Corp. (RMC). 88/05/31. 15pp. 46109.324-46109.338.

8807250417 Monthly operating rept for June 1998 for TMI Station Unit 1. W/880615 ltr. SMYTH,C.W., HUKILL,H.D. General Public Utilities Corp. GPU Service Corp. 88/06/30. 6pp. 46273-212-46273-217.

#### S. Reportable occurrences, LERs & related correspondence

8807260350 Part 21 rept re 950CD series of microprocessor controller. Caused by defective battery backed up RAM Controller family to be re designed. SMITH,J.A., STAFFORD,K.E. Vicioreen, Inc (subs of Sheler-Globe Corp.). 88/07/08. DEFAVETTE,R. Region 3, Ofc of the Director. 3pp. 46344-001-46344-003.

#### DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807070541 Forwards revised pages to security plan Pages withheld (ref 10CFR73.21). BIRD,R.G. Boston Edison Co. 88/06/28. Document Control Branch (Document Control Desk). 2pp. 48119-150-48119-151.

8807130240 Forwards Safety Insp Rept 50-293/88-19 on 880418-0531. Actions taken to address main program concerns appeared strong. COLLINS,S.J. Region 1, Ofc of the Director. 88/06/29. BIRD,R.G. Boston Edison Co. 2pp. 46168-001-46168-041.

-8807130243 Insp Rept 50-293/88-19 on 880418-0531. Concerns noted. Major areas inspected plant operations, radiation protection, physical security, plant events, maintenance, outage activities & repts to NRC. BLOUGH,H.R. Region 1, Ofc of the Director. 88/06/28. 3pp. 46168-003-46168-041.

8807130041 Rev 8 to Emergency Plan Implementing Procedure 5.7.1.1, "Emergency Categories & Associated Emergency Action Levels." W/880707 ltr. BIRD,R.G. Boston Edison Co. 88/07/07. 53pp. 46164-294-46164-348.

8807210186 Forwards exemption from certain requirements of 10CFR50, App R, Section III.G re fire proofing & barrier separation in fire zones. MACDONALD,D.G. Project Directorate I-3. 88/07/14. BIRD,R.G. Boston Edison Co. 3pp. 46220-110-46220-128.

-8807200241 Grants exemption from 10CFR50, App R, Section III.G.2 a requirements re fire barriers & protection of structural steel. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 88/07/14. Boston Edison Co. 16pp. 46220-113-46220-126.

8807210308 Forwards environ assessment & finding of no significant impact re 870810 application for exemption from 10CFR50, App R, Section III.G provisions re fire protection requirements. MACDONALD,D.G. Project Directorate I-3. 88/07/14. BIRD,R. Boston Edison Co. 3pp. 46237-180-46237-174.

-8807210312 Environ assessment & finding of no significant impact re proposed issuance of exemptions from certain 10CFR50, App R Subsections III.G.2 b, III.G.2 b & III.G.3 Proposed act on will not significantly effect quality of human environ. WEISSMAN,R.H. Project Directorate I-3. 88/07/13. 12pp. 46237-183-46237-174.

#### G. Adjudicatory correspondence

8807110002 Informs that time provided by NRC regulation within which Commission may act to review Director's Decs on DD-88-07 has expired. Commission declined any review & decision became final agency action on 880821. Served on 880701. CHILK,S.J. Office of the Secretary of the Commission #368 8648. 88/06/29. SHANNON,J.M. Massachusetts, Commonwealth of. 1p. 46033-296-46033-296.

#### H. General correspondence

8807180331 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. SULLIVAN,J. Affiliation Not Assigned. 87/02/22. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46185-202-46185-292.

8807200297 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. HOWLAND,A. Affiliation Not Assigned. 87/02/28. ZECH,L. Commissioners. 1p. 46197-079-46197-079.

8807200375 Comment opposing proposed rule 10CFR60 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. EDERA,E. EDERA,M. Affiliation Not Assigned. 87/03/05. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46197-092-46197-092.

8807200275 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. LILIENTHAL,D.E. Affiliation Not Assigned. 87/03/08. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46197-075-46197-075.

8807210077 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. \* Affiliation Not Assigned. 87/03/08. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46208-083-46208-083.

8807060048 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DOLLARD,S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45999-301-45999-301.

8807060196 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. RICHARDSON,P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch.

8807050400 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. KILEY,M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995-010-45995-010.

8807070061 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MCCICKLE,R.H. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 46010-311-46010-312.

8807010065 Requests change in distribution list for NRC correspondence. BIRD,R.G. Boston Edison Co. 88/06/23. Document Control Branch (Document Control Desk). 1p. 46020-244-46020-244.

8807200278 Responds to 880517 ltr expressing concern re adequacy of highway net work being considered as part of emergency plan. Location in Wellesley territory selected as site for reception ctr. FEMA approves adequacy of ctr. BELLMY,R.R. Region 1, Ofc of the Director. 88/07/08. DONAHUE,C. Affiliation Not Assigned. 2pp. 46230-001-46230-008.

-8807200280 Forwards newspaper article re highway routing in emergency & expresses concern re adequacy of highway network. DONAHUE,C. Affiliation Not Assigned. 88/06/17. Region 1, Ofc of the Director. 4pp. 46230-003-46230-006.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

8807260273 Rev 9 to updated FSAR for Pilgrim, W/ six oversize tables & 880720 ltr enc. BIRD,R.G. Boston Edison Co. 88/07/20. 400pp. 46294-277-46297-054.

#### P. Operating license stage documents & correspondence

8807120274 Forwards "Self Assessment of Readiness for Restart" & Rev 2 to Vol 2 to "Apps to Restart Plan." BIRD,R.G. Boston Edison Co. 88/05/26. Document Control Branch (Document Control Desk). 2pp. 46144-001-46145-112.

-8807120285 "Self Assessment of Readiness for Restart." BIRD,R.G. Boston Edison Co. 88/05/26. 167pp. 46144-003-46144-169.

-8807120287 Rev 2 to Vol 2 to "Apps to Restart Plan." \* Boston Edison Co. 88/05/26. 303pp. 46144-170-46145-112.

8807110401 Responds to reciprocal ltr which criticizes comments author made after touring plant in late Apr 1988. Recognizes that number of issues must be addressed before commissioners make decision on resumed operation of plant. CARR,K.M. Commissioners. 88/06/17. MUIRHEAD,D.M. Citizens Urging Responsible Energy. 2pp. 46099-358-46099-359.

8807110368 Responds to 880524 ltr expressing concern re remarks made by NRC commissioners concerning resumption of operations at plant. Commission has not made decision on plant restart. Biography of each Commission member encl. ZECH,L. Commissioners. 88/06/21. MUIRHEAD,D.M. Citizens Urging Responsible Energy. 6pp. 46100-099-46100-107.

-8807110376 Requests info on commissioners, including qualifications, terms in ofc & affiliations w/ nuclear industry. New Yorker 880321 article on issue of GE Mark I containment encl. MUIRHEAD,D.M., OTT,M.C. Citizens Urging Responsible Energy. 88/05/24. ZECH,L. Commissioners. 3pp. 46100-105-46100-107.

8807060563 Staff requirements memo re Boston Edison Co 880609 briefing in Rockville, MD on status of plant. Zech cautioned licensee that transition from shutdown activities to operational performance requires close attention by mgmt & personnel. CHILK,S.J. Docketing & Services Branch. 88/06/24. STELLQ,V. Ofc of the Executive Director for Operations. 2pp. 46003-008-46003-009.

8807080245 Staff requirements memo re 880609 briefing in Rockville, MD re status of plant. Licensee cautioned to continue close monitoring of reactor operator overtime & encouraged to continue emphasis on degraded operator program initiatives. CHILK,S.J. Office of the Secretary of the Commission. 88/06/24. STELLQ,V. Ofc of the Executive Director for Operations. 2pp. 46076-354-46076-355.

8807120557 Requests addl info re backup nitrogen supply sys & drywell spray sys in safety enhancement program as detailed in encl. MACDONALD,D.G. Project Directorate I-3. 88/06/20. BIRD,R.G. Boston Edison Co. 4pp. 46112-348-46112-351.

8807080255 Application for amend to License DPR-35, changing Tech Spec trip & alarm setpoints for degraded voltage protection. Fee will be transferred. BIRD,R.G. Boston Edison Co. 88/06/30. Document Control Branch (Document Control Desk). 8pp. 46136-147-46136-169.

-8807080258 Proposed Tech Specs, revising trip & alarm setpoints for degraded voltage protection. \* Boston Edison Co. 88/06/30. 5pp. 46136-155-46136-169.

8807160075 Forwards summary of util QA program description changes for 1987-1988. Concludes that revised program continues to satisfy criteria of App B. BIRD,R.G. Boston Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 15pp. 46185-083-46185-097.

8807180160 Forwards Amend 119 to License DPR-35 & safety evaluation. Amend adds equipment allowable out of svc times for calibr & testing of reactor protection sys & primary containment sys. MACDONALD,D.G. Project Directorate I-3. 88/07/08. BIRD,R.G. Boston Edison Co. 3pp. 46195-030-46195-041.

-8807180163 Amend 119 to License DPR-35, adding equipment allowable out of svc times for calibr & testing of reactor protection sys & primary containment sys.

8807130454 Generic Ltr 88-11 to a) licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations Svc list & Rev 2 to Reg Guide 1.89 encl  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257 257.

8807250408 Forwards safety evaluation on rejecting old proposal re reactor protection sys protective circuitry surveillance requirements Proposed Tech Specs for reactor protection sys protective circuitry requested within 80 days of ltr date  
MCDONALD,D.G. Project Directorate I-3. 88/07/15. BIRD,R.G. Boston Edison Co. 3pp. 46274:177-46274 182.

8807250409 Safety evaluation supporting incorporation of reactor protection sys circuitry into Tech Specs & draft of 6-month channel functional test  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/15. 3pp. 46274:180-46274 182.

8807220323 Forwards safety evaluation supporting response to Generic Ltr 83-28, Item 2.2.1. "Vendor Interface (Programs for All Other Safety-Related Components)."  
MCDONALD,D.G. Project Directorate I-3. 88/07/18. BIRD,R.G. Boston Edison Co. 2pp. 46249 286-46249 293

8807220325 Safety evaluation supporting licensee response to Generic Ltr 83-28, Item 2.2.1 re equipment classification programs for all safety-related components  
\* NRC - No Detailed Affiliation Given. 88/07/18. 6pp. 46249 288-46249 203.

## Q. Inspection reports, IE Bulletins & correspondence

8806130166 NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:158-45978 266

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019:037-46019 152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019 205.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020 018.

8807050220 Forwards Safety Insp Rpt 50-293/88-22 on 880523-26 No violations noted. Observations indicate need for addl mgt attention to certain program areas, including improvement in ALARA goals.  
BELLAMY,R.R. Region 1, Oic of the Director. 88/06/24. BIRD,R.G. Boston Edison Co. 3pp. 46026 296-46026 306.

8807050224 Insp Rpt 50-293/88-22 on 880523-26 No violations noted. Major areas inspected: organization & staffing, ALARA, work planning, program upgrade projects, radiological occurrence repts & external & internal exposure controls.  
KIMMEL,R.L., DRAGOUN,T., SHANBAKY,M.M. Region 1, Oic of the Director. 88/06/21. 8pp. 46026 299-46026 306.

8807070060 Responds to violations noted in Insp Rpt 50-293/88-17. Corrective actions: maint program revised to provide necessary guidance & program controls to ensure work packages available when maint activities being performed.  
BIRD,R.G. Boston Edison Co. 88/06/25. Document Control Branch (Document Control Desk). 7pp. 46126:117-46126 123

8807080101 Requests NRC commence integrated assessment team Insp on 880711. Summaries of restart readiness self-assessment Chapter II.A Items & schedule encl.  
BIRD,R.G. Boston Edison Co. 88/06/25. Document Control Branch (Document Control Desk). 23pp. 46139:193-46139 215.

8807130240 Forwards Safety Insp Rpt 50-293/88-19 on 880418-0531. Actions taken to address maint program concerns appeared strong.  
COLLINS,S.J. Region 1, Oic of the Director. 88/06/28. BIRD,R.G. Boston Edison Co. 2pp. 46168:001-46168 041.

8807130243 Insp Rpt 50-293/88-19 on 880418-0531. Concerns noted. Major areas inspected: plant operations, radiation protection, physical security, plant events, maint, surveillance, outage activities & repts to NRC.  
BLOUGH,A.R. Region 1, Oic of the Director. 88/06/28. 39pp. 46168:003-46168 041.

8807160304 Forwards Mgt Meeting Rpt 50-293/88-26 on 880627.  
COLLINS,S.J. Region 1, Oic of the Director. 88/07/01. BIRD,R.G. Boston Edison Co. 3pp. 46183:001-46183 037.

8807150308 Mgt Meeting Rpt 50-293/88-26 on 880627. Major issues discussed: licensee response to NRC maint Team Insp 50-293/88-17, status of licensee evaluation of RHR valve yoke cracking & followup of assessment of readiness for restart.  
DOERFLEIN,L.T., BLOUGH,A.R. Region 1, Oic of the Director. 88/06/30. 4pp. 46183:004-46183 037.

8807160103 Forwards supplemental response to Insp Rpt 50-293/88-17, per agreement reached during 880701 to con info on maint staffing & performance encl.  
BIRD,R.G. Boston Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 3pp. 46186:346-46186 348.

8807080006 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232 027

8807140221 Summarizes NRC 880628 & 29 senior managers meetings re performance of operating nuclear plants following issuance of integrated assessment team Insp rpt. NRC will hold public meeting in Plymouth, MA to review conclusions.  
STELLO,V. Oic of the Executive Director for Operations. 88/07/08. SWEENEY,S.J. Boston Edison Co. 2pp. 46177:241-46177 242.

8807150169 Responds to violations noted in Insp Rpt 50-293/88-12. Corrective actions: Field Rev Notice 85-07-126 issued to modify tubing connections according to vendor written confirmation.  
BIRD,R.G. Boston Edison Co. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46182:088-46182 091.

8807210024 Advises that unit 880625 restart readiness self-assessment satisfies NRC 880627 Conformity Action Ltr CAL-88-10. Onsite preparation for integrated assessment team Insp will be conducted on 880718-21.  
COLLINS,S.J. Region 1, Oic of the Director. 88/07/11. BIRD,R.G. Boston Edison Co. 4pp. 46235:026-46235 029

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242 108

8807200044 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." BWR Owners Group position: undrained pumps operate adequately & no significant degradation occurred due to m flow.  
BIRD,R.G. Boston Edison Co. 88/07/13. Document Control Branch (Document Control Desk). 4pp. 46222:080-46222 083.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240 324.

8807120650 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:283-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257:258-46258 016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257 206.

## R. Periodic operating reports & related correspondence

8807050067 Forwards facility biweekly status rpt for 880604-17.  
BLOUGH,A.R. Region 1, Oic of the Director. 88/06/22. WIGGINS,J.T. NRC - No Detailed Affiliation Given. 6pp. 46026:274-46026 278.

8807260290 Monthly operating rpt for June 1988 for Pilgrim Nuclear Power Station W/ 880711 ltr.  
HAMILTON,P., BIRD,R.G. Boston Edison Co. 88/06/30. 7pp. 46285:148-46285 154.

8807200207 Forwards biweekly status rpt for 880618-0701.  
BLOUGH,A.R. Region 1, Oic of the Director. 88/07/08. WIGGINS,J.T. Region 1, Oic of the Director. 6pp. 46222:170-46222 175.

## S. Reportable occurrences, LERs & related correspondence

8806300148 Summary of Operating Reactors Events Meeting 88-24 on 880614. Two significant events identified for input to NRC performance indicator program. No events suggested for long-term followup. List of attendees encl.  
LANNING,W. Events Assessment Branch. 88/06/17. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 15pp. 45978:188-45978 202.

8807260038 LER 88-017-00 on 880608, crack discovered in yoke portion of RHR sys Loop B valve. Cause being investigated by multi-disciplinary team. Valve yoke removed & metallurgical exam performed W/ 880708 ltr.  
ELLIS,D.W., BIRD,R.G. Boston Edison Co. 88/07/08. 6pp. 46285:171-46285 176

## T. Hearing transcripts on non-antitrust matters

8807190281 Transcript of 880218 public meeting in Plymouth, MA re Pilgrim Nuclear Power Station Pp 1-115. Supporting documentation encl.  
\* NRC - No Detailed Affiliation Given. 88/02/18. 350pp. 46217:263-46219 056.

8807220358 Transcript of 880511 public meeting in Plymouth, MA re discussion of comments received on plant restart plan. Related info encl.  
\* Region 1, Oic of the Director. 88/05/11. 350pp. 46246:167-46247 160



## DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

## F. Security, medical, emergency &amp; fire protection plans

8807120545 Provides add detail re implementation schedules for corrective actions in response to Insp Repts 50-295/87-34 & 50-304/87-35 installation schedule for NFPA-approved fire pump controller and Add emergency lights to be installed.  
LENTINE,F.G. Commonwealth Edison Co 68/06/13. DAVIS,B. Region 3, O/c of the Director. 5pp. 46145-269-46145-272

8807080174 Forwards Security Insp Repts 50-295/89-14 & 50-304/89-15 on 880613-16 No violations noted  
MALLET,B.S. Region 3, O/c of the Director. 88/06/24 REED,C. Commonwealth Edison Co. 2pp. 46089-343-46089-345

8807080176 Partially withheld Insp Repts 50-295/88-14 & 50-304/88-15 on 880613-16 (ref 10CFR73.21) No violations noted Major areas inspected security organization, records & ropls, physical barriers lighting & compensatory measures  
GALANTI,D.M., FUNK,D.E., CREED,J.R. Region 3, O/c of the Director 88/06/24 1p. 46089-345-46089-345

8807070596 Forwards Rev 19 to security plan Rev withheld (ref 10CFR73.21)  
BLISS,H.E. Commonwealth Edison Co 88/06/30 Document Control Branch (Document Control Desk). 1p. 46122-360-46122-365

8807120087 Ack receipt of 880525 response to noncompliance noted in NRC 880408 ltr Proposed time tables for addressing procedures to encompass safety-related fire barriers, emergency lighting & NFPA code review unsatisfactory  
MILLER,H.J. Region 3, O/c of the Director 88/07/06. REED,C. Commonwealth Edison Co. 2pp. 46148-301-46148-331

8807120092 Forwards add info re emergency lighting in response to Insp Repts 50-295/85-11 & 50-304/85-12 installation of add lighting expected to be completed by Aug 1988 Completion of emergency lighting & fire protection mods still pending  
LENTINE,F.G. Commonwealth Edison Co 87/12/16 HOLMES,J. Region 3, O/c of the Director. 3pp. 46148-328-46148-331

8807190076 Requests that unit analyze allegations re improper/incomplete background screening requirements for unrestricted access to facility End withheld (ref 10CFR2.790)  
NORELUS,C.E. Region 3, O/c of the Director. 88/07/07. REED,C. Commonwealth Edison Co. 2pp. 46209-203-46209-204

## K. Utility Final Safety Analysis Report (FSAR) &amp; amends

8807120387 Rev 1 to updated FSAR for Zion Nuclear Station Units 1 & 2 W/880630 ltr.  
BLISS,H.E. Commonwealth Edison Co 89/05/33. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 5pp. 46145-268-46145-339.

## P. Operating license stage documents &amp; correspondence

8807010160 Confirms 880616 plans re 880716 meeting w/Unit 1 Region III o/c to discuss several engineering issues associated w/ plans  
GREENMAN,E.G. Region 3, O/c of the Director. 88/06/24. REED,C. Commonwealth Edison Co. 2pp. 46009-058-46009-059.

8807190038 "1988 Integrated Leak Rate Test of Zion Unit 1 Reactor Containment Drip" W/880705 ltr  
TIEMANN,J.A. CASCARANO,R.N., TRZYNA,G.E. Commonwealth Edison Co 88/07/05, 9pp. 46208-188-46208-284.

8807120100 Forwards Rev 51 changes to QA program Topical Rept CE-1-A did 880707 Rev made to reflect organizational changes to provide add organization position description & certification to change commitment to ANSI/ASME NQA-1.  
MORGAN,W.E. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46156-048-46156-075.

8807190205 Rev 51 to Licensee QA Program Topical Rept CE-1-A  
SHEWSKI,W.J. Commonwealth Edison Co. CE-1-A R51 88/07/07 25pp. 46156-051-46156-075

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation ambienting of reactor vessel mats & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co of New York, Inc. 51pp. 46257-207-46257-257.

## Q. Inspection reports, IE Bulletins &amp; correspondence

8807120545 Provides add detail re implementation schedules for corrective actions in response to Insp Repts 50-295/87-34 & 50-304/87-35 installation schedule for NFPA-approved fire pump controller and Add emergency lights to be installed.  
LENTINE,F.G. Commonwealth Edison Co. 88/06/13 DAVIS,B. Region 3, O/c of the Director. 5pp. 46145-268-46145-272.

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co of New York, Inc. 110pp. 45978-156-45978-268.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator License Exams" NUREG/BR-0123 & svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co of New York, Inc. 237pp. 46240-325-46240-201

8806170833 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co of New York, Inc. 122pp. 45978-034-45978-155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl

8807080113 Clarifies response to Generic Ltr 88-03, "Steam Binding of Auxiliary Feedwater Pumps," by additionally stating that monitoring & corrective procedures requested by IE Bulletin 88-001 permanently maintained at plant  
MORGAN,W.E. Commonwealth Edison Co 88/06/23. Document Control Branch (Document Control Desk). 1p. 46101-299-46101-299

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS 416 Circuit Breakers" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co of New York, Inc. 113pp. 46019-153-46019-265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co of New York, Inc. 114pp. 46019-266-46020-018

8807060174 Forwards Security Insp Repts 50-295/88-14 & 50-304/88-15 on 880613-16 No violations noted  
MALLET,B.S. Region 3, O/c of the Director. 88/06/24 REED,C. Commonwealth Edison Co. 2pp. 46089-343-46089-345

8807060176 Partially withheld Insp Repts 50-295/88-14 & 50-304/88-15 on 880613-16 (ref 10CFR73.21) No violations noted Major areas inspected security organization, records & ropls, physical barriers lighting & compensatory measures  
GALANTI,D.M., FUNK,D.E., CREED,J.R. Region 3, O/c of the Director 88/06/24 1p. 46089-345-46089-345

8807060286 Responds to NRC 880524 ltr re violations noted in Insp Repts 50-295/85-10 & 50-304/85-11 Corrective actions temporary installed to restore fire protection monitoring piping & engineering analysis performed on sub piping  
BLISS,H.E. Commonwealth Edison Co 88/06/24 DAVIS,A.B. Region 3, O/c of the Director. 5pp. 46103-333-46103-337

8807060327 Forwards Safety Insp Repts 50-295/88-12 & 50-304/88-13 on 880414-0603 & notice of violation Request expanded discussion of corrective actions to assure final activities, documentation & test procedures appropriately completed  
GREENMAN,E.G. Region 3, O/c of the Director. 88/06/24 REED,C. Commonwealth Edison Co. 2pp. 46110-050-46110-087

8807060329 Notice of violation from Insp on 880414-0603 Violation noted Service Test Procedure PT-4A contained no acceptance criteria for Steps 5,8 & 10 & PT-4B contained no acceptance criteria for Steps 3,5,7 & 9  
GREENMAN,E.G. Region 3, O/c of the Director 88/06/24 4pp. 46103-061-46110-064

8807060332 Insp Repts 50-295/89-12 & 50-304/89-13 on 880414-0603 Violation noted Major areas inspected Request action on previous findings, summary of operations, Unit 1 startup from shutdown & testing of accumulator backup check valves  
HINDS,J.M. Region 3, O/c of the Director 88/06/22 2pp. 46110-065-46110-067

8807070310 Confirms 880623 & 24 letters re disposition of \$100,000 civil penalty withheld to hearing on issue & elected to pay civil penalty Payment and DELGEORGE,L.O. Commonwealth Edison Co 88/06/27. LIEBERMAN,J. NRC - No Detailed Affiliation Given 1p. 46139-102-46139-102

8807070484 Ack receipt of 880627 ltr & payment for civil penalty in amount of \$100,000 per 880526 order. Understands that add comments & info will be handled by 880901  
LIEBERMAN,J. O/c of Enforcement (Post 870413) 88/07/05 DELGEORGE,L.O. Commonwealth Edison Co 1p. 46120-124-46120-124

8807120087 Ack receipt of 880525 response to noncompliance noted in NRC 880408 ltr Proposed time tables for addressing procedures to encompass safety-related fire barriers, emergency lighting & NFPA code review unsatisfactory  
MILLER,H.J. Region 3, O/c of the Director 88/07/06 REED,C. Commonwealth Edison Co. 2pp. 46148-301-46148-331

8807120090 Responds to NRC 880408 ltr re violations noted in Insp Repts 50-295/87-34 & 50-304/87-35 Disputes Violation 2 Violation 4 is licensee identified item & should be withdrawn  
BLISS,H.E. Commonwealth Edison Co. 88/05/25. DAVIS,A.B. Region 3, O/c of the Director. 21pp. 46148-303-46148-327

8807120092 Forwards add info re emergency lighting in response to Insp Repts 50-295/85-11 & 50-304/85-12 installation of add lighting expected to be completed by Aug 1988 Completion of emergency lighting & fire protection mods still pending  
LENTINE,F.G. Commonwealth Edison Co. 87/12/16 HOLMES,J. Region 3, O/c of the Director. 3pp. 46148-328-46148-331

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co of New York, Inc. 104pp. 46242-109-46242-212.

8807080005 NRC Info Notice 88-046, "Licensee Rept of Defective Returned Circuit Breakers" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co of New York, Inc. 107pp. 46231-281-46232-027.

8807220328 Informs that 880502 add info in response to IE Bulletin 88-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings," now acceptable  
GREENMAN,E.G. Region 3, O/c of the Director. 88/07/08 REED,C. Commonwealth Edison Co. 2pp. 46258-054-46258-055.

8807220186 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate minflow capacity  
MORGAN,W.E. Commonwealth Edison Co 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228-182-46228-211

8807120281 NRC Info Notice 88-048, "Licensee Rept of Defective Returned Valves" Svc list encl

**8807080366** NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240.324.

**8807210089** Forwards results of evaluation of HVAC sys.par Insp Rpts 50.295/87.34 & 50.304/87-35 open item.HVAC sys mod Implementation schedule will be transmitted during wk of 880718.  
TRAZYNA,G.E. Commonwealth Edison Co. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 46235-064-46235.076

**8807120550** NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242.005.

**8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46267-258-46268.016.

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-006-46257.206.

#### S. Reportable occurrences, LERs & related correspondence

**8807260239** LER 88-012-00 on 880617,main steam safety valves,when tested w/ steam,failed 1% setpoint pressure tolerance as required by Tech Specs Table 4.7-1.Caused by setpoint drifting or testing method used Safety valves overhauled W/ 880718 ltr.  
HAYES,K. PLIMI,G.J. Commonwealth Edison Co. 88/07/18. 4pp. 46255-018-46255.021.

#### V. Operator Examinations

**8807120103** Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/06/23. OCKERT,A.J. Commonwealth Edison Co. 1p. 46149-358-46149.358.

#### DOCKET 60-298 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

**8807120162** Forwards listed drawings,por NRC 880524 request for addl info to support App R audit.Item 9 not requested for facility,par discussion during 880608-08 site visit.Related documentation encl.W/151 oversize drawings.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/20. Document Control Branch (Document Control Desk). 1,049pp. 46158-086-46163.234.

**8806200370** Forwards info documenting util concurrence w/security restart issues identified during 880619 telcon.Encl withheld (ref 10CFR73.21).  
GRIDLEY,R. Tennessee Valley Authority. 88/06/16. Document Control Branch (Document Control Desk). 2pp. 45985-212-45985.213.

**8807080068** Forwards Insp Rpts 50-259/88-14,50-260/88-14 & 50-286/88-14 on 880509-13.No violations or deviations noted.  
MCCOY,F.R. Ofc of Special Projects. 88/06/20. WHITE,S.A. Tennessee Valley Authority. 2pp. 46110-088-46110.104.

**-8807060071** Health Physics Insp Rpts 50-259/88-14,50-260/88-14 & 50-296/88-14 on 880509-13.No violations or deviations noted. Major areas inspected,followup on previous enforcement issues,organization & mgt controls & training.  
WEDDINGTON,R.E. Region 2, Ofc of the Director. 88/06/03. 15pp. 48110-080-48110.104.

**8807010036** Forwards supplemental response to NRC 880521 ltr re violation noted in Insp Rpts 50-259/88-09,50-260/88-09 & 50-296/88-09.Present schedule for physical completion of secondary containment fire barrier sealing is 881031.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/22. Document Control Branch (Document Control Desk). 3pp. 46009-048-46009.050.

**8807110427** Forwards safety evaluation accepting stated responses to Generic Ltr 82-33 re post-accident monitoring instrumentation & associated Reg Guide 1.97 as applied to emergency response facilities.  
BLACK,S. Ofc of Special Projects. 88/06/23. WHITE,S.A. Tennessee Valley Authority. 3pp. 46100-139-46100.144.

**-8807110447** Safety evaluation accepting post-accident monitoring instrumentation design conformance w/Reg Guide 1.97.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 3pp. 46100-142-46100.144.

**-8803260380** "Conformance to Reg Guide 1.97,Browns Ferry Nuclear Plant, Units 1,2 & 3."  
UDY,A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.) FIN A-8483. EGG-EA-8873. 85/09/13. Division of Systems Integration (811005-851124). 27pp. 46100-145-46100.171.

**8807060470** Notifies that separate ltr sent to NRC re util objectives for 1988 radiological emergency plan exercise in order to protect objectives from disclosure to exercise participants. Objectives supplied per NRC 841011 request.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46103-331-46103.332.

**8807070552** Forwards Rev 9 to physical security/contingency plan Rev withheld (ref 10CFR73.21).  
GRIDLEY,R.L. Tennessee Valley Authority. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46118-278-46118.280.

**8807260410** Immediate temporary change to Rev 1 to Procedure EPIP-01, "Emergency Plan Classification Logic." W/880715 ltr.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/15. 11pp. 46264-285-46264.286.

**8807260008** Discusses emergency preparedness mod of low threshold event reporting & emergency reporting procedures for plants Util will no longer classify & rept events in manner described in rad logical emergency plan due to const status.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/15. Document Control Branch (Document Control Desk). 3pp. 46285-294-46285.298

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**8807200344** Amend 6 to updated FSAR for Browns Ferry Nuclear Plant Units 1,2 & 3.W/880719 ltr & one oversize fig.ro  
GRIDLEY,R. Tennessee Valley Authority. 88/07/19. 200pp. 46239-001-46239.330.

#### P. Operating license stage documents & correspondence

**8807050091** Forwards facilities public notice for publication on 880624 in Decatur Daily & advertising order approving publication.  
BLACK,S. Ofc of Special Projects. 88/06/22. SMITH,P. Decatur, AL. 9pp. 45998-043-45998.051.

**8807010850** Advises that proposed Tech Specs 6.2.1.b & 6.2.1.c in 880617 application for amends to licenses do not specify position lites for corresponding mgt positions.Listed positions should be incorporated into proposed Tech Specs.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/23. Document Control Branch (Document Control Desk). 2pp. 45987-247-45987.248

**8807010721** Notification of 880630 meeting w/util in Rockville,MD to discuss seismic design methodology for pipe & pipe supports.  
KELLY,J.L. Ofc of Special Projects. 88/06/23. BLACK,S. Ofc of Special Projects. 3pp. 45991-230-45991.232

**8807110427** Forwards safety evaluation accepting stated responses to Generic Ltr 82-33 re post-accident monitoring instrumentation & associated Reg Guide 1.97 as applied to emergency response facilities.  
BLACK,S. Ofc of Special Projects. 88/06/23. WHITE,S.A. Tennessee Valley Authority. 3pp. 46100-139-46100.171.

**-8807110447** Safety evaluation accepting post-accident monitoring instrumentation design conformance w/Reg Guide 1.97.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 3pp. 46100-142-46100.144.

**-8803260380** "Conformance to Reg Guide 1.97,Browns Ferry Nuclear Plant, Units 1,2 & 3."  
UDY,A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.) FIN A-8483. EGG-EA-8873. 85/09/13. Division of Systems Integration (811005-851124). 27pp. 46100-145-46100.171.

**8807050630** Application for amends to Licenses DPR-33,DPR-52 & DPR-68, clarifying limiting conditions for operation for RHR svc water & emergency equipment cooling water sys.Fea paid.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/24. Document Control Branch (Document Control Desk). 2pp. 46073-262-46073.278.

**-8807050531** Proposed Tech Specs revs clarifying limiting conditions for operat on for RHR svc water & emergency equipment cooling water.  
\* Tennessee Valley Authority. 88/06/24. 15pp. 46073-264-46073.278.

**8807060173** Forwards ampacity evaluation program plan,Rev 1, incorporating results of 880426 meeting w/NRC at site. Summary of commitments also encl.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/24. Document Control Branch (Document Control Desk). 11pp. 46117-318-46117.328.

**8807070093** Application for amends to Licenses DPR-33,DPR-52 & DPR-68, replacing reactor water level sets to top of active fuel w/ corresponding rel to vessel zero.Proposed determination of NSHC provided.Fea paid.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/24. Document Control Branch (Document Control Desk). 2pp. 46125-147-46125.167.

**-8807070099** Proposed Tech Specs 1.1/2.1.3.1/2.1 & 3.2/4.2 for facilities  
\* Tennessee Valley Authority. 88/06/24. 10pp. 46125-148-46125.167.

**8807070083** Forwards summary of util 880524 presentation re m n edge distance for anchor bolts discussed in 880318 10CFR21 notification from Hill,Inc.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/28. Document Control Branch (Document Control Desk). 3pp. 46136-288-46136.300.

**8807070110** Confirms actions agreed to during 880518 meeting w/NRC re PRA.Util will provide summary document to NRC by 880830, including rationale for concluding that revised PRA will conservatively reflect configuration of Unit 2 at restart.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/28. Document Control Branch (Document Control Desk). 2pp. 46123-351-46123.352.

**8807080018** Summary of 880602 meeting w/TVA re implementation of ATWS rule,10CFR60.62 List of attendees & calculations encl. Specifics of standby liquid control sys,alternate rod injection & recirculation pump trip designs discussed.  
KELLY,J.L. Ofc of Special Projects. 88/06/28. Ofc of Special Projects. 124pp. 46133-331-46134.094.

**8807070519** Summary of 880618 meeting w/util re pipe & pipe supports seismic design methodology Util agreed to reevaluate piping & pipe supports according to SRP & compare to original design basis to establish margin of difference.  
KELLY,J.L. Ofc of Special Projects. 88/06/29. Ofc of Special Projects. 5pp. 46119-100-46119.104.

**8807120342** Forwards public notice of util 880617 application for amends to License DPR-33,DPR-52 & DPR-68 for publication in Huntsville Times & Decatur Daily.Amend deletes organizational charts from Tech Specs.  
BLACK,S. Ofc of Special Projects. 88/06/29. WHITE,S.A. Tennessee Valley Authority. 12pp. 46112-117-46112.128.

**8807130331** Forwards Amends 148,145 & 120 to Licenses DPR-33,DPR-52 & DPR-68,respectively & safety evaluation Amends delete organization charts from administrative controls section of Tech Specs in accordance w/Generic Ltr 88-06.  
BLACK,S. Ofc of Special Projects. 88/06/30. WHITE,S.A. Tennessee Valley Authority. 3pp. 46164-088-46164.216.

Specs in accordance w/ Generic Ltr 88-08.  
BLACK,S. Ofc of Special Projects. 88/08/30. 108pp. 46164:101-46164:208.

-8807130333 Safety evaluation supporting Amendments 140,145 & 120 to Licenses DPR-33,DPR-52 & DPR-68, respectively.  
\* Ofc of Special Projects. 88/06/30. 7pp. 46104:209-46184:215

8807120518 Forwards Amends 150,146 & 121 to Licenses DPR-33,DPR-52 & DPR-68, respectively & safety evaluation Amends mod by Tech Spec surveillance requirements to replace "not to exceed" w/ "at least once every".  
BLACK,S. Ofc of Special Projects. 88/07/05. WHITE,S.A. Tennessee Valley Authority. 4pp. 46148:101-46148:140

-8807120528 Amends 150,146 & 121 to Licenses DPR-33,DPR-52 & DPR-68, respectively Amends mod by Tech Spec surveillance requirements to replace "not to exceed" w/ "at least once every".  
BLACK,S. Ofc of Special Projects. 88/07/05. 32pp. 46148:105-46148:137.

-8807120534 Safety evaluation supporting Amendments 150,146 & 121 to Licenses DPR-33,DPR-52 & DPR-68, respectively.  
\* Office of Nuclear Reactor Regulation. Director (Post 870411). 88/07/05. 3pp. 46148:138-46148:140.

8807120889 Informs that w/ 870619 response to Generic Ltr 87-06 re periodic verification of leak tight integrity of pressure isolation valves acceptable.  
BLACK,S. Ofc of Special Projects. 88/07/08. WHITE,S.A. Tennessee Valley Authority. 4pp. 46158:163-46158:166.

8807130395 Provides info re plans to refuel fuel into reactor upon completion of certain prerequisites established by TVA Fuel Reload scheduled to begin on 880901. Rev 2 to Procedure SDS-P-12.4 & Rev 0 to SDS-P-12.7 and.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46166:174-46166:216.

-8807130402 Rev 2 to Site Director Std Practice SDS-P-12.4, "Return to Svc & Closure of Mods."  
CZUBAKOWSKI,T., MCKEON,R. Tennessee Valley Authority. 88/04/18. 16pp. 46168:176-46168:193.

-8807140085 Rev 0 to Site Director Std Practice SDS-P-12.7, "Sys Preoperability Checklist (SPOC)."  
CZUBAKOWSKI,T., MCLEMORE,J., MARTIN,J. Tennessee Valley Authority. 88/06/13. 23pp. 46166:104-46166:218

8807120675 Forwards Rev 1 to "Ampacity Evaluation Program Plan," which includes Attachment 1 inadvertently excluded from submittal.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/07. Document Control Branch (Document Control Desk). 3pp. 46154:033-46154:047.

-8807130046 Rev 1 to "Ampacity Evaluation Program Plan."  
\* Tennessee Valley Authority. 88/07/07. 12pp. 46154:036-46154:047.

8807140269 Provides summary of NRC 880828 & 20 discussions of nuclear plant performance Shortcomings noted in Squayah 2 secondary sys maint & personnel performance as areas contributing to series of reactor trips during initial operations.  
STELLO,V. Ofc of the Executive Director for Operations. 88/07/08. WHITE,S.A. Tennessee Valley Authority. 2pp. 46172:354-46172:355.

8807190192 Forwards page inadvertently omitted from 880828 PRA submittal re restart commitments.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/09. Document Control Branch (Document Control Desk). 3pp. 46209:183-46209:185.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Gr. 49.1.99 encl.  
MIRAGLIA,F. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257:207-46257:267.

#### Q. Inspection reports, IE Bulletins & correspondence

8807010609 Ack receipt of 880523 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/88-06, 50-260/88-08 & 50-298/88-10.  
MCCOY,F.R. Ofc of Special Projects. 88/06/14. WHITE,S.A. Tennessee Valley Authority. 2pp. 46017:075-46017:078.

8806130186 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266.

8806290099 Ack receipt of 880523 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-259/87-29, 50-260/87-29 & 50-298/87-29.  
MCCOY,F.R. Ofc of Special Projects. 88/06/18. WHITE,S.A. Tennessee Valley Authority. 1p. 45974:301-45974:301.

8807060068 Forwards Insp Repts 50-259/88-14, 50-260/88-14 & 50-298/88-14 on 880509-13. No violations or deviations noted.  
MCCOY,F.R. Ofc of Special Projects. 88/06/20. WHITE,S.A. Tennessee Valley Authority. 2pp. 46110:088-46110:104.

-8807060071 Health Physics Insp Repts 50-259/88-14, 50-260/88-14 & 50-298/88-14 on 880509-13. No violations or deviations noted. Major areas inspected: followup on previous enforcement issues, organization & mgmt controls & training.  
WEDDINGTON,R.E., HOSEY,C.M. Region 2, Ofc of the Director. 88/06/03. 15pp. 46110:083-46110:104.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/OR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46010:037-46019:152.

8807010036 Forwards supplemental response to NRC 880521 ltr re violation noted in Insp Repts 50-259/88-09, 50-260/88-09 & 50-298/88-09. Present schedule for physical completion of secondary containment fire barrier sealing is 881031.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/22. Document Control Branch (Document Control Desk). 3pp. 46009:048-46009:050.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-415 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265

8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to HCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018

8807050139 Confirms agreements reached at 880820 meeting w/NRC re safety sys functional Insp Util proposed to perform safety sys functional Insp & systematic review of plant programs as conclusion to technical verification program.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 4pp. 46028:278-46028:282.

8807050563 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-259/88-05, 50-260/88-05 & 50-298/88-05. Corrective actions: Individuals involved made aware of violation & reviewed procedural & Tech Spec requirements.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 12pp. 46073:303-46073:314

8807190019 Forwards Insp Repts 50-259/88-12, 50-260/88-12 & 50-298/88-12 on 880502-08. No violations or deviations noted.  
MCCOY,F. Ofc of Special Projects. 88/07/05. WHITE,S.A. Tennessee Valley Authority. 2pp. 46209:208-46209:310.

-8807190021 Insp Repts 50-259/88-12, 50-260/88-12 & 50-298/88-12 on 880502-08. No violations or deviations noted. Major areas inspected: Mark 1 containment program mod & IE Bulletins 79-02 & 78-14.  
CHOUR,C., CARRION,R.P., BLAKE,J.J. Region 2, Ofc of the Director. 88/06/20. 11pp. 46209:300-46209:310.

8807120021 Forwards list of commitments re NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA-Type Latching Relays Mfg by GE."  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46147:290-46147:293.

8807130445 Responds to violation noted in Insp Repts 50-259/88-10, 50-260/88-10 & 50-298/88-10. Violation denied. Procedure adequately ensures proper mgmt approval & technical accuracy of info provided to NRC.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46166:019-46166:022.

8807140071 Responds to NRC Bulletin 87-002, Suppls 1 & 2, "Fastener Testing to Determine Conformance W/Applicable Specs." Requests clarification of bullet to provide necessary info & extensions to 880130 to provide proper response.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46184:146-46184:148.

8806300347 NRC Info Notice 88-045, "Problems In Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807250218 Forwards revised response to Violation 3 noted in Insp Repts 50-438/87-08, 50-439/87-08, 50-259/87-38, 50-260/87-38, 50-298/87-38, 50-327/87-68, 50-328/87-68, 50-390/87-18 & 50-381/87-18. Corrective actions memo issued on 880331.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 5pp. 46259:095-46259:099.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807200309 Summary of 880820 meeting w/Util proposed restart technical verification program for plant & safety sys functional Insp currently being conducted at site. Viewgraphs, list of attendees & Insp plan encl.  
GEARS,G.E. Ofc of Special Projects. 88/07/12. Ofc of Special Projects. 21pp. 46228:216-46228:323.

-8807200312 "Safety Sys Functional Insp Plan."  
BURDETTE,T.E. Tennessee Valley Authority. 88/06/10. 87pp. 46228:237-46228:323

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/19. Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258:016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs..." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21  
Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257:206

#### R. Periodic operating reports & related correspondence

8807080282 Discharge monitoring rept for May 1988.  
BROOKS,R.H. Tennessee Valley Authority. 88/05/31. 12pp. 46139:221-46139:232

8807070535 Forwards weekly schedule of TVA activities for wks of 880704 & 11.  
KELLY,J.L. Ofc of Special Projects. 88/06/29. BLACK,S. Ofc of Special Projects. 4pp  
46122:175-46122:178.

8807260061 Forwards monthly operating repts for June 1988 & revs to Apr & May 1988  
repts for Browns Ferry Units 1,2 & 3.  
WALKER,J.G. Tennessee Valley Authority. 88/07/15. Office of Nuclear Reactor Regu-  
lation, Director (Post 870411). 1p. 46274:084-46274:159.

8807250065 Monthly operating repts for June 1988 for Browns Ferry Units 1,2 & 3.  
WALKER,J.G., CRAWFORD,J.D. Tennessee Valley Authority. 88/06/30. 85pp  
46274:005-46274:157.

8807260067 Revised radwaste summary to monthly operating repts for Apr 1988 for  
Browns Ferry Units 1,2 & 3.  
\* Tennessee Valley Authority. 88/04/30. 1p. 46274:158-46274:158

8807250069 Revised radwaste summary to monthly operating repts for May 1988 for  
Browns Ferry Units 1,2 & 3.  
\* Tennessee Valley Authority. 88/05/31. 1p. 46274:150-46274:159.

#### S. Reportable occurrences, LERs & related correspondence

8806300148 Summary of Operating Reactors Events Meeting 88-24 on 880614 Two sig-  
nificant events identified for input to NRC performance indicator program. No events  
suggested for long term followup. List of attendees encl.  
LANNING,W. Events Assessment Branch. 88/06/17. ROSSI,C.E. Division of Oper-  
ational Events Assessment (Post 870411). 16pp. 45976:188-45976:202

8807120688 Summary of Operating Reactors Events Meeting 88-25 on 880621. List of  
attendees, discussion of significant moments of events & summary of reactor scrams  
encl.  
LANNING,W. Events Assessment Branch. 88/06/22. ROSSI,C.E. Division of Oper-  
ational Events Assessment (Post 870411). 14pp. 46121:160-46121:193

8807050473 Responds to 880610 notice of violation of biochemical oxygen demand  
permitt limits during Mar 1988. Corrective actions: personnel will continue to trend  
discharge data to predict & attempt to prevent recurrence of discharge.  
BROOKS,R.H. Tennessee Valley Authority. 88/06/23. HORN,C. Alabama, State of.  
2pp. 46073:279-46073:280.

8807080207 LER 88-018-00 on 880320, oil gas sys stack flow monitor inoperable & flow  
rate monitored every 8 h instead of 4 h in violation of Tech Specs. Caused by person-  
nel error. Flow recording initiated every 4 h w/880701 ltr.  
BAKER,R.L., WALKER,J.G. Tennessee Valley Authority. 88/06/20. 4pp. 46139:253-  
46139:256.

8807140215 LER 88-001-00 on 880605, breakers connecting diesel generators 3A,3C &  
3D to 4 kV shutdown boards opened just after closing & would not reclose. Caused by  
open signal sealed in logic. Also reportable per Part 21. w/880705 ltr.  
JONES,S.B., WALKER,J.G. Tennessee Valley Authority. 88/07/01. 5pp. 46173:029-  
46173:033.

#### V. Operator Examinations

8807130201 Requests that utility furnish approved rat mail requirements for reactor/senior  
reactor operator licensing exams by 880630 in order to meet schedule for 881205  
written exams & 881206-00 simulator/operating exams at facilities.  
JULIAN,C.A. Region 2, Ofc of the Director. 88/06/22. WHITE,S.A. Tennessee Valley  
Authority. 10pp. 46167:347-46167:356.

#### DOCKET 88-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

#### Q. Inspection reports, IE Bulletins & correspondence

8807180246 Responds to NRC 880613 ltr re violations noted in Insp Rept 50-297/88-  
03. Corrective actions: reactor safeguards advisory group meetings will be scheduled by  
manager of nuclear operations.  
ELLEMANT,T.S. North Carolina State Univ., Raleigh, NC. 88/07/12. Document Control  
Branch (Document Control Desk). 4pp. 46198:350-46198:353.

#### DOCKET 50-298 COOPER NUCLEAR STATION

#### F. Security, medical, emergency & fire protection plans

8806290469 Forwards Insp Rept 50-298/88-15 on 880425-29. No violations or devi-  
ations noted.  
CALLAN,L.J. Region 4, Ofc of the Director. 88/06/23. TREVORS,G.A. Nebraska  
Public Power District. 2pp. 45984:285-45984:287.

8806290467 Insp Rept 50-298/88-16 on 880425-29. No violations or deviations  
noted. Major areas inspected: security plan & implementing procedures, mgmt  
effectiveness, audits, testing & maint, compensatory measures & training & qualifica-  
tions.  
KELLY,J.A., EVERETT,R.J. Region 4, Ofc of the Director. 88/06/06. 1p. 45984:287-  
45984:287.

8806300266 Forwards Insp Rept 50-298/88-14 on 880418-0531 & notice of  
violation. Actions taken w/regard to previously identified insp findings also examined &  
addressed in Paragraph 3 of rept.  
CALLAN,L.J. Region 4, Ofc of the Director. 88/06/24. TREVORS,G.A. Nebraska  
Public Power District. 2pp. 46006:153-46006:166.

8806300273 Insp Rept 50-298/88-14 on 880418-0531. Violations noted. Major areas  
inspected: allegations followup, security supports, operational safety verification, monthly  
surveillance & maint observations, ESF walkdowns & security.  
PLETTNER,E.A., FARRELL,R.E., BENNETT,W.R. Region 4, Ofc of the Director. 88/  
06/21. 10pp. 46008:157-46008:168.

8807080240 Rev 10 to Emergency Plan Implementing Procedure 5.7.1, "Emergency  
Classification" w/880627 ltr.  
MERRILL,C., MEACHAM,J., TREVORS,G.A. Nebraska Public Power District. 88/06/  
27. 25pp. 46081:159-46081:183.

8807130089 Revised emergency plan implementing procedures, including Rev 7 to  
5.7.14, "Stable Iodine Thyroid Blocking (KI)" & Rev 7 to 5.7.15, "Rescue & Re-Entry."  
w/880708 ltr.  
MERRILL,C., PETERSON,S., TREVORS,G.A. Nebraska Public Power District. 88/07/  
08. 16pp. 46165:041-46165:056.

8807210128 Advises that 880603 proposed changes to emergency plan acceptable.  
CALLAN,L.J. Region 4, Ofc of the Director. 88/07/12. TREVORS,G.A. Nebraska  
Public Power District. 2pp. 46237:117-46237:118.

#### P. Operating license stage documents & correspondence

8807120630 Forwards correction to 880426 Amend 120 to License DPR-46, revising P-  
T curve. Correction consists of actual revised Figure 3.6.1 b, "Min Temp for Core Oper-  
ation (Criticality)" - Includes 40 F Margin Required by 10CFR50 App G."  
LONG,W.O. Project Directorate IV. 88/06/23. TREVORS,G.A. Nebraska Public Power  
District. 5pp. 46121:073-46121:080.

8807130112 Corrected Figure 3.6.1 b to Amend 120 to License DPR-46.  
\* NRC - No Detailed Affiliation Given. 88/06/23. 3pp. 46121:078-46121:080.

8807080008 Application for amend to License DPR-46, revising Tech Specs to delete re-  
quirement to perform weekly partial closure surveillance test on MSIVs. For pad  
KUNCL,L.G. Nebraska Public Power District. 88/07/05. Document Control Branch  
(Document Control Desk). 6pp. 46140:060-46140:068.

8807080012 Proposed Tech Specs deleting requirement to perform weekly partial clo-  
sure surveillance test on MSIVs.  
\* Nebraska Public Power District. 88/07/05. 1p. 46140:068-46140:068.

8807160176 Forwards Amend 123 to License DPR-46 & safety evaluation. Amend  
changes Tech Specs for standby liquid control sys to reflect 10CFR50.62 ATWS  
mode.  
LONG,W.O. Project Directorate IV. 88/07/05. TREVORS,G.A. Nebraska Public Power  
District. 3pp. 46108:141-46108:162.

8807160178 Amend 123 to License DPR-46, changing Tech Specs for standby liquid  
control sys to reflect 10CFR50.62 ATWS mode.  
CALVO,J.A. Project Directorate IV. 88/07/05. 6pp. 46188:144-46188:149.

8807160177 Safety evaluation supporting Amend 123 to License DPR-46.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/05. 3pp.  
46188:150-46188:162.

8807130024 Forwards further details re changes to core spray ref leg fill sys & response  
to Generic Ltr 84-23, "Reactor Vessel Water Level Instrumentation in BWRs." Util in-  
tends to update sys to allow remote manual operation.  
TREVORS,G.A. Nebraska Public Power District. 88/07/07. Document Control Branch  
(Document Control Desk). 6pp. 46170:091-46170:098.

8807160172 Forwards notice of consideration of issuance of amend to License DPR-46  
& proposed NSHC & opportunity for hearing re util 880705 request to revise Tech  
Specs on MSIV surveillance testing.  
LONG,W.O. Project Directorate IV. 88/07/08. TREVORS,G.A. Nebraska Public Power  
District. 3pp. 46186:192-46186:203.

8807160174 Notice of consideration of issuance of amend to License DPR-46, revising  
frequency of surveillance testing of MSIVs.  
LONG,W.O. Project Directorate IV. 88/07/08. 9pp. 46188:195-46188:203.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation ambientment of reactor vessel matts & impact on plant  
operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated  
Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

#### Q. Inspection reports, IE Bulletins & correspondence

8807050476 Responds to NRC 880511 ltr re violations noted in Insp Rept 50-298/88-  
13. Corrective actions: documented operability review per util Procedure 0.27 complet-  
ed prior to approval to release non-essential part for essential applications.  
TREVORS,G.A. Nebraska Public Power District. 88/06/08. Document Control Branch  
(Document Control Desk). 3pp. 46073:319-46073:321.

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15.  
Consolidated Edison Co. of New York, Inc. 110pp. 45978:158-45978:266.

8806300201 Ack receipt of 880429 ltr informing NRC of steps taken to correct violations  
noted in Insp Rept 50-298/87-01.  
CALLAN,L.J. Region 4, Ofc of the Director. 88/06/21. TREVORS,G.A. Nebraska  
Public Power District. 2pp. 45997:203-45997:205.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46240:301.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:165.



11st encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22  
Consolidated Edison Co. of New York, Inc. 116pp. 46319 037-46319 152

8806290478 Ack receipt of 880607 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/88-07.  
CALLAN,L.J. Region 4, Ofc of the Director 89/09/22 TREVORS,G.A. Nebraska Public Power District. 1p 45973 337 45973 337

8806290459 Forwards Insp Rept 50-298/88-15 on 880425-29. No violations or deviations noted.  
CALLAN,L.J. Region 4, Ofc of the Director 88/08/23. TREVORS,G.A. Nebraska Public Power District. 2pp 45984 295-45984 287.

-8806290467 Insp Rept 50-298/88-15 on 880425-29. No violations or deviations noted. Major areas inspected security plan & implementing procedures, mgt effectiveness, audits, testing & maint, computer safety measures & training & qualifications.  
KELLY,J.A., EVERETT,R.J. Region 4, Ofc of the Director 89/06/06 1p 45984 287-45984 287.

8806300039 Forwards Insp Rept 50-298/88-17 on 880516-17 & 23-27 & notice of violation.  
CALLAN,L.J. Region 4, Ofc of the Director 88/08/23. TREVORS,G.A. Nebraska Public Power District. 2pp 45989 264-45989 272

-8806300044 Notice of violation from Insp on 880516-17 & 23-27. Violation noted: failure to follow containment integration leak rate test procedure.  
\* Region 4, Ofc of the Director 89/05/23 1p 45988 266-45988 265

-8806300045 Insp Rept 50-298/88-17 on 880516-17 & 23-27. Violations noted: Major areas inspected containment integration leak rate test & operability evaluation of essential piping sys.  
JOHNSON,C.E., SINGH,A., AZUA,R.V. Region 4, Ofc of the Director 89/08/22 6pp. 45988 267-45988 272

8806310030 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS 416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 89/08/24 Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265

8806320139 Suppl 1 to NRC Bulletin 88-009, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018

8806330066 Forwards Insp Rept 50-298/88-14 on 880416 0531 & notice of violation. Actions taken w/regard to previously identified insp findings also examined & addressed in Paragraph 3 of rept.  
CALLAN,L.J. Region 4, Ofc of the Director 89/08/24. TREVORS,G.A. Nebraska Public Power District. 2pp 46006 153-46006 166

-8806330069 Notice of violation from Insp on 880416-0531. Violation noted: polarization index reading for diesel generators taken at 2,500 v instead of 2,000 v & no temporary procedure change issued.  
\* Region 4, Ofc of the Director 88/08/24 2pp 46008 155-46008 150

-8806330073 Insp Rept 50-298/88-14 on 880416 0531. Violations noted. Major areas inspected: eligibility for low pressure support, operations' safety ventilation, monthly surveillance & maint observations, ESF walkdowns & security.  
PLETTNER,E.A., FARRELL,R.E., BENNETT,W.R. Region 4, Ofc of the Director 88/06/21. 10pp. 46006 157-46006 166

8807050384 Documents 880629 enforcement meeting w/ultr in Region IV ofc to discuss violations noted in Insp Rept 50-298/88-28 re equipment qualification.  
CALLAN,L.J. Region 4, Ofc of the Director 89/08/29 TREVORS,G.A. Nebraska Public Power District. 4pp 46075 336-46075 343.

8807070587 Suppl's response to IE Bulletin 84-02, "Failures of GE Type HFA Relays in Use in Class 1E Safety Sys." All normally energized dc safety-related relays will be replaced during 1989 refueling outage based on GE recommendations.  
HORN,G.R. Nebraska Public Power District. 88/06/29 Document Control Branch (Document Control Desk) 2pp 46125 270-46125 271.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 169-46242 212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807140025 Forwards response to NRC 880420 ltr re violations noted in Insp Rept 50-298/88-05. Response withheld (ref 10CFR73.21)  
TREVORS,G.A. Nebraska Public Power District. 88/07/08. Document Control Branch (Document Control Desk) 1p. 46171 122-46171 122.

8807120291 NRC Info Notice 88-049, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108

8807250089 Ack receipt of 880608 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-298/88-13.  
CALLAN,L.J. Region 4, Ofc of the Director 88/07/12 TREVORS,G.A. Nebraska Public Power District. 1p. 46259 117-46259 117.

8807190264 Forwards update to 870617 response to Insp Rept 50-298/88-28 re environmental qualification of electrical equipment important to safety, per request at 880620 enforcement conference.  
TREVORS,G.A. Nebraska Public Power District. 88/07/13. Document Control Branch (Document Control Desk). 220pp 46205 278-46206 168.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/19. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/16 Consolidated Edison Co. of New York, Inc. 119pp. 46257 258-46258 016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 006-46257 206

## R. Periodic operating reports & related correspondence

8807140224 Monthly operating status rept for June 1988 for Cooper Nuclear Station. W/ 880708 ltr.  
SCHEUERMAN,J.T., HORN,G.H. Nebraska Public Power District 88/08/30 5pp 46177 265-46177 269

## S. Reportable occurrences, LERs & related correspondence

8807010051 LER 88-017-00 on 880526, two unplanned activations of ESFs occurred while performing revised surveillance test to verify integrity of air circuits caused by personnel error & human factors deficiencies. Personnel counseled w/880627 ltr.  
REEVES,D.L., HORN,G.H. Nebraska Public Power District 88/06/27. 5pp 46017 151-46017 155

8807070498 Forwards LER 88-008 & Rev 1 to LER 88-016.  
HORN,G.H. Nebraska Public Power District 88/06/30. Document Control Branch (Document Control Desk) 1p 46126 095-46126 108

-8807070406 LER 88-008-01 on 880406. RHIR Inboard injection valves failed to close during surveillance testing. Caused by inconsistent actuation of limit switches re motor operator for ref valve. Alternate switches selected.  
REEVES,D.L. Nebraska Public Power District 88/06/30. 4pp. 46126 095-46126 099

-8807070409 LER 88-016-00 on 880517, pipe support design deficiencies discovered during design change engineering activities. Caused by design deficiency HPCI pump discharge sys modified to bring supports up to code qualification.  
REEVES,D.L. Nebraska Public Power District 88/06/30 7pp 46126 100-46126 105

8807210070 LER 88-018-00 on 880609, inadvertent injection of water into reactor vessel during surveillance test. Caused by listed items including inadequate procedure. Injection terminated & surveillance procedure revised w/880711 ltr.  
KRAUSE,R.W., MEACHAM,J.M. Nebraska Public Power District 88/07/11 6pp 46233 160-46233 165

8807250277 PNO-IV 88-057 on 880715, rept of fire on turbine bldg received. Fire brigade manned & electrical arcing found in main generator output bus ducting. Long term evaluation cause & repairs not expected due to preliminary insp.  
CONSTABLE,G.L. Region 4, Ofc of the Director 88/07/15 1p 46285 163-46285 163

## DOCKET 60-301 POINT BEACH NUCLEAR PLANT, UNIT 2

## F. Security, medical, emergency & fire protection plans

8807200291 Forwards Insp Repts 50-266/88-12 & 50-301/88-11 on 880501-0530. No violations noted.  
KNOP,R.C. Region 3, Ofc of the Director 88/07/12. FAY,C.W. Wisconsin Electric Power Co. 2pp 46228 001-46228 011

-8807200293 Insp Repts 50-266/88-12 & 50-301/88-11 on 880501-0630. No violations noted. Major areas inspected: consensus action on previous insp findings, operational safety, surveillance, maintenance, physical security & radiological protection.  
DEFAYETTE,R. Region 3, Ofc of the Director 88/07/07. 9pp 46229 003-46229 011.

8807250132 Forwards revised fire protection Tech Spec Change Request 78, per NRC 880325 draft technical evaluation. Specs cover reinstating requirement to shut down reactor when fire main loop water supply inoperative.  
FAY,C.W. Wisconsin Electric Power Co. 88/07/14. Document Control Branch (Document Control Desk). 3pp 46278 075-46278 086

-8807250137 Proposed Tech Specs re fire suppression water supply, water sprinkler sys, re hose stations & Helon gaseous suppression sys.  
\* Wisconsin Electric Power Co. 88/07/14. 6pp. 46278 078-46278 086.

## P. Operating license stage documents & correspondence

8807120305 Forwards safety evaluation of response to Generic Ltr 83-28, Item 2.1 re confirmation that components required to trip reactor identified as safety-related on documents which control safety-related activity. Confirmation acceptable.  
WAGNER,D.H. Project Directorate III-3. 88/06/21. FAY,C.W. Wisconsin Electric Power Co. 2pp. 46113 155-46113 158

-8807120322 Safety evaluation accepting responses to Generic Ltr 83-28, Item 2.1, confirming that program exists for identifying, classifying & treating components required for performance of reactor trip function as safety-related.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/06/21. 2pp 46113 157-46113 158

8807140078 Forwards SER re Implementation of NUREG-0737, TMI Action Item 2.K.3.5, "Automatic Trip of Reactor Coolant Pumps." Response adequately addresses issues in Generic Ltr 85-12. Work associated w/TACs 49656 & 49657 completed.  
WAGNER,D.H. Project Directorate III-3. 88/07/08. FAY,C.W. Wisconsin Electric Power Co. 5pp. 46176 001-46176 005



- 8807180192** Application for amendments to Licenses DPR-24 & DPR-27, changing Tech Specs to provide for storage of fuel assemblies of higher enrichment than currently specified. Fee paid.  
FAY, C.W. Wisconsin Electric Power Co. 88/07/06. Document Control Branch (Document Control Desk). 7pp. 46188.283-46188.293.
- 8807180193** Proposed Tech Specs re fuel storage capacity.  
\* Wisconsin Electric Power Co. 88/07/06. 4pp. 46188.290-46188.293.
- 8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
\* RAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.
- 8807250132** Forwards revised fire protection Tech Spec Change Request 70, per NRC 880325 draft technical evaluation Specs cover revisiting requirement to shut down reactor when fire main loop water supply inoperable.  
FAY, C.W. Wisconsin Electric Power Co. 88/07/14. Document Control Branch (Document Control Desk). 3pp. 46278.075-46278.086.
- 8807250137** Proposed Tech Specs re fire suppression water supply, water sprinkler sys, fire hose stations & Halon gasoils suppression sys.  
\* Wisconsin Electric Power Co. 88/07/14. 9pp. 46278.078-46278.086.

#### Q. Inspection reports, IE Bulletins & correspondence

- 8806130168** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266.
- 8806160340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NJREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.
- 8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.
- 8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.
- 8806210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Return Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.163-46019.285.
- 8806240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.
- 8807050332** Responds to NRC Bulletin 88-004 re possible loss of function of safety-related pumps due to inadequate miniflow design. Sys affected by design listed.  
FAY, C.W. Wisconsin Electric Power Co. 88/06/28. Document Control Branch (Document Control Desk). 7pp. 46074.056-46074.082.
- 8807070411** Provides final response to IE Bulletin 88-003 re motor operated valve switch settings. Utl confident that all motor-operated valves will perform required safety functions under design basis conditions.  
FAY, C.W. Wisconsin Electric Power Co. 88/06/30. Document Control Branch (Document Control Desk). 13pp. 46125.173-46125.185.
- 8806300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.
- 8807120041** Forwards Safety Insp Repts 50-268/88-15 & 50-301/88-13 on 880606 & 23 No violations identified.  
HARRISON, J.J. Region 3, OIC of the Director. 88/07/07. FAY, W.C. Wisconsin Electric Power Co. 2pp. 46147.259-46147.263.
- 8807120046** Safety Insp Repts 50-268/88-15 & 50-301/88-13 on 880606 & 23 No violations or deviations noted. Major areas inspected: licensee action on IE Bulletin 79-14. GAVULA, J.A., DANIELSON, D.H. Region 3, OIC of the Director. 88/07/08. 3pp. 46147.261-46147.283.
- 8807080008** NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.
- 8807190108** Responds to NRC Compliance Bulletin 87-002, Suppls 1 & 2, "Fasteners Testing to Determine Conformance W/Applicable Matl Specs." List of suppliers & mfgs encl.  
FAY, C.W. Wisconsin Electric Power Co. 88/07/11. Document Control Branch (Document Control Desk). 21pp. 46208.119-46208.139.
- 8807120291** NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.008-46242.108.
- 8807200291** Forwards Insp Repts 50-268/88-12 & 50-301/88-11 on 880501-0830. No violations noted.  
KNOP, R.C. Region 3, OIC of the Director. 88/07/12. FAY, C.W. Wisconsin Electric Power Co. 2pp. 46229.001-46229.011.
- 8807200293** Insp Repts 50-268/88-12 & 50-301/88-11 on 880501-0830. No violations noted. Major areas inspected: licensee action on previous insp findings, operational safety, surveillance, maint, physical security & radiological protection.

- 8807200099** Informs that uhl does not possess or utilize Model Spec 2-T radiographic exposure device at facilities. In response to NRC Bulletin 88-006.  
FAY, C.W. Wisconsin Electric Power Co. 88/07/13. Document Control Branch (Document Control Desk). 1p. 46229.258-46229.258.
- 8807080386** NRC Info Notice 88-047, "Slower Than Expected And-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.
- 8807120550** NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.
- 8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257.258-46258.018.
- 8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206.

#### R. Periodic operating reports & related correspondence

- 8807220368** Forwards monthly operating repts for June 1988 for Point Beach Nuclear Plant Units 1 & 2 & revised monthly operating rpt for May 1988 for Point Beach Nuclear Plant Unit 1.  
FAY, C.W. Wisconsin Electric Power Co. 88/07/08. Document Control Branch (Document Control Desk). 1p. 46249.351-46249.360.
- 8807190086** Monthly operating repts for June 1988 for Point Beach Units 1 & 2.  
KRAUSE, C.W. Wisconsin Electric Power Co. 88/08/30. 6pp. 46248.352-46249.359.

#### S. Reportable occurrences, LERs & related correspondence

- 8807190326** PNO-III-88-062 on 880708, AT&T operator received bomb threat at Point Beach plant State of WI & Kewaunee notified. Security precautions initiated. Intoxicated individual arrested.  
CREED, J., MALLETT, B. Region 3, OIC of the Director. 88/07/08. 1p. 46215.340-46215.340.

#### V. Operator Examinations

- 8807120122** Forwards draft Rev 5 to ES 801, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT, G.C. Region 3, OIC of the Director. 88/06/23. BRUNO, R. Wisconsin Electric Power Co. 1p. 46149.354-46149.354.

#### DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

#### F. Security, medical, emergency & fire protection plans

- 8807250376** Forwards "1988 Annual Radiological Emergency Response Plan Exercise Scenario." Info should be protected from members scheduled to participate in 880609 exercise.  
WILSON, K.R. Florida Power Corp. (subs. of Florida Progress Corp.). 88/04/25. Region 2, OIC of the Director. 1p. 46275.070-46275.008.
- 8807250378** "Radiological Emergency Exercise Summary & Scenario Implementor Instructions & Message Cards, 880609."  
\* Florida Power Corp. (subs. of Florida Progress Corp.). 88/06/09. 260pp. 46275.071-46276.006.
- 8807130388** Rev 14 to Emergency Plan Implementing Procedure EM-218, "Duties of Nuclear Plant Fire Brigade." Rev 2 to AP-1081, "Loss of Containment Integrity (Entire Procedure Cancelled)." & Rev 3 to AP-521, "High Control Rod Stator Temp."  
STEPHENSON, J.D. Florida Power Corp. (subs. of Florida Progress Corp.). 88/06/02. 24pp. 46172.151-46172.174.
- 8806300187** Forwards Insp Rpt 50-302/88-14 on 880418-0511 & notices of violation & deviation. Paragraph 5 a of rpt includes NRC response to uhl comments contained in LER 88-09 transmittal ltr dtd 880414.  
WILSON, B.A. Region 2, OIC of the Director. 88/06/14. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.) 2pp. 46008.233-46008.251.
- 8806300187** Insp Rpt 50-302/88-14 on 880418-0511. Violation & deviation noted. Major areas inspected: plant operations, security, radiological controls, LERs & nonconforming operations repts & review of NRC bulletins & circulars.  
STETKA, T., TEDROW, J., CRLENJAK, R. Region 2, OIC of the Director. 88/06/08. 14pp. 46008.238-46008.251.
- 8807010520** Forwards Rev 4 to modified amended security plan Rev withhold.  
WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.). 88/06/27. Document Control Branch (Document Control Desk). 2pp. 46068.003-46068.004.
- 8807250293** Forwards Insp Rpt 50-302/88-16 on 880512-0608 & notice of violation.  
WILSON, B.A. Region 2, OIC of the Director. 88/07/08. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 2pp. 46269.318-46269.338.
- 8807250301** Insp Rpt 50-302/88-16 on 880512-0608. Violations noted. Major areas inspected: plant operations, radiological controls, LERs, security & nonconforming operations repts.  
STETKA, T., TEDROW, J., CRLENJAK, R. Region 2, OIC of the Director. 88/07/07.

**K. Utility Final Safety Analysis Report (FSAR) & amendments**

- 8807070546 Rev 10 to updated FSAR for Crystal River Unit 3.W/880701 ltr.  
WILGUS,W.S. Florida Power Corp (subs. of Florida Progress Corp.) 88/07/01.  
353pp. 46104.071-46105.063
- 8807140264 Submits oath or affirmation to Rev 10 to FSAR submitted on 880701.  
WILGUS,W.S. Florida Power Corp (subs. of Florida Progress Corp.) 88/07/06. Document Control Branch (Document Control Desk) 2pp. 46177.251-46177.252

**P. Operating license stage documents & correspondence**

- 8808290008 Forwards rept re seismic qualifications of control complex control & sys unit appropriate and mod completed, operability of sys during design basis seismic event based on tested conditions  
WIDELL,R.C. Florida Power Corp (subs. of Florida Progress Corp.) 88/06/22. Document Control Branch (Document Control Desk) 5pp. 45987.028-45987.032.
- 8807120248 Discusses 871231.1008 & 880309 applications to amend License DPR-72 by relocating Tech Spec requirements to FSAR Rev & relocation is subj of Commission Tech Spec Improvement Program Application will need resubmittal  
BERKOW,H.N. Project Directorate II-2 88/06/28. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.) 3pp. 46112.323-46112.325.
- 8807060461 Forwards response to team recommendations re resolution of Generic Issue 124, "Auxiliary Feedwater Sys Reliability."  
WIDELL,R.C. Florida Power Corp (subs. of Florida Progress Corp.) 88/08/30. VARGA,S.A. Document Control Branch (Document Control Desk) 6pp. 46115.125-46115.130.
- 8807130034 Forwards topical rept evaluation of B&W Document 47-1150981-00, "Design Requirements for Diverse Scram Sys & ATWS Mitigation Sys..." Rept provides generic guidelines for plant-specific design submittals & partially acceptable.  
VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) 88/08/30. WILGUS,W.S. Florida Power Corp (subs. of Florida Progress Corp.) 3pp. 46122.013-46122.035
- 8807130057 "Safety Evaluation of Topical Rept B&W Document 47-1150981-00, "Design Requirements for Diverse Scram Sys & ATWS Mitigation Sys Activation Circuitry..."  
COLLINS,B.L. EG&G Idaho, Inc. (subs. of EG&G, Inc.) COLLINS,B.L. Idaho National Engineering Laboratory PIN D-6017. 88/02/29. NRC - No Detailed Affiliation Given. 20pp. 46122.016-46122.035.

- 8807070545 Notification of 880708 meeting w/utl in Rockville,MD to discuss resolution of emergency leadwater check valve leaks & subsequent overtemp  
SILVER,H. Project Directorate II-2 88/07/01. BERKOW,H.N. Project Directorate II-2 3pp. 46119.117-46119.119

- 8807150125 Submits course of action utl commits to after review of situation re leakage of Emergency Feedwater Valve-18. Utl will continue to keep Penetration 109 & associated piping within design temp limits.  
WIDELL,R.C. Florida Power Corp (subs. of Florida Progress Corp.) 88/07/05. VARGA,S.A. NRC - No Detailed Affiliation Given. 2pp. 46181.358-46181.357.

- 8807150081 Notification of 880714 meeting w/B&W Owners Group in Rockville,MD to discuss plant operation in decay heat removal modes Meeting agenda encl.  
TRAMMELL,C.M. Project Directorate V. 88/07/07. KNIGHTON,G.W. Project Directorate V. 3pp. 46183.315-46183.317

- 8807130475 Notification of 880720 meeting w/utl in Rockville,MD to discuss status & inter-relationships of major tasks & configuration mgt program.Draft agenda encl.  
SILVER,H. Project Directorate II-2 88/07/08. BERKOW,H.N. Project Directorate II-2. 4pp. 46166.349-46166.352

- 8807220365 Notification of cancellation of 880720 meeting w/utl in Rockville,MD to discuss interrelationships of major tasks & configuration mgt program.Draft agenda encl. Meeting canceled until further notice.  
SILVER,H. Project Directorate II-2 88/07/08. BERKOW,H.N. Project Directorate II-2. 2pp. 46250.154-46250.155.

- 8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations.Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

- 8807210068 Forwards rept re containment leakage test pressure per Tech Specs Tech Specs will be revised to increase pressure to 52.6 psig to assure allowable limits.  
WILSON,K.R. Florida Power Corp. (subs. of Florida Progress Corp.) 88/07/13. Document Control Branch (Document Control Desk) 2pp. 46237.299-46237.300.

**Q. Inspection reports, IE Bulletins & correspondence**

- 8806300187 Forwards Insp Rept 50-302/88-14 on 880418-0511 & notices of violation & deviation.Paragraph 5 a of rept includes NRC response to utl comments contained in LER 88-09 transmittal ltr dtd 880414.  
WILSON,B.A. Region 2, Ofc of the Director. 88/06/14. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.) 2pp. 46006.233-46006.251.

- 8806300194 Notice of violation from insp on 880418-0511.Violation noted.Procedure SP-348B not implemented in that pump bearing oil level was outside of limits specified in procedure.  
WILSON,B.A. Region 2, Ofc of the Director. 88/08/14. 2pp. 46006.235-46006.236.

- 8806300196 Notice of deviation from insp on 880418-0511.Deviation noted.plant operated at times w/seawater cooling temp in excess of 85 F design limit.  
WILSON,B.A. Region 2, Ofc of the Director. 88/06/14. 1p. 46006.237-46006.237.

- 8806300197 Insp Rept 50-302/88-14 on 880418-0511.Violation & deviation noted.Major areas inspected plant operations,safety, radiological controls,LERs & nonconforming operations rept & review of NRC bulletins & circulars.  
STETKA,T., TEDROW,J., CRLENJAK,R. Region 2, Ofc of the Director. 88/06/06. 14pp. 46006.238-46006.251.

- 8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pump & Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 58pp. Consolidated Edison Co. of New York, Inc. 110pp. 45978.158-45978.266.

- 8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88pp. Consolidated Edison Co. of New York, Inc. 237pp. 46240.326-46241.201

- 8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88pp. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

- 8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 68pp. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

- 8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88pp. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265

- 8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 68pp. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.010.

- 8807060453 Responds to violations noted in Insp Rept 50-302/88-11. Corrective actions:statement of Limiting Condition for Operation 3.4.4 ignored & applicable plant procedures reviewed to demonstrate emergency power supply operability.  
WIDELL,R.C. Florida Power Corp (subs. of Florida Progress Corp.) 68/08/24. Document Control Branch (Document Control Desk) 3pp. 46115.163-46115.165

- 8807060291 Responds to NRC ltr re violations noted in Operational Safety Team's Rept 50-302/87-22 Corrective actions: temporary change to Section 6.6 of design basis document issued on 880328.  
WIDELL,R.C. Florida Power Corp (subs. of Florida Progress Corp.) 88/07/30. VARGA,S.A. Document Control Branch (Document Control Desk) 14pp. 46117.313

- 8807130092 Submits response to NRC Bulletin 88-004, "Potential Safety Related Fuel Loss." Completion of piping sys evaluation & development of short- & long-term actions to plant operating procedures expected by 881208.  
WIDELL,R.C. Florida Power Corp. (subs. of Florida Progress Corp.) 88/07/06. Document Control Branch (Document Control Desk) 4pp. 46165.266-46165.269.

- 8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 59pp. Consolidated Edison Co. of New York, Inc. 104pp. 46242.108-46242.212

- 8807120652 Advises that 880223 response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers" satisfactory.  
SILVER,H. Project Directorate II-2. 88/07/07. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.) 2pp. 46146.160-46146.160.

- 8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88pp. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

- 8807250282 Ack receipt of 880824 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-302/88-11.  
WILSON,B.A. Region 2, Ofc of the Director. 88/07/08. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.) 1p. 46260.134-46260.134.

- 8807250293 Forwards Insp Rept 50-302/88-16 on 880512-0600 & notice of violations  
WILSON,B.A. Region 2, Ofc of the Director. 88/07/08. WILGUS,W.S. Florida Power Corp. (subs. of Florida Progress Corp.) 2pp. 46260.318-46260.336.

- 8807250298 Notice of violation from insp on 880512-0600.Violation noted:channel calibrator including check of channel alarm functions,not performed & Chemistry Procedure CH-101 for sample vol not implemented.  
WILSON,B.A. Region 2, Ofc of the Director. 88/07/08. 2pp. 46260.320-46260.327

- 8807250301 Insp Rept 50-302/88-16 on 880512-0600.Violations noted:Major areas inspected:plant operations,radiological controls,LERs,security & nonconforming operations rept.  
STETKA,T., TEDROW,J., CRLENJAK,R. Region 2, Ofc of the Director. 88/07/07. 15pp. 46269.322-46269.336

- 8807200007 Responds to violations noted in Insp Rept 50-302/88-14. Corrective actions:valve repositioned as required by operating procedure.  
WILSON,K.R. Florida Power Corp. (subs. of Florida Progress Corp.) 88/07/11. Document Control Branch (Document Control Desk) 4pp. 46222.062-46222.065.

- 8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 83pp. Consolidated Edison Co. of New York, Inc. 103pp. 46242.008-46242.108.

- 8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 83pp. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

- 8807250237 Forwards suppl to utl 880620 ltr re emergency feedwater leaks & summary of presentation during 880708 meeting in Rockville,MD,per 880706 confirmation of action ltr. Corrective actions associated w/watated Insp rept.  
WILSON,K.R. Florida Power Corp. (subs. of Florida Progress Corp.) 88/07/14. Document Control Branch (Document Control Desk) 21pp. 46255.024-46255.044.

8807120553 NRC Info Notice 88-051, "Safety of Emergency Power," Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 11pp. 46257-258-46258-016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs," Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 12pp. 46257-006-46257-206

#### R. Periodic operating reports & related correspondence

8807200005 Monthly operating report for June 1988 for Crystal River Unit 3 W/880711 ltr.  
BHIKOWSKI, J.A., WILSON, K.R. Florida Power Corp. (subs. of Florida Progress Corp.)  
88/06/30. 5pp. 46221-137-46221-141

#### S. Reportable occurrences, LERs & related correspondence

8807130070 LER 78-037/01T.O on 780804, B&W reported that atypical weld metal may have been used in constructing plant reactor vessel. No hazard to health and safety determined.  
COOPER, J. Florida Power Corp. (subs. of Florida Progress Corp.) 78/08/11. Region 2, Ofc of the Director. 6pp. 46213-155-46213-161

8807060345 RO on 880527, emergency feedwater piping near flow control valve found to be warmer than normal. Cause not stated. Water added to reseal & to cool emergency feedwater line & valve closed to prevent inadvertent manual addition of water.  
WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.) 88/06/28. Document Control Branch (Document Control Desk). 12pp. 46115-168-46115-177.

8807070372 LER 87-013-02 on 870716, indication of partial trip in emergency feedwater initiation & control sys received during surveillance. Caused by degraded light emitting diode (LED) in optical transmitter. LED replaced. W/880628 ltr.  
MOFFATT, L.W., WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.) 88/06/28. 4pp. 46125-242-46125-245

8807060537 LER 88-020-02 on 870603, UHS temp exceeded max valve assumed in plant design basis. Caused by inadequate plant shutdown spec. Analysis performed to determine effect of elevated seawater temp on plant cooling requirements. W/880628 ltr.  
MOFFATT, L.W., WIDELL, R.C. Florida Power Corp. (subs. of Florida Progress Corp.) 88/06/28. 6pp. 46114-287-46114-302

8807130216 Confirmatory action ltr re 880621, stop of emergency feedwater line to approx 490 F. Caused by bonnet leakage from check valve FWV-43. Operation w/temporary mod acceptable until 881015 when facility will be shut down.  
VARGAS, A. Division of Reactor Projects - I/II (Post 870411). 88/07/08. WILGUS, W.S. Florida Power Corp. (subs. of Florida Progress Corp.). 4pp. 46172-179-46172-182

8807140114 Summary of Operating Reactors Events Meeting 88-26 on 880628.  
LANNING, W. Events Assessment Branch. 88/07/07. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 17pp. 46184-009-46184-115

8807190360 LER 88-013-00 on 880610, HVAC control air tubing installation not in accordance w/safety requirements. Root cause not determined. Temporary mods & administrative controls implemented until permanent mods installed. W/880711 ltr.  
MOFFATT, L.W., WILSON, K.R. Florida Power Corp. (subs. of Florida Progress Corp.). 88/07/11. 8pp. 46205-108-46205-115

#### DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

#### P. Security, medical, emergency & fire protection plans

8807120545 Provides addl detail re implementation schedules for corrective actions in response to Insp Repts 50-295/87-34 & 50-304/87-35 installation schedule for NFPA-approved fire pump controller and addl emergency lights to be installed.  
LENTINE, F.G. Commonwealth Edison Co. 88/06/13. DAVIS, B. Region 3, Ofc of the Director. 5pp. 46145-268-46145-272

8807060174 Forwards Security Insp Repts 50-295/88-14 & 50-304/88-15 on 880613-16. No violations noted.  
MALLET, B.S. Region 3, Ofc of the Director. 88/06/24. REED, C. Commonwealth Edison Co. 2pp. 46089-343-46089-345

8807060176 Partially withheld Insp Repts 50-295/88-14 & 50-304/88-15 on 880613-16 (ref 10CFR73.21). No violations noted. Major areas inspected: security organization, records & repts, physical barriers, lighting & compensatory measures.  
GALANTI, D.M. Region 3, Ofc of the Director. 88/06/24. 1p. 46089-346-46089-345

8807070596 Forwards Rev 19 to security plan Rev withheld (ref 10CFR73.21).  
BLISS, H.E. Commonwealth Edison Co. 88/06/30. Document Control Branch (Document Control Desk). 1p. 46122-360-46122-360

8807120087 Ack receipt of 880525 response to noncompliance noted in NRC 880408 ltr. Proposed time tables for addressing procedures to encompass safety-related fire barriers, emergency lighting & NFPA code review unsatisfactory.  
MILLER, H.J. Region 3, Ofc of the Director. 88/07/06. REED, C. Commonwealth Edison Co. 2pp. 46148-301-46148-331

8807120092 Forwards addl info re emergency lighting in response to Insp Repts 50-295/85-11 & 50-304/85-12. Installation of addl lighting expected to be completed by Aug 1988. Completion of emergency lighting & fire protection mods still pending.  
LENTINE, F.G. Commonwealth Edison Co. 87/12/16. HOLMES, J. Region 3, Ofc of the Director. 3pp. 46148-328-46148-331

8807190076 Requests that util analyze allegations re improper/incomplete background screening requirements for unescorted access to facility. Encl withheld (ref 10CFR73.20).  
NORELIUS, C.E. Region 3, Ofc of the Director. 88/07/07. REED, C. Commonwealth Edison Co. 2pp. 46209-203-46209-204

#### P. Operating license stage documents & correspondence

8807010180 Confirms 880616 plans re 880716 meeting w/ util at Region 11 ofc to discuss several engineering issues associated w/ plants.  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/06/24. REED, C. Commonwealth Edison Co. 2pp. 46009-058-46009-059

8807060340 Confirmatory Action Ltr CAL-FR11-88-17 per 880620 telcon re resolution of back leakage through auxilary feedwater (AFW) check valves as evidenced by elevated motor driven AFW pump casing temps for AFW 23 & 2C pumps.  
DAVIS, A.B. Region 3, Ofc of the Director. 88/06/30. REED, C. Commonwealth Edison Co. 2pp. 46114-226-46114-227

8807120100 Forwards Rev 51 changes to QA program. Topical Rept CE-1-A did 880707 flow made to reflect organization changes to provide addl organization position description & identification to change commitment to ANSI/ASME NQA-1.  
MORGAN, W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46156-048-46156-076

8807190205 Rev 51 to licensee QA Program Topical Rept CE-1-A.  
SHEWSKI, W.J. Commonwealth Edison Co. CE-1-A R51. 88/07/07. 25pp. 46156-051-46156-075

8807210019 Proposes rev to Confirmatory Action Ltr CAL-FR11-88-017 & associated justifications per 880705 telcon. If item 7 requirements applicable, restart will occur only after concurrence of NRC.  
LENTINE, F.G. Commonwealth Edison Co. 88/07/08. DAVIS, A.B. Region 3, Ofc of the Director. 6pp. 46233-244-46233-249

8807130464 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation commitment of reactor vessel mats & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257

8807200281 Confirms 880711 telcon & revs CAL-FR11-88-017 did 880630 re resolution of back leakage through auxiliary feedwater. Understands util will follow listed procedures, including checking of casing temps of auxiliary feedwater pumps.  
DAVIS, A.B. Region 3, Ofc of the Director. 88/07/12. REED, C. Commonwealth Edison Co. 2pp. 46229-303-46229-304

#### Q. Inspection reports, IE Bulletins & correspondence

8807120545 Provides addl detail re implementation schedules for corrective actions in response to Insp Repts 50-295/87-34 & 50-304/87-35 installation schedule for NFPA-approved fire pump controller and addl emergency lights to be installed.  
LENTINE, F.G. Commonwealth Edison Co. 88/06/13. DAVIS, B. Region 3, Ofc of the Director. 5pp. 46145-268-46145-272

8806130168 NRC Info Notice 88-030, "Loss of Recirculation Pumps W/ Power Oscillation Event," Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-168-45978-268

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams," NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews," Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-165

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS," Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-162

8807060113 Clarifies response to Generic Ltr 88-03, "Steam Binding of Auxiliary Feedwater Pumps," by additionally stating that monitoring & corrective procedures requested by IE Bulletin 88-001 permanently maintained at plant.  
MORGAN, W.E. Commonwealth Edison Co. 88/06/23. Document Control Branch (Document Control Desk). 1p. 46101-289-46101-290

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers," Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-163-46019-265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS," Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46019-018

8807060174 Forwards Security Insp Repts 50-295/88-14 & 50-304/88-15 on 880613-16. No violations noted.  
MALLET, B.S. Region 3, Ofc of the Director. 88/06/24. REED, C. Commonwealth Edison Co. 2pp. 46089-343-46089-345

8807060178 Partially withheld Insp Repts 50-295/88-14 & 50-304/88-15 on 880613-16 (ref 10CFR73.21). No violations noted. Major areas inspected: security organization, records & repts, physical barriers, lighting & compensatory measures.  
GALANTI, D.M., FUNK, D.E., CREED, J.R. Region 3, Ofc of the Director. 88/06/24. 1p. 46089-345-46089-345

0603 & notice of violation requests expansion discussion of corrective actions to assure test activities, documentation & test procedures appropriately completed GREENMAN, E.G. Region 3, Ofc of the Director. 88/06/24 REED, C. Commonwealth Edison Co. 2pp. 46110 059-46110 087.

-8807060329 Notice of violation from insp on 880414-0603 Violation noted Surveillance Test Procedure PT-4A contained no acceptance criteria for Steps 5, 8 & 10 & PT-4B contained no acceptance criteria for Steps 3, 5, 7 & 9 GREENMAN, E.G. Region 3, Ofc of the Director. 88/06/24. App. 46110 081-46110 064

-8807060332 Insp Repts 50-295/88-12 & 50-304/88-13 on 860114-0803. Violations noted Major areas inspected, licensee action on previous findings, summary of operations, Unit 1 startup from refueling & testing of accumulator backup check valves. HINTZ, D.C. Region 3, Ofc of the Director. 88/06/22. 23pp. 46110 065-46110 087.

8807070310 Confirms 880623 & 24 licensee's disposition of \$100,000 civil penalty. Unit waived right to hearing on issue & elected to pay civil penalty. Payment encl. DELGEORGE, L.O. Commonwealth Edison Co. 88/06/27 LIEBERMAN, J. NRC - No Delayed Affiliation Given. 1p. 46139 102-46139 102.

8807070484 Ack receipt of 880527 ltr & payment for civil penalty in amount of \$100,000 per 880528 order. Understands that add. comments & info will be submitted by 880801. LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/07/05 DELGEORGE, L.O. Commonwealth Edison Co. 1p. 46126 124-46126 124.

8807120087 Ack receipt of 880525 response to noncompliance noted in NRC 880408 ltr. Proposed time tables for addressing procedures to encompass safety-related fire barriers, emergency lighting & NFPA code review unsatisfactory MILLER, H.J. Region 3, Ofc of the Director. 88/07/06 REED, C. Commonwealth Edison Co. 2pp. 46148 301-46148 331.

-8807120090 Responds to NRC 880408 ltr re violations noted in Insp Repts 50-295/87-34 & 50-304/87-35 Disputes Violation 2. Violation 4 is licensee-identified item & should be withdrawn. BLISS, H.E. Commonwealth Edison Co. 88/05/25. DAVIS, A.B. Region 3, Ofc of the Director. 21pp. 46148 303-46148 327.

-8807120092 Forwards add. info re emergency lighting in response to Insp Repts 50-295/85-11 & 50-304/85-12 Installation of add. lighting expected to be completed by Aug 1988 Completion of emergency lighting & fire protection mods still pending. LEHTINE, F.G. Commonwealth Edison Co. 87/12/16. HOLMES, J. Region 3, Ofc of the Director. 3pp. 46148 328-46148 331.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

8807080006 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 261-46232 027.

8807220328 Informs that 880502 add. info in response to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings," now acceptable. GREENMAN, E.G. Region 3, Ofc of the Director. 88/07/08. REED, C. Commonwealth Edison Co. 2pp. 46259 054-46259 055.

8807200196 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate min flow capacity. MORGAN, W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228 182-46228 211.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807210089 Forwards results of evaluation of HVAC sys. per Insp Repts 50-295/87-34 & 50-304/87-35 open item HVAC sys mod implementation schedule will be transmitted during wk of 880718. TRZYNA, G.E. Commonwealth Edison Co. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 13pp. 46235 064-46235 076.

8807120560 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257 258-46258 016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 206.

## DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

### F. Security, medical, emergency & fire protection plans

8807070554 Forwards Rev 15 to industrial security manual Rev w/hold ref 10CFR73.21. STEINHARDT, C.R. Wisconsin Public Service Corp. 88/06/30. Document Control Branch (Document Control Desk). 1p. 46119 120-46119 120.

8807150121 Rev N to Emergency Plan Implementing Procedure App A, "Communications," consisting of Rev N to Figures A-1 & A-2, Rev Q to Tables A-1 & A-3 & Rev P to Tables A-4 & A-5 W/880708 ltr. STEINHARDT, C.R. Wisconsin Public Service Corp. 88/07/08. 41pp. 46168 056-46168 095.

### J. Insurance & indemnity information

8806300156 Forwards Endorsements 83 & 84 to NELA Policy NF-204 & Endorser's 87 & 88 to MAELU Policy MF-71. PICKERL, H.D. Marsh & McLennan, Inc. 88/06/20. DINITZ, J. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 45997 220-45997 224.

### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807250372 Rev 6 to updated FSAR for Kewaunee Nuclear Power Station. W/880720 ltr. STEINHARDT, C.R. Wisconsin Public Service Corp. 88/07/20. 1,000pp. 46262 055-46262 248.

### P. Operating license stage documents & correspondence

8807050517 Forwards AEOD Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Bradwood Unit. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER, C.H. General Communications Branch. 2pp. 45998 080-45998 066.

-8807050550 Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector." \* Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45998 083-45998 066.

8807080154 Advises that recently revised copies of listed drawings being sent to Region III per JG Keppler 880320 request. STEINHARDT, C.R. Wisconsin Public Service Corp. 88/07/01. Document Control Branch (Document Control Desk). 1p. 46138 187-46138 187.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46267 207-46267 257.

### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 156-45978 268.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018.

8807060102 Forwards add. info re NRC Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tubes." Attachments provide status of actions re Bulletin item C-2 & evaluation of susceptibility of generators to fatigue. HINTZ, D.C. Wisconsin Public Service Corp. 88/06/29. Document Control Branch (Document Control Desk). 18pp. 46089 346-46089 003.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807140309 Forwards response to NRC Bulletin 88-004 re potential safety-related pump loss, including summary of problems & sys affected, identification of long- & short-term mods & justification for continued operation re ECOS.  
HINTZ,D.C. Wisconsin Public Service Corp. 88/07/08. Document Control Branch (Document Control Desk). 16pp. 46171:345-46171:360.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807220257 Forwards Safety Insp Rept 50-305/88-14 on 880515-0630 & notice of violation.  
KNOP,R.C. Region 3, Ofc of the Director. 88/07/12. HINTZ,D.C. Wisconsin Public Service Corp. 2pp. 46250:233-46250:243.

8807220259 Notice of violation from insp on 880516-0630. Violation noted individual gained entrance to controlled access area w/o being properly identified.  
KNOP,R.C. Region 3, Ofc of the Director. 88/07/12. 1p. 46250:235-46250:235.

8807220261 Insp Rept 50-305/88-14 on 880515-0630. Violation noted. Major areas inspected operational safety, surveillance, maint, generic ltr followup & QA for diesel generator fuel oil. Open items from previous insp closed.  
DEFAYETTE,R. Region 3, Ofc of the Director. 88/07/12. 6pp. 46250:236-46250:243.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257:258-46258:018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257:208.

#### R. Periodic operating reports & related correspondence

8807210076 Monthly operating rept for June 1988 for Kewaunee Nuclear Power Plant W/880711 ltr.  
RUTER,G.H., STEINHARDT,C.R. Wisconsin Public Service Corp. 88/08/30. 5pp. 46233:186-46233:190.

#### S. Reportable occurrences, LERs & related correspondence

8807060162 LER 88-007-00 on 880528, degradation of containment integrity occurred. Caused by mechanical anomaly of American Switch Co solenoid valves. Followup testing by independent test facility & ul planned. W/880827 ltr.  
BERNHOF,T.S.L., HOOPS,K.A., STEINHARDT,C.R. Wisconsin Public Service Corp. 88/06/27. 3pp. 46087:303-46087:311.

8807130045 LER 87-011-01 on 871208, advised of concern re premature failures of relays in Foxboro 8211 controllers. Caused by overvoltage condition. Type B8002DN relays in 624 controllers changed to Type N01062N relays. W/880708 ltr.  
BERGMANN,J.W., STEINHARDT,C.R. Wisconsin Public Service Corp. 88/07/08. 5pp. 46170:287-46170:291.

8807190326 PNO III-88-062 on 880708, AT&T operator received bomb threat at Point Beach plant. State of WI & Kewaunee notified. Security precautions initiated. Individual arrested.  
CREED,J., MALETT,B. Region 3, Ofc of the Director. 88/07/08. 1p. 46215:340-46215:340.

#### V. Operator Examinations

8807120208 Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/06/23. STANASZAK,F. Wisconsin Public Service Corp. 1p. 46148:359-46148:359.

#### DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807050380 Revised emergency plan implementing procedures, including Rev 48 to F3-2, "Classifications of Emergencies." Rev 2 to F3-5.1, "Switchboard Operator Duties" & F3-23.5, "Post-Accident Primary Hydrogen & Radiogas." W/880616 ltr.  
FEY,F.L. Northern States Power Co. 88/06/16. 109pp. 46025:265-46026:013.

8807210320 Forwards Safety Insp Repts 50-282/88-06 & 50-306/88-06 on 880822-24. No violations noted.  
SHAFFER,W.D. Region 3, Ofc of the Director. 88/07/12. LARSON,C.E. Northern States Power Co. 2pp. 46233:250-46233:282.

8807210341 Insp Repts 50-282/88-06 & 50-306/88-06 on 880622-24. No violations, deficiencies or deviations noted. Major areas inspected emergency preparedness exercise.  
SMITH,M.J. Region 3, Ofc of the Director. 88/07/11. 9pp. 46233:252-46233:282.

8807210347 Rev 0 to "Northern States Power Co. Section II. Exercise Objectives & Guidelines."  
\* Northern States Power Co. 88/07/12. 18pp. 46233:261-46233:278.

8807210360 Rev 0 to "Northern States Power Co. Section V. Exercise Scenario, Part 1. Narrative Summary."  
\* Northern States Power Co. 88/07/12. 4pp. 46233:279-46233:282.

#### P. Operating license stage documents & correspondence

8806290383 Submits add'l info re 870928 application for amends to Licenses DPR-42 & DPR-60 re turbine valve test frequency reduction. Valves tested for proper operation on monthly basis.  
MUSOLF,D. Northern States Power Co. 88/06/24. Document Control Branch (Document Control Desk). 3pp. 45984:266-45984:268.

8807050546 Notification of 880719 meeting w/ul in Rockville, MD to discuss plans for installation of two add'l diesel generators that would provide alternate power capability to meet NRC station blackout requirements. Meeting agenda encl.  
DIANNI,D.C. Project Directorate III-1. 88/06/28. VIRGILIO,M.J. Project Directorate III-1. 6pp. 45988:067-45988:072.

8807180202 Forwards application for amends to Licenses DPR-42 & DPR-60, changing peaking factors per upper plenum injection best estimate LOCA program. Fee paid.  
MUSOLF,D. Northern States Power Co. 88/07/05. Document Control Branch (Document Control Desk). 2pp. 46204:245-46204:310.

8807180204 Application for amends to Licenses DPR-42 & DPR-60, changing peaking factors per upper plenum injection best estimate LOCA program.  
MUSOLF,D. Northern States Power Co. 88/07/05. 6pp. 46204:247-46204:252.

8807180206 Proposed Tech Specs, changing peaking factors per upper plenum injection best estimate LOCA program.  
\* Northern States Power Co. 88/07/05. 12pp. 46204:253-46204:264.

8807180211 Rev 1 to "Safety Evaluation of Increased FQ & Fueling."  
MONTGOMERY,S.D. Northern States Power Co. NSPNAD-8705 R01. 88/06/30. 32pp. 46204:285-46204:296.

8807180212 "Demonstration of Conformance of Prairie Island Units 1 & 2 to App K & 10CFR60.46 for Large Break LOCAs."  
\* Westinghouse Electric Corp. 88/05/31. 14pp. 46204:297-46204:310.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.93 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257:207-46257:257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:160-45978:266.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:285.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:286-46020:018.

8807060273 Forwards Safety Insp Repts 50-282/88-09 & 50-306/88-09 on 880528 & 0617. No violations noted.  
HARRISON,J.J. Region 3, Ofc of the Director. 88/06/30. LARSON,C.E. Northern States Power Co. 2pp. 46106:233-46106:238.

8807060278 Insp Repts 50-282/88-09 & 50-306/88-09 on 880526-0617. No violations or deviations noted. Major areas inspected action on previously identified concerns re piping operability analysis.  
GAVULA,J.A., DANIELSON,D.H. Region 3, Ofc of the Director. 88/06/30. 4pp. 46106:235-46106:238.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.



8807180260 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Facility has no safety-related sys w/pump & piping sys configuration that does not preclude pump-to-pump interaction.  
LARSON, C.E. Northern States Power Co. 88/07/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46198 354-46198 358

8807210354 Forwards Insp Repts 50-282/88-08 & 50-306/88-08 on 880515-0625. No violations noted. Response clarifying events surrounding 880525 activation & status of controls over substation work requested.  
AXELSON, W.L. Region 3, Ofc of the Director. 88/07/07. LARSON, C.E. Northern States Power Co. 2pp. 46234 203-46234 212

-8807210357 Insp Repts 50-282/88-08 & 50-306/88-08 on 880515-0625. No violations noted. Major areas inspected previous insp findings, plant operational safety, maintenance, ESF, sys. LER to follow up & spent fuel pool activities.  
BURGESS, B.L. Region 3, Ofc of the Director. 88/07/07. 8pp. 46234 205-46234 212.

8807080008 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807140022 Informs that util 880316 response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory. Response confirms that Westinghouse DS series circuit breakers not used in safety-related applications at plant.  
DIANNI, D.C. Project Directorate I-3. 88/07/08. MUSOLF, D.M. Northern States Power Co. 4pp. 46175 357-46175 360

8807220253 Informs that response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory & no further reply necessary.  
DIANNI, D.C. Project Directorate I-3. 88/07/08. MUSOLF, D.M. Northern States Power Co. 3pp. 46248 105-46249 106

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108.

8807210320 Forwards Safety Insp Repts 50-282/88-08 & 50-306/88-08 on 880622-24. No violations noted.  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/07/12. LARSON, C.E. Northern States Power Co. 2pp. 46233 250-46233 282

-8807210341 Insp Repts 50-282/88-08 & 50-306/88-08 on 880622-24. No violations, deficiencies or deviations noted. Major areas inspected emergency preparedness exercise.  
SMITH, M.J., FOSTER, J.E., SNELL, W.G. Region 3, Ofc of the Director. 88/07/11. 8pp. 46233 252-46233 282.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120650 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 283-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257 258-46258 016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 208.

#### R. Periodic operating reports & related correspondence

8807210328 Monthly operating repts for June 1988 for Prairie Island Nuclear Generating Plant W/880711 ltr.  
DUGSTAD, D., MUSOLF, D. Northern States Power Co. 88/06/30. 8pp. 46237 119-46237 127.

#### V. Operator Examinations

8807120115 Forwards draft Rev 5 to ES-601, "Administration of NRC Qualification Program Evaluations." W/o encl.  
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/23. AMUNDSON, T. Northern States Power Co. 1p. 46149 352-46149 352.

#### DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

#### F. Security, medical, emergency & fire protection plans

8807140128 Forwards safety evaluation accepting licensee inadequate core cooling instrumentation sys contingent on completion of emergency procedures & operator training & submittal of Tech Specs.  
SEARS, P.M. Project Directorate I-3. FIN B-0779. 88/07/07. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 3pp. 46171 111-46171 121.

-8807140130 Safety evaluation approving util inadequate core cooling instrumentation sys contingent on completion of emergency procedures & operator training & submittal of applicable Tech Specs.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). FIN B-0779. 88/07/07. 10pp. 46171 114-46171 121.

#### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807220149 Rev 6 to updated FSAR for Maine Yankee W/880720 ltr.  
RANDAZZA, J.B. Maine Yankee Atomic Power Co. 88/07/20. 75pp. 46252 073-46252 305.

#### P. Operating license stage documents & correspondence

8807060002 Forwards Amend 105 to License DPR-36 & safety evaluation. Amend changes Tech Specs to max nominal enrichment of fuel allowed to be used in reactor core for Operating Cycle 11 & beyond from 3.5 to 3.7% nominal weight U-235.  
STAHL, E.C. Project Directorate I-3. 88/06/23. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 5pp. 46003 041-46003 061.

-8807060003 Amend 105 to License DPR-36, changing max nominal enrichment of fuel allowed to be used in reactor core for Operating Cycle 11 & beyond from 3.5 to 3.7% nominal weight U-235.  
WESSMAN, R.H. Project Directorate I-3. 88/08/23. 4pp. 46003 046-46003 049.

-8807060004 Safety evaluation supporting Amend 105 to License DPR-36.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 10pp. 46003 050-46003 059.

-8807060005 Notice of Issuance of Amend 105 to License DPR-36. Amend changes max nominal enrichment of fuel allowed to be used in reactor core for Operating Cycle 11 & beyond from 3.5 to 3.7% nominal weight U-235.  
STAHL, E.C. Project Directorate I-3. 88/06/28. 2pp. 46003 060-46003 081

8807120668 Forwards safety evaluation accepting util proposed steam cooling model for large break LOCA analysis.  
SEARS, P.M. Project Directorate I-3. 88/06/28. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 46121 169-46121 173

-8807120670 Safety evaluation accepting util proposed reload steam cooling model.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/28. 3pp. 46121 171-46121 173.

8807180301 Application for amend to License DPR-36, consisting of Proposed Change 140, revising Tech Spec 3.12, "Station Svc Power," to prohibit reliance on 115 kV Surwiev line unless add'l justification provided to NRC Fee paid.  
RANDAZZA, J.B. Maine Yankee Atomic Power Co. 88/06/29. Document Control Branch (Document Control Desk). 4pp. 46203 258-46203 284

-8807180303 Proposed Tech Spec 3.12, "Station Svc Power," which prohibits reliance on 115 kV Surwiev line unless add'l justification provided to NRC.  
\* Maine Yankee Atomic Power Co. 88/06/29. 3pp. 46203 262-46203 264

8807070340 Advises that 880523 response to Generic Ltr 88-03, "Steam Binding of Auxiliary Feedwater Pumps," satisfactory.  
SEARS, P.M. Project Directorate I-3. 88/06/30. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 46136 283-46136 284.

8807180043 Application for amend to License DPR-36, consisting of Proposed Change 141, revising Tech Specs to reflect Cycle 11 operation. Cycle 11 core performance analysis rept encl. Fee paid.  
RANDAZZA, J.B. Maine Yankee Atomic Power Co. 88/06/30. Document Control Branch (Document Control Desk). 8pp. 46204 069-46204 233.

-8807180044 Proposed Tech Specs, consisting of Proposed Change 141, to reflect operating parameters for Cycle 11.  
\* Maine Yankee Atomic Power Co. 88/06/30. 15pp. 46204 077-46204 031

-8807180045 "Cycle 11 Core Performance Analysis."  
SCOTT, M.W., BERGERON, P.A., CACCIAPOUTI, R. Maine Yankee Atomic Power Co. YAE-1848. 88/07/31. 142pp. 46204 092-46204 233.

8807120566 Forwards EGG-NTA-7861, "TMI Action--NUREG-0737 (II.D.1), Relief & Safety Valve Testing, Maine Yankee," technical evaluation rept. Util provided acceptable response.  
SEARS, P.M. Project Directorate I-3. 88/07/01. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 46154 144-46154 170.

-8710150408 "TMI Action--NUREG-0737 (II.D.1) Relief & Safety Valve Testing, Maine Yankee Docket," technical evaluation rept.  
FINEMAN, C.P., NALEZNY, C.L. EGG Idaho, Inc (subs of EGG, Inc.) FINEMAN, C.P. Idaho National Engineering Laboratory. FIN A-8492. EGG-NTA-7861. 87/09/30. NRC - No Detailed Affiliation Given. 25pp. 46154 146-46154 170.

8807140128 Forwards safety evaluation accepting licensee inadequate core cooling instrumentation sys contingent on completion of emergency procedures & operator training & submittal of Tech Specs.  
SEARS, P.M. Project Directorate I-3. FIN B-0779. 88/07/07. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 3pp. 46171 111-46171 121.

-8807140130 Safety evaluation approving util inadequate core cooling instrumentation sys contingent on completion of emergency procedures & operator training & submittal of applicable Tech Specs.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). FIN B-0779. 88/07/07. 10pp. 46171 114-46171 121.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978 166-45978 266.

8807010028 Forwards Safety Insp Rept 50-308/88-08 on 880516-20. No violations noted. Complete data from independent measurements to verify capability for analyzing radioactive effluents will be reported in subsequent insp rept.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/20. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 46017 219-46017 232.

-8807010031 Insp Rept 50-309/88-08 on 880516-20 No violations noted. Major areas inspected: all radiochemical measurements program using Region I Mobile Radiological Measurements Lab & lab assistance provided by DOE. KIRKWOOD, A. Region 1, Ofc of the Director. 88/06/13. 12pp. 46017-221-46017-232.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8805170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

8806240139 Suppl. 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807180272 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Concludes that plant design & operation & surveillance practices preclude problems w/misflow as identified in bulletin. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 88/07/07. Document Control Branch (Document Control Desk). 10pp. 46194-268-46194-277.

8807200144 Forwards Insp Rept 50-309/88-10 on 880527 & notice of violation. RUSSELL, W.T. Region 1, Ofc of the Director. 88/07/07. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 3pp. 46239-338-46239-344.

-8807200145 Notice of violation from Insp on 880527. Violation noted: Ilconed mail transferred to unauthorized recipient. RUSSELL, W.T. Region 1, Ofc of the Director. 88/07/07. 2pp. 46239-341-46239-342.

-8807200148 Insp Rept 50-309/88-10 on 880527. Violations noted: Major areas inspected: review of shipping documentation, placarding, marking, labelling, radiation measurements, contamination surveys & exam of packages on vehicle. KOTTAN, J.J., PASCIAK, W.J. Region 1, Ofc of the Director. 88/06/23. 2pp. 46238-343-46238-344.

8807200006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

880720291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-008-46242-108.

8807200366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807250285 Forwards Insp Rept 50-309/88-08 on 880526-0629. No violations noted. WIGGINS, J.T. Region 1, Ofc of the Director. 88/07/14. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 46268-242-46268-251.

-8807250288 Insp Rept 50-309/88-09 on 880526-0629. No violations noted. Major areas inspected: plant operations including followup on previous Insp findings, review of special reple, licensee event followup, operational safety verification & maint. TRIPP, L.E. Region 1, Ofc of the Director. 88/07/14. 6pp. 46269-244-46269-251.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257-258-46258-016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSIC.E Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-208.

## R. Periodic operating reports & related correspondence

8807200199 Monthly operating rpt for June 1988 for Maine Yankee. W/880708 ltr. RIVARD, D.A., WHITTIER, G.D. Maine Yankee Atomic Power Co. 88/08/30. 6pp. 46222-039-46222-044.

## S. Reportable occurrences, LERs & related correspondence

8807060048 LER 88-002-01 on 880115, unlinked ECCS valves not properly controlled per Tech Specs. Caused by misinterpretation of Tech Specs Tech Spec change under evaluation. W/880621 ltr. MCDOUGOLD, D.P., WHITTIER, G.D. Maine Yankee Atomic Power Co. 88/06/21. 3pp.

8806300336 LER 88-005-00 on 880523, four solenoid valves identified that were not on environ. qualification program master list during reevaluation of control circuits. High radiation field could be postulated to occur. Fuses installed. W/880622 ltr. MCALLISTER, S.A., WHITTIER, G.D. Maine Yankee Atomic Power Co. 88/06/22. 4pp. 45897-214-45897-217.

## U. Congressional/Executive Correspondence

8807180285 Responds to 880613 ltr inquiring as to whether there is federal plan for compensating people that live with a nuclear power plant EPZ. No federal program for distribution of compensation from nuclear power facilities exists. STELLON, J. Ofc of the Executive Director for Operations. 88/07/05. MITCHELL, G.J. Senate. 3pp. 46202-356-46202-359.

-8807180287 Requests info as to whether federal assistance is available to compensate people that live within EPZ. MITCHELL, G.J. Senate. 88/06/13. ZECH, L.W. Commissioners. 1p. 46202-359-46202-359.

## DOCKET 60-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

## F. Security, medical, emergency & fire protection plans

8807070398 Forwards Amends 86 & 59 to Licenses DPR-70 & DPR-75, respectively. Amends mod by Paragraph 2.E to require compliance w/amended physical security plan. FISCHER, D.C. Project Directorate 1-2. 88/06/27. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 46136-338-46136-351.

-8807070399 Amends 86 & 59 Licenses DPR-70 & DPR-75, respectively, modifying Paragraph 2.E to require compliance w/amended physical security plan. BUTLER, W.R. Project Directorate 1-2. 88/06/27. 6pp. 46136-343-46136-348.

-8807070400 Safeguards evaluation rpt supporting Amends 86 & 59 to Licenses DPR-70 & DPR-75, respectively. \* NRC - No Detailed Affiliation Given. 88/06/27. 3pp. 46136-349-46136-351.

8807070577 Forwards final exercise rpt on 870909 for Artificial Island Radiological Emergency Station. Offsite radiological emergency plans & preparedness remain adequate to protect health & safety on public in event of accident. BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/28. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46123-110-46123-157.

8807050378 Forwards Rev 1 to Artificial Island security contingency plan, including recent NRC/FBI agreement that only FBI can classify event as sabotage & implementation of all responses to Insp Repts 50-272/88-30 & 50-311/88-32. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/06/29. Document Control Branch (Document Control Desk). 2pp. 46075-317-46075-318.

8807200225 Documents 880606 meeting in Region 1 re proposed changes to protected area perimeter, security program enhancements & NRC approved safeguards contingency plan concerning Insp Repts 50-272/88-30 & 50-311/88-32. SJOBLÖM, G.L. Region 1, Ofc of the Director. 88/07/01. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 46228-324-46228-327.

8807110475 Rev 6 to Artificial Island Emergency Plan Administrative Procedure EPIP 1013, "Emergency Response Personnel Telephone List." \* Public Service Electric & Gas Co. of New Jersey. 88/07/08. 10pp. 46153-288-46153-304.

8807120233 Rev 4 to Emergency Plan Implementing Procedure EPIP 602, "Radiological Dose Assessment." \* Public Service Electric & Gas Co. of New Jersey. 88/07/08. 87pp. 46143-001-46143-088.

8807190219 Informs of revised implementation on schedule for App R mod. Mod to CO2 sys redesign due to identified seismic concerns & desire to eliminate need for local operator response. Mods will be completed by 880930. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/07/12. Document Control Branch (Document Control Desk). 2pp. 46206-167-46206-168.

## H. General correspondence

8807200338 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants whose state &/or local govts decline to cooperate in offsite emergency planning. BIDEN, J.R. Affiliation Not Assigned. 87/02/24. NRC - No Detailed Affiliation Given. 2pp. 46208-049-46208-050.

## K. Utility Final Safety Analysis Report (FSAR) & amends

8807260328 Rev 8 to updated FSAR for Salem Generating Station W/880722 ltr. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/07/22. 300pp. 46283-162-46283-024.

## P. Operating license stage documents & correspondence

8807180280 Forwards results of review priority for open TACs per 880527 memo. BUTLER, W.R. Project Directorate 1-2. 88/08/10. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 3pp. 46200-175-46200-177.

8807060103 Ack receipt of 880527 ltr confirming that procedures re Generic Ltr 88-03, "Steam Binding Auxiliary Feedwater Pumps," acceptable. FISCHER, D.C. Project Directorate 1-2. 88/06/22. MILTENBERGER, S. Public Service

8807010591 Application for amendments to Licenses DPR-70 & DPR-75, correcting typos in Tech Spec Sections 3.1.3.4 & 3.1.3.5, including changes to clarify applicability of surveillance requirements for rod position verification. Fee paid.  
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/06/23. Document Control Branch (Document Control Desk). 6pp. 46017 287-46017 280

8807010602 Proposed Tech Specs revising Sections 3.1.3.4 & 3.1.3.5 to correct typos incorporated by previously approved amendment.  
Public Service Electric & Gas Co. of New Jersey. 88/06/23. 6pp. 46017 273-46017 280

8807050517 Forwards AEC Technical Review Rept TB09, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Bridgwood Unit 1.  
ROSENTHAL, J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER, C.H. General Communications Branch. 2pp. 45998 060-45998 066

8807050550 Technical Review Rept TB09, "Blocked Thimble Tubes/Stuck Incore Detector."  
\* Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45998 063-45998 066

8807110185 Forwards EGG-PHY-7830, "Technical Evaluation Rept for Evaluation of CTRs to Dose Calculation Manual (ODCM), Rev 3." All points raised in conclusion section of report should be addressed by licensee within 6 months in now ref to ODCM.  
FISCHER, D.C. Project Directorate I-2. 88/06/24. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 46100 271-46100 297.

8806210325 "Evaluation of Off-Site Dose Calculation Manual, Rev 3, Section Generating Station Units 1 & 2," technical evaluation report.  
SERRANO, V. YOUNG, T.E. EG&G Idaho, Inc. (subs. of EG&G, Inc.) SERRANO, W. Idaho National Engineering Laboratory. FIN D-6034. EGG-PHY-7830. 88/04/30. NRC - No Detailed Affiliation Given. 23pp. 46100 275-46100 297.

8807110201 Forwards safety evaluation accepting UL 851004 response to Generic Ltr 85-12, "Automatic Trip of Reactor Coolant Pumps."  
FISCHER, D.C. Project Directorate I-2. 88/06/24. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 6pp. 46082.112-46082.117.

8807070398 Forwards Amends 86 & 59 to Licenses DPR-70 & DPR-75, respectively. Amends modify Paragraph 2 E to require compliance w/amended physical security plan.  
FISCHER, D.C. Project Directorate I-2. 88/06/27. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 46136 339-46136.351

8807070399 Amends 86 & 59 Licenses DPR-70 & DPR-75, respectively, modifying Paragraph 2 E to require compliance w/amended physical security plan.  
RUTLER, W.R. Project Directorate I-2. 88/06/27. 6pp. 46136 343-46136.348.

8807070400 Safeguards evaluation report supporting Amends 86 & 59 to Licenses DPR-70 & DPR-75, respectively.  
\* NRC - No Detailed Affiliation Given. 88/06/27. 3pp. 46136 349-46136.351.

8807120640 Forwards Amends 85 & 58 to Licenses DPR-70 & DPR-75, respectively. Amends would remove reactor trip block w/ turbine trip from P-7 (11%) permit scenario up to P-9 (50%) permissive.  
FISCHER, D.C. Project Directorate I-2. 88/06/27. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46121.104-46121.123.

8807120645 Amends 85 & 58 to Licenses DPR-70 & DPR-75, respectively, revising reactor trip block w/ turbine trip from P-7 (11%) permissive up to P-9 (50%) permissive.  
BUTLER, W.R. Project Directorate I-2. 88/06/27. 14pp. 46121.107-46121.120.

8807120649 Safety evaluation supporting Amends 85 & 58 to Licenses DPR-70 & DPR-75, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/27. 2pp. 46121.121-46121.123

8807120478 Forwards SER accepting UL 880120 projected values of mail properties for fracture toughness requirements for protection against PTS events.  
FISCHER, D.C. Project Directorate I-2. 88/06/28. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46113.333-46113.338.

8807120485 Safety evaluation supporting UL projected values of mail properties for fracture toughness requirements for protection against PTS events.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/28. 3pp. 46113.336-46113.338.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807190219 Informs of revised implementation schedule for App R mod. Mod to CO2 sys redesign due to identified seismic concerns & desire to eliminate need for local operator response. Mods will be completed by 880930.  
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/07/12. Document Control Branch (Document Control Desk). 2pp. 46208.167-46208.169.

8807250173 Advises that plant review briefing for Murley & executive team re PDI-2 plants scheduled for 880721. Viewgraphs encl.  
BUTLER, W.R. Project Directorate I-2. 88/07/13. BOGER, B.A. Project Directorate I-2. 97pp. 46272.285-46272.021.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/AR-0122 & svc list encl.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Washington Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807130100 Forwards Licensee Mgt Meeting Repts 50-354/88-21, 50-311/88-15 & 50-272/88-15 on 880526.  
KANE, W.F. Region 1, Ofc of the Director. 88/06/29. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 46165.057-46165.085.

8807130102 Licensee Mgt Meeting Repts 50-272/88-15, 50-311/88-15 & 50-354/88-21 on 880526. Major areas discussed safety sys functional review program including program goals, program scope & results.  
SWETLAND, P.D. Region 1, Ofc of the Director. 88/06/24. 27pp. 45165.059-46165.085.

8807200225 Documents 880606 meeting in Region 1 re proposed changes to protected area perimeter, security program enhancements & NRC-approved safeguards contingency plan concerning Insp Repts 50-272/88-30 & 50-311/88-32.  
SJOBLÖM, G.L. Region 1, Ofc of the Director. 88/07/01. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 46228.324-46228.327.

8807250234 Ack receipt of 880519 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-272/88-09, 50-311/88-09 & 50-354/88-07.  
BELLAMY, H.R. Region 1, Ofc of the Director. 88/07/01. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46285.106-46285.112.

8807200227 Forwards Safety Insp Repts 50-272/88-13 & 50-311/88-13 on 880533-0806 & notice of violation.  
WENZINGER, E.C. Region 1, Ofc of the Director. 88/07/06. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 46229.226-46229.242.

8807200228 Notice of violation from Insp on 880503-0608 Violation noted on 880428, determined that Surveillance Procedure SPO(4)0.5 V-MISC-1 not properly implemented on 880210.  
\* Region 1, Ofc of the Director. 88/07/06. 1p. 46229.230-46229.230.

8807200229 Insp Repts 50-272/88-13 & 50-311/88-13 on 880503-0806 Violations noted. Major areas inspected, followup on outstanding Insp items, operational safety verification, maintenance & ESF walkdown.  
SWETLAND, P.D. Region 1, Ofc of the Director. 88/07/06. 12pp. 46229.231-46229.242.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Rebuilt Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807120281 NRC Info Notice 88-048, "Licensee Rept of Defective Rebuilt Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16. Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016.

8807160101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206.

#### R. Periodic operating reports & related correspondence

8807160368 Monthly operating report for June 1988 for Salem Unit 2 W/880713 ltr.  
WHITE, P., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 88/06/30. 10pp. 46194.322-46194.331.

8807190065 LER 88-012-00 on 880618, Tech Spec Action 3.5.2 entered w/ both centrifugal charging pumps (CCP) declared inoperable. Caused by individual CCP equipment problems CCP breaker replaced W/880712 ltr.  
POLLOCK, M.J., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 88/06/18. 5pp. 46206 195-46206 199

8807010125 PKG-188-066 on 880622, unit tripped following loss of vital instrument bus inverter. C loss caused low reactor loop flow trip. Caused by loss of reactor coolant pump breaker open indication & loss of power. Licensee initiated investigation.  
BORCHARDT, W., SVETLANO, P. Region 1, Ofc of the Director. 88/06/22. 1p. 46017-074-46017 074.

8807070076 LER 88-024-01 on 841004, Unit 2 turbine generator tripped on generator differential relay protection causing reactor trip. Caused by phase-to-ground fault. High potential test performed & generator replaced W/880628 ltr.  
POLLOCK, M.J., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 88/06/28. 4pp. 46118 246-46118 246

8807140114 Summary of Operating Reactors Events Meeting 88-26 on 880628.  
LANMING, W. Events Assessment Branch. 88/07/07. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 17pp. 46184-089-46184-115.

8807190056 LER 88-013-00 on 880615, control room overhead annunciator, SEC trouble alarm annunciator & on 880616, Tech Spec 3.3.2.1.b, Action 13 entered in support of 2B SEC chassis replacement. Caused by circuit boards failure W/880713 ltr.  
POLLOCK, M.J., ZUPKO, J.M. Public Service Electric & Gas Co. of New Jersey. 88/07/13. 5pp. 46215 266-46215 260.

## DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

### F. Security, medical, emergency & fire protection plans

8807060199 Forwards facility objectives for 1988 annual exercise, per IE Info Notice 85-055.  
ANDOGNINI, G.C. Sacramento Municipal Utility District. 88/05/26. MARTIN, J.B. Region 5, Ofc of the Director. 21pp. 46103-085-46103-105.

8807250228 Responses to NRC 880429 ltr requesting info on utility actions to correct problems re State of CA warning sys Sys mod, procedure changes & associated training w/ to be completed by mid-June 1988 to ensure consistency w/ other utilities.  
ANDOGNINI, G.C. Sacramento Municipal Utility District. 88/06/06. SCARANO, R.A. Region 5, Ofc of the Director. 4pp. 46278-126-46278-129.

8807110422 Forwards portion of regulatory effectiveness review report, per NRC 870903 ltr. Section 5.4 contains comparison of results of vital equipment analysis. Comments on report requested within 60 days of ltr receipt. W/o encl.  
CRUTCHFIELD, D.D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/06/20. ANDOGNINI, G.C. Sacramento Municipal Utility District. 4pp. 46100-135-46100-136.

8807250361 Advises that add info re fire hazard analysis will be submitted by 880915 per NRC 880511 request.  
FIRLIT, J.F. Sacramento Municipal Utility District. 88/07/14. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46268-178-46268-178.

### H. General correspondence

8807080149 Requests that svc list be updated to include listed recent organizational assignments at plant.  
FIRLIT, J.F. Sacramento Municipal Utility District. 88/06/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46118-110-46118-110.

### J. Insurance & indemnity information

8807110345 Forwards Endorsements 1 to ANI Policy X88157 & MAELU Policy XTAS261.  
CRUNK, S.L. Sacramento Municipal Utility District. 88/07/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46140-212-46140-218.

### P. Operating license stage documents & correspondence

8807140127 Expresses appreciation for support provided in on-going review of facility response to NUREG-1275 re lessons learned Summary of staff views resulting from 880216-17 site visit requested.  
HOLAHAN, G.M. Assistant Director for Region III & Region V Reactors. 88/02/11. NOVAK, T.M. Division of Safety Programs (Post 870413). 1p. 46178-316-46178-316.

8806290136 Application for amend to License DPR-54, consisting of proposed Amend 87, reducing count time required for prebatch-release sample analysis. SER & NSHC analysis and Fee paid.  
ANDOGNINI, G.C. Sacramento Municipal Utility District. 88/06/10. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 45984-122-45984-145.

8806290142 Proposed Tech Spec Pages 4-69 through 4-85a, modifying radiological effluent Tech Specs to reduce count time required for prebatch-release sample analysis.  
\* Sacramento Municipal Utility District. 88/06/10. 13pp. 45984-133-45984-145.

8806290490 Application for proposed Amend 130 to License DPR-54, adding operating requirements designed to provide proper limitations & conditions on reactor bldg pressure equalization operations during power operation. Fee paid.  
FIRLIT, J.F. Sacramento Municipal Utility District. 88/06/21. Office of Nuclear Reactor Regulation, Director (Post 870411). 11pp. 45988-142-45988-158.

8806290492 Proposed Tech Spec providing proper limitations & conditions on reactor bldg pressure equalization operations during power operation & modifying existing purge sys operation requirement.  
\* Sacramento Municipal Utility District. 88/06/21. 6pp. 45988-153-45988-158.

8806290388 Forwards TDI diesel generator vibration report describing modes performed on generators to reduce component vibration. Rets & calculation discussed in report available from util.  
FIRLIT, J.F. Sacramento Municipal Utility District. 88/06/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 27pp. 45985-318-45985-342.

8807010062 Advises that util currently operating at nominal 40% (power) plateau per Procedure B.1A, "Control of Plant Health & Operating Procedure for Power Escalation Testing."  
FIRLIT, J.F. Sacramento Municipal Utility District. 88/06/24. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46020-243-46020-243

8807110327 Forwards presentation mail provided to NRC during 880701 meeting re power ascension program status.  
FIRLIT, J.F. Sacramento Municipal Utility District. 88/07/07. Office of Nuclear Reactor Regulation, Director (Post 870411). 27pp. 46141-117-46141-143

8807150081 Notification of 880714 meeting w/B&W Owners Group in Rockville, MD to discuss plant operation in decay heat removal modes. Meeting agenda and TRAMMELL, C.M. Project Directorate V. 88/07/07. KNIGHTON, G.W. Project Directorate V. 3pp. 46183-315-46183-317

8807140205 Summary of NRC senior managers 880628-29 meeting to review performance of operating nuclear power plants. Facility categorized as requiring continued close monitor at meeting. Summary of discussions re facility provided.  
STELLO, V. Ofc of the Executive Director for Operations. 88/07/08. WILCOX, C. Sacramento Municipal Utility District. 1p. 46177-255-46177-255

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 and.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257

8807190312 Forwards SER re safety concern involving potential for control room & technical support ctr personnel incapacitation resulting from aqueous ammonia spill. Sufficient reaction time provided in event of spill.  
KNIGHTON, G.W. Project Directorate V. 88/07/13. FIRLIT, J. Sacramento Municipal Utility District. 3pp. 46205-285-46205-289

8807190315 SER supporting util actions to prevent failure of ammonia tanks which may result in incapacitation of control room & technical support ctr personnel.  
\* NRC - No Data led Affiliation Given. 88/07/13. 2pp. 46205-288-46205-289

### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 11pp. 45978-156-45978-266

8807050114 Forwards Enhanced Operational Insp Rept 50-312/88-10 on 880320-0408. No violations noted.  
KIRSCHEIDT, F. Region 5, Ofc of the Director. 88/06/15. ANDOGNINI, G.C. Sacramento Municipal Utility District. 2pp. 46024-320-46024-332.

8807050118 Insp Rept 50-312/88-10 on 880320-0408 & 13 No violations noted. Major areas inspected: plant operation & operational support activities.  
CREWS, J.L., BOSTED, C.J., JOHNSON, A.D. Region 5, Ofc of the Director. 88/06/14. 1pp. 46024-322-46024-332

8807110509 Forwards Operational Readiness Insp Rept 50-312/88-200. No deficiencies noted. Concerns requiring attention during startup process listed. Executive summary encl.  
CRUTCHFIELD, D.D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/06/15. ANDOGNINI, G.C. Sacramento Municipal Utility District. 7pp. 46082-063-46082-092.

8807110519 Insp Rept 50-312/88-200 on 880307-10. No deficiencies noted. Some weaknesses noted. Major areas inspected: licensee ability to operate facility.  
DYER, J.E. Division of Reactor Inspection & Safeguards (Post 870411). ANG, W.P. Region 5, Ofc of the Director. HOWELL, A.T. Office for Analysis & Evaluation of Operational Data, Director. 88/05/23. 23pp. 46082-070-46082-092.

8807010055 Responses to NRC 880523 ltr re violations noted in Insp Rept 50-312/88-12. Corrective actions Administrative Procedure AP 23-08 will be revised to include 10CFR50.72 reporting responsibility by 880908.  
FIRLIT, J.F. Sacramento Municipal Utility District. 88/06/21. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 46020-237-46020-239.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-326-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155

8806170291 NRC Bulletin 88-038, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-162.

8807060233 Ack receipt of 880606 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-312/88-13.  
SCARANO, R.A. Region 5, Ofc of the Director. 88/06/23. FIRLIT, J.F. Sacramento Municipal Utility District. 1p. 46068-134-46068-138.

8807140119 Forwards Insp Rept 50-312/88-20 on 880617. Failure to adequately control licensed mail to ensure workers not exposed in excess of regulatory limits noted. Enforcement actions will be subject of separate correspondence.  
SCARANO, R.A. Region 5, Ofc of the Director. 88/06/23. FIRLIT, J.F. Sacramento Municipal Utility District. 2pp. 46184-085-46184-085

8807140121 Insp Rept 50-312/88-20 on 880617. Violations noted. Major areas inspected: status of Unresolved Item 50-312/88-07-01 re skin exposure of worker reported by licensee on 880204.  
CILLIS, M., YUHAS, G.P. Region 5, Ofc of the Director. 88/06/23. 9pp. 46184-087-46184-085.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 11pp. 46019 153-46019 265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018

8807140228 Forwards Insp Rept 50-312/88-17 on 880604-10 & notice of violation.  
SCARANO,R.A. Region 5, Ofc of the Director. 88/08/24. FIRMILIT,J.F. Sacramento Municipal Utility District. 2pp. 46175 060-46175 072

-8807140232 Notice of violation from Insp on 880608-10 & 19 Violation noted licensee had not submitted required annual exposure report to Commission.  
SCARANO,R.A. Region 5, Ofc of the Director. 88/06/24. 1p. 46175 062-46175 062.

-8807140234 Insp Rept 50-312/88-17 on 880608-10 Violations noted Major areas inspected licensee action on previous insp findings, control of radioactive materials & contamination,ALARA, facilities & equipment & review of licensee reports  
HOOKER,C.A., YUHAS,G.P. Region 5, Ofc of the Director. 88/06/24. 10pp. 46175 083-46175 072.

8807110206 Confirms 880627 telcon re enforcement conference scheduled for 880707 at plant site to discuss 880204 unexplained radiation exposure to worker,880609 final report & effectiveness of corrective actions.  
SCARANO,R.A. Region 5, Ofc of the Director. 88/06/28. FIRMILIT,J.F. Sacramento Municipal Utility District. 2pp. 46138 360-46138 361

8807110253 Ack receipt of 880621 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-312/88-12.  
ZIMMERMAN,R. Region 5, Ofc of the Director. 88/06/28. FIRMILIT,J.F. Sacramento Municipal Utility District. 1p. 46185 039-46185 042.

8807140213 Forwards Insp Rept 50-312/88-15 on 880503-31.No violations or deviations noted.  
ZIMMERMAN,R. Region 5, Ofc of the Director. 88/06/28. FIRMILIT,J.F. Sacramento Municipal Utility District. 2pp. 46175 305-46175 321.

-8807140214 Insp Rept 50-312/88-15 on 880503-31.No violations or deviations noted.Major areas inspected.operational safety verification,ESF sys walkdown,management,surveillance & testing, review of control rod worth & followup items.  
D'ANGELO,A.J., MYERS,C.J., QUALLS,P.M. Region 5, Ofc of the Director. 88/06/23 15pp. 46175 307-46175 321.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807140219 Forwards response to NRC Bulletin 88-004 re potential safety-related pump loss.  
FIRMILIT,J.F. Sacramento Municipal Utility District. 88/07/08. Office of Nuclear Reactor Regulation, Director (Post 870411). 8pp. 46177 263-46177 290.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 008-46242 108.

8807210135 Rescinds Violation A from Insp Rept 50-312/88-05,per 880808 response to NRC 880513 ltr.Actions,however,did not meet current expectations Understanding that 880608 ltr will be updated to document add info provided on 880705 stated  
ZIMMERMAN,R. Region 5, Ofc of the Director. 88/07/13. FIRMILIT,J.F. Sacramento Municipal Utility District. 2pp. 46234 239-46234 244

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257 258-46258 018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 208.

#### R. Periodic operating reports & related correspondence

8807080568 "NPDES Discharge Monitoring Rept for May 1988." W/880820 ltr.  
SHETLER,J.R. Sacramento Municipal Utility District. 88/05/31. 4pp. 46114 258-46114 259.

#### S. Reportable occurrences, LERs & related correspondence

8807100558 LER 88-005 00 on 880315,steam/water hydraulic transients caused relief valves PSV-22021 & PSV-22024 to lift.Caused by pressure spike.Procedural controls implemented to prevent recurrence of event.W/880621 ltr.  
SCHUMANN,D., FIRMILIT,J.F. Sacramento Municipal Utility District. 88/06/21. 11pp. 45998 028-45998 038.

8806280368 Forwards TDI diesel generator vibration report describing mods performed on generators to reduce component vibration. Refs & calculation discussed & available from utl  
FIRMILIT,J.F. Sacramento Municipal Utility District. 88/06/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 27pp. 45985 316-45985 342

#### DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

##### F. Security, medical, emergency & fire protection plans

8807070582 Rev 9 to coversheet to Emergency Plan Implementing Procedure 1903 002, "Assignment of Plant Emergency Team/Group Members."  
\* Arkansas Power & Light Co. 88/02/25. 2pp. 46119 213-46119 214.

8807200340 Rev 6 to Emergency Plan Implementing Procedure 1905 002, "On-Site Emergency Monitoring."  
\* Arkansas Power & Light Co. 88/05/18. 39pp. 46228 012-46229 050.

8807070559 Rev 6 to Emergency Plan Implementing Procedure 1903 103, "Notification of Corporate Official."  
\* Arkansas Power & Light Co. 88/06/09. 12pp. 46125 108-46125 209.

8806290461 Rev 3 to Emergency Plan Implementing Procedure 1905 003, "Radiological Protection Requirements for Post-Accident Sampling of Reactor Coolant."  
\* Arkansas Power & Light Co. 88/06/20. 9pp. 45974 331-45974 339

8807210191 Requests addl 30 days to completely implement necessary mods for majority of work to protect secondary power supply.Utl will still be in compliance with R2 implementation guide  
HOWARD,D.R. Arkansas Power & Light Co. 88/06/29. HARBURCK,C.C. Project Directorate IV. 2pp. 46237 301-46237 302

8807070493 Ack receipt of 880608 ltr informing NRC of steps taken to correct violations noted in Safeguards Insp Repts 50-313/88-08 & 50-368/88-08  
CALLAN,L.J. Region 4, Ofc of the Director. 88/07/01. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 46128 163-46128 164.

##### I. Financial information

8807070386 Forwards summary of completed & planned notification & consultation activities Systemwide communication plan under development for consideration effort,including development of new publication to update employees on progress  
KINGSLEY,O.D. System Energy Resources, Inc. 88/06/29. Document Control Branch (Document Control Desk). 7pp. 46125 353-46125 359.

##### P. Operating license stage documents & correspondence

8807120398 Application for amend to License DPR-51,revising channel description of radiation monitoring sys to identify subparts,"Process Monitoring Sys" & "Area Monitoring Sys." Fee paid.  
CAMPBELL,T.G. Arkansas Power & Light Co. 88/06/16. CALVO,J.A. Project Directorate IV. 6pp. 46150 350-46150 357

-8807120400 Proposed Tech Specs Table 4.1-1,revising "Channel Description" to identify subparts, "Process Monitoring Sys" & "Area Monitoring Sys."  
\* Arkansas Power & Light Co. 88/06/16. 2pp. 46150 356-46160 357.

8807080135 Responds to 880510 request for addl info re Generic Ltr 83-28, items 3.2.1 & 3.2.2 on post-maint testing of safety-related components  
HOWARD,D.R. Arkansas Power & Light Co. 88/06/21. CALVO,J.A. Project Directorate IV. 2pp. 46134 108-46134 110.

8807140285 Summary of 880615 meeting w/utl re proposed establishment & closing of Sys Energy Resource,Inc as operators & licensing agent for plants  
WIGGINTON,D.L. Project Directorate IV. 88/06/21. Project Directorate IV. 35pp. 46177 201-46177 325.

8807140298 Forwards Amends 109 & 85 to Licenses DPR-51 & NPF-6, respectively & safety evaluation.Amends revise administrative controls sections of Tech Specs to reflect reorganization of nuclear operations dept.  
HARBURCK,C.C. Project Directorate IV. 88/06/24. CAMPBELL,T.G. Arkansas Power & Light Co. 3pp. 46171 123-46171 154.

-8807140300 Amends 109 & 85 to Licenses DPR-51 & NPF-6, respectively, revising administrative controls section of Tech Specs to reflect reorganization of nuclear operations dept & also mgt position designated to serve as committee chairman  
CALVO,J.A. Project Directorate IV. 88/06/24. 24pp. 46171 126-46171 149.

-8807140303 Safety evaluation supporting Amends 109 & 85 to Licenses DPR-51 & NPF-6, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/24. 5pp. 46171 150-46171 154.

8807070386 Forwards summary of completed & planned notification & consultation activities Systemwide communication plan under development for consideration effort,including development of new publication to update employees on progress  
KINGSLEY,O.D. System Energy Resources, Inc. 88/06/29. Document Control Branch (Document Control Desk). 7pp. 46125 353-46125 359.

8807180195 Summary of 880607 meeting w/utl in Little Rock,AR re B&W owners group safety & performance improvement program at plant.  
HARBURCK,C.C. Project Directorate IV. 88/06/28. Project Directorate IV. 35pp. 46199 210-46199 245.

8807110190 Application for amend to License DPR-51,changing Tech Specs re reactor trip breaker design mods,per Generic Ltrs 83-28 & 85-10 Fee paid  
CAMPBELL,T.G. Arkansas Power & Light Co. 88/06/30. CALVO,J.A. Project Directorate IV. 7pp. 46141 204-46141 214.

-8807110194 Proposed Tech Spec Tables 3.5 1-1 & 4.1-1 re reactor trip breaker design mods.  
\* Arkansas Power & Light Co. 88/06/30. 4pp. 46141 211-46141 214.



**8807120131** Informs of rev to implementation schedules for resolution of certain CRDR human engineering discrepancies (HEDs). Mods to address HED QS-A5.2-1.055 re reduction of control room noise due to emergency ventilation air handling unit unsuccessful.  
HOWARD,D.R. Arkansas Power & Light Co. 88/06/30. CALVO,J.A. Project Director. 4 p. 46145:358-46145:359.

**8807190080** Responds to NRC 880523 request for addl info re SPDS.Utl will evaluate Rochester Instrument Sys Model SC-1302 & Energy, Inc Model 00993-4 Isolators against 120-volt ac 20 amp guidance. Evaluation of test data expected by 880815.  
HOWARD,D.R. Arkansas Power & Light Co. 88/08/30. HARBURCK,C.C. Project Director. 4 p. 46209:205-46209:206.

**8807120275** Forwards application for amends to Licenses DPR-51 & NPF-6, requesting approval for Sys Energy Resources, Inc to assume responsibility for operation of facilities. Fee paid.  
CAMPBELL,T.G. Arkansas Power & Light Co. 88/07/01. CRUTCHFIELD,D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 5pp. 46155:133-46155:183.

**8807120296** Application for amends to Licenses DPR-51 & NPF-6, requesting approval for Sys Energy Resources, Inc to assume responsibility for operation of plant.  
WALDEN,J.L. Arkansas Power & Light Co. KINGSLLEY,O.D. System Energy Resources, Inc. 88/07/01. 31pp. 46155:138-46155:168.

**8807120303** Proposed Amends 1 & 2 to Licenses DPR-51 & NPF-6, respectively.  
Arkansas Power & Light Co. 88/07/01. 15pp. 46155:169-46155:183.

**8807120480** Discusses B&W Owners Group safety & performance improvement program (SPAP) recommendations status. Quarterly B&W Owners Group recommendation tracking sys rept method intended to keep NRC informed of utl progress.  
HOWARD,D.R. Arkansas Power & Light Co. 88/07/05. CALVO,J.A. Project Director. 4 p. 46230:351-46230:351.

**8807120151** Notification of 880718 significant licensee meeting in Arlington, TX to discuss status of licensee improvement programs.  
CALLAN,L.J. Region 4, Oic of the Director. 88/07/08. Region 4, Oic of the Director. 2pp. 46154:142-46154:143.

**8807150081** Notification of 880714 meeting w/B&W Owners Group in Rockville, MD to discuss plant operation in decay heat removal modes. Meeting agenda encl.  
TRAMMELL,C.M. Project Director. 88/07/07. KNIGHTON,G.W. Project Director. 4 p. 46183:315-46183:317.

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:267.

**8807190187** Forwards summary of background info for proposed primary to secondary leak rate Tech Spec limit per 880706 request.  
HARBURCK,C.C. Project Director. 88/07/12. CAMPBELL,T.G. Arkansas Power & Light Co. 5pp. 46208:285-46208:289.

## Q. Inspection reports, IE Bulletins & correspondence

**8807070563** Responds to violations noted in Insp Repts 50-313/88-02 & 50-368/88-02. Corrective actions surveys reviewed & contract technicians in error & supervisors informed of errors & instructed to perform reviews in timely manner.  
LEVINE,J.M. Arkansas Power & Light Co. 88/05/13. CALLAN,L.J. Region 4, Oic of the Director. 4pp. 46123:075-46123:078.

**8806130168** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:166-45978:266.

**8807060350** Ack receipt of 880513 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88-06 & 50-368/88-06.  
CALLAN,L.J. Region 4, Oic of the Director. 88/08/16. CAMPBELL,G. Arkansas Power & Light Co. 1p. 46103:289-46103:289.

**8807160149** Responds to violations noted in Insp Repts 50-313/88-11 & 50-368/88-11. Corrective actions initiated to verify that valves tagged open w/caps removed in correct test position.  
LEVINE,J.M. Arkansas Power & Light Co. 88/08/16. CALLAN,L.J. Region 4, Oic of the Director. 3pp. 46199:198-46199:200.

**8806160340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46240:401.

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

**8806170281** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

**8807010040** Ack receipt of 880603 ltr informing NRC of steps taken to correct violation noted in Insps 50-313/88-03 & 50-368/88-03.  
CALLAN,L.J. Region 1, Oic of the Director. 88/06/22. CAMPBELL,G. Arkansas Power & Light Co. 1p. 46020:248-46020:246.

**8808210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:163-46019:265.

**8808240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.

**8807060557** Forwards Insp Repts 50-313/88-15 & 50-368/88-15 on 880501-31 & notice of violation.  
CALLAN,L.J. Region 4, Oic of the Director. 88/06/27. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 46109:195-46109:208.

**8807080596** Notice of violation from Insp on 880501-31. Violation noted: inspector observed large plastic bag approx 1'x1'x1' filled w/ miscellaneous debris in upper south piping penetration room.  
Region 4, Oic of the Director. 88/06/27. 2pp. 46109:197-46109:198.

**8807060577** Insp Repts 50-313/88-15 & 50-368/88-15 on 880501-31. Violations noted: Major areas inspected: plant status, operational safety, ventilation, maint & surveillance, plant startup testing & event followup.  
JOHNSON,W.D. HAAG,R.C. CHAMBERLAIN,D. Region 4, Oic of the Director. 88/06/27. 10pp. 46109:199-46109:208.

**8807070571** Ack receipt of 880513 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88-02 & 50-368/88-02.  
CALLAN,L.J. Region 4, Oic of the Director. 88/06/30. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 46123:073-46123:074.

**8807120255** Ack receipt of 870622 & 880421 ltrs informing NRC of steps taken to correct violations noted in Insp Repts 50-313/87-13 & 50-368/87-13.  
CALLAN,L.J. Region 4, Oic of the Director. 88/06/30. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 46154:048-46154:049.

**8807070483** Ack receipt of 880608 ltr informing NRC of steps taken to correct violations noted in Safeguards Insp Repts 50-313/88-08 & 50-368/88-08.  
CALLAN,L.J. Region 4, Oic of the Director. 88/07/01. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 46126:163-46126:164.

**8807120079** Forwards Insp Repts 50-313/88-18 & 50-368/88-18 on 880523-27. No violations or deviations noted.  
CALLAN,L.J. Region 4, Oic of the Director. 88/07/05. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 46147:320-46147:329.

**8807120084** Insp Repts 50-313/88-18 & 50-368/88-18 on 880523-27. No violations or deviations noted. Major areas inspected: licensee radiation protection activities associated w/ radioactive material transportation & low level radioactive mgt.  
CHANEY,I.D. BAER,R.E. Region 4, Oic of the Director. 88/06/24. 8pp. 46147:322-46147:329.

**8807130054** Requests 60-day extension to 880006 to respond to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Significant problems w/utl safety-related pumps not anticipated.  
HOWARD,D.R. Arkansas Power & Light Co. 88/07/05. Document Control Branch (Document Control Desk). 1p. 46169:225-46169:225.

**8806300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

**8807080006** NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46231:297.

**8807180153** Ack receipt of 880616 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88-11 & 50-368/88-11.  
CALLAN,L.J. Region 4, Oic of the Director. 88/07/08. CAMPBELL,G. Arkansas Power & Light Co. 1p. 46188:282-46188:282.

**8807120291** NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

**8807080386** NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

**8807250330** Ack receipt of 860731 & 1003 ltrs in response to Equipment Qualification Insp Repts 50-313/86-23 & 50-368/86-24. Enforcement conference planned. Proposed agenda for sub enforcement conference encl.  
CALLAN,L.J. Region 4, Oic of the Director. 88/07/14. CAMPBELL,G. Arkansas Power & Light Co. 6pp. 46250:100-46250:105.

**8807250312** Forwards Insp Repts 50-313/88-21 & 50-368/88-21 on 880620-24. No violations or deviations noted.  
CALLAN,L.J. Region 4, Oic of the Director. 88/07/15. CAMPBELL,G. Arkansas Power & Light Co. 2pp. 46255:169-46255:181.

**8807250314** Insp Repts 50-313/88-21 & 50-368/88-21 on 880620-24. No violations or deviations noted. Major areas inspected: licensed operator training, nonlicensed staff training, QC training program & plant tour.  
PICK,G.A. VICKREY,R.B. GAGLIARDO,J.E. Region 4, Oic of the Director. 88/07/14. 11pp. 46255:171-46255:181.

**8807120550** NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46241:305.

**8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257:258-46257:316.

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.

## R. Periodic operating reports and related correspondence

8807250056 Monthly operating report for June 1988 for Arkansas Nuclear One Unit 1 W/ 880715 ltr WHITT, M.S., HOWARD, D.R. Arkansas Power & Light Co. 88/06/30 6pp 46259-322-46259-327

## DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

## F. Security, medical, emergency &amp; fire protection plans

8807060361 Forwards Safety Insp Repts 50-315/88-14 & 50-316/88-16 on 880426-0613 & notice of violation AXELSON, W.L. Region 3, Ofc of the Director. 88/06/22 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 46115-133-46115-155

8807060364 Insp Repts 50-315/88-14 & 50-316/88-16 on 880426-0613 Violations noted Major areas inspected actions on previously identified items plant operations radiological controls, major surveillance fire protection, security & outages BURGESE, B.L. Region 3, Ofc of the Director. 88/06/21 20pp 46115-136-46115-155

8807120014 Informs that Emergency Plan implementing Procedures PMP-2082 EPP 005,006,007 & 009 placed on administrative hold pending cancellation. KRUEGER, H.S. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/06/20 NRC - No Data led Affiliation Given 3pp 46149-161-46149-163

8807150132 Change Sheet 2 to Rev 2 to Emergency Fire Implementing Procedure PMP 2080 EPP 107. "Notification of Plant Personnel" Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/06/30 37pp 46183-268-46183-304

8807110445 Ack receipt of 880512 ltr including scope & objectives for util 1988 plant emergency plan exercises scheduled for 880823-24. SHAFER, W.D. Region 3, Ofc of the Director. 88/07/05 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 1p 46140-350-46140-350

## P. Operating license stage documents &amp; correspondence

8807010042 Confirms 880413 & 14 agreement to submit updated report that details compliance w/Rev 3 of Reg Guide 1.97 Submittal on 851001 will be prepared based on assumption that deviations from reg guide recommendations will be approved. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/06/20 MURLEY, T.E. Document Control Branch (Document Control Desk) 2pp 46009-051-46009-052

8807120885 Confirms that utilization action on Generic Ltr 88-03, "Steam Bending of Auxiliary Feedwater Pumps," satisfactory. STANG, J.F. Project Directorate III-1. 88/07/08 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 3pp 46148-182-46148-184

8807180214 Forwards Rev 1 & revised pages to safe shutdown capability assessment replier 880419 telcon Fee paid ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/07/08 Document Control Branch (Document Control Desk) 11pp 46202-256-46202-266

8807180346 Notification of 880718 meeting w/Util & Westinghouse in Rockville, MD to discuss restart test program for steam generator repair project STANG, J.F. Project Directorate III-1. 88/07/08 VIRGILIO, M.J. Project Directorate III-1. 3pp 46203-327-46203-329

8807180291 Forwards notice of consideration of issuance of amendments to Licenses DPR-58 & DPR-74, revising Tech Specs for consistency w/NRC guidelines re obtaining milk samples & changing basis on radioactive gaseous effluents STANG, J.F. Project Directorate III-1. 88/07/11 ALEXICH, M.P. Indiana Michigan Power Co. ALEXICH, M.P. American Electric Power Service Corp 3pp 46185-238-46185-244

8807180294 Notice of consideration of issuance of amendments to Licenses DPR-58 & DPR-74 & opportunity for hearing re util 880201 request for rev to Tech Specs to provide consistency w/NRC guidelines for obtaining milk samples for analysis VIRGILIO, M.J. Project Directorate III-1. 88/07/05 4pp 46230-288-46230-292

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.98 encl MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp 46257-207-46257-257

8807190378 Forwards safety evaluation supporting licensee response to Generic Ltr 85-12, "Implementation of TMI Action Item II.K.3.5, 'Automatic Trip of Reactor Coolant Pumps.'" Response adequate STANG, J.F. Project Directorate III-1. 88/07/13 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 3pp 46209-091-46209-096

8807190379 Safety evaluation re implementation of TMI Action Item II.K.3.5, "Automatic Trip of Reactor Coolant Pumps," in response to Generic Ltr 87-12 Licensee response to generic ltr acceptable Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/13 3pp 46208-094-46208-096

8807200226 Notification of 880718 meeting w/Util & Westinghouse in Rockville, MD to discuss thimble tube thinning STANG, J.F. Project Directorate III-1. 88/07/14. MURLEY, T., SNIEZEK, J., MIRAGLIA, F. NRC - No Data led Affiliation Given 3pp 46221-035-46221-097

## Q. Inspection reports, IE Bulletins &amp; correspondence

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator License Exams." NUREG/DB-0122 & svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp 46240-325-46240-325

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp 45978-034-45978-155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp 46019-037-46019-152

8807060361 Forwards Safety Insp Repts 50-315/88-14 & 50-316/88-16 on 880426-0613 & notice of violation AXELSON, W.L. Region 3, Ofc of the Director. 88/06/22 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 2pp 46115-133-46115-155

8807060362 Notice of violation from insp on 880426-0613 Violation nondefect items: free frozen Row 9 cable basket on 880511 during which lifting force of 5,223 lbs applied AXELSON, W.L. Region 3, Ofc of the Director. 88/06/22 1p 46115-135-46115-155

8807060364 Insp Repts 50-315/88-14 & 50-316/88-16 on 880426-0613 Violations noted Major areas inspected actions on previously identified items plant operations radiological controls, major surveillance fire protection, security & outages BURGESE, B.L. Region 3, Ofc of the Director. 88/06/21 20pp 46115-136-46115-155

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp 46018-153-46018-265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp 46018-266-46018-266

8807070374 Forwards add info re potential enforcement items noted during minor qualification audit on 880421-30 info re two conditions involving mixing of greases or unlabeled motor operators & undocumented malis found in operators also encl ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) ALEXICH, M.P. American Electric Power Co., Inc. 88/06/24 DAVIS, A.B. NRC - No Data led Affiliation Given. 8pp 46126-125-46126-162

8807070375 "Qualification Tests of Coaxial-Type Cables in Simulated Steam Line Break & LOCA Environments." Frank in Institute F-C5120-2. 88/09/02 30pp 46126-133-46126-162

8807130103 Ack receipt of util 880413 response to NRC Bulletin 88-001 re Westinghouse Series DS circuit breakers Response indicated that Westinghouse breakers used at plant are Type DB-50 STANG, J.F. Project Directorate III-1. 88/07/08 ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) ALEXICH, M.P. American Electric Power Service Corp 3pp 46172-196-46172-198

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp 46242-109-46242-212

8807080008 NRC Info Notice 88-046, "Licensee Report of Defective Refurbished Circuit Breakers." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp 46231-281-46232-027

8807130169 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Bulletin applies only to RHR pumps Current m/f flow capacities for all safety-related pumps adequate Proposed short-term & long-term actions encl ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/07/08 MURLEY, T.E. Document Control Branch (Document Control Desk). 7pp 46170-013-46170-019

8807120291 NRC Info Notice 88-048, "Licensee Report of Defective Refurbished Valves." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp 46242-006-46242-108

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp 46240-222-46240-324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp 46241-263-46242-005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 119pp 46257-258-46258-016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 127pp 46257-086-46257-206

## S. Reportable occurrences, LERs &amp; related correspondence

8808300032 LER 88-003-00:an 880520,determined that low setpoint trip should have been time-response tested.Probably caused by lack of specific detail in Tech Specs Test procedures revised to include low setpoint testing W/880620 ltr BEILMAN,T.P., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/08/20 6pp. 45988 274-45988 279

8807060142 RO:an 880528,fire door for Unit 2 reactor cable tunnels declared inoperable in excess of 7 days as specified.Gap between door bottom & door sill exceeded allowable measurement.Repairs completed & door returned to svc. SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) SMITH,W.G. American Electric Power Co., Inc. 88/08/21. DAVIS,A.B. Document Control Branch (Document Control Desk). 2pp. 46088.338-46088 337

8807150060 LER 88-004-00 on 880608,as found value of neutron flux high rate module time constant incorrectly adjusted.Caused by improperly aligned test recorder input filter.Prange range channel recalibr to correct values.W/880705 ltr. BEILMAN,T.P., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) 88/07/05. 6pp. 46184 279-46184 284.

#### V. Operator Examinations

8807120248 Forwards draft Rev 5 to ES-801, "Administration of NRC Requalification Program Examinations." W/o encl. WRIGHT,G.C. Region 3, Ofc of the Director 88/06/23. GILLESPIE,R.K. Indiana Michigan Power Co. 1p. 46148.358-46148 358.

#### DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807060361 Forwards Safety Insp Repts 50-315/88-14 & 50-316/88-16 on 880426-0613 & notice of violation. AXELSON,W.L. Region 3, Ofc of the Director. 88/06/22. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 46115-133-46115 155.

-8807060364 Insp Repts 50-315/88-14 & 50-316/88-16 on 880426-0613. Violations noted:Major areas inspected:actions on previously identified items,plant operations,radiological controls, maint,surveillance,fire protection,security & outages. BURGESS,B.L. Region 3, Ofc of the Director. 88/06/21. 2pp. 46115-138-46115 155.

8807120014 Informs that Emergency Plan Implementing Procedures PMP-2082 EPP 005,006,007 & 009 placed on administrative hold pending cancellation. KRIEGER,R.S. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/06/29. NRC - No Detailed Affiliation Given 3pp. 46148.161-46148 163.

8807150132 Change Sheet 2 to Rev 2 to Emergency Plan Implementing Procedure PMP 2080 EPP 107, "Notification of Plant Personnel." Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/08/30. 3pp. 46183-268-46183 304.

8807110445 Ack receipt of 880512 ltr including scope & objectives for unit 1988 plant emergency plan exercises scheduled for 880823-24. SHAFER,W.D. Region 3, Ofc of the Director. 88/07/05. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 46140.350-46140 350.

#### P. Operating license stage documents & correspondence

8807010042 Confirms 880413 & 14 agreement to submit updated rept that details compliance w/Rev 3 of Reg Guide 1.97.Submittal on 881001 will be prepared based on assumption that deviations from reg guide recommendations will be approved. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/08/20. MURLEY,T.E. Document Control Branch (Document Control Desk). 2pp. 46009.051-46009 052.

8807120685 Confirms that unit action on Generic Ltr 88-03, "Steam Binding of Auxiliary Feedwater Pumps," satisfactory. STANG,J.F. Project Directorate III-1. 88/07/08. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 46140-182-46140 184.

8807180214 Forwards Rev 1 & revised pages to safe shutdown capability assessment rept,per 880419 telcon.Fee paid. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/07/08. Document Control Branch (Document Control Desk). 11pp. 46202-266-46202 268.

8807180348 Notification of 880718 meeting w/util in Rockville,MD to discuss restart test program for steam generator repair project. STANG,J.F. Project Directorate III-1. 88/07/08. VIRGILIO,M.J. Project Directorate III-1. 3pp. 46203.327-46203 329.

8807150281 Forwards notice of consideration of issuance of amendments to Licenses DPR-58 & DPR-74,revising Tech Specs for consistency w/NRC guidelines re obtaining milk samples & changing bases on radioactive gaseous effluents. STANG,J.F. Project Directorate III-1. 88/07/11. ALEXICH,M.P. Indiana Michigan Power Co. ALEXICH,M.P. American Electric Power Service Corp. 3pp. 46185-238-46185 244.

-8807150294 Notice of consideration of issuance of amendments to Licenses DPR-58 & DPR-74 & opportunity for hearing re unit 880201 request for rev to Tech Specs to provide consistency w/NRC guidelines for obtaining milk samples for analysis. VIRGILIO,M.J. Project Directorate III-1. 88/07/05. 4pp. 46230-268-46230 282.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations.Fac 1st & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257 257.

8807190378 Forwards safety evaluation supporting licensee response to Generic Ltr 88-12, "Implementation of TMI Action Item II.K.3.6, "Automatic Trip of Reactor Coolant Pumps." Response adequate. STANG,J.F. Project Directorate III-1. 88/07/13. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 46209.091-46209 096.

-8807190379 Safety evaluation re implementation of TMI Action Item II.K.3.5, "Automatic Trip of Reactor Coolant Pumps," in response to Generic Ltr 87-12.Licensee response to generic ltr acceptable. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/13. 3pp. 46209.094-46209 096.

8807200226 Notification of 880718 meeting w/util & Westinghouse in Rockville,MD to discuss thimble tube thinning. STANG,J.F. Project Directorate III-1. 88/07/14. MURLEY,T., SN EZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given 3pp. 46221.095-46221 097.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 156-45978 266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152.

8807080381 Forwards Safety Insp Repts 50-315/88-14 & 50-316/88-16 on 880426-0613 & notice of violation. AXELSON,W.L. Region 3, Ofc of the Director. 88/06/22. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 46115 133-46115 155.

-8807080382 Notice of violation from insp on 880426-0613 Violation noted:attempts to free frozen flow 0 ice basket on 880511 during which lifting force of 5,223 lbs applied. AXELSON,W.L. Region 3, Ofc of the Director. 88/06/22. 1p. 46115-135-46115 135.

-8807060364 Insp Repts 50-315/88-14 & 50-316/88-16 on 880426-0613. Violations noted:Major areas inspected:actions on previously identified items,plant operations,radiological controls, maint,surveillance,fire protection,security & outages. BURGESS,B.L. Region 3, Ofc of the Director. 88/06/21. 2pp. 46115-138-46115 155.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46010.153-46010 265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018.

8807070374 Forwards add info re potential enforcement items noted during environ qualification audit on 880421-30 info re two conditions involving mixing of greases in Limitorque motor operators & undocumented mats found in operators also encl. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). ALEXICH,M.P. American Electric Power Co., Inc. 88/06/24. DAVIS,A.B. NRC - No Detailed Affiliation Given 8pp. 46126.125-46126 162.

8807130103 Ack receipt of unit 880413 response to NRC Bulletin 88-001 re Westinghouse Series DS circuit breakers.Response indicated that Westinghouse breakers used at plant are Type DB-50. STANG,J.F. Project Directorate III-1. 88/07/06. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). ALEXICH,M.P. American Electric Power Service Corp. 3pp. 46172.196-46172 198.

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232 027.

8807130169 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Bulletin applies only to RHR pumps.Current miniflow capacities for all safety-related pumps adequate. Proposed short-term & long-term actions encl. ALEXICH,M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/07/09. MURLEY,T.E. Document Control Branch (Document Control Desk). 7pp. 46170 013-46170 019.

8807120281 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 008-46242 108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Safeguards Info." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 11pp. 46257-258-46258-016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-206.

#### S. Reportable occurrences, LERs & related correspondence

8807190154 Informs that oil spill discovered at plant on 880602 after associated tank piping overfilled during tank losing then lost oil dramatically. Cleanup & recovery measures began immediately & expected to be completed by 880617.  
MENGER,C. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/06/15. ZUGGER,P.D. Michigan, State of 2pp. 46214-050-46214-051.

8807060142 RO on 880523, fire door for Unit 2 reactor cable tunnels declared inoperable in excess of 7 days as specified. Gap between door bottom & door sill exceeded allowable measurement. Repairs completed & door returned to svc.  
SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). SMITH,W.G. American Electric Power Co., Inc. 88/06/21. DAVIS,A.B. Document Control Branch (Document Control Desk) 2pp. 46089-338-46089-337.

8807060119 LER 88-022-02 on 880715, erroneous accumulator level indication resulted in low accumulator vol. Caused by three defective components in instrumentation. Accumulator vol increased per Tech Specs W/880624 ltr.  
POSTLEWAIT,T.K., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). SMITH,W.G. American Electric Power Co., Inc. 88/06/24. 8pp. 46089-328-46089-335.

8807260418 LER 88-007-00 on 880613, use of incorrect ISI ref values resulted in literal violation of Tech Spec 3.5.2. Event originally reported on 871224. Caused by personnel error. ISI documents revised W/880714 ltr.  
POSTLEWAIT,T.K., SMITH,W.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 88/07/14. 4pp. 46276-083-46276-081.

#### V. Operator Examinations

8807120246 Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/06/23. GILLESPIE,R.K. Indiana Michigan Power Co. 1p. 46148-358-46148-358.

#### DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8806300060 Change 18 to Pages 3 & 4 & Change 16 to Pages 9 & 10 to Rev 12 to ERPIP 3.0, "Fire."  
\* Baltimore Gas & Electric Co. 88/06/20. 7pp. 45988-280-45988-286.

8807260039 Revised emergency plan implementing procedures, including Rev 10 to ERPIP 4.1.3, "Technical Support Ctr." Rev 10 to ERPIP 4.1.4, "Operational Support Ctr." Page 3 to Rev 9 to ERPIP 4.1.5 & Rev 0 to ERPIP 4.1.8.2, "Pressurized Sample Purge."  
\* Baltimore Gas & Electric Co. 88/08/28. 31pp. 46275-034-46275-068.

8807260436 Revised emergency plan implementing procedures, including Rev 11 to Page 3 & Attachment 6 to ERPIP 4.1.17 & Rev 0 to ERPIP 4.1.33, "Nuclear Engineering Facility."  
LEMONS,J.R., HSI,A.A. Baltimore Gas & Electric Co. 88/08/28. 12pp. 46255-186-46255-197.

#### H. General correspondence

8807280074 Comment on proposed rule 10CFR50 re cooperation w/states at commercial nuclear power plants & other facilities. Suggests rev to policy to grant same rights & responsibilities to all states within 10 miles of plant.  
MAGETTE,T. Maryland, State of 88/07/19. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 46253-130-46253-131.

#### P. Operating license stage documents & correspondence

8807060156 Application for amendments to Licenses DPR-53 & DPR-69, revising Tech Specs 3/4.9.9 to allow commencement of core alterations or movement of irradiated fuel inside containment w/ inoperable containment purge valve isolation sys.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/08/28. Document Control Branch (Document Control Desk). 2pp. 46088-338-46088-349.

--8807060180 Proposed Tech Specs 3/4.9.9 allowing commencement of core alterations or movement of irradiated fuel inside containment w/ inoperable containment purge valve isolation sys as long as containment purge penetrations are closed.  
\* Baltimore Gas & Electric Co. 88/06/28. 10pp. 46088-340-46088-349.

8807070314 Forwards "Supplementary Rept for Calvert Cliffs Nuclear Power Plant DCRDR" & responses to human engineering discrepancies, per Suppl 1 to NUREG-0737 requirements & NUREG/CR-1580 & NUREG-0700 guidance.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/08/30. Document Control Branch (Document Control Desk). 1,438pp. 46091-184-46091-181.

--8807070320 "Supplementary Rept for Calvert Cliffs Nuclear Power Plant DCRDR."  
\* Baltimore Gas & Electric Co. 88/06/30. 342pp. 46094-200-46094-181.

8807110237 Forwards responses to NRC 880419 request for addl info re ASME Section XI second 10-yr interval inservice test program for pump & valve.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/07/05. Document Control Branch (Document Control Desk). 33pp. 46140-217-46140-258.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps w/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-266.

8807010458 Forwards Insp Repts 50-317/88-10 & 50-318/88-11 on 880509-13 & notes of violation.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/06/21. TIERNAN,J.A. Baltimore Gas & Electric Co. 2pp. 46008-138-46008-149.

--8807010462 Notice of violation from Insp on 880509-13. Violation noted: respiratory wearer administered Stannic chloride smoke test w/o first receiving verbal cautions from administering individual.  
\* Region 1, Ofc of the Director. 88/06/21. 1p. 46008-140-46008-140.

--8807010468 Insp Repts 50-317/88-10 & 50-318/88-11 on 880509-13. Violation noted: Major areas inspected licensee radiological controls program during Unit 1 outage.  
WEADOCK,A., GRESICK,J., SHANBAKY,M. Region 1, Ofc of the Director. 88/06/14. 9pp. 46008-141-46008-149.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46240-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-163-46019-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46019-018.

8807080161 Notices of intended schedule for providing addl info requested in NRC 880526 ltr re inservice Insp program plan.  
LIPPOLO,W.J. Baltimore Gas & Electric Co. 88/08/28. NRC - No Data/Adm'ltr. 2pp. 46134-218-46134-219.

8807110242 Forwards response to NRC Bulletin 88-004 re potential safety related pump loss.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/07/05. Document Control Branch (Document Control Desk). 7pp. 46141-238-46141-242.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/27. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807200243 Forwards Insp Repts 50-317/88-13 & 50-318/88-13 on 880526-27. No violations noted.  
DURR,J.P. Region 1, Ofc of the Director. 88/07/07. TIERNAN,J.A. Baltimore Gas & Electric Co. 2pp. 46222-127-46222-135.

--8807200245 Insp Repts 50-317/88-13 & 50-318/88-13 on 880526-27. No violations noted. Major areas inspected: test witnessing for Unit 1 containment integrated leak rate test & preliminary results review & followup on previously identified item.  
GOLLA,J.A., EAPEN,P.K. Region 1, Ofc of the Director. 88/08/27. 7pp. 46222-129-46222-135.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/28. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46231-027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-008-46242-108.

8807180271 Responds to NRC 880428 ltr re violations noted in Insp Repts 50-317/87-07 & 50-318/87-08. Corrective actions rev of instructions detailing requirements & responsibilities associated w/environ qualification program performed.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/07/12. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 15pp. 46184-284-46184-298.

8807260347 Confirms that circuit breaker insps required by NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," performed. Detailed results encl.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/07/13. Document Control Branch (Document Control Desk). 3pp. 46285-168-46285-170.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-018

8807250116 Forwards corrected pages to 880712 response to notice of violation Requests that violations be reclassified as Severity Level IV or V &/or add mitigation be granted, thereby reducing proposed civil penalty.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/07/18. Document Control Branch (Document Control Desk). 3pp. 46255-166-46255-169.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-206

#### S. Reportable occurrences, LERs & related correspondence

8807200288 LER 88-004-00 on 880613 found that containment penetration splice connected not environmentally qualified Caused by personnel error during 1987 insp. & deficiency not corrected Connection disassembled & remade per sid W/880713 ltr. PAVIS,G.S., RUSSELL,L.B. Baltimore Gas & Electric Co. 88/07/13. App. 46222-123-46222-126

8807210127 LER 88-005-00 on 880613, Mode 4 entered w/containment loading filter out of svc due to lack of conformance to environ qualification requirements Caused by personnel error. Personnel consulted re consequences of event W/880715 ltr. PAVIS,G.S., RUSSELL,L.B. Baltimore Gas & Electric Co. 88/07/15. App. 46237-113-46237-116.

#### DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8806300050 Change 18 to Pages 3 & 4 & Change 16 to Pages 9 & 10 to Rev 12 to ERPIP 3.0, "Fire"  
\* Baltimore Gas & Electric Co. 88/06/20. 7pp. 45988-280-45988-286

8807250039 Revised emergency plan implementing procedures, including Rev 10 to ERPIP 4.1.3, "Technical Support Ctr." Rev 10 to ERPIP 4.1.4, "Operational Support Ctr." Page 3 to Rev 9 to ERPIP 4.1.5 & Rev 0 to ERPIP 4.1.8.2, "Pressurized Sample Purge."  
\* Baltimore Gas & Electric Co. 88/06/29. 31pp. 46275-034-46275-068.

8807250436 Revised emergency plan implementing procedures, including Rev 11 to Page 3 & Attachment G to ERPIP 4.1.17 & Rev 0 to ERPIP 4.1.33, "Nuclear Engineering Facility."  
LEMONS,J.R., HSL,A.A. Baltimore Gas & Electric Co. 88/06/20. 12pp. 46255-166-46255-187.

#### H. General correspondence

8807260074 Comment on proposed rule 10CFR50 re cooperation w/states at commercial nuclear power plants & other facilities. Suggests rev to policy to grant same rights & responsibilities to all states within 10 miles of plant.  
MAGETTE,T. Maryland, State of. 88/07/19. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 46263-130-46263-131.

#### P. Operating license stage documents & correspondence

8807060156 Application for amendments to Licenses DPR-53 & DPR-69, revising Tech Specs 3/4.9.9 to allow commencement of core alterations or movement of irradiated fuel inside containment w/ inoperable containment purge valve isolation sys.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/06/28. Document Control Branch (Document Control Desk). 3pp. 46088-338-46088-349.

-8807080160 Proposed Tech Specs 3/4.9.9 allowing commencement of core alterations or movement of irradiated fuel inside containment w/inoperable containment purge valve isolation sys as long as containment purge penetrations are closed.  
\* Baltimore Gas & Electric Co. 88/06/28. 10pp. 46088-340-46088-349.

8807070314 Forwards "Supplementary Rept for Calvert Cliffs Nuclear Power Plant DCDR" & responses to human engineering discrepancies per Suppl 1 to NUREG-0737 requirements & NUREG/CR-1580 & NUREG-0700 guidance.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/06/30. Document Control Branch (Document Control Desk). 1,438pp. 46091-184-46095-181.

-8807070320 "Supplementary Rept for Calvert Cliffs Nuclear Power Plant DCDR."  
\* Baltimore Gas & Electric Co. 88/06/30. 342pp. 46094-200-46095-181.

8807110237 Forwards responses to NRC 880419 request for add'l info re ASME Section XI second 10-yr Interval Inservice test program for pump & valve.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/07/05. Document Control Branch (Document Control Desk). 33pp. 46140-217-46140-259.

8807130454 Genenc Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

#### O. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-166-45978-266.

of violation.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/06/21. TIERNAN,J.A. Baltimore Gas & Electric Co. 2pp. 46008-138-46008-149.

-8807010462 Notice of violation from Insp on 880509-13 violation noted: respirator worn during stored Stannic chloride smoke test w/o first receiving verbal cautions from administering individual.  
\* Region 1, Ofc of the Director. 88/06/21. 1p. 46008-140-46008-140

-8807010466 Insp Repts 50-317/88-10 & 50-318/88-11 on 880509-13. Violation noted: Major areas inspected licensee radiological controls program during Unit 1 outage.  
WEADOCK,A., GRESICK,J., SHANBAKY,M. Region 1, Ofc of the Director. 88/06/14. 9pp. 46008-141-46008-149.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155

8806170291 NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device In Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807080161 Notices of Intended schedule for providing add'l info requested in NRC 880525 ltr re Inservice insp program plan.  
LIPPOLD,W.J. Baltimore Gas & Electric Co. 88/06/29. NRC - No Data/ed Affiliation Given. 2pp. 46134-218-46134-219.

8807110242 Forwards response to NRC Bulletin 88-004 re potential safety-related pump loss.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/07/05. Document Control Branch (Document Control Desk). 7pp. 46141-238-46141-242

8808300347 NRC Info Notice 88-046, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807200243 Forwards Insp Repts 50-317/88-13 & 50-318/88-13 on 880526-27. No violations noted.  
DURR,J.P. Region 1, Ofc of the Director. 88/07/07. TIERNAN,J.A. Baltimore Gas & Electric Co. 2pp. 46222-127-46222-135

-8807200245 Insp Repts 50-317/88-13 & 50-318/88-13 on 880526-27. No violations noted. Major areas inspected: test witnessing for Unit 1 containment integrated leak rate test & preliminary results review & followup on previously identified item.  
GOLLA,J.A., EAPEN,P.K. Region 1, Ofc of the Director. 88/06/27. 7pp. 46222-129-46222-135.

8807080008 NRC Info Notice 88-048, "Licensee Rept of Defective Rebuilt Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-261-46232-027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Rebuilt Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108

8807180271 Responds to NRC 880428 ltr re violations noted in Insp Repts 50-317/87-07 & 50-318/87-08. Corrective actions rev of instructions detailing requirements & responsibilities as associated w/onwgn qualification program performed.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/07/12. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 15pp. 46194-284-46194-288

8807250347 Confirms that circuit breaker insps required by NRC Bulletin 88-001, "Defects In Westinghouse Circuit Breakers," performed. Data led results encl.  
TIERNAN,J.A. Baltimore Gas & Electric Co. 88/07/13. Document Control Branch (Document Control Desk). 3pp. 46285-188-46285-170.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-016.



variation Requests that violations be reclassified as Severity Level IV or V & for addl violation be granted, thereby reducing proposed civil penalty.  
TIEFMAN, J.A. Baltimore Gas & Electric Co. 88/07/18. Document Control Branch (Document Control Desk). 3pp. 46255 166-46255 165.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc 1st encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21.  
Consolidated Edison Co of New York, Inc. 121pp. 46257 086-46257 205.

#### S. Reportable occurrences, LERs & related correspondence

8807120169 LER 88-005-00 on 880505, emergency diesel generator performance found unsatisfactory during surveillance test. Cause not stated Operating instructions modified & licensed operators counseled on procedure adherence W/880630 ltr  
GILBERT, J.E. HEISEL, R.P. Baltimore Gas & Electric Co. 88/07/06. 5pp. 46148 152-46148 156.

#### DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807180050 Technical change notice to Rev 3 to Emergency Plan Implementing Procedure 6415-IMP-1300.06, "Add'l Assistance & Notification."  
BROWN, N.D., MARSHALL, W.J., POTTS, W.E. General Public Utilities Corp. - GPU Service Corp. 88/06/24. 35pp. 46203 157-46203 191.

8807060180 Temporary Change Notice 1-88-0047 to Rev 3 to Emergency Plan Implementing Procedure 6415-IMP-1300.06, "Add'l Assistance & Notification."  
General Public Utilities Corp. - GPU Service Corp. 88/06/28. 37pp. 46068 016-46068 052.

8807120052 Forwards discussion of changes & revised Exhibit 3.1 to Rev 26 to modified emergency physical security plan Changes withheld  
HUKILL, H.D. General Public Utilities Corp. - GPU Service Corp. 88/07/08. Document Control Branch (Document Control Desk). 1p. 46230 352-46230 352.

8807140257 Submits rev to 880603 response to violation identified in Insp Rpt 50-320/88-05. Annual QA fire protection insp & audit to review fire extinguisher preventative maint program resulted in no adverse findings  
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/07/08. Document Control Branch (Document Control Desk). 2pp. 46177 247-46177 248.

#### G. Adjudicatory correspondence

8807220016 Affidavit of LJ Kosarek reviewing evaporator technology proposed at TMI W/Svc ltr.  
KOSAREK, L.J. Susquehanna Valley Alliance, Lancaster, PA. #388 6764. 88/06/09. 17pp. 46195 258-46195 274.

8807060030 Motion of NRC Staff for leave to file response out of time.\* Encl NRC response in support of licensee motion for summary disposition delayed due to equipment problems  
LEWIS, S.H. Assistant General Counsel for Hearings. #388 6630. 88/06/23. Atomic Safety and Licensing Board Panel. 1p. 45996 264-45996 304.

-8807060053 NRC Staff response in support of licensee motion for summary disposition.\* Motion should be granted on basis that no genuine issue before ASLB or to be litigated Supporting documentation & Certificate of Svc encl  
LEWIS, S.H., WOODHEAD, C.P. Assistant General Counsel for Hearings. 88/06/23. Atomic Safety and Licensing Board Panel. 40pp. 45996 265-45996 304.

8807110082 Motion of NRC Staff for leave to file response out of time.\* Served on 880701. Granted for Board on 880628.  
LEWIS, S.H. Assistant General Counsel for Hearings. #388 6647. 88/06/23. Atomic Safety and Licensing Board Panel. 1p. 46034 066-46034 066.

8807060067 Forwards signature/notarization page for affidavit of LF Munson & title page of article entitled "Threshold Limit Values & Biological Exposure Indices," cited on Page 18 of affidavit.  
LEWIS, S.H. Assistant General Counsel for Hearings. #388 6631. 88/06/24. WOLFE, S.J., PARIS, O.H., BRIGHT, G.O. Atomic Safety and Licensing Board Panel. 4pp. 45996 347-45996 350.

8807140082 Advises that Piccioni affidavit noted in Susquehanna Valley Alliance & TMI Alert 880620 response to licensee motion for summary disposition w/ not be received due to Piccioni schedule not permitting completion of affidavit.  
SKOLNICK, F. Susquehanna Valley Alliance, Lancaster, PA. SKOLNICK, F. Three Mile Island Alert. #388 6696. 88/07/07. Atomic Safety and Licensing Board Panel. 1p. 46117 292-46117 292.

8807200081 Forwards Draft Supp 3 to NUREG-0683 re post-defueling, monitored storage & subsequent cleanup to facility, per ASLB request W/o nureg  
LEWIS, S.H. Assistant General Counsel for Hearings. #388 6739. 88/07/14. WOLFE, S.J., BRIGHT, G.O., PARIS, O.H. Atomic Safety and Licensing Board Panel. 1p. 46193 265-46193 265.

8807200037 Forwards draft Supp 3 to NUREG-0683, "Programmatic EIS Re Decontamination & Disposal of Radwaste Resulting From 790328 Accident, TMI-2," per ASLB request.  
LEWIS, S.H. Assistant General Counsel for Hearings. #388 6766. 88/07/18. Dockating & Services Branch. 100pp. 46196 016-46196 221.

8807200050 Lists corrections to NRC 880623 response in support of licensee motion for summary disposition  
LEWIS, S.H. Assistant General Counsel for Hearings. #388 6765. 88/07/18. WOLFE, S.J., BRIGHT, G.O., PARIS, O.H. Atomic Safety and Licensing Board Panel. 1p. 46195 358-46195 358.

8807290003 Forwards affidavit of KL Harner, supplementing applicant discovery response, per licensee review of joint intervenors 880620 response to licensee summary disposition motions  
BAXTER, T.A. General Public Utilities Corp. - GPU Service Corp. BAXTER, T.A. Shaw, Pittman, Potts & Trowbridge. #388 6778. 88/07/20. WOLFE, S.J., BRIGHT, G.O., PARIS, O.H. Atomic Safety and Licensing Board Panel. 2pp. 46253 179-46253 184.

#### H. General correspondence

8807180313 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
ROBB, A. Affiliation Not Assigned. 87/02/18. CHILK Office of the Secretary of the Commission. 1p. 46177 348-46177 348.

8807180316 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CARPENTER, J. Affiliation Not Assigned. 87/02/20. ZECH, L.W. Commissioners. 8pp. 46165 361-46165 358.

8807200237 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
HART, G. Affiliation Not Assigned. 87/02/23. NRC - No Detailed Affiliation Given. 5pp. 46207 336-46207 344.

8807180348 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BABBITT, B. Affiliation Not Assigned. 87/02/24. ZECH, L.W. Commissioners. 3pp. 46165 309-46165 311.

8807200307 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BABBITT, B. Affiliation Not Assigned. 87/02/24. ZECH, L.W. Commissioners. 2pp. 46197 081-46197 083.

8807190134 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CUNNINGHAM, P. Affiliation Not Assigned. 87/03/02. ZECH, L.W. Commissioners. 2pp. 46178 003-46178 004.

8807200315 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
Affiliation Not Assigned. 87/03/02. NRC - No Detailed Affiliation Given. 1p. 46197 084-46197 084.

8807200376 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CUNNINGHAM, P.L. Affiliation Not Assigned. 87/03/02. ZECH, L.W. NRC - No Detailed Affiliation Given. 3pp. 46197 093-46197 093.

8807220246 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
PEPPER, C.M. Affiliation Not Assigned. 87/03/05. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46230 272-46230 272.

8807210149 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BARNES, J.P., BARNES, M., BARNES, J. Affiliation Not Assigned. 87/03/07. NRC - No Detailed Affiliation Given. 3pp. 46208 104-46208 108.

8807070360 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
RICCIO, J.P. Nuclear Information & Resource Service. 88/06/23. CHILK, S. Office of the Secretary of the Commission. 14pp. 46018 021-46018 034.

8807010312 Comment opposing proposed rule 10CFR50 re leak before break (LBB) technology. Requests not to extend LBB technology & to retract present LBB use because LBB failed to predict pipe ruptures.  
LEWIS, M.I. Lewis, M. 88/07/01. Office of the Secretary of the Commission. 4pp. 45993 264-45993 267.

8807180175 Comment opposing proposed rule 10CFR50 re expansion of applicability of leak before break technology to functional & performance requirements for ECCS & environment qualification.  
EPSTEIN, E. Three Mile Island Alert. 88/07/02. Dockating & Services Branch. 2pp. 46165 339-46165 340.

#### P. Operating license stage documents & correspondence

8806290292 Forwards Rev 6 to "Auxiliary Bldg Emergency Liquid Cleanup Sys (EPICOR II)," per 880204 request.  
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/06/22. Document Control Branch (Document Control Desk). 1p. 45997 268-45997 360.

-8806290293 Rev 6 to "Div Sys Description for Auxiliary Bldg Emergency Liquid Cleanup Sys (EPICOR II)." per 880204 request.  
RICHFELD, S.J. General Public Utilities Corp. - GPU Service Corp. SD 3526 004 R26. 88/06/08. 92pp. 45987 269-45987 380.

8807050178 Notification of grant execution: "Topical Meeting on TMI-2 Accident Man's Behavior & Plant Recovery Technology Washington, DC 881031-1104," awarded to American Nuclear Soc.  
DEMARCO, D., KNOX, E. Division of Contracts & Property Management (Post 880515). FIN G-1136. 88/06/23. GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). VAN HOUTON, R. NRC - No Detailed Affiliation Given. 1p. 46003 062-46003 064.

-8807050200 Grant: "Topical Meeting on TMI-2 Accident Melt Behavior & Plant Recovery Technology Washington, DC 881031-1104." awarded to American Nuclear Society.  
GARDNER, M. American Nuclear Society THOMPSON, R.D. Division of Contracts & Property Management (Post 880515) FIN G-1138. 88/06/23 2pp 46003.083-46003.084

8807060431 Forwards "SER for Completion of Lower Core Support Assembly & Lower Head Defueling." Separate activity has been added to table to more precisely reflect activity as associated w/reactor vessel defueling  
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/06/27. Document Control Branch (Document Control Desk) 2pp. 46103.215-46103.229

-8807060434 "SER for Completion of Lower Core Support Assembly & Lower Head Defueling."  
RYAN, R.F. General Public Utilities Corp. - GPU Service Corp. 88/06/23. 13pp. 46103.217-46103.229

8807070008 Forwards Rev 6 to "Div Sys Description for Dewatering Sys for Defueling Canisters," per 820204 NRC ltr. Update adds ability to utilize either 0.5 or 16 micron filter in DS-F-1 position & other listed changes  
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/06/28. Document Control Branch (Document Control Desk) 2pp. 46124.319-46124.342

-8807070012 Rev 6 to "Div Sys Description for Dewatering Sys for Defueling Canisters."  
SMITH, M.D. General Public Utilities Corp. - GPU Service Corp. SD 3525-014 R06 88/06/30. 22pp. 46124.321-46124.342

8807070539 Forwards responses to questions raised at 880526 TMI-2 advisory panel meeting  
MASNIK, M.T. Project Directorate I-4. 88/06/29. STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 27pp. 46119.229-46119.255

8807070574 Forwards responses to questions raised in 880526 TMI-2 Advisory Panel meeting. Advises of next panel meeting on 880714 in Harrisburg, PA & of 880816 meeting in Rockville, MD.  
MASNIK, M.T. Project Directorate I-4. 88/06/29. MORRIS, A.E. Lancaster, PA 27pp. 46123.039-46123.065

8807110504 EVALUATION OF NUCLEAR FACILITY DECOMMISSIONING PROJECTS  
Summary Status Report, Three Mile Island Unit 2, Radioactive Waste And Laundry Shipments.  
DOERGE, D.H., HAFFNER, D.R. Westinghouse Hanford Co. FIN B-7568. NUREG/CR-4315 V09 R1. 88/06/30. Program Management, Policy Development & Analysis Staff (Post 870413). 48pp. 46065.120-46065.160.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations  
SVC list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.267.

8807180263 Forwards comments on draft programmatic EIS, Suppl 3 which outlines all proposed post-defueling monitored storage of TMI-2 All identified alternatives are safe & present no significant effect to offsite public or environ.  
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/07/12. MASNIK, M.T. NRC - No Detailed Affiliation Given. 20pp. 46194.220-46194.239

8807260328 Offers no comments on DES for facility.  
MAYS, R.J. Agriculture, Dept. of. 88/07/18. MASNIK, M.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46274.243-46274.243.

#### Q. Inspection reports, IE Bulletins & correspondence

8808130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.158-45978.260.

8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/DN-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019.037-46019.152.

8807050236 Forwards Safety Insp Rept 50-320/88-08 on 880508-0804. Concerns re human performance errors discussed.  
BETTENHAUSEN, L. Region 1, Ofc of the Director. 88/06/23. STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 2pp. 46028.024-46028.034.

-8807050237 Insp Rept 50-320/88-08 on 880508-0804 & 08. No violations noted. Major areas inspected defueling & decontamination activities, including operations to trim cut downward plate of lower core support assembly.  
COWGILL, C.J. Region 1, Ofc of the Director. 88/06/23. 9pp. 46028.028-46028.034.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018.163-46018.265.

8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46018.266-46020.018.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Relubricated Circuit Breakers." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027

8807140267 Submits rev to 880603 response to violation identified in Insp Rept 50-320/88-05 Biannual QA fire protection insp & audit to review fire extinguisher preventive maint program resulted in no adverse findings.  
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/07/08. Document Control Branch (Document Control Desk) 2pp. 46177.247-46177.248.

8807200214 Forwards Safety Insp Repts 50-289/88-12 & 50-320/88-08 on 880530-0603 & notice of violation concern re mgt control sys expressed.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/08. STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 3pp. 46222.181-46222.195.

-8807200216 Notice of violation from Insp on 880531-0603 Violations noted grounding of highly contaminated block w/ in basement of reactor bldg started w/o assessment & worker fell into reactor vessel because of failure to use security tie off.  
\* Region 1, Ofc of the Director. 88/07/08. 1p. 46222.184-46222.184.

-8807200218 Insp Repts 50-289/88-12 & 50-320/88-08 on 880531-0603 Violations noted Major areas inspected organ zation, mgt controls, qualifications, training, surveys, posting, internal exposure controls & external exposure controls.  
LOESCH, R., GHESICK, J., SHERBINI, S. Region 1, Ofc of the Director. 88/07/07. 11pp. 46222.185-46222.195

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Relubricated Valves." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.100

8807220382 Responds to NRC Bulletin 88-008 & Suppl 1 re unacceptable thermal stresses in piping connected to RCS Potential for occurrence of unacceptable thermal stresses inapplicable to plant in current recovery mode.  
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/07/13. Document Control Branch (Document Control Desk) 2pp. 46250.184-46250.185

8807080388 NRC Info Notice 88-047, "Slower Than Expected Rod-Drop Times." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.018

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." SVC list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.088-46257.208

#### R. Periodic operating reports & related correspondence

8807080134 Forwards "TMI Aquatic Study Monthly Progress Rept for May 1988."  
FESSLER, W.C. General Public Utilities Corp. - GPU Service Corp. 88/06/27. MASNIK, M. NRC - No Detailed Affiliation Given. 1p. 46100.323-46100.338

-8807050242 "TMI Aquatic Study Monthly Progress Rept for May 1988."  
\* Radiation Management Group (RMC). 88/05/31. 15pp. 46109.324-46109.338

#### V. Operator Examinations

8807130060 Provides list of individuals no longer participating in licensed operator re-qualification program.  
STANDERFER, F.R. General Public Utilities Corp. - GPU Service Corp. 88/07/05. Document Control Branch (Document Control Desk). 1p. 46166.071-46166.071.

#### DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807080228 Advises that all responses complied w/requirements for emergency response facilities & meteorological data upgrade per TMI Action Items IIA 1.2 & IIA 2.2 respectively.  
CROCKER, L.P. Project Directorate II-3. 88/06/22. HAIRSTON, W.G. Georgia Power Co. 3pp. 46078.360-46078.360

8807070121 Requests meeting w/NRC personnel to discuss status of plant security. Subsequent to 880428 response to violations noted in Insp Repts 50-321/88-09 & 50-368/88-09, add'l info has become available which suggests confusion exists re plan.  
HAIRSTON, W.G. Georgia Power Co. 88/06/27. Document Control Branch (Document Control Desk) 2pp. 46124.359-46124.360

8807070492 Notification of 880708 meeting w/util in Rockville, MD to review plant security plan status.  
CROCKER, L.P. Project Directorate II-3. 88/07/01. MATTHEWS, D.B. Project Directorate II-3. 4pp. 46123.283-46123.286

8807180121 Not: es or change of point of contact for NRC personnel re fingerprints and criminal records processing/info New contact is D Edge  
HAIRSTON,W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk) 2pp. 46185.357-46185.358

8807190190 Summary of 880608 meeting w/utl in Rockville,MD re physical security plan Attendance list encl.  
CROCKER,L.P. Project Directorate II-3. 88/07/11. MATTHEWS,D.B. Project Directorate II-3. 5pp. 46206.188-46206.192.

#### P. Operating license stage documents & correspondence

8807060468 Forwards info for 880620 application for amend to proposed Tech Specs,deleting ref to automatic isolation of main control room environ control sys & main control room chlorine detectors  
HAIRSTON,W.G. Georgia Power Co. 88/06/29. Document Control Branch (Document Control Desk) 2pp. 46115.131-46115.132

8807070523 Notification of 880719 meeting w/utl in Rockville,MD to discuss licensee response to Generic Ltr 83-28  
CROCKER,L.P. Project Directorate II-3. 88/06/30. MATTHEWS,D.B. Project Directorate II-3. 3pp. 46122.178-46122.181

8807120160 Responds to Generic Ltr 88-01, "NRC Position on IGSCC in BWR Austenitic Stainless Steel Piping." Includ ing mitigating actions,Tech Spec changes & future utl plans Fee paid  
HAIRSTON,W.G. Georgia Power Co. 88/06/30. Document Control Branch (Document Control Desk). 86pp. 46143.111-46143.196.

8807070507 Summary of 880614 meeting w/utl in Rockville,MD re status of licensee actions concerning Safety Issues Mgt Sys printout & licensee response to Generic Ltr 83-28  
CROCKER,L.P. Project Directorate II-3. 88/07/01. MATTHEWS,D.B. Project Directorate II-3. 4pp. 46124.001-46124.004

8807140310 Submits addl info re Generic Ltr 83-28,per NRC 880506 ltr.  
HAIRSTON,W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk) 2pp. 46171.002-46171.003.

8807150120 Forwards results of crosscheck of chemistry samples prepared by BNL.  
HAIRSTON,W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 3pp. 46184.285-46184.287.

8807120692 Forwards request for addl info re second 10-yr Inservice Insp program Response requested within 60 days of ltr receipt.  
CROCKER,L.P. Project Directorate II-3. 88/07/07. HAIRSTON,W.G. Georgia Power Co. 9pp. 46148.084-46148.092

8807140225 Grants 880513 request that listed documents,marked as proprietary be withheld from public disclosure per 10CFR2.790 based on GE statements.  
CROCKER,L.P. Project Directorate II-3. 88/07/08. HAIRSTON,W.G. Georgia Power Co. 4pp. 46177.270-46177.273.

8807190130 Forwards updated listing of outstanding licensing requests for early NRC review & approval  
HAIRSTON,W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 3pp. 46215.342-46215.344.

8807210314 Application for amend to License DPR-57,revising Tech Specs re secondary containment boundary under specific plant conditions as described in Tech Spec 3.7.C.2 Fee paid.  
HAIRSTON,W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 11pp. 46235.268-46235.225.

-8807210318 Proposed Tech Specs re secondary containment boundary requirements  
\* Georgia Power Co. 88/07/11. 7pp. 46235.218-46235.225.

8807220188 Requests rollof from ASME Code Section XI re elevated hydrostatic test pressure requirement for Class 2 portion of main steam lines.  
HAIRSTON,W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 2pp. 46249.079-46249.080

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation ambient level of reactor vessel malis & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257.207-46257.257.

8807180118 Forwards Amends 155 & 94 to Licenses DPR-57 & NPF-5, respectively,safety evaluation & request for FR publication. Amends modify Tech Specs by replacing organization charts w/ more general requirements.  
CROCKER,L.P. Project Directorate II-3. 88/07/12. HAIRSTON,W.G. Georgia Power Co. 3pp. 46203.024-46203.060.

-8807180122 Amends 155 & 94 to Licenses DPR-57 & NPF-5, respectively, modifying Tech Specs by replacing organization charts w/more general organization requirements.  
MATTHEWS,D.B. Project Directorate II-3. 88/07/12. 28pp. 46203.027-46203.055.

-8807180123 Safety evaluation supporting Amends 155 & 94 to Licenses DPR-57 & NPF-5, respectively.  
\* Project Directorate II-3. 88/07/12. 4pp. 46203.056-46203.057.

-8807180124 Requests FR publication of notice of Issuance of Amends 155 & 94 to Licenses DPR-57 & NPF-5, respectively Amends modify Tech Specs by replacing organization charts w/more general organization requirements.  
CROCKER,L.P. Project Directorate II-3. 88/07/12. NRC - No Detailed Affiliation Given. 1p. 46203.058-46203.060.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266.

8806290144 Forwards Operational Events Assessment Repts 50-321/88-15 & 50-366/88-15 on 880509-20 & notice of violation.  
GRACE,J.N. Region 3, Ofc of the Director. 88/06/17. MCDONALD,R.P. Georgia Power Co. 3pp. 45974.351-45975.069

-8806290151 Notice of violation from Insp on 880509-20 Violations noted: failure to maintain appropriate quality stds for installation of Model 206-380 ASCO solenoid valves & NRC inspector found eight pages of Tech Spec missing  
GRACE,J.N. Region 3, Ofc of the Director. 88/06/17. 2pp. 45974.354-45974.355.

-8806290161 Insp Repts 50-321/88-15 & 50-366/88-15 on 880509-20 Violations noted: Major areas inspected:operational performance assessment re effectiveness of various plant groups including operations,QA & engineering & training  
JULIAN,C. SHYMLOCK,M. GIBSON,A. Region 2, Ofc of the Director. 88/06/16. 75pp. 45974.356-45975.069

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BH-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-009, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152

8807080228 Advises that utl responses complied w/requirements for emergency response facilities & meteorological data upgrade per TMI Action Items II A.1.2 & III A.2, respectively.  
CROCKER,L.P. Project Directorate II-3. 88/06/22. HAIRSTON,W.G. Georgia Power Co. 3pp. 46078.360-46078.380

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS 416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807070121 Requests meeting w/NRC personnel to discuss status of plant security.Subsequent to 880428 response to violations noted in Insp Repts 50-321/88-09 & 50-366/88-09,addl info has become available which suggests confusion exists re plan.  
HAIRSTON,W.G. Georgia Power Co. 88/06/27. Document Control Branch (Document Control Desk). 2pp. 46124.359-46124.360.

8807150063 Responds to Bulletin 88-003 re HFA relay latch engagement. Licensee determined that sub latch type HFA relays not used in safety-related sys at plant.  
HAIRSTON,W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 2pp. 46182.267-46182.268

8807150134 Responds to NRC 880610 ltr re violations noted in Insp Repts 50-321/88-14 & 50-366/88-14. Corrective actions:containment isolation valves closed & successful radiographic exam of pipe welds performed.  
HAIRSTON,W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 8pp. 46185.132-46185.139

8807150145 Responds to NRC 880531 ltr re violations noted in Insp Repts 50-321/87-31 & 50-366/87-31. Corrective actions:written guidance implemented to assist in investigation & cause determination of failure of RWCU valves to isolate.  
HAIRSTON,W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 11pp. 46185.273-46185.283.

8807190144 Ack receipt of 880603 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/88-11 & 50-366/88-11.  
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/07/05. HAIRSTON,W.G. Georgia Power Co. 1p. 46205.101-46205.101.

8807210248 Forwards Insp Repts 50-321/88-12 & 50-366/88-12 on 880502-12 Emergency operating procedures adequate for continued plant operation,although numerous deficiencies identified.  
GRACE,J.N. Region 2, Ofc of the Director. 88/07/06. HAIRSTON,W.G. Georgia Power Co. 3pp. 46238.326-46237.003.

-8807210250 Insp Repts 50-321/88-12 & 50-366/88-12 on 880502-12. Deficiencies noted:Major areas inspected:emergency operating procedures,including QA measures,quality of control room drawings & evaluation of containment venting provisions.  
FLOREK,D.J., GALLO,R.M. Region 2, Ofc of the Director. 88/06/24. 38pp. 46238.329-46237.003.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807120692 Forwards request for addl info re second 10-yr Inservice Insp program Response requested within 60 days of ltr receipt.  
CROCKER,L.P. Project Directorate II-3. 88/07/07. HAIRSTON,W.G. Georgia Power Co. 9pp. 46148.084-46148.092.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807200123 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Safety sys operates for very short time in in-flow mode. Max expected continuous operation small percentage of recommended guidelines.  
HAIRSTON, W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk) 8pp. 46221 297-46221.302.

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-040, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46241.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 113pp. 46257.258-46258.018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.080-46257.208.

#### R. Periodic operating reports & related correspondence

8807190338 Monthly operating reports for June 1988 for Hatch Units 1 & 2. W/880711 ltr.  
BEARD, R.M., HAIRSTON, W.G. Georgia Power Co. 88/06/30 13pp. 46215.099-46215.111.

#### S. Reportable occurrences, LERs & related correspondence

8806280083 LER 88-010-00 on 880525, determined that configuration of recombinor bldg ventilation radiation noble gas monitors defeated annunciation required by Tech Specs. Caused by procedure inadequacy. Procedures revised W/880822 ltr.  
TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 88/06/22 8pp. 45984.222-45984.229.

8807010052 Special Rpt 88-004 on 880523, determined that fire doors w/ automatic hold-open & release mechanisms were not being verified to be free of obstructions at least once per 24 hrs as required. Caused by inadequate administrative controls.  
HAIRSTON, W.G. Georgia Power Co. 88/06/22. Document Control Branch (Document Control Desk) 7pp. 46017.150-46017.182.

8807070149 LER 88-007-00 on 880531, rodup fire Door 114-B-D143 for 1R43-S001B(1U) emergency diesel generator room found stuck in mid position of downward travel. Caused by lack of administrative controls. Fire door repaired W/880829 ltr.  
TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 88/06/29 10pp. 40122.280-40122.289.

#### DOCKET 80-322 SHOREHAM NUCLEAR POWER STATION

#### F. Security, medical, emergency & fire protection plans

8807220131 FOIA request for documents re FEMA graded exercise on adequacy of radiological emergency response planning & preparedness for plant & Rev 9 to licensee emergency plan for plant including FEMA review of subplan.  
BELAIR, R.R. Kirkpatrick & Lockhart. 88/05/23. NRC - No Detailed Affiliation Given. 8pp. 46212.336-46212.342.

8807070277 Forwards Safety Insp Rpt 80-322/88-05 on 880606-10. No violations noted during annual emergency preparedness exercise.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/24. LEONARD, J.D. Long Island Lighting Co. 4pp. 46126.107-46126.110.

8807070282 Insp Rpt 80-322/88-05 on 880606-10. No violations noted. Major areas inspected annual full-participation emergency exercise.  
CONKLIN, C. LAZARUS, W.J. Region 1, Ofc of the Director. 88/06/21. 8pp. 46126.111-46126.116.

8807220141 Partial response to FOIA request for documents. Forwards App B documents & informs that App A & C available in PDR.  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/01. BELAIR, R.R. Kirkpatrick & Lockhart. 3pp. 46212.343-46212.350.

8807220153 Forwards comments resulting from review of Shoreham scenario. No major deficiencies noted.  
STOETZEL, G.A., JAMISON, J.D. Battelle Memorial Institute, Pacific Northwest Laboratory. 88/05/02. AMATO, C.G. Region 1, Ofc of the Director. 7pp. 46212.348-46212.352.

8807220166 Forwards revised exercise objectives to exercise scenario transmitted by 880416 ltr. Objectives revised to reflect FEMA comments received on 880415. W/o encl.  
CROCKER, D.M. Long Island Lighting Co. 88/04/19. LAZARUS, W.J. Region 1, Ofc of the Director. 1p. 46212.353-46212.353.

8807220169 Forwards proposed 1988 exercise scenario for plant W/o encl.  
CROCKER, D.M. Long Island Lighting Co. 88/04/16. LAZARUS, W.J. Region 1, Ofc of the Director. 1p. 46212.354-46212.354.

8807220174 Informs that proposed objectives for onsite portion of ongoing preparedness exercise to be conducted during wk of 880613, found adequate for development of exercise scenario.  
LAZARUS, W.J. Region 1, Ofc of the Director. 88/04/12. CROCKER, D. Long Island Lighting Co. 2pp. 46212.355-46212.356.

8807140031 State of NY response to LILCO third set of interrogatories & requests for production of documents re Contentions 1, 2, 4-B & 10 to Suffolk County, State of NY & town of Southampton. W/Certificate of Svc Related correspondence.  
ZAHNLEUTER, R.J. New York, State of. #388 6686 88/07/05. Long Island Lighting Co. 15pp. 46117.249-46117.263.

8807140010 Forwards Suffolk County answers to LILCO third set of interrogatories & requests for production of documents re Contentions 1, 2, 4-B & 10 Related correspondence.  
LANPHER, L.C. Suffolk County, NY. LANPHER, L.C. Kirkpatrick & Lockhart. #388 6687 88/07/08. SISK, D. Hunter & Williams. 1p. 46117.178-46117.183.

8807140016 Suffolk County answers to LILCO third set of interrogatories & requests for production of documents re Contentions 1, 2, 4-B & 10. W/supporting documentation & Certificate of Svc Related correspondence.  
LANPHER, H.H. Suffolk County, NY. LANPHER, H.H. Kirkpatrick & Lockhart. 88/07/08. Long Island Lighting Co. 15pp. 46117.179-46117.193.

8807200045 Brief of Suffolk County, State of NY & town of Southampton re disposition of LILCO appeals of partial initial decisions re 880213 exercise. LILCO appeals should be decided on merits or advisory opinions W/Certificate of Svc & supporting info.  
MILLER, M.S. Suffolk County, NY. MILLER, M.S. Kirkpatrick & Lockhart. PALOMINO, F.G. New York, State of. #388 6730 88/07/11. Atomic Safety and Licensing Appeal Panel. 81pp. 46193.115-46193.174.

8807200070 NRC Staff proposed findings of fact & conclusions of law in form of partial initial decision on remanded issues of hosp evacuation time estimates & availability of school bus drivers. Certificate of Svc & supporting info encl.  
BACHMANN, R.G., BARTHC, A. Assistant General Counsel for Hearings. #388 6738 88/07/12. 42pp. 46194.040-46194.090.

8807220072 Response of Suffolk County, State of NY & town of Southampton in opposition to LILCO second motion for summary disposition of emergency broadcast issue. Certificate of Svc & supporting documentation encl.  
MISSAL, M.J. Suffolk County, NY. MISSAL, M.J. Kirkpatrick & Lockhart. PALOMINO, F.G. New York, State of. #388 6738 88/07/12. Atomic Safety and Licensing Board Panel. 120pp. 46195.115-46195.234.

8807250364 Partial response to FOIA request for documents. App D documents available in PDR.  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/13. BELAIR, R.R. Kirkpatrick & Lockhart. 2pp. 46231.148-46231.184.

8807250373 Informs of plant full participation emergency preparedness exercise on 880607 & scenario briefing on 880608 at plant. Team roster, assignments & proposed schedule encl.  
CONKLIN, C. Region 1, Ofc of the Director. 88/05/24. Region 1, Ofc of the Director. 2pp. 46231.157-46231.158.

8807250309 Discusses ASLB findings & comments re licensee reception ctr. In 880509 Partial Initial Decision ASLB found subp. ctrs. adequate to satisfy NRC regulatory able for use in event of radiological emergency.  
SCINTO, J.F. Assistant General Counsel for Hearings. 88/05/18. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46231.159-46231.160.

8807250308 Advises that Commission recognized that American Red Cross (ARC) charter from Congress & natl policy require that ARC provide aid in any radiological or natural disaster, w/o w/ agreement w/ARC re particular emergency plan.  
REIS, E.J. Deputy General Counsel. 88/05/11. CUMMING, W.R. Federal Emergency Management Agency. 1p. 46231.161-46231.162.

8807250434 Discusses ASLB 871207 partial initial decision that w/ 880213 exercise of emergency plan did not test as much of plant in four limited areas as reasonably achievable. Plan failed to meet requirements of 10CFR50 App E, Part IV.F.1.  
MURRAY, J.P. Deputy General Counsel. 87/12/10. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 22pp. 46231.163-46231.184.

8807250105 Forwards response to NRC 880415 request for addl info re procedures generation package & actual procedures package.  
LEONARD, J.D. Long Island Lighting Co. 88/07/15. Document Control Branch (Document Control Desk) 42pp. 46290.001-46291.245.

8807250109 Rev 1 to Plant Specific Technical Guideline 1, "Introduction to Operator Procedure." NEWSON, C.T. Long Island Lighting Co. 88/07/13. 18pp. 46290.043-46290.050.

8807250111 Rev 1 to Plant Specific Technical Guideline 2, "Reactor Pressure Vessel Control." NEWSON, C.T. Long Island Lighting Co. 88/05/11. 38pp. 46290.059-46290.094.

8807250123 Rev 1 to Plant Specific Technical Guideline 3, "Primary Containment Control." NEWSON, C.T. Long Island Lighting Co. 88/05/11. 52pp. 46290.095-46290.146.

8807250141 Rev 0 to Plant Specific Technical Guideline 4, "Secondary Containment Control." NEWSON, C.T. Long Island Lighting Co. 88/05/11. 18pp. 46290.147-46290.165.

8807250144 Rev 1 to Plant Specific Technical Guideline 5, "Radioactive Release Control." NEWSON, C.T. Long Island Lighting Co. 88/05/11. 8pp. 46290.166-46290.171.

8807250157 Rev 1 to Plant Specific Technical Guideline 6, "Alternate Level Control." NEWSON, C.T. Long Island Lighting Co. 88/05/11. 9pp. 46290.172-46290.180.

8807250161 Rev 2 to Plant Specific Technical Guideline 7, "Emergency Depressurization." NEWSON, C.T. Long Island Lighting Co. 88/07/13. 8pp. 46290.181-46290.186.

8807250183 Rev 0 to Plant Specific Technical Guideline 8, "Steam Cooling." Long Island Lighting Co. 88/05/11. 3pp. 46290.187-46290.189.

8807250169 Rev 1 to Plant Specific Technical Guideline 8, "Reactor Pressure Vessel Flooding." NEWSON, C.T. Long Island Lighting Co. 88/05/11. 21pp. 46290.190-46290.210.

--8807250184 Rev 1 to Procedure 304, "Developing Written Tests."  
\* Long Island Lighting Co. 88/06/10 10pp. 46291 010-46291.019

--8807250189 Rev 1 to Procedure 501, "Counseling Trainees & Providing Remedial Training Plan."  
\* Long Island Lighting Co. 88/06/10 11pp. 46291.020-46291.030.

--8807250193 Rev 0 to Procedure 502, "Formulating Tests From Question & Answer Banks & Administering Tests."  
SMITH,J.S. Long Island Lighting Co. 88/06/10 8pp. 46291 031-46291.038.

--8807250199 Rev 2 to Procedure 801, "Simulator Exam Evaluation."  
SMITH,J.S. Long Island Lighting Co. 88/05/10 22pp. 46291-039-46291.060.

--8807250205 Rev 9 to Procedure 29023 01, "Reactor Pressure Vessel Control Emergency Procedure." W/one oversize encl.  
CASE,D. Long Island Lighting Co. 88/06/20 185pp. 40291.061-46291.245.

8807290064 Suffolk County emergency operations plan \* Summarizes LILCO knowledge of alleged request & receipt of Suffolk County emergency plan Supporting documentation & Certificate of Svc encl.  
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams #388 6774. 88/07/18 GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. 15pp. 46253-265-46253.279

8807290074 LILCO brief in opposition to intervenors appeal of Board partial initial decision on suitability of reception ctrs. \* Appeal Board should affirm ASLB Partial Initial Decision LBP-88-13 Supporting info & Certificate of Svc encl.  
CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hutton & Williams. #388 6805. 88/07/25. Atomic Safety and Licensing Board Panel. 60pp. 46254 165-46254-224.

8807290217 Suffolk County & State of NY suppl to 880615 filing \* No basis exists for imposing sanctions on govts in CL-86-13 remand proceeding Supporting info & Certificate of Svc encl.  
LETSCHE,K.J. Suffolk County, NY LETSCHE,K.J. Kirkpatrick & Lockhart. ZAHNLEUTER,R.J. New York, State of. #388 6911. 88/07/28. Atomic Safety and Licensing Board Panel. 81pp. 46258.329-46259.049.

#### G. Adjudicatory correspondence

8806300265 Order. \* Requests parties views on disposition of LILCO two appeals from Licensing Board partial initial decision in CL-5 phase of proceeding Commons should be filed no later than 880711. Served on 880627.  
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #288 0619 88/08/27. Office of the General Counsel 3pp. 45960 316-45960 318.

8807060014 Govts response to Board order of 880624. \* Advises that Board questioning of witnesses will result in conclusions that any partial nonproduction of that occurred in 1982-83 was of no consequence.  
LETSCHE,K.J. Suffolk County, NY. LETSCHE,K.J. Kirkpatrick & Lockhart. ZAHNLEUTER,R.J. New York, State of. #388 6822 88/06/28. Atomic Safety and Licensing Board Panel. 15pp. 45995 299-45995 313.

8807060026 Forwards proposed witness list to util response to 880624 telcon order.  
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams. #388 6823 88/06/28. GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. 9pp. 45996 305-45996 313

8807060033 Forwards util response to 880624 telcon order.  
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams. #388 6824. 88/06/28. GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. 1p. 45996 240-45996 263.

--8807080043 LILCO response to 880624 telcon order. \* Suggested procedures to be incorporated as part of hearing listed Supporting documentation & Certificate of Svc encl.  
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams. 88/06/28. Atomic Safety and Licensing Board Panel. 8pp. 45996 241-45996 263.

8807060049 NRC Staff response to motion to quash subpoenas. \* Subpoenas reasonable & necessary in order to obtain evidence re proceeding Arguments advanced by intervenors in support of motion w/o merit & should be rejected. W/Certificate of Svc.  
CLARK,L.B. Assistant General Counsel for Hearings. #388 6625. 88/06/28. Atomic Safety and Licensing Board Panel. 9pp. 45995 329-45995 337.

8807060063 NRC Staff response to Board request for depositions for proposed discovery sanction inquiry. \* Intervenor past defiance of Board ordered discovery on realism issues should result in dismissal of contentions. Certificate of Svc encl.  
YOUNG,M.A. Assistant General Counsel for Hearings. #388 6626. 88/06/28. Atomic Safety and Licensing Board Panel. 6pp. 45996 351-45996 358

8807110019 Board memorandum & order (ruling on intervenors motions to vacate & to stay Board 880617 order). \* Motion found premature & denied Served on 880701.  
GLEASON,J.P. Atomic Safety and Licensing Board Panel. #388 6658. 88/06/30. New York, State of. 2pp. 46034:115-46034:116.

8807110034 NRC staff response to intervenors motion to vacate & request for stay. \* Motion should be denied based on nonpersuasive arguments Certificate of Svc encl.  
YOUNG,M.A. Assistant General Counsel for Hearings. #388 6662. 88/06/30. Atomic Safety and Licensing Board Panel. 16pp. 46034:097-46034 112.

8807110023 Forwards original verification by FP Petrone for Suffolk County further responses to LILCO second set of interrogatories re Contentions 1-2,4-8 & 10. dtd 880603. Related correspondence.  
LANPHER,L.C. Suffolk County, NY. LANPHER,L.C. Kirkpatrick & Lockhart. #388 6660. 88/07/01. SISK,D. Hutton & Williams. 2pp. 46034:113-46034:114.

8807110028 Forwards revised Page 7 to NRC 880630 response to intervenors motion to vacate & request for stay, recharacterizing ASLAB 880627 ruling as being w/o prejudice.  
YOUNG,M.A. Assistant General Counsel for Hearings. #388 6661. 88/07/01. GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. 2pp. 46034 090-46034 091.

8807140031 State of NY response to LILCO third set of interrogatories & requests for production of documents re Contentions 1-2, 4-8 & 10 to Suffolk County, State of NY & town of Southampton. \* W/Certificate of Svc Related correspondence.  
ZAHNLEUTER,R.J. New York, State of. #388 6688. 88/07/05. Long Island Lighting Co. 15pp. 46117:179-46117 263

8807140010 Forwards Suffolk County answers to LILCO third set of interrogatories & requests for production of documents re Contentions 1-2,4-8 & 10. Related correspondence.  
LANPHER,L.C. Suffolk County, NY. LANPHER,L.C. Kirkpatrick & Lockhart. #388 6687. 88/07/06. SISK,D. Hutton & Williams. 1p. 46117:178-46117:193

--8807140016 Suffolk County answers to LILCO third set of interrogatories & requests for production of documents re Contentions 1-2, 4-8 & 10 \* W/supporting documentation & Certificate of Svc. Related correspondence.  
LANPHER,H.H. Suffolk County, NY. LANPHER,H.H. Kirkpatrick & Lockhart. 88/07/08. Long Island Lighting Co. 15pp. 46117:179-46117:193.

8807140053 Forwards Suffolk County documents in response to LILCO second set of interrogatories & document requests re Contentions 1-2,4-8 & 10. W/o encls Related correspondence.  
LANPHER,L.C. Suffolk County, NY. LANPHER,L.C. Kirkpatrick & Lockhart. #388 6690. 88/07/06. SISK,D. Hutton & Williams. 2pp. 46117:290-46117:291.

8807140023 LILCO reply to intervenors proposed findings on school bus drivers & hosp evacuation time estimates (ETE). \* Intervenor have not shown that ETEs fail to satisfy NRC emergency planning regulations Certificate of Svc encl.  
CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hutton & Williams. #388 6689. 88/07/08. Atomic Safety and Licensing Board Panel. 67pp. 46117:013-46117:079.

8807140040 Forwards executed verifications of FR Jones, FP Petrone, R Jones & J Petello for filing w/ Suffolk County answers to LILCO third set of interrogatories re Contentions 1-2,4-8 & 10. dtd 880706. Related correspondence.  
LANPHER,L.C. Suffolk County, NY. LANPHER,L.C. Kirkpatrick & Lockhart. #388 6686. 88/07/08. Docketing & Services Branch. 5pp. 46117:285-46117:289.

8807160033 LILCO views on disposition of LILCO appeals from LBP-87-32 & LBP-88-2. \* Requests that ASLAB clarify issue of mootness & issues raised in appeals W/Certificate of Svc.  
MATCHETT,S.D. Long Island Lighting Co. MATCHETT,S.D. Hutton & Williams. #388 6701. 88/07/11. Atomic Safety and Licensing Appeal Panel. 16pp. 46188 318-46188 333.

8807200045 Brief of Suffolk County, State of NY & town of Southampton re disposition of LILCO appeals of partial initial decisions re 880213 exercise. \* LILCO appeals should be decided on merits or advisory opinions. W/Certificate of Svc & supporting info.  
MILLER,M.S. Suffolk County, NY. MILLER,M.S. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. #388 6730. 88/07/11. Atomic Safety and Licensing Appeal Panel. 61pp. 46193:115-46193:174.

8807200064 NRC Staff reply to 880627 Appeal Board order. \* ASLAB should decide on issues now so any controversy surrounding exercise will be evaluated according to proper interpretation of relevant legal stds. Certificate of Svc encl.  
YOUNG,M.A. Assistant General Counsel for Hearings. #388 6736. 88/07/11. Atomic Safety and Licensing Appeal Panel. 9pp. 46192:170-46192:178.

8807200053 NRC Staff response to LILCO second motion for summary disposition on emergency broadcast issues. \* Motion should be granted. W/Certificate of Svc.  
BACHMANN,R.G. Assistant General Counsel for Hearings. #388 6737. 88/07/12. Atomic Safety and Licensing Board Panel. 14pp. 46193:308-46193:322.

8807200079 NRC Staff proposed findings of fact & conclusions of law in form of partial initial decision on remanded issues of hosp evacuation time estimates & availability of school bus drivers. \* Certificate of Svc & supporting info encl.  
BACHMANN,R.G., BARTH,C.A. Assistant General Counsel for Hearings. #388 6738. 88/07/12. 2pp. 46194:049-46194 090.

8807220072 Response of Suffolk County, State of NY & town of Southampton in opposition to LILCO second motion for summary disposition of emergency broadcast issues. \* Certificate of Svc & supporting documentation encl.  
MISSAL,M.J. Suffolk County, NY. MISSAL,M.J. Kirkpatrick & Lockhart. PALOMINO,F.G. New York, State of. #388 6768. 88/07/12. Atomic Safety and Licensing Board Panel. 120pp. 46195:115-46195 234.

8807200127 Production of LILCO exercise documents. \* Forwards list of discontingencies in numbering of LILCO player-generated exercise documents. Related correspondence.  
INGEBRETSON,C. Long Island Lighting Co. INGBRETSON,C. Hutton & Williams. #388 6743. 88/07/13. LETSCHE,K.J. Kirkpatrick & Lockhart. 3pp. 46193 283-46193 295.



8807200015 LILCO reply to NRC Staff proposed findings on school bus drivers & hosp evacuation time estimates \* Board advised to rely on either NRC or util proposed findings Certificate of Svc encl  
CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hutton & Williams #388 6735 88/07/15. Atomic Safety and Licensing Board Panel. 6pp. 46193.108-46193.113

8807200021 Memorandum & Order. \* State of NY,Suffolk County & town of Southampton 870630 motion for reconsideration of CL-87-05 denied Motion to reopen cannot be means for parties to pass off old contentions for better results Served on 880715 CHILKES,J. Office of the Secretary of the Commission #388 6721 88/07/15 New York, State of 4pp 46192.344-46192.347.

8807200019 Advises that witnesses w'll have to appear in order of F Jones,Regan Sheppard & Davdoff at hearing tomorrow due to presence of Sheppard.  
LANPHER,L.C. Kirkpatrick & Lockhart #388 6767 88/07/18 GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel. 1p. 46195.257-46195.257

8807200064 Suffolk County emergency operations plan. \* Summarizes LILCO documentation of alleged request & receipt of Suffolk County emergency plan Supporting knowledge, Certificate of Svc encl  
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams #388 6774 88/07/18 GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel 15pp 46253.265-46253.279

8807200152 Response of Commonwealth of MA ally general to applicant motion for protective order \* Commonwealth of MA in no way agrees w/ASLB earlier decisions to similar matters Related correspondence  
JOHNS,S.A. Massachusetts, Commonwealth of. 88/07/18 Atomic Safety and Licensing Board Panel 6pp 46254.231-46254.236

8807200078 Forwards JV B1010 880708 memo discussed during 880712 hearing re compliance w/State of NY Freedom of Info Law (FOIL) & 880603 memo announcing FOI seminar on 880627  
LANPHER,L.C. Suffolk County, NY LANPHER,L.C. Kirkpatrick & Lockhart. #388 6770 88/07/19 GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel 3pp 46254.225-46254.227

8807200025 Forwards Rev 10 to LILCO plan recently sent to state personnel other than counsel W/O and Certificate of Svc encl Related correspondence  
ZAHNLEUTER,R. New York, State of #388 6795 88/07/20 FREILICHER,I. Long Is and Lighting Co. 4pp 46254.095-46254.098

8807200061 Response to 880806 ltr to Fretlicher re emergency plan custody Which plant licensing litigation completed & commercial operation commences emergency plan will be made available Related correspondence  
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams #388 6775 88/07/20 ZAHNLEUTER,R.J. New York, State of 1p 46254.104-46254.104

8807200028 Forwards signed & notarized affidavit of JA Weismantle  
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams. #388 6793 88/07/21 GLEASON,J.P., KLINE,J.R., SHON,F.J. Atomic Safety and Licensing Board Panel 1p 46254.089-46254.103

-8807200035 Affidavit of JA Weismantle \* Discusses assertion that LILCO obtained complete copy of Suffolk County emergency operations plan outside of formal discovery processes  
WEISMANTLE,J. Long Island Lighting Co. 88/07/18 4pp 46254.103-46254.103

8807200074 LILCO brief in opposition to intervenors appeal of Board partial initial decision on suitability of reception ctrs. \* Appeal Board should affirm ASLB Partial Initial Decision LBP-88-13 Supporting info & Certificate of Svc encl  
CHRISTMAN,J.N. Long Island Lighting Co. CHRISTMAN,J.N. Hutton & Williams #388 6805 88/07/25. Atomic Safety and Licensing Board Panel. 60pp 46254.105-46254.224

8807200189 Forwards seven oversized maps used by participants in 880607-09 FEMA-granted exercise of util offsite emergency response plan W/O maps Related correspondence  
INGEBRETSON,C. Long Island Lighting Co. INGBRETSON,C. Hutton & Williams #388 6809 88/07/25 LETSCHE,K.J. Kirkpatrick & Lockhart. 1p 46258.207-46258.207

8807200190 Further NRC comments on imposition of sanctions \* Record of sanction hearing provides further support for dismissal of realism contentions based on intervenors failure to comply w/discovery Certificate of Svc encl  
YOUNG,M.A. Assistant General Counsel for Hearings #388 6818 88/07/26 Atomic Safety and Licensing Board Panel. 15pp 46258.208-46258.222

8807200217 Suffolk County & State of NY suppl to 880615 ltr. \* No basis exists for imposing sanctions on govts in CL-88-13 remand proceeding Supporting Info & Certificate of Svc encl  
LETSCHE,K.J. Suffolk County, NY. LETSCHE,K.J. Kirkpatrick & Lockhart. ZAHNLEUTER,R.J. New York, State of. #388 6811 88/07/26 Atomic Safety and Licensing Board Panel. 81pp 46258.320-46259.049.

8807200258 LILCO suppl to 880615 brief on discovery sanctions in light of subsequent developments. \* Board should reaffirm dismissal of realism/best efforts contentions.  
IRWIN,D.P. Long Island Lighting Co. IRWIN,D.P. Hutton & Williams. #388 6812 88/07/26 Atomic Safety and Licensing Board Panel. 134pp 46258.017-46258.148

#### H. General correspondence

8807180014 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
YORK,F.N. Affiliation Not Assigned 87/02/08. MARKEY,E. House of Rep. 1p. 46165.281-46165.281.

8807180358 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency plan-

8807210004 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
LANCELOTTO,J. Affiliation Not Assigned 87/02/08 REAGAN,R. President of U S & Executive Offices 1p 46277.005-46277.005

8807180042 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
QUIROLO,A. Affiliation Not Assigned 87/02/08 PARLER,W.C. NRC - No Detailed Affiliation Given 1p 46165.289-46165.289

8807180071 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
BURR,B. BURR,F.A. Affiliation Not Assigned 87/02/09. ZECH,L.W. Commissioners 1p 46165.326-46165.326

8807200034 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
TUBIN,P.E. Affiliation Not Assigned. 87/02/14 Commissioners 1p 46197.070-46197.070

8807210081 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
DASCHER,G.H. Affiliation Not Assigned 87/02/17 REAGAN,R. President of U S & Executive Offices 1p 46208.084-46208.084

8807180252 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
PRODELL,A.G. Shoreham Wading River Central School District, NY 87/02/19 ZECH,L.W. Commissioners 4pp 46191.068-46191.069

8807180316 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
CARPENTER,J. Affiliation Not Assigned. 87/02/20 ZECH,L.W. Commissioners 8pp 46165.351-46165.358

8807210148 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
CURRAN,D. WEISSE Harmon & Weiss CURRAN,D. Union of Concerned Scientists 87/02/20 ZECH,L.W. Commissioners ROBERTS,T.M., ASSELINE,J.K. NRC - No Detailed Affiliation Given 4pp 46208.100-46208.103

8807180321 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SHERIDY,D. Affiliation Not Assigned 87/02/21 ZECH,L.W. Commissioners 1p 46191.065-46191.065

8807180274 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SNEIDER,C.S. Massachusetts, Commonwealth of. 87/02/23 NRC - No Detailed Affiliation Given 8pp 46191.081-46191.142

8807180344 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
PARRISH,K. Affiliation Not Assigned. 87/02/23 ZECH,L.W. Commissioners. 1p 46191.078-46191.079.

8807200302 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
HALPIN,P.G. New York, State of. 87/02/23 NRC - No Detailed Affiliation Given 8pp. 46208.032-46208.039.

8807180348 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
BAGBITT,B. Affiliation Not Assigned. 87/02/24. ZECH,L.W. Commissioners 3pp 46165.300-46165.311.

8807180367 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
VIELBIG,J.D. Affiliation Not Assigned. 87/02/24. ZECH,L.W. Commissioners. 1p. 46165.319-46165.319

8807200304 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
EVANGELISTA,J. Affiliation Not Assigned. 87/02/24. ZECH,L.W. Commissioners 2pp 46197.073-46197.074.

8807200008 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
MULLER,R. Affiliation Not Assigned 87/02/24. ZECH,L.W. Commissioners. 1p. 46197.072-46197.072.

8807200307 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
BABBITT,B. Affiliation Not Assigned 87/02/24. ZECH,L.W. Commissioners. 2pp 46197.081-46197.083

8807200326 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency plan-

8807200338 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BLOEN, J.R. Affiliation Not Assigned. 87/02/24. NRC - No Detailed Affiliation Given. 2pp. 46208.049-46208.050.

8807200384 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BOSSONG, K. Affiliation Not Assigned. 87/02/24. ZECH, L. Commissioners. 4pp. 46208.052-46208.058.

8807200069 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PLATT, R. Affiliation Not Assigned. 87/02/25. ZECH, L.W. Commissioners. 1p. 46197.067-46197.067.

8807200078 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CALANDRA, A. Affiliation Not Assigned. 87/02/25. ZECH, L. NRC - No Detailed Affiliation Given. 1p. 46197.066-46197.068.

8807200084 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BOODY, P.B. Southampton Press Publishing Co., Inc. 87/02/25. ZECH, L.W. Commissioners. 3pp. 46208.059-46208.061.

8807200088 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BRANDON, L. Affiliation Not Assigned. 87/02/25. ZECH, L. Commissioners. 1p. 46197.064-46197.064.

8807200094 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. STEINBERGER, A. Affiliation Not Assigned. 87/02/26. ZECH, L.W. Commissioners. 1p. 46197.060-46197.060.

8807200096 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DILGARD, E.L. Affiliation Not Assigned. 87/02/26. ZECH, L. Commissioners. 1p. 46197.059-46197.059.

8807200100 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MOORE, V.B. Affiliation Not Assigned. 87/02/26. ZECH, L.W. Commissioners. 1p. 46197.058-46197.058.

8807210101 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. JOHNSON, C. Affiliation Not Assigned. 87/02/28. REAGAN, R. President of U.S. & Executive Offices. 1p. 46208.088-46208.088.

8807180340 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. GANDT, H.F. Affiliation Not Assigned. 87/02/27. ZECH, L. NRC - No Detailed Affiliation Given. 1p. 46165.295-46165.295.

8807190006 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SOUTHWICK, L. Affiliation Not Assigned. 87/02/27. NRC - No Detailed Affiliation Given. 1p. 46177.349-46177.349.

8807190026 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. NRC should mandate that states provide evacuation plans. DAL MOLIN, A. Affiliation Not Assigned. 87/02/27. ZECH, L.W. Commissioners. 1p. 46177.350-46177.350.

8807190034 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PALMISANO, P.A. PALMISANO, E.P. Affiliation Not Assigned. 87/02/27. ASSELSTINE, J. Commissioners. 1p. 46177.351-46177.351.

8807190037 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CHILDS, A. Affiliation Not Assigned. 87/02/27. CHILK, NRC - No Detailed Affiliation Given. 1p. 46177.352-46177.352.

8807190049 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MACKIE, B.A. Affiliation Not Assigned. 87/02/27. ZECH, L.W. Commissioners. 4pp. 46177.354-46177.357.

8807200024 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DWORK, G. Affiliation Not Assigned. 87/02/27. ZECH, L. Commissioners. 1p. 46207.328-46207.328.

8807200113 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LANKES, J.B. Affiliation Not Assigned. 87/02/27. NRC - No Detailed Affiliation Given. 2pp. 46197.054-46197.055.

8807200118 Discusses 870227 letter from P. Lozowsky re opposition of proposed rule 10CFR50 re emergency planning rule. HOYLE, J.C. Commissioners. 87/02/27. NRC - No Detailed Affiliation Given. 1p. 46207.335-46207.335.

8807210049 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MAUSER, A. Affiliation Not Assigned. 87/02/27. Reg on 1, Ofc of the Director. 1p. 46208.078-46208.078.

8807190055 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CALDERONE, B. Affiliation Not Assigned. 87/02/28. ZECH, L. NRC - No Detailed Affiliation Given. 1p. 46177.358-46177.358.

8807190288 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MELZER, G.M. Affiliation Not Assigned. 87/02/28. NRC - No Detailed Affiliation Given. 1p. 46191.147-46191.147.

8807190378 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 87/02/28. NRC - No Detailed Affiliation Given. 1p. 46191.148-46191.148.

8807200032 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. RUDD, C. Affiliation Not Assigned. 87/03/01. ZECH, L. Commissioners. 2pp. 46194.091-46194.092.

8807200304 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. KRAUSE, S. Affiliation Not Assigned. 87/03/01. NRC - No Detailed Affiliation Given. 2pp. 46197.080-46197.080.

8807210010 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SLATKIN, M. Affiliation Not Assigned. 87/03/01. REAGAN, R. President of U.S. & Executive Offices. 1p. 46208.066-46208.066.

8807220185 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SLATKIN, M. Affiliation Not Assigned. 87/03/01. ZECH, L. NRC - No Detailed Affiliation Given. 1p. 46220.308-46220.308.

8807250134 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. GUARIGLIA, M.A., GUARIGLIA, A.M. Affiliation Not Assigned. 87/03/01. ZECH, L.W. NRC - No Detailed Affiliation Given. 2pp. 46246.100-46246.101.

8807190109 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BERKOWITZ, K. Affiliation Not Assigned. 87/03/02. ZECH, L. NRC - No Detailed Affiliation Given. 3pp. 46230.254-46230.256.

8807190117 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CALVERT, P., BRAUMBART, M. Affiliation Not Assigned. 87/03/02. ZECH, L.W. Commissioners. 1p. 46178.001-46178.001.

8807190134 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CUNNINGHAM, P. Affiliation Not Assigned. 87/03/02. ZECH, L.W. Commissioners. 2pp. 46178.003-46178.004.

8807200057 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BUTLER, D., BUTLER, L. Affiliation Not Assigned. 87/03/02. NRC - No Detailed Affiliation Given. 1p. 46194.046-46194.046.

8807200070 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SKEFFREY, P. Affiliation Not Assigned. 87/03/02. ZECH, L.W. NRC - No Detailed Affiliation Given. 1p. 46194.084-46194.084.

8807200170 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SCHNEIDER, S. Affiliation Not Assigned. 87/03/02. ZECH, L. Commissioners. 1p. 46197.051-46197.051.

8807200378 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CUNNINGHAM, P.L. Affiliation Not Assigned. 87/03/02. ZECH, L.W. NRC - No Detailed Affiliation Given. 1p. 46197.093-46197.093.

- 0040 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
VOLLY, J.M. Affiliation Not Assigned. 87/03/02. NRC - No Detailed Affiliation Given. 2pp. 46208.074-46208.075
- 0150 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
FIN, R.C. Affiliation Not Assigned. 87/03/03. ZECH, L. Commissioners. 2pp. 46005-46176.007.
- 0177 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
HERS, R.J., RIECHERS, C. Affiliation Not Assigned. 87/03/03. PALLADINO, N. Commissioners. 2pp. 46184.095-46194.096.
- 10083 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
KERDGE, G. Affiliation Not Assigned. 87/03/03. NRC - No Detailed Affiliation Given. 1p. 46194.097-46194.097.
- 20097 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
M.D.B. Affiliation Not Assigned. 87/03/03. Office of Nuclear Material Safety & Guards, Director. 1p. 46194.100-46194.100.
- 20143 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
KCH, J.G. Affiliation Not Assigned. 87/03/03. Commissioners. 1p. 46194.105-46194.105.
- 50146 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
KOWITZ, K. Affiliation Not Assigned. 87/03/03. NewsData Corp., Seattle, WA. 1p. 46103-46246.103.
- 20337 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
SPENSKI, A.J. Affiliation Not Assigned. 87/03/04. NRC - No Detailed Affiliation Given. 1p. 46197.088-46197.088.
- 201163 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
LLER, R.R. Affiliation Not Assigned. 87/03/05. NRC - No Detailed Affiliation Given. 46197.040-46197.040.
- 200240 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
RICELLI, D. Affiliation Not Assigned. 87/03/05. Office of the Secretary of the Commission. 1p. 46197.044-46197.044.
- 210001 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
THAN, B.M. Affiliation Not Assigned. 87/03/05. ZECH, L.W. Commissioners. 2pp. 46203.482-46203.482.
- 220230 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
SALL, J.S. Affiliation Not Assigned. 87/03/05. Commissioners. 2pp. 46230.268-46230.269.
- 200247 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
ADNER, W.S. Affiliation Not Assigned. 87/03/06. Docketing & Services Branch. 1p. 46197.045-46197.045.
- 220256 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
ORTESE, A.S. Affiliation Not Assigned. 87/03/06. NRC - No Detailed Affiliation Given. 1p. 46197.046-46197.046.
- 7210035 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
ASKAVITCH, J. Affiliation Not Assigned. 87/03/08. ZECH, L.W. Commissioners. 2pp. 46208.072-46208.073.
- 7210058 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
ORCE, J., SORCE, B., MCCOY, D. Affiliation Not Assigned. 87/03/08. NRC - No Detailed Affiliation Given. 2pp. 46208.079-46208.080.
- 7210075 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
ELDIN, M. Affiliation Not Assigned. 87/03/08. NRC - No Detailed Affiliation Given. 1pp. 46208.081-46208.082.
- 7210085 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
JREWSE, E. Affiliation Not Assigned. 87/03/08. ZECH, L. Commissioners. 2pp. 46208.085-46208.086.
- 8807210102 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BEYER, N.A. Affiliation Not Assigned. 87/03/06. Office of the Secretary of the Commission. 4pp. 46208.089-46208.092.
- 8807200281 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
ROBERTS, W.D. Affiliation Not Assigned. 87/03/07. ZECH, L.W., BERNTHAL, F.M., CARR, K.M. NRC - No Detailed Affiliation Given. 1p. 46197.076-46197.076.
- 8807210132 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
HOELZER, C., HOELZER, I. Affiliation Not Assigned. 87/03/07. NRC - No Detailed Affiliation Given. 1p. 46208.097-46208.097.
- 8807210137 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
WHEELER, C. Affiliation Not Assigned. 87/03/07. Commissioners. 1p. 46208.098-46208.098.
- 8807210149 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BARNES, J.P. Affiliation Not Assigned. 87/03/07. NRC - No Detailed Affiliation Given. 3pp. 46208.104-46208.106.
- 8807210155 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
JELIFF, F.F. Affiliation Not Assigned. 87/03/07. NRC - No Detailed Affiliation Given. 1p. 46200.107-46200.107.
- 8807210159 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
\* Affiliation Not Assigned. 87/03/07. NRC - No Detailed Affiliation Given. 1p. 46208.108-46208.108.
- 8807210169 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
RHODES, J. Affiliation Not Assigned. 87/03/07. NRC - No Detailed Affiliation Given. 2pp. 46208.110-46208.111.
- 8807200289 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
DELL, F. Affiliation Not Assigned. 87/03/08. ZECH, L. Commissioners. 2pp. 46197.077-46197.078.
- 8807210167 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
\* Affiliation Not Assigned. 87/03/08. ZECH, L. Commissioners. 2pp. 46208.113-46208.114.
- 8807210189 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
STOKES, T.F. Affiliation Not Assigned. 87/03/08. ZECH, L.W. Commissioners. 1p. 46208.118-46208.118.
- 8807220041 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
DOWNING, D.W. Affiliation Not Assigned. 87/03/08. NRC - No Detailed Affiliation Given. 1p. 46220.315-46220.315.
- 8807200267 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
\* Affiliation Not Assigned. 87/03/10. Docketing & Services Branch. 2pp. 46196.222-46196.223.
- 8807210190 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BRODSKY, J. Affiliation Not Assigned. 87/03/11. NRC - No Detailed Affiliation Given. 2pp. 46208.116-46208.116.
- 8807220134 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CRONAN, A.M. Affiliation Not Assigned. 87/03/11. Office of the Secretary of the Commission. 1p. 46220.311-46220.311.
- 8807250292 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
\* Affiliation Not Assigned. 87/03/11. NRC - No Detailed Affiliation Given. 1p. 46230.276-46230.276.
- 8807210014 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
LERNER, M.H. Affiliation Not Assigned. 87/03/22. NRC - No Detailed Affiliation Given. 1p. 46208.088-46208.088.
- 8807010729 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
APLEGATE, R. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 1p. 45994.042-45994.042.

8807010593 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PALUMBO, V.A. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45993.102-45993.102

8807050048 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
COLLARD, S. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45990.301-45990.301

8807050149 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.189-45995.189

8807050483 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FALMAN, P. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 2pp 45990.277-45990.278

8807060598 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HAYDEN, R.F. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46010.227-46010.227

8807070007 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TILTON, D.R. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46010.320-46010.320

8807070061 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCMICHAEL, R.H. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 2pp 46010.311-46010.312

8807070166 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GARVEY, J.R. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 2pp 46011.088-46011.089

8807070357 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RAFALOWSKI, J.J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018.085-46018.085

8807070360 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RICCO, J.P. Nuclear Information & Resource Service 88/06/23 CHILKIS, Office of the Secretary of the Commission 14pp 46018.021-46018.034

8807070395 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FERSTER, A.C., CURRAN, D. Harmon & Weiss FERSTER, A.C. Union of Concerned Scientists 88/06/23 NRC - No Dated Affiliation Given 14pp 46018.006-46018.019

8807220159 Comments on proposed rule 10CFR50 re cooperative efforts between state & NRC w/respect to commercial nuclear power plants & other nuclear production or utilization facilities  
WALSH, G.F. New York, State of 88/07/08 Docketing & Services Branch 3pp 46220.320-46220.322

#### J. Insurance & Indemnity Information

8807110187 Forwards Endorsements 30 & 21 to NELIA Policy NF-269 & MAELU Policy MF-115, respectively  
O'CONNOR, D.J. Marsh & McLennan, Inc. 88/07/05 DINI, Z. Office of Nuclear Reactor Regulation, Director (Post 870411) 3pp 46140.266-46140.268

#### P. Operating license stage documents & correspondence

8807180280 Forwards results of review priority for open TACs, per 880527 memo  
BUTLER, W.R. Project Directorate I-2 88/06/10 VARGA, S.A. Division of Reactor Projects - I/II (Post 870411) 3pp 46200.175-46200.177

8806180180 Forwards application for amend to License NFP-36, consisting of License Change Application 14, modifying Tech Specs, per Generic Ltr 88-08, "Removal of Organization Charts from Tech Spec Administrative Control Requirements"  
LEONARD, J.D. Long Island Lighting Co. 88/08/13 Document Control Branch (Document Control Desk) 1p 45838.062-45838.078

8807070054 Forwards "QC Div 1988 Staffing Rept" w/ obligations as proscribed in settlement agreement fulfilled Agreement stipulates that NRC will provide Suffolk County w/rept.  
LEONARD, J.D. Long Island Lighting Co. 88/06/29 Document Control Branch (Document Control Desk) 1p 46125.188-46125.172

-8807070057 "QC Div 1988 Staffing Rept"  
MALONEY, W.M., NOTARO, J.A., STEIGER, W.E. Long Island Lighting Co. 88/06/29 4pp 46125.169-46125.172

-8807250220 Proposed Tech Specs clarifying method of demonstrating operability of source range monitor channels.  
Long Island Lighting Co. 88/07/11 2pp 46274.230-46274.240

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CFs re NRC position on radiation ambientment of reactor vessel masts & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp 46257.207-46257.257

8807250173 Advises that plant review briefing for Murley & executive team re PC-2 plants scheduled for 880721. Viewgraphs encl.  
BUTLER, W.R. Project Directorate I-2 88/07/13 BOGER, B.A. Project Directorate I-2 87pp 46272.285-46273.021

8807250188 Forwards application for amend to License NFP-36, consisting of License Change Application 15 Amend reduces test frequency of emergency diesel generators per Generic Ltr 84-15. Fee paid  
LEONARD, J.D. Long Island Lighting Co. 88/07/15 Document Control Branch (Document Control Desk) 1p 46269.274-46269.284

-8807250208 Application for amend to License NFP-36, reducing test frequency of emergency diesel generators per recommendations of Generic Ltr 84-15  
LEONARD, J.D. Long Island Lighting Co. 88/07/15 6pp 46269.281-46269.284

-8807250209 Proposed Tech Specs re test frequency of emergency diesel generators  
Long Island Lighting Co. 88/07/15 4pp 46269.281-46269.284

#### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/15 Consolidated Edison Co. of New York, Inc. 110pp 45978.156-45978.266

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams" NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp 46240.325-46241.201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp 45978.034-45978.155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp 46019.037-46019.152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Retained Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp 46019.153-46019.265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp 46019.266-46020.018

8807070277 Forwards Safety Insp Rept 50-322/88-05 on 880606-10 No violations noted during annual emergency preparedness exercise  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/24 LEONARD, J.D. Long Island Lighting Co. 4pp 46128.107-46128.118

-8807070282 Insp Rept 50-322/88-05 on 880606-10 No violations noted Major areas inspected annual full participation emergency exercise  
CONKLIN, C., LAZARUS, W.J. Region 1, Ofc of the Director. 88/06/21 6pp 46126.111-46126.116

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp 46242.109-46242.212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Relubricated Circuit Breakers" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp 46231.281-46232.027

8807130090 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss" Unit found that core spray & RHR sys are only safety-related sys where forego con can can be potentially applied.  
LEONARD, J.D. Long Island Lighting Co. 88/07/08 Document Control Branch (Document Control Desk) 4pp 46172.191-46172.184

8807120281 NRC Info Notice 88-048, "Licensee Rept of Defective Relubricated Valves" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp 46242.008-46242.108

80366 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times" Svc list encl.  
SSICE Division of Operational Events Assessment (Post 870411) 88/07/14  
Solidated Edison Co of New York, Inc 103pp 46240-222-46240-324.

20550 NRC Info Notice 88-049, "Marking/Handling/Control/Storage & Destruction  
of Records Info" Svc list encl.  
SSICE Division of Operational Events Assessment (Post 870411) 88/07/18  
Solidated Edison Co of New York, Inc 103pp 46241-263-46242-005

20553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Avail-  
ity of Emergency Power" Svc list encl.  
SSICE Division of Operational Events Assessment (Post 870411) 88/07/18  
Solidated Edison Co of New York, Inc 119pp 46257-258-46258-016

80101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl.  
SSICE Division of Operational Events Assessment (Post 870411) 88/07/21  
Solidated Edison Co of New York, Inc 121pp 46257-086-46257-206

#### radiologic operating reports & related correspondence

90321 Monthly operating rpt for May 1988 for Shoreham Nuclear Power  
Plant W/880602 ltr.  
IS, T., STEIGER, W.E. Long Island Lighting Co 88/05/31 4pp 46220-018-  
20-021

90319 Monthly operating rpt for June 1988 for Shoreham Nuclear Power  
Plant W/880701 ltr.  
IS, T., STEIGER, W.E. Long Island Lighting Co 88/06/30 5pp 46221-127-  
21-130

#### portable occurrences, LERs & related correspondence

80157 LER 88-008-00 on 880809, watch engineer notified of incorrect emergency  
stop generator fuel oil sulfur analysis using ASTM D-4294 in lieu of ASTM  
29. Caused by vendor error in documentation. Vendor revised data sheets. W/  
1701 ltr.  
UNSEICH, R.W., STEIGER, W.E. Long Island Lighting Co 88/07/01 5pp  
139-285-46139-289.

140274 Forwards LERs 88-008-00 & 88-010-00, in accordance w/ 10CFR50.73  
EIGER, W.E. Long Island Lighting Co. 88/07/07 Document Control Branch (Docu-  
ment Control Desk) 1p 46177-220-46177-228.

7140275 LER 88-008-00 on 880808, three seismic recorders located on control  
g disabled. Caused by personnel error. Event will be incorporated into continuing  
training program for all instrumentation & control personnel.  
UNSEICH, R.W. Long Island Lighting Co. 88/07/07 4pp 46177-221-46177-224.

7140277 LER 88-010-00 on 880614, incorrect sampling of RHFI HX svc water  
covered. Caused by nonblending of inlet svc water drain line isolation  
valves. Personnel counseled. HX svc water drain line isolation valves identified & la-  
beled.  
UNSEICH, R.W. Long Island Lighting Co. 88/07/13 4pp 46177-225-46177-228.

#### saring transcripts on non-antitrust matters

300040 Transcript of 880824 hearing in Bethesda, MD re demand/ emergency  
planning Pp 20,894-20,928.  
Atomic Safety and Licensing Board Panel 88/08/24 37pp 46018-355-46017-031.

980397 Transcript of 880829 conference in Bethesda, MD re demand/ emergency  
planning Pp 20,928-20,943.  
Atomic Safety and Licensing Board Panel 88/08/29 17pp 46103-154-46103-170

140313 Transcript of 880711 hearing in Bethesda, MD re emergency planning Pp  
1,044-21,174.  
Atomic Safety and Licensing Board Panel 88/07/11 232pp 46176-014-46176-246.

190047 Transcript of 880711 evening session in Bethesda, MD re emergency  
planning Pp 21,175-21,280. Witnesses: JD Pappie & DA DeVito  
Atomic Safety and Licensing Board Panel 88/07/11 120pp 46188-294-46189-051.

7180295 Transcript of 880712 hearing in Bethesda, MD re emergency planning Pp  
291-21,537. Witnesses: R Jones.  
Atomic Safety and Licensing Board Panel 88/07/12 238pp 46189-052-46189-300.

7200328 Partial transcript of 880714 hearing in Bethesda, MD re emergency  
planning Pp 21,537-21,720. Witnesses: N Kelly & D Axelrod.  
Atomic Safety and Licensing Board Panel 88/07/14 185pp 46208-273-46207-098.

7200341 Partial transcript of 880714 hearing in Bethesda, MD re emergency  
planning Pp 21,721-21,829. Witnesses: N Kelly, D Axelrod & AJ Geramo.  
Atomic Safety and Licensing Board Panel 88/07/14 114pp 46207-099-46207-214.

7210310 Transcript of 880719 hearing in Bethesda, MD re emergency planning Pp  
1,830-22,074. Witnesses: F Jones, W.E. Regan, R Shepherd & D Davidoff.  
Atomic Safety and Licensing Board Panel 88/07/19 245pp 46232-147-46233-032.

#### CKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

#### security, medical, emergency & fire protection plans

7110199 Advises that 880307 Rev 3, Change 8 to emergency plan meets planning  
needs of 10CFR50.47(b) & requirements of App E to 10CFR50.  
ISH, R.F. Region 5, Ofc of the Director. 88/08/27. SHIFFER, J.D. Pacific Gas & Elec-  
tric Co. 2pp 46138-305-46138-306.

7250215 Ack receipt of 880608 ltr furnishing scope & objectives of annual emergen-  
cy plan exercise.  
ISH, R.F. Region 5, Ofc of the Director. 88/07/13. SHIFFER, J.D. Pacific Gas & Elec-  
tric Co. 2pp 46285-125-46285-127.

-8807250217 Forwards objectives, guidelines & listing of participants developed for  
1988 emergency preparedness held exercise to be held on 880824 W/o encl.  
SHIFFER, J.D. Pacific Gas & Electric Co. 88/08/08. MARTIN, J.B. Region 5, Ofc of the  
Director 1p 46285-127-46285-127.

#### H. General correspondence

8807070380 Comment opposing proposed rule 10CFR50 re emergency planning & pre-  
paredness requirements for nuclear power plant fuel loading & initial low power oper-  
ations.  
RICCIO, J.P. Nuclear Information & Resource Service 88/06/23. CHILK, S. Office of  
the Secretary of the Commission 14pp 46018-021-46018-034

#### P. Operating license stage documents & correspondence

8807120674 Forwards repl on ACRS subcommittee meeting on 880223-24 in  
Burlingham, CA re status of long term seismic program at plant.  
SCAVUZZO, R.J. Scavuzzo, R.J. 88/04/19. STESS, C.P. ACRS - Advisory Committee  
on Reactor Safeguards. 1p 46121-174-46121-177.

-8807120695 Comments on ACRS Subcommittee on Diablo Canyon meeting on  
880223-24 in Burlingham, CA re status of long term seismic program at plant.  
SCAVUZZO, R.J. Scavuzzo, R.J. 88/03/31 3pp 46121-175-46121-177.

8806280194 Discusses results of review of actions re reactor coolant pump motor upper  
oil reservoir assembly degradation. Review of licensee evaluation supporting contin-  
ued operation of Unit 2 & restart of Unit 1 found acceptable.  
KIRSCH, D.F. Region 5, Ofc of the Director 88/06/23. SHIFFER, J.D. Pacific Gas &  
Electric Co 2pp 45985-283-45985-284

8807130058 Forwards addl info re qualification of isolation capability of 12-inch contain-  
ment vacuum/overpressure relief valves & License Amend Request 88-11.  
SHIFFER, J.D. Pacific Gas & Electric Co 88/07/05 Document Control Branch (Docu-  
ment Control Desk) 14pp 46165-096-46165-109

8807130284 Discusses NRR TIA-RV-88-08 re plant reactor coolant pump bearing lubri-  
cation system failures.  
HOLAHAN, G. Assistant Director for Region III & Region V Reactors 88/07/05  
KIRSCH, D. Region 5, Ofc of the Director 4pp 46170-331-46170-334

8807190323 Forwards biweekly notice of applications & amendments to QLE involving  
NSIC, dtd 880628 W/o encl.  
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/11.  
SHIFFER, J.D. Pacific Gas & Electric Co. 4pp 46208-171-46208-174

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation embrittlement of reactor vessel walls & impact on plant  
operations. Svc list & Rev 2 to Reg Guide 1.98 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12 Consolidated  
Edison Co of New York, Inc 51pp 46257-207-46257-257.

#### O. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15  
Consolidated Edison Co of New York, Inc 110pp 46078-156-46078-266

8807010428 Forwards Insp Repts 50-275/88-11 & 50-323/88-10 on 880410-0528 &  
notice of violation. Requests discussion of corrective actions to preclude further in-  
stances of potentially unacceptable changes to plant configuration.  
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 88/06/17. SHIFFER, J.D. Pacific Gas  
& Electric Co. 3pp 46020-041-46020-085

-8807010430 Notice of violation from Insp on 880410-0528. Violation noted corrective  
actions taken for: lack of required cleanliness controls did not preclude repetition &  
spray wound gaskets replaced w/unauthorized lubricant.  
ZIMMERMAN, R.P. Region 5, Ofc of the Director. 88/06/17 2pp 46020-044-  
46020-045

-8807010434 Insp Repts 50-275/88-11 & 50-323/88-10 on 880410-0528. Violations  
noted. Major areas inspected: plant operations, maint & surveillance activities, incu-  
pation of onsite visitors, open items & LERs.  
PADOVANI, L.M., JOHNSTON, K.E., NARBUT, P.P. Region 5, Ofc of the Director. 88/  
06/18 41pp 46020-046-46020-085

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams" NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co of New York, Inc 237pp 46240-325-46241-201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22  
Consolidated Edison Co of New York, Inc 122pp 46078-034-46078-155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS" Svc  
list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22  
Consolidated Edison Co of New York, Inc 116pp 46019-037-46019-152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Westinghouse Type DS-418 Circuit Breakers" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24  
Consolidated Edison Co of New York, Inc 113pp 46019-153-46019-265

8806240139 Supply 1 to NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to  
RCS" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co of New York, Inc 114pp 46019-266-46020-018



8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807130387 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Further response to Item 2 of bulletin re results of deheating tests for RHR pumps will be submitted by Sept 1988 & supplemental rept re Item 3 by May 1989.  
SHIFFER,J.D. Pacific Gas & Electric Co. 88/07/08. Document Control Branch (Document Control Desk). 12pp. 46170:261-46170:272.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807210184 Discusses Insp Repts 50-275/86-33 & 50-323/86-31 on 861215-18 & forwards nol/co of violation.  
PATE,R.J. Region 5, Ofc of the Director. 88/07/12. SHIFFER,J.D. Pacific Gas & Electric Co. 2pp. 46233:332-46233:335.

8807210188 Notice of violation from Insp on 861215-19. Violation noted qualification documentation for resistance lamp devices did not demonstrate qualification for post-LOCA submergence conditions.  
PATE,R.J. Region 5, Ofc of the Director. 88/07/12. 2pp. 46233:334-46233:335.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257:258-46258:016.

8807160101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:088-46257:206.

## R. Periodic operating reports & related correspondence

8807010068 Forwards "Rept on Discharge Monitoring at Diablo Canyon Power Plant During May 1988," per Order 85-101, NPDES CA0003751.  
TOWNSEND,J.D. Pacific Gas & Electric Co. 88/06/20. LEONARD,W.R. California, State of. 3pp. 46009:073-46009:089.

8807010070 "Rept on Discharge Monitoring at Diablo Canyon Power Plant During May 1988."  
Pacific Gas & Electric Co. 88/05/31. 14pp. 46009:076-46009:089.

## S. Reportable occurrences, LERs & related correspondence

8807110223 PNO-V-88-043 on 880627, settlement of rate case announced. Util will receive 7.8 cents per kWh-hour for power produced from plant. Settlement also calls for three-member independent safety committee.  
COOK,G., KUNIHIRO,D. Region 5, Ofc of the Director. 88/06/27. 2pp. 46141:187-46141:188.

8807070194 LER 87-022-01 on 871012, fuel handling bldg ventilation sys shifted into iodine removal mode. Cause not identified w/ 880701 ltr.  
MALONE,D.D., SHIFFER,J.D. Pacific Gas & Electric Co. 88/07/01. 6pp. 46139:078-46139:082.

8807120680 LER 88-008-00 on 880602, surveillance test interval of Tech Spec 4.5.2 b.1 exceeded when ECCS pump casings & accessible discharge piping high point not vented as required. Caused by personnel error. Surveillance completed w/ 880705 ltr.  
WILSON,S.D., SHIFFER,J.D. Pacific Gas & Electric Co. 88/07/05. 6pp. 46148:176-46148:181.

## DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

## F. Security, medical, emergency & fire protection plans

8807130158 Forwards Insp Repts 50-324/88-20 & 50-325/88-20 on 880524. No violations or deviations noted.  
CLINE,W.E. Region 2, Ofc of the Director. 88/06/28. UTLEY,E.E. Carolina Power & Light Co. 2pp. 45168:015-45168:018.

8807130161 Insp Repts 50-324/88-20 & 50-326/88-20 on 880524. No violations or deviations noted. Major areas inspected: use, control & accountability of SNM. Details withheld (ref 10CFR2.790 & 73.21).  
TODD,G.A., MCALPINE,E.J. Region 2, Ofc of the Director. 88/06/28. 1p. 46168:017-46168:018.

8807190073 Rev 3 to Plant Emergency Procedure PEP-03.4.7, "Automation of Dose Projection Procedures Using IBM Personal Computer." W/880628 ltr.  
DIETZ,C.R. Carolina Power & Light Co. 88/06/28. 6pp. 46209:163-46209:168.

8807180188 Rev 5 to Emergency Plan Implementing Procedure PEP-02.6.17, "Administrative & Logistics Manager." W/880708 ltr.  
DIETZ,C.R. Carolina Power & Light Co. 88/07/08. GRACE,J.N. Region 2, Ofc of the Director. 7pp. 46198:326-46198:331.

## P. Operating license plate documents & correspondence

8807010601 Confirms 883656 telcon between P. Fredrickson & EA Bishop re enforcement discretion for facility per 880608 & 07 request. Discretion permitted initiation of orderly shutdown of plant w/o isolation of HPCI & RCIC.  
GRACE,J.N. Region 3, Ofc of the Director. 88/06/14. UTLEY,E.E. Carolina Power & Light Co. 1p. 46018:340-46018:340.

8806290399 Forwards summary of 880607 mgt meeting re activities authorized for Brunswick, Robinson & Harris facilities issues discussed re mgt overview of company nuclear program.  
GRACE,J.N. Region 2, Ofc of the Director. 88/06/16. UTLEY,E.E. Carolina Power & Light Co. 5pp. 45974:348-45974:350.

8806290494 Application for amendments to License DPR-62 & DPR-71, deleting RHR svc water discharge differential instruments for which operability not required to ensure that RHR & svc water sys function as designed. Fee paid.  
EURY,L.W. Carolina Power & Light Co. 88/06/22. Document Control Branch (Document Control Desk). 7pp. 45973:348-45974:001.

8806290496 Proposed Tech Specs, deleting RHR svc water discharge differential pressure instruments for which operability not required to ensure that RHR & svc water sys function as designed.  
Carolina Power & Light Co. 88/06/22. 6pp. 45973:356-45974:001.

8806290508 Forwards "Reactor Containment Bldg Integrated Leak Rate Test," performed on 880328-28.  
LOFLIN,L.I. Carolina Power & Light Co. 88/06/24. Document Control Branch (Document Control Desk). 1p. 45987:104-45987:170.

8806290509 "Reactor Containment Bldg Integrated Leak Rate Test."  
BLACK,D.B. Carolina Power & Light Co. 88/03/31. 65pp. 45987:105-45987:170.

8807220158 Summary of 880614 mgt meeting re Jan 1988 AIT findings & recent ESF equipment failures. List of attendees & viewpoints encl.  
GRACE,J.N. Region 2, Ofc of the Director. 88/06/28. UTLEY,E.E. Carolina Power & Light Co. 56pp. 46247:340-46248:035.

8807130245 Concurs w/utl 871208 request to use optical disk storage sys for microforming records Util precautions listed to ensure proper implementation, including Insp for signs of deterioration every two yrs.  
ADENSAV,E.G. Project Directorate II-1. 88/07/07. UTLEY,E.E. Carolina Power & Light Co. 3pp. 46169:174-46169:178.

8807210337 Application for amendments to Licenses DPR-62 & DPR-71, revising titles listed in index section of Tech Specs re administrative changes. Fee paid.  
EURY,L.W. Carolina Power & Light Co. 88/07/11. Document Control Branch (Document Control Desk). 10pp. 46236:104-46238:147.

8807210340 Proposed Tech Specs revising titles listed in index section of Tech Specs to be consistent w/titles in text re administrative changes.  
Carolina Power & Light Co. 88/07/11. 34pp. 46236:114-46236:147.

8807220043 Application for amendments to Licenses DPR-62 & DPR-72, deleting organizational charts from Tech Spec administrative control requirements per Generic Ltr 88-06 Fee paid.  
EURY,L.W. Carolina Power & Light Co. 88/07/11. Document Control Branch (Document Control Desk). 8pp. 46249:290-46249:322.

8807220047 Proposed Tech Spec Section 8.0, "Administrative Controls," deleting organizational charts.  
Carolina Power & Light Co. 88/07/11. 16pp. 46249:307-46249:322.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel nozzles & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:267.

8807250392 Forwards revised Tech Spec bases pages combining 870313 & 880408 applications for amend to licenses per 880627 telcon.  
LOFLIN,L.I. Carolina Power & Light Co. 88/07/12. Document Control Branch (Document Control Desk). 2pp. 46273:281-46273:290.

8807250395 Proposed Tech Specs Bases Pages B 3/4 4-1, B 3/4 4-2 & B 3/4 4-3 re jet pump surveillance requirements.  
Carolina Power & Light Co. 88/07/12. 8pp. 46273:283-46273:290.

8807190296 Notification of 880714 meeting w/utl in Rockville, MD to discuss HPCI/RCIC valve operability & safety sys.  
BUCKLEY,B.C. Project Directorate II-1. 88/07/13. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 3pp. 46215:135-46215:137.

8807210287 Notification of 880719 meeting w/utl in Rockville, MD to discuss alternate rod insertion diversity.  
BUCKLEY,B.C. Project Directorate II-1. 88/07/13. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 3pp. 46236:148-46236:150.

8807250010 Responds to Generic Ltr 88-01 re utl piping replacement, Insp, repair & leakage detection Plans for IGSCC Insps during Refueling Outage 6 also encl.  
EURY,L.W. Carolina Power & Light Co. 88/07/18. Document Control Branch (Document Control Desk). 54pp. 46259:257-46259:311.

## Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:268.

8806290073 Forwards summary of 880527 enforcement conference re operator errors & less than adequate attention to detail in performing shift duties noted in Insp Repts 50-324/88-16 & 50-325/88-15. List of attendees, agenda & handouts also encl.  
GRACE,J.N. Region 2, Ofc of the Director. 88/06/17. UTLEY,E.E. Carolina Power & Light Co. 56pp. 45984:148-45984:202.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46010.037-46019.152

8807010066 Advises that all computed actions required by NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays Mig by GE." No HFA relays used in HB Robinson & Shourton Harris plants.  
EURY, L.W. Carolina Power & Light Co. 88/06/22. Document Control Branch (Document Control Desk) 4pp. 46020.233-46020.236.

8807120446 Forwards PRA-Based Operational Safety Insp Repts 50-324/88-11 & 50-325/88-11 on 880229-0304 & 0314-18. Lack of clearly stated program to ensure availability of keys to secured areas when card readers disabled identified.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/23. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46135.123-46135.225.

8807120451 Insp Repts 50-324/88-11 & 50-325/88-11 on 880229-0318 & 0314-18. No violations or deviations noted. Deficiencies noted valve installation assembly involving installation of fasteners, valve location & valve orientation.  
HERDT, A.R., JAPE, F., BEINHARD, R. Region 2, Ofc of the Director. 88/05/31. 101pp. 46135.125-46135.225.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46010.153-46019.265.

8806240139 Supply to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807110358 Forwards evaluation of 880300 denial of violations noted in Insp Repts 50-324/87-43 & 50-325/87-42. Practice of administrative "red-tagging" of automatic containment penetration isolation valves unacceptable. Violation remains.  
REYES, L.A. Region 2, Ofc of the Director. 88/08/24. UTLEY, E.E. Carolina Power & Light Co. 4pp. 46141-144-46141-147.

8807130095 Confirms 880707 enforcement conference at Region II office to discuss non-conservatism recently discovered in instrument settings associated w/HPCI/RGIC high steam line flow isolation, per 880815 telcon.  
GRACE, J.N. Region 2, Ofc of the Director. 88/08/24. UTLEY, E.E. Carolina Power & Light Co. 1p. 46165.040-46165.040.

8807130159 Forwards Insp Repts 50-324/88-20 & 50-325/88-20 on 880524. No violations or deviations noted.  
CLINE, W.E. Region 2, Ofc of the Director. 88/08/28. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46166.015-46166.018.

8807130161 Insp Repts 50-324/88-20 & 50-325/88-20 on 880524. No violations or deviations noted. Major areas inspected: use, control & accountability of SNM. Details withheld (ref 10CFR 2.760 & 73.21).  
TODD, G.A., MCALPINE, E.J. Region 2, Ofc of the Director. 88/08/28. 1p. 46166.017-46166.018.

8807190299 Forwards Insp Repts 50-324/88-10 & 50-325/88-10 on 880501-0604 & notice of violation Enforcement conference scheduled for 880707.  
GRACE, J.N. Region 2, Ofc of the Director. 88/08/29. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46215.047-46215.070.

8807190301 Notice of violation from Insp on 880501-0604. Violation noted on 880517, surveillance test not performed which required that Test Switch A71B-S56B be placed in manual position.  
GRACE, J.N. Region 2, Ofc of the Director. 88/08/29. 1p. 46215.049-46215.049.

8807190302 Insp Repts 50-324/88-10 & 50-325/88-10 on 880501-0604. Violations noted Major areas inspected: previous enforcement matters, maintenance, observation, operational safety verification, LEH review & silicon controlled rectifier controllers.  
RULAND, W.H., LEVIS, W., FREDRICKSON, P. Region 2, Ofc of the Director. 88/08/29. 21pp. 46215.050-46215.070.

8807190177 Responds to violations noted in Insp Repts 50-324/87-22 & 50-325/87-22 on 880606-10 & proposed imposition of civil penalty. UH contends that no civil penalty should be levied for equipment qualification violations. Supporting info encl.  
UTLEY, E.E., TAYLOR, J.M. Carolina Power & Light Co. 88/07/01. GRACE, J.N. Region 2, Ofc of the Director. 33pp. 46206.203-46206.235.

8807070537 Responds to NRC Bulletin 88-004 re potential safety-related pump loss. UH participating in BWR Owners Group program to respond to bulletin. Upon completion will submit report summarizing problems identified & sys affected.  
LOFLIN, L.I. Carolina Power & Light Co. 88/07/05. Document Control Branch (Document Control Desk) 1p. 46126.081-46126.081.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242.108-46242.212.

8807250024 Forwards Insp Repts 50-324/88-22 & 50-325/88-22 on 880614. 17. No violations or deviations noted.  
HERDT, A.R. Region 3, Ofc of the Director. 88/07/07. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46273.048-46273.053.

8807250026 Insp Repts 50-324/88-22 & 50-325/88-22 on 880614-17. No violations or deviations noted. Major areas inspected: snubber surveillance program & IE Bulletin 80-11. Unresolved item re QC records discussed.  
LENAHAN, J., JAPE, F. Region 3, Ofc of the Director. 88/08/30. 4pp. 46273.050-46273.053.

8807060368 NRC Info Notice 88-047, "Shorter-Than-Expected Rod-Drp Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807220057 Forwards "Rept of 1988 Inservice Insp at Brunswick Steam Electric Plant Unit 2."  
LOFLIN, L.I. Carolina Power & Light Co. 88/07/15. Document Control Branch (Document Control Desk) 3pp. 46240.036-46249.067.

8807220181 "Rept of 1988 Inservice Insp at Brunswick Steam Electric Plant Unit 2."  
CONNELLY, S.D. Carolina Power & Light Co. 88/08/30. 300pp. 46248.039-46249.067.

8807120550 NRC Info Notice 88-048, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120563 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46259.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206.

## R. Periodic operating reports & related correspondence

8807140305 Forwards monthly operating reports for May, June & Jul 1988 for Brunswick Steam Electric Plant Units 1 & 2.  
DIETZ, C.R. Carolina Power & Light Co. 88/07/06. Document Control Branch (Document Control Desk) 1p. 46246.104-46246.129.

8807270281 Monthly operating report for Jul 1988 for Brunswick 1.  
Carolina Power & Light Co. 88/07/31. 1p. 46246.105-46246.105.

8807270284 Monthly operating reports for June 1988 for Brunswick Units 1 & 2.  
HARRISON, F. Carolina Power & Light Co. 88/08/30. 22pp. 46246.106-46246.129.

## V. Operator Examinations

8807070568 Submits revised commitment re required/licensed training for mitigation of core damage per NUREG-0737, Item II.B.4. Available courses listed & are regularly scheduled & on request.  
LOFLIN, L.I. Carolina Power & Light Co. 88/07/05. Document Control Branch (Document Control Desk) 1p. 46123.107-46123.107.

## DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

## F. Security, medical, emergency & fire protection plans

8807130159 Forwards Insp Repts 50-324/88-20 & 50-325/88-20 on 880524. No violations or deviations noted.  
CLINE, W.E. Region 2, Ofc of the Director. 88/08/28. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46166.015-46166.018.

8807130161 Insp Repts 50-324/88-20 & 50-325/88-20 on 880524. No violations or deviations noted. Major areas inspected: use, control & accountability of SNM. Details withheld (ref 10CFR 2.760 & 73.21).  
TODD, G.A. Region 2, Ofc of the Director. 88/08/28. 1p. 46166.017-46166.018.

8807190073 Rev 3 to Plant Emergency Procedure PEP-03.4.7, "Automation of Dose Protection Procedures Using IBM Personal Computer." w/880628 ltr.  
DIETZ, C.R. Carolina Power & Light Co. 88/06/28. 8pp. 46200.163-46200.168.

8807180188 Rev 5 to Emergency Plan Implementing Procedure PEP-02.6.17, "Administrative & Logistics Manager." w/880708 ltr.  
DIETZ, C.R. Carolina Power & Light Co. 88/07/08. GRACE, J.N. Region 2, Ofc of the Director. 7pp. 46198.325-46198.331.

## P. Operating license stage documents & correspondence

8807010601 Confirms 880608 telcon between P. Fredrickson & EA Bishop re enforcement discretion for facility per 880608 & 07 request. Discretion permitted initiation of orderly shutdown of plant w/o isolation of HPCI & RGIC.  
GRACE, J.N. Region 3, Ofc of the Director. 88/06/14. UTLEY, E.E. Carolina Power & Light Co. 1p. 46018.340-46019.340.

8806290399 Forwards summary of 880607 mgt meeting re activities authorized for Brunswick, Robinson & Harns facilities issues discussed re mgt overview of company nuclear program.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/16. UTLEY, E.E. Carolina Power & Light Co. 5pp. 45974.346-45974.350.

8806290494 Application for amendments to License DPR-62 & DPR-71, deleting RHR swivel discharge differential instruments for which operability not required to ensure that RHR & svc water sys function as designed. Fee paid.  
EURY, L.W. Carolina Power & Light Co. 88/06/22. Document Control Branch (Document Control Desk) 7pp. 45973.349-45974.001.

-8806290496 Proposed Tech Specs, deleting RHR svc water discharge differential pressure instruments for which operability not required to ensure that RHR & svc water sys function as designed  
\* Carolina Power & Light Co 88/08/22 8pp 45973 358-45974 001.

8807060544 Application for amend to License DPR-71 replacing Instrument Tag Number TS-CR-863 w/TS-CIT-883.3 in Tech Specs Fee paid  
EURYL.W. Carolina Power & Light Co 88/08/27 Document Control Branch (Document Control Desk) 7pp 46114 270-46114 280.

-8807060548 Proposed Tech Specs, replacing Instrument Tag Number TS-CR-863 w/TS-CIT-863.3 for chloride intrusion monitor.  
\* Carolina Power & Light Co 88/08/27 4pp 46114 277-46114 280.

8807220158 Summary of 880614 mgmt meeting re Jan 1988 AIT findings & recent ESF equipment failures List of attendees & viewpoints encl.  
GRACE, J.N. Region 2, Ofc of the Director. 88/08/29. UTLEY, E.E. Carolina Power & Light Co. 56pp. 46247 340-46248 035

8807130245 Concurs w/utl 871208 request to use optical disk storage sys for micro-film records. Util precautions listed to ensure proper implementation on including insp for signs of deterioration every two yrs.  
ADENSAM, E.G. Project Directorate II-1. 88/07/07 UTLEY, E.E. Carolina Power & Light Co. 3pp. 46169 174-46169 176

8807210337 Application for amends to Licenses DPR-62 & DPR-71, revising titles listed in index section of Tech Specs re administrative changes Fee paid  
EURYL.W. Carolina Power & Light Co 88/07/11 Document Control Branch (Document Control Desk). 10pp 46236 104-46236 147.

-8807210340 Proposed Tech Specs, revising titles listed in index section of Tech Specs to be consistent w/titles in text re administrative changes  
\* Carolina Power & Light Co 88/07/11 34pp. 46236 114-46236 147

8807220043 Application for amends to Licenses DPR-62 & DPR-72, deleting organization charts from Tech Spec administrative control requirements per Generic Ltr 88-05 Fee paid  
EURYL.W. Carolina Power & Light Co 88/07/11 Document Control Branch (Document Control Desk). 8pp. 46249 299-46249 322

-8807220047 Proposed Tech Spec Section 6.0, "Administrative Controls," deleting organization charts.  
\* Carolina Power & Light Co 88/07/11. 16pp. 46249 307-46249 322

8807220205 Application for amend to License DPR-71, incorporating revised instrument numbers in Tables 3.3.6.1-1, 3.3.6.1-2 & Tech Spec 3.3.6.1 to reflect new ATWS recirculation pump trip logic Fee paid  
EURYL.W. Carolina Power & Light Co 88/07/11 Document Control Branch (Document Control Desk) 12pp 46250 303-46250 327.

-8807220207 Proposed Tech Specs, incorporating revised instrument numbers in Tables 3.3.6.1-1, 3.3.6.1-2 & Tech Spec 3.3.6.1 to reflect ATWS recirculation pump trip logic.  
\* Carolina Power & Light Co 88/07/11. 7pp. 46250 321-46250 327.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.89 encl  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 251.

8807250392 Forwards revised Tech Spec bases pages combining 870313 & 880408 applications for amend to licenses, per 880627 letcon  
LOFLIN, L.I. Carolina Power & Light Co 88/07/12. Document Control Branch (Document Control Desk) 2pp. 46273 281-46273 290.

-8807250395 Proposed Tech Specs Bases Pages B 3/4 4-1, B 3/4 4-2 & B 3/4 4-3 re jet pump surveillance requirements.  
\* Carolina Power & Light Co 88/07/12 8pp. 46273 283-46273 290

8807190298 Notification of 880714 meeting w/utl in Rockville, MD to discuss HPCI/RCIC valve operability & safety sys.  
BUCKLEY, B.C. Project Directorate II-1. 88/07/13. MURLEY, T., SNIEZEK, J., MIRAGLIA, F.J. NRC - No Detailed Affiliation Given. 3pp. 46215 135-46215 137.

8807210287 Notification of 880719 meeting w/utl in Rockville, MD to discuss alternate rod insertion diversity.  
BUCKLEY, B.C. Project Directorate II-1. 88/07/13. MURLEY, T., SNIEZEK, J., MIRAGLIA, F.J. NRC - No Detailed Affiliation Given. 3pp. 46238 148-46238 160.

8807250010 Responds to Generic Ltr 88-01 re utl piping replacement, insp, repair & leakage detection. Plans for IGSC insps during Refueling Outage 8 also encl.  
EURYL.W. Carolina Power & Light Co 88/07/16 Document Control Branch (Document Control Desk). 54pp. 46259 257-46259 311.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130186 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 158-45978 268.

8806290073 Forwards summary of 880527 enforcement conference re operator errors & less than adequate attention to detail in performing shift duties noted in Insp Repts 50-324/88-15 & 50-325/88-15. List of attendees, agenda & handouts also encl.  
GRACE, J.N. Region 2, Ofc of the Director. 88/08/17. UTLEY, E.E. Carolina Power & Light Co. 58pp. 45984 148-45984 202.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152

8807010058 Advises that utl completed actions required by NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Batching Relays Mfg by GE." No HFA relays used in HB Robinson & Shanon Harris plants  
EURYL.W. Carolina Power & Light Co 88/08/22. Document Control Branch (Document Control Desk) 4pp. 46020 233-46020 236.

8807120446 Forwards PRA Based Operational Safety Insp Repts 50-324/88-11 & 50-325/88-11 on 880229-0304 & 0314-18. Lack of clearly stated program to ensure availability of keys to secured areas when card readers disabled, identified.  
GRACE, J.N. Region 2, Ofc of the Director. 88/08/23. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46135 123-46135 225.

-8807120451 Insp Repts 50-324/88-11 & 50-325/88-11 on 880229-0318 & 0314-18. No violations or deviations noted. Deficiencies noted: valve installation assembly involving installation of of fasteners, valve location & valve orientation.  
HERDT, A.H., JAPE, F., BERNHARD, R. Region 2, Ofc of the Director. 88/05/31. 101pp. 46135 125-46135 225.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 268-46020 018

8807110358 Forwards evaluation of 880309 denial of violations noted in Insp Repts 50-324/87-43 & 50-325/87-42. Practice of administrative "red-tagging" of automatic containment penetration isolation valves unacceptable. Violation remains.  
REYES, L.A. Region 2, Ofc of the Director. 88/08/24. UTLEY, E.E. Carolina Power & Light Co. 4pp. 46141 144-46141 147.

8807130095 Confirms 880707 enforcement conference at Region II ofc to discuss non-conservatism recently discovered in instrument settings associated w/HPI/RCIC high steam line flow isobar on per 880815 letcon  
GRACE, J.N. Region 2, Ofc of the Director. 88/08/24. UTLEY, E.E. Carolina Power & Light Co. 1p. 46165 040-46165 040.

8807130159 Forwards Insp Repts 50-324/88-20 & 50-325/88-20 on 880524. No violations or deviations noted.  
CLINE, W.E. Region 2, Ofc of the Director. 88/08/28. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46166 015-46166 018.

-8807130161 Insp Repts 50-324/88-20 & 50-325/88-20 on 880524. No violations or deviations noted. Major areas inspected: use, control & accountability of SNM. Data is withheld (rel 10CFR2.790 & 73.21).  
TODD, G.A., MCALPINE, E.J. Region 2, Ofc of the Director. 88/08/28. 1p. 46166 017-46166 018.

8807190299 Forwards Insp Repts 50-324/88-18 & 50-325/88-18 on 880501-0804 & notice of violation. Enforcement conference scheduled for 880707.  
GRACE, J.N. Region 2, Ofc of the Director. 88/08/28. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46215 047-46215 070.

-8807190301 Notice of violation from Insp on 880501-0804. Violation noted on 880517. Surveillance test not performed which requires that Test Switch A71B-S58B be placed in manual position.  
GRACE, J.N. Region 2, Ofc of the Director. 88/08/28. 1p. 46215 040-46215 040.

-8807190302 Insp Repts 50-324/88-18 & 50-325/88-18 on 880501-0804. Violations noted. Major areas inspected: previous enforcement matters, maintenance, observation, operational safety verification, LER review & all control rod actuator controllers.  
RULAND, W.H., LEWIS, W., FREDRICKSON, P. Region 2, Ofc of the Director. 88/08/28. 21pp. 46215 050-46215 070.

8807190177 Responds to violations noted in Insp Repts 50-324/87-22 & 50-325/87-22 on 880808-10 & proposed imposition of civil penalty. Util contends that no civil penalty should be levied for equipment qualification violations. Supporting info encl.  
UTLEY, E.E., TAYLOR, J.M. Carolina Power & Light Co. 88/07/01. GRACE, J.N. Region 2, Ofc of the Director. 33pp. 46203 203-46203 235.

8807070537 Responds to NRC Bulletin 88-004 re potential safety related pump loss. Util participating in BWR Owners Group program to respond to bulletin. Upon completion will submit report summarizing problems identified & sys affected.  
LOFLIN, L.I. Carolina Power & Light Co. 88/07/05. Document Control Branch (Document Control Desk) 1p. 46126 081-46126 091.

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212

8807250024 Forwards Insp Repts 50-324/88-22 & 50-325/88-22 on 880614. 17. No violations or deviations noted.  
HERDT, A.R. Region 3, Ofc of the Director. 88/07/07. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46273 048-46273 053

-8807250026 Insp Repts 50-324/88-22 & 50-325/88-22 on 880614. 17. No violations or deviations noted. Major areas inspected: submergence surveillance program & IE Bulletin 88-11. Unresolved item re QC records discussed.  
LENAHAN, J.J., JAPE, F. Region 3, Ofc of the Director. 88/08/30. 4pp. 46273 050-46273 053.

8807080008 NRC Info Notice 88-046, "Licensee Report of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Relubricated Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp 46242 093-46242 108.

8807080388 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp 46241.263-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp 46257.258-46258.018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp 46257.088-46257.208.

#### R. Periodic operating reports & related correspondence

8807140305 Forwards monthly operating reports for May, June & Jul 1988 for Brunswick Steam Electric Plant Units 1 & 2.  
DIETZ,C.R. Carolina Power & Light Co. 88/07/08. Document Control Branch (Document Control Desk). 1p. 46246.104-46246 128.

-8807270281 Monthly operating rept for Jul 1988 for Brunswick 1.  
\* Carolina Power & Light Co. 88/07/31. 1p. 46246.105-46246 105

-8807270284 Monthly operating reports for June 1988 for Brunswick, Units 1 & 2.  
HARRISON,F. Carolina Power & Light Co. 88/06/30. 22pp. 46246.106-46246 120.

#### S. Reportable occurrences, LERs & related correspondence

8807070346 Suppl to special rept on 880307, two designated fire barrier limiting conditions for operation initiated. Plant mod will be installed during upcoming refueling/maint outage to resolve subj differential pressure problem.  
DIETZ,C.R. Carolina Power & Light Co. 88/06/20. Document Control Branch (Document Control Desk). 1p. 46125.360-46125.360.

8807010534 LER 88-012-00 on 880528, HPCI turbine steam supply isolation valve would not open, resulting in HPCI being declared inoperable. Caused by failure of valve motor windings. Hole drilled in valve disc. W/880027 ltr.  
PASTVA,M.J., DIETZ,C.R. Carolina Power & Light Co. 88/08/27. 5pp. 45907.273-45907 277.

8807070018 LER 87-023-01 on 871231, HPCI turbine steam supply isolation valve E41-F001 would not open. Caused by failure of direct current motor. Failed valve motor removed & replacement valve motor installed. W/880627 ltr.  
PASTVA,M.J., DIETZ,C.R. Carolina Power & Light Co. 88/06/27. 6pp. 46124.302-46124.307.

8807070025 LER 85-050-01 on 851102, reactor scrammed due to primary containment Group 1 isolation, RCIC trip & trip/lockout of diesel generator 4. Personnel disciplined & followup meetings w/shift personnel held. W/880627 ltr.  
PASTVA,M.J., DIETZ,C.R. Carolina Power & Light Co. 88/06/27. 7pp. 46139.071-46139 077.

8807080171 LER 88-011-01 on 880420, HPCI sys E41 pump suction from suppression pool, E41-F041, inoperable. Caused by valve dc powered motor. Limitorque Corp. 150-358-180, failure. Failed motor replaced & plant mods to be implemented. W/880628.  
PASTVA,M.J., DIETZ,C.R. Carolina Power & Light Co. 88/06/28. 6pp. 46138.062-46138 068.

8807150166 LER 88-006-01 on 880219, several bolt head failures of silicon-bronze carriage bolts in 125-volt & 250-volt dc switchboards identified. Caused by IGSCC. Bolts replaced w/ bolts made from mild carbon steel. W/880630 ltr.  
PULK,R.M., DIETZ,C.R. Carolina Power & Light Co. 88/06/30. 28pp. 46185.245-46185 272.

8807120865 LER 88-014-00 on 880808, RCIC sys steam leak detection instrumentation setpoints determined to be set nonconservatively high. Cause not determined. Unit 2 piping misconfiguration corrected. W/880708 ltr.  
PASTVA,M.J., DIETZ,C.R. Carolina Power & Light Co. 88/07/08. 14pp. 46154.316-46154 328.

8807180065 LER 88-015 00 on 880612, control bldg emergency air filtration & HVAC sys automatically isolated due to actuation of chlorine detector in tank car storage area. Cause undetermined. W/880708 ltr.  
PASTVA,M.J., DIETZ,C.R. Carolina Power & Light Co. 88/07/08. 3pp. 46195.042-46195 044.

8807180102 LER 88-008-01 on 880302, generic failure mechanism for supply fans of common diesel generator bldg ventilation sys identified. Caused by fatigue failure in fan due to frequent starts & stops. Fan repaired. W/880708 ltr.  
PASTVA,M.J., DIETZ,C.R. Carolina Power & Light Co. 88/07/08. 13pp. 46195.050-46195 082.

#### V. Operator Examinations

8807070558 Submits revised commitment re qualification training for mitigation of core damage per NUREG-0737, Item II.B.4. Available courses listed & are regularly scheduled & on request.  
LOFLIN,L.I. Carolina Power & Light Co. 88/07/05. Document Control Branch (Document Control Desk). 1p. 46123.107-46123 107.

DOCKET 50-326 UNIV. OF CALIFORNIA AT IRVINE REACTOR

#### S. Reportable occurrences, LERs & related correspondence

8807110227 PHO-V. 88-042 on 880626, magnitude 4.7 earthquake occurred. Telephone contact established that earthquake not felt, no damage identified, no releases of radioactively occurred & seismic instrumentation operable & did not respond.  
NORTH, I.L. Region 5, Ofc of the Director. 88/06/27. 1p. 46140.265-46140 265.

#### DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807080413 Forwards Safeguards Insp Repts 50-327/88-32 & 50-328/88-32 on 880813-17. Violations noted. Violations not being cited. Detail withheld (ref 10CFR2.790(d) & 73.21).  
MCCOY,F.R. Ofc of Special Projects. 88/06/24. WHITE,S.A. Tennessee Valley Authority. 2pp. 46110.001-46110 003.

-8807080414 Partially withheld Insp Repts 50-327/88-32 & 50-328/88-32 on 880608-10. Violation noted. Major areas inspected, security plan & implementing procedures, mgt effectiveness, security program & organization & physical barriers.  
ENNIS,J.D., MCGUIRE,D.R. Region 2, Ofc of the Director. 88/06/20. 1p. 46110.003-46110 003.

8807070551 Forwards Amends 73 & 85 to Licenses DPR-77 & DPR-78, respectively & safety evaluation re physical security plan.  
MORAN,D.H. Ofc of Special Projects. 88/06/24. WHITE,S.A. Tennessee Valley Authority. 2pp. 46110.250-46110 263.

-8807070555 Amends 73 & 85 to Licenses DPR-77 & DPR-78, respectively, modifying Paragraph 2.E of licenses to require compliance w/ amended physical security plan. BLACK,S. Ofc of Special Projects. 88/06/24. 8pp. 46118.252-46118 259.

-8807070556 Safeguards evaluation supporting Amends 73 & 85 to Licenses DPR-77 & DPR-78, respectively.  
\* NRC - No Detailed Affiliation Given. 88/06/24. 4pp. 46110.260-46110 263.

8807080080 Rev 0 to Emergency Plan Implementing Procedure EPIP-10, "Medical Emergency Procedure." W/880701 ltr.  
NOBLE,T., GRIDLEY,R. Tennessee Valley Authority. 88/07/01. 37pp. 46139.150-46139 186.

8807190300 Informs that plant will be ready for Unit 1 App R insp beginning wk of 880705, per S Black 880806 request. List of mods identified during verification of Rev 0 to App R shutdown logic & Engineering Calculation SQ4 CSS 024 encl.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46216.001-46216 111.

8807250013 Provides info re TVA schedule for responding to items re emergency response capability, per Rev 2 to Reg Guide 1.97. TVA will provide NRC w/ response to add info requested on 870511 by 881030.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/15. Document Control Branch (Document Control Desk). 3pp. 46269.237-46269 239.

8807260008 Discusses emergency preparedness mod of low threshold event reporting & emergency reporting procedures for plants that will no longer classify & report events in manner described in radiological emergency plan due to const status.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/15. Document Control Branch (Document Control Desk). 3pp. 46265.294-46265 298.

#### H. General correspondence

8807260396 Confirms to con re voluntary retirement of HL Abercrombie, site director on 880722. J.T. Lapoint will be assigned acting site director. Info transmitted per will revised corporate nuclear performance plan dtd Jul 1987.  
WHITE,S.A. Tennessee Valley Authority. 88/07/20. PARTLOW,J.G. Ofc of Special Projects. 2pp. 46330.138-46330 137.

#### P. Operating license stage documents & correspondence

8806290510 Advises that proposed Tech Specs 6.2.1.b & 6.2.1.c do not specify position titles for corresponding mgt positions.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/22. Document Control Branch (Document Control Desk). 2pp. 45976.070-45976 071.

8807010023 Forwards public notice of application for amend to OL for subj plant to be published in 880624 Chattanooga News-Free Press & Chattanooga Times. Advertising order approving publication also encl.  
BLACK,S. Ofc of Special Projects. 88/06/22. ROBINSON,L. Chattanooga Publishing Co. 1p. 45991.200-45991 206.

-8807010025 Notice of NRC proposal to amend OL at subj plant. Amend would delete organizational charts from administrative controls section of Tech Specs per Generic Ltr 88-08.  
\* Ofc of Special Projects. 88/06/22. 8pp. 45991.201-45991 206.

8807050517 Forwards AEOD Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Brikwood Unit 1.  
ROSENTHAL,J.E. Reactor Operations Analysis Branch. 88/06/23. BEFLINGER,C.H. Generic Communications Branch. 2pp. 45998.060-45998 068.

-8807050528 Forwards AEOD Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector." Events where recovery of stuck detector & cleaning of thimble tubes led to personnel hazard discussed.  
WEGNER,M.S. Reactor Operations Analysis Branch. 88/06/23. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 1p. 45998.062-45998 062.



-8807050550 Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector."

\* Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45998:063-45998:066

8807050157 Forwards corrective action plan for deficiencies in post-implementation audit report on safety parameter display sys in response to RA Hermann 880429 request. GRIDLEY, R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 15pp. 46026:355-46027:009.

8807050568 Forwards description of missed commitments & schedule of completion of commitments not included in Amend 5 to FSAR. GRIDLEY, R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 3pp. 46025:140-46025:142

8807060219 Forwards update to util 880318 ltr re performance testing of reactor relief & safety valves per NRC 880429 request. Util will continue to evaluate effectiveness for Unit 2 through compliance w/ Tech Specs for RCS leakage. GRIDLEY, R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 3pp. 46117:328-46117:331.

8807070551 Forwards Amends 73 & 65 to Licenses DPR-77 & DPR-79, respectively & safety evaluation re physical security plan. MORAND, H. Oic of Special Projects. 88/06/24. WHITE, S.A. Tennessee Valley Authority. 2pp. 46118:250-46118:263.

-8807070555 Amends 73 & 65 to Licenses DPR-77 & DPR-79, respectively, modifying Paragraph 2.E of Licenses to require compliance w/ amended physical security plan. BLACK, S. Oic of Special Projects. 88/06/24. 8pp. 46118:252-46118:269.

-8807070558 Safeguards evaluation supporting Amends 73 & 65 to Licenses DPR-77 & DPR-79, respectively  
\* NRC - No Definite Affiliation Given 88/06/24. 4pp. 46118:260-46118:263.

8807080126 Notice of consideration of issuance of amends to Licenses DPR-77 & DPR-79 & proposed NSHC determination & opportunity for hearing Amend revises Limiting Condition for Operation 3.7.5 to increase max allowable ultimate heat sink temp. MORAND, H. Oic of Special Projects. 88/06/24. 9pp. 46133:297-46133:305.

8807150204 First response to FOIA request for documents Forwards App B documents & documents to be placed in PDR App A documents already available in PDR. GRIMSLEY, D.H. Division of Rules & Records (870413-880514). 88/08/24. CONNOR, L. Doc-Search Associates. 4pp. 46153:097-46153:205

-8807150253 Forwards questions from majority staff of House Interior Committee for review & appropriate action. BRADBURN, J.C. Congressional Affairs. 88/01/11. EBNETER, S. Oic of Special Projects. 70pp. 46153:136-46153:205.

8807070493 Forwards summary of util 880524 presentation re min edge distance for anchor bolts discussed in 880318 10CFR21 notification from Hitt, Inc. GRIDLEY, R. Tennessee Valley Authority. 88/08/28. Document Control Branch (Document Control Desk). 3pp. 46136:288-46136:300.

8807110282 Forwards util CRAC2 meteorology results on floppy disk & in hard copy & include site wind rose during 1985 WFO end. CUNNINGHAM, L.J. Radiation Protection Branch. 88/06/28. ACHARYA, S. Probabilistic Risk Analysis Branch. 1p. 46101:033-46101:033.

8807120559 Forwards public notice of util 880613 application for exgent amends to Licenses DPR-77 & DPR-79 for publication in Chattanooga Times & Chattanooga News Free Press Amend deletes organizational charts for Tech Specs. BLACK, S.C. Oic of Special Projects. 88/08/29. WHITE, S.A. Tennessee Valley Authority. 18pp. 46113:065-46113:072.

8807120710 Staff requirements memo re Commission 880621 briefing on TVA reorganization & status of plants. CHILK, S.J. Office of the Secretary of the Commission. 88/06/29. STELLO, V. Oic of the Executive Director for Operations. 1p. 46120:193-46120:193.

8807130442 Forwards Amends 74 & 66 to Licenses DPR-77 & DPR-79, respectively & safety evaluation Amends revise Tech Spec Section 6 re administrative controls, reflecting site organizational changes & deletions per Generic Ltr 88-06. BLACK, S. Oic of Special Projects. 88/08/30. WHITE, S.A. Tennessee Valley Authority. 4pp. 46166:240-46166:321.

-8807130444 Amends 74 & 66 to Licenses DPR-77 & DPR-79, respectively, revising Tech Spec Section 6 re administrative controls to reflect site organizational & title changes & delete organizational charts per Generic Ltr 88-06. BLACK, S. Oic of Special Projects. 88/08/30. 6pp. 46166:244-46166:309.

-8807130447 Safety evaluation supporting Amends 74 & 66 to Licenses DPR-77 & DPR-79, respectively  
\* Oic of Special Projects. 88/08/30. 12pp. 46166:310-46166:321.

8807150400 Discusses util 881031 ltr containing commitment to provide add info re implementation schedules for mods required by 10CFR60.82 after restart. GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 2pp. 46141:327-46141:328.

8807120330 Provides info & background on 40-yr qualification test program for silicone rubber insulated cables. GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 8pp. 46145:340-46145:347.

8807120659 Informs that util 870819 response to Generic Ltr 87-08 re periodic verification of leak tight integrity of pressure isolation valves acceptable. BLACK, S. Oic of Special Projects. 88/07/06. WHITE, S.A. Tennessee Valley Authority. 4pp. 46156:183-46156:186.

8807140291 Forwards Amend 75 to License DPR-77 & safety evaluation. Amend deletes requirements of License Condition 2.C.(10), "Water Chemistry Control Program." BLACK, S. Oic of Special Projects. 88/07/06. WHITE, S.A. Tennessee Valley Authority. 4pp. 46175:073-46175:083.

-8807140294 Amend 75 to License DPR-77, deleting requirements of License Condition 2.C.(10), "Water Chemistry Control Program." BLACK, S. Oic of Special Projects. 88/07/06. 4pp. 46175:077-46175:080.

-8807140298 Safety evaluation supporting Amend 75 to License DPR-77.  
\* Oic of Special Projects. 88/07/06. 3pp. 46175:081-46175:083

8807190093 Forwards employee concerns task group comments on preliminary SERs for plant element repts, per NRC 880311 ltr. GRIDLEY, R. Tennessee Valley Authority. 88/07/08. BLACK, S.C. Oic of Special Projects. 10pp. 46217:243-46217:252.

8807140269 Provides summary of NRC 880628 & 29 discussions of nuclear plant performance. Shortcomings noted in Sequoyah 2 secondary sys maint & personnel performance as areas contributing to series of reactor trips during initial operations. STELLO, V. Oic of the Executive Director for Operations. 88/07/08. WHITE, S.A. Tennessee Valley Authority. 2pp. 46172:354-46172:355.

8807190027 Discusses relief request required for Unit 1 hydrogen analyzer sampling valves for inservice test program Fee paid. GRIDLEY, R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 8pp. 46209:175-46209:184.

8807190127 Forwards facility diesel generator voltage response improvement plan & fulfills 880303 commitment Rept describes three optimum improvement plans, expected results of options & projected schedule for implementation of mods. GRIDLEY, R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46215:118-46215:124.

-8807190131 "Diesel Generator Voltage Response Improvement Plan."  
BOWMAN, M.D. Tennessee Valley Authority. 88/06/17. 4pp. 46215:121-46215:124

8807200219 Forwards corrected Tech Spec pages of Amends 71 & 63 to Licenses DPR-77 & DPR-79, respectively. BLACK, S. Oic of Special Projects. 88/07/11. WHITE, S.A. Tennessee Valley Authority. 3pp. 46228:338-46228:352.

-8807200222 Errata to Amends 71 & 63 to Licenses DPR-77 & DPR-79, respectively, reflecting originally submitted rows found acceptable in safety evaluation  
\* Oic of Special Projects. 88/07/11. 12pp. 46228:341-46228:352.

8807200231 Forwards notice of consideration of issuance of Amends to Licenses DPR-77 & DPR-79 & opportunity for hearing re Tech Spec Change 88-21 concerning min river water level & max river water temp for plant operation. BLACK, S. Oic of Special Projects. 88/07/11. WHITE, S.A. Tennessee Valley Authority. 2pp. 46221:084-46221:094.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Flow 2 to Reg Guide 1.99 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257

8807210178 Forwards Amends 76 & 77 to Licenses DPR-77 & DPR-79, respectively & safety evaluation Amends modify Tech Spec Table 3.3-9 re remote shutdown monitoring instrumentation. BLACK, S.C. Oic of Special Projects. 88/07/12. WHITE, S.A. Tennessee Valley Authority. 3pp. 46237:273-46237:285.

-8807210180 Amends 76 & 77 to Licenses DPR-77 & DPR-79, respectively, modifying Tech Spec Table 3.3-9 re remote shutdown monitoring instrumentation. BLACK, S.C. Oic of Special Projects. 88/07/12. 10pp. 46237:276-46237:283.

-8807210182 Safety evaluation supporting Amends 76 & 77 to Licenses DPR-77 & DPR-79, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. 2pp. 46237:284-46237:285.

8807210335 Notification of 880721 meeting w/ TVA in Rockville, MD to discuss Phase II of design baseline & verification program. DONOHUE, J.N. Oic of Special Projects. 88/07/13. BLACK, S. Oic of Special Projects. 3pp. 46237:152-46237:164.

8807220333 Forwards request for add info re main steam line breaks in ice condenser plants. Major review Addendum 1 to WCAP-10988, "Ice Condenser Drain Test Results Data Analysis & Development of Drain Flow Models for LOTIC-III Ice ...". BLACK, S. Oic of Special Projects. 88/07/15. WHITE, S.A. Tennessee Valley Authority. 6pp. 46250:140-46250:153.

8807250251 Forwards revised commitment to evaluate control loops. Schedule for completion should be extended to 881231 because of prolonged delay of restart of Unit 2 & emergent work. GRIDLEY, R. Tennessee Valley Authority. 88/07/18. Document Control Branch (Document Control Desk). 3pp. 46276:326-46276:328.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSS, J.C. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:268.

8806290181 Forwards Shift Coverage Insp Repts 50-327/88-26 & 50-328/88-26 on 880403-0504 & notice of violation NRC still has concern re overall adequacy of configuration control. Requests consideration of enforcement history in response. MCCOY, F.R. Oic of Special Projects. 88/06/17. WHITE, S.A. Tennessee Valley Authority. 2pp. 45987:046-45987:089.

-8806290189 Notice of violation from insp on 880403-0504. Violation noted. Licensee failed to implement procedural requirements for maintaining configuration controls after sys operating instruction checklist completion. MCCOY, F.R. Oic of Special Projects. 88/06/17. 2pp. 45987:048-45987:049.

-8806290192 Insp Repts 50-327/88-26 & 50-328/88-26 on 880403-0504. Violations noted. Major areas inspected control room observation & operational safety verification, including operations performance, sys lineups & radiation protection. LONG, A.R., JENISON, K., BRANCH, M. Region 2, Oic of the Director. 88/06/17. 40pp. 45987:050-45987:089.



8808180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 48019.037-48019.152.

8807110465 Forwards safety evaluation re NRC Bulletin 88-002, "Static O-Ring (SOR) Differential Pressure Switches." All issues satisfactorily met. Requests confirmation that SOR switches for upper head injection & RHR sys replaced.  
BLACK,S. Ofc of Special Projects. 88/08/23. WHITE,S.A. Tennessee Valley Authority. 1p. 46082.059-46082.062.

-8807110478 Safety evaluation re IE Bulletin 88-002, "Static O-Ring Differential Pressure Switches." All issues satisfactorily addressed.  
\* Ofc of Special Projects. 88/08/23. 3pp. 46082.060-46082.062.

8807120590 Forwards Insp Repts 50-327/88-30 & 50-328/88-30 on 880523-24. No violations or deviations noted.  
MCCOY,F.R. Ofc of Special Projects. 88/08/23. WHITE,S.A. Tennessee Valley Authority. 2pp. 46148.186-46148.191.

-8807120593 Insp Repts 50-327/88-30 & 50-328/88-30 on 880523-24. No violations or deviations noted. Major areas inspected: plant chemistry.  
KAHLE,J.B. Region 2, Ofc of the Director. 88/08/18. 4pp. 46148.189-46148.191.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 48019.266-48020.018.

8807050185 Informs that full implementation of subj commitment not expected until 880801 because of higher priority restart work.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/24. Document Control Branch (Document Control Desk). 3pp. 46025.102-46025.104.

8807080413 Forwards Safeguards Insp Repts 50-327/88-32 & 50-328/88-32 on 880613-17. Violations noted. Violations not being cited. Data withheld (rel 10CFR2.790(d) & 73.21).  
MCCOY,F.R. Ofc of Special Projects. 88/08/24. WHITE,S.A. Tennessee Valley Authority. 2pp. 46110.001-46110.003.

-8807080414 Partially withhold Insp Repts 50-327/88-32 & 50-328/88-32 on 880600-10. Violation noted. Major areas inspected: security plan & implementing procedures, ngt effectiveness, security program & organization & physical barriers.  
ENNIS,J.D., MCGUIRE,D.R. Region 2, Ofc of the Director. 88/08/20. 1p. 46110.003-46110.003.

8807070391 Forwards Insp Repts 50-327/88-12 & 50-328/88-12 on 880215-19. No violations noted. Open restart issues re civil calculation effort resolved.  
RICHARDSON,S.D. Ofc of Special Projects. 88/08/24. WHITE,S.A. Tennessee Valley Authority. 3pp. 46118.120-46118.189.

-8807070392 Insp Repts 50-327/88-12 & 50-328/88-12 on 880215-19. No violations or deviations noted. Major areas inspected: review of civil corrective actions re civil engineering portion of calculation review program & review of piping analyses.  
FAIR,J.R., CHENG,T.M., HERMANN,R.A. Ofc of Special Projects. 88/08/24. 68pp. 46118.123-46118.189.

8807160204 Final response to FOIA request for documents Forwards App B documents & documents to be placed in PDR. App A documents already available in PDR.  
GRIMSLEY,D.H. Division of Rules & Records (870413-880514). 88/08/24. CONNOR,L. Doc-Search Associates. 4pp. 48153.097-48153.205.

-8807160248 Forwards H Myers comment on Insp Repts 50-327/87-31 & 50-328/87-31.  
COMBS,T. NRC - No Detailed Affiliation Given. 88/01/08. DENTON,H. NRC - No Detailed Affiliation Given. 3pp. 46153.128-46153.135.

8807120484 Advised that TVA had acceptably addressed seven nuclear safety review staff recommendations & items verified & closed, per Insp Repts 50-327/88-19 & 50-328/88-19.  
BLACK,S. Ofc of Special Projects. 88/08/27. WHITE,S.A. Tennessee Valley Authority. 3pp. 46113.339-46113.341.

8807060044 Responds to NRC 880527 ltr re violations noted in Insp Repts 50-327/88-19 & 50-328/88-19. Corrective actions defective drawings revised & proper seals installed.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/28. Document Control Branch (Document Control Desk). 7pp. 46115.239-46115.245.

8807060069 Responds to NRC 880527 ltr re violations noted in Insp Repts 50-327/88-07 & 50-328/88-07. Corrective actions: verification of all mail issued against identified dedication packages completed as Initial Unit 2, Mode 4 prerequisite.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/28. Document Control Branch (Document Control Desk). 4pp. 46110.032-46110.035.

8807070249 Provides info re treatment of auxiliary verbs in plant documents as add'l response to violations noted in Insp Repts 50-327/88-30 & 50-328/88-30. Use of

8807080287 Responds to 880526 ltr re violations noted in Insp Repts. Corrective actions: sewage being routinely pumped from sys & hauled to Chattanooga regional sewage treatment facility to minimize potential for noncompliances.  
BROOKS,R.H. Tennessee Valley Authority. 88/08/29. STEWART,P.L. Chattanooga, TN. 11pp. 46127.011-46127.021.

8807080462 Forwards revised response to violations noted in Insp Repts 50-327/88-08 & 50-328/88-08. Corrective actions: formal training in appropriate areas conducted & documented for all personnel involved.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/30. Document Control Branch (Document Control Desk). 5pp. 46110.016-46110.020.

8807080811 Advises that Cutler-Hammer, Type M relays not installed in safety-related equipment other than diesel generator control panel.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/30. Document Control Branch (Document Control Desk). 2pp. 46103.274-46103.275.

8807080049 Responds to NRC 880517 ltr re violations noted in Insp Repts 50-327/88-08 & 50-328/88-08. Corrective actions: A-307 bolts in Unit 2 incore-transfer device seismic restrainers replaced w/high strength bolts.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/01. Document Control Branch (Document Control Desk). 7pp. 46136.222-46136.228.

8807080065 Revised response to NRC 871221 ltr re violations noted in Insp Repts 50-327/87-66 & 50-328/87-66. Corrective actions: Operation Sect on Ltr Administrative 58 converted to Administrative Instruction 58.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/01. Document Control Branch (Document Control Desk). 5pp. 46133.133-46133.137.

8807120021 Forwards list of commitments re NRC Bulletin 88-003, "Inadequate Latch Engagement in IFA-Type Latching Relays Mig by GE."  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46147.290-46147.293.

8807120226 Forwards response to 880413 request re util plans to ensure that commercial grade parts adequate in safety sys, per Insp Repts 50-327/88-07 & 50-328/88-07.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46145.354-46145.357.

8807140071 Responds to NRC Bulletin 87-002, Suppls 1 & 2, "Fastener Testing to Determine Conformance w/Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 880130 to provide proper response.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46164.148-46164.148.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807190217 Requests extension of due dates for responses to Insp Repts 50-327/88-07, 50-328/88-07, 50-328/88-09, 50-327/88-19 & 50-328/88-19 until 880701.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 2pp. 46206.103-46206.104.

8807190300 Informs that plant will be ready for Unit 1 App R Insp beginning wk of 880705, per S Black 880608 request. List of mods identified during verification of Rev 9 to App R shutdown logic & Engineering Calculation SQN-CSS-024 encl.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46216.001-46216.111.

-8807190304 Rev 6 to "App R, Cable to Cable Shorts for RCS High/Low Pressure Interfaces."  
JOLLEY,J.B., HALL,R. Tennessee Valley Authority. SQN-CSS-024 R00 88/07/01. 100pp. 46216.004-46216.111.

8807250218 Forwards revised response to Violation 3 noted in Insp Repts 50-438/87-08, 50-439/87-08, 50-259/87-38, 50-260/87-38, 50-266/87-38, 50-327/87-68, 50-328/87-68, 50-380/87-18 & 50-391/87-18. Corrective actions: memo issued on 880331.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 6pp. 46259.095-46259.099.

8807250235 Provides supplemental info in response to NRC 880107 ltr re violation noted in Insp Repts 50-327/87-67 & 50-328/87-67. Info includes eval' on potential lowering of initial screen of marijuana from 100 to 60 ng completed.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 5pp. 46255.199-46255.202.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080386 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.016.

**R. Periodic operating reports & related correspondence**

8807120193 Forwards weekly schedule of TVA activities for wks of 880624 & 0704. Schedule will be updated & issued each Friday to reflect activities for forthcoming 2-wk period.  
KELLY, J.L. Ofc of Special Projects 88/06/24. BLACK, S. Ofc of Special Projects 4pp 46113 319-46113 322

8807070535 Forwards weekly schedule of TVA activities for wks of 880704 & 11.  
KELLY, J.L. Ofc of Special Projects 88/06/29. BLACK, S. Ofc of Special Projects 4pp 46122 175-46122 178

8807070356 Forwards "Chickamauga Reservoir 1987 Fisheries Monitoring Cove Rotenone Results." Recommends that sampling in uppermost cove be discontinued because data may not be representative of reservoir fish populations.  
BROOKS, R.H. Tennessee Valley Authority 88/05/30. DAVIS, P.E. Tennessee, State of 3pp 46125 001-46125 087

8807070367 "Chickamauga Reservoir 1987 Fisheries Monitoring Cove Rotenone Results."  
ROBERTS, J.M. Tennessee Valley Authority 87/12/31. 6pp 46125 004-46125 067.

**S. Reportable occurrences, LERs & related correspondence**

8807060289 LER 88-047-01 on 880107, standby diesel generator start on loss of voltage to shutdown board as result of breaker trip. No anomalies found to cause trip. No corrective actions planned as result of event W/880533 ltr.  
LONG, J.L., SMITH, S.J. Tennessee Valley Authority 88/06/30 5pp 46110 105-46110 109

8807060439 LER 88-023-00 on 880607, two containment ventilation isolators (CVIs) occurred. Caused by inadequate preparation. CVIs reset, work that initiated CVI terminated & Sid Practice SOM-2 revised W/880533 ltr.  
KILGORE, B.E., SMITH, S.J. Tennessee Valley Authority 88/06/30 6pp 46118 104-46118 109

8807060444 Special Rept 88-12 on 880608, projected dose due to liquid effluent releases to unrestricted areas determined to exceed 0.12 mrem lmt. Caused by drought. Administrative limits placed on liquid effluent tank max activity.  
SMITH, S.J. Tennessee Valley Authority 88/06/30. Document Control Branch (Document Control Desk) 3pp 46118 101-46118 103

8807120132 LER 88-024-00 on 880615, unplanned reactor trip signal generated due to simulated under-voltage condition. Caused by inadequate impact evaluation. Work control group at plant restructured W/880707 ltr.  
LONG, J.L., SMITH, S.J. Tennessee Valley Authority 88/07/07 8pp 46135 117-46135 122

8807120218 LER 88-025-00 on 880617, two spurious steam generator 3 high level turbine trip first out announcements received. Caused by steam generator tube leak testing. Precaution added to Special Maint. Instruction 0-66-2 W/880708 ltr.  
KILGORE, B.E., SMITH, S.J. Tennessee Valley Authority 88/07/07 6pp 46145 348-46145 353.

**T. Hearing transcripts on non-antitrust matters**

8807050409 Transcript of TVA 880621 briefing in Bethesda MD re unit reorganization & plant status.  
\* Commissioners 88/06/21 91pp 45998 073-45998 163

**V. Operator Examinations**

8807050152 Requests slated ref mat be submitted to NRC by 880701 for written exams scheduled for wk of 881212. Facility mgt responsible for providing adequate space & accommodations in order to properly conduct written exams.  
JULIAN, C.A. Region 2, Ofc of the Director 88/06/15. WHITE, S.A. Tennessee Valley Authority 10pp 46025 130-46025 139.

**DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2****F. Security, medical, emergency & fire protection plans**

8807060413 Forwards Safeguards Insp Repts 50-327/88-32 & 50-328/88-32 on 880613-17. Violations noted. Violations not being cited. Detail withheld (rel 10CFR2.790(d) & 73.21).  
MCCOY, F.R. Ofc of Special Projects 88/05/24. WHITE, S.A. Tennessee Valley Authority 2pp 46110 001-46110 003.

8807060414 Partially withheld Insp Repts 50-327/88-32 & 50-328/88-32 on 880606-10. Violation noted. Major areas inspected. Security plan & implementing procedures, mgt effectiveness, security program & organization & physical barriers.  
ENNIS, J.D. Region 2, Ofc of the Director 88/06/20. 1p 46110 003-46110 003.

8807070551 Forwards Amends 73 & 65 to Licenses DPR-77 & DPR-78, respectively & safety evaluation re physical security plan.  
MORAND, H. Ofc of Special Projects 88/06/24. WHITE, S.A. Tennessee Valley Authority 2pp 46118 250-46118 263.

8807070555 Amends 73 & 65 to Licenses DPR-77 & DPR-78, respectively, modifying Paragraph 2.E of licenses to require compliance w/ amended physical security plan.  
BLACK, S. Ofc of Special Projects 88/06/24 8pp 46118 252-46118 259.

8807070556 Safeguards evaluation supporting Amends 73 & 65 to Licenses DPR-77 & DPR-78, respectively.  
\* NRC - No Detailed Affiliation Given. 88/06/24 4pp 46118 260-46118 263.

8807060060 Rev 0 to Emergency Plan Implementing Procedure EPI-P-10, "Medical Emergency Procedure" W/880701 ltr.  
NOBLE, T., GRIDLEY, R. Tennessee Valley Authority 88/07/01 37pp 46139 150-46139 186.

8807250013 Provides info re TVA schedule for responding to atomic re emergency response capability per Rev 2 to Reg Guide 1.97. TVA will provide NRC w/ response to add info requested on 870511 by 881030.

GRIDLEY, R. Tennessee Valley Authority 88/07/15. Document Control Branch (Document Control Desk) 3pp 46269 237-46269 239

8807260008 Discusses emergency preparedness mod of low threshold event reporting & emergency reporting procedures for plants. Unit will no longer classify & report events in manner described in radiological emergency plan due to current status.  
GRIDLEY, R. Tennessee Valley Authority 88/07/15. Document Control Branch (Document Control Desk) 3pp 46285 294-46285 296

**H. General correspondence**

8807260398 Confirms telcon re voluntary retirement of H.L. Abernethy, site director on 880722. JT Lapoint will be assigned acting site director info transmitted per his revised corporate nuclear performance plan dtd Jul 1987.  
WHITE, S.A. Tennessee Valley Authority 88/07/20. PARTLOW, J.G. Ofc of Special Projects 2pp 46300 136-46300 137.

**P. Operating license stage documents & correspondence**

8807160040 Summary of 880613 meeting w/ unit to discuss restart of facility in light of recent scrams from power. Transcript of meeting encl.  
BLACK, S. Ofc of Special Projects 88/06/21. Ofc of Special Projects 5pp 46181 125-46181 224.

8807150048 Transcript of 880613 hearing in Rockville, MD re restart of unit from recent scrams. Pp 1-77.  
\* Commissioners 88/06/13 96pp 46181 130-46181 224.

8806290510 Advises that proposed Tech Specs 8.2.1.b & 8.2.1.c do not specify post unit releases for corresponding mgt procedures.  
GRIDLEY, R. Tennessee Valley Authority 88/06/22. Document Control Branch (Document Control Desk) 2pp 45975 070-45975 071.

8807010023 Forwards public notice of application for amend to OL for unit plant to be published in 880624 Chattanooga News-Free Press & Chattanooga Times-Advantage in order approving publication also encl.  
BLACK, S. Ofc of Special Projects 88/06/22. ROBINSON, L. Chattanooga Publishing Co. 1p 45991 200-45991 206.

8807010025 Notice of NRC proposal to amend OL at unit plant. Amend would delete organizational charts from administrative controls section of Tech Specs per Generic Ltr 88-08.  
\* Ofc of Special Projects 88/06/22 6pp 45991 201-45991 208

8807050517 Forwards AEOD Technical Review Rept T800, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Bradwood Unit 1.  
ROSENTHAL, J.E. Reactor Operations Analysis Branch 88/06/23. BUEHLING, C.H. Generic Communications Branch 2pp 45998 080-45998 080.

8807050550 Technical Review Rept T800, "Blocked Thimble Tubes/Stuck Incore Detector."  
\* Office for Analysis & Evaluation of Operational Data, Director 88/06/15 4pp 45998 063-45998 066

8807050157 Forwards corrective action plan for deficiencies in post-implementation audit rept on safety parameter display sys in response to RA Hermann RB0420 re quest.  
GRIDLEY, R. Tennessee Valley Authority 88/06/24. Document Control Branch (Document Control Desk) 15pp 46026 355-46027 000.

8807050556 Forwards description of missed commitments & schedule of completion of commitments not included in Amend 6 to FSAR.  
GRIDLEY, R. Tennessee Valley Authority 88/06/24. Document Control Branch (Document Control Desk) 2pp 46025 140-46025 142.

8807060218 Forwards update to unit 880318 ltr re performance testing of reactor relief & safety valves per NRC 880420 request. Unit will continue to evaluate effectiveness for Unit 2 through compliance w/ Tech Specs for RCS leakage.  
GRIDLEY, R. Tennessee Valley Authority 88/06/24. Document Control Branch (Document Control Desk) 3pp 46117 329-46117 331.

8807070551 Forwards Amends 73 & 65 to Licenses DPR-77 & DPR-78, respectively & safety evaluation re physical security plan.  
MORAND, H. Ofc of Special Projects 88/06/24. WHITE, S.A. Tennessee Valley Authority 2pp 46118 250-46118 263.

8807070555 Amends 73 & 65 to Licenses DPR-77 & DPR-78, respectively, modifying Paragraph 2.E of licenses to require compliance w/ amended physical security plan.  
BLACK, S. Ofc of Special Projects 88/06/24 8pp 46118 252-46118 259.

8807070556 Safeguards evaluation supporting Amends 73 & 65 to Licenses DPR-77 & DPR-78, respectively.  
\* NRC - No Detailed Affiliation Given. 88/06/24 4pp 46118 260-46118 263.

8807080128 Notice of consideration of issuance of amends to Licenses DPR-77 & DPR-78 & proposed NSIC determination & opportunity for hearing. Amend revises limiting condition for Operation 3.7.5 to increase max allowable ultimate heat sink temp.  
MORAND, H. Ofc of Special Projects 88/06/24 8pp 46133 297-46133 305.

8807150204 Final response to FOIA request for documents. Forwards App B documents & documents to be placed in PDR App A documents already available in PDR.  
GRIMSLEY, D.H. Division of Rules & Records (870413-880514) 88/06/24. CONNOR, L. Doc-Search Associates 4pp 46153 097-46153 205.

8807150253 Forwards questions from majority staff of House Interior Committee for review & appropriate action.  
BRADBURN, J.C. Congressional Affairs 88/01/11. EBNETER, S. Ofc of Special Projects 70pp 46153 136-46153 205.

anchor bolts discussed in 880318 16CFR21 notification from Hilti, Inc. GRIDLEY, R. Tennessee Valley Authority 88/06/28 Document Control Branch (Document Control Desk). 3pp. 46136 298-46136-300.

**8807110262** Forwards until CRAC2 meteorology results on floppy disk & in hard copy & include site wind rose during 1985 W/O end. CUNNINGHAM, L. J. Radiation Protection Branch. 88/06/28. ACHARYA, S. Probabilistic Risk Analysis Branch. 1p. 46101 033-46101-033.

**8807120558** Forwards public notice of until 880613 application for exigent amendments to Licenses DPR-77 & DPR-78 for publication in Chattanooga Times & Chattanooga News Free Press Amend deletes organizational charts for Tech Specs. BLACK, S.C. Oic of Special Projects. 88/06/29. WHITE, S.A. Tennessee Valley Authority. 18pp. 46113 055-46113-072

**8807120710** Staff requirements memo re Commission 880621 briefing on TVA reorganization & status of plants. CHILK, S. J. Office of the Secretary of the Commission. 88/06/29. STELLO, V. Oic of the Executive Director for Operations. 1p. 46120 183-46120-183.

**8807130442** Forwards Amends 74 & 66 to Licenses DPR-77 & DPR-79, respectively & safety evaluation Amends revise Tech Spec Section 6 re administrative controls, reflecting site organizational changes & deletions per Generic Ltr 88-06. BLACK, S.C. Oic of Special Projects. 88/06/30. WHITE, S.A. Tennessee Valley Authority. 4pp. 46166 240-46166-321.

**8807130444** Amends 74 & 66 to Licenses DPR-77 & DPR-79, respectively, revising Tech Spec Section 6 re administrative controls to reflect site organizational & title changes & delete organizational charts per Generic Ltr 88-06. BLACK, S.C. Oic of Special Projects. 88/06/30. 66pp. 46166 244-46166-309

**8807130447** Safety evaluation supporting Amends 74 & 66 to Licenses DPR-77 & DPR-79, respectively. \* Oic of Special Projects. 88/06/30. 12pp. 46166 310-46166-321.

**8807120592** Summary of 880622 meeting w/ until in Rockville, MD re TVA commitments on facility, list of attendees & until handout encl. DONOHUE, J.N. Oic of Special Projects. 88/07/01. Oic of Special Projects. 13pp. 46154 008-46154-020.

**8807110400** Discusses until 861031 ltr containing commitment to provide addl info re implementation on schedules for mods required by 10CFR50.82 after restart. GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 2pp. 46141 327-46141-328.

**8807120330** Provides info & background on 40-yr qualification test program for silicone rubber insulated cables. GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 6pp. 46145 340-46145-347.

**8807120669** Informs that until 870619 response to Generic Ltr 87-06 re periodic verification of leak tight integrity of pressure isolation valves acceptable. BLACK, S.C. Oic of Special Projects. 88/07/06. WHITE, S.A. Tennessee Valley Authority. 4pp. 46156 163-46156-160.

**8807190093** Forwards employee concerns task group comments on preliminary SERs for plant element reps. per NRC 880311 ltr. GRIDLEY, R. Tennessee Valley Authority. 88/07/06. BLACK, S.C. Oic of Special Projects. 10pp. 46217 243-46217-252.

**8807140269** Provides summary of NRC 880628 & 29 discussions of nuclear plant performance. Shortcomings noted in Sequoyah 2 secondary sys maint & personnel performance as areas contributing to series of reactor trips during initial operations. STELLO, V. Oic of the Executive Director for Operations. 88/07/06. WHITE, S.A. Tennessee Valley Authority. 2pp. 46172 354-46172-355.

**8807190127** Forwards facility diesel generator voltage response improvement plan & fulfills 880303 commitment. Rept describes three optimum improvement plans, expected results of options & projected schedule for implementation on mods. GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 3pp. 46216 118-46216-124.

**8807190131** "Diesel Generator Voltage Response Improvement Plan". BOWMAN, M.D. Tennessee Valley Authority. 88/06/17. 4pp. 46216 121-46216-124.

**8807190061** Forwards request for exemption from App J, Type C leak testing of containment & RHFR spray sys. RAY, M. J. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 7pp. 46208 311-46208-317.

**8807200219** Forwards corrected Tech Spec pages of Amends 71 & 63 to Licenses DPR-77 & DPR-79, respectively. BLACK, S.C. Oic of Special Projects. 88/07/11. WHITE, S.A. Tennessee Valley Authority. 3pp. 46228 338-46228-352.

**8807200222** Errata to Amends 71 & 63 to Licenses DPR-77 & DPR-79, respectively, reflecting originally submitted revisions found acceptable in safety evaluation. \* Oic of Special Projects. 88/07/11. 12pp. 46228 341-46228-352.

**8807200231** Forwards notice of consideration of issuance of amendments to Licenses DPR-77 & DPR-79 & opportunity for hearing re Tech Spec Change 88-21 concerning min river water level & max river water temp for plant operation. BLACK, S.C. Oic of Special Projects. 88/07/11. WHITE, S.A. Tennessee Valley Authority. 2pp. 46221 084-46221-084.

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA, F. J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257-257.

**8807210178** Forwards Amends 76 & 77 to Licenses DPR-77 & DPR-79, respectively & safety evaluation Amends modify Tech Spec Table 3-3-9 re remote shutdown monitoring instrumentation. BLACK, S.C. Oic of Special Projects. 88/07/12. WHITE, S.A. Tennessee Valley Authority. 3pp. 46237 273-46237-285.

**8807210182** Safety evaluation supporting Amends 76 & 77 to Licenses DPR-77 & DPR-79, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. 2pp. 46237 284-46237-295.

**8807210335** Notification of 880721 meeting w/ TVA in Rockville, MD to discuss Phase II of design baseline & verification program. DONOHUE, J.N. Oic of Special Projects. 88/07/13. BLACK, S.C. Oic of Special Projects. 3pp. 46237 152-46237-154.

**8807220333** Forwards request for addl info re main steam line breaks in ice condenser plants, per review of Addendum 1 WCAP-10988, "Ice Condenser Drain Test Results, Data Analysis & Development of Drain Flow Models for LOTIC-III Ice". BLACK, S.C. Oic of Special Projects. 88/07/15. WHITE, S.A. Tennessee Valley Authority. 6pp. 46250 148-46250-153.

**8807250251** Forwards revised commitment to evaluate control loops. Schedule for completion should be extended to 881231 because of prolonged delay of restart of Unit 2 & emergent work. GRIDLEY, R. Tennessee Valley Authority. 88/07/18. Document Control Branch (Document Control Desk). 3pp. 46276 326-46276-328.

## Q. Inspection reports, IE Bulletins & correspondence

**8806130168** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event". Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 11pp. 45978 156-45978-266.

**8806290181** Forwards Shift Coverage Insp Repts 50-327/88-26 & 50-328/88-26 on 880403-0504 & notice of violation NRC still has concern re overall adequacy of configuration control. Requests consideration of enforcement history in response. MCCOY, F.R. Oic of Special Projects. 88/06/17. WHITE, S.A. Tennessee Valley Authority. 2pp. 45987 046-45987-089.

**8806290189** Notice of violation from Insp on 880403-0504. Violation noted licensee failed to implement procedural requirements for maintaining configuration controls after sys operating instruction check at completion. MCCOY, F.R. Oic of Special Projects. 88/06/17. 2pp. 45987 048-45987-049.

**8806290192** Insp Repts 50-327/88-26 & 50-328/88-26 on 880403-0504. Violations noted. Major areas inspected control room observation & operational safety verification, including operations performance, sys inops & radiation protection. LONG, A.R., JENISON, K. L. BRANCH, M. Region 2, Oic of the Director. 88/06/17. 40pp. 45987 050-45987-089.

**8806180340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams". NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241-201.

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews". Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978-155.

**8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS". Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019-152.

**8807110465** Forwards safety evaluation re NRC Bulletin 88-002, "Static O-Ring (SOR) Differential Pressure Switches". All issues satisfactorily met. Request confirmation that SOR switches for upper head injection & RHFR sys replaced. BLACK, S.C. Oic of Special Projects. 88/06/23. WHITE, S.A. Tennessee Valley Authority. 1p. 46082 069-46082-082.

**8807110478** Safety evaluation re IE Bulletin 88-002, "Static O-Ring Differential Pressure Switches". All issues satisfactorily addressed. \* Oic of Special Projects. 88/06/23. 3pp. 46082 060-46082-062.

**8807120590** Forwards Insp Repts 50-327/88-30 & 50-328/88-30 on 880523-24. No violations or deviations noted. MCCOY, F.R. Oic of Special Projects. 88/06/23. WHITE, S.A. Tennessee Valley Authority. 2pp. 46148 188-46148-191.

**8807120593** Insp Repts 50-327/88-30 & 50-328/88-30 on 880523-24. No violations or deviations noted. Major areas inspected plant chemistry. KATIE, J.B. Region 2, Oic of the Director. 88/06/16. 4pp. 46148 188-46148-191.

**8808210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers". Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019-285.

**8808240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS". Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020-018.

**8807050185** Informs that full implementation of subJ commitment not expected until 880801 because of higher priority restart work. GRIDLEY, R. Tennessee Valley Authority. 88/06/24. Document Control Branch (Document Control Desk). 3pp. 46025 102-46025-104.

**8807060413** Forwards Safeguards Insp Repts 50-327/88-32 & 50-328/88-32 on 880613-17. Violations noted. Violations not being cited Detail withheld (re 10CFR12.780(d) & 73.21). MCCOY, F.R. Oic of Special Projects. 88/06/24. WHITE, S.A. Tennessee Valley Authority. 2pp. 46110 001-46110-003.

880706041 Partially withheld Insp Repts 50-327/88-12 & 50-328/88-32 on 880606-10 Violation noted Major areas inspected security plan & implementing procedures, mgt effectiveness, security program & organization & physical barriers  
ENN S.J.D., MCGUIRE, D.R. Region 2, O/c of the Director 88/06/20. 1p 48110.003-48110.003

8807070391 Forwards Insp Repts 50-327/88-12 & 50-328/88-12 on 880215-19 No violations noted Open restart issues re civil calculation effort resolved.  
RICHARDSON, S.D. O/c of Special Projects 88/06/24. WHITE, S.A. Tennessee Valley Authority 3pp 48118:120-48118:189

8807070392 Insp Repts 50-327/88-12 & 50-328/88-12 on 880215-19 No violations or deviations noted Major areas inspected review of civil calculation actions re civil engineering portion of calculation review program & review of piping analyses.  
FAIR, J.R., CHENG, T.M., HERMANN, R.A. O/c of Special Projects 88/06/24. 66pp 48118:123-48118:189.

8807150204 Final response to FOIA request for documents Forwards App B documents & documents to be placed in FDR App A documents already available in PDR.  
GRIMSLEY, O.H. Division of Rules & Records (870413-880514). 88/06/24. CONNOR, L. Doc-Search Associates. 4pp 46153.097-46153:205

8807150246 Forwards H Myers comment on Insp Repts 50-327/87-31 & 50-328/87-31.  
COMBST, T. NRC - No Detailed Affiliation Given. 88/01/08. DENTON, H. NRC - No Detailed Affiliation Given. 3pp 46153.126-46153:135

8807120484 Advised that TVA had acceptably addressed seven nuclear safety review staff recommendations & items verified & closed per Insp Repts 50-327/88-19 & 50-328/88-19  
BLACK, S. O/c of Special Projects 88/06/27. WHITE, S.A. Tennessee Valley Authority. 3pp 48113.339-48113:341.

8807060044 Responds to NRC 880527 ltr re violations noted in Insp Repts 50-327/88-19 & 50-328/88-19. Corrective actions defective drawings revised & proper seals installed.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/28. Document Control Branch (Document Control Desk). 7pp 48115:239-48115:245.

8807060069 Responds to NRC 880527 ltr re violations noted in Insp Repts 50-327/88-07 & 50-328/88-07. Corrective actions: verification of all mail issued against identified dedication packages completed as Initial Unit 2, Mode 4 prerequisites.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/28. Document Control Branch (Document Control Desk). 4pp 48110.032-48110:035

8807070249 Provides info re treatment of auxiliary verbs in plant documents as add'l response to violations noted in Insp Repts 50-327/88-30 & 50-328/88-30. Use of "should" & "shall" will be consistent w/ established program.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/28. Document Control Branch (Document Control Desk). 3pp 48125:251-48125:253.

8807080267 Responds to 880526 ltr re violations noted in Insp Repts. Corrective actions: sewage being routinely pumped from sys & hauled to Chattanooga regional sewage treatment facility to minimize potential for noncompliance.  
BROOKS, R.H. Tennessee Valley Authority. 88/06/29. STEWART, P.L. Chattanooga, TN. 11pp 48127.011-48127:021.

8807080462 Forwards revised response to violations noted in Insp Repts 50-327/88-06 & 50-328/88-06. Corrective actions: formal training in appropriate areas conducted & documented for all personnel involved.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/30. Document Control Branch (Document Control Desk). 6pp 48110:016-48110:020.

8807080611 Advises that Cutler-Hammer, Type M relays not installed in safety-related equipment other than diesel generator control panel.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/30. Document Control Branch (Document Control Desk). 2pp 48103.274-48103:276.

8807080049 Responds to NRC 880517 ltr re violations noted in Insp Repts 50-327/88-09 & 50-328/88-09. Corrective actions: A-307 bolts in Unit 2 incore-transfer device seismic restraints replaced w/ high strength bolts.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/01. Document Control Branch (Document Control Desk). 7pp 48136:222-48136:228

8807080085 Revised response to NRC 871221 ltr re violations noted in Insp Repts 50-327/87-68 & 50-328/87-68. Corrective actions: Operation Section Ltr Administrative 58 converted to Administrative Instruction 58.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/01. Document Control Branch (Document Control Desk). 5pp 48133:133-48133:137.

8807080016 Responds to NRC 880603 ltr re notice of violation & proposed imposition of civil penalty. Corrective actions: controls established to limit interchanging operators from cold shutdown unit to operating unit.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/05. Document Control Branch (Document Control Desk). 13pp 48126:180-48126:192.

8807120021 Forwards list of commitments re NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA-Type Latch Relays Mfg by GE."  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 4pp 48147:290-48147:293.

8807120225 Forwards response to 880413 request re util plans to ensure that commercial grade parts adequate in safety sys per Insp Repts 50-327/88-07 & 50-328/88-07.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 4pp 48145:354-48145:357.

8807140071 Responds to NRC Bulletin 87-002, Supplement 1 & 2, "Fastener Testing to Determine Conformance w/ Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 880130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 3pp 48184:146-48184:148

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 48242.109-48242:212.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Noninsulated Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 107pp 48231:281-48232:027.

8807190217 Requests extension of due dates for responses to Insp Repts 50-327/88-07, 50-328/88-07, 50-328/88-09, 50-327/88-19 & 50-328/88-19 until 880701.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/08. Document Control Branch (Document Control Desk). 2pp 46206.193-46206:194.

8807260218 Forwards revised response to Violation 3 noted in Insp Repts 50-430/87-08, 50-430/87-08, 50-259/87-38, 50-260/87-38, 50-206/87-30, 50-327/87-68, 50-328/87-68, 50-330/87-18 & 50-331/87-18. Corrective actions: memo issued on 880331.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 5pp 46259.095-46259:099.

8807250235 Provides supplemental info in response to NRC 880107 ltr re violation noted in Insp Repts 50-327/87-67 & 50-328/87-67. Info includes evaluation on potential lowering of initial screen of marijuana from 100 to 50 ng completed.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 5pp 46255.198-46255:202.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Noninsulated Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp 48242.008-48242:108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Fuel-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp 48240:222-48240:324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp 48241:263-48242:005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp 46257.268-46258:010

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp 48257.016-48257:200

#### R. Periodic operating reports & related correspondence

8807120193 Forwards weekly schedule of TVA activities for wks of 880624 & 0704. Schedule will be updated & issued each Friday to reflect activities for forthcoming 2-wk period.  
KELLY, J.L. O/c of Special Projects 88/06/24. BLACK, S. O/c of Special Projects. 4pp 48113:319-48113:322

8807070635 Forwards weekly schedule of TVA activities for wks of 880704 & 11.  
KELLY, J.L. O/c of Special Projects. 88/06/29. BLACK, S. O/c of Special Projects. 4pp 48122.175-48122:178.

8807070356 Forwards "Chickamauga Reservoir 1987 Fisheries Monitoring Cove Notation Results." Recommends that sampling in upcurrent cove be discontinued because data may not be representative of reservoir fish populations.  
BROOKS, R.H. Tennessee Valley Authority. 88/06/30. DAVIS, P.E. Tennessee, State of. 3pp 48125.001-48125:067.

#### S. Reportable occurrences, LERs & related correspondence

8808300148 Summary of Operating Reactors Events Meeting 88-24 on 880814. Two significant events identified for input to NRC performance indicator program. No events suggested for long-term followup. List of attendees encl.  
LANNING, W. Events Assessment Branch. 88/06/17. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 15pp 45976.180-45976:202

8807080386 LER 88-027-00 on 880606, reactor trip resulting from steam/ feedwater flow mismatch coincident w/ low steam generator occurred. Recovery initiated using emergency Procedures E-0 & E-0.1. W/880623 ltr.  
FENN, K.W., SMITH, S.J. Tennessee Valley Authority. 88/06/23. 6pp 48116.097-48116:104.

8807080422 LER 88-028-00 on 880608 & 09, reactor trips occurred from high level steam generator (SG) 4 & low level SG 2. Caused by insufficient attention to side maint & insufficient guidelines. Work control ctr established. W/880630 ltr.  
FENN, K.W., SMITH, S.J. Tennessee Valley Authority. 88/06/30. 6pp 48103:302-48103:310.

8807080444 Special Rept 88-12 on 880608, projected dose due to liquid effluent releases to unrestricted areas determined to exceed 0.12 mrem limit. Caused by drought. Administrative limits placed on liquid effluent tank max activity.  
SMITH, S.J. Tennessee Valley Authority. 88/06/30. Document Control Branch (Document Control Desk). 3pp 48118:101-48118:103.

8807110428 LER 88-022-01 on 880519, unqualified built splice found on steam generator level transmitter. Caused by splice located inside upper neck portion of conduit body LB Channel declared inoperable & splice removed. W/880707 ltr.  
FENN, K.W., SMITH, S.J. Tennessee Valley Authority. 88/07/07. 7pp 48141:148-48141:154.

8807120045 LER 88-023-01 on 880519, reactor trip occurred due to steam/ feedwater flow mismatch coincident w/ low steam generator level. Caused by plugged sight glass. Valve repaired & sight glass cleaned & controllers recalibrated. W/880707 ltr.  
KLEADE, K.E., SMITH, S.J. Tennessee Valley Authority. 88/07/07. 7pp 48145:117-48145:123



8807120175 LER 88-026-00 on 880611, inadequate configuration control caused two auxiliary flow paths to be inoperable. Caused by incorrect wiring configuration. Wires re-terminated at proper terminals. W/880707 ltr.  
SISKA, D. LONG, J.L. SMITH, S.J. Tennessee Valley Authority. 88/07/07. 8pp. 46148.072-46148.078

8807250425 LER 88-030-00 on 880621, shutdown margin procedures did not consider impact of RCS cooldown immediately following trip. Caused by failure to identify effects of excessive post-reactor trip cooldowns. Instruction issued W/880714 ltr.  
SISKA, D. ROGERS, H.R., SMITH, S.J. Tennessee Valley Authority. 88/07/14. 8pp. 46276.092-46276.099.

#### T. Hearing transcripts on non-antitrust matters

8807050409 Transcript of TVA 880621 briefing in Bethesda, MD re utility reorganization & plant status.  
\* Commissioners. 88/06/21. 81pp. 45998.073-45998.163.

8807150040 Summary of 880613 meeting w/utl to discuss restart of facility in light of recent scrams from power. Transcript of meeting encl.  
BLACK, S.C. Ofc of Special Projects. 88/06/21 Ofc of Special Projects. 5pp. 46181.125-46181.224.

8807150048 Transcript of 880613 hearing in Rockville, MD re restart of utl from recent scrams. Pp 1-77.  
\* Commissioners. 88/06/13. 86pp. 46181.130-46181.224.

#### V. Operator Examinations

8807050152 Requests stated ref matl be submitted to NRC by 880701 for written exams scheduled for wk of 881212. Facility mgt responsible for providing adequate space & accommodations in order to properly conduct written exams.  
JULIAN, C.A. Region 2, Ofc of the Director. 88/06/16 WHITE, S.A. Tennessee Valley Authority. 10pp. 46025.130-46025.139.

#### DOCKET 50-329 MIDLAND PLANT, UNIT 1

##### A. Application/construction stage documents & correspondence

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

##### G. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.158-45978.266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drive Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 110pp. 46257.258-46258.018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/24. Consolidated Edison Co. of New York, Inc. 121pp. 46257.066-46257.206.

#### DOCKET 50-330 MIDLAND PLANT, UNIT 2

##### A. Application/construction stage documents & correspondence

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

##### G. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.158-45978.266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drive Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120553 NRC Info Notice 88-050, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 110pp. 46257.258-46258.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/24. Consolidated Edison Co. of New York, Inc. 121pp. 46257.066-46257.206.

#### DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

##### F. Security, medical, emergency & fire protection plans

8807070100 Revised emergency plan implementing procedures including Rev 6 to EPP 2.1, "Activation & Operation of Operational Support Cir" & Rev 5 to EPP 6.1, "Maintenance of Duane Arnold Energy Ctr Emergency Preparedness."



-8807060306 Insp Rept 50-331/88-14 on 880525-0618 No violations noted. Major areas inspected licensee efforts in response to FEMA concern re adequacy of offsite emergency planning for Linn & Benton Counties, IA & State of IA re expanded EP2. PATTERSON, J.P., SNELL, W. Region 3, Ofc of the Director. 88/06/23. 4pp. 46110.010-46110.013.

8807110338 Confirmatory Action Ltr. CAL R II-88-18 re inadequate state & county emergency plans per: 880705 telcon between WD Shafer & W. Robert Underdahl w/ will provide formal rept of results of corrective actions to region upon completion. DAVIS, A.B. Region 3, Ofc of the Director. 88/07/05. LIU, L. Iowa Electric Light & Power Co. 3pp. 46185.032-46185.034.

8807250033 Forwards Amend 152 to License DPR-49 & safeguards evaluation rept. Amend modifies Paragraph 2.C.(5) to require compliance w/amended physical security plan. HALL, J.R. Project Directorate III-3. 88/07/15. LIU, L. Iowa Electric Light & Power Co. 3pp. 46259.240-46259.247.

-8807250052 Amend 152 to License DPR-49, modifying Paragraph 2.C.(5) of license to require compliance w/amended physical security plan. PERKINS, K.E. Project Directorate III-3. 88/07/15. 2pp. 46259.243-46259.244.

-8807250057 Safeguards evaluation rept supporting Amend 152 to License DPR-49. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/15. 3pp. 46259.245-46259.247.

#### K. Utility Final Safety Analysis Report (FSAR) & amendments

8808300120 Rev 6 to updated FSAR for Duane Arnold Energy Ctr. W/880627 ltr. ROTHERT, W.C. Iowa Electric Light & Power Co. 88/06/30. 250pp. 46005.003-46006.152.

#### P. Operating license stage documents & correspondence

8807080137 Forwards Amend 150 to License DPR-49 & safety evaluation. Amend revises requirements for logic sys functional testing by extending interval for performance of test from annually to once per operating cycle. HALL, J.R. Project Directorate III-3. 88/06/23. LIU, L. Iowa Electric Light & Power Co. 2pp. 46133.308-46133.325.

-8807080145 Amend 150 to License DPR-49, revising requirement for logic sys functional testing by extending interval for performance of tests from annually to once per operating cycle. PERKINS, K.E. Project Directorate III-3. 88/06/23. 9pp. 46133.308-46133.316.

-8807080150 Safety evaluation supporting Amend 150 to License DPR-49. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 7pp. 46133.317-46133.323.

-8807080155 Notice of consideration of issuance of amend to License DPR-49 & proposed NSIC determination & opportunity for hearing. Amend revises requirements for logic sys functional testing by extending interval for performance. LYNCH, M.D. Project Directorate III-3. 88/06/23. 2pp. 46133.324-46133.325.

8807220340 Forwards Amend 151 to License DPR-49 & safety evaluation. Amend revises Tech Specs to reflect mods made to comply w/10CFR50.62 re ATWS rule. HALL, J.R. Project Directorate III-3. 88/07/07. LIU, L. Iowa Electric Light & Power Co. 2pp. 46249.239-46249.264.

-8807220342 Amend 151 to License DPR-49, reflecting mods made to comply w/10CFR50.62 re ATWS rule. PERKINS, K.E. Project Directorate III-3. 88/07/07. 17pp. 46249.241-46249.257.

-8807220344 Safety evaluation supporting Amend 151 to License DPR-49. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/07. 7pp. 46249.258-46249.264.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257.207-46257.257.

8807250033 Forwards Amend 152 to License DPR-49 & safeguards evaluation rept. Amend modifies Paragraph 2.C.(5) to require compliance w/amended physical security plan. HALL, J.R. Project Directorate III-3. 88/07/15. LIU, L. Iowa Electric Light & Power Co. 3pp. 46259.240-46259.247.

-8807250052 Amend 152 to License DPR-49, modifying Paragraph 2.C.(5) of license to require compliance w/amended physical security plan. PERKINS, K.E. Project Directorate III-3. 88/07/15. 2pp. 46259.243-46259.244.

-8807250057 Safeguards evaluation rept supporting Amend 152 to License DPR-49. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/15. 3pp. 46259.245-46259.247.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "Leakage Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device In Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807060230 Forwards Safety Insp Rept 50-331/88-13 on 880523-26, 31 & 0601-03 No violations noted. WRIGHT, C. Region 3, Ofc of the Director. 88/06/24. LIU, L. Iowa Electric Light & Power Co. 2pp. 46103.255-46103.265.

-8807060234 Insp Rept 50-331/88-13 on 880523-26, 31 & 0601-03 No violations or deviations noted. Major areas inspected. Licensee quality enhancement program & impact on procurement control, receipt & handling of equipment & materials. SUTPHIN, R.N., PHILLIPS, M.P. Region 3, Ofc of the Director. 88/06/22. 9pp. 46103.257-46103.265.

8807060305 Forwards Safety Insp Rept 50-331/88-14 on 880525 & 0616. No violations noted. SHAFER, W.D. Region 3, Ofc of the Director. 88/06/24. LIU, L. Iowa Electric Light & Power Co. 2pp. 46110.008-46110.013.

-8807060306 Insp Rept 50-331/88-14 on 880525-0618. No violations noted. Major areas inspected. Licensee efforts in response to FEMA concern re adequacy of offsite emergency planning for Linn & Benton Counties, IA & State of IA re expanded EP2. PATTERSON, J.P., SNELL, W. Region 3, Ofc of the Director. 88/06/23. 4pp. 46110.010-46110.013.

8807130062 Responds to NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA-Type Latching Relays." Util warehouse contains eight spare latching-type HFA relays. Insp required by bulletin not applicable to facility. ROTHERT, W.C. Iowa Electric Light & Power Co. 88/07/06. MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46166.039-46166.039.

8807190091 Forwards Insp Rept 50-331/88-09 on 880419-0613 & notice of violation. AXELSON, W.L. Region 3, Ofc of the Director. 88/07/06. LIU, L. Iowa Electric Light & Power Co. 2pp. 46209.068-46209.068.

-8807190105 Notice of violation from insp on 880418-0613. Violations noted on 880418, while in single loop operation, licensee failed to increase operating limit MCPB by 0.03 & on 880423, control room panels observed to be in closed position. AXELSON, W.L. Region 3, Ofc of the Director. 88/07/06. 1p. 46209.071-46209.071.

-8807190106 Insp Rept 50-331/88-09 on 880418-0613. Violations noted. Major areas inspected. Action on previous insp findings, LERs, info notices, operations' safety, maintenance & followup of events. JACKMAN, N. Region 3, Ofc of the Director. 88/07/06. 16pp. 46209.072-46209.086.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807180183 Responds to IE Bulletin 88-004, "Potential Safety-Related Pump Loss." Precaution added to ops operating instructions to limit min flow operation of pumps. No long-term actions needed. ROTHERT, W.C. Iowa Electric Light & Power Co. 88/07/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 46200.031-46200.036.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.261-46232.027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.106.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.088-46257.206.

#### R. Periodic operating reports & related correspondence

8807190275 Monthly operating rept for June 1988, for Duane Arnold Energy Ctr. W/ 880715 ltr. MILLER, L., HANNEN, R.L. Iowa Electric Light & Power Co. 88/06/30. 7pp. 46214.031-46214.037.

8807050465 LER 88-005-00 on 880527, operability of carbon dioxide sys degraded from 1430 h through 1550 h w/o required continuous fire watch Caused by inadequate post-maint testing Guidance on post-maint testing requirements improved W/880627 ltr.  
PUTNAM, K.S., HANNEN, R.L. Iowa Electric Light & Power Co 88/06/27. 5pp 46075 340-46075 353

8807120006 PNO-III-88-027A on 880630, FEMA found State of IA offsite emergency response plan inadequate when notified by unit that 880701 deadline would be missed due to incomplete rev Host county to complete planning  
SNELL, W., SHAFER, W. Region 3, Ofc of the Director. 88/07/01. 1p. 46154:058-46154.058.

8807190083 PNO-III-88-027B on 880707, FEMA issued ltr to State of IA notifying that state failed to correct emergency planning inadequacies for Duane Arnold inadequacies cover radiation measuring devices for bus drivers & emergency workers.  
SNELL, W., SHAFER, W. Region 3, Ofc of the Director. 88/07/08 1p 46208:162-46208.162.

8807190176 LER 88-004-00 on 880608, HPCI sys declared inoperable Caused by out of calibr electro mechanical hydraulic actuator (EGH) in turbine governor sys & failure of microswitch replaced & EGH recalibrated W/880711 ltr  
PROBST, J.R., HANNEN, R.L. Iowa Electric Light & Power Co 88/07/11. 11pp. 46206 177-46206 187.

#### V. Operator Examinations

8807120230 Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o and  
WRIGHT, G.C. Region 3, Ofc of the Director. 88/06/23 ROY, P. Iowa Electric Light & Power Co 1p 46149 357-46149 357.

#### DOCKET 60-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

#### F. Security, medical, emergency & fire protection plans

8807070190 Responds to R Converse 880502 ltr transmitting scenario for partial scrub exercise scheduled for 880618 & provides comments on subj exercise discussed during A Zarcmba 880527 telcon w/W Lazarus  
HARPSTER, T.L. Region 1, Ofc of the Director. 88/05/28 BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 2pp 46124 351-46124.352.

8807150150 Forwards SALP Rept 50-333/88-90 for Dec 1986 - Apr 1988 Meeting will be scheduled to discuss assessment, including staffing in engineering & technical support & emergency planning.  
RUSSELL, W.T. Region 1, Ofc of the Director. 88/07/07. BAYNE, J.P. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 46185 180-46185.235.

8807200102 Forwards Safety Insp Rept 50-333/88-08 on 880516-18 No violations noted  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/07. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 3pp. 46229.245-46229.253.

-8807200109 Insp Rept 50-333/88-08 on 880516-18 No violations noted. Major areas inspected: emergency exercise on 880516-18  
AMATO, C.G., LAZARUS, W.J. Region 1, Ofc of the Director. 88/06/24. 6pp. 46229.248-46229.253

8807200185 Forwards ERF Appraisal Insp Rept 50-333/88-07 on 880516-20 & notice of deviation & appraisal open items  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/07. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 46230:106-46230:133.

-8807200186 Notice of deviation from insp on 880516-20 Deviation noted: TSC HVAC sys inoperable in emergency mode & Deems rept performed to determine radiological habitability inadequate  
\* Region 1, Ofc of the Director. 88/07/07. 2pp. 46230.108-46230.109.

-8807200188 Insp Rept 50-333/88-07 on 880716-20 No violations noted. Major areas inspected: emergency response facility appraisal.  
FOX, E., LAZARUS, W.J. Region 1, Ofc of the Director. 88/07/07. 24pp. 46230.110-46230.133.

8807250255 Forwards Insp Rept 50-333/88-11 on 880501-0617 No violations noted UH 880531 response to Insp Rept 50-333/88-04 also reviewed.  
WENZINGER, E.C. Region 1, Ofc of the Director. 88/07/15. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 46273:184-46273:211.

-8807250257 Insp Rept 50-333/88-11 on 880501-0617 No violations noted. Major areas inspected: plant activities, previous Insp findings, LERs review, operational safety verification, storage battery adequacy audit & physical security review.  
JOHNSON, J.R. Region 1, Ofc of the Director. 88/07/12. 26pp. 46273:186-46273:211.

#### P. Operating license stage documents & correspondence

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257.257.

ISS: BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/07/14. Document Control Branch (Document Control Desk). 5pp 46274:059-46274.063

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp 45978.158-45978.265

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." HUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp 46240 325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp 46019 037-46019 152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 46242:109-46242 212.

8807150150 Forwards SALP Rept 50-333/86-90 for Dec 1986 - Apr 1988 Meeting will be scheduled to discuss assessment, including staffing in engineering & technical support & emergency planning.  
RUSSELL, W.T. Region 1, Ofc of the Director. 88/07/07. BAYNE, J.P. New York Power Authority (formerly Power Authority of the State of New York). 2pp 46185:180-46185.235.

-8807150154 SALP Rept 50-333/86-90 for Dec 1986 - Apr 1988 Marked improvement noted in plant operations.  
\* Region 1, Ofc of the Director. 88/06/15. 54pp 46185:182-46185.235

8807200102 Forwards Safety Insp Rept 50-333/88-08 on 880516-18 No violations noted  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/07. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 3pp. 46229.245-46229.253.

-8807200109 Insp Rept 50-333/88-08 on 880516-18 No violations noted. Major areas inspected: emergency exercise on 880516-18  
AMATO, C.G., LAZARUS, W.J. Region 1, Ofc of the Director. 88/06/24. 6pp. 46229.248-46229.253.

8807200185 Forwards ERF Appraisal Insp Rept 50-333/88-07 on 880516-20 & notice of deviation & appraisal open items  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/07. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp 46230:106-46230:133.

-8807200186 Notice of deviation from insp on 880516-20 Deviation noted: TSC HVAC sys inoperable in emergency mode & Deems rept performed to determine radiological habitability inadequate.  
\* Region 1, Ofc of the Director. 88/07/07. 2pp. 46230.108-46230:109.

-8807200188 Insp Rept 50-333/88-07 on 880716-20 No violations noted. Major areas inspected: emergency response facility appraisal.  
FOX, E., LAZARUS, W.J. Region 1, Ofc of the Director. 88/07/07. 24pp. 46230:110-46230:133.

8807060008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:201-46232:027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807060366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807250265 Forwards Insp Rept 50-333/88-11 on 880501-0617 No violations noted UH 880531 response to Insp Rept 50-333/88-04 also reviewed.  
WENZINGER, E.C. Region 1, Ofc of the Director. 88/07/15. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp. 46273:184-46273:211.

8807250267 Insp Rept 50-333/88-11 on 880501-0617. No violations noted. Major areas inspected: plant activities, previous insp findings, LERs review, operational safety verification, storage battery adequacy audit & physical security review. JOHNSON, J.R. Region 1, O/C of the Director. 88/07/12. 26pp. 46273-186-46273-211.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safety Data." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-283-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-206.

#### R. Periodic operating reports & related correspondence

8806300132 Forwards list of safety/refuel valves challenges & failures that occurred in 1987 at plant per NUREG-0737 Item II.K.3.3. BRONS, J.C. New York Power Authority (formerly Power Authority of the State of New York). 88/09/21. Document Control Branch (Document Control Desk). 4pp. 46017-032-46017-035.

8807130421 Monthly operating report for June 1988 for JA Fitzpatrick Nuclear Power Plant W/88070811r. COOK, J. CONVERSE R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/08/30. 6pp. 46184-052-46184-057.

#### S. Reportable occurrences, LERs & related correspondence

8807070397 LER 88-005-00 on 880227 & 0325, six emergency svc water check valves found inoperable caused by buildup of scale & mud. Internals restored. Valves cleaned to operate condition. Periodic flushing of valves will be conducted W/88082411r. CHILDS, W.V. CONVERSE R.J. New York Power Authority (formerly Power Authority of the State of New York). 88/06/24. 5pp. 46118-285-46118-289.

#### DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807010341 Forwards Resident Safety Insp Repts 50-334/88-17 & 50-412/88-13 on 880501-31. No violations noted. WIGGINS, J.T. Region 1, O/C of the Director. 88/06/21. SIEBER, J.D. Duquesne Light Co. 2pp. 46008-057-46008-071.

8807010349 Resident Insp Repts 50-334/88-17 & 50-412/88-13 on 880501-31. No violations noted. Major areas inspected: plant operations, physical security, radiological controls, plant housekeeping & fire protection, surveillance testing & maint. TRIPP, L.E. Region 1, O/C of the Director. 88/06/20. 13pp. 46008-059-46008-071.

#### P. Operating license stage documents & correspondence

8807050293 Forwards Amend 127 to License DPR-66 & safety evaluation. Amend details from Tech Spec Table 3.6-1 inside containment isolation valves & adds outside containment isolation valves pertaining to hydrogen recombiner sys. TAMPS, Project Directorate I-4. 88/06/22. SIEBER, J.D. Duquesne Light Co. 2pp. 45991-252-45991-262.

8807050304 Amend 127 to License DPR-66, deleting inside containment isolation valves from Tech Spec Table 3.6-1 & adding outside containment isolation valves pertaining to hydrogen recombiner sys. STOLZ, J.F. Project Directorate I-4. 88/06/22. 4pp. 45991-254-45991-257.

8807050310 Safety evaluation supporting Amend 127 to License DPR-66. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/22. 6pp. 45991-258-45991-262.

8807060493 Forwards application for amendments to Licenses DPR-66 & NPF-73, consisting of Proposed Change Request 153/14 re revising source range instrumentation channels surveillance requirements of Table 4.3-1 & correcting typos. SIEBER, J.D. Duquesne Light Co. 88/05/22. Document Control Branch (Document Control Desk). 1p. 46114-234-46114-243.

8807060495 Application for amend to Licenses DPR-66 & NPF-73, revising source range instrumentation channels surveillance requirements of Table 4.3-1 & correcting typos in Action 5 of Table 3.3-1. SIEBER, J.D. Duquesne Light Co. 88/06/22. 3pp. 46114-235-46114-237.

8807060497 Proposed Tech Specs 3/4-1.22 & 3/4-3.6 & Tables 4.3-1 & 3.3-1, revising source range instrumentation channels surveillance requirements of Table 4.3-1 & correcting typos in Action 5 of Table 3.3-1. \* Duquesne Light Co. 88/06/22. 6pp. 46114-238-46114-243.

8807060573 Forwards application for amendments to Licenses DPR-66 & NPF-73, safety analysis & no significant hazards evaluation. SIEBER, J.D. Duquesne Light Co. 88/06/22. Document Control Branch (Document Control Desk). 1p. 46103-197-46103-214.

8807080580 Application for amendments to Licenses DPR-66 & NPF-73, amending Tech Specs to add footnote to Table 3.6-1, excluding weight & spring loaded containment isolation check valves from Tech Spec 3/4-5.3 surveillance requirements. SIEBER, J.D. Duquesne Light Co. 88/06/22. 1p. 46103-198-46103-198.

8807080581 Proposed Tech Specs 3/4-6, excluding weight & spring loaded containment isolation check valves not subject to containment Type C leakage testing from surveillance requirements of Spec 3/4-6.3. \* Duquesne Light Co. 88/06/22. 16pp. 46103-199-46103-214.

8807050517 Forwards AED Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Braidwood Unit 1. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER, C.H. Generic Communications Branch. 2pp. 45998-060-45998-066.

8807050550 Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector." \* Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45998-065-45998-066.

8807060474 Forwards application for amendments to Licenses DPR-66 & NPF-73, changing surveillance frequency from monthly to refueling for Table 4.3-1, safety injection input from ESF. SIEBER, J.D. Duquesne Light Co. 88/06/27. Document Control Branch (Document Control Desk). 1p. 46103-312-46103-330.

8807060478 Application for amendments to Licenses DPR-66 & NPF-73, changing surveillance frequency from monthly to refueling for Table 4.3-1 & removing requirement to test RHR pumps on recirculation flow. SIEBER, J.D. Duquesne Light Co. 88/06/27. 1p. 46103-313-46103-313.

8807060481 Proposed Tech Specs 3/4, changing surveillance frequency from monthly to refueling for Table 4.3-1, safety injection input from ESF & deleting BV-1 & BV-2 turbine driven pump discharge pressure low initiating signal from ESF tables. \* Duquesne Light Co. 88/06/27. 17pp. 46103-314-46103-330.

8807110248 Advises that diversion of flow reportable under current regulations since regulations do not differentiate between partial or full actuations or whether situation was caused by ESF circuit. STOLZ, J.F. Project Directorate I-4. 88/06/27. SIEBER, J.D. Duquesne Light Co. 2pp. 46110-309-46110-310.

8807080118 Grants unit 880504 request for withholding WCAP-11798, "Beaver Valley Unit 1 Evaluation of Tube Vibration Induced Fatigue," per 10CFR2.790 Reasons listed TAMPS, Project Directorate I-4. 88/06/29. SIEBER, J.D. Duquesne Light Co. 3pp. 46134-202-46134-204.

8807130209 Forwards environ assessment & finding of no significant impact re 871207 application for amend to License DPR-66, changing Tech Spec to require determination of target flux difference by interpolating to design end-of-life value. TAMPS, Project Directorate I-4. 88/07/06. SIEBER, J.D. Duquesne Light Co. 2pp. 46172-183-46172-188.

8807130217 Environ assessment & finding of no significant impact re 871207 application for amend to License DPR-66, changing Tech Spec 4.2.1.4 to require determination of flux difference by interpolating to design end-of-life value. STOLZ, J.F. Project Directorate I-4. 88/07/06. 4pp. 46172-185-46172-188.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

8807250043 Forwards Amend 128 to License DPR-66 & safety evaluation. Amend changes Tech Spec 4.2.1.4 to require determination of target flux difference by interpolating to design end-of-cycle value instead of 0% at end-of-life. TAMPS, Project Directorate I-4. 88/07/13. SIEBER, J.D. Duquesne Light Co. 2pp. 46269-179-46269-190.

8807250046 Amend 128 to License DPR-66, changing Tech Specs 4.2.1.4 to require determination of target flux difference by interpolating to design end-of-cycle value instead of 0% at end-of-life. STOLZ, J.F. Project Directorate I-4. 88/07/13. 4pp. 46269-181-46269-184.

8807250048 Safety evaluation supporting Amend 128 to License DPR-66. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/13. 2pp. 46269-185-46269-186.

8807250050 Notice of issuance of amend to License DPR-66. STOLZ, J.F. Project Directorate I-4. 88/07/13. 4pp. 46269-187-46269-190.

#### Q. Inspection reports, IE Bulletins & correspondence

8807180093 FOIA request for agency records & info re Insp Repts 50-334/88-16 & 50-412/88-11 dtd 880517. BAUMAN, L.L. Government Accountability Project. 88/06/08. NRC - No Detailed Affiliation. 2pp. 45527-335-45527-336.

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978-158-45978-266.

8807010341 Forwards Resident Safety Insp Repts 50-334/88-17 & 50-412/88-13 on 880501-31. No violations noted. WIGGINS, J.T. Region 1, O/C of the Director. 88/06/21. SIEBER, J.D. Duquesne Light Co. 2pp. 46008-057-46008-071.

8807010349 Resident Insp Repts 50-334/88-17 & 50-412/88-13 on 880501-31. No violations noted. Major areas inspected: plant operations, physical security, radiological controls, plant housekeeping & fire protection, surveillance testing & maint. TRIPP, L.E. Region 1, O/C of the Director. 88/06/20. 13pp. 46008-058-46008-071.

8807010380 Forwards Insp Repts 50-334/88-18 & 50-412/88-14 on 880509-13 & notice of violation. BELLMAN, R.R. Region 1, O/C of the Director. 88/06/21. SIEBER, J.D. Duquesne Light Co. 2pp. 46008-205-46008-217.

8807010385 Notice of violation from Insp on 880509-13. Violation noted, contrary to Tech Spec 6.11, air sample paper found to indicate 2,400 ncp/m & supervision not notified in order to determine if immediate corrective actions needed. \* Region 1, O/C of the Director. 88/06/21. 1p. 46008-207-46008-207.

--8807010367 Insp Repts 50-334/88-18 & 50-412/88-14 on 880509-13 Violations noted Major areas inspected license action on previous findings, organization & staffing, audits, ALARA, external & internal exposure controls & startup testing. NIMITZ, R.L., SHANBAKY, M.M. Region 1, Ofc of the Director 88/08/20. 10pp. 46008-208-46008-217.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

8806210038 NRC Info Notice 88-044, "Mechanical Ending of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807070077 Ack receipt of 880509 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-334/88-09. BELLAMY, R.R. Region 1, Ofc of the Director 88/06/28. SIEBER, J.D. Duquesne Light Co. 2pp. 46119-109-46119-114.

8807120054 Informs that all Class 1E DS-416 breakers now in use comply w/NRC Bulletin 88-001 re defects in Westinghouse circuit breakers. SIEBER, J.D. Duquesne Light Co. 88/06/30. Document Control Branch (Document Control Desk) 3pp. 46154-210-46154-212.

8807130163 Responds to IE Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays Mfg by GE." No HFA relays identified as being installed or planned for installation in safety-related sys at plant. SIEBER, J.D. Duquesne Light Co. 88/06/30. Document Control Branch (Document Control Desk) 2pp. 46170-020-46170-021.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807190017 Informs that util response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory. TAM, P.S. Project Directorate I-4. 88/07/08. SIEBER, J.D. Duquesne Light Co. 2pp. 46208-186-46208-187.

8807200163 Forwards Safety Insp Repts 50-334/88-18 & 50-412/88-15 on 880516-20 No violations noted. BELLAMY, R.R. Region 1, Ofc of the Director 88/07/11. SIEBER, J.D. Duquesne Light Co. 2pp. 46240-077-46240-083.

--8807200155 Insp Repts 50-334/88-18 & 50-412/88-15 on 880516-20 No violations noted. Major areas inspected radioactive gaseous & liquid effluent controls program including rad active discharges & rad effluent monitoring sys calibr & tests. DAVIDSON, B.S., PASCIAK, W.J. Region 1, Ofc of the Director 88/07/07. 5pp. 46240-079-46240-083.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-008-46242-100.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120560 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257-258-46258-018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-208.

## R. Periodic operating reports & related correspondence

8807080029 Monthly operating repts for May 1988 for Beaver Valley Units 1 & 2. W/880610 ltr.

8807210292 Monthly operating repts for June 1988 for Beaver Valley Power Station Units 1 & 2. W/880712 ltr. WINGER, M.A., SIEBER, J.D. Duquesne Light Co. 88/06/30. 9pp. 46236-151-46236-159.

## S. Reportable occurrences, LERs & related correspondence

8807070234 LER 88-010-00 on 871214, incro instrumentation thimble tube wear discovered. Caused by flow induced vibration tubes w/ worst wear repositioned or isolated. Re-exam planned next refueling outage. W/880629 ltr. NOONAN, T.P. Duquesne Light Co. 88/07/01. 4pp. 46136-292-46136-295.

8807070511 LER 88-011-00 on 880103, one of 12 bolts which secure thermal shield to lower core barrel, found severed w/threaded portion of bolt extending through lower core barrel. Caused by transgranular fracture. Bolt replaced. W/880629 ltr. NOONAN, T.P. Duquesne Light Co. 88/07/01. 5pp. 46136-136-46136-140.

8807070525 LER 88-012-00 on 871228, cracking identified in counterbore transition area of feedwater elbow to feedwater nozzle in all three steam generators. Cause not confirmed. Affected feedwater nozzles replaced. W/880629 ltr. NOONAN, T.P. Duquesne Light Co. 88/07/01. 4pp. 46123-279-46123-282.

8807150068 LER 88-007-00 on 880607, reactor trip on low flow in single loop occurred due to operator inadvertently tripping reactor coolant pump breaker. Caused by non-licensed operator error. Operator disciplined. W/880707 ltr. NOONAN, T.P. Duquesne Light Co. 88/07/05. 10pp. 46182-328-46182-337.

8807120012 LER 88-009-00 on 880611, reactor trip & feedwater isolation occurred. Cause under investigation. Special operating order issued to prevent configuration. Affected steam dump valves isolated. W/880708 ltr. NOONAN, T.P. Duquesne Light Co. 88/07/08. 6pp. 46147-314-46147-319.

8807120110 LER 88-008-00 on 880608, two of three level channels in steam generator C reached hi-hi level setpoint, causing turbine trip & main feedwater isolation. Caused by failure of bypass feedwater regulating valves. Trans modified. W/880708 ltr. NOONAN, T.P. Duquesne Light Co. 88/07/08. 5pp. 46141-346-46141-350.

## DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

## F. Security, medical, emergency & fire protection plans

8806290100 Forwards Insp Repts 50-335/88-07 & 50-389/88-07 on 880410-0505. No violations or deviations noted. Unresolved items identified in rpt w/ be pursued during future insps. WILSON, B.A. Region 2, Ofc of the Director 88/06/17. CONWAY, W.F. Florida Power & Light Co. 2pp. 45984-235-45984-248.

--8806290102 Insp Repts 50-335/88-07 & 50-389/88-07 on 880410-0505. No violations or deviations noted. Major areas inspected: Tech. Spec. compliance, operator performance, QA practices, overall plant operations, site security procedures. BIBB, H.E., CRLENJAK, R.V. Region 2, Ofc of the Director 88/06/16. 12pp. 45984-237-45984-248.

8807130064 Rev 5 to Health Physics Procedure HP-203, "Personnel Access Control During Emergencies." W/880705 ltr. BARROW, J.H., CONWAY, W.F. Florida Power & Light Co. 88/07/05. 19pp. 46164-278-46164-283.

8807190054 Rev 11 to Emergency Plan Implementing Procedure 3100025E, "Fire Emergencies." W/880705 ltr. HARRIS, K.N., CONWAY, W.F. Florida Power & Light Co. 88/07/05. 7pp. 46208-175-46208-181.

8807210247 Advises that 880623 Rev 15 to physical security plan meets requirements of 10CFR50.64(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director 88/07/07. WOODY, C.O. Florida Power & Light Co. 3pp. 46234-061-46234-063.

8807210255 Advises that revised page to Rev 13 to physical security plan transmitted by 880623 ltr consistent w/provisions of 10CFR50.64(p) & acceptable. CLINE, W.E. Region 2, Ofc of the Director 88/07/07. WOODY, C.O. Florida Power & Light Co. 3pp. 46234-161-46234-163.

## G. Adjudicatory correspondence

8807290005 Advises that time for Commission to review ALAB-893 expired. Commission declined review. Decision became final agency action on 880725. Served on 880726. CHILK, S.J. Office of the Secretary of the Commission. #388 6792. 88/07/26. Atomic Safety and Licensing Board Panel. 1p. 46253-185-46253-185.

## K. Utility Final Safety Analysis Report (FSAR) & amendments

8807210119 Rev 7 to updated FSAR for St. Lucie Unit 1. W/880719 ltr. CONWAY, W.F. Florida Power & Light Co. 88/07/19. 610pp. 46242-213-46244-163.

## P. Operating license stage documents & correspondence

8807050455 Summary of 880602 meeting w/util in Bethesda, MD to discuss response to 10CFR50.64 re seismic qualification of equipment per USI A-46. TOURIGNY, E.G., EDISON, G.E. Project Directorate II-2. 88/06/16. Project Directorate II-2. 10pp. 45981-286-45982-003.

--8807050467 "Seismic Hazard Data Prepared for Resolution of USI A-46."



8807010140 In response to questions re ATWS will be provided by 880816, in response to 880518 requesting for add info. CONWAY,W.F. Florida Power & Light Co. 88/06/23. Document Control Branch (Document Control Desk) 1p. 46017.233-46017.073.

8807010557 Application for amendments to Licenses DPR-37 & NPF-16, deleting containment integrated leak rate testing methods in favor of improved methods, including mass point method not recognized in AHS: 1445.4-1972 Fee paid. CONWAY,W.F. Florida Power & Light Co. 88/06/23. Document Control Branch (Document Control Desk) 3pp. 46017.233-46017.252

8807010880 Proposed Tech Spec Pages 3/4 6-2 & 8 3/4 6-1 deleting required containment integrated leak rate testing methods deleted in ANSI N45.4-1972 & including newer method of evaluating fast data called mass point method \* Florida Power & Light Co. 88/06/23. 12pp. 46017.241-46017.252

8807010891 Forwards responses to NRC 880316 Questions 471.5, 471.8, 471.7, 471.9, 471.11 & 471.12 re util 10CFR20, App A exemption request for worker respiratory protection apparatus CONWAY,W.F. Florida Power & Light Co. 88/06/23. STELLO,V. Ofc of the Executive Director for Operations 16pp. 45997.240-45997.266

8807060450 Opposes license request that hearing on company proposed change to more concentrated spent nuclear fuel storage sys be closed to public. FCRT,P. Hutchinson Island Home Owner's Association 88/06/27. Atomic Safety and Licensing Board Panel 1p. 46117.317-46117.317.

8807080184 Forwards Amends 97 & 32 to Licenses DPR-67 & NPF-16, respectively & safety evaluation Amends modify Paragraph 2 D of licenses to require compliance w/ amended physical security plan for facilities. TOUGHEY,E.G. Project Directorate II-2 88/07/05. CONWAY,W.F. Florida Power & Light Co. 4pp. 46134.220-46134.230

8807080188 Amends 97 & 32 to Licenses DPR-67 & NPF-16, respectively, modifying Paragraph 2 D of licenses to require compliance w/ amended physical security plan. BERKOW,H.N. Project Directorate II-2. 88/07/05. 4pp. 46134.224-46134.227.

8807080190 Safety evaluation supporting Amends 97 & 32 to Licenses DPR-67 & NPF-16, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/05. 3pp. 46134.228-46134.230

8807140046 Forwards notice of denial of 861212 application to amend License DPR-67, increasing steam generator tube plugging limit from 40% to 54%. Concerns expressed as to whether proposed plugging limit makes adequate allowance for error. BERKOW,H.N. Project Directorate II-2. 88/07/07. CONWAY,W.F. Florida Power & Light Co. 4pp. 46178.212-46178.218

8807140052 Notice of denial of 861212 application for amend to License DPR-67, increasing steam generator tube plugging limit from 40% to 54%. TOUGHEY,E.G. Project Directorate II-2. 88/07/07. 3pp. 46178.216-46178.218

8807130454 Generic Lit 88-11 to all licensees of operating reactors & holders of CPAs re NRC position on regulation embrittlement of reactor vessel heads & impact on plant operations. Svc list encl. 2 to Reg Guide 1.69 encl. M. RAGLIA, E. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806300119 Forwards Insp Repts 50-335/88-11 & 50-389/88-11 on 880523-28 No violations or deviations noted. CLINE,W.E. Region 2, Ofc of the Director. 88/06/14. CONWAY,W.F. Florida Power & Light Co. 2pp. 46016.215-46016.217.

8806300123 Insp Repts 50-335/88-11 & 50-389/88-11 on 880523-28 No violations or deviations noted. Major areas inspected special nuclear mat control & accounting. JONES,D.W., MCALPINE,E.J. Region 2, Ofc of the Director. 88/06/14. 1p. 46016.217-46016.217.

8806310168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.268.

8807060097 Forwards Insp Repts 50-335/88-10 & 50-389/88-10 on 880516-20 No violations or deviations noted. COLLINS,D.M. Region 2, Ofc of the Director. 88/06/16. CONWAY,W.F. Florida Power & Light Co. 2pp. 46088.350-46088.360.

8807060098 Insp Repts 50-335/88-10 & 50-389/88-10 on 880516-20 No violations or deviations noted. Major areas inspected QA & conformity measurements for inplant radiochemical analyses. HUGHEY,C.A., ADAMOVIK,S.S., KATILE,J.B. Region 2, Ofc of the Director. 88/06/16. 10pp. 46088.352-46088.360.

8806290100 Forwards Insp Repts 50-336/88-07 & 50-389/88-07 on 880410-0505 No violations or deviations noted. Unresolved items identified in rept will be pursued during future insps. WILSON,B.A. Region 2, Ofc of the Director. 88/06/17. CONWAY,W.F. Florida Power & Light Co. 2pp. 45984.235-45984.246.

8806290102 Insp Repts 50-335/88-07 & 50-389/88-07 on 880410-0505 No violations or deviations noted. Major areas inspected Tech Spec compliance, operator performance, QA practices, overall plant operations, site security procedures. BIBB,H.E., CRENJAK,R.V. Region 2, Ofc of the Director. 88/06/16. 12pp. 45984.237-45984.248

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR 0122 & svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170033 NRC Bulletin 88-041, "Mechanical Binding of Spring Release Device in Westinghouse Type DS 418 Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46018.037-46018.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS 418 Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018.153-46018.285

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46018.266-46018.018

8807130223 Forwards Insp Repts 50-335/88-13 & 50-389/88-13 on 880531-0603 No violations or deviations noted. HERDT,A.R. Region 2, Ofc of the Director. 88/06/24. CONWAY,W.F. Florida Power & Light Co. 2pp. 46169.346-46169.358

8807130225 Insp Repts 50-335/88-13 & 50-389/88-13 on 880531-0603 No violations or deviations noted. Major areas inspected inservice testing of pumps & valves, including procedure reviews, work activities & surveillance test results. CROWLEY,B.R., BLAKE,J.J. Region 2, Ofc of the Director. 88/06/23. 11pp. 46169.348-46169.358

8807080389 Responds to 880603 request for documentation of first 10-yr inservice inspection interval. NRC believes will successfully completed first 10-yr inservice insp interval requirements. Related documents available in PDR for review. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 88/06/20. BARRY,M. Public Policy Research Inst, Inc. 1p. 46076.330-46076.332.

8807080371 Requests further info clarifying 880527 response to 880516 request for documentation of successful completion or noncompletion of first 10-yr Insp interval. Util requests for relief from second 10-yr interval plan also requested. BARRY,M. Public Policy Research Inst, Inc. 88/06/03. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411) 2pp. 46076.331-46076.332.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/09. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807190121 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Calculations indicate that dead heading not concern for continued operation. CONWAY,W.F. Florida Power & Light Co. 88/07/11. Document Control Branch (Document Control Desk) 12pp. 46209.039-46209.050.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108

8807080386 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.208.

#### R. Periodic operating reports & related correspondence

8807250004 Monthly operating repts for June 1988 for St Lucie & Turkey Points W/ 880715 lr. GRANT,N.W., CONWAY,W.F. Florida Power & Light Co. 88/06/30. 17pp. 46269.341-46269.357.

8807050395 Forwards quarterly status rept on intake canal barrier Improvements Rept withheld (ref 10CFR73.21 & 2790). CONWAY,W.F. Florida Power & Light Co. 88/07/01. Document Control Branch (Document Control Desk) 1p. 46075.316-46075.316.

8807190189 Forwards rept of changes made per 10CFR50.50, for period ending 880122 & correlates to Rev 7 to updated FSAR. CONWAY,W.F. Florida Power & Light Co. 88/07/08. Document Control Branch (Document Control Desk) 147pp. 46217.081-46217.237.

#### DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807210282 Forwards Safeguards Insp Repts 50-245/88-10, 50-336/88-14 & 50-423/88-11 on 880518-17 No violations noted. BELLAMY,R.R. Region 1, Ofc of the Director. 88/07/01. MROCZKA,E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46237.219-46237.222.



-8807210285 Insp Repts 50-245/88-10,50-336/88-14 & 50-423/88-11 on 880516-17. No violations noted. Major areas inspected: review of licensee's continued implementation of strike plans & compliance w/NRC approved security & contingency plans. MARTIN, W.G., Region 1, Ofc of the Director. 88/06/28. 2pp. 46237:221-46237:222.

8807110390 Forwards Insp Rept 50-336/88-13 on 880503-0613. No violations noted. BETTENHAUSEN, L., Region 1, Ofc of the Director. 88/07/07. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46141:261-46141:306.

-8807110397 Insp Rept 50-336/88-13 on 880503-0613. No unsafe conditions noted. Major areas inspected: plant operations, surveillance, maint., radiation protection, physical security, outage activities, allegations, LERs & committee activities. MCCABE, E.C., Region 1, Ofc of the Director. 88/07/08. 4pp. 46141:263-46141:306.

#### H. General correspondence

8807200337 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SUSPENSKI, A.J., Affiliation Not Assigned. 87/03/04. NRC - No Definite Affiliation Given. 1p. 46197:088-46197:088.

#### P. Operating license stage documents & correspondence

8807050073 Ack receipt of 880523 ltr re Generic Ltr 88-03, "Steam Bldng of Auxiliary Pumps," & finds ltr satisfactory & no further action requested. JAFFE, D.H., Project Directorate I-4. 88/06/23. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 45981:233-45981:234.

8807060387 Forwards addl info re 880429 request concerning reduction in boric acid concentration in boric acid storage tanks & associated injection lines. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/06/24. Document Control Branch (Document Control Desk). 7pp. 46108:248-46107:034.

-8807060388 "Boric Acid Concentration Reduction Effort, Technical Bases & Operational Analysis." \* Combustion Engineering, Inc. CEN-342(N). 86/11/30. 140pp. 46108:255-46107:034.

8807060203 Forwards first half of responses to 880608 request re ATWS mods. Remaining responses will be submitted by 880712. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/06/24. Document Control Branch (Document Control Desk). 17pp. 46115:208-46115:224.

8807070420 Informs NRC of apparent inconsistencies between 880512 SER & util 870831 CRDR addendum rpt. Util overall commitment concerns correction of all identified human engineering discrepancies by end of Cycle 10. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/07/27. Document Control Branch (Document Control Desk). 2pp. 46139:141-46139:142.

8807120602 Forwards request for addl info re pump & valve inservice testing program. Response requested within 60 days of receipt of ltr. JAFFE, D.H., Project Directorate I-4. 88/06/28. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 7pp. 46113:148-46113:154.

8807190078 Forwards Amend 130 to License DPR-65 & safety evaluation. Amend revises Tech Specs 3.4.4, "Pressurizer," requiring 130 kW of operable pressurizer heaters be capable of being supplied by emergency power. JAFFE, D.H., Project Directorate I-4. 88/07/07. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46215:348-46215:358.

-8807190081 Amend 130 to License DPR-65, revising Tech Specs 3.4.4, "Pressurizer," requiring that 130 kW of operable pressurizer heaters be capable of being supplied by emergency power. STOLZ, J.F., Project Directorate I-4. 88/07/07. 5pp. 46215:350-46215:354.

-8807190082 Safety evaluation supporting Amend 130 to License DPR-65. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/07. 2pp. 46215:355-46215:356.

8807200003 Forwards responses to questions on proposed ATWS mods, per NRC 880608 request. Spare parts will be kept for all DSS/ATWS mitigating sys actuation circuit components. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/07/11. Document Control Branch (Document Control Desk). 9pp. 46221:098-46221:106.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA, F.J., Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

8807250040 Forwards results of review of ECCS single failure analysis. Facilities charging sys not sub. to potential single failure vulnerability similar to recently identified problem at Haddam Neck Plant. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/07/18. Document Control Branch (Document Control Desk). 3pp. 46274:048-46274:050.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:166-45978:268.

8807080020 Ack receipt of 880516 ltr discussing Info Notice 88-021 on inadvertent criticalities. Discovery of three repts dealing w/three events mentioned in ltr noted. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/06/16. HANAUER, S.H., Technical Analysis Corp. 2pp. 46134:179-46134:180.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

8807050250 Forwards Safety Insp Repts 50-245/88-08 & 50-336/88-12 on 880509-13. No violations noted. BELLAMY, R.R., Region 1, Ofc of the Director. 88/06/23. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46025:052-46025:062.

8806210038 NRC Info Notice 88-044, "Mechanical Bldng of Spring Release Device in Westinghouse Type DS-41B Circuit Breakers." Svc list encl. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

8807070139 Forwards final summary rpt addressing IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures." No addl work w/ respect to bulletin suppl necessary for Milstone Unit 1. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/06/27. Document Control Branch (Document Control Desk). 28pp. 46139:103-46139:130.

8807130075 Informs that util's do not possess, use or transport Model SPEC 2-T radiographic exposure devices per Bulletin 88-008. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/06/29. Document Control Branch (Document Control Desk). 1p. 46164:038-46164:039.

8807070063 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Most pumps not susceptible to sump problem because sys lineup &/or operational procedures do not allow pump to run near shutoff conditions. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/06/30. Document Control Branch (Document Control Desk). 6pp. 46126:168-46126:173.

8807210282 Forwards Safeguards Insp Repts 50-245/88-10,50-336/88-14 & 50-423/88-11 on 880516-17. No violations noted. BELLAMY, R.R., Region 1, Ofc of the Director. 88/07/01. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46237:218-46237:222.

-8807210285 Insp Repts 50-245/88-10,50-336/88-14 & 50-423/88-11 on 880516-17. No violations noted. Major areas inspected: review of licensee's continued implementation of strike plans & compliance w/NRC approved security & contingency plans. MARTIN, W.G., KEIMIG, F.R., Region 1, Ofc of the Director. 88/06/28. 2pp. 46237:221-46237:222.

8807150110 Informs that listed plants use GE HFA-type latching relays per NRC Bulletin 88-03. All plants will be inspected during next refueling outage in 1989. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/07/06. Document Control Branch (Document Control Desk). 2pp. 46184:358-46184:358.

8807150115 Responds to NRC 880527 ltr re violations noted in Combined Insp 50-245/88-08,50-336/88-09 & 50-423/88-07. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/07/08. RUSSELL, W.T., Region 1, Ofc of the Director. 3pp. 46182:320-46182:322.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:108-46242:212.

8807110390 Forwards Insp Rept 50-336/88-13 on 880503-0613. No violations noted. BETTENHAUSEN, L., Region 1, Ofc of the Director. 88/07/07. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46141:261-46141:306.

-8807110397 Insp Rept 50-336/88-13 on 880503-0613. No unsafe conditions noted. Major areas inspected: plant operations, surveillance, maint., radiation protection, physical security, outage activities, allegations, LERs & committee activities. MCCABE, E.C., Region 1, Ofc of the Director. 88/07/08. 4pp. 46141:283-46141:308.

8807080008 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl. ROSSI, C.E., Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807200038 Responds to NRC Bulletin 87-002, Suppl 1, "Fastener Testing to Determine Conformance W/Applicable Mat Specs." List of safety-related fastener suppliers w/ typical mat specs & list of nonsafety-related suppliers w/o mat specs encl. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/07/12. Document Control Branch (Document Control Desk). 7pp. 46221:334-46221:334.

8807250085 Advises that U.I 880325 response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
BOYLE, M.L. Project Directorate I-4, 88/07/13. MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46269;294-46269;295.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807220305 Responds to NRC 880527 ltr re violations & deviations noted in Insp Rept 50-338/88-07. Corrective actions: enhanced awareness for instrument & control personnel emphasized for proper & accurate data collection & procedural compliance.  
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/07/15. RUSSELL, W.T. Region 1, Ofc of the Director. 6pp. 46250.219-46250.224.

8807120550 NRC Info Notice 88-049, "Marking Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016.

8807160101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.088-46257.206.

#### R. Periodic operating reports & related correspondence

8807250128 Monthly operating rpt for June 1988 for Millstone Unit 2 W/ 880711 ltr.  
NERON, G., KEENAN, J.S. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). KEENAN, J.S. Northeast Utilities. 88/06/30. 5pp. 46276.321-46276.325.

#### S. Reportable occurrences, LERs & related correspondence

8807150077 LER 88-009-00 on 880607, CEA dropped into core caused by upper grpper coil failure from overheating condition resulting in degraded coil insulation. Total of 60 coils either replaced or new coil stack installed. W/880707 ltr.  
DESLANDES, K.D., CLEMENT, C.H. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). CLEMENT, C.H. Northeast Utilities. 88/07/07. 4pp. 46185.176-46185.179.

#### DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807060526 Forwards Insp Repts 50-338/88-19 & 50-339/88-19 on 880606-10 No violations or deviations noted.  
CLINE, W.E. Region 2, Ofc of the Director. 88/06/27. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46103.347-46103.348.

8807100196 Insp Rept 50-338/88-19 & 50-339/88-19 on 880606-10 No violations or deviations noted. Major areas inspected: records & repts, physical barrier & detection aids on vital areas & protected areas & physical protection safeguards info.  
THOMPSON, D., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/06/27. 1p. 46103.349-46103.349.

8807130058 Forwards Rev 21 to plant security program. Rev withheld (ref. 10CFR73.21).  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/01. Document Control Branch (Document Control Desk). 1p. 46163.261-46163.261.

8807190231 Revised emergency plan implementing procedures including Rev 9 to EPIP. 2.01, "Notification of State & Local Govts." Rev 5 to EPIP.2.02, "Notification of NRC" & Rev 1 to EPIP.2.04, "Plant Status." W/880704 ltr.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/08. 123pp. 46215.138-46215.259.

#### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807050186 Rev 7 to updated FSAR for North Anna Power Station Units 1 & 2. W/ 880621 ltr.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/06/21. 501pp. 46086.162-46087.302.

#### P. Operating license stage documents & correspondence

8807100884 Requests relief from ASME Section XI requirements re NDE exam of Class 2 main steam nozzle welds in common header to code safety valves as identified in encl. Fee paid.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/23. Document Control Branch (Document Control Desk). 3pp. 46017.070-46017.072.

8807050517 Forwards AED Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Braidwood Unit 1.  
ROSENTHAL, J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER, C.H. Generic Communications Branch. 2pp. 45988.060-45988.068.

8807050550 Technical Review Rept T808, "Blocked Thimble Tubes/Stuck Incore Detector."  
\* Office for Analysis & Evaluation of Operational Data. Director. 88/06/15. 4pp. 45988.060-45988.068.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807250060 Requests that Region II exercise enforcement discretion re plant compliance w/ Tech Spec 3.6.1.5, "Primary Containment Average Air Temp." to permit continued operation during period of extreme warm weather & narrow reserve margins.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/18. Document Control Branch (Document Control Desk). 2pp. 46259.320-46259.321.

#### Q. Inspection reports, IE Bulletins & correspondence

8807050560 Informs that util has procured new snubbers to replace snubbers remaining after proposed support mod. per 880512 request for add ltr re general design, vendor supplied maint & insp recommendations size & capacity of snubbers.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/06/10. Document Control Branch (Document Control Desk). 4pp. 46073.330-46073.333.

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266.

8806290123 Ack receipt of 880519 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-338/87-32 & 50-339/87-32.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 1p. 45987.240-45987.240.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807050417 Responds to NRC 880528 ltr re violations noted in Insp Repts 50-338/88-02 & 50-339/88-02. Corrective actions: facility shut down for repair & testing of cold shutdown isolation valves & program revs implemented resulting from reviews.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/06/27. Document Control Branch (Document Control Desk). 8pp. 46075.319-46075.327.

8807060526 Forwards Insp Repts 50-338/88-19 & 50-339/88-19 on 880606-10 No violations or deviations noted.  
CLINE, W.E. Region 2, Ofc of the Director. 88/06/27. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46103.347-46103.348.

8807070196 Insp Rept 50-338/88-19 & 50-339/88-19 on 880606-10 No violations or deviations noted. Major areas inspected: records & repts, physical barrier & detection aids on vital areas & protected areas & physical protection safeguards info.  
THOMPSON, D., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/06/27. 1p. 46103.349-46103.349.

8807120177 Forwards Insp Repts 50-338/88-15 & 50-339/88-15 on 880524-27. No violations or deviations noted.  
JULIAN, C.A. Region 2, Ofc of the Director. 88/06/27. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46143.354-46143.381.

8807120180 Insp Repts 50-338/88-15 & 50-339/88-15 on 880524-27. No violations or deviations noted. Major areas inspected: licensee actions taken due to svc water sys fouling in recirculation spray HXs.  
THOMAS, M., BELISLE, G.A. Region 2, Ofc of the Director. 88/06/23. 6pp. 46143.358-46143.381.

8807120714 Confirms 880606 telcon w/BA Wilson re enforcement conference to be held in Region II ofc on 880706 to discuss emergency diesel generator out of svc at North Anna & overexposure issues at Surry.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/28. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46155.103-46155.105.

8807180334 Notification of 880706 enforcement conference in Region II ofc to discuss inoperable emergency diesel generators at North Anna & overexposure issues at Surry.  
CANTRELL, F. Region 2, Ofc of the Director. 88/06/28. Region 2, Ofc of the Director. 1p. 46155.105-46155.105.

8807120428 Forwards Insp Repts 50-338/88-16 & 50-339/88-16 on 880514-0610. Violations noted. Enforcement conference to discuss violation scheduled on 880708.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/30. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46153.307-46153.318.

8807120429 Insp Repts 50-338/88-16 & 50-339/88-16 on 880514-0610. Violations noted. Major areas inspected: plant status, monthly maint observation, monthly surveillance observation, ESF walkdown & operator safety verification.  
CALDWELL, J.L., KING, L.P., CANTRELL, F. Region 2, Ofc of the Director. 88/06/30. 10pp. 46153.309-46153.318.

8807120431 Forwards Insp Repts 50-338/88-11 & 50-339/88-11 on 880406-0513. No violations or deviations noted.  
WILSON, B.A. Region 2, Ofc of the Director. 88/06/30. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46153.341-46153.357.

CANTRELL, F., KING, L. P., PATRELL, F. Region 2, Ofc of the Director. 88/06/28. 14pp. 46153.343-46153.357.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 89/07/08 Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027

8807250308 Forwards Insp Repts 50-338/88-17 & 50-339/88-19 on 880606-10 No violations or deviations noted.  
HERDT, A.R. Region 2, Ofc of the Director. 88/07/08. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46255.213-46255.224.

-8807250315 Insp Repts 50-338/88-17 & 50-339/88-19 on 880606-10 No violations or deviations noted. Major areas inspected, records & repts, physical barrier & detection aids on vital areas & protected areas & physical protection safeguards info.  
ECONOMOS, N., BLAKE, J.J. Region 2, Ofc of the Director. 88/07/08. 10pp. 46255.215-46255.224.

8807190226 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Potentially susceptible safety-related pump & piping configurations do exist. Evaluations of sys in progress but have not been completed.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/11. Document Control Branch (Document Control Desk). 2pp. 46208.140-46208.141

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.208.

#### R. Periodic operating reports & related correspondence

8807250420 Monthly operating repts for June 1988 for North Anna Power Station Units 1 & 2. W/880715 ltr.  
GARNER, B., CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/06/30. 12pp. 46255.229-46255.240

#### S. Reportable occurrences, LERs & related correspondence

8807260261 LER 88-016-01 on 880513, recirculation spray HXs not placed in dry layup per updated FSAR. Caused by 10CFR50.59 reviews not accounting for biological fouling during wet layup conditions. Drain valve installed W/880715 ltr.  
KANE, G.E. Virginia Power (Virginia Electric & Power Co.). 88/07/15. 5pp. 46285.101-46285.105.

#### DOCKET 88-039 NORTH ANNA POWER STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807060526 Forwards Insp Repts 50-338/88-19 & 50-339/88-19 on 880606-10. No violations or deviations noted.  
CLINE, W.E. Region 2, Ofc of the Director. 88/06/27. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46103.347-46103.348.

-8807070196 Insp Rept 50-338/88-19 & 50-339/88-19 on 880606-10. No violations or deviations noted. Major areas inspected, records & repts, physical barrier & detection aids on vital areas & protected areas & physical protection safeguards info.  
THOMPSON, D. Region 2, Ofc of the Director. 88/06/27. 1p. 46103.349-46103.349.

8807130058 Forwards Rev 21 to plant security program Rev w/withheld (ref 10CFR73.21).  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/01. Document Control Branch (Document Control Desk). 1p. 46163.261-46163.261.

8807190231 Revised emergency plan implementing procedures, including Rev 9 to EPIP-2.01, "Notification of State & Local Govts." Rev 6 to EPIP-2.02, "Notification of NRC" & Rev 1 to EPIP-2.04, "Plant Status." W/880708 ltr.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/08. 123pp. 46215.138-46215.269.

#### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807050186 Rev 7 to updated FSAR for North Anna Power Station Units 1 & 2. W/880621 ltr.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/06/21. 601pp. 46086.162-46087.302.

8807010664 Requests relief from ASME Section XI requirements re NUC exam of Class 2 main steam nozzle welds in common header to add safety valves as identified in encl. Fee paid.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/23. Document Control Branch (Document Control Desk). 3pp. 46017.070-46017.072.

8807050517 Forwards AEOC Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Braidwood Unit 1.  
ROSENTHAL, J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER, C.H. Generic Communications Branch. 2pp. 45998.060-45998.066.

-8807050550 Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector." \* Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45998.083-45998.088

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46267.207-46267.257.

8807250080 Requests that Region II exercise enforcement discretion re plant compliance w/ Tech Spec 3.6.1.5, "Primary Containment Average Air Temp," to permit continued operation during period of extreme warm weather & narrow reserve margins.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/18. Document Control Branch (Document Control Desk). 2pp. 46259.320-46259.321.

#### Q. Inspection reports, IE Bulletins & correspondence

8807050560 Informs that uhl has procured new snubbers to replace snubbers remaining after proposed support modification 880512 request for add info re general design, vendor supplied maint & insp recommendations, size & capacity of snubbers.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/08/10. Document Control Branch (Document Control Desk). 4pp. 46073.330-46073.333

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15 Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266

8806290123 Ack receipt of 880518 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-338/87-32 & 50-339/87-32.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/17. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 1p. 45987.240-45987.240.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46010.037-46010.162.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.163-46019.285

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807050417 Responds to NRC 880528 ltr re violations noted in Insp Repts 50-338/88-02 & 50-339/88-02. Corrective actions: facility shut down for repair & testing of cold shutdown isolation valves & program revs implemented resulting from reviews.  
CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 88/06/27. Document Control Branch (Document Control Desk). 8pp. 46076.319-46076.327.

8807060526 Forwards Insp Repts 50-338/88-19 & 50-339/88-19 on 880606-10. No violations or deviations noted.  
CLINE, W.E. Region 2, Ofc of the Director. 88/06/27. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46103.347-46103.348.

-8807070196 Insp Rept 50-338/88-19 & 50-339/88-19 on 880606-10. No violations or deviations noted. Major areas inspected, records & repts, physical barrier & detection aids on vital areas & protected areas & physical protection safeguards info.  
THOMPSON, D., MCGUIRE, D.A. Region 2, Ofc of the Director. 88/06/27. 1p. 46103.349-46103.349

8807120177 Forwards Insp Repts 50-338/88-15 & 50-339/88-15 on 880524-27. No violations or deviations noted.  
JULIAN, C.A. Region 2, Ofc of the Director. 88/06/27. CRUDEN, D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46143.354-46143.361.

-8807120180 Insp Repts 50-338/88-15 & 50-339/88-15 on 880524-27. No violations or deviations noted. Major areas inspected: licensee actions taken due to svc water sys fouling in recirculation spray HXs.  
THOMAS, M., BELISLE, G.A. Region 2, Ofc of the Director. 88/06/23. 6pp. 46143.358-46143.361.

8807120714 Confirms 880606 telcon w/BA Wilson re enforcement conference to be held in Region II o/c on 880706 to discuss emergency diesel generator out of svc at North Anna & overexposure issue at Surry.  
GRACE,J.N. Region 2, O/c of the Director. 88/06/28. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46155.103-46155.105.

-8807180334 Notification of 880706 enforcement conference in Region II o/c to discuss inoperable emergency diesel generators at North Anna & overexposure issues at Surry.  
CANTRELL,F. Region 2, O/c of the Director. 88/06/28. Region 2, O/c of the Director. 1p. 46155.105-46155.105

8807120426 Forwards Insp Rpts 50-338/88-16 & 50-339/88-16 on 880514-0810 Violations noted.Enforcement conference to discuss violation scheduled on 880706.  
GRACE,J.N. Region 2, O/c of the Director. 88/06/30. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46153.307-46153.318.

-8807120429 Insp Rpts 50-338/88-16 & 50-339/88-16 on 880514-0810. Violations noted Major areas inspected plant status,monthly maint observat on,monthly surveillance observation,ESF walk-down & operator safety verification  
CALDWELL,J.L., KING,L.P., CANTRELL,F. Region 2, O/c of the Director. 88/06/30. 10pp. 46153.309-46153.318.

8807120431 Forwards Insp Rpts 50-338/88-11 & 50-339/88-11 on 880408-0513 No violations or deviations noted.  
WILSON,B.A. Region 2, O/c of the Director. 88/06/30. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46153.341-46153.357.

-8807120433 Insp Rpts 50-338/88-11 & 50-339/88-11 on 880408-0513.No violations noted Major areas inspected,plant status, unresolved items,LER,review of inspector follow-up items & monthly maint observat on  
CANTRELL,F., KING,L.P., CANTRELL,F. Region 2, O/c of the Director. 88/06/28. 14pp. 46153.343-46153.357.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807250308 Forwards Insp Rpts 50-338/88-17 & 50-339/88-17 on 880606-10.No violations or deviations noted  
HERDT,A.R. Region 2, O/c of the Director. 88/07/08. CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 2pp. 46255.213-46255.224.

-8807260315 Insp Rpts 50-338/88-17 & 50-339/88-17 on 880606-10.No violations or deviations noted Major areas inspected review & evaluation of inservice insp data from Unit 2,1987 refueling outage & maint records review of coolant pump.  
ECONOMOS,N., BLAKE,J.J. Region 2, O/c of the Director. 88/07/08. 10pp. 46255.215-46255.224.

8807190226 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Potentially susceptible safety-related pump & piping configurations do exist Evaluations of sys in progress but have not been completed  
CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/07/11. Document Control Branch (Document Control Desk). 2pp. 46208.140-46208.141

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.008-46242.108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Safety-related Items." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.208.

#### R. Periodic operating reports & related correspondence

8807250420 Monthly operating reports for June 1988 for North Anna Power Station Units 1 & 2.W/880715 ltr.  
GARNER,B., CRUDEN,D.S. Virginia Power (Virginia Electric & Power Co.). 88/06/30. 12pp. 46255.229-46255.240.

#### DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807070513 Rev 0 to Radiological Emergency Plan Implementing Procedure EP-101, "Classification of Emergencies."  
FRASIER,T. Detroit Edison Co. 88/06/27. 110pp. 46123.189-46123.278.

8807101354 Forwards Safety Insp Rept 50-341/88-18 on 880516-20 & 0806-10 & notice of violation.  
HARRISON,J.J. Region 3, O/c of the Director. 88/06/28. SYLVIA,B.R. Detroit Edison Co. 2pp. 46006.334-46006.352.

-8807010372 Safety Insp Rept 50-341/88-18 on 880516-20 & 0806-10. Violations noted Major areas inspected MSIV open/close manual relay logic,surveillance program review,App R - high impedance fault & deviation repl review  
BUTLER,D.S., GARDNER,R.N. Region 3, O/c of the Director. 88/06/24. 16pp. 46006.337-46008.352

8807080402 Understands that dates for site visit to tour emergency response facilities w/ed 880711 & 12,per 880621 telcon. Goal is to consider ways of making more efficient use of available space & of providing adequate communications  
SHAFFER,W.D. Region 3, O/c of the Director. 88/06/28. SYLVIA,B.R. Detroit Edison Co. 3pp. 46117.354-46117.356

8807200346 Forwards SALP 9 Board Rept 50-341/88-01 for Apr 1987 - Mar 1988 Mgt & personnel not fully effective  
DAVIS,A.B. Region 3, O/c of the Director. 88/07/11. SYLVIA,B.R. Detroit Edison Co. 3pp. 46221.335-46222.021

-8807200347 SALP 9 Board Rept 50-341/88-01 for Apr 1987 - Mar 1988.  
\* Region 3, O/c of the Director. 88/07/11. 44pp. 46221.338-46222.021.

#### P. Operating license stage documents & correspondence

8807080232 Forwards Amend 20 to License NPF-43 & safety evaluation. Amend revises Tech Specs to change drywell air temp limit from 135 F to 145 F to ensure plant operation during summer months w/o need to derate plant operation  
QUAY,T.R. Project Directorate III-1. 88/06/23. SYLVIA,B.R. Detroit Edison Co. 3pp. 46076.341-46076.353

-8807080235 Amend 43 to License NPF-20, revising Tech Specs to change drywell air temp limit from 135 F to 145 F to ensure plant operation during summer months w/o need to derate plant operations.  
MULLER,D.R. Project Directorate III-1. 88/06/23. 5pp. 46076.344-46076.348

-8807080237 Safety evaluation supporting Amend 20 to License NPF-43.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 5pp. 46076.349-46076.353

8807050215 Application for amend to License NPF-43, removing organizational charts (Figures 8.2.1-1 & 8.2.2-1) from Tech Specs, per Generic Ltr 88-06 Feb pkl.  
SYLVIA,B.R. Detroit Edison Co. 88/06/24. Document Control Branch (Document Control Desk). 10pp. 46073.334-46073.357.

-8807050219 Proposed Tech Specs removing organizational charts (Figures 8.2.1-1 & 8.2.2-1), per Generic Ltr 88-06.  
\* Detroit Edison Co. 88/06/24. 14pp. 46073.344-46073.357.

8807130051 Forwards environ assessment & finding of no significant impact re 880310 application to amend License NPF-43 to eliminate non-regenerative HX outlet temp high signal, for info.  
QUAY,T.R. Project Directorate III-1. 88/06/28. SYLVIA,B.R. Detroit Edison Co. 3pp. 46122.036-46122.042.

-8807130059 Environ assessment & finding of no significant impact re 880310 & 0421 applications for amend to License NPF-43 to delete nonregenerative HX outlet temp high signal.  
VIRGILIO,M.J. Project Directorate III-1. 88/06/28. 4pp. 46122.030-46122.042.

8807080279 Application for amend to License NPF-43, revising Tech Spec Section 3/4.0 to provide provisions to reset instrument channels &/or trip sys & remove requirement to place channels &/or trip sys in unwarranted tripped condition  
SYLVIA,B.R. Detroit Edison Co. 88/06/20. Document Control Branch (Document Control Desk). 13pp. 46116.116-46116.140.

-8807080282 Proposed Tech Spec Section 3/4.0, providing provisions to reset instrument channels &/or trip sys, tripped to comply w/ action statements, in order to restore operability of associated instrumentation.  
\* Detroit Edison Co. 88/06/20. 12pp. 46116.129-46116.140.

8807130012 Provides revised response to Generic Ltr 83-28 re required actions based on gloria implications of ATWS events. Procurement process revised due to recent policy changes. Procedure MI-245 no longer applicable & has been deleted  
SYLVIA,B.R. Detroit Edison Co. 88/06/28. Document Control Branch (Document Control Desk). 2pp. 46189.380-46189.381.

8807080297 Advises that Mar 1988 submittal of OA program contained in Chapter 17.2 of annual FSAR update acceptable, per 10CFR60. App B.  
WRIGHT,G.C. Region 3, O/c of the Director. 88/06/30. SYLVIA,B.R. Detroit Edison Co. 1p. 46115.236-46115.238

8807140227 Forwards Amend 21 to License NPF-43 & safety evaluation. Amend revises Tech Specs to delete nonregenerative HX outlet temp high signal from listing of RWCU sys isolation signals. Not ce of issuance of amend to license also encl.  
QUAY,T.R. Project Directorate III-3. 88/07/08. SYLVIA,B.R. Detroit Edison Co. 4pp. 46176.322-46176.344.

-8807140231 Amend 21 to License NPF-43, revising Tech Specs to delete nonregenerative HX outlet temp high signal from listing of RWCU sys isolation signals.  
MULLER,D.R. Project Directorate III-3. 88/07/08. 15pp. 46175.326-46175.340.

-8807140233 Safety evaluation supporting Amend 21 to License NPF-43.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/08. 2pp. 46175.341-46175.342.

-8807140236 Notice of Issuance of Amend 21 to License NPF-43.  
QUAY,T.R. Project Directorate III-3. 88/07/08. 2pp. 46175.343-46175.344.

8807160129 Summarizes NRC senior managers 880628 & 29 meetings re performance of operating nuclear power plants. Overall weaknesses still exist in areas of responsiveness to NRC issues & problem definition in engineering area.  
STELLQ,V. O/c of the Executive Director for Operations. 88/07/08. MCCARTHY,W.J. Detroit Edison Co. 2pp. 46182.195-46182.196.



8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.09 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807200285 Forwards list of questions re conformity tests of safety relief valve (crus attached piping leads Response requested within 30 days of receipt of ltr. QUAY, T.R. Project Directorate III-1. 88/07/13. SYLVIA, B.R. Detroit Edison Co. 4pp. 46221.080-46221.083.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.158-45978.268.

8807080020 Ack receipt of 880518 ltr discussing Info Notice 88-021 on inadvertent criticalities. Discovery of three repts dealing w/ three events mentioned in ltr noted. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. HANAUER, S.H. Technical Analysis Corp. 2pp. 46134.178-46134.180.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.285.

8806240138 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.286-46020.018.

8807010354 Forwards Safety Insp Rept 50-341/88-18 on 880516-20 & 0806-10 & notice of violation. HARRISON, J.J. Region 3, Ofc of the Director. 88/06/28. SYLVIA, B.R. Detroit Edison Co. 2pp. 46006.334-46006.352.

8807010384 Notice of violation from Insp on 880516-20 & 0806-10. Violation noted prior to 880610, controlled copies of maint instructions prescribing activities affecting quality exceeded 2-yr review cycle. HARRISON, J.J. Region 3, Ofc of the Director. 88/06/28. 1p. 46006.336-46006.336.

8807010372 Safety Insp Rept 50-341/88-18 on 880516-20 & 0806-10. Violations noted. Major areas inspected: MSIV open/close manual relay log/c surveillance program review, App R - high impedance fault & deviation replot review. BUTLER, G.S., GARDNER, R.N. Region 3, Ofc of the Director. 88/06/24. 16pp. 46006.337-46006.352.

8807060402 Understands that dates for site visit to tour emergency response facilities will be 880711 & 12, per 880621 telcon. Goal is to consider ways of making more efficient use of available space & of providing adequate communications. SHAFER, W.D. Region 3, Ofc of the Director. 88/06/28. SYLVIA, B.R. Detroit Edison Co. 3pp. 46117.354-46117.358.

8807060319 Responds to NRC 880517 ltr re violations noted in Insp Rept 50-341/88-08. Corrective actions taken & periodically established for surveillance within one h of notification of violation & appropriate forms supplied in work packages. SYLVIA, B.R. Detroit Edison Co. 88/06/29. Document Control Branch (Document Control Desk). 13pp. 46102.163-46102.176.

8807190185 Confirms 880722 meeting in Monroe, MI to present findings of SALP assessment. GREENMAN, E.G. Region 3, Ofc of the Director. 88/07/08. SYLVIA, B.R. Detroit Edison Co. 2pp. 46208.164-46208.165.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.108-46242.212.

8807080006 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807190058 Discusses decision made during June 1988 semi-annual meeting to conduct diagnostic team insps at plant to investigate licensee continued poor performance & reasons for slow progress in effecting performance improvements. DAVIS, A.B. Region 3, Ofc of the Director. 88/07/08. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). JORDAN, E.L. Office for Analysis & Evaluation of Operational Data, Director. 2pp. 46208.089-46209.090.

8807190282 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Based on evaluation of RHR & core spray sys, potential for deadheading pumps when operating in min flow mode minimal. SYLVIA, B.R. Detroit Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 4pp. 46219.338-46219.350.

8807200348 Forwards SALP 9 Board Rept 50-341/88-01 for Apr 1987 - Mar 1988. Mgt & personnel not fully effective.

8807200347 SALP 9 Board Rept 50-341/88-01 for Apr 1987 - Mar 1988. \* Reg on 3, Ofc of the Director. 88/07/11. 44pp. 46221.338-46222.021.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807250135 Responds to NRC 880618 ltr notifying of proposed imposition of civil penalty in amount of \$200,000 re Enforcement Act on 88-104 Verification program of design mods implemented. Disputes violation re emergency filtration sys flowpath. SYLVIA, B.R. Detroit Edison Co. 88/07/15. Ofc of Enforcement (Post 870413). 21pp. 46278.130-46278.150.

8807120550 NRC Info Notice 88-049, "Marking, Handling Control, Storage & Destruction of Safety-related Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.003.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.088-46257.206.

#### R. Periodic operating reports & related correspondence

8807250415 Monthly operating rept for June 1988 for Form 2 W/880715 ltr. PENDERGAST, J.M., ORSER, W.S. Detroit Edison Co. 88/08/30. 4pp. 46255.203-46255.206.

#### S. Reportable occurrences, LERs & related correspondence

8807080088 LER 88-023-00 on 880528, manual isolation of RWCU occurred. Caused by instrument line pulling out of compression fitting due to improper installation. Line repaired & investigation & decontamination continuing W/880827 ltr. ANTHONY, P., ORSER, W.S. Detroit Edison Co. 88/06/27. 4pp. 46088.320-46088.323.

8807100281 LER 87-048-05 on 871008, Procedure 24.204.03 determined to be incomplete for response time testing of LPCI mode of RTH sys caused by inadequate surveillance procedure preparation. Procedure will be revised W/880711 ltr. PENDERGAST, J., ORSER, W.S. Detroit Edison Co. 88/07/11. 14pp. 46194.137-46194.150.

8807260005 LER 88-022-00 on 880613, Div 2 emergency diesel generators & core spray pumps actuated. Most likely caused by personnel error. Program will be developed to perform periodic audits of personnel during surveillance procedure W/880713 ltr. PENDERGAST, J., ORSER, W.S. Detroit Edison Co. 88/07/13. 4pp. 46259.130-46259.133.

#### V. Operator Examinations

8807120228 Forwards (draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o encl. WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/23. OVERBECK, G. Detroit Edison Co. 1p. 46148.360-46148.360.

8807220255 Forwards 10 applications for candidates interested in participating in pilot testing program per Generic Ltr 88-09. Applications represent entire initial license class of 1988 for reactor operator licenses. SYLVIA, B.R. Detroit Edison Co. 88/07/08. HANNON, J.N. Operator Licensing Branch. 11pp. 46250.298-46250.308.

8807200346 Forwards SALP 9 Board Rept 50-341/88-01 for Apr 1987 - Mar 1988. Mgt & personnel not fully effective. DAVIS, A.B. Region 3, Ofc of the Director. 88/07/11. SYLVIA, B.R. Detroit Edison Co. 3pp. 46221.335-46222.021.

8807200347 SALP 9 Board Rept 50-341/88-01 for Apr 1987 - Mar 1988. \* Reg on 3, Ofc of the Director. 88/07/11. 44pp. 46221.338-46222.021.

#### DOCKET 50-344 TROJAN NUCLEAR PLANT

#### F. Security, medical, emergency & fire protection plans

8806280248 Advises that util will ensure that properly trained technicians assigned to perform maint on security equipment. Commitment to maintain staff w/all members trained to perform maint work on security equipment excessive. COCKFIELD, D.W. Portland General Electric Co. 88/06/22. Document Control Branch (Document Control Desk). 1p. 45985.343-45985.343.

8807200286 Advises that 870828 Rev 16 to physical security plan meets provisions of 10CFR50.54(p) & acceptable.



## H. General correspondence

- 8807110115** Comment opposing proposed rule 10CFR50 re leak-before-break technology for safety related equipment. NRC reliance on leak-before-break is irrational response to very real safety problem. NRC should implement mandatory piping insp. BEAUDOIN, R. Nuclear Information & Resource Service. 88/06/30. CHILK Office of the Secretary of the Commission. 8pp. 46138 339-46138 346
- 8807180147** Comment opposing proposed rule 10CFR50 re expansion of applicability of leak before break technology to functional & performance requirements for ECCS & environment callion. DRAKE, G.A. Affiliation Not Assigned. 88/07/02. Docketing & Services Branch. 1p. 46165 335-46165 335.
- 8807110085** Comment opposing proposed rule 10CFR50 re leak-before-break technology. Further use of subj technology for ECCS would reduce safety assurances & safety benefits. Experience shows that pipe-thinning progresses faster than expected. BARNIE, P. Maryland Nuclear Safety Coalition. 88/07/04. Office of the Secretary of the Commission. 1p. 46138 338-46138 338.

## J. Insurance & Indemnity Information

- 8807060081** Forwards Endorsement 81 to NELA Policy NF-225. KORSTAD, D.C. Johnson & Higgins Insurance. 88/06/24. DNITZ1. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46110-038-46110 037

## K. Utility Final Safety Analysis Report (FSAR) & amendments

- 8807070016** Amend 7 to FSAR for Trojan Nuclear Plant. W/880701 ltr. COCKFIELD, D.W. Portland General Electric Co. 88/07/31. 1,135pp. 46095:182-46098 236.

## P. Operating license stage documents & correspondence

- 8807050345** Forwards Amend 143 to License NPF-1 & safety evaluation. Amend changes Tech Spec 3/4.3.3.10 by adding two instruments for monitoring steam generator blowdown liquid effluent discharge. CHAN, T.L. Project Directorate V. 88/06/16. COCKFIELD, D.W. Portland General Electric Co. 3pp. 45991-267-45991-278.

- 8807050359** Amend 143 to License NPF-1, changing Tech Spec Section 3/4.3.3.10 by adding two instruments for monitoring steam generator blowdown liquid effluent discharge. KNIGHTON, G.W. Project Directorate V. 88/06/16. 6pp. 45991-270-45991-276.

- 8807050365** Safety evaluation supporting Amend 143 to License NPF-1. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/16. 3pp. 45991-276-45991-278.

- 8807190202** Discusses current actions re facility & Northwest earthquake potential. UII responsive to earthquake issues DOE cannot conclude that study findings indicate hazards greater than facility can withstand. DIXON, B. Energy, Dept. of. 88/06/21. MARTIN, J. Region 5, Ofc of the Director. 4pp. 46214 063-46214 066.

- 8806280192** Forwards results of metallurgical evaluation of piping removed from feedwater system per commitment made at 870715 meeting on feedwater piping erosion/corrosion. COCKFIELD, D.W. Portland General Electric Co. 88/06/22. Document Control Branch (Document Control Desk). 30pp. 45995 238-45995 267.

- 8807010010** Forwards Amend 144 to License NPF-1 & safety evaluation. Amend revises Tech Specs re ref of remote shutdown station. CHAN, T.L. Project Directorate V. 88/06/23. COCKFIELD, D.W. Portland General Electric Co. 4pp. 45990-260-45990-270.

- 8807010014** Amend 144 to License NPF-1, revising Tech Specs re ref of remote shutdown station. KNIGHTON, G.W. Project Directorate V. 88/06/22. 5pp. 45989 284-45989 288.

- 8807010017** Safety evaluation supporting Amend 144 to License NPF-1. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/22. 2pp. 45989-269-45989-270.

- 8807050386** Forwards Amend 145 to License NPF-1 & safety evaluation. Amend revises means by which source range neutron flux instrumentation calibr will be performed. CHAN, T.L. Project Directorate V. 88/06/23. COCKFIELD, D.W. Portland General Electric Co. 3pp. 45991-283-45991-293.

- 8807050396** Amend 145 to License NPF-1, revising means by which source range neutron flux instrumentation calibr will be performed. KNIGHTON, G.W. Project Directorate V. 88/06/23. 5pp. 45991-288-45991-290.

- 8807050402** Safety evaluation supporting Amend 145 to License NPF-1. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/23. 3pp. 45991-291-45991-293.

- 8807050517** Forwards AEOD Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Braidwood Unit 1. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER, C.H. Generic Communications Branch. 2pp. 45998 060-45998 066.

- 8807050550** Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector." \* Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45998-063-45998 066.

- 8807070300** Summary of 880531 meeting on pressurizer surge line movement & pipe whip restraint program. List of attendees & presentation handouts encl. CHAN, T.L. Project Directorate V. 88/06/23. Project Directorate V. 28pp. 46126-062-46126 090.

- 8807050045** Forwards application for amend to License NPF-1, consisting of License Change Application 168, deleting offsite & facility organization charts from Tech Specs Rev also incorporate specific wording contained in Generic Ltr 88-06. COCKFIELD, D.W. Portland General Electric Co. 88/06/27. Document Control Branch (Document Control Desk). 1p. 46025 203-46025 213.

- 8807050049** Application for amend to License NPF-1, consisting of License Change Application 168, deleting offsite & facility organization charts from Tech Specs & incorporating wording in Generic Ltr 88-06. COCKFIELD, D.W. Portland General Electric Co. 88/06/27. 4pp. 46025 204-46025 207.

- 8807050050** Proposed Tech Specs, deleting offsite & facility organization charts \* Portland General Electric Co. 88/06/27. 6pp. 46025 208-46025 213.

- 8807070279** Advises that proprietary WCAP-11699 will be withheld from public disclosure (ref 10CFR2.790) per 880314 request. CHAN, T.L. Project Directorate V. 88/06/29. WIESEMANN, R.A. Westinghouse Electric Corp. 3pp. 46139 131-46139 133.

- 8807070280** Forwards request for add'l info re inservice testing program, submitted on 880829 & revised on 890408. Questions & comments encl for info will be used as agenda for meeting. Draft responses prepared for meeting would be desirable. CHAN, T.L. Project Directorate V. 88/07/01. COCKFIELD, D.W. Portland General Electric Co. 13pp. 46126 001-46126 013.

- 8807080164** Requests facility specific analysis based upon postulated locked reactor event to support 871120 & 880527 applications to change Tech Specs re nuclear fuel design & power distribution limits. CHAN, T.L. Project Directorate V. 88/07/01. COCKFIELD, D.W. Portland General Electric Co. 3pp. 46134-181-46134 183.

- 8807190210** Forwards application for amend to License NPF-1, consisting of License Change Application 168, incorporating various editorial corrections & clarifications. Fee paid. COCKFIELD, D.W. Portland General Electric Co. 88/07/08. Document Control Branch (Document Control Desk). 1p. 46215 071-46215 094.

- 8807190212** Application for amend to License NPF-1, incorporating miscellaneous editorial corrections & clarifications. COCKFIELD, D.W. Portland General Electric Co. 88/07/08. 8pp. 46215-072-46215 078.

- 8807190213** Proposed Tech Specs re radioactive gaseous effluents & radioactive liquid waste sampling & analysis program. \* Portland General Electric Co. 88/07/08. 15pp. 46215 080-46215 094.

- 8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.09 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257 257.

## Q. Inspection reports, IE Bulletins & correspondence

- 8806280240** Forwards Insp Rept 50-344/88-20 on 880516-20 & notice of violation WENSLAWSKI, F.A. Region 5, Ofc of the Director. 88/06/14. COCKFIELD, D.W. Portland General Electric Co. 2pp. 45972-344-45972-358.

- 8806280241** Notice of violation from insp on 880516-20. Violation noted: on 880508, no survey made to determine direct dose to reactor operator hand from handling highly contaminated plastic tubing. Dose from residual contamination found on hand. WENSLAWSKI, F.A. Region 5, Ofc of the Director. 88/06/14. 1p. 45972-346-45972-348.

- 8806280244** Insp Rept 50-344/88-20 on 880516-20. Violations noted: Major areas inspected licensee action on previous Insp findings & occupational exposure during extended outages. HOOKER, C.A., YUHAS, G.P. Region 5, Ofc of the Director. 88/06/10. 12pp. 45972-347-45972-358.

- 8806130168** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-158-45978 286.

- 8807050099** Forwards Insp Rept 50-344/88-13 on 880327-0507 & notice of violation KIRSCH, D.F. Region 5, Ofc of the Director. 88/06/17. COCKFIELD, D.W. Portland General Electric Co. 2pp. 46069-287-46069-301.

- 8807050104** Notice of violation from insp on 880327-0507. Violations noted: three feedwater drain valves (FW-079, FW-083 & FW-086), administratively controlled, found unlocked. KIRSCH, D.F. Region 5, Ofc of the Director. 88/06/17. 3pp. 46069-289-46069-291.

- 8807050108** Insp Rept 50-344/88-13 on 880327-0507. No violations noted. Major areas inspected: operational safety verification, maint, surveillance & open item follow-up. BARR, R.C., CLARK, C.A., SUH, G.Y. Region 5, Ofc of the Director. 88/06/17. 10pp. 46069-292-46069-301.

- 8807110214** Forwards Insp Rept 50-344/88-25 on 880516-31. No violations noted. KIRSCH, D.F. Region 5, Ofc of the Director. 88/06/17. COCKFIELD, D.W. Portland General Electric Co. 2pp. 46141-052-46141 070.

- 8807110216** Insp Rept 50-344/88-25 on 880516-31. No violations noted. Major areas inspected: licensee activities in resolving reactor plant pipe whip restraint design vs as-built gap discrepancies & inservice insp ultrasonic test activities. ANG, W.P., CHAFFEE, A.E. Region 5, Ofc of the Director. 88/06/18. 17pp. 46141-054-46141 070.

- 8806180340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8807170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019:152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019:265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020:018

8807190345 Forwards Insp Rpt 50-344/88-23 on 880510-26 No violations or deviations noted.  
PATE,R.J. Region 5, Ofc of the Director 88/06/30. COCKFIELD,D.W. Portland General Electric Co. 2pp. 46205 248-46205:262

-8807190356 Insp Rpt 50-344/88-23 on 880510-26 No violations or deviations noted. Major areas inspected spcs for emergency operating procedures.  
LOVE,R.S., SUH,G., HOPKINS,J. Region 5, Ofc of the Director 88/06/30. 13pp. 46205 250-46205:262

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 108-46242:212

8807080006 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232:027

8807210171 Ack receipt of 880622 ltr informing NRC of steps taken to correct violations noted in Insp Rpt 50-344/88-17.  
PATE,R.J. Region 5, Ofc of the Director 88/07/08. COCKFIELD,D.W. Portland General Electric Co. 1p. 46233 326-46233:339

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242:108

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240:324

8807210037 Responds to NRC 880614 ltr re violations noted in Insp Rpt 50-344/88-20 Corrective actions evaluation of skin exposure from both contact w/hot particle on hose & residual contamination completed.  
COCKFIELD,D.W. Portland General Electric Co. 88/07/14. Document Control Branch (Document Control Desk). 2pp. 46234 021-46234:022

8807210051 Responds to NRC 880617 ltr re violations noted in Insp Rpt 50-344/88-13. Corrective actions Nuclear Dept Procedure 100-5 will be revised to clarify depth & detail required for safety evaluations & to specify personal qualifications.  
COCKFIELD,D.W. Portland General Electric Co. 88/07/15. Document Control Branch (Document Control Desk). 7pp. 46234 142-46234:148

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242:005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257 258-46258:018

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257:208

#### R. Periodic operating reports & related correspondence

8807250200 Monthly operating rpt for June 1988 for Trojan Nuclear Plant. W/880708 ltr.  
ULMER,E.J., OLMSTEAD,C.A. Portland General Electric Co. 88/08/30. 6pp. 46278 065-46278:070

#### S. Reportable occurrences, LERs & related correspondence

8806300213 LER 88-003-01 on 880324, single failure mechanism discovered which could result in overpressurization of containment electrical penetration seals. Cause undetermined. Nitrogen supply to sub penetrations isolated. W/880822 ltr.  
HINSON,L., OLMSTEAD,C.A. Portland General Electric Co. 88/06/22. 3pp. 46006 317-46006:319

8807050031 LER 88-018-00 on 880625, discrepancies in steam generator water level calibr data found. Caused by inadequate communications re use of calculations. Setpoint change initiated to compensate for calibr error. W/880824 ltr.  
HINSON,L., OLMSTEAD,C.A. Portland General Electric Co. 88/08/24. 4pp. 46021 016-46021:018

8807190076 Forwards description of violations of NPDES permit during May 1988. Violations involved exceeding limits for biochemical oxygen demand & suspended solids in sewage plant effluent.  
COCKFIELD,D.W. Portland General Electric Co. 88/08/30. MARTIN,J.B. Region 5, Ofc of the Director. 5pp. 46208 169-46208:163

8807140211 LER 88-018-00 on 880606, unfiltered leakage into control room exceeded 10 cfm assumed in control room dose rate analysis of FSAH. Caused by inadequately sealed emergency ventilation sys ducting. Efforts to repair leaks continued. W/880706 ltr.  
HINSON,L., OLMSTEAD,C.A. Portland General Electric Co. 88/07/06. App. 46178 100-46178:103

8807250382 LER 88-019-00 on 880223, required testing following adsorber replacement not performed. Cause still under evaluation. In-place testing of charcoal adsorber performed w/ satisfactory results during 880701 shutdown. W/880715 ltr.  
HINSON,L., OLMSTEAD,C.A. Portland General Electric Co. 88/07/15. App. 46273 218-46273:221

#### DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

8807140253 Revised emergency plan implementing procedures, including Rev 2 to HS-EP-02240, "Offsite Dose Assessment" & Rev 2 to HS-EP-02250, "Radiation Monitoring Team Survey."  
MARSON,B.D., BORLAND,I., WASILK,J.S. Toledo Edison Co. 88/06/14. 107pp. 46171 004-46171:110

8807080415 Confirms understanding that 880712 & 13 are agreed upon dates for NRC emergency response facilities tour. Areas for review encl.  
SHAFFER,W.D. Region 3, Ofc of the Director 88/06/28. SHELTON,D.C. Toledo Edison Co. 3pp. 46110 004-46110:006

8807190263 Revised emergency plan implementing procedures, including Rev 2 to HS-EP-02410, "Operations Support Ctr Activation & Response," Rev 2 to HS-EP-02520, "Assembly & Accountability," & Rev 2 to HS-EP-02620, "Emergency Exposure."  
Toledo Edison Co. 88/07/08. 89pp. 46205 150-46205:247

8807190276 Rev 2 to Emergency Plan Implementing Procedure HS-EP-02320, "Emergency Technical Assessment."  
DE MATSON,B.P. Toledo Edison Co. 88/07/08. 47pp. 46213 313-46213:359

8807250407 Notification of 880721 meeting w/ utility in Rockville, MD to discuss licensee response to questions on fire protection program.  
DE AGAZIO,A.W. Project Directorate III-3. 88/07/14. PERKINS,K.E. Project Directorate III-3. 1p. 46269 358-46269:359

8807200254 Forwards Rev 11 to emergency plan, Rev 7 to emergency plan off-normal occurrences & revs to Vols A,B & C of emergency plan implementing procedures.  
WALTON,J. Toledo Edison Co. 88/07/18. Document Control Branch (Document Control Desk). 1p. 46224 180-46228:032

-8807200259 Rev 11 to emergency plan for Davis-Besse facility.  
WASILK,J.S. Toledo Edison Co. 87/09/26. 250pp. 46224 180-46225:169

-8807200264 Rev 7 to emergency plan off-normal occurrence procedures, including Rev 0 to HS-EP-02805, "Davis-Besse Emergency Telephone Sys" & Rev 0 to HS-EP-02807, "Helipad Use & Control."  
WASILK,J.S. Toledo Edison Co. 88/07/09. 200pp. 46225 170-46225:352

-8807200329 Rev 2 to emergency plan implementing procedure Vol A, Rev 23 to emergency plan implementing procedure Vol B & Rev 5 to emergency plan implementing procedure Vol C.  
STORZ,L.F. Toledo Edison Co. 88/07/23. 708pp. 46225 353-46228:032

##### H. General correspondence

8807250286 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants whose state &/or local govts decline to cooperate in off-site emergency planning.  
THREPAL,C. Cuyahoga County Concerned Citizens. ANGEL,J.H. Citizens for Land & Water Use. SEFCEK,D. Northern Ohio Citizens Against Perry & Davis-Besse. 87/02/18. NRC - No Detailed Affiliation Given. 2pp. 46246 095-46246:096

8807140212 Advises that listed personnel will assume new positions effective 880701 due to upper mgt reorganization.  
GINN,R.M. Cantor Energy. 88/07/01. Document Control Branch (Document Control Desk). 1p. 46177 218-46177:219

8807210456 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SHELTON,D.C. Toledo Edison Co. 88/07/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46105 131-46105:131

##### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807250367 Rev 7 to updated FSAR for Davis-Besse Unit 1. W/880722 ltr.  
SHELTON,D.C. Toledo Edison Co. 88/07/22. 250pp. 46270 001-46272:197

##### M. Antitrust correspondence

8807080242 Comments on util 880618 request to suspend antitrust license condition. Economic advantages for util owning nuclear power plants have failed to materialize.  
HIATT,S.L. Ohio Citizens for Responsible Energy. 88/06/30. Policy Development & Technical Support Branch (Post 870411). 2pp. 46139 326-46139:327

8807250066 Requests that dead line for filing comments on Contention application be extended 60 days, until 880914. Certificate of Svc encl. ALBERT, K.M. Cleveland, OH. ALBERT, K.M. Goldberg, F. Feldman, P.C. 88/07/07. 6pp. 46287.001-46287.006.

8807220364 Forwards comments in response to NRC request published in FR on 880816 re antitrust issues raised in applications to suspend antitrust conditions in plant licenses. GIBBONS, A.M. American Public Power Association. 88/07/15. Policy Development & Technical Support Branch (Post 870411). 17pp. 46250.115-46250.131.

8807250249 Forwards opposition of city of Clyde, OH to U.S. application to suspend antitrust conditions at facilities per 880616 53FR22589 & 53FR22593. COYLE, J.P. Duncan, Allen & Tammage (formerly Duncan, Allen & Mitchell). COYLE, J.P. Clyde, OH. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 61pp. 46392.325-46393.025.

8807250427 Opposition of city of Clyde, OH to application to amend plant OLS to suspend antitrust conditions. COYLE, J.P. Duncan, Allen & Tammage (formerly Duncan, Allen & Mitchell). COYLE, J.P. Clyde, OH. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 61pp. 46392.325-46393.025.

#### P. Operating license stage documents & correspondence

8807050001 Forwards application for amend to License NPF-3, changing Tech Spec sections re administrative controls. Proposed changes would remove investigation and report preparation responsibilities from station review board. Fazio, S. SHELTON, D.C. Toledo Edison Co. 88/06/20. Document Control Branch (Document Control Desk). 2pp. 46026.239-46026.262.

8807050055 Application for amend to License NPF-3, revising Tech Spec sections re administrative controls. SHELTON, D.C. Toledo Edison Co. 88/06/20. 9pp. 46026.241-46026.249.

8807050002 Proposed Tech Specs re administrative & editorial revs. \* Toledo Edison Co. 88/06/20. 13pp. 46026.250-46026.262.

8807050537 Discusses present status of containment purge valve safety features actuation sys (SFAS) signal block inhibit. Installation of Licensee no longer plans to install SFAS signal block inhibit but will maintain purge valves closed. SHELTON, D.C. Toledo Edison Co. 88/06/24. Document Control Branch (Document Control Desk). 2pp. 46073.260-46073.261.

8807150011 Submits resolution schedule for human engineering discrepancy identified as part of 1984 DCDR Based on review of HED 3.1.037, "Annunciators W/ Input from More than One Parameter," 14 of 207 annunciators should be modified. SHELTON, D.C. Toledo Edison Co. 88/06/29. Document Control Branch (Document Control Desk). 2pp. 46182.208-46182.208.

8807210065 Informs that State of OH provided w/880620 license amend application, per 10CFR50.91(b)(1). SHELTON, D.C. Toledo Edison Co. 88/06/28. Document Control Branch (Document Control Desk). 1p. 46234.353-46234.353.

8807150081 Notification of 880714 meeting w/B&W Owners Group in Rockville, MD to discuss plant operation in decay heat removal modes. Meeting agenda encl. TRAMMELL, C.M. Project Directorate V. 88/07/07. KNIGHTON, G.W. Project Directorate V. 3pp. 46183.315-46183.317.

8807180030 Notification of 880725 meeting w/Unit in Rockville, MD to discuss status of refuel outage & configuration of mgt sys. DE AGAZIO, A.W. Project Directorate III-3. 88/07/07. PERKINS, K.E. Project Directorate III-3. 2pp. 46202.345-46202.346.

8807250380 Forwards environ assessment & finding of no significant impact re 880330 & 0504 applications to revise reactor pressure vessel pressure-temp operating limits. DE AGAZIO, A.W. Project Directorate III-3. 88/07/07. SHELTON, D.C. Toledo Edison Co. 2pp. 46269.288-46269.293.

8807250385 Environ assessment & finding of no significant impact re rev to reactor pressure vessel pressure-temp operating limits. PERKINS, K.E. Project Directorate III-3. 88/07/07. 4pp. 46269.290-46269.293.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.93 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807250090 Forwards environ assessment & finding of no significant impact re 880111 amend request re inclusion of third special interest group of steam generator tubes. DE AGAZIO, A.W. Project Directorate III-3. 88/07/14. SHELTON, D.C. Toledo Edison Co. 2pp. 46274.042-46274.047.

8807250095 Environ assessment & finding of no significant impact re 880111 amend request Amend revises Tech Spec Section 4.4.5.2 concerning steam generator tube sample selection & Insp. COLBURN, T.G. Project Directorate III-3. 88/07/14. 4pp. 46274.044-46274.047.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.158-45978.266.

8806290074 Forwards Exam Rept 60-346/OL-88-01 administered during wk of 880516. WRIGHIT, G.C. Region 3, OIC of the Director. 88/06/20. SHELTON, D.C. Toledo Edison Co. 2pp. 45974.002-45974.121.

8806290087 Exam Rept 60-346/OL-88-01 on 880517. Exam results nine senior reactor operators & one reactor operator candidates passed exam. SHELTON, D.C. Toledo Edison Co. 2pp. 45974.002-45974.121.

8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018.153-46018.265.

8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807120134 Ack receipt of 880600 ltr informing NRC of steps taken to correct noncompliance noted in Insp Rept 50-346/88-06. Sightglass installed 7 yrs before event w/o dated drawings & instructions. HARRISON, J.J. Region 3, OIC of the Director. 88/07/08. SHELTON, D.C. Toledo Edison Co. 2pp. 46148.217-46148.223.

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807190082 Responds to violations noted in Insp Rept 50-346/88-14. Corrective actions/procedures will be changed to require fuel handling director to ensure that fuel handlers received all required training by checking operations list. SHELTON, D.C. Toledo Edison Co. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46209.051-46209.053.

8807190193 Forwards Safety Insp Rept 50-346/88-16 on 880813-17. No violations noted. SHAFER, W.D. Region 3, OIC of the Director. 88/07/08. SHELTON, D.C. Toledo Edison Co. 2pp. 46220.003-46220.013.

8807190195 Insp Rept 50-346/88-16 on 880813-17. No violations or deviations noted. Major areas inspected: outage radiation protection & operational radwaste mgt program, including organizational changes & mgt controls. MILLER, D.E., KUNOWSKI, M.A., GREGER, L.R. Region 3, OIC of the Director. 88/07/08. 9pp. 46220.005-46220.013.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.008-46242.108.

8807250118 Responds to NRC Bulletin 88-003, "Inadequate Latch Engagement in MFA Type Latching Relays Mfg by GE." Relays described in bulletin not utilized at facility. SHELTON, D.C. Toledo Edison Co. 88/07/12. Document Control Branch (Document Control Desk). 1p. 46273.300-46273.300.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807250090 Forwards environ assessment & finding of no significant impact re 880111 amend request re inclusion of third special interest group of steam generator tubes. DE AGAZIO, A.W. Project Directorate III-3. 88/07/14. SHELTON, D.C. Toledo Edison Co. 2pp. 46274.042-46274.047.

8807250095 Environ assessment & finding of no significant impact re 880111 amend request Amend revises Tech Spec Section 4.4.5.2 concerning steam generator tube sample selection & Insp. COLBURN, T.G. Project Directorate III-3. 88/07/14. 4pp. 46274.044-46274.047.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206.

#### R. Periodic operating reports & related correspondence

**S. Reportable occurrences, LERs & related correspondence**

- 8807130274** LER 88-013-00 on 880418, deficiencies identified w/detection sys in robing area, heater bay area & turbine bldg. Caused by inadequate design which did not fully implement applicable fire codes. Continuous fire watches established w/880705 LER. GORDON, C.S., STORZ, L.F. Toledo Edison Co. 88/07/05. 5pp. 46172.094-46172.098
- 8807180085** LER 88-014-00 on 880609, roving fire watch exceeded hourly patrol time limits for five turbine bldg rooms. Caused by testing of bar code sys & fire patrol training. Personnel counseled during shift meetings w/880711 LER. GORDON, C.S., STORZ, L.F. Toledo Edison Co. 88/07/11. 3pp. 46214.052-46214.054

**V. Operator Examinations**

- 8806290074** Forwards Exam Rept 50-346/OL-88-01 administered during wk of 880516. WRIGHT, G.C. Region 3, OIC of the Director. 88/06/20. SHELTON, D. Toledo Edison Co. 2pp. 45974.002-45974.121.

- 8806290087** Exam Rept 50-346/OL-88-01 on 880517. Exam results: nine senior reactor operators & one reactor operator candidates passed exam. REIDINGER, T.D., PICKER, B., KING, M. Region 3, OIC of the Director. 88/06/15. 117pp. 45974.004-45974.121

- 8807120251** Forwards draft Rev 5 to ES-801, "Administration of NRC Requalification Program Evaluations." w/o encl. WRIGHT, G.C. Region 3, OIC of the Director. 88/06/23. SIMPKINS, R. Toledo Edison Co. 1p. 46148.357-46148.357

- 8807250201** Discusses simulator project schedule change, per util 880801 ltr. Simulator will be ready for use in training by 881231. SHELTON, D.C. Toledo Edison Co. 88/07/13. Document Control Branch (Document Control Desk). 1p. 46259.204-46259.204

**DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1****F. Security, medical, emergency & fire protection plans**

- 8807080184** Provides proposed actions re enhancement for prompt report & notification sys for plant & proposed sys test data. Based on FEMA rpt & info from util contracted survey. Listed add'l enhancement measures identified. MCDONALD, R.P. Alabama Power Co. 88/06/29. Document Control Branch (Document Control Desk). 3pp. 46088.013-46088.015

- 8807210293** Forwards Insp Repts 50-348/88-22 & 50-384/88-22 on 880613-17. No violations or deviations noted. CLINE, W.E. Region 2, OIC of the Director. 88/07/07. MCDONALD, R.P. Alabama Power Co. 2pp. 46237.352-46237.354

- 8807210289** Partially withheld Insp Repts 50-348/88-22 & 50-384/88-22 on 880613-17 (ref 10CFR72.700 & 73.21). No violations or deviations noted. Major areas inspected: vital area barriers, assessment aids & access control of personnel. MASNYK, O.M., MCGUIRE, D.R. Region 2, OIC of the Director. 88/07/06. 1p. 46237.354-46237.354

- 8807250183** Forwards Insp Repts 50-346/88-18 & 50-384/88-19 on 880511. Q610 & notice of violation. VERRELLI, D.M. Region 2, OIC of the Director. 88/07/07. HAIRSTON, W.G. Alabama Power Co. 2pp. 46250.219-46250.239

- 8807260182** Insp Repts 50-346/88-19 & 50-384/88-19 on 880511-0810. No violations noted. Major areas inspected: review of monthly surveillance & monthly manual observation, operational safety verification & physical security program. BRADFORD, W.H., MILLER, W.H., DANCE, H.C. Region 2, OIC of the Director. 88/07/07. 17pp. 46259.223-46259.239

- 8807130283** Revised response to NRC 880419 ltr re violations noted in Insp Repts 50-348/88-09 & 50-384/88-09. Corrective actions: document control personnel instructed to maintain safeguards containers in locked condition except when in use. HAIRSTON, W.G. Alabama Power Co. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46168.067-46168.070

- 8807210284** Ack receipt of 880405 Rev 15 to physical security plan. Some changes consistent w/10CFR50.54 & acceptable. Encl identifies other changes in need of administrative clarification. CLINE, W.E. Region 2, OIC of the Director. 88/07/08. HAIRSTON, W.G. Alabama Power Co. 5pp. 46234.064-46234.068

**H. General correspondence**

- 8807110116** Comment opposing proposed rule 10CFR60 re leak-before-break technology for safety-related equipment. NRC reliance on leak-before-break is irrational response to very real safety problem. NRC should implement mandatory piping insp. BEAUDOIN, R. Nuclear Information & Resource Service. 88/06/30. CHILK Office of the Secretary of the Commission. 8pp. 46138.339-46138.348

**K. Utility Final Safety Analysis Report (FSAR) & amendments**

- 8807060595** Rev B to updated FSAR for JM Farley Nuclear Plant, Units 1 & 2. W/880701 ltr. HAIRSTON, W.G. Alabama Power Co. 88/07/31. 880pp. 46107.035-46109.194

**M. Antitrust correspondence**

- 8807070407** Grants util request for 45-day time extension until 880801 to finalize settlement agreement in proceeding. Counsel for util has been notified of action. GILLESPIE, F.P. Program Management, Policy Development & Analysis Staff (Post 870411). 88/06/20. BOSKEY, B., Volpe, Boskey & Lyons. 2pp. 46189.001-46189.002

- 8807110394** Summary of 880601 meeting w/util in Rockville, MD re antitrust 2.206 petition. Attendance list encl. REEVES, E.A. Project Directorate II-1. 88/07/05. Project Directorate II-1. 4pp. 46184.128-46184.145

**P. Operating license stage documents & correspondence**

- 8807120583** Advises that request to enforce subpoenas issued to 11 util employees submitted to US Justice Dept on 880520. Enforcement request not yet filed w/court. ZECH, L.W. Commissioners. 88/06/10. SHARP, P. House of Rep. Energy & Commerce. 1p. 46113.106-46113.106

- 8807010282** Advises that util intends to propose comparison method between units to demonstrate seismic qualification to NRC for review of acceptability. Schedule for implementation will be submitted by 880823. HAIRSTON, W.G. Alabama Power Co. 88/06/23. Document Control Branch (Document Control Desk). 1p. 46020.157-46020.157

- 8807070442** Grants request for 45-day extension until 880801 to finalize settlement agreement in proceeding, per: 880617 ltr. GILLESPIE, F.P. Program Management, Policy Development & Analysis Staff (Post 870411). 88/06/30. GREEN, D.G. Newman & Holzinger. 2pp. 46119.223-46119.224

- 8807140058** Forwards Amends 77 & 69 to Licenses NPF-2 & NPF-8, respectively, & safety evaluation. Amends delete Tech Spec Figures 6.2-1 & 6.2-2 & refs & replaces charts re organizational structure, per Generic Ltr 88-08. REEVES, E.A. Project Directorate II-1. 88/07/09. HAIRSTON, W.G. Alabama Power Co. 3pp. 46184.128-46184.145

- 8807140059** Amends 77 & 69 to Licenses NPF-02 & NPF-08, respectively, deleting Tech Spec Figures 6.2-1 & 6.2-2 & refs & replacing charts re organizational structure, per Generic Ltr 88-08. ADENSAM, E.G. Project Directorate II-1. 88/07/09. 12pp. 46184.131-46184.142

- 8807140061** Safety evaluation supporting Amends 77 & 69 to Licenses NPF-02 & NPF-08, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/08. 3pp. 46184.143-46184.145

- 8807130454** Generic Ltr US-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation emanation of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.98 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257

- 8807220214** Forwards corrected pages of Amends 69 & 77 to Licenses NPF-8 & NPF-2, respectively. Side margins inadvertently, incorrectly marked. REEVES, E.A. Project Directorate II-1. 88/07/14. HAIRSTON, W.G. Alabama Power Co. 2pp. 46249.272-46249.277

- 8807220262** Corrected Amends 77 & 69 to Licenses NPF-2 & NPF-8, respectively, changing marginal line. \* Project Directorate II-1. 88/07/14. 4pp. 46249.274-46249.277

- 8807220373** Forwards Amends 76 & 70 to Licenses NPF-2 & NPF-8, respectively, & safety evaluation. Amends change Tech Specs in Section 6, "Administrative Controls," to reflect revised corporate mgmt position. REEVES, E.A. Project Directorate II-1. 88/07/16. HAIRSTON, W.G. Alabama Power Co. 3pp. 46250.194-46250.218

- 8807220377** Amends 76 & 70 to Licenses NPF-2 & NPF-8, respectively, changing Tech Specs in Section 6, "Administrative Controls," to reflect revised corporate mgmt position. ADENSAM, E.G. Project Directorate II-1. 88/07/16. 20pp. 46250.187-46250.216

- 8807220379** Safety evaluation supporting Amends 76 & 70 to Licenses NPF-2 & NPF-8, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/16. 2pp. 46250.217-46250.218

**Q. Inspection reports, IE Bulletins & correspondence**

- 8806130168** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Reducirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.288

- 8808180340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201

- 8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155

- 8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.162

- 8807130313** Ack receipt of 880810 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/88-13 & 50-384/88-13. HERDT, A.R. Region 2, OIC of the Director. 88/06/22. MCDONALD, R.P. Alabama Power Co. 1p. 46168.027-46168.027

- 8806210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018.163-46018.285

- 8806240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.286-46019.288

8808300351 Responds to violations noted in Insp Repts 50-348/88-10 & 50-364/88-10. Corrective actions until does not agree that any corrective steps required Polymer matrix gaseous slits will be replaced by 880835 w/low density foam slits.  
HAIRSTON, W.G. Alabama Power Co. 88/08/24. Document Control Branch (Document Control Desk). 4pp. 45997-189-45997-192.

8807120316 Forwards Insp Repts 50-348/88-20 & 50-364/88-20 on 880518-20 & 0608-10 & notice of violation.  
HERDT, A.R. Region 2, OIC of the Director. 88/06/28. McDONALD, R.P. Alabama Power Co. 2pp. 46145-124-46145-140.

8807120317 Notice of violation from Insp on 880518-20 & 0608-10. Violation noted procedure used to perform RCS water inventory balance, was not capable of performing that required surveillance reliably.  
HERDT, A.R. Region 2, OIC of the Director. 88/06/28. 2pp. 46145-126-46145-127.

8807120321 Insp Repts 50-348/88-20 & 50-364/88-20 on 880516-0610. Violation noted Major areas inspected post-refueling startup tests, review of completed core surveillance procedures & licensee related procedures.  
BURNETT, P.T., JAF, F. Region 2, OIC of the Director. 88/06/28. 13pp. 46145-128-46145-140.

8807120719 Ack receipt of 880615 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/88-05 & 50-364/88-05.  
JULIAN, C.A. Region 2, OIC of the Director. 88/06/28. McDONALD, R.P. Alabama Power Co. 1p. 46155-062-46155-092.

8807080304 Ack receipt of 880617 payment for civil penalty in amount of \$50,000, per NRC 880518 order.  
LIEBERMAN, J. OIC of Enforcement (Post 870413). 88/07/06. HAIRSTON, W.G. Alabama Power Co. 1p. 46133-132-46133-132.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807210293 Forwards Insp Repts 50-348/88-22 & 50-364/88-22 on 880613-17. No violations or deviations noted.  
CLINE, W.E. Region 2, OIC of the Director. 88/07/07. McDONALD, R.P. Alabama Power Co. 2pp. 46237-352-46237-354.

8807210299 Partially withheld Insp Repts 50-348/88-22 & 50-364/88-22 on 880613-17 (ref 10CFR27.70 & 73.21). No violations or deviations noted Major areas inspected vital area barriers, assessment aids & access control of personnel.  
MASNYK, O.M., MCGUIRE, D.R. Region 2, OIC of the Director. 88/07/06. 1p. 46237-354-46237-354.

8807250183 Forwards Insp Repts 50-348/88-19 & 50-364/88-19 on 880511-0610 & notice of violation.  
VERRELLI, D.M. Region 2, OIC of the Director. 88/07/07. HAIRSTON, W.G. Alabama Power Co. 2pp. 46259-219-46259-239.

8807250187 Notice of violation from Insp on 880511-0610. Violation noted: failure to follow procedures for storage of compressed gas cylinders & to provide adequate operability insps on Unit 1 post-accident containment vent filter unit.  
VERRELLI, D.M. Region 2, OIC of the Director. 88/07/07. 2pp. 46259-221-46259-222.

8807250192 Insp Repts 50-348/88-19 & 50-364/88-19 on 880511-0610. No violations noted Major areas inspected review of monthly surveillance & monthly maint observation, operational safety verification & physical security program.  
BRADFORD, W.H., MILLER, W.H., DANCE, H.C. Region 2, OIC of the Director. 88/07/07. 17pp. 46269-223-46269-239.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/06. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807120643 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." No pump degradation identified.  
HAIRSTON, W.G. Alabama Power Co. 88/07/08. Document Control Branch (Document Control Desk). 12pp. 46148-164-46148-175.

8807130283 Revised response to NRC 880419 ltr re violations noted in Insp Repts 50-348/88-09 & 50-364/88-09. Corrective actions: document control personnel instructed to maintain safeguards containers in locked condition except when in use.  
HAIRSTON, W.G. Alabama Power Co. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46166-067-46166-070.

8807250363 Forwards meeting summary of enforcement conference re Insp Repts 50-348/88-05 & 50-364/88-05 on 880525. List of attendees & viewpoints encl.  
GRACE, J.N. Region 2, OIC of the Director. 88/07/11. McDONALD, R.P. Alabama Power Co. 33pp. 46273-246-46273-280.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-008-46242-108.

8807200370 Forwards details of insps on Class 1E Westinghouse Type DS breakers, per commitment in 880609 response to NRC Bulletin 88-01.  
HAIRSTON, W.G. Alabama Power Co. 88/07/12. Document Control Branch (Document Control Desk). 24pp. 46221-048-46221-071.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120650 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/10. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120653 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257-268-46258-016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-206.

## R. Periodic operating reports & related correspondence

8807190242 Monthly operating report for June 1988 for JM Farley Unit 1 W/880712 ltr.  
MOREY, D.N., HAIRSTON, W.G. Alabama Power Co. 88/06/30. 9pp. 46206-260-46206-268.

## S. Reportable occurrences, LERs & related correspondence

8807010075 LER 88-016-00 on 880525. Fire Door 408 inoperable for more than 7 days. Caused by damage on door secured in open position to facilitate access while doing work in area. Door repaired & returned to functional status W/880624 ltr.  
MOREY, D.N., HAIRSTON, W.G. Alabama Power Co. 88/06/24. 2pp. 46018-328-46018-329.

8807250070 LER 88-017-00 on 880615. Tech Spec action requirement not met for inoperable fire hose station in that add. hose not brought to area within 1 h. Caused by personnel error. Day shift sys operator counseled W/880713 ltr.  
MOREY, D.N., HAIRSTON, W.G. Alabama Power Co. 88/07/13. 4pp. 46269-227-46269-230.

## V. Operator Examinations

8807050161 Requests stated ref mail be submitted to NRC by 880701 for written exams scheduled for wk of 881114. Facility mgt responsible for providing adequate space & accommodations in order to properly conduct written exams.  
JULIAN, C.A. Region 2, OIC of the Director. 88/06/15. McDONALD, R.P. Alabama Power Co. 10pp. 46025-120-46025-120.

## DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

## F. Security, medical, emergency & fire protection plans

8807080074 Rev 17 to emergency plan for Limerick Generating Station Units 1 & 2.  
SULLIVAN, T.J. Institute of Nuclear Power Operations. 88/03/31. 210pp. 46132-131-46132-348.

8807110464 Forwards SALP Rept 50-352/87-99 for Feb 1987 - Apr 1988. Unit will be contacted to schedule meeting to discuss results.  
RUSSELL, W.T. Region 1, OIC of the Director. 88/07/07. MCNEILL, C.A. Philadelphia Electric Co. 3pp. 46140-301-46140-348.

8807110470 SALP Rept 50-352/87-99 for Feb 1987 - Apr 1988.  
\* Region 1, OIC of the Director. 88/07/07. 45pp. 46140-304-46140-348.

## G. Adjudicatory correspondence

8807220028 Discusses disgraceful action favoring licensee & NRC claims that corrosion & failure of fuel assembly would not occur.  
ROMANO, F.R. Air and Water Pollution Patrol #388 8761. 88/06/27. ROSENTHAL, A.S. Atomic Safety and Licensing Appeal Panel. 1p. 46195-235-46195-235.

8807220044 Decision. Decision ALAB-897, affirming LBP-88-12 based on no genuine issue of material fact raised before ASLB. Served on 880719.  
SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel #388 0762. 88/07/10. 4pp. 46195-303-46195-308.

## K. Utility Final Safety Analysis Report (FSAR) & amendments

8807060171 Forwards Amend 80 to license application, consisting of Rev 62 to FSAR for Limerick Generating Station Units 1 & 2. Rev reflect plant design & incorporate revised FSAR figures in response to 880126 SALP rept.  
BRADLEY, E.J. Philadelphia Electric Co. 88/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46127-022-46131-126.

8807060187 Amend 90 to license application, consisting of Rev 62 to FSAR for Limerick Generating Station Units 1 & 2.  
BRADLEY, E.J. Philadelphia Electric Co. 88/07/01. 6pp. 46127-023-46127-027.

8807060190 Rev 62 to FSAR for Limerick Generating Station Units 1 & 2.  
\* Philadelphia Electric Co. 88/07/01. 1,538pp. 46127-028-46131-126.

## P. Operating license stage documents & correspondence

8807180280 Forwards results of review priority for open TACs, per 880527 memo.  
BUTLER, W.R. Project Directorate 1.2. 88/06/10. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 3pp. 46200-175-46200-177.

8807100889 Forwards State of PA approval for plant to use raw cooling water additive & to discharge Unit 2 rinses & flushes w/ chemically treated water through holding pond.  
WILLSEY, W.B. Philadelphia Electric Co. 88/06/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 45997-270-45997-272.

8807080171 Forwards Amend 90 to license application, consisting of Rev 62 to FSAR for Limerick Generating Station Units 1 & 2. Rev reflect plant design & incorporate revised FSAR figures in response to 880126 SALP rept.  
BRADLEY, E.J. Philadelphia Electric Co. 88/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46127-022-46131-126.



-8807060187 Amend 90 to license application, consisting of Rev 52 to FSAR for Limerick Generating Station Units 1 & 2  
BRADLEY, E.J. Philadelphia Electric Co 88/07/01. 6pp 46127-023-46127-027.

-8807060190 Rev 52 to FSAR for Limerick Generating Station Units 1 & 2.  
\* Philadelphia Electric Co 88/07/01. 1.53pp 46127-028-46131-126

8807190115 Forwards application for amend to License NPF-39, removing charcoal adsorber cooldown mode from reactor and recirculation sys & standby gas treatment sys  
BRADLEY, E.J. Philadelphia Electric Co 88/07/07. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p 46215-261-46215-282

-8807190126 Application for amend to License NPF-39, removing charcoal adsorber cooldown mode from reactor and recirculation sys & standby gas treatment sys.  
GALLAGHER, J.W. Philadelphia Electric Co 88/07/07. 18pp 46215-262-46215-279

-8807190129 Proposed Tech Specs, removing charcoal adsorber cooldown mode from reactor and recirculation sys & standby gas treatment sys.  
\* Philadelphia Electric Co 88/07/07. 3pp 46215-280-46215-282

8807130454 General Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation unavailability of reactor vessel mats & impact on plant operations Svc list and Rev 2 to Reg Guide 1.99 encl  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp 46257-207-46257-257

8807250173 Advises that plant review briefing for Murley & executive team re PDI-2 plants scheduled for 880721 Viewgraphs encl.  
BUTLER, W.R. Project Directorate I-2. 88/07/13. BOGER, B.A. Project Directorate I-2. 97pp 46272-285-46273-021

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp 45978-156-45978-266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams" NUREG/BR-0122 & Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp 45978-034-45978-155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp 46018-037-46018-152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS 418 Circuit Breakers" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp 46010-153-46018-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp 46019-260-46020-018

8807070111 Forwards Insp Rept 50-352/88-12 on 880509-13. No violations noted  
BELLAMY, R.H. Region 1, Ofc of the Director. 88/06/28. MCNEILL, C.A. Philadelphia Electric Co 2pp 46125-220-46125-227.

-8807070116 Insp Rept 50-352/88-12 on 880509-13. No violations noted. Major areas inspected: licensee radiological controls program including organization & staffing, airborne radioactivity sampling & control, audits & personnel contaminations.  
DRAGUN, T. SHANBAKY, M. Region 1, Ofc of the Director. 88/06/23. 6pp 46125-222-46125-227.

8807120873 Forwards response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Core spray sys designed to provide min flow of 320 gpm per pump.  
KOWALSKI, S.J. Philadelphia Electric Co 88/06/30. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 18pp 46154-330-46154-345.

8807060171 Forwards Amend 90 to license application, consisting of Rev 52 to FSAR for Limerick Generating Station Units 1 & 2. Rev reflect plant design & incorporate revised FSAR figures in response to 880128 SALP rept.  
BRADLEY, E.J. Philadelphia Electric Co 88/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p 46127-022-46131-126.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 46242-109-46242-212.

8807110464 Forwards SALP Rept 50-352/87-99 for Feb 1987 - Apr 1988. Util will be contacted to schedule meeting to discuss results.  
RUSSELL, W.T. Region 1, Ofc of the Director. 88/07/07. MCNEILL, C.A. Philadelphia Electric Co. 3pp 46140-301-46140-348.

-8807110470 SALP Rept 50-352/87-99 for Feb 1987 - Apr 1988.  
\* Region 1, Ofc of the Director. 88/07/07. 45pp 46140-304-46140-348.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp 46231-261-46232-027.

8807150176 Responds to NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays May by GE." Results of review indicate no GE HFA relays cur-

8807200156 Forwards Safety Insp Rept 50-352/88-14 on 880601-03. No violations noted. Attention directed to completion of review of NRC generic ltrs. No documentation available to demonstrate that certain generic ltrs evaluated.  
GALLO, R.M. Region 1, Ofc of the Director. 88/07/08. MCNEILL, C.A. Philadelphia Electric Co 2pp 46222-030-46222-038

-8807200160 Insp Rept 50-352/88-14 on 880601-03. Documentation to support license review & disposition of generic ltrs inadequate. Major areas inspected: actions on NRC previously identified items & conduct of plant offsite review committee.  
DEV, M., BLUMBERG, N. Region 1, Ofc of the Director. 88/07/08. 7pp 46222-032-46222-038.

8807120291 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp 46242-005-46242-108

8807200171 Ack receipt of 880613 ltr re violations noted in Insp Rept 50-352/88-02. JOHNSTON, W.V. Region 1, Ofc of the Director. 88/07/12. MCNEILL, C.A. Philadelphia Electric Co 2pp 46229-199-46229-200

8807080386 NRC Info Notice 88-047, "Slower Than Expected Rod Drop Times" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp 46240-222-46240-324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp 46241-263-46242-005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp 46257-258-46258-016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp 46257-086-46257-208

#### R. Periodic operating reports & related correspondence

8807200206 Monthly operating rept for June 1988 for Limerick Unit 1. W/880713 ltr.  
GROPP, R.W., ALDEN, W.M. Philadelphia Electric Co. 88/06/30. 6pp 46222-115-46222-120.

#### S. Reportable occurrences, LERs & related correspondence

8807070157 LER 88-021-00 on 880601, control room HVAC isolation resulting from high chlorine concentration signal occurred. Caused by rainwater contacting chlorine analyzer probe D during storm Mod to instrumentation planned W/880628 ltr.  
MENGERS, C.A., LOGUE, R.H. Philadelphia Electric Co. 88/06/20. 5pp 46139-010-46139-023.

8807070219 LER 88-009-02 on 880324, RWCU isolation occurred due to leaky PRV producing steam flash in regenerative HX room PRV replaced. Root cause evaluation continuing w/results expected on 880729 W/880630 ltr.  
MENGERS, C.A., FOGARTY, E.P. Philadelphia Electric Co. 88/06/30. 6pp 46139-083-46139-088.

8807120260 LER 88-008-01 on 880323, discovered that electrical conduit penetrating fire-rated door lacked fire-rated internal conduit seals. Cause undetermined. Missing seals installed when cable pulling work complete. W/880708 ltr.  
MENGERS, C.A., FOGARTY, E.P. Philadelphia Electric Co. 88/07/08. 5pp 46147-294-46147-298.

8807180177 LER 88-023-00 on 880610, emergency svc water pump, ESF started during calor test of diesel generator D13 low speed tachomotor relay. Caused by inadequate procedure. Procedure revised W/880711 ltr.  
MENGERS, C.A., FOGARTY, E.P. Philadelphia Electric Co. 88/07/11. 5pp 46203-152-46203-158.

8807200359 LER 88-022-00 on 880609, inadvertent start of emergency diesel generator during installation of test equipment occurred. Caused by procedural deficiency. Special Procedure SP-ST-012 revised W/880711 ltr.  
MENGERS, C.A., FOGARTY, E.P. Philadelphia Electric Co. 88/07/11. 7pp 46221-186-46221-192.

#### DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

##### A. Application/construction stage documents & correspondence

8807180280 Forwards results of review priority for open TACs, per 880527 memo.  
BUTLER, W.R. Project Directorate I-2. 88/06/10. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 3pp 46200-176-46200-177.

8807010689 Forwards State of PA approval for plant to use new cooling water additively & to discharge Unit 2 rinses & flushes w/ chemically treated water through holding pond.  
WILLSEY, W.B. Philadelphia Electric Co. 88/06/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp 45997-270-45997-272.

8806290281 Forwards FSAR changes required to implement accelerated test program & technical justifications for changes, per 870908 & 1118 proposed power ascension test

8807060171 Forwards Amend 90 to license application, consisting of Rev 52 to FSAR for Limerick Generating Station Units 1 & 2 Rev re-act plant design & incorporate revised FSAR figures in response to 880128 SALP rept.  
BRADLEY, E.J. Philadelphia Electric Co. 88/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46127-022-46131-126

8807060187 Amend 90 to license application, consisting of Rev 52 to FSAR for Limerick Generating Station Units 1 & 2  
BRADLEY, E.J. Philadelphia Electric Co. 88/07/01. 6pp. 46127-023-46127-027.

8807060190 Rev 52 to FSAR for Limerick Generating Station Units 1 & 2  
\* Philadelphia Electric Co. 88/07/01. 1,539pp. 46127-028-46131-126.

8807130221 Forwards Rev 1 to "Program for Independent Design & Const Assessment of Limerick - Unit 2." Submittal provides revised program to reflect incorporation of 880623 comments & discussion at Region 1 ofc  
KEMPER, J.S. Philadelphia Electric Co. 88/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 46164-223-46164-252

8807130231 Rev 1 to "Program for Independent Design & Const Assessment of Limerick - Unit 2."  
WILLIE, D.J., FLEMING, E.B., DANIELS, H.E. Stone & Webster Engineering Corp. 88/07/08. 27pp. 46164-226-46164-252

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

8807250173 Advises that plant review briefing for Murley & executive team re PD-2 plans scheduled for 880721 Viewgraphs encl  
BUTLER, W.R. Project Directorate I-2. 88/07/13. BCGER, B.A. Project Directorate I-2. 97pp. 46272-285-46273-021

#### F. Security, medical, emergency & fire protection plans

8807080074 Rev 17 to emergency plan for Limerick Generating Station Units 1 & 2  
SULLIVAN, T.J. Institute of Nuclear Power Operations. 88/03/31. 218pp. 46132-131-46132-348

#### K. Utility Final Safety Analysis Report (FSAR) & amends

8807060171 Forwards Amend 90 to license application, consisting of Rev 52 to FSAR for Limerick Generating Station Units 1 & 2 Rev re-act plant design & incorporate revised FSAR figures in response to 880128 SALP rept.  
BRADLEY, E.J. Philadelphia Electric Co. 88/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46127-022-46131-126.

8807060187 Amend 90 to license application, consisting of Rev 52 to FSAR for Limerick Generating Station Units 1 & 2  
BRADLEY, E.J. Philadelphia Electric Co. 88/07/01. 6pp. 46127-023-46127-027.

8807060190 Rev 52 to FSAR for Limerick Generating Station Units 1 & 2  
\* Philadelphia Electric Co. 88/07/01. 1,539pp. 46127-028-46131-126.

#### M. Antitrust correspondence

8807070578 Confirms 880705 telcon re updated antitrust review for facility. NRC agrees that company has until 880815 to respond to request  
RADEH, R.M. Connor & Welterhahn. 88/07/05. LAMBE, W. Policy Development & Technical Support Branch (Post 870411). 1p. 46126-084-46126-094

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-153.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

8806210036 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-286-46020-018.

8807080162 Responds to NRC 880525 ltr re violations noted in Insp Rept 50-353/88-12. Corrective actions taken: contaminated bearings disassembled, re-cleaned & inspected & personnel involved given training in proper methods for leaping process.  
KEMPER, J.S. Philadelphia Electric Co. 88/06/24. Document Control Branch (Document Control Desk). 3pp. 46138-087-46138-089.

8807120673 Forwards response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Core spray sys designed to provide min flow of 320 gpm per pump.  
KOWALSKI, S.J. Philadelphia Electric Co. 88/06/30. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 16pp. 46154-330-46154-345.

8807060171 Forwards Amend 90 to license application, consisting of Rev 52 to FSAR for Limerick Generating Station Units 1 & 2 Rev re-act plant design & incorporate revised FSAR figures in response to 880128 SALP rept.  
BRADLEY, E.J. Philadelphia Electric Co. 88/07/01. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46127-022-46131-126

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807160178 Responds to NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays Mig by GE." Results of review indicate no GE HFA relays currently in Class IE applications at facilities  
GALLAGHER, J.W. Philadelphia Electric Co. 88/07/08. RUSSELL, W.T. Region 1, Ofc of the Director. 3pp. 46186-204-46186-206

8807220369 Responds to NRC 880615 ltr re violations noted in Insp Rept 50-353/88-10. No corrective actions necessary, as built instrument rack wold configuration determined to be structurally acceptable by GE  
KEMPER, J.S. Philadelphia Electric Co. 88/07/08. JOHNSTON, W.V. NRC - No Data-Related Affidavit Given. 3pp. 46249-323-46249-325.

8807250028 Responds to IE Bulletin 88-002, "Static O-Ring Differential Pressure Switches." Design analysis performed, concluding that no Model 102 or 103 switches installed at facility  
KEMPER, J.S. Philadelphia Electric Co. 88/07/08. RUSSELL, W.T. Region 1, Ofc of the Director. 2pp. 46259-318-46259-319

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-000-46242-100.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/10. Consolidated Edison Co. of New York, Inc. 103pp. 46241-283-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257-258-46258-010.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46267-086-46267-206.

#### DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807070577 Forwards final exercise report on 880900 for Artificial Island Radiological Emergency Station. Offsite radiological emergency plans & preparedness remain adequate to protect health & safety on public in event of accident.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/28. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46123-110-46123-157.

8807050378 Forwards Rev 1 to Artificial Island security contingency plan, including recent NRC/FBI agreement that only FBI can classify event as sabotage & implementation of w/ response to Insp Repts 50-272/86-30 & 50-311/86-32.  
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/06/29. Document Control Branch (Document Control Desk). 2pp. 46075-317-46075-318.

8807200225 Documents 880606 meeting in Region 1 re proposed changes to protected area perimeter, security program enhancements & NRC-approved safeguards contingency plan concerning Insp Repts 50-272/86-30 & 50-311/86-32.  
SJOBLÖM, G.L. Region 1, Ofc of the Director. 88/07/01. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 4pp. 46228-324-46228-327.

8807200188 Forwards Safety Insp Rept 50-354/88-16 on 880428-0531. No violations noted. Insp documents six licensee identified violations re plant first refueling outage.  
WENZINGER, E.C. Region 1, Ofc of the Director. 88/07/08. MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 2pp. 46229-209-46229-221.

8807200169 Insp Rept 50-354/88-16 on 880428-0531. No violations noted. Major areas inspected: operational safety verification, surveillance testing, maintenance activities, ESF sys walkdown, IER followup, emergency preparedness & assurance of quality.  
SWETLAND, P.D. Region 1, Ofc of the Director. 88/07/08. 11pp. 46229-211-46229-221.

8807110476 Rev 6 to Artificial Island Emergency Plan Administrative Procedure EPIP 1013, "Emergency Response Personnel Telephone List."  
Public Service Electric & Gas Co. of New Jersey. 88/07/08. 19pp. 46163-288-46163-304.

8807120233 Rev 4 to Emergency Plan Implementing Procedure EPIP 602, "Radiological Dose Assessment."  
\* Public Service Electric & Gas Co. of New Jersey. 88/07/08. 87pp. 46143-001-46143-088.

8807180280 *Forwards results of review results at open TAGs per 880527 memo.*  
BUTLER, W.R. Project Directorate I-2 88/06/10 VARGA, S.A. Division of Reactor  
Projects - I/II (Post 870411) 3pp. 46200 175-46200 177

8807010338 Notification of 880628-29 meetings w/ util at facility in Harcocks Bridge, NJ  
to discuss proposed inservice testing program  
RIVENBARK, G. Project Directorate I-2 88/06/20 BUTLER, W.R. Project Directorate I-2  
3pp 45981 001-45981 003

8807120567 *Forwards Rev 8 to, "Technical Evaluation Rpt for Evaluation of Offsite  
Dose Calculation Manual," by EG&G Manual methods consistent w/ guidelines & ac-  
ceptable on interim basis. Requests that discrepancies be discussed w/ util.*  
RIVENBARK, G.W. Project Directorate I-2 88/06/28 MILTENBERGER, S. Public Service  
Electric & Gas Co. of New Jersey. 4pp 46113 107-46113 134

8807120572 "Technical Evaluation Rpt for Evaluation of Offsite Dose Calculation  
Manual, Rev 8"  
DUCE, S.W., SERRANO, W., AMARO, C.R. EG&G Idaho, Inc (subs of EG&G, Inc.). FIN  
A-8034 EGG-PHY-7897. 87/12/31. NRC - No Detailed Attribution Given 24pp  
46113 111-46113 134

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation embrittlement of reactor vessel walls & impact on plant  
operations Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F. J. Associate Director for Projects (Post 870411) 88/07/12 Consolidated  
Edison Co. of New York, Inc. 51pp. 46257-207-46257 257.

8807210290 Application for amend to License NPF-57, revising Section 6, "Administra-  
tive Controls" by deleting Figures 6.2 1-1 & 6.2 2-1 & replacing w/ more general or-  
ganizational requirements Fee paid  
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/07/12. Doc-  
ument Control Branch (Document Control Desk). 8pp 46234 068-46234 081.

8807210296 Proposed Tech Specs changing Section 6 re administrative controls.  
"Public Service Electric & Gas Co. of New Jersey. 88/07/12. 15pp. 46234 077-  
46234 091

8807250173 *Advises that plant review briefing for Murley & executive team re PDI-2  
plants scheduled for 880721. Viewgraphs encl.*  
BUTLER, W.R. Project Directorate I-2. 88/07/13. BOGER, B.A. Project Directorate I-2.  
97pp 46272 285-46273 021

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/15  
Consolidated Edison Co. of New York, Inc. 110pp. 45978-166-45978 286

8807010308 *Forwards Safety Insp Rpt 50-354/88-14 on 880418-22. No violations or  
deviations noted.*  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/08/21. MILTENBERGER, S. Public  
Service Electric & Gas Co. of New Jersey. 2pp. 46008 115-46008 126.

8807010402 Insp Rpt 50-354/88-14 on 880418-22 No violations or deviations  
noted Major areas inspected, solid radwaste processing preparation, packaging & ship-  
ping program, including previously identified items  
BICEHOUSE, H., PASCIAK, W.J. Region 1, Ofc of the Director 88/06/20 10pp.  
46008 117-46008 126.

8807010471 *Forwards Safety Insp Rpt 50-354/88-10 on 880404-09. No violations  
noted.*  
GALLO, R.M. Region 1, Ofc of the Director. 88/06/21. MILTENBERGER, S. Public  
Service Electric & Gas Co. of New Jersey. 2pp. 45997-276-45997 294

8807010474 Insp Rpt 50-354/88-10 on 880404-08 No violations noted Major areas  
inspected review of previously identified unresolved items & maint outage mgt that en-  
compassed observations of timorquia valve operator insp.  
FINKEL, A., REBELOWSKI, T., BLUMBERG, N. Region 1, Ofc of the Director. 88/08/21.  
15pp. 45987 280-45987 204.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22.  
Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22  
Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc  
list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22.  
Consolidated Edison Co. of New York, Inc. 118pp. 46018 037-46019 152.

8807010195 Ack receipt of 880528 ltr informing NRC of steps taken to correct violations  
noted in Insp Rpt 60-354/88-03  
DURR, J.P. Region 1, Ofc of the Director. 88/08/22. MILTENBERGER, S. Public Ser-  
vice Electric & Gas Co. of New Jersey. 2pp. 46009 067-46009 072.

8807060311 *Forwards summary of 880609 enforcement conference in King of  
Prussia, PA re program to prevent employee discrimination.*  
KANE, W.F. Region 1, Ofc of the Director. 88/08/23. MILTENBERGER, S. Public Ser-  
vice Electric & Gas Co. of New Jersey. 2pp. 46118 035-46118 088

8807060317 Enforcement Conference Rpt 50-354/88-20 on 880609 Major areas  
inspected Dept of Labor determination that contractor Bogen discriminated against  
employee for raising safety concerns. Agenda & supporting info encl.  
SWETLAND, P.D. Region 1, Ofc of the Director. 88/08/17. 52pp. 46118 037-  
46118 088.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46018 153-46019 285.

RCSI, Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24  
Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018

8807130100 *Forwards Licensee Mgt Meeting Rpts 50-354/88-21, 50-311/88-15 & 50-  
272/88-15 on 880526.*  
KANE, W.F. Region 1, Ofc of the Director. 88/06/29. MILTENBERGER, S. Public Ser-  
vice Electric & Gas Co. of New Jersey. 2pp. 46165 057-46165 085

8807130102 Licensee Mgt Meeting Rpts 50-272/88-15, 50-311/88-15 & 50-354/88-  
21 on 880526 Major areas discussed safety sys functional review program, including  
program goals, program scope & results  
SWETLAND, P.D. Region 1, Ofc of the Director 88/06/24. 27pp 46165 059-  
46165 085

8807090447 *Informs that util will be converting equipment qualification audit binders  
from purchase order basis to equipment type basis, in response to Unresolved Item  
50-354/88-03.*  
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey 88/06/30 Doc-  
ument Control Branch (Document Control Desk). 4pp. 46114 287-46114 290.

8807200225 Documents 880606 meeting in Region I re proposed changes to protected  
area perimeter, security program enhancements & NRC-approved safeguards contin-  
gency plan concerning Insp Rpts 50-272/88-30 & 50-311/88-32.  
SJOBLÖM, G.L. Region 1, Ofc of the Director 88/07/01. MILTENBERGER, S. Public  
Service Electric & Gas Co. of New Jersey 4pp. 46226 324-46226 327.

8807250234 Ack receipt of 880513 ltr informing NRC of steps taken to correct violations  
noted in Insp Rpts 50-272/88-09, 50-311/88-09 & 50-354/88-07  
BELLAMY, R.R. Region 1, Ofc of the Director 88/07/01. MILTENBERGER, S. Public  
Service Electric & Gas Co. of New Jersey 3pp 46285 108-46285 112

8807200168 *Forwards Safety Insp Rpt 50-354/88-16 on 880426-0531. No violations  
noted Insp documents six licensees identified violations re plant first refusal outage*  
WENZINGER, E.C. Region 1, Ofc of the Director 88/07/08. MILTENBERGER, S.  
Public Service Electric & Gas Co. of New Jersey. 2pp. 46229 209-46229 221.

8807200169 Insp Rpt 50-354/88-16 on 880426-0531. No violations noted Major  
areas inspected operational safety verification, surveillance testing, maint activities, ESF  
sys walkdown, LER for down, emergency preparedness & assurance of quality.  
SWETLAND, P.D. Region 1, Ofc of the Director 88/07/08 11pp. 46229 211-  
46229 221

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker  
Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp 46242 109-46242 212

8807080008 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit  
Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08  
Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves"  
Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108

8807180181 *Forwards response to NRC Bulletin 88-004 re potential safety-related pump  
loss Subj concern does not affect facility*  
MILTENBERGER, S. Public Service Electric & Gas Co. of New Jersey. 88/07/12. Doc-  
ument Control Branch (Document Control Desk). 7pp 46206 170-46206 178.

8807080398 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc  
list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction  
of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Avail-  
ability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257 258-46258 016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 208.

#### R. Periodic operating reports & related correspondence

8807180380 *Monthly operating rpt for June 1988 for Hope Creek Generating Station  
Unit 1 W/880715 ltr.*  
JENSEN, H., LABRUNA, S. Public Service Electric & Gas Co. of New Jersey. 88/06/30.  
20pp. 46203 288-46203 287.

#### S. Reportable occurrences, LERs & related correspondence

8807010162 *Special Rpt 88-001-01 on 880128, invalid failure to start diesel generator A  
experienced Caused by misconfigured part received from vendor. Missing jumper wire  
in contactor replaced & similar contactors inspected.*  
LABRUNA, S., ERVIN, A.M. Public Service Electric & Gas Co. of New Jersey. 88/06/  
24 Document Control Branch (Document Control Desk). 7pp. 46009 060-46009 068.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

### G. Inspection reports, IE Bulletins & correspondence

8806130166 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 48240.325-48241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.206-46020.018

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.018

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206

### DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

8807050394 Revised emergency plan implementing procedures including Temporary Change Notice 4-1 for Rev 4 to SO123-VIII-40, Health Physics Leader Duties & Temporary Change Notice 4-2 to Rev 4 to SO123-VIII-50, "Technical..." W/880623 ltr.  
WHARTON,M.A. Southern California Edison Co. 88/06/23. 117pp. 46026.122-46028.238.

8807070599 Forwards Rev 20 to physical security plan incorporating textual & figure (drawing) changes. Rev withheld (ref 10CFR73.21).  
MORGAN,H.E. Southern California Edison Co. 88/06/24. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46118:284-46118.284.

8807070603 Forwards Rev 18 to physical security plan. Rev incorporates textual changes to permit relaxation of access safeguards requirements during preplanned emergency drills. Rev withheld (ref 10CFR73.21).  
MORGAN,H.E. Southern California Edison Co. 88/06/24. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46118.149-46118.149.

### G. Adjudicatory correspondence

8807070584 Forwards order suspending License 6010-2 & notifying of denial of application for renewal of license based on failure of three drug tests  
STELLO,V. Ofc of the Executive Director for Operations. 88/06/15. ACOSTA,M.P. Acosta, M.P. 1p. 48078.323-48078.329.

### P. Operating license stage documents & correspondence

8807110321 Forwards, "Technical Evaluation Rept for Natural Circulation Cool-down Test Performed at San Onofre Nuclear Generating Station," inadvertently omitted from 880224 ltr.  
HICKMAN,D.E. Project Directorate V. 88/06/23. BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 4pp. 46100.001-46100.072

8807110333 "Technical Evaluation Rept for Natural Circulation Cool-down Test Performed at San Onofre Nuclear Generating Station"  
JO,J.H. PERKINS,K.R. Brookhaven National Laboratory FIN A-3843. 87/10/16. Office of Nuclear Reactor Regulation, Director (Post 870411). 58pp. 46100.005-46100.072.

8807210322 Forwards safety evaluation re util 880208 submital of results of hazardous cargo monitoring program in accordance w/ Tech Spec 6.9.1.14. Procedures should be corrected to be consistent w/ SRP 2.2.3 guidelines.  
HICKMAN,D.E. Project Directorate V. 88/06/23. BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 4pp. 46109.044-46109.048.

8807210336 Safety evaluation re util 880208 offsite hazards evaluation. Total risk w/ each type of hazard, w/ proper application of SRP 2.2.3 guidelines & on basis of current hazardous cargo traffic, remains acceptably small.  
\* NRC - No Definite Affiliation Given. 88/06/23 1p. 46109.048-46109.048

8807110507 Forwards SER conditionally accepting response to Generic Ltr 83-28 re trip breakers. Confirmation of procedures re armature of undervoltage trip attachment down in energized position when measuring stated clearance requested.  
HICKMAN,D.E. Project Directorate V. 88/06/24. BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 4pp. 46082.310-46082.317

8807110510 SER conditionally accepting response to Generic Ltr 83-28  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/24. 4pp. 46082.314-46082.317.

8807130263 Forwards notice of consideration of issuance of amendments to Licenses NPF-10 & NPF-15 & opportunity for hearing re 880614 request to change Tech Specs 3/4.1.3.4 to increase allowable drop time from 3 to 3.2 s (Proposed Change 263)  
HICKMAN,D.E. Project Directorate V. 88/06/29. BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 4pp. 46166.058-46166.068.

8807130265 Notice of consideration of issuance of amendments to Licenses NPF-10 & NPF-15 & opportunity for hearing re 880614 request to revise Tech Spec 3/4.1.3.4 to increase allowable drop time from 3 to 3.2 s.  
ROOD,H. Project Directorate V. 88/06/29. 5pp. 46166.062-46166.066

8807070058 Forwards addl info supporting util response to Generic Ltr 88-08 re implementation of reactor coolant pump trip criteria.  
MEDFORD,M.O. Southern California Edison Co. 88/07/01. Document Control Branch (Document Control Desk). 6pp. 46118.236-46118.241.

8807130268 Forwards Amend 11 to Topical Rept SCE-1-A, "QA Program."  
MEDFORD,M.O. Southern California Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 2pp. 46171.165-46171.315.

8807130281 Amend 11 to "QA Program."  
BASKIN,K.P. Southern California Edison Co. SCE-1-A A 11. 88/07/31. 150pp. 46171.167-46171.315.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807190071 Proposes rev to Tech Spec requirement to measure CEA drop times prior to startup following each refueling  
MEDFORD,M.O. Southern California Edison Co. 88/07/13. Document Control Branch (Document Control Desk). 2pp. 46209.201-46209.202.

8807220371 Forwards request for addl info re proposed change to Tech Spec 3/4.1.3.4, "CEA Drop Time," including justification of increase in BERR.  
HICKMAN,D.E. Project Directorate V. 88/07/13. BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 4pp. 46249.278-46249.281.

8807190268 Forwards facility procedures governing 10CFR50.59 reviews.  
MEDFORD,M.O. Southern California Edison Co. 88/07/15. Document Control Branch (Document Control Desk). 2pp. 46209.318-46210.287.

8807190340 Temporary Change Notice 1-2 to Rev 1 to Operations Div Procedure SO123-VI-14, "Notification & Reporting of Significant Events."  
\* Southern California Edison Co. 88/06/16. 45pp. 46209.320-46210.004.

8807190346 Temporary Change Notice 11-3 to Rev 11 to Administrative Procedure SO123-VI-1.0, "Documents - Review & Approval Process for Site Orders, Procedures & Instructions."  
SHIELDS,J.C. MCGEE,B.L. Southern California Edison Co. 87/09/14. 42pp. 46210.005-46210.048.

8807250119 Temporary Change Notice 11-4 to Administrative Procedure SO123-VI-1.0, "Documents - Review & Approval Process for Site Orders, Procedures & Instructions."  
MCGEE,B.L. SHIELDS,J.C. Southern California Edison Co. 88/06/30. 4pp. 46210.047-46210.050.

8807190347 Rev 3 to Administrative Procedure SO123-VI-1.0.1, "Documents - Temporary Change Notices (TCNs) Preparation, Review, Approval, Incorporation & Distribution."  
\* Southern California Edison Co. 88/01/28. 30pp. 46210.051-46210.080.

8807190357 Temporary Change Notice 1-1 to Rev 1 to Procedure SO123-VI-1.3, "Documents for Completing Unreviewed Question & Environ Evaluation". MCGEE,B.L. Southern California Edison Co. 85/12/18. 14pp. 46210 085-46210 007.

8807250149 Temporary Change Notice 1-2 to Administrative Procedure SO123-VI-1.3, "Documents for Completing Unreviewed Safety Question & Environ Evaluation". MCGEE,B.L., KRIEGER, SHIELDS,J.C. Southern California Edison Co. 87/05/15. 1p. 46210 099-46210 098

8807190361 Temporary Change Notice 6-6 to Engineering Procedure SO123-V-4.14, "Proposed Facility Change (PFC)". Southern California Edison Co. 88/03/29. 14pp. 46210 099-46210 112

8807190364 Temporary Change Notice 2-1 to Rev 2 to General Procedure SO123-XV-5, "Nonconforming Materials or Components". Southern California Edison Co. 88/05/19. 40pp. 46210 113-46210 152

8807190368 Rev 6 to Dept QA Procedure E&C 24-10-15, "Preparation, Review & Approval of Proposed Facility Changes (PFC) & PFC Packages (PFPC) for San Onofre Nuclear Generating Station 1,2 & 3." Proposed Change Notices 1,2 & 3 encl. EASTMAN,L.A. Southern California Edison Co. 88/02/01. 49pp. 46210 153-46210 201

8807190370 Rev 4 to Dept QA Procedure E&C 24-10-16, "Development, Review, Approval & Release of SCE Design Change Package (DCP) & Assembly W/ Proposed Facility Changes (PFC) San Onofre. 1, 2 & 3." Proposed Change Notice 1 encl. EASTMAN Southern California Edison Co. 88/02/01. 23pp. 46210 202-46210 224

8807190372 Rev 3 to Dept QA Procedure E&C 24-10-17, "Interim Design Change Notice (IDCN)/Design Change Notice (DCN) for San Onofre Nuclear Generating Station 1,2 & 3." Proposed Change Notices 1,2,3 & 4 encl. EASTMAN Southern California Edison Co. 87/02/04. 12pp. 46210 225-46210 236

8807190373 Rev 0 to Dept QA Procedure E&C 24-10-18, "Development, Review, Approval & Release of SCE Limited Change Packages (LCPs) San Onofre Nuclear Generating Station 1,2 & 3." Proposed Change Notice 1 encl. EASTMAN Southern California Edison Co. 88/02/01. 52pp. 46210 237-46210 260

8807200076 Rev 2 to Dept QA Procedure E&C 24-10-21, "Preparation, Review, Approval & Release of Field Change Notices for Issue to Const/Startup/Main W/ SCE Design Change Package San Onofre... 1,2 & 3." Proposed Change Notices 1,2 & 3 encl. EASTMAN Southern California Edison Co. 87/02/04. 9pp. 46210 261-46210 269.

8807200078 Rev 4 to Dept QA Procedure E&C 40-9-21, "Nuclear Safety Group Review, Evaluation & Audit Responsibilities for San Onofre Nuclear Generating Station." Proposed Change Notices 1 & 2 encl. HENRIKSON,P. CURRAN,J.M. Southern California Edison Co. 88/04/18. 18pp. 46210 270-46210 287.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 156-45978 288.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46018 037-46018 152

8807140220 Forwards Insp Repts 50-206/88-13,50-361/88-11 & 50-362/88-11 on 880410-0521. No violations noted. ZIMMERMAN,R.P. Region 5, Ofc of the Director. 88/06/22. BASKIN,K.P. Southern California Edison Co. 2pp. 46178 050-46178 064.

8807140222 Insp Repts 50-206/88-13,50-361/88-11 & 50-362/88-11 on 880410-0521. No violations noted. Major areas inspected: operational safety verification, evaluation of plant trips & events & monthly surveillance & maint activities. HUEY,F.R., TATUM,J.E., HONAL, Region 5, Ofc of the Director. 88/06/22. 13pp. 46178 052-46178 064

8807250167 Notices that owner rept of Inservice Insp complete through Cycle 4 refueling outage, per 880310 & 0408 submittals. MORGAN,H.E. Southern California Edison Co. 88/06/23. MARTIN,J.B. Region 6, Ofc of the Director. 2pp. 46276 331-46276 332.

8806210036 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46018 268-46020 018.

8807110507 Forwards SER conditionally accepting response to Generic Ltr 88-28 re trip breakers Confirmation of procedures re armature of undervoltage trip attachment made in energized position when measuring stated clearance requested. HICKMAN,D.E. Project Directorate V. 88/08/24. BASKIN,K.P. Southern California Edison Co. COTTON,G.D. San Diego Gas & Electric Co. 4pp. 46082 310-46082 317.

8807110510 SER conditionally accepting response to Generic Ltr 88-28 "Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/24. 4pp. 46082 314-46082 317.

8807200324 Forwards Insp Repts 50-206/88-18,50-361/88-17 & 50-362/88-18 on 880502-0609. No noncompliance noted. SCARF,O.R.A. Region 5, Ofc of the Director. 88/08/29. BASKIN,K.P. Southern California Edison Co. 2pp. 46221 184-46221 207.

8807200330 Insp Repts 50-206/88-18,50-361/88-17 & 50-362/88-18 on 880502-0609. No violations noted. Major areas inspected: unresov'd & open items, in-office review of periodic & special repts & allegation followup. RUSSELL,J.E., BLOCK,S., YUHAS,G.P. Region 5, Ofc of the Director. 88/06/29. 12pp. 46221 108-46221 207.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 108-46242 212

8807080008 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807180320 Forwards Exam Repts 50-361/OL-88-01 & 50-362/OL-88-01 administered on 880531-0603. Based on NRC evaluation, facility requalification program evaluated as "satisfactory". PATE,R.J. Region 5, Ofc of the Director. 88/07/11. MCCARTHY,C. Southern California Edison Co. 3pp. 46200 271-46202 255.

8807180322 Exam Repts 50-361/OL-88-01 & 50-362/OL-88-01 on 880531-0803. Exam results: all senior reactor operators (SROs) & four reactor operators (ROs) passed NRC graded written exam & all SROs & ROs passed NRC graded operating exam. MORRILL,P., JOHNSTON,G., ROYACK,M. Region 5, Ofc of the Director. 88/06/17. 600pp. 46200 274-46202 255.

8807120291 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 008-46242 108.

8807190155 Forwards repts, "Root Cause Analysis for Guide Rail/Lev-R Lock Interaction Problem for MSIVs" & "Insp Results of San Onofre Nuclear Generating Station - 3 MSIV - 8205." Boreascope Insp program will be developed. MEDFORD,M.O. Southern California Edison Co. 88/07/13. Document Control Branch (Document Control Desk). 2pp. 46204 333-46205 077.

8807190158 "Root Cause Analysis for Guide Rail/Lev-R Lock Interaction Problem for MSIVs." CHIU,C., HERSCHTHAL,M.A., QUIGLEY,N. Southern California Edison Co. 88/08/10. 72pp. 46204 335-46205 046.

8807190174 "Insp Results of San Onofre Nuclear Generating Station - 3 MSIV - 8205." CHIU,C., HERSCHTHAL,M.A., JOHNSON,J. Southern California Edison Co. 88/07/07. 31pp. 46205 047-46205 077.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005

8807120563 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257 255-46258 018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 206.

#### R. Periodic operating reports & related correspondence

8807130107 "San Onofre Nuclear Generating Station 10CFR50.59 Annual Rept 1987." W/880701 Ir. MORGAN,H.E. Southern California Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 89pp. 46165 137-46165 224.

8807190279 Forwards monthly operating repts for June 1988 & Rev 18 to off-site dose calculation manual. Rev reviewed & found acceptable per Tech Spec 6.5.2.9 on 880503 & became effective on 880504. MORGAN,H.E. Southern California Edison Co. 88/07/16. Document Control Branch (Document Control Desk). 8pp. 46213 228-46213 312



-8807190283 Monthly operating reports for June 1988 for San Onofre Nuclear Generating Station Units 2 & 3  
SACORE R Southern California Edison Co 88/06/30. 10pp 46213 234-46213 243

-8807190284 Rev 19 to the effluent dose calculation manual  
Southern California Edison Co 88/05/04 75pp 46213 244-46213 312.

#### S. Reportable occurrences, LERs & related correspondence

8807110227 PHO-V 88-042 on 880626 magnitude 4.7 earthquake occurred. Telephone contact established that earthquake not felt, no damage identified, no releases of radioactivity occurred & seismic instrumentation operated & did not respond.  
NORTH, H.S., YUHAS, G.P. Region 5, Ofc of the Director. 88/08/27. 1p 46140 265-46140 265.

8807250190 Follow up report on fire doors found inoperable during routine surveillance in May 1988. Fire doors found inoperable during surveillance identified in encl. including 21 latch mechanism failures & 16 closure mechanism failures.  
MORGAN, H.E. Southern California Edison Co 88/06/30. MARTIN, J.B. Region 5, Ofc of the Director. 4pp 46259 200-46259 203.

8807150070 LER 88-012-00 on 880602 fuel handling isolation system Train B spuriously actuated & airborne monitor for 221-7623A failed. Caused by failure of transistors in detector preamp for circuit Transistors replaced W/880701 tr.  
MORGAN, H.E. Southern California Edison Co 88/07/01. 5pp. 46181 351-46181 355

8807120653 LER 88-013-00 on 880606 fuel handling isolation system Train B spuriously actuated when particulate/inode channel of airborne monitor received instrument failure signal. Caused by sequence of switching keylock switch W/880708 tr.  
MORGAN, H.E. Southern California Edison Co 88/07/06. 5pp. 46156 267-46156 271.

8807150300 LER 88-014-00 on 880607 8 h grab samples of turbine area slump discovered, not collected & analyzed as required by Tech Spec 3.3.3.8. Caused by personnel error. Event reviewed w/appropriate operations personnel W/880707 tr.  
MORGAN, H.E. Southern California Edison Co 88/07/07. 6pp. 46183 309-46183 314.

#### V. Operator Examinations

8807070584 Forwards order suspending License 6010-2 & notifying of denial of application for renewal of license based on failure of three drug tests.  
STELLO, V. Ofc of the Executive Director for Operations. 88/08/15. ACOSTA, M.P. Acosta, M.P. 1p. 46076 323-46076 323

-8807070589 Order suspending License 6010-2, effective immediately & notifying of denial of 880512 application for renewal of license based on licensee failure of urinalysis screening tests.  
STELLO, V. Ofc of the Executive Director for Operations. 88/08/15. Acosta, M.P. 6pp. 46076 324-46076 329

8807180320 Forwards Exam Repts 50-361/OL-88-01 & 50-362/OL-88-01 administered on 880531-0603 Based on NRC evaluation/facility requalification program evaluated as "satisfactory".  
PATE, R.J. Region 5, Ofc of the Director. 88/07/11. MCCARTHY, C. Southern California Edison Co 3pp. 46200 271-46200 255.

-8807180322 Exam Repts 50-361/OL-88-01 & 50-362/OL-88-01 on 880531-0803. Exam results all senior reactor operators (SROs) & four reactor operators (ROs) passed NRC graded written exam & all SROs & ROs passed NRC graded operating exam.  
MORRILL, P., JOHNSTON, G., ROYACK, M. Region 5, Ofc of the Director. 88/08/17. 800pp. 46200 274-46200 255.

#### DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

8807050394 Revised emergency plan implementing procedures including Temporary Change Notice 4-1 for Rev 4 to SO123-VIII-40, Health Physics Leader Duties & Temporary Change Notice 4-2 to Rev 4 to SO123-VIII-50, "Technical..." W/880623 tr.  
WHARTON, M.A. Southern California Edison Co. 88/08/23. 117pp. 46026 122-46026 238.

8807070599 Forwards Rev 19 to physical security plan, incorporating textual & figure (drawing) changes Rev withheld (ref 10CFR73.21)  
MORGAN, H.E. Southern California Edison Co 88/08/24. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46118 264-46118 264.

8807070603 Forwards Rev 19 to physical security plan. Rev incorporates textual changes to permit relaxation of access safeguards requirements during preplanned emergency drills Rev withheld (ref 10CFR73.21)  
MORGAN, H.E. Southern California Edison Co. 88/08/24. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46119 149-46119 149.

#### G. Adjudicatory correspondence

8807070584 Forwards order suspending License 6010-2 & notifying of denial of application for renewal of license based on failure of three drug tests.  
STELLO, V. Ofc of the Executive Director for Operations. 88/08/15. ACOSTA, M.P. Acosta, M.P. 1p. 46076 323-46076 329.

-8807070589 Order suspending License 6010-2, effective immediately & notifying of denial of 880512 application for renewal of license based on licensee failure of urinalysis screening tests.  
STELLO, V. Ofc of the Executive Director for Operations. 88/08/15. Acosta, M.P. 6pp. 46076 324-46076 329.

#### P. Operating license stage documents & correspondence

8807110321 Forwards, "Technical Evaluation Report for Natural Circulation Cool-down Test Performed at San Onofre Nuclear Generating Station," inadvertently omitted from 880224 tr.  
HICKMAN, D.E. Project Directorate V. 88/08/23. BASKIN, K.P. Southern California Edison Co. COTTON, G.D. San Diego Gas & Electric Co. 4pp. 46100 001-46100 072

-8807110333 "Technical Evaluation Report for Natural Circulation Cool-down Test Performed at San Onofre Nuclear Generating Station."  
JO, J.H., PERKINS, K.R. Brookhaven National Laboratory, FIN A-3843. 87/10/16. Office of Nuclear Reactor Regulation, Director (Post 870411). 50pp. 46100 005-46100 072

8807210322 Forwards safety evaluation report 880208 submittal of results of hazardous cargo monitoring program in accordance w/Tech Spec 6.8.1.14. Procedures should be corrected to be consistent w/SRP 2.2.3 guidelines.  
HICKMAN, D.E. Project Directorate V. 88/08/23. BASKIN, K.P. Southern California Edison Co. COTTON, G.D. San Diego Gas & Electric Co. 4pp. 46109 044-46109 048

-8807210336 Safety evaluation report 880208 offsite hazards evaluation. Total risk w/each type of hazard w/proper application of SRP 2.2.3 guidelines & on basis of current hazardous cargo traffic, remains acceptably small.  
\* NRC - No Detailed Allocation Given. 88/08/23. 1p. 46109 048-46109 048.

8807110507 Forwards SER conditionally accepting response to Generic Ltr 83-20 to trip breakers. Confirmation of procedures to armature of undervoltage trip attachment down in energized position when measuring stated clearance requested.  
HICKMAN, D.E. Project Directorate V. 88/08/24. BASKIN, K.P. Southern California Edison Co. COTTON, G.D. San Diego Gas & Electric Co. 4pp. 46082 310-46082 317.

-8807110510 SER conditionally accepting response to Generic Ltr 83-20  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/24. 4pp. 46082 314-46082 317.

8807130263 Forwards notice of consideration of issuance of amendments to Licenses NPF-10 & NPF-15 & opportunity for hearing re 880814 request to change Tech Specs 3/4.1.3.4 to increase allowable drop time from 3 to 3.2 s (Proposed Change 263)  
HICKMAN, D.E. Project Directorate V. 88/08/20. BASKIN, K.P. Southern California Edison Co. COTTON, G.D. San Diego Gas & Electric Co. 4pp. 46168 058-46168 058

-8807130265 Notice of consideration of issuance of amendments to Licenses NPF-10 & NPF-15 & opportunity for hearing re 880814 request to revise Tech Spec 3/4.1.3.4 to increase allowable drop time from 3 to 3.2 s.  
ROOD, J.I. Project Directorate V. 88/08/20. 5pp. 46168 002-46168 006

8807070566 Forwards add info supporting unit response to Generic Ltr 88-08 re implementation of reactor coolant pump trip criteria.  
MEDFORD, M.O. Southern California Edison Co. 88/07/01. Document Control Branch (Document Control Desk). 6pp. 46118 133-46118 241.

8807130268 Forwards Amend 11 to Topical Report SCE-1-A, "QA Program"  
MEDFORD, M.O. Southern California Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 2pp. 46171 165-46171 315.

-8807130281 Amend 11 to "QA Program"  
BASKIN, K.P. Southern California Edison Co. SCE-1-A A 11. 88/07/31. 150pp. 46171 157-46171 316.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel nozzles & impact on plant operations. Svc 1st & Rev 2 to Reg Guide 1.0B encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257 207-46257 257

8807190071 Proposes rev to Tech Spec requirement to measure CEA drop times prior to startup following each refueling.  
MEDFORD, M.O. Southern California Edison Co. 88/07/13. Document Control Branch (Document Control Desk). 2pp. 46209 201-46209 202.

8807220371 Forwards request for add info re proposed change to Tech Spec 3/4.1.3.4, "CEA Drop Time," including justification of increase in BEFIR.  
HICKMAN, D.E. Project Directorate V. 88/07/13. BASKIN, K.P. Southern California Edison Co. COTTON, G.D. San Diego Gas & Electric Co. 4pp. 46249 278-46249 281

8807190268 Forwards facility procedures governing 10CFR50.50 reviews  
MEDFORD, M.O. Southern California Edison Co. 88/07/15. Document Control Branch (Document Control Desk). 2pp. 46209 318-46209 287.

-8807190340 Temporary Change Notice 1-2 to Rev 1 to Operations Div Procedure SO123-VI-1.0, "Notification & Reporting of Significant Events"  
\* Southern California Edison Co. 88/08/10. 45pp. 46209 320-46209 004.

-8807190346 Temporary Change Notice 11-3 to Rev 11 to Administrative Procedure SO123-VI-1.0, "Documents - Review & Approval Process for Site Orders, Procedures & Instructions."  
SHIELDS, J.C., MCGEE, B.L. Southern California Edison Co. 87/08/14. 42pp. 46210 005-46210 046.

-8807250119 Temporary Change Notice 11-4 to Administrative Procedure SO123-VI-1.0, "Documents - Review & Approval Process for Site Orders, Procedures & Instructions."  
MCGEE, B.L., SHIELDS, J.C. Southern California Edison Co. 88/08/30. 4pp. 46210 047-46210 050.

-8807190347 Rev 3 to Administrative Procedure SO123-VI-1.0.1, "Documents - Temporary Change Notices (TCNs) Preparation, Review, Approval, Incorporation & Distribution."  
\* Southern California Edison Co. 88/01/28. 30pp. 46210 051-46210 080

-8807190355 Temporary Change Notice 3-1 to Rev 3 to Procedure SO123-VI-1.0.1, "Documents - Temporary Change Notices (TCNs) Preparation, Review, Approval, Incorporation & Distribution."  
MCGEE, B.L., SHIELDS, J.C. Southern California Edison Co. 88/08/30. 4pp. 46210 081-46210 084.

"Documents - Guidelines for Completing Unreviewed Safety Question & Answer Evaluation"  
MCGEE,B.L., KRIEGER, SHIELDS,J.C. Southern California Edison Co. 8/7/05/15 1p  
46210.098-46210.098.

-8807190361 Temporary Change Notice 6-6 to Engineering Procedure SO123-V-4.14,  
"Proposed Facility Change (PFC)"  
Southern California Edison Co. 88/03/28. 14pp. 46210.099-46210.112

-8807190364 Temporary Change Notice 2-1 to Rev 2 to General Procedure SO123-XV-5,  
"Nonconforming Matl,Parts or Components:"  
Southern California Edison Co. 88/05/19. 40pp. 46210.113-46210.152.

-8807190366 Rev 6 to Dept QA Procedure E&C 24-10-15, "Preparation,Review & Approval of Proposed Facility Changes (PFC) & PFC Packages (PFPC) for San Onofre Nuclear Generating Station 1,2 & 3." Proposed Change Notices 1,2 & 3 encl  
EASTMAN,L.A. Southern California Edison Co. 88/02/01. 49pp. 46210.153-46210.201.

-8807190370 Rev 4 to Dept QA Procedure E&C 24-10-18, "Development, Review,Approval & Release of SCE Design Change Package (DCP) & Assembly W/ Proposed Facility Changes (PFC) San Onofre ..1, 2 & 3." Proposed Change Notice 1 encl.  
EASTMAN Southern California Edison Co. 88/02/01. 23pp. 46210.202-46210.224.

-8807190372 Rev 3 to Dept QA Procedure E&C 24-10-17, "Interim Design Change Notice (IDCN)/Design Change Notice (DCN) for San Onofre Nuclear Generating Station 1,2 & 3." Proposed Change Notices 1,2,3 & 4 encl.  
EASTMAN Southern California Edison Co. 87/02/04. 12pp. 46210.225-46210.238

-8807190373 Rev 0 to Dept QA Procedure E&C 24-10-18, "Development, Review,Approval & Release of SCE Limited Change Packages (LCPs) San Onofre Nuclear Generating Station 1,2 & 3." Proposed Change Notice 1 encl.  
EASTMAN Southern California Edison Co. 88/02/01. 52pp. 46210.237-46210.260.

-8807200076 Rev 2 to Dept QA Procedure E&C 24-10-21, "Preparation, Review,Approval & Release of Field Change Notices for Issue to Const/Startup/Maint W/o SCE Design Change Package San Onofre ..1,2 & 3." Proposed Change Notices 1,2 & 3 encl.  
EASTMAN Southern California Edison Co. 87/02/04. 9pp. 46210.261-46210.269

-8807200078 Rev 4 to Dept QA Procedure E&C 40-9-21, "Nuclear Safety Group Review,Evaluation & Audit Responsibilities for San Onofre Nuclear Generating Station." Proposed Change Notices 1 & 2 encl.  
HENRIKSON,P., CURRAN,J.M. Southern California Edison Co. 88/04/18. 18pp. 46210.270-46210.287.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/16 Consolidated Edison Co. of New York, Inc. 110pp. 45978.168-45978.260

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NJUREG/BF-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8807140220 Forwards Insp Repts 60-208/88-13,60-361/88-11 & 50-362/88-11 on 880410-0521.No violations noted.  
ZIMMERMAN,R.P. Region 5, Ofc of the Director. 88/08/22. BASKIN,K.P. Southern California Edison Co. 2pp. 46178.050-46178.064.

-8807140222 Insp Repts 50-208/88-13,60-361/88-11 & 50-362/88-11 on 880410-0521.No violations noted.Major areas inspected: operational safety verification,evaluation of plant trips & events & monthly surveillance & maint activities.  
HUEY,F.R., TATUM,J.E., HON,A.L. Region 5, Ofc of the Director. 88/08/22. 13pp. 46178.052-46178.064.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.163-46019.265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807070114 Discusses number of findings re component cooling water sys operability,per 880610 safety sys insp exit meeting Upon 880930 completion,results of review along w/details of any further corrective actions will be provided to NRC.  
MCCARTHY,C.B. Southern California Edison Co. 88/08/24. MARTIN,J.B. Region 5, Ofc of the Director. 2pp. 46126.092-46126.093.

8807110507 Forwards SER conditionally accepting response to Generic Ltr 83-28 re trip breakers Confirmation of procedures re armature of undervoltage trip attachment down in energized position when measuring stated clearance requested.  
HICKMAN,D.E. Project Directorate V. 88/08/24. BASKIN,K.P. Southern California Edison Co. 4pp. 46082.310-46082.317.

PATER,J.R. Region 4, Ofc of the Director. 88/06/24. BASKIN,K.P. Southern California Edison Co. 2pp. 46176.006-46176.013

-8807140082 Insp Rept 50-362/88-13 on 880502-0603.No violations noted.Major areas inspected:Inspection of insp activities & Insp Procedures  
30703.73051,1.73052,73753,73755,02701 & 92703 covered  
CLARK,C., RICHARDS,S. Region 5, Ofc of the Director. 88/08/24. 6pp. 46176.008-46176.013.

8807200324 Forwards Insp Repts 50-208/88-18,50-361/88-17 & 50-362/88-18 on 880502-0609.No noncompliance noted.  
SCARANO,R.A. Region 5, Ofc of the Director. 88/06/29. BASKIN,K.P. Southern California Edison Co. 2pp. 46221.184-46221.207.

-8807200330 Insp Repts 50-208/88-10,50-361/88-17 & 50-362/88-18 on 880502-0609.No violations noted.Major areas inspected: unresolved & open items,n-on review of periodic & special repts & allegation followup  
RUSSELL,J.E., BLOCK,S., YUHAS,G.P. Region 5, Ofc of the Director. 88/06/29. 12pp. 46221.198-46221.207.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027

8807180320 Forwards Exam Repts 50-361/OL-88-01 & 50-362/OL-88-01 administered on 880531-0603.Based on NRC evaluation,facility requalification program evaluated as "satisfactory."  
PATER,J.R. Region 5, Ofc of the Director. 88/07/11. MCCARTHY,C. Southern California Edison Co. 3pp. 46209.271-46209.255.

-8807180322 Exam Repts 50-361/OL-88-01 & 50-362/OL-88-01 on 880531-0603 Exam results all senior reactor operators (SROs) & four reactor operators (ROs) passed NRC predded written exam & all SROs & ROs passed NRC graded operating exam.  
MORRILL,P., COE,D., DEAN,W. Region 5, Ofc of the Director. 88/06/17. 600pp. 46200.274-46202.255

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807190165 Forwards repts, "Root Cause Analysis for Guide Rail/Lev-R-Lock Interaction Problem for MSIVs" & "Insp Results of San Onofre Nuclear Generating Station - 3 MSIV - 8205." Boroscope insp program will be developed  
MEDFORD,M.O. Southern California Edison Co. 88/07/13 Document Control Branch (Document Control Desk) 2pp. 46204.333-46205.077

-8807190168 "Root Cause Analysis for Guide Rail/Lev-R-Lock Interaction Problem for MSIVs"  
CHIU,C., HERSCHTHAL,M.A., QUIGLEY,N. Southern California Edison Co. 88/06/19. 72pp. 46204.335-46205.048.

-8807180174 "Insp Results of San Onofre Nuclear Generating Station - 3 MSIV - 8205."  
CHIU,C., HERSCHTHAL,M.A., JOHNSON,J. Southern California Edison Co. 88/07/07. 31pp. 46205.047-46205.077.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/10 Consolidated Edison Co. of New York, Inc. 103pp. 46241.283-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206

#### R. Periodic operating reports & related correspondence

8807130107 "San Onofre Nuclear Generating Station 10CFR50.59 Annual Rept 1987." W/680701 ltr  
MORGAN,H.E. Southern California Edison Co. 87/12/31. Document Control Branch (Document Control Desk). 88pp. 46185.137-46185.224.

8807190279 Forwards monthly operating repts for June 1988 & Rev 10 to offset dose calculation manual Rev reviewed & found acceptable per Tech Spec 6.5.2.9 on 880503 & became effective on 880504.  
MORGAN,H.E. Southern California Edison Co. 88/07/15 Document Control Branch (Document Control Desk). 6pp. 46213.228-46213.312

-8807190283 Monthly operating repts for June 1988 for San Onofre Nuclear Generating Station Units 2 & 3.  
SIACOR,H.E. Southern California Edison Co. 88/06/30. 10pp. 46213.234-46213.243.

8807110115 Comment opposing proposed rule 10CFR50 re leak-before-break technology for safety-related equipment NRC reliance on leak-before-break is irrational response to very real safety problem NRC should implement mandatory piping insp.

8EAUD00/N.R. Nuclear Information & Resource Service, 68/08/30. CHILK Office of the Secretary of the Commission. bpp 46138 339-46138 346

**K. Utility Final Safety Analysis Report (FSAR) & amends**

8807060595 Rev 6 to updated FSAR for JM Farley Nuclear Plant, Units 1 & 2 W/880701  
 ltr.  
 HAIRSTON, W.G. Alabama Power Co. 88/07/31. 880pp 46107:035-46109 194

#### M. Antitrust correspondence

8807070407 Grants wkl request for 45-day time extension until 880801 to finalize settlement agreement in proceeding Counsel for utl has been notified of action  
GILLESPIE, F.P. Program Management, Policy Development & Analysis Staff (Post  
870411) 88/08/29 BOSKEY, B Volpe, Boskey & Lyons 2pp 46199 001-46199 002

8807110394 Summary of 880601 meeting w/ull in Rockville, MD re antitrust 2.2C  
petition Attendance list encl  
REEVE, E.A Project Directorato II-1. 88/07/05. Project Directorate II-1. 4pp  
46140 208-46140 211.

**P. Operating license state documents & correspondence**

8807120583 Advises that request to enforce subpoenas issued to 11 utility employees submitted to US Justice Dept on 8/8/520 Enforcement request not yet filed w/court. ZECH, L.W. Commissioners 88/08/10 SHARP, P. House of Rep., Energy & Commerce, to 48113 108-46113 108

8807010830 Requests exemption from program update requirements of  
10CFR50.55(a)(4)(ii). Proposes to update Unit 2 program to ASME Code 1983 edition  
rather than update program to Code of record on 910731.  
HAIRSTON, W.G. Alabama Power Co 88/08/22 Document Control Branch [Docu-  
ment Control Desk]. Sec 48009 053-48009 057

8807010202 Advises that uil intends to propose comparison method between units to demonstrate so smrc qualification to NRC for review of acceptability Schedule for implementation will be submitted by 880323.  
HAIRSTON, W.G. Alabama Power Co. 88/06/23. Document Control Branch (Document Control Desk). 1p. 48020 157-48020 157.

8807070442 Grants request for 45-day extension until 880831 to finalize settlement agreement in procedure, per 880617 ltr.  
GILLESPIE, P. Program Management, Policy Development & Analysis Staff (Post 870411). 88/08/30. GREEN, D.G. Newman & Holtzinger 2pp 46119 223; 46119 224.

8807140059 Forwards Amonde 77 & 69 to Liconso NPF-2 & NPF-B, respectively &  
safety evaluation Amonde doleto Tech Spec Figures 0 2-1 & 0 2-2 & rules & ruyacae  
charts re organizational structure, per Generic IIR 88-00.  
REEVES E A Project O.rectorato II-I. 88/07/08 HAIRSTON,W.G. Alabama Power Co  
3nd. 48184:120-48184:145

~~-8807140069~~ Amends 77 & 69 to Licenses NPF-02 & NPF-08, respectively, do'nting Tech Spec Figures 62-1 & 82-2 & refs & replacing charts to organizational structure per Generic Ltr 88-06.

-8807140081 Safety evaluation supporting Amends 77 & 80 to Licenses NPF-02 & NPF-08, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/08 3pp  
46184:143:46184:145

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc 1-st & Rcv 2 to Reg Guido 1 99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post #70411) 88/07/12. Consol.dated Edison Co. of New York, Inc. 51pp 46257-207-46267 257.

8807202214 Forwards corrected pages of Amends 66 & 77 to Licenses NPF-6 & NPF-2, respectively Side marginals inadvertently, incorrectly marked  
REEVES, E.A. Project Directorate 11-1. 60/07/14. HAIRSTON, W.G. Alabama Power Co  
2cc. 48248 272.48249 277

-8807220282 Corrected Amends 77 & 80 to Licenses NPF-2 & NPF-8,  
respectively, changing marginal ino  
\* Protect Directorate II-1. 88/07/14. 400. 48249 274-48249 277

8807220373 Forwards Amends 7D & 70 to Licenses NPF-2 & NPF-B, respectively & safety evaluation. Amends change Tech Specs in Section 6, "Administrative Controls," to reflect revised corporate mgmt position.

REEVES, A.E. Project Directorate II-1. 88/07/18. HAINSTON, W.G. Alabama Power Co Inc. 48250.194-48250.218.

8807220377 Amends 78 & 70 to Licenses NPF-2 & NPF-8, respectively, changing Tech Specs in Section 6, "Administrative Controls," to reflect revised corporate mgt position.

\* Office of Nuclear Reactor Regulation, Director (Post 870411) 08/07/18. 2pp  
46250-217.46250-218.

Power Oscillation Event " Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15.  
Consolidated Edison Co. of New York, Inc 110pp. 45978 156-45978 268

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams " NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc 237pp. 46240:325-46241 201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews " Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc 122pp. 45978 034-45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS " Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc 116pp. 46019 037-46019 152

8807010630 Requests exemption from program update requirements of 10CFR50.55a(g)(4)(ii). Proposes to update Unit 2 program to ASME Code 1983 edition rather than update program to Code of record on 910731  
HAIRSTON,W.G. Alabama Power Co. 88/06/22 Document Control Branch (Document Control Desk). 5pp. 46009 053-46009 057.

8807130313 Ack receipt of 880610 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/88-13 & 50-364/88-13.  
HERDT,A.R. Region 2, Oic of the Director. 88/06/22 MCDONALD,R.P. Alabama Power Co. 1p. 46186 027-46186 027

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc 113pp. 46019 153-46019 265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS " Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc 114pp. 46019 268-46020 018

8806300351 Responses to violations noted in Insp Repts 50-348/88-10 & 50-364/88-10. Corrective actions util does not agree that any corrective steps required. Polymer matrix gaseous aids will be replaced by 880805 w/low density foam aids.  
HAIRSTON,W.G. Alabama Power Co. 88/06/24 Document Control Branch (Document Control Desk). 4pp. 45987.100-45987 192

8807120316 Forwards Insp Repts 50-348/88-20 & 50-364/88-20 on 880516-20 & 0606-10 & notice of violation  
HERDT,A.R. Region 2, Oic of the Director. 88/06/28 MCDONALD,R.P. Alabama Power Co. 2pp. 46145 124-46145 140.

-8807120317 Notice of violation from Insp on 880516-20 & 0606-10. Violation noted procedure used to perform RCS water inventory balance was not capable of performing that required surveillance reliably.  
HERDT,A.R. Region 2, Oic of the Director. 88/06/28. 2pp. 46145.126-46145 127.

-8807120321 Insp Repts 50-348/88-20 & 50-364/88-20 on 880516 0610 Violation noted Major areas inspected post-rampdown startup tests, review of completed core surveillance procedures & licensee related procedures  
BURNETT,P.T., JAFFE,F. Region 2, Oic of the Director. 88/06/23. 13pp. 46145:128-46145 140.

8807120719 Ack receipt of 880615 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-348/88-05 & 50-364/88-05  
JULIAN,C.A. Region 2, Oic of the Director. 88/06/28. MCDONALD,R.P. Alabama Power Co. 1p. 46155.082-46155 082.

8807080304 Ack receipt of 880617 payment for civil penalty in amount of \$50,000, per NRC 880518 order.  
LIEBERMAN,J. Oic of Enforcement (Post 870413). 88/07/08. HAIRSTON,W.G. Alabama Power Co. 1p. 46133 132-46133 132.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination " Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242 212.

8807210293 Forwards Insp Repts 50-348/88-22 & 50-364/88-22 on 880613-17 No violations or deviations noted.  
CLINE,W.E. Region 2, Oic of the Director. 88/07/07. MCDONALD,R.P. Alabama Power Co. 2pp. 46237.352-46237 354.

-8807210299 Partially withheld Insp Repts 50-348/88-22 & 50-364/88-22 on 880613-17 (ref 10CFR2.790 & 73.21) No violations or deviations noted Major areas inspected vital area barriers, assessment aids & access control of personnel.  
MASNYK,O.M., MCGUIRE,D.R. Region 2, Oic of the Director. 88/07/08. 1p. 46237:354-46237 354.

8807260183 Forwards Insp Repts 50-348/88-19 & 50-364/88-19 on 880511-0610 & notice of violation.  
VERRELLI,D.M. Region 2, Oic of the Director. 88/07/07. HAIRSTON,W.G. Alabama Power Co. 2pp. 46259.219-46259 239

-8807260187 Notice of violation from Insp on 880511-0610. Violation noted: failure to follow procedures for storage of compressed gas cylinders & to provide adequate operability Insps on Unit 1 post-accident containment ventilation filter unit.  
VERRELLI,D.M. Region 2, Oic of the Director. 88/07/07. 2pp. 46259 221-46259 222.

-8807260192 Insp Repts 50-348/88-19 & 50-364/88-19 on 880511-0610. No violations noted Major areas inspected review of monthly surveillance & monthly maint observation, operational safety verification & physical security program.  
BRADFORD,W.H., MILLER,W.H., DANCE,H.C. Region 2, Oic of the Director. 88/07/07. 17pp. 46259 223-46259 239

Consolidated Edison Co. of New York, Inc 107pp. 46231 201-46232 027.  
8807120643 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." No pump degradation on identified  
HAIRSTON,W.G. Alabama Power Co. 88/07/08 Document Control Branch (Document Control Desk). 12pp. 46148:164-46148 175

8807130283 Revised response to NRC 880419 ltr re violations noted in Insp Repts 50-348/88-09 & 50-364/88-09 Corrective actions document control personnel instructed to maintain safeguards containers in locked condition except when in use  
HAIRSTON,W.G. Alabama Power Co. 88/07/08 Document Control Branch (Document Control Desk). 4pp. 46166.067-46166 070

8807250353 Forwards meeting summary of enforcement conference re Insp Repts 50-348/88-05 & 50-364/88-05 on 880525. List of attendees & photographs encl  
GRACE J.N. Region 2, Oic of the Director. 88/07/11 MCDONALD,R.P. Alabama Power Co. 33pp. 46273.248-46273 280.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves " Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12  
Consolidated Edison Co. of New York, Inc 103pp. 46242 005-46242 108

8807080386 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times " Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.  
Consolidated Edison Co. of New York, Inc 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info " Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18  
Consolidated Edison Co. of New York, Inc 103pp. 46241 263-46242 035

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power " Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18  
Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258 016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs " Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257 088-46257 206

## R. Periodic operating reports & related correspondence

8807180245 Monthly operating rpt for June 1988 for JM Farley Unit 2. W/880712 ltr MOREYON, HAIRSTON,W.G. Alabama Power Co. 88/06/30 9pp. 46205 092-46205 100.

## V. Operator Examinations

8807050161 Requests stated rpt mail be submitted to NRC by 880701 for written exams scheduled for wk of 881114 Facility mgt responsible for prov.drg adequate space & accommodations in order to properly conduct written exams  
JULIAN,C.A. Region 2, Oic of the Director. 88/06/15 MCDONALD,R.P. Alabama Power Co. 10pp. 46025:120-46025 129

## DOCKET 50-368 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

## F. Security, medical, emergency & fire protection plans

8807080228 Advises that util responses complied w/requirements for emergency response facilities & meteorological data upgrade per TMI Action Items III.A.1.2 & III.A.2.2, respectively  
CROCKER,L.P. Project Directorate II-3. 88/08/22. HAIRSTON,W.G. Georgia Power Co. 3pp. 46076:300-46076 380

8807070121 Requests meeting w/NRC personnel to discuss status of plant security. Subsequent to 880428 response to violations noted in Insp Repts 50-321/88-00 & 50-368/88-09, add info has become available which suggests confusion exists re plan.  
HAIRSTON,W.G. Georgia Power Co. 88/08/27. Document Control Branch (Document Control Desk). 2pp. 46124.359-46124 360.

8807070492 Notification of 880708 meeting w/util in Rockville, MD to review plant security plan status  
CROCKER,L.P. Project Directorate II-3. 88/07/01. MATTHEWS,D.B. Project Directorate II-3. 4pp. 46123:283-46123 286

8807150123 Notice of change of point of contact for NRC personnel re fingerprints & criminal records processing/info New contact is D Edge.  
HAIRSTON,W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 2pp. 46185:357-46185 358.

8807190190 Summary of 880608 meeting w/util in Rockville, MD re physical security plan Attendance list encl.  
CROCKER,L.P. Project Directorate II-3. 88/07/11. MATTHEWS,D.B. Project Directorate II-3. 5pp. 46200.188-46200 192.

## P. Operating license stage documents & correspondence

8807080468 Forwards ltr for 880020 application for amend to proposed Tech Specs, deleting ref to automatic isolation of main control room environ control sys & main control room chlorine detectors  
HAIRSTON,W.G. Georgia Power Co. 88/06/29 Document Control Branch (Document Control Desk). 2pp. 46115 131-46115 132.

response to General Ltr 88-01.  
CROCKER, L.P. Project Directorate II-3. 88/08/20. MATTHEWS, D.B. Project Directorate II-3. 3pp. 46122.179-46122.181.

8807120180 Responds to General Ltr 88-01, "NRC Position on IGSCC in BWR Austenitic Stainless Steel Piping" including mitigating actions, Tech Spec changes & future plans. Fee paid.  
HAIRSTON, W.G. Georgia Power Co. 88/06/30. Document Control Branch (Document Control Desk). 86pp. 46143:111-46143:196.

8807070507 Summary of 880614 meeting w/utl in Rockville, MD re status of licensee actions concerning Safety Issues Mgt Sys printout & licensee response to General Ltr 88-28.  
CROCKER, L.P. Project Directorate II-3. 88/07/01. MATTHEWS, D.B. Project Directorate II-3. 4pp. 46124:001-46124:004.

8807140310 Submits add'l info re General Ltr 88-28, per NRC 880505 ltr.  
HAIRSTON, W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 2pp. 46171:002-46171:003.

8807150120 Forwards results of crosscheck of chemistry samples prepared by BNL.  
HAIRSTON, W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 3pp. 46184:285-46184:287.

8807120692 Forwards request for add'l info re second 10-yr inservice insp program. Response requested within 60 days of ltr receipt.  
CROCKER, L.P. Project Directorate II-3. 88/07/07. HAIRSTON, W.G. Georgia Power Co. 9pp. 46148:084-46148:092.

8807140225 Grants 880513 request that listed documents, marked as proprietary be withheld from public disclosure per 10CFR2.790 based on GE statements.  
CROCKER, L.P. Project Directorate II-3. 88/07/08. HAIRSTON, W.G. Georgia Power Co. 4pp. 46177:270-46177:273.

8807190130 Forwards updated listing of outstanding licensing requests for early NRC review & approval.  
HAIRSTON, W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 3pp. 46215:342-46215:344.

8807220188 Requests ref. from ASME Code Section XI re elevated hydrostatic test pressure requirement for Class 2 portion of main steam lines.  
HAIRSTON, W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 2pp. 46248:074-46248:080.

8807130454 General Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

8807180118 Forwards Amends 155 & 94 to Licenses DPR-57 & NPF-5, respectively, safety evaluation & request for FR publication. Amends modify Tech Specs by replacing organization charts w/ more general requirements.  
CROCKER, L.P. Project Directorate II-3. 88/07/12. HAIRSTON, W.G. Georgia Power Co. 3pp. 46203:024-46203:060.

8807180122 Amends 155 & 94 to Licenses DPR-57 & NPF-5, respectively, modifying Tech Specs by replacing organization charts w/ more general organization requirements.  
MATTHEWS, D.B. Project Directorate II-3. 88/07/12. 28pp. 46203:027-46203:055.

8807180123 Safety evaluation supporting Amends 155 & 94 to Licenses DPR-57 & NPF-5, respectively.  
Project Directorate II-3. 88/07/12. 4pp. 46203:056-46203:057.

8807180124 Requests FR publication of notice of issuance of Amends 155 & 94 to Licenses DPR-57 & NPF-5, respectively. Amends modify Tech Specs by replacing organization charts w/ more general organization requirements.  
CROCKER, L.P. Project Directorate II-3. 88/07/12. NRC - No Detailed Affiliation Given. 1p. 46203:058-46203:060.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45976:156-45976:286.

8806290144 Forwards Operational Assessment Repts 50-321/88-15 & 50-368/88-15 on 880508-20 & notice of violation.  
GRACE, J.N. Region 3, Oic of the Director. 88/06/17. MCCONALD, R.P. Georgia Power Co. 3pp. 45974:351-45974:069.

8806290151 Notice of violation from insp on 880509-20. Violations noted: failure to maintain appropriate quality stds for installation of Model 206-380 ASCO solenoid valves & NRC Inspector found eight pages of Tech Spec misng.  
GRACE, J.N. Region 3, Oic of the Director. 88/06/17. 2pp. 45974:354-45974:355.

8806290161 Insp Repts 50-321/88-15 & 50-368/88-15 on 880509-20. Violations noted: Major areas inspected, operational performance assessment re effectiveness of various plant groups including operations, QA & engineering & training.  
JULIAN, C., SHYMLOCK, M., GIBSON, A. Region 2, Oic of the Director. 88/06/18. 75pp. 45974:356-45975:068.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

880622  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

8807080228 Advises that utl responses complied w/requirements for emergency response facilities & meteorological data upgrade per TMI Action Items III A 1.2 & III A 2.2, respectively.  
CROCKER, L.P. Project Directorate II-3. 88/06/22. HAIRSTON, W.G. Georgia Power Co. 3pp. 46076:360-46076:360.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device In Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

8807070121 Requests meeting w/NRC personnel to discuss status of plant security. Subsequent to 880428 response to violations noted in Insp Repts 50-321/88-09 & 50-368/88-09, add'l info has become available which suggests confusion exists re plan.  
HAIRSTON, W.G. Georgia Power Co. 88/06/27. Document Control Branch (Document Control Desk). 2pp. 46124:359-46124:360.

8807150083 Responds to Bulletin 88-003 re HFA relay latch engagement. Licensee determined that sub-latching type HFA relays not used in safety-related sys at plant.  
HAIRSTON, W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 2pp. 46162:267-46162:269.

8807150134 Responds to NRC 880610 ltr re violations noted in Insp Repts 50-321/88-14 & 50-368/88-14. Corrective actions containment isolation valves closed & successful radiographic exam of pipe welds performed.  
HAIRSTON, W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 4pp. 46185:132-46185:139.

8807150145 Responds to NRC 880531 ltr re violations noted in Insp Repts 50-321/87-31 & 50-368/87-31. Corrective actions written guidance implemented to assist in investigation & cause determination of failure of RWCU valves to isolate.  
HAIRSTON, W.G. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 11pp. 46185:273-46185:283.

8807190144 Ack receipt of 880603 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-321/88-11 & 50-368/88-11.  
BROWNLEE, V.L. Region 2, Oic of the Director. 88/07/05. HAIRSTON, W.G. Georgia Power Co. 1p. 46205:101-46205:101.

8807210240 Forwards Insp Repts 50-321/88-12 & 50-368/88-12 on 880502-12. Emergency operating procedures adequate for continued plant operation, although numerous deficiencies identified.  
GRACE, J.N. Region 2, Oic of the Director. 88/07/08. HAIRSTON, W.G. Georgia Power Co. 3pp. 46236:326-46237:003.

8807210250 Insp Repts 50-321/88-12 & 50-368/88-12 on 880502-10. Deficiencies noted: Major areas inspected emergency operating procedures, including QA measures, quality of control room drawings & evaluation of containment venting provisions.  
FLOREK, D.J., GALLO, R.M. Region 2, Oic of the Director. 88/06/24. 38pp. 46238:320-46237:003.

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:108-46242:212.

8807120692 Forwards request for add'l info re second 10-yr inservice insp program. Response requested within 60 days of ltr receipt.  
CROCKER, L.P. Project Directorate II-3. 88/07/07. HAIRSTON, W.G. Georgia Power Co. 9pp. 46148:084-46148:092.

8807080006 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807200123 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Safety sys operates for very short time in min flow mode. Max expected continuous operation small percentage of recommended guidelines.  
HAIRSTON, W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 6pp. 46221:287-46221:302.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:008-46242:108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120650 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258:016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257:206.



# R. Periodic operating reports & related correspondence

8807190338 Monthly operating reports for June 1988 for Hatch Units 1 & 2 W/880711 Ltr. BEARD, R.M., HAIRSTON, W.G. Georgia Power Co. 88/06/30 13pp. 48215-099-48215-111.

# S. Reportable occurrences, LERs & related correspondence

8806290390 LER 88-018-00: on 880523, seven snubbers inadvertently not incorporated into procedure during previous procedure revs. Caused by procedure inadequacy. Temporary procedure change developed & personnel counseled. W/880622 Ltr. TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 88/06/22 10pp. 45984-112-45984-121.

8807010052 Special Rept 88-004: on 880523, determined that fire doors w/ automatic hold-open & release mechanisms were not being verified to be free of obstructions at least once per 24 h as required. Caused by inadequate administrative controls. HAIRSTON, W.G. Georgia Power Co. 88/06/22 Document Control Branch (Document Control Desk) 7pp. 46017-156-46017-162.

8807010582 LER 88-017-00: on 880527, air bubble released into condensate sys tripping condensate booster pumps & reactor feed pumps on low suction pressure. Caused by deficient condensate & feedwater sys operating procedure. W/880627 Ltr. TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 88/06/27 11pp. 46017-050-46017-060.

8807060159 LER 88-018-00: on 880529, full reactor scram occurred. Caused by failure of disc dump valve as result of normal wear. Onlines installed to reduce pressure transients in electrohydraulic control & manifold oiled. W/880627 Ltr. TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 88/06/27 9pp. 46087-352-46087-360.

8807150117 LER 88-019-00: on 880604, licensed operations personnel determined that operability requirements of Tech Specs for functional testing of turbine stop valve not met. Caused by personnel error. Personnel counseled. W/880705 Ltr. TIPPS, S.B., HAIRSTON, W.G. Georgia Power Co. 88/07/05 8pp. 48183-251-48183-258.

8807200126 LER 88-007-01: on 880212, valves on air supply lines serving pneumatic actuators failed local leak rate testing. Caused by design deficiency. Appropriate Tech Spec actions initiated & valve deficiencies corrected. W/880711 Ltr. HEIDT, J.D., HAIRSTON, W.G. Georgia Power Co. 88/07/11 18pp. 46221-278-46221-296.

# DOCKET 60-368 ARKANSAS NUCLEAR ONE, UNIT 2

# F. Security, medical, emergency & fire protection plans

8807070562 Rev 9 to cover sheet to Emergency Plan Implementing Procedure 1903.002, "Assignment of Plant Emergency Team/Group Members." \* Arkansas Power & Light Co. 88/02/25 2pp. 46119-213-46119-214.

8807200340 Rev 6 to Emergency Plan Implementing Procedure 1905.002, "Offsite Emergency Monitoring." \* Arkansas Power & Light Co. 88/05/18 39pp. 46229-012-46229-050.

8807070559 Rev 6 to Emergency Plan Implementing Procedure 1903.13, "Notification of Corporate Official." \* Arkansas Power & Light Co. 88/08/09 12pp. 46125-198-46125-209.

8807210191 Requests addl 30 days to completely implement necessary mods for majority of work to protect secondary power supply. Util will still be in compliance w/NRC Implementation guide. HOWARD, D.R. Arkansas Power & Light Co. 88/06/29. HARBURCK, C.C. Project Directorate IV. 2pp. 46237-301-46237-302.

8807070493 Ack receipt of 880608 Ltr informing NRC of steps taken to correct violations noted in Safeguards Insp Repts 50-313/88-08 & 50-368/88-08. CALLAN, L.J. Region 4, Ofc of the Director. 88/07/01. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 46128-183-46128-184.

# I. Financial Information

8807070386 Forwards summary of completed & planned notification & consultation activities. Systemwide communication plan under development for consolidation effort, including development of new publication to update employees on progress. KINGSLEY, O.D. System Energy Resources, Inc. 88/06/29 Document Control Branch (Document Control Desk). 7pp. 46125-353-46125-359.

# P. Operating license stage documents & correspondence

8807060275 Submits response to Generic Ltr 88-08, "Automatic Trip of Reactor Coolant Pumps," re TMI Action Item II.K.3.5. HOWARD, D.R. Arkansas Power & Light Co. 88/06/03. HARBURCK, C.C. Project Directorate IV. 5pp. 46102-245-46102-249.

8807080135 Responds to 880510 request for addl info re Generic Ltr 83-28, Items 3.2.1 & 3.2.2 on post-maint testing of safety-related components. HOWARD, D.R. Arkansas Power & Light Co. 88/06/21. CALVO, J.A. Project Directorate IV. 2pp. 46134-109-46134-110.

8807140285 Summary of 880615 meeting w/utilis re proposed establishment & licensing of Sys Energy Resource, Inc. as operators & licensing agent for plants. WIGGINTON, D.L. Project Directorate IV. 88/06/21. Project Directorate IV. 35pp. 46177-291-46177-325.

8807140298 Forwards Amends 109 & 85 to Licenses DPR-51 & NPF-6, respectively & safety evaluation. Amends revise administrative controls sections of Tech Specs to reflect reorganization of nuclear operations dept. HARBURCK, C.C. Project Directorate IV. 88/06/24. CAMPBELL, T.G. Arkansas Power &

8807140300 Amends 109 & 85 to Licenses DPR-51 & NPF-6, respectively, revising administrative controls section of Tech Specs to reflect reorganization of nuclear operations dept. & also mgt posn on designated to serve as committee chairman. CALVO, J.A. Project Directorate IV. 88/06/24. 24pp. 46171-126-46171-149.

8807140303 Safety evaluation supporting Amends 109 & 85 to Licenses DPR-51 & NPF-6, respectively. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/24 5pp. 46171-150-46171-154.

8807070386 Forwards summary of completed & planned notification & consultation activities. Systemwide communication plan under development for consolidation effort, including development of new publication to update employees on progress. KINGSLEY, O.D. System Energy Resources, Inc. 88/06/29 Document Control Branch (Document Control Desk). 7pp. 46125-353-46125-359.

8807190080 Responds to NRC 880523 request for addl info re SPDS Util will evaluate Rochester Instrument Sys Model SC-1302 & Energy, Inc. Model 03993-4 isolators against 120-volt ac 20 amp guidance. Evaluation of test data expected by 880815. HOWARD, D.R. Arkansas Power & Light Co. 88/06/30. HARBURCK, C.C. Project Directorate IV. 2pp. 46209-205-46209-206.

8807120275 Forwards application for amends to Licenses DPR-51 & NPF-6, requesting approval for Sys Energy Resources, Inc. to assume responsibility for operation of facilities. Fee paid. CAMPBELL, T.G. Arkansas Power & Light Co. 88/07/01. CHUTCHFIELD, D. Division of Reactor Projects - III, IV, & Special Projects (Post 870411). 5pp. 46155-133-46155-183.

8807120296 Application for amends to Licenses DPR-51 & NPF-6, requesting approval for Sys Energy Resources, Inc. to assume responsibility for operation of plant. MALDEN, J.L. Arkansas Power & Light Co. KINGSLEY, O.D. System Energy Resources, Inc. 88/07/01. 31pp. 46155-138-46155-169.

8807120303 Proposed Amends 1 & 2 to Licenses DPR-51 & NPF-6, respectively. \* Arkansas Power & Light Co. 88/07/01 15pp. 46155-169-46155-183.

8807120227 Responds to 880422 request for update of 870605 submittal re performance testing of relief & safety valves. NUREG-0737, Item IID.1 for plant Mods made during refueling outage and neg early in 1988 & final calculations under review. HOWARD, D.R. Arkansas Power & Light Co. 88/07/05. CALVO, J.A. Project Directorate IV. 29pp. 46152-017-46152-315.

8807120151 Notification of 880718 significant license meeting in Arlington, TX to discuss status of license improvement programs. CALLAN, L.J. Region 4, Ofc of the Director. 88/07/08. Region 4, Ofc of the Director. 2pp. 46154-142-46154-143.

8807180047 Forwards notice of environ assessment & finding of no significant impact re Tech Spec changes for HPSI pump surveillance test of differential pressure requirement. HARBURCK, C.C. Project Directorate IV. 88/07/08. CAMPBELL, T.G. Arkansas Power & Light Co. 4pp. 46200-263-46200-268.

8807180051 Notice of environ assessment & findings of no significant impact on util 871026 request for change to Tech Specs to decrease required differential pressure produced by HPSI pumps during surveillance testing. CALVO, J.A. Project Directorate IV. 88/07/06 3pp. 46200-266-46200-268.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel: main & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257-207-46257-257.

8807260108 Forwards safety evaluation accepting util response to Generic Ltr 83-28, Item 4.5.2 re reactor trip sys reliability online testing. CALVO, J.A. Project Directorate IV. 88/07/12. CAMPBELL, G. Arkansas Power & Light Co. 4pp. 46278-087-46278-115.

8807260107 Safety evaluation supporting util 831105 responses to Generic Ltr 83-28, Item 4.5.2 re reactor trip sys reliability online testing. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. 1p. 46278-091-46278-115.

# Q. Inspection reports, IE Bulletins & correspondence

8807070553 Responds to violations noted in Insp Repts 50-313/88-02 & 50-368/88-02. Corrective actions surveys reviewed & contract technicians in error & supervisors informed of errors & instructed to perform reviews in timely manner. LEVINE, J.M. Arkansas Power & Light Co. 88/05/13. CALLAN, L.J. Region 4, Ofc of the Director. 4pp. 46123-076-46123-078.

8808130168 NRC Info Notice 88-030, "Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-266.

8807060350 Ack receipt of 880513 Ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88-08 & 50-368/88-08. CALLAN, L.J. Region 4, Ofc of the Director. 88/08/18. CAMPBELL, G. Arkansas Power & Light Co. 1p. 46103-209-46103-269.

8807180149 Responds to violations noted in Insp Repts 50-313/88-11 & 50-368/88-11. Corrective actions actions initiated to verify that valves tagged open w/caps removed in correct test position. LEVINE, J.M. Arkansas Power & Light Co. 88/06/16. CALLAN, L.J. Region 4, Ofc of the Director. 3pp. 46199-198-46199-200.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019 037-46019.152.

8807010040 Ack receipt of 880603 ltr informing NRC of steps taken to correct violation noted in Insp Repts 50-313/88-03 & 50-368/88-03.  
CALLAN, L.J. Region 1, O/c of the Director. 88/06/22. CAMPBELL, G. Arkansas Power & Light Co. 1p. 46020 245-46020.245.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 256-46020.018.

8807060557 Forwards Insp Repts 50-313/88-15 & 50-368/88-15 on 880501-31 & notice of violation.  
CALLAN, L.J. Region 4, O/c of the Director. 88/06/27. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 46109 195-46109.208.

8807060596 Notice of violation from Insp on 880501-31. Violation noted: Inspector observed large plastic bag approx half filled w/ miscellaneous debris in upper south piping penetration room.  
Region 4, O/c of the Director. 88/06/27. 2pp. 46109.197-46109.198.

8807060577 Insp Repts 50-313/88-15 & 50-368/88-15 on 880501-31. Violations noted: Major areas inspected plant status, operational safety ventilation, maint & surveillance, plant startup testing & event followup.  
JOHNSON, W.D., HAAG, R.C., CAMPBELL, J.N.D. Region 4, O/c of the Director. 88/06/27. 10pp. 46103.199-46109.208.

8807070571 Ack receipt of 880513 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88-02 & 50-368/88-02.  
CALLAN, L.J. Region 4, O/c of the Director. 88/06/30. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 46123 073-46123.074.

8807120255 Ack receipt of 870622 & 880421 ltrs informing NRC of steps taken to correct violations noted in Insp Repts 50-313/87-13 & 50-368/87-13.  
CALLAN, L.J. Region 4, O/c of the Director. 88/06/30. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 46154.043-46154.049.

8807070493 Ack receipt of 880608 ltr informing NRC of steps taken to correct violations noted in Safeguards Insp Repts 50-313/88-08 & 50-368/88-08.  
CALLAN, L.J. Region 4, O/c of the Director. 88/07/01. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 46126 163-46126.164.

8807120078 Forwards Insp Repts 50-313/88-18 & 50-368/88-18 on 880523. 27 No violations or deviations noted.  
CALLAN, L.J. Region 4, O/c of the Director. 88/07/05. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 46147 320-46147.329.

8807120084 Insp Repts 50-313/88-18 & 50-368/88-18 on 880523-27. No violations or deviations noted. Major areas inspected: licensee radiation protection activities associated w/ radioactive material transportation & low level radioactive mgt.  
CHANEY, H.D., BAER, R.E. Region 4, O/c of the Director. 88/06/24. 8pp. 46147.322-46147.329.

8807130054 Requests 60-day extension to 880906 to respond to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Significant problems w/ fuel safety-related pumps not anticipated.  
HOWARD, D.R. Arkansas Power & Light Co. 88/07/05. Document Control Branch (Document Control Desk). 1p. 46169 225-46169.225.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807180153 Ack receipt of 880616 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-313/88-11 & 50-368/88-11.  
CALLAN, L.J. Region 4, O/c of the Director. 88/07/08. CAMPBELL, G. Arkansas Power & Light Co. 1p. 46188.282-46188.282.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807250330 Ack receipt of 880731 & 1003 ltrs in response to Equipment Qualification Insp Repts 50-313/88-23 & 50-368/88-24. Enforcement conference planned. Proposed agenda for sub/enforcement conference encl.  
CALLAN, L.J. Region 4, O/c of the Director. 88/07/14. CAMPBELL, G. Arkansas Power & Light Co. 8pp. 46259.100-46259.105.

8807250312 Forwards Insp Repts 50-313/88-21 & 50-368/88-21 on 880620-24. No violations or deviations noted.  
CALLAN, L.J. Region 4, O/c of the Director. 88/07/15. CAMPBELL, G. Arkansas Power & Light Co. 2pp. 46255.189-46255.181.

8807250314 Insp Repts 50-313/88-21 & 50-368/88-21 on 880620-24. No violations or deviations noted. Major areas inspected: licensed operator training, non-licensed staff training, QC training program & plant tour.  
PICK, G.A., VICKREY, R.B., GAGLIARDI, J.E. Region 4, O/c of the Director. 88/07/14. 11pp. 46255.171-46255.181.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257.258-46258.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206.

## R. Periodic operating reports & related correspondence

8807250051 Monthly operating rpt for June 1988 for Arkansas Nuclear One Unit 2. W/ 880715 ltr.  
HARRISON, D.F., HOWARD, D.R. Arkansas Power & Light Co. 88/06/30. 6pp. 46259.121-46259.128.

## S. Reportable occurrences, LERs & related correspondence

8807130178 LER 88-010-00 on 880525, following repair of leak on common rod leg of narrow-range water level instrument, safety injection tank D inoperable. Caused by low water level leak repaired & rod leg refilled. W/880620 ltr.  
TAYLOR, L.A., LEVINE, J.M. Arkansas Power & Light Co. 88/06/20. 6pp. 46163.255-46163.260.

## DOCKET 50-369 WILLIAM B. MCQUIRE NUCLEAR STATION, UNIT 1

## F. Security, medical, emergency & fire protection plans

8807070221 Rev 26 to crisis mgt plan W/880624 ltr.  
TUCKER, H.B. Duke Power Co. 88/06/15. 38pp. 46118.261-46118.321.

8806280246 Forwards Rev 35 to security plan Rev withheld (ref 10CFR73.21).  
TUCKER, H.B. Duke Power Co. 88/06/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 45985.357-45985.359.

8807120696 Requests that submittal date for revised McGuire Emergency Procedure Writers Guide be extended until 880901.  
TUCKER, H.B. Duke Power Co. 88/07/08. Document Control Branch (Document Control Desk). 1p. 46155.005-46155.005.

8807250271 Forwards Insp Repts 50-360/88-18 & 50-370/88-18 on 880620-24. Violations not cited because all criteria for categorization of licensee identified violations met.  
CLINE, W.E. Region 2, O/c of the Director. 88/07/13. TUCKER, H.B. Duke Power Co. 2pp. 46254.324-46264.326.

8807250272 Partially withheld Insp Repts 50-360/88-18 & 50-370/88-18 on 880620-24 (ref 10CFR2.760 & 73.21). One licensee identified violation noted. Major areas inspected met effectiveness - security program & records & reports.  
TILLMAN, A., MCQUIRE, D.H. Region 2, O/c of the Director. 88/07/12. 1p. 46254.328-46264.328.

## K. Utility Final Safety Analysis Report (FSAR) & amendments

8807130305 Update to 1987 FSAR for McGuire Nuclear Station W/880701 ltr.  
TUCKER, H.B. Duke Power Co. 88/07/01. 617pp. 46173.083-46174.319.

## P. Operating license stage documents & correspondence

8807070544 Forwards revised page of Tech Spec 3/4.7.8, clarifying proposed wording re snubbers.  
TUCKER, H.B. Duke Power Co. 88/05/10. Document Control Branch (Document Control Desk). 1p. 46119.203-46119.208.

8807070549 Proposed rev to Tech Spec 3/4.7.8, clarifying wording re snubbers.  
\* Duke Power Co. 88/05/19. 3pp. 46119.204-46119.208.

8807070575 Forwards "Final Design Description, ATWS Mitigation Sys Actuation Circuitry" & "ATWS Mitigation Sys Actuation Circuitry Response to Unit Transients," based on mods to plants to install modified Options 3 in design package.  
TUCKER, H.B. Duke Power Co. 88/06/01. Document Control Branch (Document Control Desk). 2pp. 46118.331-46119.099.

8807080079 Rev 2 to "ATWS Mitigation Sys Actuation Circuitry (AMSAC)." \*  
Duke Power Co. 88/05/20. 63pp. 46118.334-46119.047.

8807080089 "ATWS Mitigation Sys Actuation Circuitry Response to Unit Transients" \*  
DAVIS, R.K. Duke Power Co. 88/05/06. 62pp. 46119.048-46119.089.

8806290093 Discusses proposed rev to Tech Spec 3/4.7.13 re groundwater level monitoring per 880516 telcon. Selected commitments will be submitted for FSAR update & procedure for penetration from monitors to zoned wall filter written or revised.  
TUCKER, H.B. Duke Power Co. 88/06/21. Document Control Branch (Document Control Desk). 2pp. 45984.213-45984.214.

Ltr 87-09.  
HOOD,D. Project Directorate II-3. 88/06/21. TUCKER,H.B. Duke Power Co. 3pp  
46002 180-46002 272

-8807060516 Amends 87 & 88 to Licenses NPF-9 & NPF-17, respectively, changing Tech Spec Sections 3.0 and 4.0 to conform w/Generac Ltr 87-09.  
MATTHEWS,D.B. Project Directorate II-3. 88/06/21. 88pp. 46002:201-46002 266

-8807060522 Safety evaluation supporting Amends 87 & 88 to Licenses NPF-9 & NPF-17, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/21. 5pp. 46002:267-46002 271.

-8807060540 Requests FR publication of notice of issuance of Amends 87 & 88 to Licenses NPF-9 & NPF-17. Amends change Tech Spec Sections 3.0 & 4.0 to conform w/Generac Ltr 87-09.  
HOOD,D.S. Project Directorate II-3. 88/06/21. NRC - No Detailed Affiliation Given. 1p. 46002 272-46002 272

8807050076 Advises that effective 880622 TACs 65131 & 65132 "Regulatory Effectiveness (Safeguards) Review" closed based upon NRC ltr to util' dtd 871217.  
HOOD,D. Project Directorate II-3. 88/08/22. Project Directorate II-3. 1p. 45991:235-45991 235

8807060403 Application for amends to Licenses NPF-9 & NPF-17, deleting several surveillance requirements Fee paid.  
TUCKER,H.B. Duke Power Co. 88/06/24. Document Control Branch (Document Control Desk). 3pp. 46102:230-46102 244.

-8807060404 Proposed Tech Specs 3/4, deleting surveillance requirements that serve no useful purpose, including channel checks on instrumentation normally overarranged or in invalid state, verifying alarms, trips & interlocks where none exists.  
\* Duke Power Co. 88/08/24. 12pp. 46102:233-46102 244.

8807180282 Forwards Re/let Request 88-05 from ASME Code Section XI requirements pertaining to nuclear svc water sys piping Fee paid.  
TUCKER,H.B. Duke Power Co. 88/06/27. Document Control Branch (Document Control Desk). 12pp. 46203:225-46203 236.

8807130260 Forwards Amends 88 & 89 to Licenses NPF-9 & NPF-17, respectively & safety evaluation. Amends revise Tech Specs by updating index & making other purely administrative changes.  
HOOD,D.S. Project Directorate II-3. 88/07/05. TUCKER,H.B. Duke Power Co. 3pp. 46172:092-46172 123.

-8807130265 Amends 88 & 89 to Licenses NPF-9 & NPF-17, respectively, revising Tech Specs by updating index & making other purely administrative changes.  
MATTHEWS,D.B. Project Directorate II-3. 88/07/05. 25pp. 46172:095-46172 110.

-8807130266 Safety evaluation supporting Amends 88 & 89 to Licenses NPF-9 & NPF-17, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/05. 2pp. 46172:120-46172 121.

-8807130269 Requests FR publication of notice of issuance of Amends 88 & 89 to Licenses NPF-9 & NPF-17, respectively. Amends change Tech Specs by updating index & making other purely administrative changes.  
HOOD,D.S. Project Directorate II-3. 88/07/05. NRC - No Detailed Affiliation Given. 1p. 46172:122-46172 123.

8807150126 Notification of 880816, 17 & 18 meetings w/util in Cornelius, NC to review pump & valve inservice testing program.  
HOOD,D.S. Project Directorate II-3. 88/07/08. MATTHEWS,D.B. Project Directorate II-3. 3pp. 46188:123-46188 140

8807130464 Generac Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46267:207-46267 257.

8807180017 Ack receipt of 880720 ltr appealing NRC 871029 denial of util' 870901 backfit claim re containment integrated leak rate testing requirements per App J of 10CFR50. Matter currently under review.  
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. TUCKER,H.B. Duke Power Co. 4pp. 46203:010-46203 023.

8807190206 Forwards safety evaluat on granting relief from requirements of ASME Section XI re mods to nuclear svc water sys.  
MATTHEWS,D.B. Project Directorate II-3. 88/07/12. TUCKER,H.B. Duke Power Co. 4pp. 46208:301-46208 310.

-8807190208 Safety evaluation supporting util' 870209 request for relief from requirements of ASME Section XI re hydrostatic testing requirements for portions of mods on nuclear svc water sys.  
\* NRC - No Detailed Affiliation Given. 88/07/12. 6pp. 46208:305-46208 310.

8807250213 Forwards revised Tech Spec page adding requirement to verify proper operation of power disconnect circuitry on 18-month basis.  
TUCKER,H.B. Duke Power Co. 88/07/13. Document Control Branch (Document Control Desk). 2pp. 46269:285-46269 287.

-8807260214 Revised Tech Specs re surveillance requirements for ECCS.  
\* Duke Power Co. 88/07/13. 1p. 46269:287-46269 287.

8807200125 Notification of 880718 meeting w/util in Cornelius, NC to discuss responsibilities of McGuire safety review group.  
HOOD,D.S. Project Directorate II-3. 88/07/14. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 5pp. 46221:303-46221 307.

8807220349 Forwards corrected Tech Spec Pages 3/4 3-36 & 3/4 3-58 to replace pages forwarded w/Amends 88 & 89 to Licenses NPF-9 & NPF-17, respectively.  
HOOD,D. Project Directorate II-3. 88/07/15. TUCKER,H.B. Duke Power Co. 4pp. 46249:332-46249 338.

Sys Instrumentation Performance Requirements," respectively.  
\* Duke Power Co. 88/07/15. 3pp. 46249:336-46249 338

8807250242 Requests w/av of compliance from literal wording of util' Tech Spec 4.8.1.1.2.e.6(c) re diesel generator until license amend request prepared, submitted & approved. Anticipated rev to Tech Spec encl.  
MCCONNELL,T.L. Duke Power Co. 88/07/15. Document Control Branch (Document Control Desk). 6pp. 46255:207-46255 212.

8807250164 Application for amends to Licenses NPF-9 & NPF-17, amending Tech Spec 4.8.1.1.2.e.6(c) re diesel generator trip Fee paid.  
TUCKER,H.B. Duke Power Co. 88/07/19. Document Control Branch (Document Control Desk). 3pp. 46272:276-46272 284.

-8807250180 Proposed Tech Specs 4.8.1.1.2.e.6(c) re diesel generator trip.  
\* Duke Power Co. 88/07/18. 7pp. 46272:278-46272 284.

## Q. Inspection reports, IE Bulletins & correspondence

8806280436 Provides addl info in light of NRC concerns raised during 880525 telecon between NRC & licensee re response to NRC Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tubes."  
TUCKER,H.B. Duke Power Co. 88/08/10. GRACE,J.N. Region 2, O/c of the Director. 4pp. 45974:341-45974 344

8808130188 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978 268

8808280221 Ack receipt of 880531 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-369/88-09 & 50-370/88-09.  
BROWNLEE,V.L. Region 2, O/c of the Director. 88/08/16. TUCKER,H.B. Duke Power Co. 1p. 45972:291-45972 291.

8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241 201.

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978 155.

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019 162.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019 265.

8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:206-46020 018.

8807060425 Ack receipt of 880620 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-369/88-11 & 50-370/88-11.  
CLINE,W.E. Region 2, O/c of the Director. 88/06/28. TUCKER,H.B. Duke Power Co. 1p. 46115:160-46115 162.

8807120058 Forwards Insp Repts 50-369/88-15 & 50-370/88-15 on 880613-17. No violations or deviations noted.  
HERDT,A.R. Region 2, O/c of the Director. 88/07/01. TUCKER,H.B. Duke Power Co. 2pp. 46141:332-46141 345.

-8807120082 Insp Repts 50-369/88-15 & 50-370/88-15 on 880613-17. No violations or deviations noted. Major areas inspected NDE procedures review, observation & review of in-process NDE exam & review of inservice insp exam data.  
NEWSOMER,W., BLAKE,J.J. Region 2, O/c of the Director. 88/06/30. 12pp. 46141:334-46141 345.

8807130455 Advises that response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
HOOD,D. Project Directorate II-3. 88/07/05. TUCKER,H.B. Duke Power Co. 4pp. 46167:357-46167 380.

8807180194 Responds to violations noted in Insp Repts 50-369/88-12 & 50-370/88-12. Corrective actions: Procedure PT-11/A/4252/01 revised & operability evaluation rewritten to provide better technical description.  
TUCKER,H.B. Duke Power Co. 88/07/08. Document Control Branch (Document Control Desk). 8pp. 46200:023-46200 030.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242 212.

8807080006 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232 027.

8807160167 Responds to violations noted in Insp Repts 50-369/88-13 & 50-370/88-13. Corrective actions taken both computer & watch data recorded to develop representative comparison between methods & personnel training/orientation planned.  
TUCKER,H.B. Duke Power Co. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46182:324-46182 327.

**8807280315** Responds to NRC Bulletin 88-004, "Potential Safety Related Pump Loss." Receipt of manufacturer info & evaluation of info expected by 880831.  
TUCKER, H.B. Duke Power Co. 88/07/11. Document Control Branch (Document Control Desk). 5pp. 46288 159-46288 163

**8807120291** NRC Info Notice 88-018, "Licensed Rept of Defective Re/brushed Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108.

**8807250271** Forwards Insp Repts 50-369/88-18 & 50-370/88-18 on 880620-24. Violations not cited because all criteria for categorization of licensee-identified violations met.  
CLINE, W.E. Region 2, Ofc of the Director. 88/07/13. TUCKER, H.B. Duke Power Co. 2pp. 46254.324-46254.326.

**8807250272** Partially withheld Insp Repts 50-369/88-18 & 50-370/88-18 on 880620-24 (rel 10CFR2.790 & 73.21). One licensee identified violation noted Major areas inspected mgt effectiveness - security program & records & repts.  
TILLMAN, A., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/07/12. 1p. 46254.326-46254.326.

**8807080368** NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46244 222-46244 324.

**8807120550** NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

**8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257 258-46258 016.

**8807260269** Responds to NRC Bulletin 87-002, Steps 1 & 2 re safety-related bolting vendors & fastener testing.  
TUCKER, H.B. Duke Power Co. 88/07/18. Document Control Branch (Document Control Desk). 13pp. 46287.249-46287.261.

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 206.

#### R. Periodic operating reports & related correspondence

**8807250397** Monthly operating repts for June 1988 for McGuire Nuclear Station W/ 880715 lr.  
REAVIS, J.A., TUCKER, H.B. Duke Power Co. 88/06/30. 12pp. 46285 195-46285 206.

#### S. Reportable occurrences, LERs & related correspondence

**8806290174** Advises that special rept re diesel generator 1A incident on 880510 will be submitted by 880708 instead of 880620 due to unresolved concerns.  
TUCKER, H.B. Duke Power Co. 88/06/20. Document Control Branch (Document Control Desk). 1p. 45973 348-45973 348.

**8806290119** Special rept on 880323, Train A safety injection & main steam sys isolation signals received from unknown fault inside Train A solid state protection sys logic cabinet. Cause of fault could not be isolated. Cabinet returned to svc.  
TUCKER, H.B. Duke Power Co. 88/06/22. Document Control Branch (Document Control Desk). 2pp. 45987.241-45987.242.

**8807050299** Special rept on 880525, diesel generator 1B tripped after operating on low cooling water temp alarm signal. Caused by stoppage in auxiliary lubricating pumps. Diesel generator tested & returned to operable status.  
TUCKER, H.B. Duke Power Co. 88/06/24. Document Control Branch (Document Control Desk). 2pp. 46025 050-46025 051.

**8807130436** LER 87-022-01 on 870921, breached fire blanket discovered. Breach occurred on 870912 when personnel cut blanket to perform preventive maint. Caused by personnel failure. Placards attached naming blankets are barriers. W/880830 lr.  
LEROY, S.E., TUCKER, H.B. Duke Power Co. 88/06/30. 6pp. 46170 304-46170 312.

**8807130291** LER 88-011-00 on 880601, diesel generator 2A tripped on engine over-speed prior to termination of blackout test & Tech Spec action statement entered. Cause undetermined. Actuator replaced & shorter bolts attached. W/880701 lr.  
LEROY, S.E., TUCKER, H.B. Duke Power Co. 88/07/01. 9pp. 46171 338-46171 344.

**8807130379** LER 88-007-01 on 880418, steam generator 1C feedwater regulating valve closed due to unknown fault on associated card in control cabinet. Instrumentation & electrical replaced fairly control card. W/880701 lr.  
LEROY, S.E., TUCKER, H.B. Duke Power Co. 88/07/01. 6pp. 46170 281-46170 288.

**8807130400** LER 88-010-00 on 880601, diesel generator 2A did not start as required when normal power purposefully failed to Train 2A during ESF test. Contacts 4 & 4A displayed intermittent failure to stay completely closed. W/880701 lr.  
LEROY, S.E., TUCKER, H.B. Duke Power Co. 88/07/01. 7pp. 46186 233-46186 239.

**8807180281** Notifies that special rept due on 880620 will be delayed due to unresolved concerns. Rept will be submitted on 880722.  
TUCKER, H.B. Duke Power Co. 88/07/08. Document Control Branch (Document Control Desk). 1p. 46204 311-46204 311.

#### DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

**8806280246** Forwards Rev 35 to security plan Rev withheld (rel 10CFR73.21).  
TUCKER, H.B. Duke Power Co. 88/06/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 45985 357-45985 359.

**8807120596** Requests that submittal data for revised McGuire Emergency Procedure Writers Guide be extended until 880930.  
TUCKER, H.B. Duke Power Co. 88/07/06. Document Control Branch (Document Control Desk). 1p. 46155 095-46155 095.

**8807250271** Forwards Insp Repts 50-369/88-18 & 50-370/88-18 on 880620-24. Violations not cited because all criteria for categorization of licensee-identified violations met.  
CLINE, W.E. Region 2, Ofc of the Director. 88/07/13. TUCKER, H.B. Duke Power Co. 2pp. 46254.324-46254.326.

**8807250272** Partially withheld Insp Repts 50-369/88-18 & 50-370/88-18 on 880620-24 (rel 10CFR2.790 & 73.21). One licensee identified violation noted Major areas inspected mgt effectiveness - security program & records & repts.  
TILLMAN, A., Region 2, Ofc of the Director. 88/07/12. 1p. 46254 326-46254 326.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

**8807130365** Update to 1987 FSAR for McGuire Nuclear Station. W/880701 lr.  
TUCKER, H.B. Duke Power Co. 88/07/01. 817pp. 46173 063-46174 319.

#### P. Operating licensee stage documents & correspondence

**8807070544** Forwards revised page of Tech Spec 3/4 7.8, clarifying proposed wording re snubbers.  
TUCKER, H.B. Duke Power Co. 88/05/19. Document Control Branch (Document Control Desk). 1p. 46119 203-46119 206.

**8807070549** Proposed rev to Tech Spec 3/4 7.8, clarifying wording re snubbers.  
\* Duke Power Co. 88/05/19. 3pp. 46119 204-46119 206.

**8807070575** Forwards "Final Design Description, ATWS Mitigation Sys Action on Circuitry" & "ATWS Mitigation Sys Action on Circuitry Response to Unit Transitions," based on mods to plants to install modified Options 3 in design package.  
TUCKER, H.B. Duke Power Co. 88/06/01. Document Control Branch (Document Control Desk). 2pp. 46118 331-46118 089.

**8807080079** Rev 2 to "ATWS Mitigation Sys Activation Circuitry (AMSAC)." \* Duke Power Co. 88/05/20. 63pp. 46118 334-46119 047.

**8807080089** "ATWS Mitigation Sys Activation Circuitry Response to Unit Transitions." DAVIS, R.K. Duke Power Co. 88/05/06. 52pp. 46119 048-46119 099.

**8806290083** Discusses proposed rev to Tech Spec 3/4 7.13 re groundwater level monitoring. 880516 telcon. Selected commitments will be submitted for FSAR update & procedure for penetration from monitors to zoned wall after written ct revised.  
TUCKER, H.B. Duke Power Co. 88/06/21. Document Control Branch (Document Control Desk). 2pp. 45984 213-45984 214.

**8807060465** Forwards Amends 87 & 88 to Licenses NPF-9 & NPF-17, respectively & safety evaluation. Amends change Tech Spec Sections 3.0 & 4.0 to conform w/GenRec Ltr 87-09.  
HOOD, D. Project Directorate II-3. 88/06/21. TUCKER, H.B. Duke Power Co. 3pp. 46002 198-46002 272.

**8807060516** Amends 87 & 88 to Licenses NPF-9 & NPF-17, respectively, changing Tech Spec Sections 3.0 and 4.0 to conform w/GenRec Ltr 87-09.  
MATTHEWS, D.B. Project Directorate II-3. 88/06/21. 66pp. 46002 201-46002 266.

**8807060522** Safety evaluation supporting Amends 87 & 88 to Licenses NPF-9 & NPF-17, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/21. 5pp. 46002 267-46002 271.

**8807060540** Requests FR publication of notice of Issuance of Amends 87 & 88 to Licenses NPF-9 & NPF-17. Amends change Tech Spec Sections 3.0 & 4.0 to conform w/GenRec Ltr 87-09.  
HOOD, D.S. Project Directorate II-3. 88/06/21. NRC - No Dated Affirmation Given. 1p. 46002 272-46002 272.

**8807060576** Advises that effective 880622 TACs 65131 & 65132 "Regulatory Effectiveness (Safeguards) Review" closed based upon NRC ltr to unit dtd 871217.  
HOOD, D. Project Directorate II-3. 88/06/22. Project Directorate II-3. 1p. 45991 235-45991 235.

**8807060403** Application for amends to Licenses NPF-9 & NPF-17, deleting several surveillance requirements Fee paid.  
TUCKER, H.B. Duke Power Co. 88/06/24. Document Control Branch (Document Control Desk). 3pp. 46102 230-46102 244.

**8807060404** Proposed Tech Specs 3/4, deleting surveillance requirements that serve no useful purpose, including channel checks on instrumentation normally overranged or in invalid state, varying alarms, trips & interlocks where none exists.  
\* Duke Power Co. 88/06/24. 12pp. 46102 233-46102 244.

**8807180282** Forwards Relief Request 88-05 from ASME Code Section XI requirements pertaining to nuclear svc water sys piping Fee paid.  
TUCKER, H.B. Duke Power Co. 88/06/27. Document Control Branch (Document Control Desk). 12pp. 46203 225-46203 236.

**8807130250** Forwards Amends 88 & 89 to Licenses NPF-9 & NPF-17, respectively & safety evaluation. Amends revise Tech Specs by updating index & making other purely administrative changes.  
HOOD, D. Project Directorate II-3. 88/07/05. TUCKER, H.B. Duke Power Co. 3pp. 46172 082-46172 123.

**8807130255** Amends 88 & 89 to Licenses NPF-9 & NPF-17, respectively, revising Tech



--8807130258 Safety evaluation supporting Amendments 88 & 89 to Licenses NPF-9 & NPF-17, respectively  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/05. 2pp.  
46172-120-46172-121.

--8807130259 Requests FRI publication of notice of issuance of Amendments 88 & 89 to Licenses NPF-9 & NPF-17, respectively. Amendments change Tech Specs by updating index & making other purely administrative changes  
HOOD,D.S. Project Directorate II-3. 88/07/05. NRC - No Detailed Affiliation Given. 1p.  
46172-120-46172-123

8807130299 Advises that special report to diesel generator 2B will be delayed & submitted on 880722  
TUCKER,H.B. Duke Power Co. 88/07/05. Document Control Branch (Document Control Desk). 1p. 46170-280-46170-280

8807150126 Notification of 880818, 17 & 18 meetings w/util in Cornelius, NC to review pump & valve & service testing program  
HOOD,D.S. Project Directorate II-3. 88/07/08. MATTHEWS,D.B. Project Directorate II-3. 3pp. 46108-123-46188-140

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. See list & Rev 2 to Reg Guide 1.90 encl.  
MIRAGLIA,F. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

8807180017 Ack receipt of 880720 ltr appealing NRC 871029 denial of utl 870901 backfit claim re containment integrated leak rate testing requirements per App J of 10CFR50. Matter currently under review  
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. TUCKER,H.B. Duke Power Co. 4pp. 46203-010-46203-023

8807190206 Forwards safety evaluation granting relief from requirements of ASME Section XI re mods to nuclear svc water sys  
MATTIHEWS,D.B. Project Directorate II-3. 88/07/12. TUCKER,H.B. Duke Power Co. 4pp. 46208-301-46208-310

--8807190208 Safety evaluation supporting utl 870209 request for relief from requirements of ASME Section XI re hydrostatic testing requirements for portions of mods on nuclear svc water sys  
\* NRC - No Detailed Affiliation Given. 88/07/12. 6pp. 46208-305-46208-310

8807250213 Forwards revised Tech Spec page adding requirement to verify proper operation of power disconnect circuitry on 18-month basis  
TUCKER,H.B. Duke Power Co. 88/07/13. Document Control Branch (Document Control Desk). 2pp. 46260-285-46260-287.

--8807250214 Revised Tech Specs re surveillance requirements for ECCS.  
\* Duke Power Co. 88/07/13. 1p. 46260-287-46260-287.

8807260126 Notification of 880718 meeting w/util in Cornelius, NC to discuss responsibilities of McGuffin safety review group  
HOOD,D.S. Project Directorate II-3. 88/07/14. MURLEY,T., SNIEZEK,J., MIRAGLIA,F. NRC - No Detailed Affiliation Given. 5pp. 46221-303-46221-307.

8807220349 Forwards corrected Tech Spec Pages 3/4 3-38 & 3/4 3-58 to replace pages forwarded w/Annuds 88 & 89 to Licenses NPF-9 & NPF-17, respectively.  
HOOD,D. Project Directorate II-3. 88/07/15. TUCKER,H.B. Duke Power Co. 4pp. 46249-332-46249-338.

--8807220351 Proposed Tech Spec Pages 3/4 3-58 & 3/4 3-58, consisting of Table 3.3-10, "Accident Monitoring Instrumentation" & Table 4.3-2 (continued), "ESF Actuation Sys Instrumentation Surveillance Requirements," respectively.  
\* Duke Power Co. 88/07/15. 3pp. 46249-338-46249-338.

8807250242 Requests waiver of compliance from literal wording of utl Tech Spec 4.8.1.1.2.a.6(c) re diesel generator until license amendment request prepared, submitted & approved. Anticipated rev to Tech Spec encl.  
MCCONNELL,T.L. Duke Power Co. 88/07/15. Document Control Branch (Document Control Desk). 6pp. 46255-207-46255-212

8807250154 Application for amendments to Licenses NPF-9 & NPF-17, amending Tech Spec 4.8.1.1.2.a.6(c) re diesel generator trip Fee paid.  
TUCKER,H.B. Duke Power Co. 88/07/10. Document Control Branch (Document Control Desk). 3pp. 46272-275-46272-284.

--8807250160 Proposed Tech Specs 4.8.1.1.2.a.6(c) re diesel generator trip  
\* Duke Power Co. 88/07/10. 7pp. 46272-278-46272-284.

#### Q. Inspection reports, IE Bulletins & correspondence

8808290438 Provides addl info in light of NRC concerns raised during 880525 telcon between NRC & licensee re response to NRC Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tubes"  
TUCKER,H.B. Duke Power Co. 88/06/10. GRACE,J.N. Region 2, Ofc of the Director. 4pp. 45074-341-45074-344.

8808130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/16. Consolidated Edison Co. of New York, Inc. 110pp. 45078-158-45078-268.

8808280221 Ack receipt of 880531 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-369/88-08 & 50-370/88-09.  
BROWNLEE,V.L. Region 2, Ofc of the Director. 88/08/18. TUCKER,H.B. Duke Power Co. 1p. 45072-291-45072-291.

8808180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-285.

8808240138 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807080425 Ack receipt of 880620 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-369/88-11 & 50-370/88-11.  
CLINE,W.E. Region 2, Ofc of the Director. 88/06/28. TUCKER,H.B. Duke Power Co. 1p. 46115-160-46115-162.

8807120058 Forwards Insp Repts 50-369/88-15 & 50-370/88-15 on 880613-17 No violations or deviations noted  
HERDT,A.R. Region 2, Ofc of the Director. 88/07/01. TUCKER,H.B. Duke Power Co. 2pp. 46141-332-46141-345.

--8807120062 Insp Repts 50-369/88-15 & 50-370/88-15 on 880613-17 No violations or deviations noted. Major areas inspected: NDE procedures review, observation & review of in-process NDE exam & review of in-service insp exam data  
NEWSOME,W., BLAKE,J.J. Region 2, Ofc of the Director. 88/08/30. 12pp. 46141-334-46141-345.

8807180098 Forwards Rel of Request 88-06 from ASME Code Section XI requirements re safety injection accumulator Tank 2B Weld for which relief is being requested is part of second period of first 10 yr in-service insp interval. Fee paid.  
TUCKER,H.B. Duke Power Co. 88/07/01. Document Control Branch (Document Control Desk). 5pp. 46200-018-46200-022.

8807130455 Advises that response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory  
HOOD,D. Project Directorate II-3. 88/07/05. TUCKER,H.B. Duke Power Co. 4pp. 46187-357-46187-360.

8807180184 Responds to violations noted in Insp Repts 50-369/88-12 & 50-370/88-12. Corrective actions: Procedure PT/11A/4252/01 revised & operability evaluation re-written to provide better technical description  
TUCKER,H.B. Duke Power Co. 88/07/08. Document Control Branch (Document Control Desk). 8pp. 46200-023-46200-030.

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807080008 NRC Info Notice 88-046, "Licensee Report of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807160187 Responds to violations noted in Insp Repts 50-369/88-13 & 50-370/88-13. Corrective actions taken both computer & watch data recorded to develop representative comparison between methods & personnel training/orientation planned.  
TUCKER,H.B. Duke Power Co. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46182-324-46182-327.

8807180314 Forwards steam generator report for in-service inspection. Tech Specs 4.4.5.5a, 4.4.5.5c & 6.9.2 info on quantities of tubes removed from svc by plugging encl.  
TUCKER,H.B. Duke Power Co. 88/07/08. Document Control Branch (Document Control Desk). 21pp. 46203-237-46203-257.

8807260316 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Receipt of manufacturer info & evaluation of info expected by 880831  
TUCKER,H.B. Duke Power Co. 88/07/11. Document Control Branch (Document Control Desk). 5pp. 46288-159-46288-163.

8807120291 NRC Info Notice 88-048, "Licensee Report of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

8807250271 Forwards Insp Repts 50-369/88-18 & 50-370/88-18 on 880620-24. Violations not cited because all criteria for categorization of licensee-identified violations met.  
CLINE,W.E. Region 2, Ofc of the Director. 88/07/13. TUCKER,H.B. Duke Power Co. 2pp. 46254-324-46254-328.

--8807250272 Partially withheld Insp Repts 50-369/88-18 & 50-370/88-18 on 880620-24 (ref 10CFR2.790 & 73.21). One licensee identified violation noted. Major areas inspected: mgmt effectiveness - security program & records & reports.  
TILLMAN,A., MCGUIRE,D.R. Region 2, Ofc of the Director. 88/07/12. 1p. 46254-326-46254-326.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Draw Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-283-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257-258-46258-016.



8807260269 Responds to NRC Bulletin 87-002, Supp's 1 & 2 re safety related boiling vendors & fastener testing  
TUCKER, H.B. Duke Power Co. 88/07/18 Document Control Branch (Document Control Desk) 13pp 46287 249-46287 281

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp 46257 086-46257 206

#### R. Periodic operating reports & related correspondence

8807250397 Monthly operating reports for June 1988 for McGuire Nuclear Station W/  
88071515  
REAVIS, J.A., TUCKER, H.B. Duke Power Co. 88/06/30 12pp 46285 185-46285 206

#### S. Reportable occurrences, LERs & related correspondence

8807130452 LER 88-002-00 on 880527, both legs of annulus ventilation sys became inoperable during shutdown activity. Caused by deficient communication among work groups. Rept will be reviewed w/ personnel W/880527 ltr  
LEROY, S.E., TUCKER, H.B. Duke Power Co. 88/06/27 6pp 46169 157-46169 162

8807120609 Forwards ARVIN/CALSPAN "Investigation of Trip Breaker Failure" ex-  
plaining mechanical binding which caused failure on 870702  
HOOD, D. Project Directorate III-3 88/06/28 TUCKER, H.B. Duke Power Co. 5pp  
46121 004-46121 062

-8806280088 Investigation of Trip Breaker Failure at McGuire Unit 2, technical rept  
TOMAN, G.J., FISHMAN, H.M., CARFAGNO, S.P. Calspan Corp (subs Arvin Industries/  
Franklin Research Center). NRC-05-86-168 F-6177-5 88/08/15. Project Directorate  
III-3 112pp 46121 009-46121 062

8807200327 Advises that LER 370/88-03 re equipment greater than 3,000 lbs being  
transferred over spent fuel pool will be delayed & submitted on 880715  
TUCKER, H.B. Duke Power Co. 88/07/07. Document Control Branch (Document Control  
Desk) 1p 46221.193-46221.193

8807250204 LER 88-004-00 on 880511, two inadvertent activations of ESF components  
occurred due to personnel error. Memo will be issued to appropriate operations per-  
sonnel to reiterate current reporting practices W/880713 ltr  
LEROY, S.E., TUCKER, H.B. Duke Power Co. 88/07/13 10pp 46276 105-46276 114

8807250196 LER 88-003-00 on 880603, while moving Westinghouse multifunction fuel  
rept sys into spent fuel transfer cart. Tech Spec 374/87-1 ml exceeded. Caused by  
mgt deficiency. Future specs will clarify Tech Spec W/880715 ltr  
LEROY, S.E., TUCKER, H.B. Duke Power Co. 88/07/15 6pp 46286 354-46286 359

#### DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807200351 Rev 2 to LFP-1330-50, "Radiation Surveys Under Accident Conditions."  
Commonwealth Edison Co. 88/08/17 18pp 46229 261-46229 278

8807060196 Forwards Safety Insp Repts 50-373/88-17 & 50-374/88-16 on 880614-  
16 No violations noted  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/08/24 REED, C. Commonwealth  
Edison Co. 2pp 46116 028-46116 047

-8807060201 Insp Repts 50-373/88-17 & 50-374/88-16 on 880614-16 No  
violations, deviations, deficiencies or exercise weaknesses noted. Major areas  
inspected: facility emergency preparedness exercise  
PLOSKE, T., SNELL, W. Region 3, Ofc of the Director. 88/06/23 18pp 46116 030-  
46116 047

8807120032 Forwards Safety Insp Repts 50-373/88-15 & 50-374/88-14 on 880510-  
0620 No violations noted. Response requested within 30 days re unresolved item con-  
cerning reporting of 880308 power oscillation event  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/07/01 REED, C. Commonwealth  
Edison Co. 2pp 46154 220-46154 234

-8807120036 Insp Repts 50-373/88-15 & 50-374/88-14 on 880510-0620 No violations  
noted. Major areas inspected: licensee actions on previous insp findings, operational  
safety, surveillance, security, ESF sys walkdowns & emergency preparedness  
RING, M.A. Region 3, Ofc of the Director. 88/07/01 13pp 46154 222-46154 234

#### H. General correspondence

8807220006 Comment opposing proposed rule 10CFR50 re licensing of nuclear power  
plants where state &/or local govt decline to cooperate in offsite emergency plan-  
ning  
MITCHELL, D. Residents Against A Polluted Environment, Inc. 87/02/28 ZECH, L.  
NRC - No Detailed Affiliation Given 2pp 46241 206-46241 207

8807200159 Comment opposing proposed rule 10CFR50 re licensing of nuclear power  
plants where state &/or local govt decline to cooperate in offsite emergency plan-  
ning  
MITCHELL, D. Affiliation Not Assigned. 87/03/05 ZECH, L. NRC - No Detailed Affiliation  
Given 2pp 46197 038-46197 039

#### P. Operating license stage documents & correspondence

8807070472 Forwards notice of issuance of amend to License NPF-11. Amend revises  
Tech Specs in support of second reload (Cycle 3) for facility.  
SHEMANSKI, P. Project Directorate III-2 88/06/21 BLISS, H. Commonwealth Edison  
Co. 8pp 46139 089-46139 086

-8807070477 Notice of issuance of Amend 68 to License NPF-11, modifying Tech  
Specs in support of second reload (Cycle 3) for facility.  
NORRHOLM, L.J. Project Directorate III-2 88/06/23 2pp 46139 095-46139 086

8806290049 Provides info re improper radiological work practices by utility contractor em-  
ployees for evaluation & action Encl withheld (ref 10CFR27 700)  
NORRHOLM, L.J. Region 3, Ofc of the Director. 88/06/23 REED, C. Commonwealth  
Edison Co. 2pp 45974 313-45974 314

8807010160 Confirms 880616 plans re 880718 meeting w/ utility at Reg on III ofc to dis-  
cuss several engineering issues associated w/ plants  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/06/24 REED, C. Commonwealth  
Edison Co. 2pp 46008 058-46008 059

8807120407 Summary of 880510 counterpart meeting w/ utility in Rockville, MD re  
past, present & future BWR-related licensing actions &/or safety issues. List of meeting  
participants encl  
ROSS, T.M. Project Directorate III-2 88/06/27 Project Directorate III-2 5pp  
46111 288-46111 282

8807120100 Forwards Rev 51 changes to OA program. Topical Rept CE-1-A did  
880707 Rev made to reflect organization changes, to provide add'l organization  
position description & identification to change compliance to ANSI/ASME NQA-1.  
MORGAN, W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Docu-  
ment Control Desk) 1p 46156 048-46156 075

-8807190205 Rev 51 to license OA Program. Topical Rept CE-1-A  
SHEWSKI, W.J. Commonwealth Edison Co. CE-1-A R51. 88/07/07 25pp 46156 051-  
46156 075

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of C.P.s re  
NRC position on radiation embrittlement of reactor vessel nozzles & impact on plant  
operations. Svc list & Rev 2 to Reg Guide 1.99 encl  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12 Consolidated  
Edison Co. of New York, Inc. 51pp 46257 207-46257 257

8807210098 Application for amendments to Licenses NPF-11 & NPF-1B, reducing onsite nu-  
clear safety group min staffing requirement. Fee paid  
ALLEN, C.M. Commonwealth Edison Co. 88/07/12. Document Control Branch (Docu-  
ment Control Desk) 2pp 46234 048-46234 060

-8807210100 Proposed Tech Specs, reducing onsite nuclear safety group min staffing  
requirement  
Commonwealth Edison Co. 88/07/12 10pp 46234 051-46234 050

#### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/15.  
Consolidated Edison Co. of New York, Inc. 116pp 45979 150-45979 280

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams." NUREG/BR-0122 & svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22  
Consolidated Edison Co. of New York, Inc. 237pp 46240 325-46241 201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22  
Consolidated Edison Co. of New York, Inc. 122pp 45978 034-45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc  
list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22  
Consolidated Edison Co. of New York, Inc. 116pp 46010 037-46010 152

8807110437 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-373/88-  
11 & 50-374/88-10. Corrective actions instrument mount personnel reviewed, valving  
error & differential pressure switches replaced w/ analog devices  
BLISS, H.E. Commonwealth Edison Co. 88/08/22 DAVIS, A.H. Region 3, Ofc of the Di-  
rector. 3pp 46141 155-46141 157

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Westinghouse Type DS-418 Circuit Breakers" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24  
Consolidated Edison Co. of New York, Inc. 113pp 46010 153-46010 265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to  
RCS." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp 46010 260-46010 018

8807060196 Forwards Safety Insp Repts 50-373/88-17 & 50-374/88-16 on 880614-  
16 No violations noted  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/08/24 REED, C. Commonwealth  
Edison Co. 2pp 46116 028-46116 047

-8807060201 Insp Repts 50-373/88-17 & 50-374/88-16 on 880614-16 No  
violations, deviations, deficiencies or exercise weaknesses noted. Major areas  
inspected: facility emergency preparedness exercise  
PLOSKE, T., SNELL, W. Region 3, Ofc of the Director. 88/06/23 18pp 46116 030-  
46116 047

8807060347 Forwards Safety Insp Repts 50-373/88-12 & 50-374/88-11 on 880404-  
0503 & notice of violation  
MILLER, H.J. Region 3, Ofc of the Director. 88/06/28 REED, C. Commonwealth  
Edison Co. 2pp 46103 230-46103 239

-8807060357 Notice of violation from Insp on 880404-08 & 0503. Violations  
noted: inoperable continuously monitoring drywell temp recorder not repaired & dry-  
well temp readings from sensor 1TE-VP21 not obtained & transmitted for evaluation.  
MILLER, H.J. Region 3, Ofc of the Director. 88/06/28 2pp 46103 232-46103 233

-8807060380 Insp Repts 50-373/88-12 & 50-374/88-11 on 880404-08 & 0503. Viol-  
ations noted. Major areas inspected. Licensee action on previous insp findings & drywell  
temp monitoring program review.  
FALEVITS, Z., GARDNER, R.N. Region 3, Ofc of the Director. 88/06/28 6pp  
46103 234-46103 239

GREENMAN,E.G. Region 3, Oic of the Director. 88/07/01. REED,C. Commonwealth Edison Co. 2pp. 46154.220-46154.234.

-8807120038 Insp Repts 50-373/88-15 & 50-374/88-14 on 880510-0820 No violations noted Major areas inspected:licensee actions on previous Insp findings,operational safety,surveillance, security,ESF sys walkdowns & emergency preparedness RING,M.A. Region 3, Oic of the Director. 88/07/01. 13pp. 46154.222-46154.234.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807080006 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807190023 Informs that util response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory. ROSS,T. Project Directorate III-2. 88/07/11. BLISS,H.E. Commonwealth Edison Co. 7pp. 46209.087-46209.103.

8807200196 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate min/pow capacity. MORGAN,W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228.182-46228.211

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324

8807120550 NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Safeguards Info." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.088-46257.208

## R. Periodic operating reports & related correspondence

8807070595 Monthly operating repts for May 1988 for LaSalle Unit 1 & 2. SAMOLINSKI,S.J. Commonwealth Edison Co. 88/05/31. 6pp. 46122.353-46122.359

8807180297 Monthly operating repts for June 1988 for LaSalle County Nuclear Power Station Units 1 & 2.W/880710 ltr. SAMOLINSKI,S.J., DIEDERICH,G.J. Commonwealth Edison Co. 88/06/30. 33pp. 46198.287-46198.319

## S. Reportable occurrences, LEAs & related correspondence

8807050368 LER 88-010-00 on 880529,control room HVAC Sys A ammonia detector tripped.Caused by design deficiency in chemocassette tape mechanism.Chemocassette removed & Tech Spec amend request to remove ammonia detector submitted.W/880628 ltr. WATFORD,P.S., DIEDERICH,G.J. Commonwealth Edison Co. 88/06/28. 5pp. 46075.344-46075.348

8807060407 LER 88-009-00 on 880529,level switch LS-1B21-N031B found w/ apparent ruptured diagram.Cause still unknown.Switch sent to mfg for disassembly & insp.Replacement switch installed,calbr & functionally tested.W/880628 ltr. McLAUGHLIN,A.J., DIEDERICH,G.J. Commonwealth Edison Co. 88/06/28. 8pp. 46075.328-46075.335

8807120210 LER 88-011-00 on 880601,feeder breaker inadvertently tripped when contractor working in area bumpard breaker w/cert.Caused by lack of awareness of equipment around work area.Temporary plywood panels placed over breakers.W/880620 ltr. SPRUNGER,C.K., DIEDERICH,G.J. Commonwealth Edison Co. 88/06/29. 5pp. 46142.348-46142.350

8807070010 LER 88-012-00 on 880608,failure of diesel generator O to satisfy frequency requirements occurred.Caused by high governor oil temp & governor speed compensation adjustment problem.Speed compensation adjusted.W/880630 ltr. SAMPSON,P.S., DIEDERICH,G.J. Commonwealth Edison Co. 88/06/30. 6pp. 46123.353-46123.358

## V. Operator Examinations

8807120191 Forwards draft Rev 5 to ES-801, "Administration of NRC Requalification Program Evaluations." W/o encl. WRIGHT,G.C. Region 3, Oic of the Director. 88/06/23. SHAFFER,T. Commonwealth Edison Co. 1p. 46140.358-46149.358

## F. Security, medical, emergency & fire protection plans

8807200351 Rev 2 to LFP-1330-50, "Radiation Surveys Under Accident Conditions." \* Commonwealth Edison Co. 88/06/17. 18pp. 46229.261-46229.278

8807080196 Forwards Safety Insp Repts 50-373/88-17 & 50-374/88-16 on 880614. 16.No violations noted. SHAFER,W.D. Region 3, Oic of the Director. 88/06/24. REED,C. Commonwealth Edison Co. 2pp. 46116.028-46116.047

-8807080201 Insp Repts 50-373/88-17 & 50-374/88-16 on 880614-16.No violations,deviations,deficiencies or exercise weaknesses noted Major areas inspected facility emergency preparedness exercises. PLOSKI,T. Region 3, Oic of the Director. 88/06/23. 18pp. 46116.030-46116.047

8807120032 Forwards Safety Insp Repts 50-373/88-15 & 50-374/88-14 on 880510-0620 No violations noted.Response requested with 30 days re unresolved item concerning reporting of 880309 power oscillation event. GREENMAN,E.G. Region 3, Oic of the Director. 88/07/01. REED,C. Commonwealth Edison Co. 2pp. 46154.220-46154.234

-8807120036 Insp Repts 50-373/88-15 & 50-374/88-14 on 880510-0620 No violations noted Major areas inspected:licensee actions on previous Insp findings,operational safety,surveillance, security,ESF sys walkdowns & emergency preparedness. RING,M.A. Region 3, Oic of the Director. 88/07/01. 13pp. 46154.222-46154.234

## H. General correspondence

8807220008 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MITCHELL,D. Residents Against A Polluted Environment, Inc. 87/02/26. ZECH,L. NRC - No Detailed Affiliation Given. 2pp. 46241.206-46241.207

8807200168 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MITCHELL,D. Affiliation Not Assigned. 87/03/05. ZECH,NRC - No Detailed Affiliation Given. 2pp. 46197.038-46197.038

## P. Operating license stage documents & correspondence

8806290040 Provides info re improper radiological work practices by util contractor employee for evaluation & action Encl withheld (ref 10CFR2.790). NOELIUS,C.E. Region 3, Oic of the Director. 88/06/23. REED,C. Commonwealth Edison Co. 2pp. 45974.313-45974.314

8807010180 Confirms 880616 plans re 880718 meeting w/util at Region III oic to discuss several engineering issues associated w/ plants. GREENMAN,E.G. Region 3, Oic of the Director. 88/06/24. REED,C. Commonwealth Edison Co. 2pp. 46009.058-46009.059

8807120407 Summary of 880510 counterpart meeting w/util in Rockville,MD re past,present & future BWR-related licensing actions &/or safety issues.List of meeting participants encl. ROSS,T.M. Project Directorate III-2. 88/06/27. Project Directorate III-2. 5pp. 46111.288-46111.292

8807120100 Forwards Rev 51 changes to QA program Topical Rept CE-1-A dtd 880707.Rev made to reflect organization changes,to provide addl organization position description & identification to change commitment to ANSI/ASME NQA-1. MORGAN,W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46156.048-46156.075

-8807190205 Rev 51 to license QA Program Topical Rept CE-1-A. SHEWSKI,W.J. Commonwealth Edison Co. CE-1-A R51. 88/07/07. 25pp. 46156.051-46156.076

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CIPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations.Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46267.257

8807210098 Application for amendments to Licensee NPF-11 & NPF-18, reducing onsite nuclear safety group min staffing requirement Fee paid. ALLEN,C.M. Commonwealth Edison Co. 88/07/12. Document Control Branch (Document Control Desk). 2pp. 46234.049-46234.060

-8807210100 Proposed Tech Specs, reducing onsite nuclear safety group min staffing requirement. \* Commonwealth Edison Co. 88/07/12. 10pp. 46234.051-46234.060

## G. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.268

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.165

8807110437 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-373/88-11 & 50-374/88-10 Corrective actions instrument main personnel reviewed valving error & differential pressure switches replaced w/ analog devices  
BLISS, H.E. Commonwealth Edison Co. 88/06/22 DAVIS, A.B. Region 3, Ofc of the Director. 3pp. 46141:155-46141:157.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:285

8808240139 Suppl 1 to NRC Bulletin 88-008, Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:268-46020:018

8807060198 Forwards Safety Insp Repts 50-373/88-17 & 50-374/88-16 on 880814-16 No violations noted  
SHAFFER, W.D. Region 3, Ofc of the Director 88/06/24 REED, C. Commonwealth Edison Co. 2pp. 46116:028-46116:047.

8807060201 Insp Repts 50-373/88-17 & 50-374/88-16 on 880814-16 No violations noted. Major areas inspected. Licensee action on previous Insp findings & drywot temp monitoring program review  
PLOSKE, T. SNELL, W. Region 3, Ofc of the Director. 88/06/23 18pp. 46116:030-46116:047

8807060347 Forwards Safety Insp Repts 50-373/88-12 & 50-374/88-11 on 880404-0503 & notice of violation  
MILLER, H.J. Region 3, Ofc of the Director 88/06/28 REED, C. Commonwealth Edison Co. 2pp. 46103:230-46103:239.

8807060357 Notice of violation from Insp on 880404-06 & 0503 Violations noted inoperable continuously monitoring drywot temp recorder not repaired & daily temp readings from sensor 1FE-VP211 not obtained & transmitted for evaluation  
MILLER, H.J. Region 3, Ofc of the Director 88/06/28 2pp. 46103:232-46103:233

8807060360 Insp Repts 50-373/88-12 & 50-374/88-11 on 880404-06 & 0503 Violations noted Major areas inspected. Licensee action on previous Insp findings & drywot temp monitoring program review  
FALEVITS, Z. GARDNER, R.N. Region 3, Ofc of the Director. 88/06/28 6pp. 46103:234-46103:239

8807120032 Forwards Safety Insp Repts 50-373/88-15 & 50-374/88-14 on 880510-0820 No violations noted Response requested within 30 days re unresolved item concerning report of 880309 power oscillation event  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/07/01 REED, C. Commonwealth Edison Co. 2pp. 46154:220-46154:234

8807120036 Insp Repts 50-373/88-15 & 50-374/88-14 on 880510-0620 No violations noted Major areas inspected. Licensee actions on previous Insp findings. Operational safety surveillance, security, ESF sys walkdowns & emergency preparedness  
RING, M.A. Region 3, Ofc of the Director 88/07/01 13pp. 46154:222-46154:234

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027

8807190023 Informs that ucl response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
ROSS, T. Project Directorate III-2 88/07/11. BLISS, H.E. Commonwealth Edison Co. 7pp. 46200:097-46200:103

8807200196 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate minlow capacity  
MORGAN, W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228:182-46228:211

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:008-46242:108

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257:258-46258:016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:088-46257:208

## R. Periodic operating reports & related correspondence

8807070595 Monthly operating reports for May 1988 for LaSalle Unit 1 & 2  
SAMOLINSKI, S.J. Commonwealth Edison Co. 88/05/31. 6pp. 46122:353-46122:359

## S. Reportable occurrences, LERs & related correspondence

8807050084 LER 88-007-00: on 880523, failure of diesel generator 2A due to improper installation of closing fuse after main. Caused by personnel error. Breaker fuse block removed & installed properly W/880622 ltr.  
VINYARD, H.T. DIEDERICH, G.J. Commonwealth Edison Co. 88/06/22 5pp. 46020:308-46020:312

8807190168 Supplemental response to Confirmatory Action Ltr CAL-RIII-88-003 re findings & conclusions concerning 880308 event on dual recirculation pump trip & subsequent core performance anomalies.  
ALLEN, C.M. Commonwealth Edison Co. 88/07/01. DAVIS, A.B. Region 3, Ofc of the Director. 3pp. 46214:059-46214:082

8807150084 LER 88-013-00: on 880609, control room A HVAC Sys A ammonia detector tripped & ESF damper actuation occurred. Caused by failed front optics lamp lamp replaced & ammonia detector returned to operable status W/880708 ltr.  
WATFORD, P.S. DIEDERICH, G.J. Commonwealth Edison Co. 88/07/08. 4pp. 46185:098-46185:101

8807210038 LER 88-008-00 on 880817, two ECCS inoperable in accordance w/ Tech Spec 3/4.5.1 & 3/4.5.2. Caused by loose connections on feed breaker. Connections tightened & fan restarted W/880711 ltr.  
LYON, D.M. DIEDERICH, G.J. Commonwealth Edison Co. 88/07/11. 5pp. 46234:023-46234:027

## V. Operator Examinations

8807120191 Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/ta encl.  
WRIGHT, C.C. Region 3, Ofc of the Director. 88/08/23. SHAFER, T. Commonwealth Edison Co. 1p. 46149:356-46149:358

## DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

## F. Security, medical, emergency & fire protection plans

8807010831 Rev 8 to Emergency Plan Implementing Procedure EP-3-030, "Emergency Program Review, Updating & Mod." W/880823 ltr.  
BURSKI, R.F. Louisiana Power & Light Co. EP-3-030 R06. 88/08/23. 13pp. 46018:258-46018:268

8807120485 Forwards Insp Rept 50-382/88-14 on 880523-27. No violations or deviations noted.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/05 DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 46154:199-46154:201

8807120702 Partially withhold Insp Rept 50-382/88-14 on 880523-27 (ref 10CFR77.21) No violations or deviations noted. Major areas inspected testing & maint program, facility lighting, security training & qualification plan & safeguards info program  
CALDWELL, R.A. EVERETT, R.J. Uranium Recovery Field Ofc, R4. 88/06/13. 1p. 46154:201-46154:201

## I. Financial Information

8807070388 Forwards summary of completed & planned notification & consultation activities. Systemwide communication plan under development for consolidation effort, including development of new publication to update employees on progress.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/06/28. Document Control Branch (Document Control Desk). 7pp. 46125:353-46125:359

## P. Operating license stage documents & correspondence

8807210263 Application for amend to License NPF-38, consisting of License Change Request 83, revising Tech Specs 3.1.3.4 re allowable CEA drop time.  
DEWEASE, J.G. Louisiana Power & Light Co. 88/05/27. Document Control Branch (Document Control Desk). 17pp. 46233:308-46233:326

8807210266 Proposed Tech Specs 3.1.3.4 re CEA drop time.  
Louisiana Power & Light Co. 88/05/27. 3pp. 46233:323-46233:326

8807140285 Summary of 880616 meeting w/ ucl re proposed establishment & licensing of Sys Energy Resources, Inc as operators & licensing agent for plants.  
WIGGINTON, D.L. Project Directorate IV. 88/06/21. Project Directorate IV. 35pp. 46177:201-46177:325

8807070388 Forwards summary of completed & planned notification & consultation activities. Systemwide communication plan under development for consolidation effort, including development of new publication to update employees on progress.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/06/29. Document Control Branch (Document Control Desk). 7pp. 46125:353-46125:359

8807080080 Submits revised schedule for completion of SPDS enhancement program. Completion of SPDS valid on testing expected by 880820.  
BURSKI, R.F. Louisiana Power & Light Co. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46139:348-46139:347

8807120083 Forwards application for amend to License NPF-38, reflecting NRC approval for Sys Energy Resources, Inc to assume responsibility for plant operation. Fee paid DEWEASE, J.G. Louisiana Power & Light Co. 88/07/01. Document Control Branch (Document Control Desk). 6pp. 46143:211-46143:289

Louisiana Power & Light Co. to SPS Energy Resources, Inc.  
HUNTER, D. Louisiana Power & Light Co. 88/07/01. 53pp. 46143 217-46143:269.

8807180068 Informs that will 880511 response to Generic Ltr 83-28, Item 12, "Data & Info Capabilities," acceptable Action on item closed  
WIGGINTON, D. L. Project Directorate IV. 88/07/05. DEWEASE, J.G. Louisiana Power & Light Co. 3pp. 46203 353-46203 355

8807190001 Submits supplemental info for Relief Request 2 1.3 of pump & valve inservice test plan.  
BURSKI, R.F. Louisiana Power & Light Co. 88/07/08. Document Control Branch (Document Control Desk). 2pp. 46209 161-46209 162

8807200016 Advises that 871001 change to OA plan as supplemented by 880407 ltr, satisfies 10CFR50 App B & acceptable.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/08. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 46221 133-46221 134.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.09 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 257.

8807260229 Application for amendment to License NPF-38, consisting of Tech Spec Change Request NPF-38 85, revising Tech Spec 6.5.1.2 to composition of plant operations review committee Fed paid.  
DEWEASE, J.G. Louisiana Power & Light Co. 88/07/19. Document Control Branch (Document Control Desk). 5pp. 46255 248-46255 258.

-8807250233 Proposed Tech Specs re plant operations review committee composition  
\* Louisiana Power & Light Co. 88/07/19. 4pp. 46255 253-46255 256.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978 158-45978:268.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978:165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019:152.

8806300268 Forwards response re violations noted in Insp Rept 50-382/88-11. Corrective actions: QA revised CAP-012, effective 880615, to clarify requirement that all quality notices to be transmitted to licensing.  
BURSKI, R.F. Louisiana Power & Light Co. 88/06/22. Document Control Branch (Document Control Desk). 3pp. 46097 234-46097 236.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-410 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 285.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018.

8807010535 Forwards documentation re capability of auxiliary diesel per Insp Rept 50-382/88-14. Documentation withheld (of 10CFR73.21).  
BURSKI, R.F. Louisiana Power & Light Co. 88/06/29. Document Control Branch (Document Control Desk). 1p. 46088 005-46088 005.

8807070590 Confirms dates for Emergency Operating Procedure Insp 50-382/88-09 to be conducted on 880708-13. Insp purpose is to verify that emergency operating procedures technically accurate at various sites.  
MILHOAN, J.L. Region 4, Ofc of the Director. 88/06/29. DEWEASE, J.G. Louisiana Power & Light Co. 3pp. 46126 267-46126 269.

8807120607 Responds to violations noted in Insp Rept 50-382/88-08. Corrective actions revised work instruction implemented & Rev 5 to OP-2-008 issued to address missing HVF-211A(B) root valve.  
BURSKI, R.F. Louisiana Power & Light Co. 88/07/01. Document Control Branch (Document Control Desk). 8pp. 46143 103-46143:110.

8807120465 Forwards Insp Rept 50-382/88-14 on 880523-27. No violations or deviations noted.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/05. DEWEASE, J.G. Louisiana Power & Light Co. 2pp. 46154 199-46154 201.

-8807120702 Partially withheld Insp Rept 50-382/88-14 on 880523-27 (rel 10CFR73.21). No violations or deviations noted. Major areas inspected: testing & maint program, facility lighting, security training & qualification plan & safeguards info program.  
CALDWELL, R.A., EVERETT, R.J. Uranium Recovery Field Ofc, R4. 88/06/13. 1p. 46154 201-46154:201.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242:212.

Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Relubricated Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108.

8807210228 Responds to NRC Bulletin 88-004 re safety-related centrifugal pumps. Ull has identified 34 safety-related centrifugal pumps for evaluation on List of pumps provided.  
BURSKI, R.F. Louisiana Power & Light Co. 88/07/12. Document Control Branch (Document Control Desk). 8pp. 46237 290-46237 298.

8807080388 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257 258-46258 016.

8807260358 Responds to violations noted in Insp Rept 50-382/88-10. Corrective actions: greases compatibly under investigation. Grease will be purged from containment fan motors to effect presence of only one grease, if necessary.  
BURSKI, R.F. Louisiana Power & Light Co. 88/07/18. Document Control Branch (Document Control Desk). 3pp. 46255 183-46255 185.

8807260419 Forwards Insp Rept 50-382/88-13 on 880501-0617 & notice of violation.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/18. DEWEASE, J.G. Louisiana Power & Light Co. 3pp. 46272 224-46272 250.

-8807250422 Notice of violation from Insp on 880501-0617. Violation noted start air sys actuated using inappropriate work instructions & deficiencies identified in safety sys operating procedures &/or component identification labeling.  
\* Region 4, Ofc of the Director. 88/07/18. 2pp. 46272 227-46272 228.

-8807250423 Insp Rept 50-382/88-13 on 880501-0617. Violations noted Major areas inspected monthly maint observation, LER to lowup, containment integrated leak rate test, plant status & followup of previously identified items.  
SMITH, W.F., STAKER, T.R., CHAMBERLAIN, D. Region 4, Ofc of the Director. 88/07/14. 22pp. 46272 229-46272 250.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 206.

#### R. Periodic operating reports & related correspondence

8807190273 Monthly operating report for June 1988, for Wabaford 3. W/880715 ltr.  
MILLER, G., BURSKI, R.F. Louisiana Power & Light Co. 88/06/30. 7pp. 46220 022-46220 028.

#### S. Reportable occurrences, LERs & related correspondence

8807120686 Summary of Operating Reactors Events Meeting 88-25 on 880621. List of attendees, discussion of significant elements of events & summary of reactor scrams encl.  
LANNING, W. Events Assessment Branch. 88/06/22. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 14pp. 46121 180-46121:103.

8806300058 LER 88-012-00 on 880526, steam generator blowdown sampling exceeded required periodicity of Tech Specs 3.3.3.1, Action 28. Caused by personnel error. Procedures being revised to verify that monitor inservice & sampling done. W/880624 ltr.  
STARKEY, R.S., CARNS, N.S. Louisiana Power & Light Co. 88/06/24. 6pp. 45988 287-45988 291.

8806300067 LER 88-013-00 on 880528, fire protection sprinkler found isolated after restoration from testing. Caused by personnel error. Procedures being revised to require contaminated valve lineup sheets be photocopied or verified. W/880624 ltr.  
STARKEY, R.S., CARNS, N.S. Louisiana Power & Light Co. 88/06/24. 5pp. 45988 259-45988 263.

8806300076 LER 88-011-00 on 880525, like seal for penetration VIA0170 discovered impaired. Caused by initial design & const error. Mod initiated to correct seal. W/880624 ltr.  
HOLDER, A.L., CARNS, N.S. Louisiana Power & Light Co. 88/06/24. 6pp. 45988 012-45988 017.

8806300087 LER 88-014-00 on 880528, reactor vessel level monitoring sys discovered inoperable. Caused by cognitive personnel error & poorly human factored surveillance procedure. Sys restored to operation. W/880624 ltr.  
STARKEY, R.S., CARNS, N.S. Louisiana Power & Light Co. 88/06/24. 6pp. 45988 298-45988 303.

8807180294 LER 88-017-00 on 880517, unit engineer discovered mechanical snubber disconnected. Root cause of event could not be determined. Necessity for attention to detail in work packages reemphasized w/planner involved. W/880711 ltr.  
BAKER, D.E., CARNS, N.S. Louisiana Power & Light Co. 88/07/11. 5pp. 46198 320-46198 324.

8807210133 LER 88-015-00 on 880613 plant shutdown required due to leakage past reactor coolant loop drain valves caused by inadequate hand closing one of drain valves. Valves will be evaluated & corrective action recommended W/880713 Ltr. STARKEY R.S., CARNES, N.S. Louisiana Power & Light Co. 88/07/13 6pp 46233 173-46233 178

8807210219 LER 88-016-00 on 880614 reactor trip due to turbine control sys failure & procedural inadequacy. Caused by equipment malfunction. Procedures being revised to include precautions for overspeed protection control testing W/880714 Ltr. STARKEY R.S., CARNES, N.S. Louisiana Power & Light Co. 88/07/14 8pp 46238 208-46238 215

8807210216 Special Rept SR-88-006-00 on 880616 emergency diesel generator B tripped due to personnel error. Caused by failure to raise load within 5 s Operating Procedure. OP-9-002 reviewed & cons. led to adequately address operation. CARNES, N.S. Louisiana Power & Light Co. 88/07/15 Document Control Branch (Document Control Desk) 3pp 46233 168-46233 170

8807210230 Special Rept SR-88-007-00 on 880628 primary meteorological tower instruments out of svc greater than seven days. Caused by instruments being out of calibr temp elements replaced & corrective maint on data temp instruments completed. CARNES, N.S. Louisiana Power & Light Co. 88/07/15 Document Control Branch (Document Control Desk) 4pp 46233 203-46233 206

8807250246 LER 88-018-00 on 880621 fire protection (FP) valve 5165 w/o locking device. Caused by personnel error. Locking device installed on FP valve 5161 on 880621 & importance of proper verification of valve position stressed W/880721 Ltr. HOLCER A.L., CARNES, N.S. Louisiana Power & Light Co. 88/07/21 5pp 46276 115-46276 119

## DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

8807010027 Forwards Safety Insp Repts 50-387/88-10 & 50-388/88-13 on 880509-0604 No violations noted. W/GGINS, J.T. Region 1, Oic of the Director. 88/06/20 KEISER, H.W. Pennsylvania Power & Light Co. 2pp 46017 253-46017 266

8807010028 Insp Repts 50-387/88-10 & 50-388/88-13 on 880509-0604 No violations noted. Major areas inspected: plant operations, physical security, plant events, surveillance & Unit 2 refueling activities. BLOUGH, A.R. Region 1, Oic of the Director. 88/06/20 12pp 46017 255-46017 268

8807020216 Revised emergency plan implementing procedures, including Change 1-88-0418 to Rev 3 to EPIP-038, "Reconstruction & Accident Closeout & Change 1-88-0419 to Rev 6 to EPIP-042, "Facility Chemistry Lab Preparation." W/880628 Ltr. KEISER, H.W. Pennsylvania Power & Light Co. 88/06/28 34pp 46136 301-46136 334

8807050206 Rev 3 to "Fire Protection Review Rept." Vols 1 & 2. Pennsylvania Power & Light Co. 88/06/30 881pp 46070 232-46073 032

8807102098 Advises that Rev 3 to fire protection review rept forwarded under different cover for review & approval. Rev represents culmination of work done in response to concerns & issues identified in NRC 1985 App R compliance audit. KEISER, H.W. Pennsylvania Power & Light Co. 88/06/30 BUTLER, W.R. Project Directorate I-2 5pp 46141-080 46141-084

### I. Financial Information

8806300016 Forwards 1987 annual rept for Allegheny Electric Cooperative, Inc. KEISER, H.W. Pennsylvania Power & Light Co. 88/06/24 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p 46006 259-46006 315

8806300020 "Allegheny Electric Cooperative, Inc. 1987 Annual Rept." Allegheny Electric Cooperative, Inc. 87/12/31 56pp 46006 262-46008 315

8807110319 Advises that financial info submitted for 1988 in 880325 Ltr reviewed. Submittal satisfies requirements of 10CFR140.21 for licensee maintenance of approved guarantee of payment of deferred premiums for each reactor over 100 MWe. NASH, D.A. Policy Development & Technical Support Branch (Post 870411) 88/06/27 KEISER, H.W. Pennsylvania Power & Light Co. 1p 46099 360-46099 360

### P. Operating license stage documents & correspondence

8807180280 Forwards results of review priority for open TACs, per 880527 memo. BUTLER, W.R. Project Directorate I-2 88/06/10 VARGAS, S.A. Division of Reactor Projects - I/II (Post 870411) 3pp 46200 175-46200 177

8807010071 Notices of exemption from Municipal Waste Regulations Demolition Waste Disposal Site 2.D 101352 based on regulation definitions for construction waste & clean air permit no longer required. SEXTON, C.H. Pennsylvania Power & Light Co. 88/06/23 LAMEREAUX, D. Pennsylvania, Commonwealth of 1p 46017 285-46017 285

8807050513 Requests exemption from requirements of Reg Guide 1.97, Rev 2 re satisfying sys accuracy requirements for high-range primary containment area radiation monitoring. KEISER, H.W. Pennsylvania Power & Light Co. 88/06/28 BUTLER, W.R. Project Directorate I-2 3pp 46074 048-46074 050

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. M. MAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp 46257 207-46257 257

8807250173 Advises that plant review briefing for Murley & executive team re PDI-2 plants scheduled for 880721. Viewgraphs encl. BUTLER, W.R. Project Directorate I-2 88/07/13 BOGER, B.A. Project Directorate I-2 97pp 46272 285-46273 021

8807250291 Discusses alternative dechlorination chemical in cooling tower blowdown at plant. Unit plans to use ammonium bisulfate as backup dechlorination agent in cooling tower blowdown line while existing sys out of svc. SEXTON, C.H. Pennsylvania Power & Light Co. 88/07/14 SWLRDON, P. Wilkes-Barre, PA. 1p 46259 207-46259 207

### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "Leakage Unit 1 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/06/15 Consolidated Edison Co. of New York, Inc. 110pp 45978 156-45978 266

8807010027 Forwards Safety Insp Repts 50-387/88-10 & 50-388/88-13 on 880509-0604 No violations noted. W/GGINS, J.T. Region 1, Oic of the Director. 88/06/20 KEISER, H.W. Pennsylvania Power & Light Co. 2pp 46017 253-46017 266

8807010028 Insp Repts 50-387/88-10 & 50-388/88-13 on 880509-0604 No violations noted. Major areas inspected: plant operations, physical security, plant events, surveillance & Unit 2 refueling activities. BLOUGH, A.R. Region 1, Oic of the Director. 88/06/20 12pp 46017 255-46017 268

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp 46240 325-46241 201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp 45978 034-45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp 46010 037-46010 152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Washhouse Type DS-418 Circuit Breakers." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp 46018 153-46018 265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp 46010 269-46020 018

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp 46242 100-46242 212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Rebuilt/Retired Circuit Breakers." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp 46231 281-46232 027

8807200335 Requests extension until 880801 to respond to NRC Bulletin 88-004. Pumps will be able to perform design intent based on utility engineering judgment. KEISER, H.W. Pennsylvania Power & Light Co. 88/07/11 RUSSELL, W.T. Region 1, Oic of the Director. 4pp 46221 182-46221 185

8807202991 NRC Info Notice 88-048, "Licensee Rept of Defective Rebuilt/Retired Valves." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp 46242 006-46242 108

8807260405 Responds to issues raised at enforcement conference re equipment qualification. KEISER, H.W. Pennsylvania Power & Light Co. 88/07/12 RUSSELL, W.T. Region 1, Oic of the Director. 4pp 46278 071-46278 074

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp 46240 222-46240 324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc. 118pp 46257 258-46258 018

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSICE, Division of Operational Events Assessment (Post 870411) 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46257 086-46257 206

### R. Periodic operating reports & related correspondence

8807210095 "Bacteriological or Turbidity Summary Analysis Input," for June 1988 W/ 880713 Ltr. SEXTON, C.H. Pennsylvania Power & Light Co. 88/06/30 2pp 46235 062-46235 003

8807260365 "Drinking Water Rept," for June 1988 W/880714 Ltr. SEXTON, C.H. Pennsylvania Power & Light Co. 88/06/30 SAGEH, R. Pennsylvania Commonwealth of 2pp 46260 252-46260 253



8807250441 Monthly operating repts for June 1988 for Susquehanna Steam Electric Station W/880714 ltr  
HIRT, J.A., KEISER, H.W. Pennsylvania Power & Light Co 88/06/30  
MCOONALD, W.G. Office of Administration (Post 870413) 13pp 46274:287-46274:300

#### S. Reportable occurrences, LERs & related correspondence

8807080165 LER 88-011-00 on 880602, two unanticipated ESF actuations occurred. Caused by spurious reactor pressure or shutdown cooling flow signal. Sub-reactor pressure switch & suction flow switch checked & found satisfactory. W/880630 ltr.  
SHERANKO, R.G., BYRAM, R.G. Pennsylvania Power & Light Co 88/06/30 4pp.  
46134:231-46134:234

8807070414 LER 88-010-00 on 880618, reactor scram initiated by ground fault relay mis-operation resulting from ground fault on 500 KV transmission line. Cause not determined. Trip function of relay blocked from svc & monitor installed W/880701 ltr.  
SHAFFER, G.C., BYRAM, R.G. Pennsylvania Power & Light Co 88/07/01 4pp.  
46124:347-46124:350

#### DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807010027 Forwards Safety Insp Repts 50-387/88-10 & 50-388/88-13 on 880508-0604. No violations noted.  
WIGGINS, J.T. Region 1, Ofc of the Director. 88/06/20. KEISER, H.W. Pennsylvania Power & Light Co 2pp. 46017:253-46017:266

8807010028 Insp Repts 50-387/88-10 & 50-388/88-13 on 880508-0604. No violations noted. Major areas inspected: plant operations, physical security, plant events, surveillance & Unit 2 refueling activities.  
BLOUGH, A.R. Region 1, Ofc of the Director. 88/06/20 12pp 46017:255-46017:266.

8807020216 Revised emergency plan implementing procedures, including Change 1-88-0418 to Rev 3 to EPIP-IP-038, "Reconstruction & Accident Closeout & Change 1-88-0418 to Rev 3 to EP-IP-042, "...Facility Chemistry Lab...Preparation" W/880628 ltr.  
KEISER, H.W. Pennsylvania Power & Light Co 88/06/28 34pp. 46136:301-46136:334.

8807050206 Rev 3 to "Fire Protection Review Rept." Vols 1 & 2  
\* Pennsylvania Power & Light Co 88/06/30. 881pp. 46070:232-46073:032

8807110298 Advises that Rev 3 to fire protection review report forwarded under different cover for review & approval. Rev represents culmination of work done in response to concerns & issues identified in NRC 1985 App R compliance audit.  
KEISER, H.W. Pennsylvania Power & Light Co 88/06/30. BUTLER, W.R. Project Directorate I-2 5pp. 46141:080-46141:084.

#### I. Financial information

8806300016 Forwards 1987 annual rept for Allegheny Electric Cooperative, Inc.  
KEISER, H.W. Pennsylvania Power & Light Co 88/06/24. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46006:259-46006:315.

8806300020 "Allegheny Electric Cooperative, Inc. 1987 Annual Rept."  
\* Allegheny Electric Cooperative, Inc. 87/12/31. 50pp. 46006:262-46006:315

8807110319 Advises that financial info submitted for 1988 in 880325 ltr reviewed. Submittal satisfies requirements of 10CFR140.21 for licensee maintenance of approved guarantee of payment of deferred premiums for each reactor over 100 MWe.  
NASH, D.A. Policy Development & Technical Support Branch (Post 870411). 88/06/27. KEISER, H.W. Pennsylvania Power & Light Co. 1p. 46099:360-46099:360.

#### P. Operating license stage documents & correspondence

8807180280 Forwards results of review priority for open TACs per 880527 memo.  
BUTLER, W.R. Project Directorate I-2. 88/06/10. VARGA, S.A. Division of Reactor Projects - I/II (Post 870411). 3pp. 46200:175-46200:177.

8807010071 Notices of exemption from Municipal Waste Regulations Demolition Waste Disposal Site 2.ID 101352 based on regulation definitions for const/demolition waste & cleanfill. Permit no longer required.  
SAXTON, C.H. Pennsylvania Power & Light Co. 88/06/23. LAMEREAUX, D. Pennsylvania, Commonwealth of. 1p. 46017:285-46017:285.

8807050513 Requests exemption from requirements of Reg Guide 1.97, Rev 2 re satisfactory sys accuracy requirements for high-range primary containment area radation monitoring.  
KEISER, H.W. Pennsylvania Power & Light Co. 88/06/28. BUTLER, W.R. Project Directorate I-2. 3pp. 46074:048-46074:050.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPEs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257:207-46257:257.

8807250173 Advises that plant review briefing for Murley & executive team re PDI-2 plants scheduled for 880721. Viewgraphs encl.  
BUTLER, W.R. Project Directorate I-2. 88/07/13. BOGER, B.A. Project Directorate I-2. 97pp. 46272:285-46273:021.

8807250291 Discusses alternative dechlorination chemical in cooling tower blowdown at plant. Util plans to use ammonium bisulfate as backup dechlorination agent in cooling tower blowdown line while existing sys out of svc.  
SAXTON, C.H. Pennsylvania Power & Light Co. 88/07/14. SWERDON, P. Wilkes-Barre, PA. 1p. 46259:207-46259:207.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266

8807010027 Forwards Safety Insp Repts 50-387/88-10 & 50-388/88-13 on 880508-0604. No violations noted.  
WIGGINS, J.T. Region 1, Ofc of the Director. 88/06/20. KEISER, H.W. Pennsylvania Power & Light Co 2pp. 46017:253-46017:266

8807010028 Insp Repts 50-387/88-10 & 50-388/88-13 on 880508-0604. No violations noted. Major areas inspected: plant operations, physical security, plant events, surveillance & Unit 2 refueling activities.  
BLOUGH, A.R. Region 1, Ofc of the Director. 88/06/20 12pp 46017:255-46017:266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152

8807050241 Forwards Insp Rept 50-388/88-12 on 880524-28. No violations noted. Radiological controls for diving activities.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/23. KEISER, H.W. Pennsylvania Power & Light Co 2pp. 46073:322-46073:329.

8807050246 Insp Rept 50-388/88-12 on 880524-28. No violations noted. Major areas inspected: radiological controls for underwater repairs of Unit 2 feedwater spargers, mgf & organization, diver radiological safety training & ALARA.  
MARKLEY, M., SHANBAKY, M. Region 1, Ofc of the Director. 88/06/22. 6pp. 46073:324-46073:329

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:268-46020:018.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:100-46242:212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:261-46232:027.

8807210181 Forwards Insp Rept 50-388/88-10 on 880425-29 & notice of violation.  
GALLOR, M. Region 1, Ofc of the Director. 88/07/08. KEISER, H.W. Pennsylvania Power & Light Co. 2pp. 46238:201-46238:317.

8807210183 Notice of violation from insp on 880425-29. Violation noted: condition adverse to quality not properly identified & corrected.  
\* Region 1, Ofc of the Director. 88/07/08. 2pp. 46238:293-46238:294.

8807210186 Insp Rept 50-388/88-10 on 880425-29. Violations noted: Major areas inspected: corrective & preventive maint programs, mod program, surveillance program & engineering support.  
REBELOWSKI, T., CAPTON, D., PRIVIDY, L. Region 1, Ofc of the Director. 88/07/07. 23pp. 46238:295-46238:317.

8807200335 Requests extension until 880901 to respond to NRC Bulletin 88-004. Pumps will be able to perform design intent, based on unit engineering judgement.  
KEISER, H.W. Pennsylvania Power & Light Co. 88/07/11. RUSSELL, W.T. Region 1, Ofc of the Director. 4pp. 46221:182-46221:185.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807250405 Responds to issues raised at enforcement conference re equipment qualification.  
KEISER, H.W. Pennsylvania Power & Light Co. 88/07/12. RUSSELL, W.T. Region 1, Ofc of the Director. 4pp. 46278:071-46278:074.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257:258-46258:016

8807180101 NRC info Notice 88-051, "Failures of MSIVs," Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206.

#### R. Periodic operating reports & related correspondence

8807210035 "Bacteriological or Turbidity Summary Analysis Input," for June 1988 W/  
8807131r.  
SAXTON,C.H. Pennsylvania Power & Light Co. 88/06/30. 2pp. 46235.062-46235.063.

8807250355 "Drinking Water Rept.," for June 1988 W/8807141r.  
SAXTON,C.H. Pennsylvania Power & Light Co. 88/06/30. SAGER,R. Pennsylvania,  
Commonwealth of. 2pp. 46269.252-46269.253.

8807250441 Monthly operating rept for June 1988 for Susquehanna Steam Electric  
Station W/8807141r.  
HIRT,J.A. KE.SER,H.W. Pennsylvania Power & Light Co. 88/06/30.  
MCDONALD,W.G. Office of Administration (Pre 870413). 13pp. 46274.287-46274.300.

#### S. Reportable occurrences, LERs & related correspondence

8806300210 LER 88-059-00 on 880524.ESF actuated when MSIV isolation signal initiated  
due to insertion of printed circuit card. Caused by program error governing normal  
work practices. Svc list encl. & isolation logic reset W/8805221r.  
RYDER,T.S., BYRAM,R.G. Pennsylvania Power & Light Co. 88/06/22. 4pp.  
46006.320-46006.323.

#### DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8806290100 Forwards Insp Repts 50-335/88-07 & 50-389/88-07 on 880410-0505 No violations  
or deviations noted. Unresolved items identified in rept will be pursued during  
future insps.  
WILSON,B.A. Region 2, Ofc of the Director. 88/06/17. CONWAY,W.F. Florida Power  
& Light Co. 2pp. 45984.235-45984.246.

8806290102 Insp Repts 50-335/88-07 & 50-389/88-07 on 880410-0505 No violations  
or deviations noted. Major areas inspected: Tech Spec compliance, operator  
performance, QA practices, overall plant operations, site security procedures.  
BIBB,H.E. Region 2, Ofc of the Director. 88/06/16. 12pp. 45984.237-45984.248.

8807130064 Rev 5 to Health Physics Procedure HP-203, "Personnel Access Control  
During Emergencies." W/8807051r.  
BARKOW,J.H., CONWAY,W.F. Florida Power & Light Co. 88/07/05. 10pp. 46164.275-  
46164.293.

8807190054 Rev 11 to Emergency Plan Implementing Procedure 3100025E, "Fire  
Emergencies." W/8807051r.  
HARRIS,K.N., CONWAY,W.F. Florida Power & Light Co. 88/07/05. 7pp. 46208.175-  
46208.181.

8807210247 Advises that 880623 Rev 15 to physical security plan meets requirements  
of 10CFR50.54(p) & acceptable.  
CLINE,W.E. Region 2, Ofc of the Director. 88/07/07. WOODY,C.O. Florida Power &  
Light Co. 3pp. 46234.061-46234.063.

8807210255 Advises that revised page to Rev 13 to physical security plan transmitted  
by 8806231r consistent w/provisions of 10CFR50.54(p) & acceptable.  
CLINE,W.E. Region 2, Ofc of the Director. 88/07/07. WOODY,C.O. Florida Power &  
Light Co. 3pp. 46234.151-46234.153.

#### P. Operating license stage documents & correspondence

8807050117 Forwards denial of amend to License NPF-16 & opportunity for hearing re  
871222 application to change Tech Specs on restoration of inoperable open main  
feedwater isolation valve. Disagreement explained.  
BERKOW,H.N. Project Directorate II-2. 88/06/22. CONWAY,W.F. Florida Power &  
Light Co. 3pp. 45991.237-45991.242.

8807050123 Denial of amend to License NPF-16 & opportunity for hearing.  
TOURIGNY,E.G. Project Directorate II-2. 88/06/22. 3pp. 45991.240-45991.242.

88071010140 Informs that response to listed questions re ATWS will be provided by  
880815 in response to 880518 request for add info.  
CONWAY,W.F. Florida Power & Light Co. 88/06/23. Document Control Branch (Docu-  
ment Control Desk). 1p. 46017.073-46017.073.

8807100657 Application for amendments to Licenses DPR-37 & NPF-16, deleting contain-  
ment integrated leak rate testing methods in favor of improved methods, including  
mass point method, not recognized in ANSI N45.4-1972 Fee paid.  
CONWAY,W.F. Florida Power & Light Co. 88/06/23. Document Control Branch (Docu-  
ment Control Desk). 3pp. 46017.238-46017.262.

8807100680 Proposed Tech Spec Pages 3/4 6-2 & B 3/4 8-1, deleting required contain-  
ment integrated leak rate testing methods delineated in ANSI N45.4-1972 & in-  
cluding newer method of evaluating test data called mass point method.  
Florida Power & Light Co. 88/06/23. 12pp. 46017.241-46017.252.

8807100691 Forwards responses to NRC 880316 Questions 471.5, 471.6,  
471.7, 471.8, 471.11 & 471.12 re util 10CFR20, App A exemption request for worker  
respiratory protection apparatus.  
CONWAY,W.F. Florida Power & Light Co. 88/06/23. STELLO,V. Ofc of the Executive  
Director for Operations. 16pp. 45997.249-45997.266.

8807100450 Opposes licensee request that hearing on company proposed change to more  
concentrated spent nuclear fuel storage sys be closed to public.  
FORT,P. Hutchinson Island Home Owner's Association. 88/06/27. Atomic Safety and  
Licensing Board Panel. 1p. 46117.317-46117.317.

8807080184 Forwards Amends 97 & 32 to Licenses DPR-67 & NPF-16, respectively &  
safety evaluation Amends modify Paragraph 2 D of Licenses to require compliance w/  
amended physical security plan for facilities.  
TOURIGNY,E.G. Project Directorate II-2. 88/07/05. CONWAY,W.F. Florida Power &  
Light Co. 4pp. 46134.220-46134.230.

8807080188 Amends 97 & 32 to Licenses DPR-67 & NPF-16, respectively, modify  
Paragraph 2 D of Licenses to require compliance w/amended physical security plan  
BERKOW,H.N. Project Directorate II-2. 88/07/05. 4pp. 46134.224-46134.227.

8807080190 Safety evaluation supporting Amends 97 & 32 to Licenses DPR-67 &  
NPF-16, respectively.  
Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/05. 3pp.  
46134.228-46134.230.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation embrittlement of reactor vessel walls & impact on plant  
operations Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated  
Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806300119 Forwards Insp Repts 50-335/88-11 & 50-389/88-11 on 880523.26 No viola-  
tions or deviations noted.  
CLINE,W.E. Region 2, Ofc of the Director. 88/06/14. CONWAY,W.F. Florida Power &  
Light Co. 2pp. 46016.215-46016.217.

8806300123 Insp Repts 50-335/88-11 & 50-389/88-11 on 880523.26 No violations or  
deviations noted. Major areas inspected: special nuclear fuel control & accounting.  
JONES,D.W., MCALPINE,E.J. Region 2, Ofc of the Director. 88/06/14. 1p. 46016.217-  
46016.217.

8806130168 NRC info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15.  
Consolidated Edison Co. of New York, Inc. 110pp. 45978.166-45978.266.

8807080097 Forwards Insp Repts 50-335/88-10 & 50-389/88-10 on 880516.20 No viola-  
tions or deviations noted.  
COLLINS,D.M. Region 2, Ofc of the Director. 88/06/16. CONWAY,W.F. Florida Power  
& Light Co. 2pp. 46088.350-46088.360.

8807080098 Insp Repts 50-335/88-10 & 50-389/88-10 on 880516.20 No violations or  
deviations noted. Major areas inspected: QA & confirmatory measurements for inplant  
rad chemical analyses.  
HUGHEY,C.A., ADAMOVIK,S.S., KAHLE,J.B. Region 2, Ofc of the Director. 88/06/16.  
10pp. 46088.352-46088.360.

8806290100 Forwards Insp Repts 50-335/88-07 & 50-389/88-07 on 880410-0505 No  
violations or deviations noted. Unresolved items identified in rept will be pursued during  
future insps.  
WILSON,B.A. Region 2, Ofc of the Director. 88/06/17. CONWAY,W.F. Florida Power  
& Light Co. 2pp. 45984.235-45984.248.

8806290102 Insp Repts 50-335/88-07 & 50-389/88-07 on 880410-0505 No violations  
or deviations noted. Major areas inspected: Tech Spec compliance, operator  
performance, QA practices, overall plant operations, site security procedures.  
BIBB,H.E., CHLENJAK,R.V. Region 2, Ofc of the Director. 88/06/16. 12pp.  
45984.237-45984.248.

8806180340 NRC info Notice 88-040, "Examiners Handbook for Developing Operator  
Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC info Notice 88-041, "Physical Protection Weaknesses Identified  
Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc  
list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.162.

8806210038 NRC info Notice 88-044, "Mechanical Binding of Spring Release Device in  
Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to  
RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807130223 Forwards Insp Repts 50-335/88-13 & 50-389/88-13 on 880531-0603 No  
violations or deviations noted.  
HERDT,A.R. Region 2, Ofc of the Director. 88/06/24. CONWAY,W.F. Florida Power  
& Light Co. 2pp. 46169.346-46169.358.

8807130225 Insp Repts 50-335/88-13 & 50-389/88-13 on 880531-0603 No violations  
or deviations noted. Major areas inspected: Inservice testing of pumps &  
valves, including procedure reviews, work activities & surveillance test results.  
CROWLEY,B.R., BLAKE,J.J. Region 2, Ofc of the Director. 88/06/23. 11pp.  
46169.348-46169.358.

8807190374 Summarizes 880526 enforcement conference meeting re blocking of safety  
injection actuation & containment isolation sys signal to letdown isolation valve from  
880313-0408. Viewgraphs encl.  
GRACE,J.N. Region 2, Ofc of the Director. 88/06/29. CONWAY,W.F. Florida Power &  
Light Co. 35pp. 46217.056-46217.080.

8807220112 Discusses Insp Rept 50-399/88-06 on 880305-0409 & forwards notice of violation violation classified as Severity Level III violation, but no civil penalty will be proposed due to prompt corrective actions performed.  
GRACE, J.N. Region 2, OIC of the Director. 88/06/29. CONWAY, W.F. Florida Power & Light Co. 3pp. 46249.326-46249.330.

--8807220115 Notice of violation from Insp on 880305-0409. Violation noted, containment isolation valve in chemical vol & control sys lockdown line listed in Tech Specs 3.6-2 inoperable in excess of time limit specified by Tech Specs.  
GRACE, J.N. Region 2, OIC of the Director. 88/06/29. 2pp. 46249.329-46249.330.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232.027.

8807190121 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Calculations indicate that dead-heading not concern for continued operation.  
CONWAY, W.F. Florida Power & Light Co. 88/07/11. Document Control Branch (Document Control Desk). 12pp. 46209.039-46209.050.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:008-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257:258-46258.018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46267:088-46267.208.

#### R. Periodic operating reports & related correspondence

8807250004 Monthly operating reports for June 1988 for St Lucie & Turkey Points. W/ 880715 ltr.  
GRANT, N.W. Florida Power & Light Co. 88/06/30. 17pp. 46269:341-46269.357.

8807050395 Forwards quarterly status report on intake canal barrier improvements. Rept withheld (ref 10CFR73.21 & 2.780).  
CONWAY, W.F. Florida Power & Light Co. 88/07/01. Document Control Branch (Document Control Desk). 1p. 46075:316-46075:316.

#### DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

##### A. Application/construction stage documents & correspondence

8807050418 Summary of 880603 meeting w/ util & Sargent & Lundy in Rockville, MD re Watts Bar program plan & schedule for completing program plan. List of meeting attendees & util handout encl.  
AULUCK, R. OIC of Special Projects. 88/06/23. OIC of Special Projects. 41pp. 45998:164-45998.205.

8807080325 Summary of 880607 meeting w/ util in Rockville, MD re util overall plan for completion of plant. List of attendees & handouts provided by util encl.  
AULUCK, R. OIC of Special Projects. 88/06/23. OIC of Special Projects. 82pp. 46076:231-46076:322.

8807050111 Forwards Rev 2 to "Watts Bar Nuclear Plant Vertical Slice Review Plan," for review.  
WHITE, S.A. Tennessee Valley Authority. 88/06/24. EBNETER, S.D. OIC of Special Projects. 2pp. 46029:084-46029:147.

--8807050115 Rev 2 to "Watts Bar Nuclear Plant Vertical Slice Review Plan."  
TAYLOR, H.S. Sargent & Lundy, Inc. 88/06/07. 82pp. 46029:086-46029:147.

8807150204 Final response to FOIA request for documents. Forwards App B documents & documents to be placed in PDR App A documents already available in PDR.  
GRIMSLEY, D.H. Division of Rules & Records (870413-880514). 88/06/24. CONNOR, L. Doc-Search Associates. 4pp. 46153:097-46153:205.

--8807150214 Forwards affidavits of JA Olshinski, RH Vollmer & D Elnshut because of potential impact on any regulatory or enforcement action re plant.  
BAUSER, D.B. Shaw, Pittman, Potts & Trowbridge. 87/11/23. ZECH, L.W., BERNTHAL, F.M., ROBERTS, T.M. Commissioners. 3pp. 46153:101-46153:103.

--8807150225 Affidavit of D Elnshut re plant compliance w/ NRC rules.  
EISENHUT, D. NUS Corp. 87/11/17. 5pp. 46153:104-46153:108.

--8807150231 Affidavit of JA Olshinski re nuclear safety review staff perceptions of App B compliance.  
OLSHINSKI, J.A. Nuclear Energy Consultants, Inc. 87/11/11. 7pp. 46153:109-46153:115.

--8807150239 Affidavit of RH Vollmer re nuclear safety review staff perceptions of App B compliance at plant.  
VOLLMER, R.H. TENERA Corp. (subs. of TERA Corp.). 87/11/17. 9pp. 46153:116-46153:124.

8807110378 Responds to 880527 ltr re program plan for completion of facilities. Endorses approach delineated in plan subj to resolution of listed comments, including vacancies on program team in functional areas of instrumentation & licensing.  
RICHARDSON, S.D. OIC of Special Projects. 88/06/27. Tennessee Valley Authority. 3pp. 46082:048-46082:050.

8807070083 Forwards summary of util 880524 presentation re min edge distance for anchor bolts discussed in 880318 10CFR21 notification from Hill, Inc.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/28. Document Control Branch (Document Control Desk). 3pp. 46136:289-46136:300.

8807080263 Application for amendments to CPs CPPR-91 & CPPR-92, extending expiration dates until 910701 & 912131, respectively. Fee paid.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/29. Document Control Branch (Document Control Desk). 6pp. 46116:330-46116:335.

8807080200 Requests concurrence w/ temporary ERCW backwash discharge while repairs being made to yard holding pond. Leak testing of dry end of pond has been delayed after test, proposal for sealing will be prepared.  
BROOKS, R.H. Tennessee Valley Authority. 88/06/30. STEWART, P.L. Tennessee, State of. 2pp. 46139:324-46139:325.

8807130348 Forwards results of evaluations of general const specs in order to satisfy 871224 commitment to identify & justify areas in which potentially less restrictive provisions of former ASME Section III Code versions used.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 18pp. 46169:318-46169:335.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

8807220333 Forwards request for add'l info re main steam line breaks in ice condenser plants, per review of Addendum 1 to WCAP-10908, "Ice Condenser Drain Test Results, Data Analysis & Development of Drain Flow Models for LOTIC III Ice ...".  
BLACK, S. OIC of Special Projects. 88/07/15. WHITE, S.A. Tennessee Valley Authority. 6pp. 46260:148-46260:153.

##### F. Security, medical, emergency & fire protection plans

8807250262 Forwards Insp Repts 50-390/88-03 & 50-391/88-03 on 880510. 0613 & notice of deviation.  
MCCOY, F.R. OIC of Special Projects. 88/07/07. WHITE, S.A. Tennessee Valley Authority. 2pp. 46265:301-46265:311.

--8807250268 Insp Repts 50-390/88-03 & 50-391/88-03 on 880510. 0613. Deviation noted. Major areas inspected fire prevention & protection, testing of pipe supports & restraint sys. Weakness noted re effectiveness of audit program.  
WALTON, G.A., POWELL, T.B., ELROD, S.A. Region 2, OIC of the Director. 88/07/06. 6pp. 46255:304-46255:311.

8807260008 Discusses emergency preparedness mod of low threshold event reporting & emergency reporting procedures for plants. Util will no longer classify & report events in manner described in radiological emergency plan due to const status.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/15. Document Control Branch (Document Control Desk). 3pp. 46265:294-46265:296.

##### H. General correspondence

8807280398 Confirms telcon re voluntary retirement of H.L. Abercrombie, Sr. to director on 880722. J.T. Lepout will be assigned acting site director. Info transmitted per util revised corporate nuclear performance plan dated Jul 1987.  
WHITE, S.A. Tennessee Valley Authority. 88/07/20. PARTLOW, J.G. OIC of Special Projects. 2pp. 46300:136-46300:137.

##### Q. Inspection reports, IE Bulletins & correspondence

8807050316 Responds to NRC 880429 ltr re violations noted in Insp Repts 50-390/88-01 & 50-391/88-01. Engineering walk through performed to determine cable tray fittings & support configurations to be evaluated.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/09. Document Control Branch (Document Control Desk). 10pp. 46021:037-46021:046.

8806130168 NRC Info Notice 88-039, "LeSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018:153-46018:265.

8806240139 Supply 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018

8807060602 Forwards revised response to NRC 880405 ltr re violations noted in Insp Rept 50-390/88-20 & 50-391/88-20.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/30 Document Control Branch (Document Control Desk). 3pp. 46103 271-46103 273.

8807120021 Forwards list of commitments re NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA-Type Latching Relays Mfg by GE."  
GRIDLEY, R. Tennessee Valley Authority. 88/07/08 Document Control Branch (Document Control Desk). 4pp. 46147 290-46147 293

8807140071 Responds to NRC Bulletin 87-002, Supp's 1 & 2, "Fastener Testing to Determine Conformance With Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 880130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06 Document Control Branch (Document Control Desk). 3pp. 46184 146-46184 148

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

8807250262 Forwards Insp Repts 50-390/88-03 & 50-391/88-03 on 880510-0613 & notice of deviation.  
MCCOY, F.R. OIC of Special Projects. 88/07/07. WHITE, S.A. Tennessee Valley Authority. 2pp. 46255 301-46255 311.

8807250265 Notice of deviation from Insp on 880510-0613 Deviation noted condition adverse to quality reprim not implemented at time of Insp.  
MCCOY, F.R. OIC of Special Projects. 88/07/07. 1p. 46255 303-46255 303

8807250268 Insp Repts 50-390/88-03 & 50-391/88-03 on 880510-0613. Deviation noted Major areas inspected for prevention & protection, testing of pipe supports & restraint sys. Weakness noted re effectiveness of audit program.  
WALTON, G.A., POWELL, T.B., ELROD, S.A. Region 2, OIC of the Director. 88/07/06 8pp. 46255 304-46255 311

8807080036 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807190138 Supp's response to violations noted in Insp Repts 50-390/87-13 & 50-391/87-13 Revised final reprim schedule for four inadequate const deficiency reprim encl.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 3pp. 46214 028-46214 030.

8807250218 Forwards revised response to Violation 3 noted in Insp Repts 50-438/87-08, 50-439/87-08, 50-259/87-38, 50-260/87-38, 50-298/87-38, 50-327/87-68, 50-328/87-68, 50-390/87-18 & 50-391/87-18 Corrective actions memo issued on 880331.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 5pp. 46255 095-46259 099.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 118pp. 46257 258-46258 016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 206.

#### R. Periodic operating reports & related correspondence

8807210145 Forwards analytical data collected monthly on water quality of percolation & characterization of sediment of plant pond. Data supports plans to close out facility.  
SCHMIDT, B.A. Tennessee Valley Authority. 88/07/13. STEWART, P.L. Tennessee, State of. 2pp. 46232 138-46232 141.

8807210279 "Evaporation-Percolation Pond Water Quality Data for Sept 1987 - May 1988."  
Tennessee Valley Authority. 88/05/31. 2pp. 46232 140-46232 141.

#### S. Reportable occurrences, LERs & related correspondence

8807010030 Requests that Const Deficiency Repts 390/85-55 & 391/85-52 be closed & tracked under 390/82-80 & 391/82-78 Cable bend, sidewall pressure & conduit bending issues will be resolved in same corrective action. Final report submitted on 880911.  
GRIDLEY, R. Tennessee Valley Authority. 88/08/22. Document Control Branch (Document Control Desk). 2pp. 46020 086-46020 087.

8807130031 Final & fifth interim deficiency reprim to crazing of Conax electrical penetrations reported on 861128 Radiographs rereviewed & corrective action on completion planned before fuel loading.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/07. Document Control Branch (Document Control Desk). 5pp. 46170 086-46170 090.

8807200333 Supplemental final deficiency reprim to crazing of Conax electrical penetrations sealant initially reported on 860402. No further actions required based on Conax Test Rept IPS-1079 verifying sealant integrity.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/14. Document Control Branch (Document Control Desk). 3pp. 46221 072-46221 074

8807210059 Revised final deficiency reprim to questionable qualification of installed Type N Raychem mats in early reported on 880227. Better justification for downgrading deficiency to nonreportable under 10CFR50.55(o) provided.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/14. Document Control Branch (Document Control Desk). 4pp. 46233 336-46233 339.

#### DOCKET 60-391 WATTS BAR NUCLEAR PLANT, UNIT 2

##### A. Application/construction stage documents & correspondence

8807050418 Summary of 880603 meeting w/Util & Sargent & Lundy in Rockville, MD re Watts Bar program plan & schedule for completing program plan. List of meeting attendees & util handout encl.  
AULUCK, R. OIC of Special Projects. 88/06/23. OIC of Special Projects. 41pp. 45998 164-45998 205.

8807080325 Summary of 880607 meeting w/Util in Rockville, MD re util overall plan for completion of plant list of attendees & handouts provided by util encl.  
AULUCK, R. OIC of Special Projects. 88/06/23. OIC of Special Projects. 62pp. 46076 231-46076 322.

8807050111 Forwards Rev 2 to "Watts Bar Nuclear Plant Vertical Slice Review Plan." for review.  
WHITE, S.A. Tennessee Valley Authority. 88/06/24. EBERGER, S.D. OIC of Special Projects. 2pp. 46020 084-46020 147.

8807050115 Rev 2 to "Watts Bar Nuclear Plant Vertical Slice Review Plan."  
TAYLOR, H.S. Sargent & Lundy, Inc. 88/06/07. 62pp. 46029 088-46029 147.

8807150204 Final response to FOIA request for documents. Forwards App B documents & documents to be placed in PDR. App A documents already available in PDR.  
GRIMSLY, D.H. Division of Rules & Records (870413-880514). 88/06/24. CONNOR, L. Doc Search Associates. 4pp. 46153 097-46153 205.

8807160214 Forwards affidavits of JA Olshinski, RH Vollmer & D Eisenhower because of potential impact on any regulatory or enforcement action re plant.  
BAUSER, D.B. Shaw, Pittman, Poets & Trowbridge. 87/11/23. ZECH, L.W. Commission ers. 3pp. 46153 101-46153 103.

8807150225 Affidavit of D Eisenhower re plant compliance w/NRC rules.  
EISENHUT, D. NUS Corp. 87/11/17. 5pp. 46153 104-46153 108.

8807150231 Affidavit of JA Olshinski re nuclear safety review staff perceptions of App B compliance.  
OLSHINSKI, J.A. Nuclear Energy Consultants, Inc. 87/11/11. 7pp. 46153 109-46153 115.

8807150239 Affidavit of RH Vollmer re nuclear safety review staff perceptions of App B compliance at plant.  
VOLLMER, R.H. TENERA Corp. (subs of TERA Corp.). 87/11/17. 9pp. 46153 116-46153 124.

8807110379 Responds to 880527 ltr re program plan for completion of facilities. Endorses approach documented in plan subj to resolution of listed comments, including vacancies on program team in functional areas of instrumentation & licensing.  
RICHARDSON, S.D. OIC of Special Projects. 88/06/27. Tennessee Valley Authority. 3pp. 46082 048-46082 050.

8807070083 Forwards summary of util 880524 presentation to min edge distance for anchor bolts discussed in 880318 10CFR21 notification from Hill, Inc.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/28. Document Control Branch (Document Control Desk). 3pp. 46138 298-46138 300.

8807060263 Application for amendments to CPs CPPR-91 & CPPR-92, extending expiration dates until 910701 & 921231, respectively. For info.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/29. Document Control Branch (Document Control Desk). 6pp. 46116 330-46116 335.

8807080200 Requests concurrence of evaluations of general const specs in order to satisfy 871224 commitment to identify & justify areas in which potentially less restrictive provisions of later ASME Section III Code versions used.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 18pp. 46169 318-46169 335.

8807130348 Forwards results of evaluations of general const specs in order to satisfy 871224 commitment to identify & justify areas in which potentially less restrictive provisions of later ASME Section III Code versions used.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 18pp. 46169 318-46169 335.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Rog Guido 1 09 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257 207-46257 257.

8807220333 Forwards request for addl info re main steam line breaks in ice condenser plants, per review of Addendum 1 to WCAP-1099B, "Ice Condenser Drain Test Results, Data Analysis & Development of Drain Flow Models for LOTIC-III Code."  
BLACK, S. OIC of Special Projects. 88/07/15. WHITE, S.A. Tennessee Valley Authority. 6pp. 46250 148-46250 153.



**F. Security, medical, emergency & fire protection plans**

**8807250282** Forwards Insp Repts 50-390/88-03 & 50-391/88-03 on 880510-0613 & notice of deviation  
MCCOY,F.R. Ofc of Special Projects. 88/07/07. WHITE,S.A. Tennessee Valley Authority. 2pp. 46255-301-46255-311

**-8807250288** Insp Repts 50-390/88-03 & 50-391/88-03 on 880510-0613 Deviation noted Major areas inspected fire prevention & protection, testing of pipe supports & restraint sys. Weakness noted re effectiveness of audit program  
WALTON,G.A. Region 2, Ofc of the Director. 88/07/06. 8pp. 46255-304-46255-311.

**8807260008** Discusses emergency preparedness mod of low threshold event reporting & emergency reporting procedures for plants Util will no longer classify & report events in manner described in radiological emergency plan due to const status  
GRIDLEY,R. Tennessee Valley Authority. 88/07/15. Document Control Branch (Document Control Desk). 3pp. 46265-294-46265-296

**H. General correspondence**

**8807260396** Confirms letcon re voluntary retirement of HL Abercrombie, site director on 880722 JT Lapoint will be assigned acting site director info transmitted per util revised corporate nuclear performance plan dtd Jul 1987.  
WHITE,S.A. Tennessee Valley Authority. 88/07/20. PARTLOW,J.G. Ofc of Special Projects. 2pp. 46300-136-46300-137.

**G. Inspection reports, IE Bulletins & correspondence**

**8807050316** Responds to NRC 880429 ltr re violations noted in Insp Repts 50-390/88-01 & 50-391/88-01. Engineering walk through performed to determine cable tray fittings & support configurations to be evaluated  
GRIDLEY,R. Tennessee Valley Authority. 88/06/09. Document Control Branch (Document Control Desk). 10pp. 46021-037-46021-046.

**8806130188** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45078-156-45078-266.

**8806160340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BF-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45078-034-45078-155

**8806170291** NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

**8806210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

**8806240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

**8807060602** Forwards revised response to NRC 880405 ltr re violations noted in Insp Rept 50-390/86-20 & 50-391/86-20.  
GRIDLEY,R. Tennessee Valley Authority. 88/06/30. Document Control Branch (Document Control Desk). 3pp. 46103-271-46103-273.

**8807120021** Forwards list of commitments re NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA-Type Latching Relays Mfg by GE."  
GRIDLEY,R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 4pp. 46147-290-46147-293.

**8807140071** Responds to NRC Bulletin 87-002, Suppl 1 & 2, "Fastener Testing to Determine Conformance W/Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 880130 to provide proper response.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 3pp. 46184-148-46184-148.

**8806300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

**8807250282** Forwards Insp Repts 50-390/88-03 & 50-391/88-03 on 880510-0613 & notice of deviation.  
MCCOY,F.R. Ofc of Special Projects. 88/07/07. WHITE,S.A. Tennessee Valley Authority. 2pp. 46255-301-46255-311.

**-8807250285** Notice of deviation from Insp on 880510-0613. Deviation noted condition adverse to quality rept program not implemented at time of Insp  
MCCOY,F.R. Ofc of Special Projects. 88/07/07. 1p. 46255-303-46255-303.

**-8807250288** Insp Repts 50-390/88-03 & 50-391/88-03 on 880510-0613. Deviation noted Major areas inspected fire prevention & protection, testing of pipe supports & restraint sys. Weakness noted re effectiveness of audit program.  
WALTON,G.A., POWELL,T.B., ELROD,S.A. Region 2, Ofc of the Director. 88/07/06. 8pp. 46255-304-46255-311.

**8807080006** NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46241-201-46242-037.

**8807190138** Suppl's response to violations noted in Insp Repts 50-390/87-13 & 50-391/87-13. Revised final rept schedule for four inadequate const deficiency repts encl.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 3pp. 46214-028-46214-030.

**8807250218** Forwards revised response to Violation 3 noted in Insp Repts 50-438/87-08, 50-439/87-08, 50-259/87-38, 50-260/87-38, 50-298/87-38, 50-327/87-68, 50-328/87-68, 50-360/87-18 & 50-391/87-18. Corrective actions memo issued on 880331.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk). 5pp. 46259-095-46259-098.

**8807120291** NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

**8807080366** NRC Info Notice 88-047, "Slower Than Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

**8807120550** NRC Info Notice 88-049, "Marking Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-035

**8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-016

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-206

**R. Periodic operating reports & related correspondence**

**8807210145** Forwards analytical data collected monthly on water quality of percolation & characterization of sediment of plant pond. Data supports plans to close out facility.  
SCHMIDT,BACH,M. Tennessee Valley Authority. 88/07/13. STEWART,P.L. Tennessee, State of. 2pp. 46232-138-46232-141.

**-8807210279** "Evaporation-Percolation Pond Water Quality Data for Sept 1987 - May 1988."  
\* Tennessee Valley Authority. 88/05/31. 2pp. 46232-140-46232-141.

**S. Reportable occurrences, LERs & related correspondence**

**8807010030** Requests that Const Deficiency Repts 390/85-55 & 391/85-52 be closed & tracked under 390/82-00 & 391/82-76. Cable bond, sidewall pressure & conduit bending issues will be resolved in same corrective action final report submitted on 880811.  
GRIDLEY,R. Tennessee Valley Authority. 88/08/22. Document Control Branch (Document Control Desk). 2pp. 46020-088-46020-087.

**8807130031** Final & fifth interim deficiency rept re questionable w/d radiographs initially reported on 881126. Radiographs re-reviewed & corrective action completion planned before fuel loading.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/07. Document Control Branch (Document Control Desk). 5pp. 46170-086-46170-090.

**8807210059** Revised final deficiency rept re questionable qualification of installed Type N Raychem materials initially reported on 880227. Better justification for downgrading deficiency to nonreportable under 10CFR50.55(e) provided.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/14. Document Control Branch (Document Control Desk). 4pp. 46233-336-46233-339

**DOCKET 50-305 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1****F. Security, medical, emergency & fire protection plans**

**8807050234** Responds to NRC 880518 ltr re violations noted in Insp Rept 50-395/88-10. Corrective actions improved communications & fire protection officer involvement in routine work document review.  
NAUMAN,D.A. South Carolina Electric & Gas Co. 88/08/08. GRACE,J.N. Region 2, Ofc of the Director. 2pp. 46026-283-46026-288.

**8807050133** Forwards Insp Rept 50-395/88-11 on 880502-06 & notice of violation.  
COLLINS,D.M. Region 2, Ofc of the Director. 88/08/15. NAUMAN,D.A. South Carolina Electric & Gas Co. 2pp. 46024-333-46024-346.

**-8807050141** Notice of violation from Insp on 880502-06. Violation noted: personnel w/o complete training on required emergency plan training topics assigned to emergency response organization.  
COLLINS,D.M. Region 2, Ofc of the Director. 88/06/15. 2pp. 46024-335-46024-336.

**-8807050145** Insp Rept 50-395/88-11 on 880502-06. One violation noted. Major areas inspected: operational readiness of site emergency preparedness program, changes to emergency preparedness program & previously identified Insp finding.  
GOODEN,A., BECKER,T.R. Region 2, Ofc of the Director. 88/06/08. 10pp. 46024-337-46024-346.

**8807060538** Revised emergency plan procedures including Rev 14 to Procedure EPP-001, "Activation & Impregnation..." Rev 5 to Procedure EPP-010, "Personnel/Vehicle..." & Rev 6 to Procedure EPP-012, "Onsite Personnel..." W/880529 ltr.  
NAUMAN,D.A. South Carolina Electric & Gas Co. 88/08/29. Document Control Branch (Document Control Desk). 70pp. 46109-230-46109-289.

**8807250091** Rev 10 to Emergency Plan Implementing Procedure EPP-016, "Emergency Facilities Activation & Evacuation." W/880714 ltr.  
BRADHAM,O.S. South Carolina Electric & Gas Co. 88/06/29. 26pp. 46272-188-46272-223.



8807140090 Revised emergency plan procedures, including Rev 7 to EFP-020, "Emergency Personnel Exposure Control," Rev 6 to EFP-029, "Onsite Medical," Rev 5 to EFP-011, "Personnel Search & Rescue," and Rev 7 to EFP-018, W/880701 Ir. BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/01 56pp 46178 156 46178 211

8807200262 Forwards Amend 22 to physical security plan Amend withheld (rel 10 CFR 73.21). BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/15. Document Control Branch (Document Control Desk) 1p. 46229 329 46229 329.

#### H. General correspondence

8807130384 Informs that DA Nauman promoted to senior vice president of power production & undersigned replaces DA Nauman. BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/01. Document Control Branch (Document Control Desk) 1p. 46169 243 46169 243

#### P. Operating license stage documents & correspondence

8807110250 Forwards request for add info re single cell battery charging Plant mod to permit use of 40 volt non-safely-grade battery charger to be connected in parallel w/ normal full capacity equalization charge raised questions. HAYES, J.J. Project Directorate II-1. 88/06/27. NAUMAN, D.A. South Carolina Electric & Gas Co. 4pp 46100 311 46100 314

8807110318 Forwards Amend 73 to License NPF-12 & safety evaluation. Amend changes Tech Specs to reflect appropriate calibr for source range & intermediate range fission detectors installed as result of mods of Reg Guide 1.97 Rev 3. HAYES, J.J. Project Directorate II-1. 88/06/27. NAUMAN, D.A. South Carolina Electric & Gas Co. 3pp 46100 088 46100 098.

-8807110326 Amend 73 to License NPF-12, revsing Tech Specs to reflect appropriate channel calibrs for source range & intermediate range fission detectors installed as result of mods to Reg Guide 1.97, Rev 3. ADENSA, E.G. Project Directorate II-1. 88/06/27 6pp. 46100 091 46100 098

-8807110332 Safety evaluation supporting Amend 73 to License NPF-12. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/27. 2pp. 46100 097 46100 098

8807140094 Requests that rel of from ASME Code Sect on XI be granted to support refueling outage rescheduled for Spring 1990. BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/01. HAYES, J.J. Document Control Branch (Document Control Desk). 1p. 46184 082 46184 082

8807120544 Forwards corrected pages to Tech Spec 3.1.2.6 in support of refueling & operating plant w/ VANTAGE 5 improved fuel dosn. BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/08. Document Control Branch (Document Control Desk). 2pp. 46143 202 46143 210.

-8807120548 Proposed Tech Spec 3.1.2.8 increasing min boric acid storage tank level to 14,000 gallons. \* South Carolina Electric & Gas Co. 88/07/08. 7pp. 46143 204 46143 210.

8807130454 General Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on rad on embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp 46257 207 46257 257.

8807250037 Summary of 880628 meeting w/ all at facility re status of licensing issues for facility. List of attendees & handout providing current assessment of status of various licensing actions encl. HAYES, J.J. Project Directorate II-1. 88/07/14. Project Directorate II-1. 11pp. 46273 081 46273 091.

8807250227 Forwards no significant hazards determination for proposed Tech Spec changes to diesel generator testing, per 880712 telcon. BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/14. HAYES, J.J. Document Control Branch (Document Control Desk) 3pp. 46255 257 46255 259.

#### Q. Inspection reports, IE Bulletins & correspondence

8807050626 Responds to violations noted in Insp Rept 50-395/88-06. Corrective actions documentation on steam line monitors reviewed & found monitors effective in providing dose assessment w/ below protective action guide limits. NAUMAN, D.A. South Carolina Electric & Gas Co. 88/06/03. GRACE, J.N. Region 2, Ofc of the Director. 2pp. 46073 255 46073 256

8807050234 Responds to NRC 880516 ltr re violations noted in Insp Rept 50-395/88-10. Corrective actions improved communications & fire protection officer involvement in routine work document review. NAUMAN, D.A. South Carolina Electric & Gas Co. 88/06/08. GRACE, J.N. Region 2, Ofc of the Director. 2pp. 46026 263 46026 268.

8808130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 166 45978 266.

8807050133 Forwards Insp Rept 50-395/88-11 on 880502-08 & notice of violation. COLLINS, D.M. Region 2, Ofc of the Director. 88/06/15. NAUMAN, D.A. South Carolina Electric & Gas Co. 2pp. 46024 333 46024 346

-8807050141 Notice of violation from insp on 880502-06. Violation noted: personnel w/o complete training on required emergency plan training topics assigned to emergency response organization. COLLINS, D.M. Region 2, Ofc of the Director. 88/06/15. 2pp. 46024 335 46024 336.

-8807050145 Insp Rept 50-395/88-11 on 880502-06. One violation noted. Major areas inspected operational readiness of site emergency preparedness program, changes to emergency preparedness program & previously identified insp finding. GOODENA, A., DECKER, T.R. Region 2, Ofc of the Director. 88/06/08. 10pp. 46024 337 46024 346

8808290373 Forwards Insp Rept 50-395/88-13 on 880501-31. Violation noted Enforcement conference scheduled for 880624. GRACE, J.N. Region 2, Ofc of the Director. 88/06/10. NAUMAN, D.A. South Carolina Electric & Gas Co. 2pp. 45988 096 45988 108

-8806290376 Insp Rept 50-395/88-13 on 880501-31. Violation noted Major areas inspected monthly surveillance observations, monthly maint. observation, operational safety verification, ESF walkdown, dosn, & dosn changes & mod. PREVATTE, R.L., HOPKINS, P.C., DANCE, H.C. Region 2, Ofc of the Director. 88/06/14. 9pp. 45988 098 45988 108.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325 46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/05/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034 45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037 46019 152

8806210036 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018 153 46019 265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266 46020 018

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109 46242 212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281 46232 027.

8807180148 Responds to NRC Bulletin 88-004 re potential safety-related pump loss. No safety-related centrifugal pumps active w/ min flow piping sys configuration that has pump-to-pump interaction that could result in dead-loading of pumps. BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46188 240 46188 242.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006 46242 108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222 46240 324.

8807120560 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263 46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257 258 46258 016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086 46257 206.

#### R. Periodic operating reports & related correspondence

8807250003 Monthly operating rept for June 1988 for Virgil C Summer Nuclear Station. W/880714 ltr. HALTIWANGER, J., BRADHAM, O.S. South Carolina Electric & Gas Co. 88/06/30. 6pp. 46274 037 46274 041.

#### S. Reportable occurrences, LERs & related correspondence

8807050439 Re: on 880527, svc water leakage inside reactor bldg occurred. Reactor bldg cooling unit isolated & determined to be source of leak. Relief valve scheduled for rework during forthcoming refueling outage scheduled to begin during Sept 1988. NAUMAN, D.A. South Carolina Electric & Gas Co. 88/06/10. GRACE, J.N. Region 2, Ofc of the Director. 2pp. 46074 046 46074 047.

8806290368 Confirms 880624 enforcement conference in Region II ofc to discuss cause of svc water sys inoperability & inadequate post-trip review at facility. Proposed meeting agenda encl. GRACE, J.N. Region 2, Ofc of the Director. 88/06/17. NAUMAN, D.A. South Carolina Electric & Gas Co. 2pp. 45987 189 45987 190.

8807070013 LER 88-007-00 on 880601, reactor trip due to undervoltage on Train A reactor protection occurred. Caused by interruption of 48-volt undervoltage signal to Train A breaker & B bypass breaker. Breaker testing initiated W/880701 ltr. HIGGINS, W.R., BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/01. 5pp. 46139 014 46139 018.

8807120029 LER 88-008-00 on 880607, discovered that steam path yielding potential for affecting unqualified equipment caused by design error. Door 1A 407 reinforced & sealed to ensure that door remained closed in event of steam break. W/880707 Ltr. HIGGINS, W.R., BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/07. 6pp. 46154.002-46154.007.

8807120671 Special Rept SPR 88-05 on 880512, safety injection/reactor trip occurred when MSIV A shut during testing. Details described in encl LER 88-06. Accumulative usage factor for affected safety injection nozzle did not exceed 0.70. BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/08. GRACE, J.N. Region 2, OIC of the Director. 2pp. 46158.251-46158.258.

## DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

### F. Security, medical, emergency & fire protection plans

8807060437 Revised emergency plan implementing procedures, including Rev 6 to Procedure 13.1.2, "Plant Emergency Director Duties," Rev 6 to Procedure 13.4.1, "Notifications" & Rev 4 to Procedure 13.7.2, "Contamination Control." BAKER, J. Washington Public Power Supply System. 88/06/27. 191pp. 46102.254-46103.084.

### H. General correspondence

8807080291 Advises of listed personnel changes. Stated changes will be included in future FSAR amend. SORENSEN, G.C. Washington Public Power Supply System. 88/08/28. KNIGHTON, G.W. Project Directorate V. 2pp. 46139.359-46139.360.

### P. Operating license stage documents & correspondence

8807010053 Forwards addl info re design of alternate rod insertion sys & recirculation pump trip sys under requirements of 10CFR50.62(c). 5.ppr NRC 880418 request. Power supplies upgraded to enhance reliability of sys. SORENSEN, G.C. Washington Public Power Supply System. 88/08/24. Document Control Branch (Document Control Desk). 8pp. 46017.143-46017.160.

8807190303 Forwards biweekly notice of applications & amends to OLS involving NSHC, dtd 880629. W/o encl. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/11. SORENSEN, G.C. Washington Public Power Supply System. 3pp. 46214.025-46214.027.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CIPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.90 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257.207-46257.257.

### Q. Inspection reports, IE Bulletins & correspondence

8808130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266.

8807050297 Forwards Insp Rept 50-397/88-14 on 880408 0520. No violations noted. ZIMMERMAN, R.P. Region 5, OIC of the Director. 88/06/17. SORENSEN, G.C. Washington Public Power Supply System. 2pp. 46073.284-46073.302.

8807050317 Insp Rept 50-397/88-14 on 880408 0520. No violations noted. Major areas inspected: control room operations, ESF, surveillance program, main program, radiological protection practices, physical security & special repts review. BOSTED, C.J., SORENSEN, R.C., JOHNSON, P.H. Region 5, OIC of the Director. 88/06/15. 17pp. 46073.288-46073.302.

8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019.037-46019.152.

8807130391 Forwards Insp Rept 50-397/88-20 on 880518-25 & notice of violation. ZIMMERMAN, R.P. Region 5, OIC of the Director. 88/06/23. SORENSEN, G.C. Washington Public Power Supply System. 2pp. 46169.228-46169.242.

8807130392 Notice of violation from Insp on 880518-26. Violation noted: nonconformance repts not prepared for safety-related fuel bundle stopped on by technician & for plant problem involving broken tabs on melamine torque switches. ZIMMERMAN, R.P. Region 5, OIC of the Director. 88/06/23. 2pp. 46169.230-46169.231.

8807130396 Insp Rept 50-397/88-20 on 880517-25. Violations noted: Major areas inspected: verification of OA request re diesel generator fuel oil, verification of BWR recirculation pump trip & motor-operated valve common mode failure. CALDWELL, C.W., JOHNSON, P.H. Region 5, OIC of the Director. 88/06/23. 11pp. 46169.232-46169.242.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8807130439 Forwards Mgt Meeting Rept 50-397/88-23 on 880607. Expresses concern about number & type of personnel error events at plant & errors in preparation of equipment clearances. Plans re personnel safety while doing maint. activities requested.

MARTIN, J.B. Region 5, OIC of the Director. 88/06/24. MAZUR, D.W. Washington Public Power Supply System. 3pp. 46167.243-46167.275.

8807130441 Mgt Meeting Rept 50-397/88-23 on 880607. Major areas discussed: enhancement to programs in response to SALP & safety sys Insp conducted in 1987 & concerns re number of personnel errors & near misses during beginning of 1988. CALDWELL, C.W., JOHNSON, P.H. Region 5, OIC of the Director. 88/06/23. 30pp. 46167.246-46167.275.

8807120631 Forwards draft SALP for June 1987 - May 1988 for review & comments by 880705. SAMWORTHY, R.B. Project Directorate V. 88/06/28. CRUTCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 17pp. 46121.081-46121.097.

8807190157 Forwards Insp Rept 50-397/88-22 on 880606-09 & notice of violation. Requests that full review critique of 880519 spcl of RWCU resin & advise NRC of corrective actions. SCARANO, R.A. Region 5, OIC of the Director. 88/06/29. SORENSEN, G.C. Washington Public Power Supply System. 3pp. 46209.241-46209.258.

8807190161 Notice of violation from Insp on 880606-09. Violation noted on 880512, individual entered radwaste bldg w/o being accompanied or provided w/ radiation monitoring device & on 880808, door to radwaste bldg not locked. SCARANO, R.A. Region 5, OIC of the Director. 88/06/29. 2pp. 46209.244-46209.245.

8807190165 Insp Rept 50-307/88-22 on 880606-09. Violation noted: Major areas inspected 880512 radioactive resins spcl in radwaste bldg which resulted in declaration of unusual event & facility tour. CICOTTE, G.R., YUHAS, G.P. Region 5, OIC of the Director. 88/06/29. 13pp. 46209.246-46209.258.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.103-46242.212.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/09. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807180324 Responds to IE Bulletin 88-004 re potential safety-related pump flow. Facility has no safety-related pumps w/ detrimental pump-to-pump interaction. Min flow line adequate as addressed in encl repts. SORENSEN, G.C. Washington Public Power Supply System. 88/07/08. Document Control Branch (Document Control Desk). 11pp. 46203.199-46203.209.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807210280 Responds to IE Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Relays Mfg by GE." HFA type relays not utilized in Class 1E safety-related applications at plant. SORENSEN, G.C. Washington Public Power Supply System. 88/07/13. Document Control Branch (Document Control Desk). 2pp. 46237.356-46237.357.

8807080386 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46267.258-46268.016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.208.

### R. Periodic operating reports & related correspondence

8807130415 Monthly operating rpt for June 1988 for WNP-2. W/880708 Ltr. HUTCHISON, L., POWERS, C.M. Washington Public Power Supply System. 88/06/30. 4pp. 46018.217-46018.220.

### S. Reportable occurrences, LERs & related correspondence

8807010046 LER 88-018-00 on 880522, noted that green status indicating light for div two emergency diesel generator start circuit not energized. Control power transfer switch was not in required position. Switch replaced. W/880621 Ltr. DAVIDSON, W.S., POWERS, C.M. Washington Public Power Supply System. 88/06/21. 4pp. 46017.209-46017.212.

8807050035 LER 88-020-00 on 880527, Tech Spec surveillance for reactor pressure vessel level switch channel function test not performed within required frequency. Caused by personnel error. Surveillance successfully completed W/880624 ltr.  
DAVIDSON, W.S., POWERS, C.M. Washington Public Power Supply System 88/06/24. 4pp 46025, 217-46025-220

8807070084 LER 88-010-00 on 880527, control room emergency filtration sys actuated on 880520. Caused by failure to reset balance-of-plant relay cabinet due to inadequate procedure. Trip condition reset W/880627 ltr.  
ARBUCKLE, J.D., POWERS, C.M. Washington Public Power Supply System 88/06/27. 5pp 46139 009-46139 013

8807060451 LER 88-014-00 on 880512, RWCU sys resin tank spill occurred. Caused by open RWCU sample line isolation valves RWCU-V-442 & 443. RWCU-V-442 & 443 tagged shut & de-energized & radwaste control room operator involved counseled W/880628 ltr.  
ARBUCKLE, J.D., POWERS, C.M. Washington Public Power Supply System 88/06/28 9pp. 46115 115-46115 123

8807110182 LER 88-021-00 on 880530, outboard nuclear steam supply shutoff sys Group B automatically isolated. Caused by inadvertent removal of trip logic circuit fuse by licensed operator. Operator counseled W/880629 ltr.  
WYRICK, T.R., POWERS, C.M. Washington Public Power Supply System 88/06/29 5pp 46140 260-46140 264.

8807210003 LER 88-022-00 on 880616, violation of fire zone in radwaste bldg cable spreading room. Caused by missing thermal lag insulation due to personnel error. Outline of 20 ft non-combustible zone will be taped on floor. W/880715 ltr.  
WASHINGTON, S.L., POWERS, C.M. Washington Public Power Supply System 88/07/15 5pp 46237 155-46237 159.

## DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

8806280254 Rev 13 to Emergency Plan PLP-201, "Emergency Plan" W/880623 ltr.  
HARRNESS, J.L., WATSON, R.A. Carolina Power & Light Co 88/06/02 23pp 45985-205-45985 307

8807010137 Rev 3 to Emergency Plan Implementing Procedure PEP-401, "Record Keeping & Documentation" W/880627 ltr.  
HARRNESS, J.L., WATSON, R.A. Carolina Power & Light Co 88/06/27 9pp. 46006 353-46006 361.

8807250067 Revised plant emergency procedures including Rev 1 to PEP-372, "Remote Monitoring/Decontamination Area - Cape Fear Plant" & Rev 1 to PEP-373, "Remote Monitoring/Decontamination Area - Harris Energy & ..." W/880712 ltr.  
HARRNESS, J.L., WATSON, R.A. Carolina Power & Light Co 88/07/12 22pp. 46269 236-46269 317.

### H. General correspondence

8807180292 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
EPTING, R. Affiliation Not Assigned 87/02/20. ZECH, L.W. Commissioners. 3pp. 46181-143-46181 145.

8807190037 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CHILDS, A. Affiliation Not Assigned. 87/02/27. CHILK NRC - No Detailed Affiliation Given 1p. 46177 352-46177 352.

8807120558 Requests that JL Willis be deleted from NRC distribution lists for correspondence re facility & be replaced by CS Hinnant at listed address effective 880711.  
LOFLIN, L.L. Carolina Power & Light Co. 88/07/08. Document Control Branch (Document Control Desk) 1p. 46163 358-46163 358.

### P. Operating license stage documents & correspondence

8808290399 Forwards summary of 880607 mgt meeting re activities authorized for Brunswick/Robinson & Harris facilities. Issues discussed re mgt overview of company nuclear program.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/16. UTLEY, E.E. Carolina Power & Light Co 5pp. 45974 348-45974 350.

8807110472 Forwards environ assessment & finding of no significant impact re physical effects for users of respiratory equipment, per 880130 request for exemption from 10CFR20.103(c)(2) requirements.  
BUCKLEY, B.C. Project Directorate II-1. 88/06/23. UTLEY, E.E. Carolina Power & Light Co 1p. 46100 178-46100 182.

-8807110479 Notice of environ assessment & finding of no significant impact re physical effects of users of respiratory equipment, per 10CFR20.103(c)(2).  
ADENSAME, E.G. Project Directorate II-1. 88/06/23. 4pp. 46100 178-46100 182.

8807120112 Forwards peaking factor limit repl for Cycle 2 for RAOC & base load operation.  
WATSON, R.A. Carolina Power & Light Co. 88/06/28. Document Control Branch (Document Control Desk) 8pp. 46135 255-46135 262.

8807120573 Forwards environ assessment & finding of no significant impact re 880421 request for exemption from 10CFR50.71(e)(3)(i).  
BUCKLEY, B.C. Project Directorate II-1. 88/07/08. UTLEY, E.E. Carolina Power & Light Co 2pp. 46154 050-46154 055.

-8807120621 Environ assessment & finding of no significant impact re 880421 request for exemption from 10CFR50.71(e) requirement concerning refilling complete FSAR as updated FSAR. Commission has declined not to prepare EIS.  
ADENSAME, E.G. Project Directorate II-1. 88/07/08. 4pp. 46154 052-46154 055.

8807150127 Forwards exemption from certain requirements of 10CFR20.103(c)(2), permitting licensee to administer physical exams for users of respiratory equipment every 9 to 15 months provided exams do not exceed 39 months.  
BUCKLEY, B.C. Project Directorate II-1. 88/07/08. UTLEY, E.E. Carolina Power & Light Co 2pp. 46183 038-46183 043.

-8807140246 Exemption from time interval of 10CFR20.103(c)(2) allowing administration of physical exams for users of respiratory equipment every 9 to 15 months provided exam periods do not exceed 39 months.  
VARGA, S.A. Division of Reactor Projects - I/II (Post 870411) 88/07/08. Carolina Power & Light Co 4pp. 46183 040-46183 043.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 257.

8807210224 Notification of 880715 meeting w/ultr in Rockville, MD to discuss steam generator tube rupture analysis.  
BUCKLEY, B.C. Project Directorate II-1. 88/07/13. MIRAGLIA, F.J., SHIELE, J. MIRAGLIA, F.J. NRC - No Detailed Affiliation Given. 3pp. 46237 175-46237 177.

8807190149 Forwards safety evaluation supporting ultr 880111, 0412 & 0510 descriptions of ATWS mitigating sys activation criteria proposal for installation.  
BUCKLEY, B.C. Project Directorate II-1. 88/07/14. UTLEY, E.E. Carolina Power & Light Co 1p. 46217 046-46217 055.

-8807190152 Safety evaluation supporting ultr proposed ATWS mitigating sys activation criteria per 10CFR50.62.  
Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/14 9pp. 46217 047-46217 055.

### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978 156-45978 266.

8806290107 Forwards Insp Rept 50-400/88-10 on 880502-06. No violations or deviations noted. Unresolved item identified in rept will be pursued during future inspections.  
FERD, A.R. Region 2, Ofc of the Director. 88/06/17. UTLEY, E.E. Carolina Power & Light Co. 2pp. 45984 249-45984 258.

-8806290112 Insp Rept 50-400/88-10 on 880502-06. No violations or deviations noted. Major areas inspected: complex surveillance testing IE bulletin followup & license action on previous insp items.  
TINGENS, J.A.P.E. Region 2, Ofc of the Director. 88/06/16 8pp. 45984 251-45984 258.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46240 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019 037-46019 152.

8807010056 Advises that ultr completed actions required by NRC Bulletin 88-033, "Inadequate Latch Engagement in IFA Type Latching Relays Mig by GF." No HFA relays used in 11B Robinson & Shearon Harris plants.  
EURY, L.W. Carolina Power & Light Co. 88/06/22. Document Control Branch (Document Control Desk) 4pp. 46020 233-46020 238.

8807130097 Forwards Insp Rept 50-400/88-14 on 880523-27. No violations or deviations noted.  
COLLINS, D.M. Region 2, Ofc of the Director. 88/06/22. UTLEY, E.E. Carolina Power & Light Co. 4pp. 46165 028-46165 039.

-8807130120 Insp Rept 50-400/88-14 on 880523-27. No violations or deviations noted. Major areas inspected: facility radiation protection program including organization & mgt controls, training & qualifications & external exposure control.  
BASSETT, C.H., HOSEY, C.M. Region 2, Ofc of the Director. 88/06/14. 10pp. 46165 030-46165 039.

8807130317 Forwards Insp Rept 50-400/88-11 on 880420-0520 & notice of violation.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/22. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46170 317-46170 330.

-8807130321 Notice of violation from Insp on 880420-0520. Violation noted: licensee unknowingly placed unit under requirements of Tech Spec 3.0.3 by allowing testing of A train solid state protection sys to proceed.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/22. 2pp. 46170 319-46170 320.

-8807130322 Insp Rept 50-400/88-11 on 880420-0520. Violations noted. Major areas inspected: operational safety verification, monthly maint observation & emergency response facilities appraisal.  
MAXWELL, G.F., FREDRICKSON, P. Region 2, Ofc of the Director. 88/06/16 10pp. 46170 321-46170 330.

8807120506 Forwards Insp Rept 50-400/88-15 on 880520-0611. No violations or deviations noted.  
VERRELLI, D.M. Region 2, Ofc of the Director. 88/06/23. UTLEY, E.E. Carolina Power & Light Co. 2pp. 46145 147-46145 153.

MAXWELL,G.F., FREDERICKSON,P. Region 2, Ofc of the Director. 88/08/23. 5pp. 46145:149-46145:153.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:285.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

8807050516 Forwards Exam Rept 50-400/OL-88-01 administered on 880425-28 JULIAN,C.A. Region 2, Ofc of the Director. 88/06/27. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46075:007-46075:315.

-8807050521 Exam Rept 50-400/OL-88-01 on 880425-28 Exam results:11 reactor operator: candidates passed written & operating tests & one senior reactor operator candidate passed written re-examination test.  
DEAN,W.M., BROCKMAN,K.E. Region 2, Ofc of the Director. 88/06/10. 258pp. 46075:009-46075:266.

-8807050529 Submits comments re NRC written senior reactor operator & reactor operator exams received on 880425  
WATSON,R.A. Carolina Power & Light Co. 88/05/02. DEAN,W. Region 2, Ofc of the Director. 49pp. 46075:267-46075:315.

8807120436 Forwards Insp Rept 50-400/88-18 on 880806:09 No violations or deviations noted.  
COLLINS,D.M. Region 2, Ofc of the Director. 88/06/30. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46150:341-46150:349.

-8807120438 Insp Rept 50-400/88-18 on 880806:09 No violations or deviations noted:Major areas inspected:radio cal confirmatory measurements  
HUGHEY,C.A., MARSTON,R.R., BERMUDEZ,H. Region 2, Ofc of the Director. 88/06/30. 7pp. 46150:343-46150:349.

8807190009 Ack receipt of 880810 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-400/88-38.  
GIBSON,A.F. Region 2, Ofc of the Director. 88/07/05. UTLEY,E.E. Carolina Power & Light Co. 1p. 46206:169-46206:169.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807140248 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Boric acid transfer pump operating procedures will be reviewed & addl administrative restrictions implemented.  
MCDUFFIE,M.A. Carolina Power & Light Co. 88/07/08. Document Control Branch (Document Control Desk). 2pp. 46177:237-46177:238.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258:016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:088-46257:206.

#### R. Periodic operating reports & related correspondence

8807180372 Monthly operating rept for June 1988 for Harris Nuclear Project,Unit 1.W/ 880713 ltr.  
HALE,M.W., WATSON,R.A. Carolina Power & Light Co. 88/06/30. 5pp. 46203:194-46203:198.

#### S. Reportable occurrences, LERs & related correspondence

8807130082 LER 88-013:00:00 on 880803:emergency bus 1A-SA deenergized resulting in automatic start of emergency diesel generator 1A-SA.Cause undetermined:Failure of battery room ventilation damper traced to sticking limit switch.W/880705 ltr.  
JOHNSON,J.R., WATSON,R.A. Carolina Power & Light Co. 88/07/05. 5pp. 46165:013-46165:017.

#### V. Operator Examinations

8807050516 Forwards Exam Rept 50-400/OL-88-01 administered on 880425-28 JULIAN,C.A. Region 2, Ofc of the Director. 88/06/27. UTLEY,E.E. Carolina Power & Light Co. 2pp. 46075:007-46075:315.

DEAN,W.M., BROCKMAN,K.E. Region 2, Ofc of the Director. 88/08/10. 258pp. 46075:009-46075:266.

-8807050529 Submits comments re NRC written senior reactor operator & reactor operator exams received on 880425.  
WATSON,R.A. Carolina Power & Light Co. 88/05/02. DEAN,W. Region 2, Ofc of the Director. 49pp. 46075:267-46075:315.

#### DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

##### Q. Inspection reports, IE Bulletins & correspondence

8807120282 EN-88-059 informs Commission of order modifying licenses & notices of violation & deviation being issued to Univ of Utah based on licensee failure to take prompt corrective actions re number of audit findings  
LUEIAM,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/07/08. 1p. 46156:279-46156:279.

#### DOCKET 60-409 LA CROSSE BOILING WATER REACTOR

##### F. Security, medical, emergency & fire protection plans

8807140110 Forward's safety evaluation supporting Rev 10 to emergency plan.  
RUBENSTEIN,L.S. Standardization & Non-Power Reactor Project Directorate. 88/07/08. TAYLOR,J.W. Dairyland Power Cooperative. 5pp. 46176:331-46176:343.

-8807140111 Safety evaluation supporting Rev 10 to emergency plan  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/08. 8pp. 46176:336-46176:343.

##### P. Operating license stage documents & correspondence

8807130448 Forwards request for addl info re proposed decommissioning plan & amend to Tech Specs per 871221 & 880222 applications. Response requested by 880815  
ERICKSON,P.B. Standardization & Non-Power Reactor Project Directorate. 88/07/07. TAYLOR,J.W. Dairyland Power Cooperative. 11pp. 46169:163-46169:173.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation ambient/monitor of reactor vessel malts & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

##### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:162.

8807060330 Responds to NRC Bulletin 88-005 & Suppl 1 to bulletin re nonconforming malts supplied by Piping Suppliers,Inc.Review of procurement documents indicated that no procurement made w/Piping Suppliers,Inc.  
TAYLOR,J.W. Dairyland Power Cooperative. 88/06/22. Document Control Branch (Document Control Desk). 2pp. 46102:182-46102:183.

8807060346 Responds to NRC 880803 ltr re violations noted in Insp Rept 50-400/88-08.Semiannual whole body counts required by procedure but not by regulation.  
TAYLOR,J.W. Dairyland Power Cooperative. 88/06/22. DAVIS,A.B. Region 3, Ofc of the Director. 3pp. 46103:276-46103:278.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:285.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46010:266-46020:018.

8807050105 Advises that NRC Bulletin 88-007 re power oscillations in BWRs no longer applies to facility.Facility permanently shut down on 870430.Spent fuel transferred to storage wall & License DPR 45 amended to possess-but-not-operate status  
TAYLOR,J.W. Dairyland Power Cooperative. 88/06/24. Document Control Branch (Document Control Desk). 2pp. 46087:350-46087:351.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.



ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807120291 NRC Info Notice 88-049, "Licensee Rept of Defective Refurbished Valves" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:109.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807250106 Responds to NRC Bulletin 87-002, Suppls. 1 & 2, "Fastener Testing to Determine Conformance With Applicable Matt Specs." Fastener purchases will be monitored through procurement control & receipt insp processes.  
TAYLOR,J.W. Dairyland Power Cooperative. 88/07/15. Document Control Branch (Document Control Desk). 2pp. 46268:249-46268:250.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258:018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257:206.

## V. Operator Examinations

8807120200 Forwards draft Rev 5 to ES-801, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT,G.C. Region 3, OIC of the Director. 88/06/23. POLSEAN,M. Dairyland Power Cooperative. 1p. 46149:355-46149:355.

## DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

## F. Security, medical, emergency & fire protection plans

8807080158 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-220/88-08 & 50-410/88-07. Corrective actions operability of detection in affected areas verified, fire watch patrol posted & plus 25% tolerance of Type B tests removed.  
PERKINS,T.J. Niagara Mohawk Power Corp. 88/06/30. Document Control Branch (Document Control Desk). 5pp. 46139:188-46139:192.

8807150278 Revised emergency plan implementing procedures, including Rev 9 to EPP-3, "Search & Rescue." Rev 12 to EPP-4, "Personal Illness or Injury" & Rev 10 to EPP-8, "Onsite & Offsite Radiological Dose Assessment Procedure." W/880630 ltr.  
GORDON,C.E., BERATTA,J.P., TERRY,C.D. Niagara Mohawk Power Corp. 88/06/30. 150pp. 46187:038-46188:020.

8807180057 Forwards amended SALP Repts 50-220/86-98 & 50-410/87-99 for Nov 1986 - Feb 1988 & Feb 1987 - Feb 1988, respectively.  
RUSSELL,W.T. Region 1, OIC of the Director. 88/07/01. ENDRIES,J.M. Niagara Mohawk Power Corp. 3pp. 46200:041-46200:174.

8807180087 Amended SALP Repts 50-220/86-98 & 50-410/87-99 for Nov 1986 - Feb 1988 & Feb 1987 - Feb 1988, respectively. Licensee has shown limited success w/ its efforts to improve previously identified weaknesses.  
\* Region 1, OIC of the Director. 88/07/01. 100pp. 46200:044-46200:174.

8807150179 Forwards Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively & safety evaluation. Amends change Tech Specs to require compliance w/amended physical security plan per 10CFR73.55 search requirements.  
HAUGHEY,M.F. Project Directorate I-1. 88/07/05. MANGAN,C.V. Niagara Mohawk Power Corp. 4pp. 46185:341-46185:351.

8807150180 Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively, changing Tech Specs to require compliance w/amended physical security plan per 10CFR73.55 re search requirements.  
CAPRA,R.A. Project Directorate I-1. 88/07/05. 4pp. 46185:345-46185:348.

8807150182 Safety evaluation supporting Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively.  
\* NRC - No Detailed Affiliation Given. 88/07/05. 4pp. 46185:349-46185:351.

8807200192 Forwards Safety Insp Repts 50-220/88-22 & 50-410/88-23 on 880620-24. Stated significant deficiencies re Unit 1 should be addressed prior to restart. Response re stated deficiencies requested within 30 days of receipt of ltr.  
JOHNSTON,W.V. Region 1, OIC of the Director. 88/07/08. MANGAN,C.V. Niagara Mohawk Power Corp. 3pp. 46221:245-46221:277.

8807200195 Insp Repts 50-220/88-22 & 50-410/88-23 on 880620-24. No violations noted. Major areas inspected: emergency operating procedures (EOPs), including comparison of EOPs w/BWR Owners Group emergency procedure guidelines.  
FLOREK,D.J. Region 1, OIC of the Director. 88/07/07. 30pp. 46221:248-46221:277.

8807190314 Forwards changes to security training & qualification plan. Changes withheld (ref 10CFR2.700).  
BERATTA,J.P. Niagara Mohawk Power Corp. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46206:258-46206:259.

8807190322 Forwards changes to physical security plan. Supporting info also encl. Ends withheld (ref 10CFR73.21).  
BERATTA,J.P. Niagara Mohawk Power Corp. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 46206:202-46206:202.

8807210038 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
KEATING,T.H. Affiliation Not Assigned. 87/03/24. REAGAN,R. President of U.S. & Executive Offices. 1p. 46277:006-46277:006.

8807220159 Comments on proposed rule 10CFR50 re cooperative efforts between state & NRC w/respect to commercial nuclear power plants & other nuclear production or utilization facilities.  
WALSH,G.F. New York, State. 88/07/08. Docking & Services Branch. 3pp. 46220:320-46220:322.

## P. Operating license stage documents & correspondence

8807120401 Forwards safety evaluation accepting revised safety relief valve & condensation oscillation loads per NUREG-0802 & NUREG-0808 & temp cutoff value used for elimination of data base for load computations.  
HAUGHEY,M.F. Project Directorate I-1. 88/06/29. MANGAN,C.V. Niagara Mohawk Power Corp. 3pp. 46111:309-46111:314.

8807120404 Safety evaluation accepting revised safety relief valves & condensation oscillation loads per NUREG-0802 & NUREG-0808 & temp cutoff value used for elimination of data base for load computations.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/29. 3pp. 46111:312-46111:314.

8807150179 Forwards Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively & safety evaluation. Amends change Tech Specs to require compliance w/amended physical security plan per 10CFR73.55 search requirements.  
HAUGHEY,M.F. Project Directorate I-1. 88/07/05. MANGAN,C.V. Niagara Mohawk Power Corp. 4pp. 46185:341-46185:351.

8807150180 Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively, changing Tech Specs to require compliance w/amended physical security plan per 10CFR73.55 re search requirements.  
CAPRA,R.A. Project Directorate I-1. 88/07/05. 4pp. 46185:345-46185:348.

8807150182 Safety evaluation supporting Amends 100 & 6 to Licenses DPR-63 & NPF-69, respectively.  
\* NRC - No Detailed Affiliation Given. 88/07/05. 4pp. 46185:349-46185:351.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.98 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

8807250117 Identifies errors in 880614 application for amend to License NPF-68, revising Tech Specs re limiting conditions for operation.  
HAUGHEY,M.F. Project Directorate I-1. 88/07/18. MANGAN,C.V. Niagara Mohawk Power Corp. 3pp. 46278:333-46278:335.

## Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266.

8807010619 Ack receipt of 880509 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-220/88-04 & 50-410/88-05.  
BELLAMY,R.R. Region 1, OIC of the Director. 88/06/21. MANGAN,C.V. Niagara Mohawk Power Corp. 2pp. 46018:332-46018:336.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

8806280376 Responds to NRC 880516 ltr re violations noted in Insp Rept 50-410/88-10. On job training for electrical & mechanical maint individuals fully implemented on 881030. Training for current enrollees continuing according to approved matrix.  
WILLIS,J.L. Niagara Mohawk Power Corp. 88/06/22. Document Control Branch (Document Control Desk). 5pp. 45985:308-45985:312.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:163-46019:265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

8807080580 Advises that licensee unable to respond to violations noted in Insp Repts 50-220/88-08 & 50-410/88-07 by due date due to Unit 1 outage activities & heavy work load in other areas. Response will be submitted by 880701.  
MANGAN,C.V. Niagara Mohawk Power Corp. 88/06/28. Document Control Branch (Document Control Desk). 1p. 46114:296-46114:298.



8607080156 Responds to NRC 880525 ltr re violations noted in Insp Repts 50-220/88-CB & 50-410/88-07. Corrective actions operability of detection in affected areas verified. Fire watch patrol posted & plus 25% tolerance of Type B tests removed. PERKINS, T.J. Niagara Mohawk Power Corp. 88/08/30 Document Control Branch (Document Control Desk). 5pp. 46139 188-46139 182.

8607180057 Forwards amended SALP Repts 50-220/86-99 & 50-410/87-99 for Nov 1986 - Feb 1988 & Feb 1987 - Feb 1988, respectively. RUSSELL, W.T. Region 1, OIC of the Director. 88/07/01. ENDRIES, J.M. Niagara Mohawk Power Corp. 3pp. 46200 041-46200 174.

-8607180087 Amended SALP Repts 50-220/86-99 & 50-410/87-99 for Nov 1986 - Feb 1988 & Feb 1987 - Feb 1988, respectively. Licensee has shown limited success w/ initiatives to improve previously identified weaknesses. \* Region 1, OIC of the Director. 88/07/01. 100pp. 46200 044-46200 174.

8607200146 Forwards Insp Rept 50-410/88-08 on 880418-22 & notice of violation. JOHNSTON, W.V. Region 1, OIC of the Director. 88/07/06. MANGAN, C.V. Niagara Mohawk Power Corp. 2pp. 46220 305-46220 328.

-8607200149 Notice of violation from Insp on 880418-22 Violation noted: qualification of Raychem cable splices re stated Rosemount transmitters not demonstrated, seal length less than required. \* Region 1, OIC of the Director. 88/07/06. 1p. 46220 307-46220 307.

-8607200150 Insp Rept 50-410/88-08 on 880418-22 Violations noted. Major areas inspected program implementation for establishing & maintaining qualification of electrical equipment within 10CFR50.49 scope. CHEUNG, L. ANDERSON, C.J. Region 1, OIC of the Director. 88/08/27. 21pp. 46229 308-46229 328.

8606300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

8607190290 Submits listed changes to unit 880609 comments on SALP, including advice that review of nonradiological chemistry program revised to more accurately describe how review performed. TERRY, C.D. Niagara Mohawk Power Corp. 88/07/07. Document Control Branch (Document Control Desk). 4pp. 46259 050-46259 053.

8607080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8607200192 Forwards Safety Insp Repts 50-220/88-22 & 50-410/88-23 on 880620-24. Stated significant deficiencies on Unit 1 should be addressed prior to restart. Response re stated deficiencies requested within 30 days of receipt of ltr. JOHNSTON, W.V. Region 1, OIC of the Director. 88/07/08. MANGAN, C.V. Niagara Mohawk Power Corp. 3pp. 46221 245-46221 277.

-8607200195 Insp Repts 50-220/88-22 & 50-410/88-23 on 880620-24. No violations noted. Major areas inspected emergency operating procedures (EOPs), including comparison of EOPs w/ BWR Owners Group emergency procedure guidelines. FLOREK, D.J., GALLO, R.M. Region 1, OIC of the Director. 88/07/07. 36pp. 46221 248-46221 277.

8607120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 068-46242 108.

8607080388 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8607120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 283-46242 005.

8607120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257 258-46258 016.

8607180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 088-46257 208.

## R. Periodic operating reports & related correspondence

8607260219 Forwards monthly operating report for June 1988 & corrected operating data report for May 1988 for Nine Mile Point Unit 2. WILLIS, J.L. Niagara Mohawk Power Corp. 88/07/12. Document Control Branch (Document Control Desk). 1p. 46274 160-46274 176.

-8607260222 Monthly operating report for June 1988 for Nine Mile Point Unit 2. TOMLINSON, E. Niagara Mohawk Power Corp. 88/08/30. 14pp. 46274 161-46274 174.

-8607260225 Corrected operating data report for May 1988 for Nine Mile Point Unit 2. TOMLINSON, E. Niagara Mohawk Power Corp. 88/05/31. 2pp. 46274 175-46274 176.

## S. Reportable occurrences, LERs & related correspondence

8607010107 PNO-1-88-087 on 880822, reactor scram occurred from approx 100% power. Caused by low reactor vessel level resulting from malfunction & closure of

8607080159 LER 88-018-01 on 880405, surveillance interval for primary containment penetration (PCPI) exceeded. Caused by personnel error. Surveillance tracking sys upgraded on 880505 sealing mechanism for PCPI reported missing. WILLIS, J.L. Niagara Mohawk Power Corp. 88/07/01. 10pp. 46136 163-46136 172.

8607110100 LER 88-024-00 on 880605, ESF actuation occurred due to resetting of failed radiation monitor microcomputer. Caused by lack of personnel training. Defective cards & modules in RE14B microcomputer & DRMS panel replaced. WILLIS, J.L. Niagara Mohawk Power Corp. 88/07/01. 5pp. 46141 215-46141 219.

8607200220 LER 88-019 00 on 880602, facility experienced reactor scram from approx 25.5% of rated thermal power. Caused by failure of position feedback linkage due to inadequate design. Development of procedures underway. WILLIS, J.L. Niagara Mohawk Power Corp. 88/07/11. 8pp. 46222 142-46222 149.

8607210005 LER 88-023-00 on 880615, DHF capability of standby gas treatment sys did not meet single failure criteria of Reg Guide 1.52. Caused by procedural deficiency. Engineering analysis & equipment mods accomplished. WILLIS, J.L. Niagara Mohawk Power Corp. 88/07/15. 8pp. 46236 054-46236 061.

## V. Operator Examinations

8607180057 Forwards amended SALP Repts 50-220/86-99 & 50-410/87-99 for Nov 1986 - Feb 1988 & Feb 1987 - Feb 1988, respectively. RUSSELL, W.T. Region 1, OIC of the Director. 88/07/01. ENDRIES, J.M. Niagara Mohawk Power Corp. 3pp. 46200 041-46200 174.

-8607180087 Amended SALP Repts 50-220/86-99 & 50-410/87-99 for Nov 1986 - Feb 1988 & Feb 1987 - Feb 1988, respectively. Licensee has shown limited success w/ initiatives to improve previously identified weaknesses. \* Region 1, OIC of the Director. 88/07/01. 100pp. 46200 044-46200 174.

## DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

## F. Security, medical, emergency & fire protection plans

8607010341 Forwards Resident Safety Insp Repts 50-334/88-17 & 50-412/88-13 on 880501-31. No violations noted. WIGGINS, J.T. Region 1, OIC of the Director. 88/06/21. SIEBER, J.D. Duquesne Light Co. 2pp. 46008 057-46008 071.

-8607010349 Resident Insp Repts 50-334/88-17 & 50-412/88-13 on 880501-31. No violations noted. Major areas inspected plant operations, physical security, radiological controls, plant housekeeping & fire protection, surveillance testing & maint. TRIPP, L.E. Region 1, OIC of the Director. 88/06/20. 13pp. 46008 059-46008 071.

## P. Operating license stage documents & correspondence

8607010060 Provides history leading to & justification for ducting pumps control from refrigeration pumps from Rev 2 to inservice testing program. SIEBER, J.D. Duquesne Light Co. 88/06/20. Document Control Branch (Document Control Desk). 1p. 46018 328-46018 327.

8607050244 Forwards application for amend to License NPF-73, consisting of Proposed Change Request 8, Amend revises pressurizer & main steam code safety valve requirements to reflect lift pressure setpoint tolerance of +1% - 3%. Fee paid. SIEBER, J.D. Duquesne Light Co. 88/06/22. Document Control Branch (Document Control Desk). 1p. 46028 014-46028 023.

-8607050254 Application for amend to License NPF-73, consisting of Proposed Change Request 8, revising pressurizer & main steam code safety valve requirements to reflect lift pressure setpoint tolerance of +1% - 3%. SIEBER, J.D. Duquesne Light Co. 88/06/22. 2pp. 46028 015-46028 016.

-8607050255 Proposed Tech Specs re pressurizer code safety valve. \* Duquesne Light Co. 88/06/22. 7pp. 46028 017-46028 023.

8607060493 Forwards application for amendments to Licenses DPR-66 & NPF-73, consisting of Proposed Change Request 153/14 re revising source range instrumentation channels surveillance requirements of Table 4-3-1 & correcting typos. Fee paid. SIEBER, J.D. Duquesne Light Co. 88/06/22. Document Control Branch (Document Control Desk). 1p. 46114 234-46114 243.

-8607060495 Application for amend to Licenses DPR-66 & NPF-73, revising source range instrumentation channels surveillance requirements of Table 4-3-1 & correcting typos in Action 6 of Table 3-1. SIEBER, J.D. Duquesne Light Co. 88/06/22. 3pp. 46114 235-46114 237.

-8607060497 Proposed Tech Specs 3/4 1-22 & 3/4 3-6 & Tables 4-3-1 & 3-3-1, revising source range instrumentation channels surveillance requirements of Table 4-3-1 & correcting typos in Action 5 of Table 3-1. \* Duquesne Light Co. 88/06/22. 6pp. 46114 238-46114 243.

8607060573 Forwards application for amendments to Licenses DPR-66 & NPF-73, safety analysis & no significant hazards evaluation. SIEBER, J.D. Duquesne Light Co. 88/06/22. Document Control Branch (Document Control Desk). 1p. 46103 187-46103 214.

-8607060580 Application for amendments to Licenses DPR-66 & NPF-73, amending Tech Specs to add footnote to Table 3-6-1, excluding weight & spring loaded containment isolation check valves from Tech Spec 3/4 6.3 surveillance requirements. Fee paid. SIEBER, J.D. Duquesne Light Co. 88/06/22. 1p. 46103 198-46103 198.

-8607060581 Proposed Tech Specs 3/4 6, excluding weight & spring loaded contain-

## 150 DOCKETED ITEMS

**8807060474** Forwards application for amendments to Licenses DPR-66 & NPF-73, changing surveillance frequency from monthly to refueling for Table 4-3-1, safety injection input from ESF.  
SIEBER, J.D. Duquesne Light Co. 88/06/27. Document Control Branch (Document Control Desk). 1p. 46103 312-46103 330.

**8807060478** Application for amendments to Licenses DPR-66 & NPF-73, changing surveillance frequency from monthly to refueling for Table 4-3-1 and removing requirement to test RHR pumps on recirculation flow. Fee paid.  
SIEBER, J.D. Duquesne Light Co. 88/06/27. 1p. 46103 313-46103 313.

**8807060481** Proposed Tech Specs 3/4, changing surveillance frequency from monthly to refueling for Table 4-3-1, safety injection input from ESF and deleting BV-1 & BV-2 turbine driven pump discharge pressure low inhibiting signal from ESF tables.  
Duquesne Light Co. 88/06/27. 17pp. 46103 314-46103 330.

**8807060549** Forwards application for amendment to License NPF-73, consisting of Proposed CL Change Request 6, revising requirements of Action 36 & incorporating editorial changes to reflect Tech Specs Fee paid.  
SIEBER, J.D. Duquesne Light Co. 88/06/27. Document Control Branch (Document Control Desk). 1p. 46097 333-46097 349.

**8807060552** Application for amendment to License NPF-73, revising reporting requirements of Action 36 & incorporating editorial changes to reflect plant Tech Specs.  
SIEBER, J.D. Duquesne Light Co. 88/06/27. 2pp. 46097 334-46097 335.

**8807060562** Proposed Tech Specs, revising reporting requirements of Action 36 & incorporating editorial changes.  
Duquesne Light Co. 88/06/27. 14pp. 46087 336-46087 340.

**8807140122** Forwards application for amendment to License NPF-73, consisting of License Change Request 11, revising emergency diesel generator surveillance requirement to include backup phase fault protection. Fee paid.  
SIEBER, J.D. Duquesne Light Co. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46178 278-46178 284.

**8807140124** Application for amendment to License NPF-73 amending Tech Specs to revise emergency diesel generator surveillance requirements to include backup phase fault protection.  
SIEBER, J.D. Duquesne Light Co. 88/06/30. 2pp. 46178 280-46178 281.

**8807140125** Proposed Tech Specs re surveillance requirements for emergency diesel generator backup phase fault protection.  
Duquesne Light Co. 88/06/30. 3pp. 46178 282-46178 284.

**8807210061** Requests NRC certification of licensee radioactive liquid waste equipment & piping as water pollution control sys. Application & notice of state certification for corporation tax benefits for air & water pollution control devices encl.  
SIEBER, J.D. Duquesne Light Co. 88/07/06. Document Control Branch (Document Control Desk). 6pp. 46235 020-46235 025.

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg G, do 1,99 encl.  
MIRAGLIA, F. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 257.

**8807180345** Approves 880520 justification for exclusion of radiation monitoring sys from leak reduction program per TMI Item III D.1.1 re post-accident coolant leakage item tracking completed.  
TAM, P.S. Project Directorate I-4. 88/07/12. SIEBER, J.D. Duquesne Light Co. 2pp. 46194 359-46194 359.

### Q. Inspection reports, IE Bulletins & correspondence

**8807180093** FOIA request for agency records & info re Insp Repts 50-334/88-16 & 50-412/88-11 did 880517.  
BAUMAN, L. Government Accountability Project. 88/06/08. NRC - No Detailed Affiliation Given. 2pp. 45527 335-45527 336.

**8806130168** NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 150-45978 288.

**8807210341** Forwards Resident Safety Insp Repts 50-334/88-17 & 50-412/88-13 on 880501-31. No violations noted.  
WIGGINS, J.T. Region 1, Ofc of the Director. 88/06/21. SIEBER, J.D. Duquesne Light Co. 2pp. 46008 057-46008 071.

**8807210349** Resident Insp Repts 50-334/88-17 & 50-412/88-13 on 880501-31. No violations noted. Major areas inspected: plant operations, physical security, radiological controls, plant housekeeping & fire protection, surveillance testing & maint.  
TRIPP, L.E. Region 1, Ofc of the Director. 88/06/20. 13pp. 46008 059-46008 071.

**8807210380** Forwards Insp Repts 50-334/88-18 & 50-412/88-14 on 880509-13 & notice of violation.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/06/21. SIEBER, J.D. Duquesne Light Co. 2pp. 46008 205-46008 217.

**8807210387** Insp Repts 50-334/88-18 & 50-412/88-14 on 880509-13. Violations noted. Major areas inspected: licensee action on previous findings, organization & staffing, external ALARA, external & internal exposure controls & startup testing.  
NIMITZ, R.L., SHANBAKY, M.M. Region 1, Ofc of the Director. 88/06/20. 10pp. 46008 208-46008 217.

**8806180340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 326-46240 201.

**8806170033** NRC Info Notice 88-041, "Physical Protection Westinghouse Identified

**8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019 037-46019 152.

**8806210038** NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 255.

**8806240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018.

**8807120054** Informs that all Class 1E DS-418 breakers now in use comply w/NRC Bulletin 88-001 re defects in Westinghouse circuit breakers.  
SIEBER, J.D. Duquesne Light Co. 88/06/30. Document Control Branch (Document Control Desk). 3pp. 46154 210-46154 212.

**8807130163** Responds to IE Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays May Be GE." No HFA relays identified as being installed or planned for installation in safety-related sys at plant.  
SIEBER, J.D. Duquesne Light Co. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46170 020-46170 021.

**8806300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

**8807080008** NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

**8807190017** Informs that unit response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
TAM, P.S. Project Directorate I-4. 88/07/08. SIEBER, J.D. Duquesne Light Co. 2pp. 46208 188-46208 187.

**8807200153** Forwards Safety Insp Repts 50-334/88-19 & 50-412/88-16 on 880516-20. No violations noted.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/11. SIEBER, J.D. Duquesne Light Co. 2pp. 46240 077-46240 083.

**8807200165** Insp Repts 50-334/88-19 & 50-412/88-16 on 880516-20. No violations noted. Major areas inspected: radioactive gaseous & liquid effluent controls program including radioactive discharges & radiation monitoring sys cal brs & tests.  
DAVIDSON, B.S., PASCIAK, W.J. Region 1, Ofc of the Director. 88/07/07. 5pp. 46240 079-46240 083.

**8807120291** NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 008-46242 108.

**8807080366** NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

**8807120550** NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

**8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16. Consolidated Edison Co. of New York, Inc. 118pp. 46257 258-46258 016.

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 206.

### R. Periodic operating reports & related correspondence

**8807080029** Monthly operating reports for May 1988 for Beaver Valley Units 1 & 2/W/ 880810 lr.  
WINGER, M.A., SIEBER, J.D. Duquesne Light Co. 88/05/31. 12pp. 46136 239-46136 250.

**8807210292** Monthly operating reports for June 1988 for Beaver Valley Power Station Units 1 & 2/W/ 880712 lr.  
WINGER, M.A., SIEBER, J.D. Duquesne Light Co. 88/06/30. 9pp. 46236 161-46236 169.

### S. Reportable occurrences, LERs & related correspondence

**8807130135** LER 88-008-00, since Jul 1987, five failures of Brown Boveri ITE 51 overcurrent relays experienced. Caused by short circuiting of output silicon control rectifier due to impurities. Problem also reportable per 10CFR 21.W/880705 lr.  
NOONAN, T.P. Duquesne Light Co. 88/07/05. 8pp. 46163 247-46163 254.

### DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

### F. Security, medical, emergency & fire protection plans

8806290149 Forwards Insp Repts 50-413/88-21 & 50-414/88-21 on 880516. 20 No violations or deviations noted.  
HERDT, A.R. Region 2, OIC of the Director. 88/06/17. TUCKER, H.B. Duke Power Co. 2pp 45984 294-45984 309.

-8806290152 Insp Repts 50-413/88-21 & 50-414/88-21 on 880516. 20 No violations or deviations noted. Major areas inspected seismic monitoring program, fire protection/prevention & followup on previously identified open items.  
HARRIS, J.R., CONLON, T.E. Region 2, OIC of the Director. 88/06/15. 14pp 45984 296-45984 309.

8807060295 Forwards Safeguards Insp Repts 50-413/88-23 & 50-414/88-23 on 880637-10. Violations noted. Violations not being cited. Encl w/exception of cover ltr withh'd (ref 10CFR2 790(d) & 73 21).  
CLINE, W.E. Region 2, OIC of the Director. 88/06/23. TUCKER, H.B. Duke Power Co. 2pp 46108 354-46108 356.

-8807060299 Partially withh'd Insp Repts 50-413/88-23 & 50-414/88-23 on 880607-10. Violation noted. Major areas inspected security plan & implementing procedures, mgmt effectiveness, security program & organization, records & repts & alarm stations.  
TILLMAN, A., MCGUIRE, D.R. Region 2, OIC of the Director. 88/06/22. 1p. 46109 356-46109 356.

8807120603 Forwards Insp Repts 50-413/88-19 & 50-414/88-19 on 880517-20 & 0603. No violations or deviations noted.  
COLLINS, D.M. Region 2, OIC of the Director. 88/06/23. TUCKER, H.B. Duke Power Co. 2pp 46155 087-46155 094.

-8807120605 Insp Repts 50-413/88-19 & 50-414/88-19 on 880517-20 & 0603. No violations or deviations noted. Major areas inspected emergency plan & implementing procedures, emergency facilities & organization & mgmt control.  
DECKER, T.R., KHEH, L.R. Region 2, OIC of the Director. 88/06/21. 6pp 46155 089-46155 094.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

8807050028 Update to FSAR for Catawba Nuclear Station W/880630 ltr.  
TUCKER, H.B. Duke Power Co. 88/06/30. 784pp 46027 010-46029 083.

#### P. Operating license stage documents & correspondence

8807070576 Forwards "Final Design Description, ATWS Mitigation Sys Activation Circularity" & "ATWS Mitigation Sys Activation Circularity Response to Unit Transients," based on mods to plants to install modified Options 3 in design package.  
TUCKER, H.B. Duke Power Co. 88/06/01. Document Control Branch (Document Control Desk). 2pp. 46118 331-46119 099.

-8807080070 Item 2 to "ATWS Mitigation Sys Activation Circularity (AMSAC)"  
\* Duke Power Co. 88/05/20. 63pp 46118 334-46119 047.

8807080059 Forwards summary of 880600 meeting in Region II of re emergency diesel generator reliability concerns. List of attendees, brief meeting summary & att'l handout also encl.  
REYES, L.A. Region 2, OIC of the Director. 88/06/20. TUCKER, H.B. Duke Power Co. 3pp 46116 336-46117 012.

8807120074 Approves Duke Power Co request for withholding proprietary WCAP-11581, "Tubeshoot Reg on Plugging Criteria for Duke Power Co Catawba Unit 1, Nuclear Station Steam Generators," (ref 10CFR2 780(b)(5)).  
JABBOUR, K.N. Project Directorate II-3. 88/06/23. WIESEMANN, R.A. Westinghouse Electric Corp. App. 46113 303-46113 306.

8807010443 Notification of 880719 meeting w/atl in Rockville, MD to discuss att'l direct generation response spectra & structural reduction program.  
JABBOUR, K.N. Project Directorate II-3. 88/06/24. MATTHEWS, D.B. Project Directorate II-3. 4pp. 45975 356-45975 359.

8807110538 Forwards onvion assessment & finding of no significant impact to 880401 request for amends to Licenses NPF-35 & NPF-52. Amends would change Tech Spec 5.3.1, "Fuel Assemblies".  
JABBOUR, K.N. Project Directorate II-3. 88/06/24. TUCKER, H.B. Duke Power Co. 3pp. 46100 189-46100 208.

-8807110541 Environ assessment & finding of no significant impact re amends to Licenses NPF-35 & NPF-52, revising Tech Spec 5.3.1, "Fuel Assemblies." Commission has decided not to prepare EIS for proposed amends.  
MATTHEWS, D.B. Project Directorate II-3. 88/06/28. 5pp. 46100 202-46100 208.

8807120375 Forwards safety evaluations re fracture toughness requirements for protection against PTS events, per 10CFR50.61. NRC finds pressure vessel PTS rel temp acceptable subj to condition re rev of peak fluence methodology.  
JABBOUR, K.N. Project Directorate II-3. 88/06/28. TUCKER, H.B. Duke Power Co. App. 46113 291-46113 300.

-8807120382 Safety evaluation supporting licensee assessment to fracture toughness requirements for protection against PTS events, per 10CFR50.61.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/28. 3pp. 46113 295-46113 297.

-8807120386 Safety evaluation supporting licensee assessment to fracture toughness requirements for protection against PTS events, per 10CFR50.61.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/28. 3pp. 46113 296-46113 300.

8807140290 Forwards summary of nuclear station mods, summary of exempt change variation notices & summary of procedure changes, tests & experiment completed per 10CFR50.59.  
TUCKER, H.B. Duke Power Co. 88/06/30. Document Control Branch (Document Control Desk). 38pp. 46174 332-46175 008.

8807130177 Informs that results of steam generator tube rupture analysis will be provided by 881103.  
TUCKER, H.B. Duke Power Co. 88/07/01. Document Control Branch (Document Control Desk). 1p. 46164 253-46164 253.

8807140105 Application for amends to Licenses NPF-35 & NPF-52, revising Tech Spec Sections 6.3.1 & 6.4.1 to reflect rev to 10CFR55 & to indicate new position within facility manager station training. Fee paid.  
TUCKER, H.B. Duke Power Co. 88/07/01. Document Control Branch (Document Control Desk). 3pp. 46175 163-46175 170.

-8807140106 Proposed Tech Specs, amending Sections 6.3.1 & 6.4.1 to reflect rev to 10CFR55 & to indicate new position within facility manager station training.  
\* Duke Power Co. 88/07/01. 5pp. 46175 165-46175 170.

8807120143 Forwards responses to encls of KN Jabbour 880524 ltr re direct generation response spectra.  
TUCKER, H.B. Duke Power Co. 88/07/05. Document Control Branch (Document Control Desk). 21pp. 46147 341-46147 360.

8807210302 Application for amends to Licenses NPF-35 & NPF-52 changing channel requirements for auxiliary feedwater flow rate, PORV position indicator & PORV block valve position indicator per Reg Guide 1.87. Fee paid.  
TUCKER, H.B. Duke Power Co. 88/07/11. Document Control Branch (Document Control Desk). 4pp. 46235 138-46235 148.

-8807210305 Proposed Tech Specs, changing channel requirements for auxiliary feedwater flow rate, PORV position indicator & PORV block valve position indicator.  
\* Duke Power Co. 88/07/11. 7pp. 46235 142-46235 148.

8807130464 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. See "List & Rev 2 to Reg Guide 1.89 encl."  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 257.

8807180017 Ack receipt of 880720 ltr appoising NRC 8/10/29 denial of att'l 870931 backlit cam re containment integrated leak rate testing requirements per App J of 10CFR50. Matter currently under review.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. TUCKER, H.B. Duke Power Co. 4pp. 46203 010-46203 023.

8807190381 Forwards Amends 48 & 41 to Licenses NPF-35 & NPF-52, respectively & safety evaluation. Amends change Tech Spec Sections 3.0 & 4.0 to conform to Generic Ltr 87-09.  
JABBOUR, K.N. Project Directorate II-3. 88/07/12. TUCKER, H.B. Duke Power Co. 2pp. 46208 316-46209 038.

-8807190382 Amends 48 & 41 to Licenses NPF-35 & NPF-52, respectively, changing Tech Spec Sections 3.0 & 4.0 to conform to Generic Ltr 87-09.  
MATTHEWS, D.B. Project Directorate II-3. 88/07/12. 75pp. 46208 318-46209 032.

-8807190383 Safety evaluation supporting Amends 48 & 41 to Licenses NPF-35 & NPF-52, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. 6pp. 46209 033-46209 038.

8807200056 Notification of 880722 meeting w/atl in Charlotte, NC to discuss design of dry storage for spent fuel.  
JABBOUR, K.N. Project Directorate II-3. 88/07/14. MATTHEWS, D.B. Project Directorate II-3. 4pp. 46221 324-46221 327.

#### Q. Inspection reports, IE Bulletins & correspondence

8806290438 Provides add'l info in light of NRC concerns raised during 880525 telcon between NRC & licensee re response to NRC Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tubes".  
TUCKER, H.B. Duke Power Co. 88/06/10. GRACE, J.N. Region 2, OIC of the Director. 4pp. 45974 341-45974 344.

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 158-45978 266.

8806290149 Forwards Insp Repts 50-413/88-21 & 50-414/88-21 on 880516. 20 No violations or deviations noted.  
HERDT, A.R. Region 2, OIC of the Director. 88/06/17. TUCKER, H.B. Duke Power Co. 2pp. 45984 294-45984 309.

-8806290152 Insp Repts 50-413/88-21 & 50-414/88-21 on 880516-20. No violations or deviations noted. Major areas inspected seismic monitoring program, fire protection/prevention & followup on previously identified open items.  
HARRIS, J.R., CONLON, T.E. Region 2, OIC of the Director. 88/06/15. 14pp. 45984 296-45984 309.

8806290345 Forwards Insp Repts 50-413/88-18 & 50-414/88-18 on 880426-0527 & notice of violation. Unresolved item noted.  
BROWNLEE, V.L. Region 2, OIC of the Director. 88/06/17. TUCKER, H.B. Duke Power Co. 2pp. 45987 033-45987 045.

-8806290350 Notice of violation from insp on 880426-0527. Violation noted: failure to establish measures to assure that stopwatches properly controlled, calibrated & adjusted & valve not tested before returning to svc.  
BROWNLEE, V.L. Region 2, OIC of the Director. 88/06/17. 2pp. 45987 035-45987 036.

-8806290361 Insp Repts 50-413/88-18 & 50-414/88-18 on 880426-0527. Violations noted. Major areas inspected plant operations, surveillance & maint observation, review of nonroutine event repts & followup of previously identified items.  
VAN DOORN, P., LESSER, M.S., PEEBLES, T.A. Reg on 2, OIC of the Director. 88/06/18. 8pp. 45987 037-45987 045.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR 0122 & svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152

8807130049 Confirms 880701 enforcement conference w/utl at Region II ofc to discuss NRC findings resulting from equipment qualification in rps at plants.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/22 TUCKER, H.B. Duke Power Co. 1p. 46172.175-46172.175.

8807060295 Forwards Safeguards Insp Repts 50-413/88-23 & 50-414/88-23 on 880607-10. Violations noted: Violations not being cited. Encl w/exception of cover ltr withheld (ref: 10CFR2.790(d) & 73.21)  
CLINE, W.E. Region 2, Ofc of the Director. 88/06/23 TUCKER, H.B. Duke Power Co. 2pp. 46103.354-46103.356

-8807060299 Partially withheld Insp Repts 50-413/88-23 & 50-414/88-23 on 880607-10. Violations noted: Major areas inspected: security plan & implementing procedures, mgmt effectiveness, security program & organization, records & rpts & alarm stations.  
TILLMAN, A. Region 2, Ofc of the Director. 88/06/22. 1p. 46109.356-46109.356

8807120603 Forwards Insp Repts 50-413/88-19 & 50-414/88-19 on 880517-20 & 0603. No violations or deviations noted.  
COLLINS, D.M. Region 2, Ofc of the Director. 88/06/23 TUCKER, H.B. Duke Power Co. 2pp. 46155.087-46155.094

-8807120605 Insp Repts 50-413/88-19 & 50-414/88-19 on 880517-20 & 0603. No violations or deviations noted: Major areas inspected: emergency plan & implementing procedures, emergency facilities & organization & mgmt control.  
DECKER, T.R., KREH, T.R. Region 2, Ofc of the Director. 88/05/21 6pp. 46155.089-46155.094

8806210038 NRC info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018

8807130455 Advises that response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
HOOD, D. Project Directorate II-3 88/07/05 TUCKER, H.B. Duke Power Co. 4pp. 46167.357-46167.360

8806300347 NRC info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807260182 Forwards supporting viewgraphs used during 880701 enforcement conference re environ qualification of equipment. Loop accuracy calculation for Oconee high-range radiaion monitor also encl.  
TUCKER, H.B. Duke Power Co. 88/07/07. Document Control Branch (Document Control Desk). 104pp. 46255.060-46255.163

8807080008 NRC info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/09.  
Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027

8807260316 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Receipt of manufacturer info & evaluation of info expected by 880331.  
TUCKER, H.B. Duke Power Co. 88/07/11 Document Control Branch (Document Control Desk) 5pp. 46288.150-46288.163

8807120291 NRC info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242.096-46242.108

8807220160 Responds to NRC Bulletin 88-013 ltr re violations noted in Insp Repts 50-413/88-14 & 50-414/88-14. Corrective actions, testing & Insp program for identifying clam installation expanded.  
TUCKER, H.B. Duke Power Co. 88/07/13 Document Control Branch (Document Control Desk) 5pp. 46250.289-46250.293

8807080366 NRC info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324

8807120550 NRC info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005

8807120553 NRC info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.016

8807260269 Responds to NRC Bulletin 87-002, Suppl 1 & 2 re safety-related boiling vendors & test-rer testing.  
TUCKER, H.B. Duke Power Co. 88/07/18. Document Control Branch (Document Control Desk) 13pp. 46287.249-46287.261

8807140101 NRC info Notice 88-051, "Failures of MSIVs" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257.088-46257.208

lamp detector/cables replaced. W/880622 ltr.  
TORRE, J.G., TUCKER, H.B. Duke Power Co. 88/06/22. 13pp. 45988.112-45988.124

## DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

### F. Security, medical, emergency & fire protection plans

8807070221 Rev 26 to crisis mgt plan. W/880624 ltr.  
TUCKER, H.B. Duke Power Co. 88/06/15 30pp. 46118.281-46118.321.

8806290149 Forwards Insp Repts 50-413/88-21 & 50-414/88-21 on 880516-20. No violations or deviations noted.  
HERDT, A.R. Region 2, Ofc of the Director. 88/06/17. TUCKER, H.B. Duke Power Co. 2pp. 45984.294-45984.309.

-8806290152 Insp Repts 50-413/88-21 & 50-414/88-21 on 880516-20. No violations or deviations noted: Major areas inspected: seismic monitoring program, fire protection/prevention & follow-up on previously identified open items.  
HARRIS, J.R. Region 2, Ofc of the Director. 88/06/15. 14pp. 45984.296-45984.309

8807060295 Forwards Safeguards Insp Repts 50-413/88-23 & 50-414/88-23 on 880607-10. Violations noted: Violations not being cited. Encl w/exception of cover ltr withheld (ref: 10CFR2.790(d) & 73.21)  
CLINE, W.E. Region 2, Ofc of the Director. 88/06/23 TUCKER, H.B. Duke Power Co. 2pp. 46109.354-46109.356

-8807060299 Partially withheld Insp Repts 50-413/88-23 & 50-414/88-23 on 880607-10. Violations noted: Major areas inspected: security plan & implementing procedures, mgmt effectiveness, security program & organization, records & rpts & alarm stations.  
TILLMAN, A. Region 2, Ofc of the Director. 88/06/22 1p. 46109.356-46109.356

8807120603 Forwards Insp Repts 50-413/88-19 & 50-414/88-19 on 880517-20 & 0603. No violations or deviations noted.  
COLLINS, D.M. Region 2, Ofc of the Director. 88/06/23. TUCKER, H.B. Duke Power Co. 2pp. 46155.087-46155.094

-8807120605 Insp Repts 50-413/88-19 & 50-414/88-19 on 880517-20 & 0603. No violations or deviations noted: Major areas inspected: emergency plan & implementing procedures, emergency facilities & organization & mgmt control.  
DECKER, T.R. Region 2, Ofc of the Director. 88/06/21. 6pp. 46155.089-46155.094

### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807050028 Update to FSAR for Catawba Nuclear Station. W/880630 ltr.  
TUCKER, H.B. Duke Power Co. 88/06/30. 794pp. 46027.010-46029.083

### P. Operating license stage documents & correspondence

8807070576 Forwards "Final Design Description, ATWS Mitigation Sys Actuation Circuitry" & "ATWS Mitigation Sys Actuation Circuitry Response to Unit Transients," based on mods to plants to install modified Options 3 in design package.  
TUCKER, H.B. Duke Power Co. 88/06/01. Document Control Branch (Document Control Desk) 2pp. 46118.331-46118.089

-8807080079 Rev 2 to "ATWS Mitigation Sys Actuation Circuitry (AMSAC)." \* Duke Power Co. 88/05/20. 63pp. 46116.334-46119.047.

8807080059 Forwards summary of 880609 meeting in Region II ofc re emergency diesel generator reliability concerns. List of attendees, brief meeting summary & ufl handout also encl.  
REYES, L.A. Region 2, Ofc of the Director. 88/06/20. TUCKER, H.B. Duke Power Co. 37pp. 46116.336-46117.012

8807010443 Notification of 880719 meeting w/utl in Rockville, MD to discuss ufl direct generation response spectra & snubber reduction program.  
JABBOUR, K.N. Project Directorate II-3. 88/06/24. MATTHEWS, D.B. Project Directorate II-3. 4pp. 45975.366-45975.369

8807110538 Forwards environ assessment & finding of no significant impact re 880401 request for amendments to Licenses NPF-35 & NPF-52. Amendments would change Tech Spec 5.3.1, "Fuel Assemblies"  
JABBOUR, K.N. Project Directorate II-3. 88/06/24. TUCKER, H.B. Duke Power Co. 3pp. 46100.189-46100.206

-8807110541 Environ assessment & finding of no significant impact re amendments to Licenses NPF-35 & NPF-52, re vis Tech Spec 5.3.1, "Fuel Assemblies." Commission has decided not to prepare EIS for proposed amendments.  
MATTHEWS, D.B. Project Directorate II-3. 88/06/29. 5pp. 46100.202-46100.206

8807120376 Forwards safety evaluations re fracture toughness requirements for protection against PTS events per 10CFR50.81. NRC finds pressure vessel PTS ref temp acceptable sub) to condition re rev of peak fluence methodology.  
JABBOUR, K.N. Project Directorate II-3. 88/06/28. TUCKER, H.B. Duke Power Co. 4pp. 46113.291-46113.300

-8807120388 Safety evaluation supporting licensee assessment to fracture toughness requirements for protection against PTS events per 10CFR50.81.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/28. 3pp. 46113.288-46113.300

8807140290 Forwards summary of nuclear station mods, summary of exempt change variation notices & summary of procedure changes, tests & experiment completed per 10CFR50.59.  
TUCKER, H.B. Duke Power Co. 88/06/30. Document Control Branch (Document Control Desk) 36pp. 46174.332-46175.006

8807140302 "Catawba Nuclear Station Unit 2 Cycle 2 Startup Rept." W/880627 ltr. TUCKER, H.B. Duke Power Co. 88/06/30. 60pp. 46175.104-46175.182

8807130177 Informs that results of steam generator tube rupture analysis will be provided by 881103  
TUCKER, H.B. Duke Power Co. 88/07/01. Document Control Branch (Document Control Desk) 1p. 46164.253-46164.253

8807140105 Application for amendments to Licenses NPF-35 & NPF-52, revising Tech Spec Sections 6.3.1 & 6.4.1 to reflect revs to 10CFR55 & to indicate new position within facility manager station training. Fee paid.  
TUCKER, H.B. Duke Power Co. 88/07/01. Document Control Branch (Document Control Desk) 3pp. 46175.163-46175.170

-8807140106 Proposed Tech Specs, amending Sections 6.3.1 & 6.4.1 to reflect rev to 10CFR55 & to indicate new position within facility manager station training.  
\* Duke Power Co. 88/07/01. 5pp. 46175.168-46175.170.

8807120143 Forwards responses to ends of KN Jabbar 880524 ltr re direct generation response spectra  
TUCKER, H.B. Duke Power Co. 88/07/05. Document Control Branch (Document Control Desk) 21pp. 46147.341-46147.360

8807210302 Application for amendments to Licenses NPF-35 & NPF-52, changing channel requirements for auxiliary feedwater flow rate, PORV position indicator & PORV block valve position indicator, per Reg Guide 1.97 Fee paid.  
TUCKER, H.B. Duke Power Co. 88/07/11. Document Control Branch (Document Control Desk) 4pp. 46235.138-46235.148.

-8807210305 Proposed Tech Specs, changing channel requirements for auxiliary feedwater flow rate, PORV position indicator & PORV block valve position indicator.  
\* Duke Power Co. 88/07/11. 7pp. 46235.142-46235.148

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807180017 Ack receipt of 880720 ltr appealing NRC 871020 denial of uti 870901 backlit claim re containment integrated leak rate testing requirements per App J of 10CFR50. Matter currently under review.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. TUCKER, H.B. Duke Power Co. 4pp. 46203.010-46203.023

8807190381 Forwards Amendments 40 & 41 to Licenses NPF-35 & NPF-52, respectively & safety evaluation. Amendments change Tech Spec Sections 3.0 & 4.0 to conform to Generic Ltr 87-09.  
JABBOUR, K.N. Project Directorate II-3. 88/07/12. TUCKER, H.B. Duke Power Co. 2pp. 46208.316-46208.038.

-8807190382 Amendments 40 & 41 to Licenses NPF-35 & NPF-52, respectively, changing Tech Spec Sections 3.0 & 4.0 to conform to Generic Ltr 87-09.  
MATTHEWS, D.B. Project Directorate II-3. 88/07/12. 75pp. 46208.318-46208.032

-8807190383 Safety evaluation supporting Amendments 40 & 41 to Licenses NPF-35 & NPF-52, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. 6pp. 46209.033-46209.038

8807200056 Notification of 880722 meeting w/utl in Charlotte, NC to discuss design of dry storage for spent fuel.  
JABBOUR, K.N. Project Directorate II-3. 88/07/14. MATTHEWS, D.B. Project Directorate II-3. 4pp. 46221.324-46221.327.

#### Q. Inspection reports, IE Bulletins & correspondence

8806290438 Provides addl info in light of NRC concerns raised during 880526 telcon between NRC & licensee re response to NRC Bulletin 88-002, "Rapidly Propagating Fatigue Cracks in Steam Generator Tubes".  
TUCKER, H.B. Duke Power Co. 88/06/10. GHACE, J.N. Region 2, Ofc of the Director 4pp. 45974.341-45974.344.

8806130168 NRC Info Notice 88-039, "Leakage Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.160-45978.288

8806290149 Forwards Insp Repts 50-413/88-21 & 50-414/88-21 on 880516. 20 No violations or deviations noted.  
HERDT, A.R. Region 2, Ofc of the Director. 88/06/17. TUCKER, H.B. Duke Power Co. 2pp. 45984.284-45984.309.

-8806290152 Insp Repts 50-413/88-21 & 50-414/88-21 on 880516. 20 No violations or deviations noted. Major areas inspected: seismic monitoring program, fire protection/prevention & followup on previously identified open items.  
HARRIS, J.R., CONLON, T.E. Region 2, Ofc of the Director. 88/06/15. 14pp. 45984.286-45984.309.

8806290345 Forwards Insp Repts 50-413/88-18 & 50-414/88-18 on 880426. 0527 & notice of violation. Unresolved item noted.  
BROWNLEE, V.L. Region 2, Ofc of the Director. 88/06/17. TUCKER, H.B. Duke Power Co. 2pp. 45987.033-45987.045.

-8806290350 Notice of violation from Insp on 880426. 0527. Violation noted failure to establish measures to assure that stopwatches properly controlled, calibrated & adjusted & valve not tested before returning to svc.  
BROWNLEE, V.L. Region 2, Ofc of the Director. 88/06/17. 2pp. 45987.035-45987.036

-8806290361 Insp Repts 50-413/88-18 & 50-414/88-18 on 880426. 0527. Violations noted. Major areas inspected: plant operations, surveillance & maint observation, review of nonroutine event repts & followup of previously identified items.  
VAN DOORN, P., LESSER, M.S., PEEBLES, T.A. Region 2, Ofc of the Director. 88/06/18. 8pp. 45987.037-45987.045.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155

8806170291 NRC Bulletin 88-009, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152

8807130049 Confirms 880701 enforcement conference w/utl at Region II ofc to discuss NRC findings resulting from equipment qualification insps at plants.  
GRACE, J.N. Region 2, Ofc of the Director. 88/06/22. TUCKER, H.B. Duke Power Co. 1p. 46172.175-46172.175

8807060295 Forwards Safeguards Insp Repts 50-413/88-23 & 50-414/88-23 on 880607. 10 Violations noted. Violations not being cited. Encl w/exception of cover lt w/hold (ref 10CFR2790(d) & 73.21).  
CLINE, W.E. Region 2, Ofc of the Director. 88/06/23. TUCKER, H.B. Duke Power Co. 2pp. 46109.354-46109.356

-8807060299 Partially withheld Insp Repts 50-413/88-23 & 50-414/88-23 on 880607. 10 Violations noted. Major areas inspected: security plan & implementing procedures, mgmt effectiveness, security program & organization, records & repts & alarm signals.  
TILLMAN, A., MCGUIRE, D.R. Region 2, Ofc of the Director. 88/06/22. 1p. 46109.356-46109.358

8807120803 Forwards Insp Repts 50-413/88-18 & 50-414/88-18 on 880517. 20 & 0603 No violations or deviations noted.  
COLLINS, D.M. Region 2, Ofc of the Director. 88/06/23. TUCKER, H.B. Duke Power Co. 2pp. 46155.087-46155.094

-8807120805 Insp Repts 50-413/88-18 & 50-414/88-18 on 880517. 20 & 0603 No violations or deviations noted. Major areas inspected: emergency plan & implementing procedures, emergency facilities & organization & mgmt control.  
DECKER, T.R., KREITZ, R. Region 2, Ofc of the Director. 88/06/21. 6pp. 46155.089-46155.094

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-410 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46019.018.

8807130455 Advises that response to NRC Bulletin 88-001, "Defects in Westinghouse Circuit Breakers," satisfactory.  
HOOD, D. Project Directorate II-3. 88/07/05. TUCKER, H.B. Duke Power Co. 4pp. 46167.357-46167.360

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.103-46242.212.

8807250182 Forwards supporting viewgraphs used during 880701 enforcement conference re environ qualification of equipment. Loop accuracy calculation for Oconee high-range radiation monitor also encl.  
TUCKER, H.B. Duke Power Co. 88/07/07. Document Control Branch (Document Control Desk) 104pp. 46255.063-46255.103

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807260318 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Receipt of manufacturer info & evaluation of info expected by 880831.  
TUCKER, H.B. Duke Power Co. 88/07/11. Document Control Branch (Document Control Desk) 5pp. 46288.158-46288.163.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108

8807220160 Responds to NRC 880613 ltr re violations noted in Insp Repts 50-413/88-14 & 50-414/88-14. Corrective actions: testing & Insp program for identifying clam installation expanded.  
TUCKER, H.B. Duke Power Co. 88/07/13. Document Control Branch (Document Control Desk) 6pp. 46250.289-46260.203.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257.258-46258.016



# 154 DOCKETED ITEMS

**8807260269** Responds to NRC Bulletin 87-002, Supp. 1 & 2 re safety-related bolting vendors & fastener testing.  
TUCKER, H.B. Duke Power Co. 88/07/18. Document Control Branch (Document Control Desk). 13pp. 46287-249-46287-261

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-208

## S. Reportable occurrences, LERs & related correspondence

**8807140267** LER 88-019-00 on 880527, reactor trip during cycle of alternate source to KXRB breaker recommended by control room operator to clear undervoltage condition. Caused by mgt & design deficiency. UH stabilized in Mode 3 W/880627 ltr. TORRE, J.G., TUCKER, H.B. Duke Power Co. 88/06/27. 6pp. 46175-084-46175-091.

**8807140270** LER 88-020-00 on 880528, manual reactor trip initiated while in process of unsolving main feedwater control valves. Caused by malfunction of electric to pneumatic converter. Repairs of valves 2CF46 & 2CF45 planned W/880627 ltr. TORRE, J.G., TUCKER, H.B. Duke Power Co. 88/06/27. 6pp. 46175-092-46175-097.

**8807120117** LER 88-021-00 on 880603, manual reactor trip initiated due to imminent loss to steam generator level caused by closed auxiliary steam reactor supply isolation valve IAS59. Extensive investigation of IAS59 performed W/880701 ltr. TORRE, J.G., TUCKER, H.B. Duke Power Co. 88/07/01. 7pp. 46148-284-46148-300

## DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

## F. Security, medical, emergency & fire protection plans

**8806280483** Forwards FEMA "First Radiological Emergency Preparedness Exercise Rept" for exercise conducted on 871117-18. Attention directed to areas requiring corrective actions identified by FEMA.  
COLLINS, D.W. Region 2, Ofc of the Director. 88/06/16. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 45988-302-45987-003

**8807060456** Revised emergency plan implementing procedures, including Rev 16 to 10-S-01-6, "Notification of Offsite Agencies & Plant On-Call Emergency Personnel" & Rev 6 to 10-S-01-13, "Onsite Radiological Monitoring." W/880630 ltr.  
HURLEY, J., HILDEBRANDT, T., KINGSLEY, O.D. System Energy Resources, Inc. 88/06/30. 6pp. 46088-170-46088-240

**8807130044** Responds to Insp Rept 50-416/88-06 re facility emergency operating procedures. Updated emergency procedure improvement program encl.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/07/08. Document Control Branch (Document Control Desk). 8pp. 46170-296-46170-303

**8807250334** Forwards SALP Rept 50-416/88-09 for Nov 1988 - Apr 1989 & Intends that sub? rept will be discussed at facility on 880722. Level of performance continued to improve but failure to follow procedures in several functional areas noted.  
GRACE, J.N. Region 2, Ofc of the Director. 88/07/08. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 46274-244-46274-286.

**8807250340** SALP Rept 50-416/88-09 for facility for Nov 1988 - Apr 1988. Continued superior performance noted in areas of radiological controls, security & outages & significant improvement in plant operations & fire protection.  
\* Region 2, Ofc of the Director. 88/07/08. 41pp. 46274-246-46274-288.

## H. General correspondence

**8807060344** Discusses restructuring of unit organization to strengthen mgt capabilities & reduce operating costs.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/07/01. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 46114-246-46114-251.

## I. Financial information

**8807070388** Forwards summary of completed & planned notification & consultation activities, Systemwide communication plan under development for consolidation effort, including development of new publication to update employees on progress.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/07/29. Document Control Branch (Document Control Desk). 7pp. 46125-353-46125-359.

**8807140039** Forwards 1987 annual financial reports for Sys Energy Resources, Inc., South Mississippi Electric Power Assoc & Mississippi Power & Light Co.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/07/05. Document Control Branch (Document Control Desk). 1p. 46172-202-46172-353.

**8807140042** "Sys Energy Resources, Inc. 1987 Annual Rept."  
CAVANAUGH, W. System Energy Resources, Inc. 87/12/31. 47pp. 46172-203-46172-249.

**8807140043** "Mississippi Power & Light Co. 1987 Annual Rept."  
LUTKEN, D.C. Mississippi Power & Light Co. 88/07/05. 84pp. 46172-250-46172-313.

**8807140049** "South Mississippi Electric Power Association 1987 Annual Rept."  
MCKAMY, W.C., THOMAS, H.L. South Mississippi Electric Power Association. 87/12/31. 40pp. 46172-314-46172-353.

## P. Operating license stage documents & correspondence

**8806280154** Forwards revised NSHC in support of unit 870408 application for amend to License NPF-29, re Tech Spec Table 4.8.1.1.2-1 concerning diesel generator test schedule. Proposed amend involves NSHC.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/08/21. Document Control Branch (Document Control Desk). 6pp. 45884-289-45884-293.

**8807050074** Application for amend to License NPF-29, eliminating daily functional tests

**8807050077** Proposed Tech Specs eliminating daily functional tests on rod pattern control sys setpoints.  
\* System Energy Resources, Inc. 88/06/21. 4pp. 46025-113-46025-116

**8807070379** Connected application for amend to License NPF-29, removing duplicate page Amend request just as elimination of daily functional tests on rod pattern control sys setpoints. Supporting documentation encl. Fee paid.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/06/21. Document Control Branch (Document Control Desk). 6pp. 46126-014-46126-025

**8807140285** Summary of 880615 meeting w/utis re proposed establishment & licensing of Sys Energy Resources, Inc. as operator & licensing agent for plants WIGGINTON D.L. Project Directorate IV. 88/06/21. Project Directorate IV. 35pp. 46177-291-46177-325

**8807070388** Forwards summary of completed & planned notification & consultation activities, Systemwide communication plan under development for consolidation effort, including development of new publication to update employees on progress.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/06/29. Document Control Branch (Document Control Desk). 7pp. 46125-353-46125-359.

**8807140044** Application for amend to License NPF-29, changing reactor protection sys instrumentation surveillance test intervals & allowable outage times. Proprietary MDE: 80-0485 encl. Rept withheld (rel 10CFR2.783). Fee paid.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/06/30. Document Control Branch (Document Control Desk). 6pp. 46184-116-46184-127.

**8807140048** Proposed Tech Specs changing reactor protection sys instrumentation surveillance test intervals & allowable outage times.  
\* System Energy Resources, Inc. 88/08/30. 6pp. 46184-122-46184-127

**8807110305** Application for amend to License NPF-20, requesting extensions of implementation date for neutron flux monitoring unit, fourth refueling outage for installation of incore sys to meet Reg Guide 1.97. Fee paid.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/07/01. Document Control Branch (Document Control Desk). 14pp. 46141-023-46141-038.

**8807110306** Proposed Tech Specs changing uti License Condition 2.C(3).  
\* System Energy Resources, Inc. 88/07/01. 2pp. 46141-037-46141-038.

**8807130019** Responds to 880608 request for add info re proposed amend to License NPF-29, changing Tech Spec 3.7.1.3.3 re alternate surveillance tests when accumulator pressure & leakage alarm circuit inoperable.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/07/08. Document Control Branch (Document Control Desk). 10pp. 46164-027-46164-038.

**8807130020** Proposed Tech Specs re limiting conditions for operation for control rod scram accumulators.  
\* System Energy Resources, Inc. 88/07/08. 2pp. 46164-037-46164-038.

**8807200368** Summary of 880425-28 audit of 10CFR50.59 safety evaluations. Related info encl.  
KINTNER, L.L. Project Directorate II-1. 88/07/11. Project Directorate II-1. 31pp. 46221-142-46221-172.

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-267.

**8807220180** Application for amend to License NPF-20, deleting Room OC508 from Tech Spec Table 3.3.7.8-1 to enlarge control bldg locker room. Fee paid.  
KINGSLEY, O.D. System Energy Resources, Inc. 88/07/12. Document Control Branch (Document Control Desk). 7pp. 46250-186-46250-193.

**8807220181** Proposed Tech Specs Table 3.3.7.8-1, deleting Room OC508, to enlarge control bldg locker room.  
\* System Energy Resources, Inc. 88/07/12. 1p. 46250-193-46250-193.

## Q. Inspection reports, IE Bulletins & correspondence

**8806200451** Forwards Insp Rept 50-416/88-08 on 880411-18. No violations noted. Rept identifies specific findings & observations in licensee emergency operating procedures re technical human factors & mgt control issues.  
JULIAN, C.A. Region 2, Ofc of the Director. 88/06/07. KINGSLEY, O.D. System Energy Resources, Inc. 2pp. 45885-214-45885-245.

**8806200454** Insp Rept 50-416/88-08 on 880411-18. No violation noted. Major areas inspected: comparison of emergency operating procedures w/BWR Owners Group emergency guideline for technical adequacy.  
FLOHEK, D.J., GALL, O.R.M. Region 1, Ofc of the Director. 88/05/20. 30pp. 45885-216-45885-245.

**8808130168** NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Rodiculation Pumps W/Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/16. Consolidated Edison Co. of New York, Inc. 110pp. 45878-155-45878-266.

**8808180340** NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

**8808170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45878-034-45878-155.

**8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc

Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24  
Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.010

8807190163 Forwards Insp Rept 50-416/88-11 on 880606-10. No violations or deviations noted.  
HERDT,A.R. Region 2, Ofc of the Director. 88/07/05. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 46205.682-46205.091.

-8807190169 Insp Rept 50-416/88-11 on 880606-10. No violations or deviations noted. Unresolved item noted instrumentation for drywell pressure. Major areas inspected instrumentation per Reg Guide 1.97 & open items re electrical equipment.  
MUNT,M. CONLON,T. Region 2, Ofc of the Director. 88/08/30. 8pp. 46205.084-46205.091

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807080006 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08.  
Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027

8807120574 Confirms 880624 discussion w/LL Kintner re response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Kintner agreed that 30-day extension, authorizing until submit response by 880809, appropriate.  
KINGSLEY,O.D. System Energy Resources, Inc. 88/07/08. Document Control Branch (Document Control Desk). 2pp. 46154.056-46154.057.

8807130044 Responds to Insp Rept 50-416/88-06 re facility emergency operating procedures. Updated emergency procedure improvement program encl.  
KINGSLEY,O.D. System Energy Resources, Inc. 88/07/08. Document Control Branch (Document Control Desk). 8pp. 46170.296-46170.303.

8807250334 Forwards SAMP Rept 50-416/88-09 for Nov 1986 - Apr 1988 & informs that subj rept will be discussed at facility on 880722. Level of performance continued to improve but failure to follow procedures in several functional areas noted.  
GRACE,J.N. Region 2, Ofc of the Director. 88/07/08. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 46274.244-46274.286.

-8807250340 SAMP Rept 50-416/88-09 for facility for Nov 1986 - Apr 1988. Continued superior performance noted in areas of radiological controls, security & outages & significant improvement in plant operations & fire protection.  
\* Reg on 2, Ofc of the Director. 88/07/08. 41pp. 46274.246-46274.286.

8807190067 Forwards proprietary rept "Number 3 Low Pressure Turbine Rotor Ultrasonic Insp Summary." Rept withheld (rol 10CFR2.700).  
KINGSLEY,O.D. System Energy Resources, Inc. 88/07/11. Document Control Branch (Document Control Desk). 6pp. 46222.074-46222.076

8807250383 Forwards Exam Rept 50-416/OL-88-01 administered on 880426-27. Exam questions & answer key, facility comments & simulation facility fidelity rept also encl.  
JULIAN,C.A. Region 2, Ofc of the Director. 88/07/11. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 46276.120-46276.302

-8807250388 Exam Rept 50-416/OL-88-01 on 880426-27. Exam results: one reactor operator (RO) & three senior ROs passed exam.  
BROCKMAN,K.E., MUNRO,J.F. Region 2, Ofc of the Director. 88/07/07. 195pp. 46276.122-46276.302.

8807120201 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080306 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324

8807120560 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257.259-46258.010.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.208.

#### S. Reportable occurrences, LERs & related correspondence

8807080464 LER 88-004-01 on 880112, RWCU sys isolation occurred. Caused by procedural deficiency. Determined that operators should be instructed to remove one operating RWCU pump at pressure greater than 100 psig w/880630 ltr.  
BYRD,R., KINGSLEY,O.D. System Energy Resources, Inc. 88/08/30. 5pp. 46114.212-46114.216.

8807200314 Special Rept 88-004/0 on 880608, auxiliary lube oil pump automatically started during start of diesel generator 12. Caused by connection to both turbocharger lube oil pressure triad switches leaking oil. Connections tightened.  
KINGSLEY,O.D. System Energy Resources, Inc. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46228.121-46228.123.

#### V. Operator Examinations

8807120141 Advises that reactor operator & senior operator licensing exams scheduled for wk of 881107 & simulator/operating exams scheduled for 881108-10. Util should furnish approved ref mail listed in Encl 1 by 880705.  
JULIAN,C.A. Region 2, Ofc of the Director. 88/06/27. KINGSLEY,O.D. System Energy Resources, Inc. 10pp. 46155.089-46155.078

8807250383 Forwards Exam Rept 50-416/OL-88-01 administered on 880426-27. Exam questions & answer key, facility comments & simulation facility fidelity rept also encl.  
JULIAN,C.A. Region 2, Ofc of the Director. 88/07/11. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 46276.120-46276.302.

-8807250388 Exam Rept 50-416/OL-88-01 on 880426-27. Exam results: one reactor operator (RO) & three senior ROs passed exam.  
BROCKMAN,K.E., MUNRO,J.F. Region 2, Ofc of the Director. 88/07/07. 195pp. 46276.122-46276.302

#### DOCKET 60-417 GRAND GULF NUCLEAR STATION, UNIT 2

##### A. Application/construction stage documents & correspondence

8807140285 Summary of 880615 meeting w/utls re proposed establishment & licensing of Sys Energy Resource, Inc as operators & licensing agent for plants.  
WIGGINTON,D.L. Project Directorate IV. 88/06/21. Project Directorate IV. 35pp. 46177.291-46177.325.

8807070368 Forwards summary of completed & planned notification & consultation activities. Systemwide communication plan under development for consolidation effort, including development of new publication to update employees on progress.  
KINGSLEY,O.D. System Energy Resources, Inc. 88/06/28. Document Control Branch (Document Control Desk). 7pp. 46125.353-46125.359.

8807130464 Generic ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation ambientment of reactor vessel matts & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

##### F. Security, medical, emergency & fire protection plans

8806290463 Forwards FEMA "Final Radiological Emergency Preparedness Exercise Rept" for exercise conducted on 871117-18. Attention directed to areas requiring corrective actions identified by FEMA.  
COLLINS,D. Region 2, Ofc of the Director. 88/06/16. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 45988.302-45987.003

##### H. General correspondence

8807060344 Discusses restructuring of utl organization to strengthen mgt capabilities & reduce operating costs.  
KINGSLEY,O.D. System Energy Resources, Inc. 88/07/01. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 46114.240-46114.251.

##### I. Financial information

8807070368 Forwards summary of completed & planned notification & consultation activities. Systemwide communication plan under development for consolidation effort, including development of new publication to update employees on progress.  
KINGSLEY,O.D. System Energy Resources, Inc. 88/06/28. Document Control Branch (Document Control Desk). 7pp. 46125.353-46125.359

##### Q. Inspection reports, IE Bulletins & correspondence

8808130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15.  
Consolidated Edison Co. of New York, Inc. 110pp. 46978.156-46978.266

8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265.

8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018.

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242.108-46242.212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Collective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Collective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-049, "Marking Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257-258-46256-016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-208.

#### V. Operator Examinations

8807120141 Advises that reactor operator & senior operator licensing exams scheduled for wk of 881107 & simulator/operating exams scheduled for 881108-10. UII should furnish approved ref mat list in Encl 1 by 880705.  
JULIAN, C.A. Region 2, Ofc of the Director. 88/08/27. KINGSLEY, O.D. System Energy Resources, Inc. 10pp. 46155-069-46155-078.

#### DOCKET 80-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

8807210282 Forwards Safeguards Insp Repts 50-245/88-10, 50-336/88-14 & 50-423/88-11 on 880516-17. No violations noted.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/01. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46237-219-46237-222.

8807210285 Insp Repts 50-245/88-10, 50-336/88-14 & 50-423/88-11 on 880516-17. No violations noted. Major areas inspected: review of licensee continued implementation of strike plans & compliance w/NRC approved security & contingency plans.  
MARTIN, W.G. Region 1, Ofc of the Director. 88/06/29. 2pp. 46237-221-46237-222.

#### H. General correspondence

8807200337 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants whose state &/or local govt decline to cooperate in offsite emergency planning.  
SUSPENSKI, A.J. Affiliation Not Assigned. 87/03/04. NRC - No Dated Affiliation Given. 1p. 46197-089-46197-088.

#### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807050030 Rev 1 to updated FSAR for Millstone Nuclear Power Station Unit 3. W/ 880629 ltr.  
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/06/29. 873pp. 46030-232-46033-024.

#### P. Operating license stage documents & correspondence

8807050012 Application for amend to License NPF-49, revising Tech Spec Table 3.7-6 to add two new environ zones. Fee paid.  
MROCZKA, E.J., SEARNS, C.F. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/06/21. Document Control Branch (Document Control Desk). 8pp. 46020-351-46020-361.

8807050015 Proposed Tech Specs 3/4.7.14, "Area Temp Monitoring."  
\* Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/06/21. 3pp. 46020-359-46020-361.

8807110289 Amend 20 to License NPF-49, revising Tech Spec 3/4.6.3, "Containment Isolation Valves," to allow entry into operational mode w/inoperable containment isolation valves if limiting condition for operation for unlimited time met.  
FERGUSON, R.L. Project Directorate I-4. 88/06/22. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46081-254-46081-262.

8807110272 Amend 20 to License NPF-49, revising Tech Spec 3/4.6.3, "Containment Isolation Valves," to allow entry into operational mode w/inoperable containment isolation valves if limiting condition for operation for unlimited time met.  
STOLZ, J.F. Project Directorate I-4. 88/06/22. 5pp. 46081-256-46081-260.

8807110280 Safety evaluation supporting Amend 20 to License NPF-49.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/22. 2pp. 46081-261-46081-262.

8807080170 Forwards Amend 21 to License NPF-49 & safety evaluation. Amend changes Tech Spec Section 8.2.3.1, to clarify that Independent Safety Engineering

8807080162 Amend 21 to License NPF-49, clarifying that Independent Safety Engineering Group recommendations, records & repls are provided to appropriate station & corporate mgt.  
STOLZ, J.F. Project Directorate I-4. 88/06/29. 5pp. 46139-352-46139-356.

8807080187 Safety evaluation supporting Amend 21 to License NPF-49. Amend assures proper distribution of Independent Safety Engineering Group documentation.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/29. 2pp. 46139-357-46139-358.

8807120422 Notifies that 880217 response to Generic Ltr 88-03, "Steam Binding of Auxiliary Feedwater (AFW) Pumps," acceptable. Response confirms that procedures to minimize occurrence steam binding of AFW pumps in place & will be maintained.  
FERGUSON, R.L. Project Directorate I-4. 88/06/29. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46110-359-46110-360.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operation. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

8807250081 Forwards revised response to Items 3, 6, 9, 11 & 12 noted in NRC 881014 SER re Topical Rept WCAP-10850, "ATWS Mitigation on Sys Activation Circuitry Generic Design Package," per request during 88C602 telcon.  
MROCZKA, E.J., ROMBERG, W.D. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/07/14. Document Control Branch (Document Control Desk). 13pp. 46269-209-46269-221.

8807250040 Forwards results of review of ECCS single failure analysis. Facilities charging sys not subj to potential single failure vulnerability similar to recently identified problem at Haddam Neck Plant.  
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). MROCZKA, E.J. Northeast Utilities. 88/07/18. Document Control Branch (Document Control Desk). 3pp. 46274-048-46274-050.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-156-45978-266.

8807080020 Ack receipt of 880516 ltr discussing Info Notice 88-021 on inadvertent criticality. Discovery of three reports dealing w/three events mentioned in ltr noted.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/18. HANAUER, S.H. Technical Analysis Corp. 2pp. 46134-179-46134-180.

8806160040 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019-037-46019-152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018-153-46018-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807070139 Forwards final summary rept addressing IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures." No add work w/ respect to bulletin suppl necessary for Millstone Unit 1.  
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 88/06/27. Document Control Branch (Document Control Desk). 28pp. 46139-103-46139-130.

8807130075 Informa that units do not possess, use or transport Model SPEC 2-T radiographic exposure devices per Bulletin 88-008.  
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. 88/06/29. Document Control Branch (Document Control Desk). 1p. 46164-030-46164-039.

8807070053 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Most pumps not susceptible to subj problem because sys lineup &/or operational procedures do not allow pump to run near shutoff conditions.  
MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 88/06/30. Document Control Branch (Document Control Desk). 6pp. 46126-168-46126-173.

8807210282 Forwards Safeguards Insp Repts 50-245/88-10, 50-336/88-14 & 50-423/88-11 on 880516-17. No violations noted.  
BELLAMY, R.R. Region 1, Ofc of the Director. 88/07/01. MROCZKA, E.J. Northeast Nuclear Energy Co. (subs. of Northeast Utilities). 2pp. 46237-219-46237-222.

8807210285 Insp Repts 50-245/88-10, 50-336/88-14 & 50-423/88-11 on 880516-17. No violations noted. Major areas inspected: review of licensee continued implementation of strike plans & compliance w/NRC approved security & contingency plans.  
MARTIN, W.G., KEIMIG, R.R. Region 1, Ofc of the Director. 88/06/29. 2pp. 46237-221-46237-222.

8807250027 Forwards Insp Rept 50-423/88-04 on 880314-18 & notice of

Cable space installation. No cable support equipment. No short circuit requirements in that heat-shrink tubing applied over braided cable.  
\* Region 1, Oic of the Director. 88/07/06 1p 46182 036-46182 036

-8807150010 Insp Rept 50-423/88-04 on 880314-18 Violations noted Major areas inspected equipment qualification program, licensee responses to equipment concerns in SER & configuration for electrical equipment from master list  
PAOLINO, R.J., ANDERSON, C.J. Region 1, Oic of the Director. 88/06/27 23pp 46182 037-46182 059

8807150110 Informs that listed plants use GE HFA-type latching relays per NRC Bulletin 88-03 All plants to be inspected during next refueling outage in 1989  
MROCKZKA, E.J. Connecticut Yankee Atomic Power Co. 88/07/06 Document Control Branch (Document Control Desk) 2pp 46184 358-46184 359

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp. 46242 100-46242 212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108.

8807200036 Responds to NRC Bulletin 87-002, Suppl. 1, "Fastener Testing to Determine Conformance W/ Applicable Mail Specs." List of safety-related fastener suppliers w/ typical mail specs & list of nonsafety-related suppliers w/o mail specs encl.  
MROCKZKA, E.J. Connecticut Yankee Atomic Power Co. 88/07/12 Document Control Branch (Document Control Desk). 7pp 46221 328-46221 334

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807280231 Discusses 880708 mgt meeting in Region 1 oic re corporate resource allocations, engineering support & plant activities  
BETTENHAUSEN, L. Region 1, Oic of the Director. 88/07/14 MROCKZKA, E.J. Northeast Nuclear Energy Co. (subs of Northeast Utilities) 102pp 46325 248-46325 358.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 110pp. 46257 258-46258 016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 206

## R. Periodic operating reports & related correspondence

8807220068 Monthly operating rpt for June 1988 for Millstone Unit 3 W/ 880711 ltr.  
ELMS, A.L., SCACE, S.E. Northeast Nuclear Energy Co. (subs of Northeast Utilities). SCACE, S.E. Northeast Utilities. 88/08/30. 4pp. 46249 154-46249 157.

## S. Reportable occurrences, LERs & related correspondence

8808300051 LER 88-019-00 on 880519 two reportable events re control bldg inlet ventilation high radiation control bldg isolation trip setpoint discovered. Caused by administrative error. Default values changed to comply w/ Tech Specs W/880620 ltr.  
CONWAY, R.D., SCACE, S.E. Northeast Nuclear Energy Co. (subs of Northeast Utilities). SCACE, S.E. Northeast Utilities. 88/08/20. 4pp. 45988 357-45988 360.

8807140306 LER 88-019-00 on 880611 automatic control bldg isolation occurred. Caused by personnel error. Control bldg ventilation immediately placed in filtered recirculation & correct radiation engineering calibrator installed W/880707 ltr.  
CONWAY, R.D., SCACE, S.E., CLEMENTE, C.H. Northeast Nuclear Energy Co. (subs of Northeast Utilities). 88/07/07. 4pp. 46175 007-46175 010.

## DOCKET 60-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

## F. Security, medical, emergency & fire protection plans

8807080052 Forwards Insp Rept 50-424/88-20 on 880430-0608. No violations or deviations noted.  
BROWNLEE, V.L. Region 2, Oic of the Director. 88/08/20. HAIRSTON, W.G. Georgia Power Co. 2pp. 46103 136-46103 150.

-8807080055 Insp Rept 50-424/88-20 on 880430-0608 Violations noted but no notice issued. Major areas inspected: plant operations, radiological controls, maint, surveillance, fire protection, security, emergency planning & quality programs.  
ROGGE, J.F., BURGER, C.W., SINKULE, M.V. Region 2, Oic of the Director. 88/08/17. 13pp. 46103 138-46103 150.

8807100044 Forwards Insp Repts 50-424/88-19 & 50-425/88-21 on 880425-28 Notice of violation & rpt details withheld (ref 10CFR73.21 & 10CFR73.21).  
GRACE, J.N. Region 2, Oic of the Director. 88/08/21. McDONALD, R.P. Georgia Power Co. 2pp. 46017 235-46017 237.

8806290265 Procedure deletion notice for Manual Set 6 of emergency plan implementing procedures, replacing Temporary Procedure T-EP-86-1, "Emergency Response Organization & Recovery Organization Transition." W/880622 ltr.  
HAIRSTON, W.G. Georgia Power Co. 88/06/22 3pp. 45988 299-45988 301

8807120284 Forwards Insp Repts 50-424/88-21 & 50-425/88-31 on 880523-24 No violations or deviations noted. Conduct of exercise demonstrated mgt continued strong commitment to meet all effective emergency response capability.  
GRACE, J.N. Region 2, Oic of the Director. 88/06/28. McDONALD, R.P. Georgia Power Co. 2pp. 46155 055-46155 068.

-8807120270 Insp Repts 50-424/88-21 & 50-425/88-31 on 880523-24 No violations or deviations noted. Major areas inspected annual radiological emergency preparedness exercise & review of licensee action on previous emergency response findings.  
CUNNINGHAM, A.L., DECKER, T.R. Region 2, Oic of the Director. 88/06/28 12pp. 46155 057-46155 088.

8807070548 Forwards rpt of changes to physical security & contingency plan Rept withheld (ref 10CFR73.21 & 2.790).  
HAIRSTON, W.G. Georgia Power Co. 88/06/29 Document Control Branch (Document Control Desk). 2pp. 46119 105-46119 106.

8807180043 Forwards Insp Rept 50-424/88-24 on 880607-09 Violations noted. Violation under consideration for escalated enforcement action. Licensee will be advised by separate correspondence of results of investigations.  
GRACE, J.N. Region 2, Oic of the Director. 88/06/29. HAIRSTON, W.G. Georgia Power Co. 2pp. 46215 281-46215 301.

-8807190045 Insp Rept 50-424/88-24 on 880607-09 Violations & weaknesses noted re failure to adequately design & install water tight penetration seals & analysis of licensee failure. Major areas inspected 880603 operational event re fire protection.  
MADDEN, P.M., CONLON, T.E. Region 2, Oic of the Director. 88/06/27 9pp. 46215 283-46215 301.

8807220303 Forwards Amend 10 to physical security & contingency plan Amend withheld (ref 10CFR73.21 & 2.780).  
HAIRSTON, W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 2pp. 46250 296-46250 297.

8807220054 Responds to violations noted in Safeguards Insp Rept 50-424/88-19 ltr. Response withheld (ref 10CFR73.21 & 2.700). Describes incorrect item 3.  
HAIRSTON, W.G. Georgia Power Co. 88/07/18 Document Control Branch (Document Control Desk). 2pp. 46249 192-46249 193.

## J. Insurance & indemnity information

8807150182 Forwards Endorsement 14 to MAELU Policy MF-129 & Endorsement 20 to NELIA Policy HF-302.  
SANNAL, L. Marsh & McLennan, Inc. 88/07/05. D.NITZ, J. NRC - No Dated Attestation Given. 3pp. 46188 358-46188 360.

8807210027 Forwards SER supporting encl. License SNM-1981 authorizing receipt, possession, Insp & storage of U enriched in U-235 fuel assemblies Amend 3 to Indemnity Agreement B-107, finding of no significant impact & orwren assessment also encl.  
ROUSE, L.C. Fuel Cycle Safety Branch. 88/07/13. HAIRSTON, W.G. Georgia Power Co. 3pp. 46237 244-46237 287.

-8807210048 Unexecuted Amend 3 to Indemnity Agreement B-107, revising item 3 as listed.  
THOMAS, C.O. Policy Development & Technical Support Branch (Post 870411). 88/07/13. 2pp. 46237 256-46237 257.

## K. Utility Final Safety Analysis Report (FSAR) & amends

8807080122 Amend 38 to FSAR for Vogtle Electric Generating Plant, Units 1 & 2 W/ 880630 ltr.  
RICE, P.D. Georgia Power Co. 88/08/30. 342pp. 46131 149-46132 130.

## P. Operating license stage documents & correspondence

8808290288 Informs that two administrative matters re site access badges require NRC attention. Number of blanket site access codes limited to persons w/ ongoing need & listed inspectors desistfully suspended due to expiration of whole body count.  
McDONALD, R.P. Georgia Power Co. 88/08/13. SINKULE, M.V. Region 2, Oic of the Director. 2pp. 45985 355-45985 366.

8808290304 Confirms 880620 mgt meeting at Region II oic to discuss quality concerns program per 880602 talcon Proposed agenda encl.  
GRACE, J.N. Region 2, Oic of the Director. 88/08/18. McDONALD, R.P. Georgia Power Co. 3pp. 45988 159-45988 181.

8808290025 Provides addl info re transfer & storage of spent fuel from Unit 1 to Unit 2 pool, per NRC 880512 telcon request. Transfer within current scope of plant design, based on info ref, info currently provided in FSAR & info contained in SER.  
HAIRSTON, W.G. Georgia Power Co. 88/06/22. Document Control Branch (Document Control Desk). 4pp. 45984 215-45984 218.

8807050143 Notification of 880628 meeting w/ util in Rockville, MD to discuss review of util control room emergency filtration sys amend request.  
HOPKINS, J.B. Project Directorate II-3. 88/06/22. MATTHEWS, D.B. Project Directorate II-3. 3pp. 45991 249-45991 251.

8807110204 Forwards fee for amend to License NPF-68 inadvertently omitted from 880229 application, per 880523 ltr.  
HAIRSTON, W.G. Georgia Power Co. 88/06/20. Document Control Branch (Document Control Desk). 1p. 46138 304-46138 304.



8807110396 Informs of installation completion of ATWS mitigation system actuation circuitry (AMSAC) for Unit 2 Changes to FSAR scheduled for submittal in Nov 1988 after Unit 1 AMSAC installation completion. Proposed changes encl.  
BAILEY, J.A. Georgia Power Co. 88/06/29. Document Control Branch (Document Control Desk). 5pp. 46147:196-46147:254.

8807070569 Forwards environ assessment & finding of no significant impact re util 880204 request to amend Tech Spec 3.6.2.2 concerning vol limits for containment spray add live tank.  
HOPKINS, J.B. Project Directorate II-3. 88/06/30. HAIRSTON, W.G. Georgia Power Co. 2pp. 46119:207-46119:212.

-8807070572 Environ assessment & finding of no significant impact supporting rev to Tech Spec 3.6.2.2 re vol limits of sodium hydroxide solution in containment spray additive tank.  
MATTHEWS, D.B. Project Directorate II-3. 88/06/30. 4pp. 46119:209-46119:212.

8807120138 Forwards summary of 880620 mgt meeting in Region II of re plant quality concerns program List of attendees encl.  
GRACE, J.N. Region 2, OIC of the Director. 88/07/01. HAIRSTON, W.G. Georgia Power Co. 25pp. 46135:001-46135:025.

8807120183 Forwards proposed FSAR changes to control room ESF HVAC description. Changes include flow rate revs due to partial removal of wall separating Unit 1 & 2 control rooms.  
BAILEY, J.A. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 9pp. 46135:026-46135:116.

8807150186 Advises that util 880220 request for withholding WCAP-11731, "LOFTTR2 Analysis for Steam Generator Tube Rupture Event for Vogtle Units 1 & 2" (ref 10CFR2.790) granted.  
HOPKINS, J.B. Project Directorate II-3. 88/07/08. WIESEMANN, R.A. Westinghouse Electric Corp. 4pp. 46186:353-46186:356.

8807150289 Summary of 880628 meeting w/util in Rockville, MD re removal of temporary wall dividing control room. Attendee list & draft NUREG/CR-3509 encl.  
HOPKINS, J.B. Project Directorate II-3. 88/07/08. Project Directorate II-3. 76pp. 46183:081-46183:155.

8807180370 Forwards Amend 6 to License NPF-68 & safety evaluation. Amend revises Tech Specs by replacing organization charts w/ more general organization requirements. Notice of Issuance also encl.  
HOPKINS, J.B. Project Directorate II-3. 88/07/11. HAIRSTON, W.G. Georgia Power Co. 3pp. 46200:234-46200:262.

-8807180371 Amend 6 to License NPF-68 revising Tech Specs by replacing organization charts w/ more general organization requirements.  
MATTHEWS, D.B. Project Directorate II-3. 88/07/11. 22pp. 46200:237-46200:268.

-8807180373 Safety evaluation supporting Amend 6 to License NPF-68  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/11. 3pp. 46200:259-46200:261.

-8807180376 Requests FR publication of notice of issuance of Amend 6 to License NPF-68. Amend modified Tech Specs by replacing organization charts w/ more general organization requirements.  
HOPKINS, J.B. Project Directorate II-3. 88/07/11. NRC - No Detailed Affiliation Given. 1p. 46200:262-46200:262.

8807200128 Forwards updated listings of License NPF-68 outstanding submittals for NRC review & approval.  
HAIRSTON, W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 4pp. 46239:334-46239:337.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266.

8807060052 Forwards Insp Rept 50-424/88-20 on 880430 0608. No violations or deviations noted.  
BROWNLEE, V.L. Region 2, OIC of the Director. 88/06/20. HAIRSTON, W.G. Georgia Power Co. 2pp. 46103:136-46103:150.

-8807060055 Insp Rept 50-424/88-20 on 880430 0606. Violations noted but no notice issued. Major areas inspected: plant operations, radiological controls, maintenance, surveillance, fire protection, security, emergency planning & quality programs.  
ROGGE, J.F., BURGER, C.W., SINKULE, M.V. Region 2, OIC of the Director. 88/06/17. 13pp. 46103:138-46103:150.

8807010044 Forwards Insp Repts 50-424/88-19 & 50-425/88-21 on 880425-29. Notice of violation & rpt details withheld (ref 10CFR2.790(d) & 10CFR73.21).  
GRACE, J.N. Region 2, OIC of the Director. 88/06/21. McDONALD, R.P. Georgia Power Co. 2pp. 46017:235-46017:237.

-8807010045 Partially withheld Insp Repts 50-424/88-19 & 50-425/88-19 on 880425-29 (ref 10CFR2.790(d) & 10CFR73.21). Violations noted. Major areas inspected: corrective actions to previous enforcement issues & readiness of Unit 2.  
TOBIN, W., TILLMAN, A., THOMPSON, D. Region 2, OIC of the Director. 88/06/13. 1p. 46017:237-46017:237.

8807080072 Informs that HVAC sys at facility acceptable based on NRC insp review of activities identified in Readiness Review Module 18A submitted on 880212 w/exception of items listed in encl.  
GRACE, J.N. Region 2, OIC of the Director. 88/06/21. McDONALD, R.P. Georgia Power Co. 3pp. 46136:173-46136:221.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46240:401.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

8806290017 Provides addl info re util 870904 response to NRC Bulletin 85-003. State had developed during performance of procedures represents max practical differential pressure condition permissible for testing.  
HAIRSTON, W.G. Georgia Power Co. 88/06/22. Document Control Branch (Document Control Desk). 4pp. 45987:024-45987:027.

8806290022 Responds to violations noted in Insp Rept 50-424/88-18. Corrective actions deficiency card written on 880408 to document installation of improper bolting mat for ESF filter housing & six maint work orders initiated.  
HAIRSTON, W.G. Georgia Power Co. 88/06/22. Document Control Branch (Document Control Desk). 5pp. 45984:230-45984:234.

8807130037 Ack receipt of 880613 ltr informing of corrective actions re violations noted in Insp Repts 50-424/88-17 & 50-425/88-17.  
BROWNLEE, V.L. Region 2, OIC of the Director. 88/06/22. HAIRSTON, W.G. Georgia Power Co. 2pp. 46169:226-46169:227.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:268-46020:018.

8807120264 Forwards Insp Repts 50-424/88-21 & 50-426/88-31 on 880523-24. No violations or deviations noted. Conduct of exercise demonstrated mgt continued strong commitment to maintain effective emergency response capability.  
GRACE, J.N. Region 2, OIC of the Director. 88/06/28. McDONALD, R.P. Georgia Power Co. 2pp. 46155:055-46155:068.

-8807120270 Insp Repts 50-424/88-21 & 50-425/88-31 on 880523-24. No violations or deviations noted. Major areas inspected: annual radiological emergency preparedness exercise & review of licensee action on previous emergency response findings.  
CUNNINGHAM, A.L., DECKER, T.R. Region 2, OIC of the Director. 88/06/28. 12pp. 46155:057-46155:068.

8807120717 Confirms 880621 telcon w/CA Patterson re 880705 enforcement conference at Region II of control room cable penetration seals discussed in Insp Rept 50-424/88-24.  
GRACE, J.N. Region 2, OIC of the Director. 88/06/28. HAIRSTON, W.G. Georgia Power Co. 3pp. 46155:079-46155:081.

8807190043 Forwards Insp Rept 50-424/88-24 on 880607-09. Violations noted. Violation under consideration for escalated enforcement action. Licensee will be advised by separate correspondence of results of investigations.  
GRACE, J.N. Region 2, OIC of the Director. 88/06/29. HAIRSTON, W.G. Georgia Power Co. 2pp. 46215:291-46215:301.

-8807190045 Insp Rept 50-424/88-24 on 880607-09. Violations & weaknesses noted re failure to adequately design & install water tight penetration seals & analysis of licensee failure. Major areas inspected: 880603 operational event re fire protection.  
MADDEN, P.M., CONLON, T.E. Region 2, OIC of the Director. 88/06/27. 8pp. 46215:293-46215:301.

8807190013 Forwards Insp Repts 50-424/88-23 & 50-425/88-33 on 880606-10. No violations or deviations noted.  
HERDT, A.R. Region 2, OIC of the Director. 88/07/05. HAIRSTON, W.G. Georgia Power Co. 2pp. 46209:054-46209:068.

-8807190015 Insp Repts 50-424/88-23 & 50-425/88-33 on 880606-10. No violations or deviations noted. Potential for weakness re resolution of technical issues noted. Major areas inspected: containment penetrations, housekeeping & maintenance control.  
HALLSTROM, G.A., BLAKE, J.J. Region 2, OIC of the Director. 88/06/30. 13pp. 46209:056-46209:068.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807200135 Responds to NRC Bulletin 88-005, "Nonconforming Mill Supplied by Piping Supplies, Inc. at Folsom, NJ & West..." Magnitude of testing & evaluating of described items makes achieving stated schedule difficult.  
HAIRSTON, W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 2pp. 46228:124-46228:125.

8807200140 Forwards Interim response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Performance of safety-related centrifugal pumps monitored through inservice testing program to assure degradation identified & corrected.  
HAIRSTON, W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 6pp. 46239:349-46239:354.



**8807120291** NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/12  
Consolidated Edison Co. of New York, Inc. 103pp. 46242 008 46242 100.

**8807080366** NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/14  
Consolidated Edison Co. of New York, Inc. 103pp. 46240 222 46240 324

**8807120550** NRC Info Notice 88-049, "Marking Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18  
Consolidated Edison Co. of New York, Inc. 103pp. 46241 263 46242 005

**8807120553** NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18  
Consolidated Edison Co. of New York, Inc. 118pp. 46257 258 46258 016

**8807220054** Responds to violations noted in Safeguards Insp Rpt 50-424/88-19 Re-sponse withheld (ref 10CFR73.21 & 2.790). Describes incorrect item 3  
HAIRSTON,W.G. Georgia Power Co. 88/07/18. Document Control Branch (Document Control Desk). 2pp. 46249 102 46249 193

**8807180101** NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/21  
Consolidated Edison Co. of New York, Inc. 121pp. 46257 086 46257 208

## R. Periodic operating reports & related correspondence

**8807200393** Monthly operating rpt for June 1988 for Vogtle Unit 1 W/ 880711 ltr.  
DILWORTH,S.C., HAIRSTON,W.G. Georgia Power Co. 88/06/30 7pp. 46221 216 46221 221.

## S. Reportable occurrences, LERs & related correspondence

**8807080105** LER 88-017-00 on 880605, liquid release performed prior to completion of source check of radiation monitor. Caused by inadequate procedure. Procedure revised to require source check to be performed. Personnel counseled W/880629 ltr.  
SWARTZWELDER,J., HAIRSTON,W.G. Georgia Power Co. 88/06/29. 5pp. 46139 333 46139 337

**8807080111** LER 88-018-00 on 880603, water from process on valve leakoff lines seeped into control room. Caused by inadequate design of control room ceiling penetrations. Seepage path blocked w/ silicone sealant & sprinkler sys isolated W/ 880629 ltr.  
SWARTZWELDER,J., HAIRSTON,W.G. Georgia Power Co. 88/06/29. 10pp. 46136 229 46136 239

**8807080280** LER 88-018-00 on 880606, unit operated while stated leakage detection sys inoperable. In violation of Tech Specs. Caused by inadequate work instructions to maint crew. Maint will receive plant effluent monitoring sys training W/880629 ltr.  
SWARTZWELDER,J., HAIRSTON,W.G. Georgia Power Co. 88/06/29. 5pp. 46134 166 46134 170.

**8807150136** LER 88-019-00 on 880610, containment ventilation isolation occurred. Caused by apparent power supply failure in radiation monitor & inadequate installation of flow transmitter w/o wire insulated W/880705 ltr.  
SWARTZWELDER,J., HAIRSTON,W.G. Georgia Power Co. 88/07/05. 5pp. 46183 259 46183 263.

**8807200130** LER 88-070-01 on 871123, inadequate reviews of special condition surveillance logs led to missed surveillance. Control room supervisory personnel counseled re importance of performing Tech Spec surveillance. W/880711 ltr.  
BURNS,W.E., HAIRSTON,W.G. Georgia Power Co. 88/07/11. 8pp. 46240 090 46240 095

## DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

### A. Application/construction stage documents & correspondence

**8806290288** Informs that two administrative matters re site access badges require NRC attention. Number of blanket site access codes limited to persons w/ ongoing need & listed inspectors dosimetry suspended due to expiration of whole body count.  
MCDONALD,R.P. Georgia Power Co. 88/06/13. SINKULE,M.V. Region 2, OIC of the Director. 2pp. 45985 355 45985 358.

**8806290304** Confirms 880620 mgt meeting at Region II office to discuss quality concerns program. per 880602 telcon. Proposed agenda and  
GRACE,J.N. Region 2, OIC of the Director. 88/06/16. MCDONALD,R.P. Georgia Power Co. 3pp. 45988 150 45988 161.

**8806290025** Provides addl info re transfer & storage of spent fuel from Unit 1 to Unit 2 pool. per NRC 880512 telcon request. Transfer within current scope of plant design, based on info rel. currently provided in FSAR & info contained in SER.  
HAIRSTON,W.G. Georgia Power Co. 88/06/22. Document Control Branch (Document Control Desk). 4pp. 45984 216 45984 218.

**8807110396** Informs of installation completion of ATWS mitigation sys actuation circuitry (AMSC) for Unit 2. Changes to FSAR scheduled for submittal in Nov 1988 after Unit 1 AMSC installation completion. Proposed changes encl.  
BAILEY,J.A. Georgia Power Co. 88/06/29. Document Control Branch (Document Control Desk). 5pp. 46147 196 46147 254

**8807120367** Forwards request for addl info re spent fuel racks. Potential consequences of three postulated design basis accident must be addressed by 880801.  
HOPKINS,J.B. Project Directorate II-3. 88/06/29. HAIRSTON,W.G. Georgia Power Co. 3pp. 46112 007 46112 009.

**8807120138** Forwards summary of 880620 mgt meeting in Region II office re plant quality concerns program. List of attendees encl.  
GRACE,J.N. Region 2, OIC of the Director. 88/07/01. HAIRSTON,W.G. Georgia Power Co. 25pp. 46135 001 46135 025.

**8807120183** Forwards proposed FSAR changes to control room ESF HVAC description. Changes include flow rate revs due to partial removal of wall separating Unit 1 & 2 control rooms.  
BAILEY,J.A. Georgia Power Co. 88/07/05. Document Control Branch (Document Control Desk). 81pp. 46135 026 46135 116

**8807150196** Advises that util 880229 request for withholding WCAP-11731, "LOFTTR2 Analysis for Steam Generator Tube Rupture Event for Vogtle Units 1 & 2" (ref 10CFR2.790) granted.  
HOPKINS,J.B. Project Directorate II-3. 88/07/08. WIESEMAN,H.A. Westinghouse Electric Corp. 4pp. 46186 353 46186 356.

**8807150289** Summary of 880828 meeting w/ util in Rockville, MD re removal of temporary wall dividing control room. Attendee list & draft NUREG/CR-3509 encl.  
HOPKINS,J.B. Project Directorate II-3. 88/07/08. Project Directorate II-3. 76pp. 46183 081 46183 165.

**8807200128** Forwards updated listings of Licensee NPF-68 outstanding submittals for NRC review & approval.  
HAIRSTON,W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 4pp. 46239 334 46239 337.

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207 46257 257.

**8807250335** Forwards SSER accepting util info re electrical cable & raceway configurations not tested previously or analyzed.  
HOPKINS,J.B. Project Directorate II-3. 88/07/18. HAIRSTON,W.G. Georgia Power Co. 3pp. 46259 312 46259 317.

**-8807250341** SSER supporting electrical cable & raceway configurations for plant.  
\* Project Directorate II-3. 88/07/18. 3pp. 46259 315 46259 317.

## F. Security, medical, emergency & fire protection plans

**8807010044** Forwards Insp Repts 50-424/88-19 & 50-425/88-21 on 880425-29 Notice of violation & rpt details withheld (ref 10CFR2.790(b) & 10CFR73.21).  
GRACE,J.N. Region 2, OIC of the Director. 88/06/21. MCDONALD,R.P. Georgia Power Co. 2pp. 46017 235 46017 237.

**-8807010045** Partially withheld Insp Repts 50-424/88-19 & 50-425/88-19 on 880425-29 (ref 10CFR2.790(b) & 10CFR73.21). Violations noted. Major areas inspected. Corrective actions to previous enforcement issues & readiness of Unit 2.  
TOBIN,W., KIRBY,J., MCGUIRE,D.R. Region 2, OIC of the Director. 88/06/13. 1p. 46017 237 46017 237.

**8806290285** Procedure deletion notice for Manual Set 6 of emergency plan. Implementing procedures, replacing Temporary Procedure T-EP-06.1, "Emergency Response Organization & Recovery Organization Transition." W/880629 ltr.  
HAIRSTON,W.G. Georgia Power Co. 88/06/22. 3pp. 45986 299 45986 301

**8807120455** Forwards Insp Rpt 50-425/88-30 on 880506 0610. No violations or deviations noted.  
BROWNLEE,V.L. Region 2, OIC of the Director. 88/06/22. HAIRSTON,W.G. Georgia Power Co. 2pp. 46143 089 46143 102.

**-8807120481** Insp Rpt 50-425/88-30 on 880506 0610. No violations or deviations noted. Major areas inspected: fire protection, containment & safety-related structures, piping sys & supports, auxiliary sys & electrical equipment.  
SCHEPENS,R.J., BURGER,C.W., SINKULE,M.V. Region 2, OIC of the Director. 88/06/17. 12pp. 46143 091 46143 102

**8807120473** Advises that Phase 1 of plant Security Module 23 acceptable & complies with applicable regulatory requirements based on review of commitment identification & implementation of plant security for util. per Insp Rpt 50-425/88-21.  
GRACE,J.N. Region 2, OIC of the Director. 88/06/23. MCDONALD,R.P. Georgia Power Co. 2pp. 46155 013 46155 014.

**8807120264** Forwards Insp Repts 50-424/88-21 & 50-425/88-31 on 880523-24. No violations or deviations noted. Conduct of exercise demonstrated mgt continued strong commitment to maintain effective emergency response capability.  
GRACE,J.N. Region 2, OIC of the Director. 88/06/28. MCDONALD,R.P. Georgia Power Co. 2pp. 46155 055 46155 068

**-8807120270** Insp Repts 50-424/88-21 & 50-425/88-31 on 880523-24. No violations or deviations noted. Major areas inspected: annual radiological emergency preparedness exercise & review of licensee action on previous emergency response findings.  
CUNNINGHAM,A.L. Region 2, OIC of the Director. 88/06/28. 12pp. 46155 057 46155 068.

**8807070548** Forwards rpt of changes to physical security & contingency plan. Rpt withheld (ref 10CFR73.21 & 2.790).  
HAIRSTON,W.G. Georgia Power Co. 88/06/28. Document Control Branch (Document Control Desk). 2pp. 46118 105 46118 108.

**8807220120** Forwards Insp Rpt 50-425/88-32 on 880523-26 & notice of deviation.  
HERDT,A.R. Region 2, OIC of the Director. 88/06/28. HAIRSTON,W.G. Georgia Power Co. 3pp. 46247 220 46247 230.

**-8807220124** Notice of deviation from Insp on 880523-26. Deviation noted: hose cabinet not maintained available for fire brigade use due to control-related obstructions. Cabinet door latch inoperable & control electrical cords stored inside cabinet.  
HERDT,A.R. Region 2, OIC of the Director. 88/06/29. 1p. 46247 223 46247 223

**-8807220126** Insp Rpt 50-425/88-32 on 880523-26. Deviation noted: Major areas inspected: const fire protection program, administrative controls, fire protection water supply loop, fire protection sys Insp & actions on previous Insp findings.  
WIESEMAN,H.A., CONLON,T.E. Region 2, OIC of the Director. 88/06/21. 7pp. 46247 224 46247 230.

8807220303 Forwards Amend 10 to physical security & contingency plan Amend withheld (ref 10CFR73.21 & 2.703).  
HAIRSTON,W.G. Georgia Power Co. 88/07/11 Document Control Branch (Document Control Desk). 2pp. 46250.296-46250.297

8807250082 Forwards updated Mod'u 23, "Plant Security," to facility readiness review program for review & acceptance by NRC End withheld (ref 10CFR2.703 & 73.21).  
RICE,P.D. Georgia Power Co. 88/07/12 Document Control Branch (Document Control Desk). 3pp. 46259.118-46259.120.

#### J. Insurance & Indemnity Information

8807150162 Forwards Endorsement 14 to MAELU Policy MF-129 & Endorsement 20 to NELIA Policy NF-302.  
SANNAL, Marsh & McLennan, Inc. 88/07/05 DINIZI, NRC - No Dated Affiliation Given. 3pp. 46186.358-46186.360.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

8807080122 Amend 36 to FSAR for Vogtle Electric Generating Plant, Units 1 & 2 W/ 68C630 ltr.  
RICE,P.D. Georgia Power Co. 88/06/30 342pp. 46131.149-46132.130

#### M. Antitrust correspondence

8807120468 Requests updated data responses for each licensee to question B1 & all subsections of Reg Guide 9.3 Response should begin where 880224 response ended & be submitted within 60 days of ltr date.  
MATTHEWS,D.B. Project Directorate II-3 88/06/23. HAIRSTON,W.G. Georgia Power Co. 2pp. 46111.247-46111.250

#### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266.

8807010044 Forwards Insp Repts 50-424/88-19 & 50-425/88-21 on 880425-29 Notice of violation & repl data withheld (ref 10CFR2.760(d) & 10CFR73.21).  
GRACE,J.N. Region 2, Oic of the Director. 88/06/21. McDONALD,R.P. Georgia Power Co. 2pp. 46017.235-46017.237.

-8807010045 Partially withheld Insp Repts 50-424/88-19 & 50-425/88-19 on 880425-29 (ref 10CFR2.790(o) & 10CFR73.21). Violations noted Major areas inspected corrective actions to previous enforcement issues & readiness of Unit 2.  
TOBIN,W., TILLMAN,A., THOMPSON,D. Region 2, Oic of the Director. 88/06/13. 1p. 46017.237-46017.237.

8807080072 Informs that HVAC sys at facility acceptable based on NRC Insp review of activities identified in Readiness Review Module 18A submitted on 880212 w/exception of items listed in encl.  
GRACE,J.N. Region 2, Oic of the Director. 88/06/21. McDONALD,R.P. Georgia Power Co. 3pp. 46136.173-46136.221.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.326-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019.037-46019.152.

8806290017 Provides add info re util 870904 response to NRC Bulletin 85-003 Static head developed during performance of procedures represents max practical differential pressure condition permissible for testing.  
HAIRSTON,W.G. Georgia Power Co. 88/06/22. Document Control Branch (Document Control Desk). 4pp. 45987.024-45987.027.

8807120455 Forwards Insp Rept 50-425/88-30 on 880506-0610. No violations or deviations noted.  
BROWNLEE,V.L. Region 2, Oic of the Director. 88/06/22. HAIRSTON,W.G. Georgia Power Co. 2pp. 46143.088-46143.102.

-8807120461 Insp Rept 50-425/88-30 on 880506-0610. No violations or deviations noted Major areas inspected fire protection, containment & safety-related structures, piping sys & supports, auxiliary sys & electrical equipment.  
SCHPEFS,R.J., BURGER,C.W., SINKULE,M.V. Region 2, Oic of the Director. 88/06/17. 12pp. 46143.091-46143.102

8807130037 Ack receipt of 880613 ltr informing of corrective actions re violations noted in Insp Repts 50-424/88-17 & 50-425/88-17.  
BROWNLEE,V.L. Region 2, Oic of the Director. 88/06/22. HAIRSTON,W.G. Georgia Power Co. 2pp. 46168.226-46168.227.

8807060555 Responds to NRC ltr re violations noted in Insp Rept 50-425/88-20. Corrective actions in work & full compliance w/FSAR commitments & will be achieved by 880729.  
RICE,P.D. Georgia Power Co. 88/06/23 Document Control Branch (Document Control Desk). 2pp. 46025.100-46025.101.

8807120473 Advises that Phase 1 of plant Security Module 23 acceptable & complies with applicable regulatory requirements based on review of common identification & implementation of plant security for util per Insp Rept 50-425/88-21.  
GRACE,J.N. Region 2, Oic of the Director. 88/06/23. McDONALD,R.P. Georgia Power Co. 2pp. 46155.013-46155.014.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device on Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.266-46020.018

8807120072 Forwards Insp Rept 50-425/88-28 on 880500-13 & 23-26 & notice of violation.  
JULIAN,C.A. Region 2, Oic of the Director. 88/06/24. McDONALD,R.P. Georgia Power Co. 2pp. 46145.273-46145.285

-8807120078 Notice of violation from Insp on 880509-13 & 23-26 Violation noted program for Insp personnel that meets requirements of commitments re duties of Administrative Level III Inspector not established.  
JULIAN,C.A. Region 2, Oic of the Director. 88/06/24. 2pp. 46145.275-46145.276.

-8807120081 Insp Rept 50-425/88-28 on 880509-13 & 23-26 Violations noted Major areas inspected Readiness Review Module, App F, "Inspector Qualification."  
WRIGHT,R.W., THOMAS,M., BELISLE,G.A. Region 2, Oic of the Director. 88/06/16 9pp. 46145.277-46145.285.

8807120264 Forwards Insp Repts 50-424/88-21 & 50-425/88-31 on 880523-24. No violations or deviations noted. Conduct of exercise demonstrated mgt continued strong commitment to maint of effective emergency response capability.  
GRACE,J.N. Region 2, Oic of the Director. 88/06/28. McDONALD,R.P. Georgia Power Co. 2pp. 46155.055-46155.068.

-8807120270 Insp Repts 50-424/88-21 & 50-425/88-31 on 880523-24. No violations or deviations noted. Major areas inspected annual radiological emergency preparedness exercise & review of licensee action on previous emergency response findings.  
CUNNINGHAM,A.L., DECKER,T.R. Region 2, Oic of the Director. 88/06/28. 12pp. 46155.057-46155.068.

8807220137 Forwards Insp Rept 50-425/88-25 on 880502-06 & 16-20. No violations or deviations noted.  
JULIAN,C.A. Region 2, Oic of the Director. 88/06/28. HAIRSTON,W.G. Georgia Power Co. 2pp. 46248.117-46249.134.

-8807220140 Insp Rept 50-425/88-25 on 880502-06 & 16-20. No violations or deviations noted. Major areas inspected design changes & mods, tests & experiments, measuring & test equipment, document control & surveillance testing & calor control.  
MOORE,L.R., BELISLE,G.A. Region 2, Oic of the Director. 88/06/23. 16pp. 46249.119-46249.134.

8807080103 Submits results of breaker alignment checks & pole shaft weld inspections per NRC Bulletin 88-001. Only DS-416-type breakers utilized in safety-related applications. Pole shaft for reactor trip bypass breaker rejected.  
HAIRSTON,W.G. Georgia Power Co. 88/06/28. Document Control Branch (Document Control Desk). 2pp. 46140.205-46140.206.

8807220120 Forwards Insp Rept 50-425/88-32 on 880623-26 & notice of deviation.  
HERDT,A.R. Region 2, Oic of the Director. 88/06/29. HAIRSTON,W.G. Georgia Power Co. 3pp. 46247.220-46247.230.

-8807220124 Notice of deviation from Insp on 880523-26. Deviation noted, hose cabinet not maintained available for fire brigade use due to const related obstructions, cabinet door latch inoperable & const electrical cords stored inside cabinet.  
HERDT,A.R. Region 2, Oic of the Director. 88/06/29. 1p. 46247.223-46247.223

-8807220126 Insp Rept 50-425/88-32 on 880523-26. Deviation noted Major areas inspected const fire protection program, administrative controls, fire protection water supply loop, fire protection sys Insp & actions on previous Insp findings.  
WISEMAN,G.R., CONLON,T.E. Region 2, Oic of the Director. 88/06/21. 7pp. 46247.224-46247.230

8807190013 Forwards Insp Repts 50-424/88-23 & 50-426/88-33 on 880606-10. No violations or deviations noted.  
HERDT,A.R. Region 2, Oic of the Director. 88/07/05. HAIRSTON,W.G. Georgia Power Co. 2pp. 46209.054-46209.068.

-8807190015 Insp Repts 50-424/88-23 & 50-426/88-33 on 880606-10. No violations or deviations noted. Potential for weakness re resolution of technical issues noted Major areas inspected: containment penetrations, housekeeping & mats control.  
HALLSTROM,G.A., BLAKE,J.J. Region 2, Oic of the Director. 88/06/30. 13pp. 46209.056-46209.088.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212.

8807080098 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807200140 Forwards Interim response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Performance of safety-related centrifugal pumps monitored through service testing program to assure degradation identified & corrected.  
HAIRSTON,W.G. Georgia Power Co. 88/07/11. Document Control Branch (Document Control Desk). 6pp. 46239.349-46239.354.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258:016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257:206

#### S. Reportable occurrences, LERs & related correspondence

8807010057 Deficiency rept re ESF filtration bolts initially reported on 880601. Investigation of root cause of condition ongoing. Final rept will be submitted by 880901.  
RICE, P.D. Georgia Power Co. 88/06/28 Document Control Branch (Document Control Desk). 1p. 46020:242-46020:242.

8807200117 Deficiency rept re nonwater-tight penetration seals initially reported on 880609. Investigation incomplete. Next rept expected by 880818.  
RICE, P.D. Georgia Power Co. 88/07/08 Document Control Branch (Document Control Desk). 1p. 46228:328-46228:328.

8807070522 Potentially reportable deficiency rept re valves installed opposite to direction of flow. Initially reported on 880601. Investigation in progress to determine full scope of condition. Final rept will be submitted by 881001.  
RICE, P.D. Georgia Power Co. 88/07/07 Document Control Branch (Document Control Desk). 1p. 46123:108-46123:108

#### DOCKET STN-50-437 FLOATING NUCLEAR PLANT

##### A. Application/construction stage documents & correspondence

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

##### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240:326-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:008-46242:108.

8807080386 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp. 46257:086-46257:206

#### DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

##### A. Application/construction stage documents & correspondence

8807070083 Forwards summary of uti 880524 presentation re min edge distance for anchor bolts discussed in 880318 10CFR21 notification from Hill, Inc.  
GRIDLEY, R. Tennessee Valley Authority 88/06/28 Document Control Branch (Document Control Desk). 3pp. 46136:288-46136:300.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257

##### H. General correspondence

8807260398 Confirms telcon re voluntary retirement of HL Abercrombie, site director on 880722. JJ Lepore will be assigned acting site director in a transmittal per uti revised corporate nuclear performance plan dtd Jul 1987.  
WHITE, S.A. Tennessee Valley Authority 88/07/20 PARTLOW, J.G. Dir of Special Projects. 2pp. 46300:136-46300:137

##### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15 Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp. 46240:326-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018

8807120228 Forwards Insp Repts 50-438/88-02 & 50-439/88-02 on 880517-0606 No violations or deviations noted.  
MCCOY, F.R. Dir of Special Projects 88/06/28. WHITE, S.A. Tennessee Valley Authority. 2pp. 46142:351-46142:357.

8807120232 Insp Repts 50-438/88-02 & 50-439/88-02 on 880517-0606 No violations or deviations noted. Major areas inspected: employee concerns, safety-related pipe support & restraint & layout & preservation of equipment.  
YORK, J., ELROD, J. Region 2, Dir of the Director. 88/06/23 5pp. 46142:353-46142:357.

8807120021 Forwards list of commitments re NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA-Type Latching Relays May Be GE."  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06 Document Control Branch (Document Control Desk). 4pp. 46147:280-46147:283.

8807140071 Responds to NRC Bulletin 87-002. Suppls 1 & 2, "Fastenor Testing to Determine Conformance W/ APPLICABLE Specs." Requests clarification of bulletin to provide necessary info & extension to 880130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06 Document Control Branch (Document Control Desk). 3pp. 46184:146-46184:148.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027

8807260218 Forwards revised response to Violation 3 noted in Insp Repts 50-438/87-08, 50-439/87-08, 50-268/87-38, 50-260/87-38, 50-286/87-38, 50-327/87-68, 50-328/87-68, 50-380/87-18 & 50-391/87-18 Corrective actions memo issued on 880331.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/11 Document Control Branch (Document Control Desk). 5pp. 46259:095-46259:099

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14  
Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18  
Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 118pp. 46257-258-46258 016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21  
Consolidated Edison Co. of New York, Inc. 121pp. 46257 085-46257 206

## DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

### A. Application/construction stage documents & correspondence

8807070083 Forwards summary of w/ 880524 presentation re min edge distance for anchor bolts discussed in 880318 10CFR21 notification from Hix, Inc.  
GRIDLEY, R. Tennessee Valley Authority. 88/06/28 Document Control Branch (Document Control Desk) 3pp. 46136-298-46136-300

8807130454 General Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation emblemment of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.93 encl.  
M. RAGLIA, F. J. Associate Director for Projects (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

### H. General correspondence

8807280395 Confirms telcon re voluntary retirement of HL Abercrombie, Sr to director on 880722. JT Lapoint will be assigned acting site director. Info transmitted per unit revised corporate nuclear performance plan dtd Jul 1987.  
WHITE, S.A. Tennessee Valley Authority. 88/07/20 PARTLOW, J.G. Ofc of Special Projects 2pp. 46300 136-46300 137.

### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15.  
Consolidated Edison Co. of New York, Inc. 116pp. 45978-158-45978 268.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22.  
Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152.

8806210038 NRC Info Notice 88-044, "Mechanical Bending of Spring Release Device in Wainhouse Type OS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 113pp. 46019 163-46019 265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/24.  
Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018.

8807120228 Forwards Insp Repts 50-439/88-02 & 50-439/88-02 on 880517-0606. No violations or deviations noted.  
MCCOY, F.R. Ofc of Special Projects. 88/08/28. WHITE, S.A. Tennessee Valley Authority. 2pp. 46142 351-46142 357.

~8807120232 Insp Repts 50-439/88-02 & 50-439/88-02 on 880517-0606. No violations or deviations noted. Major areas inspected: employee concerns, safety-related pipe support & restraint; & layout & preservation of equipment.  
YORK, J. ELROD, J. Region 2, Ofc of the Director. 88/06/23. 5pp. 46142 353-46142 357.

8807120021 Forwards list of commitments re NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA-Type Latching Relays MIG by GE."  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 4pp. 46147-290-46147-293.

8807140071 Responds to NRC Bulletin 87-002, Suppl 1 & 2, "Fastener Testing to Determine Conformance W/Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 880130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 3pp. 46184-146-46184-148.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242-108-46242 212.

8807080008 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08.  
Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46232 027.

8807250216 Forwards revised response to Violation 3 noted in Insp Repts 50-438/87-08, 50-439/87-08, 50-259/87-38, 50-260/87-38, 50-286/87-38, 50-327/87-68, 50-328/87-68, 50-350/87-18 & 50-301/87-18. Corrective actions memo issued on 880331.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/11. Document Control Branch (Document Control Desk) 5pp. 46259 095-46259 099

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18.  
Consolidated Edison Co. of New York, Inc. 118pp. 46257-258-46258 016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257 085-46257 206

## DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

### F. Security, medical, emergency & fire protection plans

8806280217 Forwards Safety Insp Repts 50-440/88-06 & 50-441/88-03 on 880502-05. No violations noted. Areas identified requiring further review & evaluation discussed in open item appraisal rpt also encl.  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/06/22. KAPLAN, A. Cleveland Electric Illuminating Co. 4pp. 45987 004-45987 023.

~8806280218 Insp Repts 50-440/88-06 & 50-441/88-03 on 880502-05. No violations, deficiencies or deviations noted. Major areas inspected: emergency response facility appraisal & reviews of radioactive release assessment & meteorological info.  
FOSTER, J. SNELL, W. Region 3, Ofc of the Director. 88/06/22. 16pp. 45987 008-45987 023.

8807050044 Forwards suppl to 10CFR2 206 petition on public info for plant in response to 880508 ltr. Encl documentation supports conclusion on six listed issues, including 1988 calendar & pages on emergency planning.  
KRIMM, R.W. Federal Emergency Management Agency. 88/06/22. CONGEL, F. Division of Radiation Protection & Emergency Preparedness (Post 870411). 77pp. 46026 041-46026 117.

8807060408 Understands that date for site visit to four emergency response facilities will be 880714, per 880621 telcon. Goal is to consider w/ licensee ways of making more efficient use of available space & providing adequate communications.  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/06/28. KAPLAN, A. Cleveland Electric Illuminating Co. 3pp. 46117 332-46117 334.

8807200120 Revised emergency plan implementing instructions, including Temporary Change Notice TCN-2 to Rev 4 to EPI-A2, "Unusual Event." W/880712 ltr.  
ANDERSON, J.D., KAPLAN, A. Cleveland Electric Illuminating Co. 88/07/12. 85pp. 46229 051-46229 115.

### G. Adjudicatory correspondence

8807120604 Forwards Director's Decision 88-10 denying petition for immediate action to relieve undue risk posed by inadequate seismic design of facility filed on 880122, per 10CFR2 208. Notice filed w/ Ofc of FR for publication.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/22. HIATT, S.L. Ohio Citizens for Responsible Energy. 2pp. 46120 250-46120 003.

~8807120605 Director's Decision 88-10 denying Ohio Citizens for Responsible Energy, Inc. petition for immediate action to relieve undue risk posed by inadequate seismic design of facility, per 10CFR2 208.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/22. 12pp. 46120 252-46120 203.

~8807120662 Notice of issuance of director's decision under 10CFR2 208 denying Ohio Citizens for Responsible Energy, Inc. petition for immediate action to relieve undue risk posed by inadequate seismic design of facility.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/22. 37pp. 46120 284-46120 362.

~8807120672 Forwards petition filed by Ohio Citizens for Responsible Energy, Inc. requesting actions including immediate suspension of const permit & OL for facility based on seismic concerns, for review & concurrence, per 10CFR2 208.  
HANDLER, L. J. Assistant General Counsel for Enforcement. 88/02/22. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 46120 353-46121 003

8807290026 Advises that time for Commission to review Director's Decision 88-10 expired. Commission declined review. Decision became final agency action on 880710.  
CHILK, S.J. Office of the Secretary of the Commission. #388 6790. 88/07/21. HIATT, S.L. Ohio Citizens for Responsible Energy. 1p. 46253 204-46253 204



8807250208 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. TREPAL,C. Cuyahoga County Concerned Citizens ANGEL,J.H. Citizens for Land & Water Use SEFCEK,D. Northern Ohio Citizens Against Perry & Davis-Besse. 87/02/18. NRC - No Dated Affiliation Given. 2pp. 46248.095-46248.098.

8807180250 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CHORMAN,N. Affiliation Not Assigned. 87/02/24. ZECH NRC - No Dated Affiliation Given. 1p. 46191.070-46191.070.

8807200394 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SULECKI,J. Affiliation Not Assigned. 87/03/11. NRC - No Dated Affiliation Given. 1p. 46187.097-46187.097.

8807140212 Advises that listed personnel will assume new positions effective 880701 due to upper mgmt reorganization. G'NN,R.M. Centorlor Energy. 88/07/01. Document Control Branch (Document Control Desk). 1p. 46177.219-46177.219

#### M. Antitrust correspondence

8807080242 Comments on util 880818 request to suspend antitrust license condition. Economic advantages for util owning nuclear power plants have failed to materialize. HIATT,S.L. Ohio Citizens for Responsible Energy. 88/06/30. Policy Development & Technical Support Branch (Post 870411). 2pp. 46139.326-46139.327.

8807130434 Forwards response of Ohio Edison Co to comments on antitrust license amendment application. Util requests Commission hold present proceeding on application in abeyance pending resolution of court action filed on 880822. ZAHLER,R.E. Shaw, Pittman, Polts & Trowbridge. 88/07/05. THOMAS,C.O. Policy Development & Technical Support Branch (Post 870411). 82pp. 46169.257-46169.317.

8807250086 Requests that deadline for filing comments on Centorlor application be extended 60 days, until 880914. Certificate of Svc encl. ALBERT,K.M. Cleveland, OH. ALBERT,K.M. Goldberg, Fildman & Latham, P.C. 88/07/07. 6pp. 46267.001-46267.006

8807200088 Opposes util's request to suspend antitrust provision of license Suspension will result in severe harm to both existing & future municipal electric sys in area. BURLING,T., TREPAL,C., KLINE,C. Concerned Citizens of Lako, Gouage & Ashtabula Counties, OH. 88/07/11. Policy Development & Technical Support Branch (Post 870411). 2pp. 46228.329-46228.329.

8807220364 Forwards comments in response to NRC request published in FR on 880616 re antitrust issues raised in applications to suspend antitrust conditions in plant licenses. GIBBENS,A.M. American Public Power Association. 88/07/15. Policy Development & Technical Support Branch (Post 870411). 17pp. 46250.115-46250.131.

8807260249 Forwards opposition of city of Clyde, OH to util application to suspend antitrust conditions at facilities, per 880616 53FR22589 & 53FR22590. COYLE,J.P. Duncan, Allen & Talmage (formerly Duncan, Allen & Mitchell). COYLE,J.P. Clyde, OH. 88/07/15. THOMAS,C.O. Policy Development & Technical Support Branch (Post 870411). 1p. 46302.324-46302.026.

8807260427 Opposition of city of Clyde, OH to application to amend plants OLS to suspend antitrust conditions. COYLE,J.P. Duncan, Allen & Talmage (formerly Duncan, Allen & Mitchell). COYLE,J.P. Clyde, OH. 88/07/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 61pp. 46302.326-46302.026.

#### P. Operating license stage documents & correspondence

8807120190 Forwards technical rept. "Analyses of Northeastern Ohio Seismicity & Tectonics," which responds to Ohio Citizens for Responsible Energy 880122 petition for immediate action to relieve undue risk posed by inadequate seismic design. SILBERG,J.E. Shaw, Pittman, Polts & Trowbridge. SILBERG,J.E. Cleveland Electric Illuminating Co. 88/08/08. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 45527.001-45527.168.

8807120196 "Analyses of Northeastern Ohio Seismicity & Tectonics." \* Weston Geophysical Corp. 88/08/30. 156pp. 45527.003-45527.168.

8807110412 Forwards notice of consideration of issuance of amend to License NPF-58 & proposed NSHC re mods to ensure that three of four RCS leakage detection sys operable for continuous plant operation. COLBURN,T.G. Project Directorate III-3. 88/08/10. KAPLAN,A. Cleveland Electric Illuminating Co. 2pp. 46100.124-46100.133.

8807110434 Notice of consideration of issuance of amend to License NPF-58 & proposed NSHC determination & opportunity for hearing. Amend modifies Tech Spec 3.4.3.1 to provide flexibility in flow rate of upper drywell air coolers. COLBURN,T.G. Project Directorate III-3. 88/08/10. 8pp. 46100.126-46100.133.

8807060182 Confirms 880629 meeting in Perry, OH to discuss plant status, recent events & monthly performance indicator rept. GREENMAN,E.D. Region 3, Ofc of the Director. 88/08/24. KAPLAN,A. Cleveland Electric Illuminating Co. 1p. 46088.012-46088.012.

8807130328 Informs that NEDE-31567-P, "Perry 1 Reactor Internals Vibration Measurements," w/lt be withheld from public disclosure (rel 10CFR2.780), per 880511 request. COLBURN,T.G. Project Directorate III-3. 88/08/28. KAPLAN,A. Cleveland Electric Illuminating Co. 5pp. 46164.022-46164.026.

8807130008 Amend 13 to License NPF-58, changing Tech Specs to delete organizational charts & add clarifying language to compensate for deletion of charts. PERKINS,K.E. Project Directorate III-3. 88/06/30. KAPLAN,A. Cleveland Electric Illuminating Co. 2pp. 46165.096-46165.095.

8807130008 Safety evaluation supporting Amend 13 to License NPF-58. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/30. 3pp. 46165.093-46165.095.

8807220256 Partial response to FOIA request Forwards App G documents. App F & G documents available in PDR. GRIMSLEY,D.H. NRC - No Dated Affiliation Given. 88/06/30. MAXWELL,B. Cosmos Broadcasting Corp. 3pp. 46230.293-46230.350.

8807220260 Package of drafts re evaluations & actions completed prior to startup & plant evaluations of single MSIV slow closure. \* Cleveland Electric Illuminating Co. 87/11/11. 53pp. 46230.208-46230.350.

8807130434 Forwards response of Ohio Edison Co to comments on antitrust license amendment application. Util requests Commission on hold present proceeding on application in abeyance pending resolution of court action filed on 880822. ZAHLER,R.E. Shaw, Pittman, Polts & Trowbridge. 88/07/05. THOMAS,C.O. Policy Development & Technical Support Branch (Post 870411). 82pp. 46169.257-46169.317.

8807210339 Forwards environ assessment & finding of no significant impact re 871002 application to revise environ protection plan in App B concerning surveillance requirements for monitoring of Corbieluc at facility. COLBURN,T.G. Project Directorate III-3. 88/07/11. KAPLAN,A. Cleveland Electric Illuminating Co. 3pp. 46237.128-46237.134.

8807210342 Environ assessment & finding of no significant impact re environ protection plan in App B of Tech Spec concerning surveillance requirements for monitoring of Corbieluc. PERKINS,K.E. Project Directorate III-3. 88/07/08. 4pp. 46237.131-46237.134.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA,J.F. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257.207-46257.257.

8807190330 Forwards add'l info re periodic testing of standby liquid control sys per 10CFR50.62. In conformance w/880609 request. KAPLAN,A. Cleveland Electric Illuminating Co. 88/07/12. Document Control Branch (Document Control Desk). 3pp. 46215.129-46215.134.

8807210029 Application for amend to License NPF-58, revising Tech Spec Section 3.6.2.6 re drywell average air temp limits. KAPLAN,A. Cleveland Electric Illuminating Co. 88/07/12. Document Control Branch (Document Control Desk). 7pp. 46235.052-46235.061.

8807210030 Proposed Tech Specs, revising Section 3.6.2.6 re drywell average air temp limits. \* Cleveland Electric Illuminating Co. 88/07/12. 3pp. 46235.059-46235.081.

8807260337 Forwards Amend 14 to License NPF-58 & safety evaluation. Amend increases limit for drywell average air temp to 145 F & changes related bases. COLBURN,T.G. Project Directorate III-3. 88/07/14. KAPLAN,A. Cleveland Electric Illuminating Co. 3pp. 46264.330-46264.348.

8807260342 Amend 14 to License NPF-58, changing Tech Specs to increase drywell average air temp from 135 F to 145 F. HOLAHAN,G.M. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/07/14. 7pp. 46264.333-46264.338.

8807260343 Safety evaluation supporting Amend 14 to License NPF-58. \* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/14. 7pp. 46264.340-46264.348.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/16. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.266.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155.

8806170291 NRC Bulletin 88-008, "Thermal Strossos in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806280217 Forwards Safety Insp Repts 50-440/88-08 & 50-441/88-03 on 880502. 05. No violations noted Areas identified requiring further review & evaluation discussed in open item appraisal rept also encl. SHAFER,W.D. Region 3, Ofc of the Director. 88/08/22. KAPLAN,A. Cleveland Electric Illuminating Co. 4pp. 45987.004-45987.023.



-8806280218 Insp Repts 50-440/88-08 & 50-441/88-03 on 880502-05 No violations detected or deviations noted Major areas inspected emergency response facility appraisal & reviews of radioactive release assessment & meteorological info FOSTER, J., SNEEL, W. Region 3, Ofc of the Director 88/06/22 16pp. 45987-008-45987-023

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers" Svc list encl ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807080440 Responds to NRC 880527 Ltr re violations noted in Insp Rept 50-440/88-04. Corrective actions troubleshooting of process computer conducted to determine cause of incorrect average feedwater flow value KAPLAN, A. Cleveland Electric Illuminating Co. 88/06/24 Document Control Branch (Document Control Desk). 6pp. 46115-082-46115-087.

8807130405 Forwards Safety Insp Rept 50-440/88-203 on 880314-25 Sound procedures & programs developed & implemented & staff had good positive attitude CRITCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411) 88/06/30. KAPLAN, A. Cleveland Electric Illuminating Co. 7pp. 46187-276-46187-321.

-8807130410 Insp Rept 50-440/88-203 on 880314-25 No violations noted. Major areas inspected: control room operations & activities that interfaced w/operators & supported safe operation of plant CUMMINS, J.E., NORRIS, L.J., MILLER, L.R. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/06/06 39pp. 46167-263-46167-321.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807190344 Forwards Safety Insp Rept 50-440/88-11 on 880613-17 No violations noted. AXELSON, W.L. Region 3, Ofc of the Director. 88/07/07. KAPLAN, A. Cleveland Electric Illuminating Co. 2pp. 46205-139-46205-149

-8807190348 Insp Rept 50-440/88-11 on 880613-17 No violations noted Major areas inspected info notices SCHUM, D.L., JACKIWI, N. Region 3, Ofc of the Director. 88/07/05 6pp. 46205-141-46205-149

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-201-46232-027.

8807220209 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Potential for pump damage negligible & sufficient redundancy & emergency cooling capacity exists KAPLAN, A. Cleveland Electric Illuminating Co. 88/07/11. Document Control Branch (Document Control Desk). 7pp. 46249-285-46249-271.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 102pp. 46242-008-46242-108

8807250400 Confirms 880802 meeting to present SALP 8 rept for plant. Encourages util to have appropriate corporate & plant mgmt representation to ensure mutual understanding of issues & findings presented by NRC GREENMAN, E.G. Region 3, Ofc of the Director. 88/07/13. KAPLAN, A. Commonwealth Edison Co. 2pp. 46250-114-46250-116

-8807250402 Notification of 880802 meeting w/util in Perry, OH to discuss presentation of SALP 8 rept for facility. Region 3, Ofc of the Director. 88/07/13. Region 3, Ofc of the Director. 1p. 46259-116-46259-116.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

IR Bulletin 87-002, Suppl. 2, "Fastener Suppliers." List of equipment mfgs from which fasteners procured under util

minating Co. 88/07/15. Document Control Branch 249-135-46249-145.

Handling, Control, Storage & Destruction

assessment (Post 870411). 88/07/18. 46241-263-46242-005.

er Capacitance on Avail-

st 870411). 88/07/18. 46258-016.

encl. 870411). 88/07/21. 57-206.

880621 List of for scrams

of Oper-

8807080320 PNO III 88-058 on 880623, reactor scrammed from 84% power due to turbine trip caused by damaged latching mechanism in turbine control system latching mechanism repaired COOPER, R.W., KNOP, R.C. Region 3, Ofc of the Director. 88/06/24 1p. 46147-194-46147-194

8807080454 Forwards LERs 88-020-00 & 88-021-00 KAPLAN, A. Cleveland Electric Illuminating Co. 88/07/01 Document Control Branch (Document Control Desk). 1p. 46114-228-46114-233

-8807080460 LER 88-020-00 on 880605, reactor scram occurred due to high APRM neutron flux levels caused by personnel error Automatic mode of flux control disabled until adjustments completed & personnel involved disciplined. DUNN, G.A. Cleveland Electric Illuminating Co. 88/07/01. 3pp. 46114-228-46114-231.

-8807080468 LER 88-021-03 on 880606 reactor protection sys distribution bus A inadvertently deenergized caused by personnel error. Operator counseled & disciplinary action taken to sharpen awareness & increase attention to detail DUNN, G.A. Cleveland Electric Illuminating Co. 88/07/01 2pp. 46114-232-46114-233.

8807120430 Forwards LERs 88-022 & 88-023 KAPLAN, A. Cleveland Electric Illuminating Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46155-096-46155-102

-8807120229 LER 88-022-03 on 880607, 0226 & 0530, Tech Specs violated when operation change completed prior to making all applicable Tech Specs surveillance requirements. Caused by personnel error Licensed operators will be trained in event DUNN, G.A. Cleveland Electric Illuminating Co. 88/07/07. 3pp. 46155-097-46155-099.

-8807120238 LER 88-023-00 on 880608 & 871027, reactor scram & containment isolation occurred on loss of electrical distribution busses due to inadvertent breaker operation caused by personnel error Operator counseled & disciplinary action taken. DUNN, G.A. Cleveland Electric Illuminating Co. 88/07/07 3pp. 46155-103-46155-102.

8807140114 Summary of Operating Reactors Events Meeting 88-26 on 880628 LANHING, W. Events Assessment Branch 88/07/07 ROSS, C.E. Division of Operational Events Assessment (Post 870411) 17pp. 46184-099-46184-115

8807210033 Forwards LERs 88-024-00, 88-025-00, 87-067-01, 87-070-01 & 88-008-01 KAPLAN, A. Cleveland Electric Illuminating Co. 88/07/15 Document Control Branch (Document Control Desk). 1p. 46237-330-46237-346

-8807210078 LER 87-067-01 on 870926, identified that primary containment leakage due to trip on overvoltage condition Root cause Indeterminate Potential cause of event isolated to voltage regulator &/or rheostat Regulator & rheostat replaced. DUNN, G.A. Cleveland Electric Illuminating Co. 88/07/15 4pp. 46237-331-46237-334

-8807210080 LER 87-070-01 on 871024, loss of reactor protection sys bus occurred due to trip on overvoltage condition Root cause Indeterminate Potential cause of event isolated to voltage regulator &/or rheostat Regulator & rheostat replaced. DUNN, G.A. Cleveland Electric Illuminating Co. 88/07/15 3pp. 46237-335-46237-337.

-8807210082 LER 88-008-01 on 880119, reactor protection sys (RPS) B motor generator set output circuit breaker tripped open on overvoltage, resulting in Div II balance-of-plant isolation. Caused by small random disturbances in RPS bus voltage. DUNN, G.A. Cleveland Electric Illuminating Co. 88/07/15 3pp. 46237-338-46237-340.

-8807210083 LER 88-025-00 on 880618, overtravel of reactor protection sys (RPS) power transfer switch occurred, resulting in loss of power to both busses & full RPS actuation. Caused by personnel error. Info tag installed & dog tag change planned. DUNN, G.A. Cleveland Electric Illuminating Co. 88/07/15 3pp. 46237-341-46237-343

-8807210084 LER 88-024-00 on 880618, spurious spike in recirculation flow demand caused increased core flow resulting in upscale neutron flux trip & subsequent reactor scram Caused by reversion of automatic flux control card DUNN, G.A. Cleveland Electric Illuminating Co. 88/07/15 3pp. 46237-344-46237-346

## V. Operator Examinations

8807120073 Forwards revised draft ES-801, "Administration of NRC Refqualification Program Evaluation." W/o encl. WRIGHT, G.C. Region 3, Ofc of the Director. 88/06/23 TADYCH, R. Cleveland Electric Illuminating Co. 1p. 46148-354-46148-354.

## DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

### A. Application/construction stage documents & correspondence

8807120180 Forwards technical rept, "Analysis of Northeastern Ohio Seismicity & Tectonics," which responds to Ohio Citizens for Responsible Energy 880122 petition for immediate action to relieve undue risk posed by inadequate seismic design SILBERG, J.E. Shaw, Pittman, Potts & Trowbridge, SILBERG, J.E. Cleveland Electric Illuminating Co. 88/08/08 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 45527-001-45527-158.

8807220256 Partial response to FOIA request Forwards App G documents App F & G documents available in PDF. GRIMSLEY, D.H. NRC - No Detailed Attribution Given 88/06/30. MAXWELL, B. Cosmos Broadcasting Corp. 3pp. 46230-283-46230-350.

-8807220260 Package of drafts re evaluations & actions completed prior to startup & plant evaluations of single MSIV slow closure. Cleveland Electric Illuminating Co. 87/11/11. 63pp. 46230-288-46230-350.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel shells & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.98 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

**F. Security, medical, emergency & fire protection plans**

8806280217 Forwards Safety Insp Repts 50-440/88-06 & 50-441/88-03 on 880502-05 No violations noted Areas identified requiring further review & evaluation discussed in open item appraisal rept also encl.  
SHAFFER, W.D. Region 3, OIC of the Director 88/06/22. KAPLAN, A. Cleveland Electric Illuminating Co 4pp 45987.004-45987.023

8806280218 Insp Repts 50-440/88-06 & 50-441/88-03 on 880502-05 No violations, deficiencies or deviations noted Major areas inspected emergency response facility appraisal & reviews of radioactive release assessment & meteorological info.  
FOSTER, J. Region 3, OIC of the Director 88/06/22 16pp. 45987.008-45987.023

8807050044 Forwards suppl to 10CFR2206 petition on public info for plant, in response to 880508 ltr. Encl documentation supports conclusion on six listed issues, including 1988 calendar & pages on emergency planning  
KRIMM, R.W. Federal Emergency Management Agency 88/06/22. CONGEL, F. Division of Radiation Protection & Emergency Preparedness (Post 870411) 77pp. 46026.041-46026.117

8807060406 Understands that date for site visit to four emergency response facilities will be 880714, per 880621 to con Goal is to consider w/consensus ways of making more efficient use of available space & providing adequate communications  
SHAFFER, W.D. Region 3, OIC of the Director 88/06/28. KAPLAN, A. Cleveland Electric Illuminating Co 3pp 46117.332-46117.334

8807200120 Revised emergency plan implementing instructions, including Temporary Change Notice TCN-2 to Rev 4 to EPIA-2, "Unusual Event." W/880712 ltr.  
ANDERSON, J.D. KAPLAN, A. Cleveland Electric Illuminating Co 88/07/12 65pp. 46229.051-46229.116

**G. Adjudicatory correspondence**

8807120604 Forwards Director's Decision 88-10 denying petition for immediate action to remove undue risk posed by inadequate seismic design of facility filed on 880122, per 10CFR2206. Notice filed w/OIC of FR for publication  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/06/22. HIATT, S.L. Ohio Citizens for Responsible Energy 2pp. 46120.250-46121.003

8807120650 Director's Decision 88-10 denying Ohio Citizens for Responsible Energy, Inc. petition for immediate action to remove undue risk posed by inadequate seismic design of facility, per 10CFR2206  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/06/22 12pp 46120.252-46120.263

8807120662 Notice of issuance of director's decision under 10CFR2206 denying Ohio Citizens for Responsible Energy, Inc. petition for immediate action to remove undue risk posed by inadequate seismic design of facility.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/06/22 37pp 46120.264-46120.352

8807120672 Forwards petition filed by Ohio Citizens for Responsible Energy, Inc. requesting actions including immediate suspension of const permit & OL for facility based on seismic concerns, for review & concurrence, per 10CFR2206.  
CHANDLER, L.J. Assistant General Counsel for Enforcement 88/02/22. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 8pp. 46120.353-46121.003

8807290028 Advises that time for Commission to review Director's Decision 88-10 expired. Commission declined review. Decision became final agency action on 880716.  
CHILK, S.J. Office of the Secretary of the Commission 8806/28. 88/07/21. HIATT, S.L. Ohio Citizens for Responsible Energy 1p. 46253.204-46253.204

**H. General correspondence**

8807250286 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants whose state &/or local govts decline to cooperate in offsite emergency planning.  
TREPAL, C. Cuyahoga County Concerned Citizens. O'CONNELL, R. Concerned Citizens of Ashland County. 87/02/16. NRC - No Detailed Affiliation Given. 2pp. 46246.095-46246.096

8807180250 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants whose state &/or local govts decline to cooperate in offsite emergency planning.  
CHORMAN, N. Affiliation Not Assigned 87/02/24. ZECH, NRC - No Detailed Affiliation Given. 1p. 46181.070-46181.070

8807200394 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants whose state &/or local govts decline to cooperate in offsite emergency planning.  
SULECKI, J. Affiliation Not Assigned. 87/03/11. NRC - No Detailed Affiliation Given. 1p. 46187.087-46187.087

**M. Antitrust correspondence**

8807080242 Comments on util 880616 request to suspend antitrust license condition. Economic advantages for util owning nuclear power plants have failed to materialize.  
HIATT, S.L. Ohio Citizens for Responsible Energy 88/06/30. Policy Development & Technical Support Branch (Post 870411) 2pp. 46139.326-46139.327

8807200086 Opposes util request to suspend antitrust provision of license. Suspension will result in severe harm to both existing & future municipal electric sys in area.  
BURLING, T. TREPAL, C. KLINE, C. Concerned Citizens of Lake, Geauga & Ashland Counties, OH. 88/07/11. Policy Development & Technical Support Branch (Post 870411) 2pp. 46228.320-46228.320

**Q. Inspection reports, IE Bulletins & correspondence**

8808130188 NRC Info Notice 88-029, "Leakage Test 2 Loss of Recirculation Pumps W/

8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp 46019.037-46019.152

8806280217 Forwards Safety Insp Repts 50-440/88-06 & 50-441/88-03 on 880502-05 No violations noted Areas identified requiring further review & evaluation discussed in open item appraisal rept also encl.  
SHAFFER, W.D. Region 3, OIC of the Director 88/06/22. KAPLAN, A. Cleveland Electric Illuminating Co 4pp 45987.004-45987.023

8806280218 Insp Repts 50-440/88-06 & 50-441/88-03 on 880502-05 No violations, deficiencies or deviations noted Major areas inspected emergency response facility appraisal & reviews of radioactive release assessment & meteorological info.  
FOSTER, J. SNELL, W. Region 3, OIC of the Director 88/06/22 16pp 45987.008-45987.023

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.285

8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019.286-46020.018

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 46242.108-46242.212

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.109

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324

8807220085 Responds to NRC Bulletin 87-002, Suppl 2, "Fastener Suppliers." List of mfgs, suppliers & original equipment mfgs from which fasteners procured under util spare parts program encl.  
KAPLAN, A. Cleveland Electric Illuminating Co. 88/07/15. Document Control Branch (Document Control Desk) 11pp. 46249.135-46249.145

8807120650 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241.263-46242.005

8807120563 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257.258-46258.016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.208

**V. Operator Examinations**

8807120073 Forwards revised draft ES-601, "Administration of NRC Recalcification Program Evaluation." W/o encl.  
WRIGHT, G.C. Region 3, OIC of the Director 88/06/23. TADYCH, R. Cleveland Electric Illuminating Co 1p. 46148.354-46148.354

**DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1****F. Security, medical, emergency & fire protection plans**

8806300315 Forwards revised pages to physical security plan, per 871120 commitment pages withheld.  
THOMAS, G.S. Public Service Co. of New Hampshire, 88/06/09. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 1p. 46068.001-46068.001

8806290400 Rev 39 to production emergency response manual W/880623 ltr.  
MACDONALD, J.A. THOMAS, G.S. Public Service Co. of New Hampshire 88/06/20. 200pp. 45997.036-45997.139

8807200318 Forwards Safety Insp Rept 50-441/88-03 on 880601-02 No violations

—880720032 Insp Rept 50-443/88-08 on 880601-02 No violations noted. Major areas inspected until vehicular alert & notification sys to be utilized as public alert & notification sys for communities within Commonwealth of MA.  
CONKLIN, C. Reg on 1, Ofc of the Director. 88/06/22. 3pp. 46229:285-46229:287.

8807210207 Forwards Insp Rept 50-443/88-09 on 880627-29 No violations noted.  
BELLAMY, R.F. Region 1, Ofc of the Director. 88/07/07. HARRISON, R.J. Public Service Co. of New Hampshire. 6pp. 46237:135-46237:146

—8807210208 Insp Rept 50-443/88-08 on 880627-29 No violations noted. Major areas inspected emergency preparedness & observation of licensee annual full-participation emergency exercise.  
FOX, E., LAZARUS, W.J. Region 1, Ofc of the Director. 88/07/06. 6pp. 46237:141-46237:146.

8807290047 Applicant notice re exercise-related documents. \* Forwards correspondence exchanged among parties re intervenors access to applicant documents intervenors not entitled to documents prior to filing of contention. W/Certificate of Svc.  
SELLECK, K.A. Public Service Co. of New Hampshire. SELLECK, K.A. Ropes & Gray. #388 6802. 88/07/25. 16pp. 46253:230-46253:246.

#### G. Adjudicatory correspondence

8807200136 Reply of town of West Newbury to responses of applicant & NRC Staff to intervenors contentions re Seabrook plan for Commonwealth of MA communities. \* Certificate of Svc encl.  
MIZNER, J.H. West Newbury, MA. #388 6747. 88/06/17. Atomic Safety and Licensing Board Panel 8pp. 46193:100-46193:107.

8807060015 Advises that Boreas review of 880112-13 transcript of Boreas & Thomas did not identify errors TJ McKenna testimony re NUREG-1210 encl. Related correspondence.  
TURK, S.E. Assistant General Counsel for Hearings. #388 6829. 88/08/24. SMITH, I.W., LINENBERGER, G., HARBOUR, J. Atomic Safety and Licensing Board Panel. 1p. 45995:290-45995:298.

—8807080018 Testimony of TJ McKenna re NUREG-1210. \* Related correspondence.  
MCKENNA, T.J. Division of Operational Assessment (Post 870413) 88/08/24. 8pp. 45995:291-45995:298.

8807060012 Applicant response to city of Haverhill detailed contentions. \* Contentions should be rejected & city should be denied admission as party, per 10CFR2.714. Supporting documentation & Certificate of Svc encl.  
TROUT, J.P. Public Service Co. of New Hampshire. TROUT, J.P. Ropes & Gray. #388 6828. 88/06/27. Atomic Safety and Licensing Board Panel. 11pp. 45996:314-45996:324.

8807060023 Forwards NRC Info Notice 88-037, "Flow Blockage of Cooling Water to Safety Sys Components." Document re matter pending before Appeal Board. W/o encl.  
BERRY, G.A. Assistant General Counsel for Hearings. #388 6841. 88/08/27. ROSENTHAL, A.S., MOORE, T.S., WILBUR, H.A. Atomic Safety and Licensing Appeal Panel. 1p. 45999:203-45999:203.

8807080029 Order. \* Extends time in which Commission may review ALAB-891 until 880829. Served on 880828.  
CHILK, S.J. Office of the Secretary of the Commission. #388 6842. 88/08/27. 1p. 45996:380-45996:380.

8807060045 Applicant advice to Appeal Board. \* Forwards memorandum on plan exclusivity extends on issued by Bankruptcy Court of District of NH. Court states intention to extend plan exclusivity to 881227. Certificate of Svc encl.  
DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #388 6843. 88/08/27. 54pp. 45995:338-45996:031.

8807060076 Notice of appearance. \* Certificate of Svc encl.  
TROUT, J.P. Public Service Co. of New Hampshire. TROUT, J.P. Ropes & Gray. #388 6827. 88/06/27. 5pp. 45996:342-45996:346

8807060051 NRC Staff response to New England Coalition on Nuclear Pollution petition for review of ALAB-892. \* Petition should be denied. Certificate of Svc encl.  
BERRY, G.A. Assistant General Counsel for Hearings. #388 6844. 88/08/28. Commissioners. 16pp. 45995:314-45995:328.

8807060058 New England Coalition on Nuclear Pollution (NECNP) first set of interrogatories & request for production of documents to applicant on NECNP Contention I.B.2. \* Svc list encl. Related correspondence.  
CURRAN, D. New England Coalition on Nuclear Pollution. CURRAN, D. Harmon & Weiss. #388 6838. 88/06/28. Public Service Co. of New Hampshire. 10pp. 45996:325-45996:334.

8807060064 Applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness re issue of environ qualification of RG-58 cable. \* Instant order exceeds jurisdiction of ASLB. W/Certificate of Svc.  
DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #388 6846. 88/07/28. Atomic Safety and Licensing Appeal Panel. 23pp. 45996:037-45996:239.

—8807060073 Forwards listed documents for filing in proceeding including applicant suggestion of mootness, affidavits of R Bergeron, GA Korkowski, TC Feigenbaum & applicant responses to Board 880509 order.  
STEENLAND, D.S. Public Service Co. of New Hampshire. 88/05/19. Docketing & Services Branch 1p. 45998:091-45998:123.

—8807060082 Forwards supplemental 880526 affidavit of R Bergeron re 880519 applicant suggestion of mootness. Applicant have revised tabulation provided on Page 2 of 880519 document. Document reproduced w/corrected page.  
STEENLAND, D.S. Public Service Co. of New Hampshire. STEENLAND, D.S. Ropes & Gray. 88/05/27. WOLFE, S.J., LUEBKE, E.A., HARBOUR, J. Atomic Safety and Licensing Board Panel. 1p. 45998:124-45998:239.

—8807060089 Applicant suggestion of mootness. \* Order should enter finding that issue re environ qualification of RG-58 coaxial cable pending before Licensing Board moot.

—8807080092 Supplemental affidavit of R Bergeron. \*  
BERGERON, R. Public Service Co. of New Hampshire. BERGERON, R. New Hampshire, State of 88/05/26. 4pp. 45996:131-45996:239.

8807110048 Applicant opposition to New England Coalition on Nuclear Pollution (NECNP) petition for review of ALAB-892. \* Issue raised in petition previously addressed by Commission W/Certificate of Svc.  
STEENLAND, D.S. Public Service Co. of New Hampshire. STEENLAND, D.S. Ropes & Gray. #388 6868. 88/06/28. Commissioners. 10pp. 46034:073-46034:083.

8807110058 Memorandum re telcon of 880523. \* Advises of telcon hearing of applicant reply to NRC & New England Coalition on Nuclear Pollution responses to applicant suggestion of mootness re RG-58 coaxial cable. Served on 880701.  
WOLFE, S.J. Atomic Safety and Licensing Board Panel. #388 6864. 88/06/28. 6pp. 46034:067-46034:072.

8807060088 Order. \* Responses to applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness re environ qualification of RG-58 cable should be filed by 880713. Served on 880629.  
SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #388 6830. 88/08/29. Public Service Co. of New Hampshire. 1p. 45998:204-45998:204.

8807060078 Order. \* Advises that Commission will not review ASLB 880426 Memorandum & Order ALAB-891 & directs Board to determine remanded coaxial cable issue needs to be resolved before low power operations. Served on 880829.  
CHILK, S.J. Office of the Secretary of the Commission. #388 6840. 88/08/29. Atomic Safety and Licensing Board Panel. 2pp. 45996:340-45996:341.

8807110103 Forwards NUREG/CR-2803, "Independent Assessment of Environmental Time Estimates for Peak Population Scenario in EPZ of Seabrook Nuclear Station." W/o rept. Certificate of Svc & svc list encl.  
THOMAS, E.A. Federal Emergency Management Agency. #388 6871. 88/08/29. HARBOUR, J. Atomic Safety and Licensing Board Panel. 4pp. 46033:247-46033:250.

8807110035 Applicant motion for schedule re effect of RG-58 issue upon 5% operation. \* Board should enter order directing all parties to file statement of position on or before 880720. Certificate of Svc encl.  
DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #388 6865. 88/08/30. Atomic Safety and Licensing Board Panel. 6pp. 46034:178-46034:100.

8807110017 New England Coalition on Nuclear Pollution (NECNP) first set of interrogatories & request for production of documents to NRC Staff on NECNP Contention I.B.2. \* Svc list encl. Related correspondence.  
CURRAN, D. New England Coalition on Nuclear Pollution. CURRAN, D. Harmon & Weiss. #388 6866. 88/07/01. Public Service Co. of New Hampshire. 8pp. 46034:117-46034:124.

8807110029 Applicant motion for schedule. \* Adoption of listed schedule for litigation of contentions arising from Seabrook plan for Commonwealth of MA communities & graded exercise held on 880628-29 requested Certificate of Svc encl.  
DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #388 6853. 88/07/01. Atomic Safety and Licensing Board Panel. 6pp. 46033:222-46033:226.

8807110031 New England Coalition on Nuclear Pollution (NECNP) second set of interrogatories & request for production of documents to applicant on NECNP Contention I.B.2. \* W/Certificate of Svc. Related correspondence.  
CURRAN, D. New England Coalition on Nuclear Pollution. CURRAN, D. Harmon & Weiss. #388 6867. 88/07/01. Public Service Co. of New Hampshire. 6pp. 46034:092-46034:098.

8807110038 Notice of appearance. \* Certificate of Svc encl.  
BERGQUIST, S.A. Office of the General Counsel. #388 6854. 88/07/01. 4pp. 46034:088-46034:089.

8807110040 Forwards "NRC Staff Proposed Findings of Fact & Conclusions of Law." Applicant findings & conclusions adopted by NRC except where noted.  
BERGQUIST, S.A. Office of the General Counsel. #388 6874. 88/07/01. SMITH, I.W., HARBOUR, J., LINENBERGER, G. Atomic Safety and Licensing Board Panel. 1p. 46033:025-46033:208.

—8807110053 NRC Staff Proposed Findings of Fact & Conclusions of Law. \* Issuance of OL for plant subject to prior satisfaction of listed conditions. Certificate of Svc encl.  
BERGQUIST, S.A. Office of the General Counsel. 88/07/01. 183pp. 46033:028-46033:208.

8807110045 Order. \* Applicant & New England Coalition on Nuclear Pollution briefs ordered to be filed simultaneously no later than 880722 & NRC should file brief no later than 880727 to address remanded coaxial cable issue. Served on 880701.  
WOLFE, S.J. Atomic Safety and Licensing Board Panel. #388 6863. 88/07/01. Public Service Co. of New Hampshire. 2pp. 46034:084-46034:085.

8807140007 New England Coalition on Nuclear Pollution (NECNP) brief in support of appeal of Board dismissal of NECNP Contention IV. \* Board 880217, 0318 & 0401 decisions should be reversed. W/Certificate of Svc.  
FERSTER, A. New England Coalition on Nuclear Pollution. FERSTER, A. Harmon & Weiss. #388 6878. 88/07/01. Atomic Safety and Licensing Appeal Panel. 89pp. 46117:102-46117:177.

8807110021 Forwards notice of appearance for JF Scinto distributed to Board & parties at 880615 hearing.  
TURK, S.E. Assistant General Counsel for Hearings. #388 6855. 88/07/05. SMITH, I.W., HARBOUR, J., LINENBERGER, G. Atomic Safety and Licensing Board Panel. 2pp. 46033:227-46033:228.

8807110060 Memorandum & order. \* Affirms Licensing Board denial of appellants waiver petition & certifies to Commission attorney general petition. Served on 880706.  
SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #388 6869. 88/07/05. New England Coalition on Nuclear Pollution. 39pp. 46033:251-46033:289.

8807110113 NRC Staff response to applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness re issue of environ.

8807140004 Notice of appearance.\* Author enters appearance on behalf of applicant for proceeding Certificate of Svc encl.  
SMITH,J.B. Public Service Co. of New Hampshire. SMITH,J.B. Ropes & Gray. #388 6681. 88/07/05. 5pp. 46117-080-46117-084.

8807140018 Appellant motion for protective order.\* Protective order governing conditions under which Commonwealth of MA may receive certain confidential & proprietary info re applicant alert & notification siren warning sys requested.  
SELLECK,K.A. Public Service Co. of New Hampshire. SELLECK,K.A. Ropes & Gray. #388 6682. 88/07/05. Atomic Safety and Licensing Board Panel. 7pp. 46117-197-46117-218.

8807140026 Affidavit of TC Folgenbaum re FEMA-REP-10 design rpt & Seabrook plan for Commonwealth of MA Communities w/ Certificate of Svc.  
FEIGENBAUM,T.C. Public Service Co. of New Hampshire. 88/05/18. 15pp. 46117-204-46117-218

8807140019 Applicant response to Commonwealth of MA atty general first set of interrogatories to applicant re siren contentions.\* Certificate of Svc encl.Related correspondence.  
THOMAS,G.S., SELLECK,K.A. Public Service Co. of New Hampshire. SELLECK,K.A. Ropes & Gray. #388 6680. 88/07/05. Massachusetts, Commonwealth of. 20pp. 46117-219-46117-238.

8807110008 Offer of proof & motion for reconsideration.\* Requests Board to reconsider 880616 order denying rebuttal testimony on sheltering contentions & to admit atty general testimony. Rebuttal testimony of G Thompson, RL Goble & J Boyea encl.  
SNEIDER,C.S. Massachusetts, Commonwealth of. #388 6658. 88/07/06. Atomic Safety and Licensing Board Panel. 8pp. 46034:126-46034:175.

8807110011 Rebuttal testimony of Doctors G Thompson, RL Goble & J Boyea on behalf of atty general for Commonwealth of MA on sheltering contentions.\* Certificate of Svc encl.  
THOMPSON,G., GOBLE,R.L., BEYEA,J. Massachusetts, Commonwealth of. 08/08/30. Atomic Safety and Licensing Board Panel. 80pp. 46111:182-46111:241.

8807110043 Applicant request for schedule re certification contained in ALAB-895.\* Requests that Commission set expedited schedule for obtaining views of parties re certification made in proceeding on 880705.W/Certificate of Svc encl.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #388 6670. 88/07/06. Commissioners. 4pp. 46033:290-46033:293.

8807200067 NRC Staff response to City of Haverhill detailed contentions.\* City of Haverhill late-filed contentions should be rejected.Certificate of Svc encl.  
TURK,S.E. Assistant General Counsel for Hearings. #388 6745. 88/07/06. Atomic Safety and Licensing Board Panel. 9pp. 46193:325-46193:333.

8807140005 Forwards corrected applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness w/respect to issue of environ qualification of RG-58 cable.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #388 6676. 88/07/07. ROSENTHAL,A.S., MOORE,T.S., WILBER,H.A. Atomic Safety and Licensing Appeal Panel. 2pp. 46117:085-46117:108.

8807140009 Corrected applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness w/respect to issue of environ qualification of RG-58 cable.\* W/Certificate of Svc.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. 88/06/26. Atomic Safety and Licensing Appeal Panel. 22pp. 46117:087-46117:108

8807140016 Suggests that Board schedule prehearing conference & entertain oral argument before acting on suggestion that intervenor contentions be rejected.Served on 880711.  
TRAFICONTE,J. Massachusetts, Commonwealth of. #388 6684. 88/07/07. SMITH,I.W. Atomic Safety and Licensing Board Panel. 3pp. 46117:194-46117:198

8807200073 NRC Staff response to town of Salisbury amended contentions re applicant plan for Commonwealth of MA communities.\* Applicant untimely amends to contentions should be rejected. Certificate of Svc encl.  
TURK,S.E. Assistant General Counsel for Hearings. #388 6744. 88/07/07. Atomic Safety and Licensing Board Panel. 8pp. 46193:346-46193:353.

8807200020 Commonwealth of MA atty general response to first set of interrogatories re Commonwealth of MA atty general amended contention of notification sys.\* Certificate of Svc encl. Related correspondence.  
JONAS,S.A. Massachusetts, Commonwealth of. #388 6726. 88/07/12. Public Service Co. of New Hampshire. 28pp. 46192:302-46192:329.

8807200060 Seacoast Anti-Pollution League,town of Hampton,New England Coalition on Nuclear Pollution appeal of partial denial of waiver request (ALAB 895) to review financial qualifications of Public Svc Co of New Hampshire.\*  
BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. Backus, Meyer & Solomon. #388 6722. 88/07/12. Commissioners. 12pp. 46192:330-46192:341.

8807160008 Order.\* Review period for ALAB-892 extended to 880811,per 10CFR2.772.Served on 880713.  
CHILK,S.J. Office of the Secretary of the Commission. #388 6702. 88/07/13. Commissioners. 1p.46189:356-46189:356.

8807200039 Intervenor's joint response to applicant motion for schedule.\* Proposed schedule for litigation of plan for Massachusetts communities & graded exercise that took place in June should be rejected as premature.Svc list encl.  
CURRAN,D. New England Coalition on Nuclear Pollution. CURRAN,D. Seacoast Anti-Pollution League. CURRAN,D. Hampton, NH. #388 6714. 88/07/13. Atomic Safety and Licensing Board Panel. 13pp. 46193:266-46193:278.

8807200040 Forwards New England Coalition on Nuclear Pollution (NECNP) motion for clarification or reconsideration & NECNP response to applicant appeal & 880628 petition for directed certification,w/two attachments.  
CURRAN,D. New England Coalition on Nuclear Pollution. CURRAN,D. Harmon & Weiss. #388 6724. 88/07/13. WOLFE,S.J., LUEBKE,E.A., HARBOUR,J. Atomic Safety and Licensing Board Panel. 1p. 46193:175-46193:284.

8807200051 New England Coalition on Nuclear Pollution motion for clarification or reconsideration of Board order of 880623.\* Clarification of RG-59 coaxial cable qualification in replacement applications requested.W/Certificate of Svc.  
CURRAN,D., TOUSLEY,D.R. New England Coalition on Nuclear Pollution. CURRAN,D. Harmon & Weiss. 88/07/13. Atomic Safety and Licensing Board Panel. 79pp. 46193:176-46193:264.

8807200055 Applicant response to New England Coalition on Nuclear Pollution (NECNP) first set of interrogatories & request for production of documents to applicant on NECNP Contention I B.2.\* Supporting documentation & Certificate of Svc encl.  
VARGAS,J.M. New Hampshire, State of. TROUT,J.P. Public Service Co of New Hampshire. TROUT,J.P. Ropes & Gray. #388 6729. 88/07/13. New England Coalition on Nuclear Pollution. 45pp. 46192:256-46192:301.

8807200062 Forwards New England Coalition on Nuclear Pollution (NECNP) 880628 response to applicant appeal & petition for directed certification & NECNP motion for clarification or reconsideration,filed before Licensing Board on 880713.  
CURRAN,D. New England Coalition on Nuclear Pollution. CURRAN,D. Harmon & Weiss. #388 6725. 88/07/13. ROSENTHAL,A.S., WILBER,H.A. Atomic Safety and Licensing Appeal Panel. 1p. 46193:279-46193:282.

8807200071 New England Coalition on Nuclear Pollution response to applicant appeal & petition for directed certification,dtd 880628.\* NECNP entitled to test assertions re RG-58 coaxial cable through discovery & hearing.Certificate of Svc encl.  
CURRAN,D., TOUSLEY,D.R. New England Coalition on Nuclear Pollution. CURRAN,D. Harmon & Weiss. 88/07/13. Atomic Safety and Licensing Appeal Panel. 13pp. 46193:280-46193:292.

8807200082 Applicant response to proposed findings & rulings of other parties.\* Certificate of Svc encl.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #388 6748. 88/07/13. 10pp. 46193:090-46193:099.

8807200088 Order.\* Advises that Atty General of Massachusetts made prima facie showing that petition for waiver should be granted exempting electric utilities from requirement of financial qualifications review.Served on 880711.  
BATES,A.L. Office of the Secretary of the Commission. #388 6723. 88/07/14. Massachusetts, Commonwealth of. 2pp. 46192:342-46192:343.

8807200072 Commission notification.\* Forwards press release issued to Northeast Utilities indicating that utility will be advancing sufficient funds for plant project.Certificate of Svc also encl.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #388 6733. 88/07/14. 6pp. 46193:354-46193:359

8807200033 Memorandum & order.\* Applicant appeal dismissed & petition for directed certification denied.Served on 880715.  
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel. #388 6727. 88/07/15. Public Service Co. of New Hampshire. 9pp. 46192:348-46192:356.

8807200074 Applicant proposed findings of fact & rulings of law w/ respect to sheltering issues.\* Board finds & rules that adequate considerations has been given to protective action sheltering.Certificate of Svc encl.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #388 6749. 88/07/15. 42pp. 46193:048-46193:089.

8807200089 Applicant response to motion of Commonwealth of MA atty general motion for reconsideration of order denying leave to file rebuttal testimony of Thompson et al.\* Motion should be denied.Certificate of Svc encl.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #388 6746. 88/07/15. Atomic Safety and Licensing Board Panel. 12pp. 46193:334-46193:345.

8807290014 Applicant response to Massachusetts atty general first request to applicants for production of documents & entry upon land for insp re siren contention.W/ Certificate of Svc. Related correspondence.  
SELLECK,K.A. Public Service Co. of New Hampshire. SELLECK,K.A. Ropes & Gray. #388 6776. 88/07/16. Massachusetts, Commonwealth of. 9pp. 46253:280-46253:288.

8807290021 Applicants second set of interrogatories re Massachusetts atty general amended contention on notification sys W/ Certificate of Svc.Related correspondence.  
SELLECK,K.A. Public Service Co. of New Hampshire. SELLECK,K.A. Ropes & Gray. #388 6777. 88/07/16. Massachusetts, Commonwealth of. 10pp. 46253:289-46253:298.

8807220009 NRC Staff response to applicant motion for schedule.\* Applicant motion supported w/exception of mod in schedule to allow prehearing conference on both contentions.W/ Certificate of Svc.  
CHANE,I. Assistant General Counsel for Hearings. #388 6750. 88/07/18. Atomic Safety and Licensing Board Panel. 6pp. 46195:351-46195:355.

8807220012 Applicant suppl interrogatory.\* Applicant requests that State of MA atty general suppl answers to Numbers 8,10,11, 12,18,19 & 20(e) of first set of interrogatories.Certificate of Svc encl.Related correspondence.  
SELLECK,K.A. Public Service Co. of New Hampshire. SELLECK,K.A. Ropes & Gray. #388 6763. 88/07/18. Massachusetts, Commonwealth of. 27pp. 46195:275-46195:301.

8807290079 Commonwealth of MA atty general second set of interrogatories re siren contentions.\* Related correspondence.  
JONAS,S.A. Massachusetts, Commonwealth of. #388 6781. 88/07/18. Public Service Co. of New Hampshire. 3pp. 46254:228-46254:236.

8807220033 NRC Staff response to New England Coalition on Nuclear Pollution motion for clarification or reconsideration of Board order of 880623.\* Motion should be denied.Certificate of Svc encl.  
BERRY,G.A. Assistant General Counsel for Hearings. #388 6752. 88/07/19. Atomic Safety and Licensing Board Panel. 6pp. 46196:001-46196:006.

8807290013 Notice of taking deposition of E Desmarais & T Beard.\* Deponents will be examined re basis for adequacy & efficacy of applicant vehicle & alert & notification siren sys. Certificate of Svc encl.Related correspondence.  
JONAS,S.A. Massachusetts, Commonwealth of. #388 6779. 88/07/19. 6pp. 46254:082-46254:087.

8807290018 Applicant response to New England Coalition on Nuclear Pollution motion for clarification or reconsideration of Board order of 880623.\* Issue re environ qualification of RG-59 cable should be remitted W/Certificate of Svc.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #388 6780. 88/07/19. Atomic Safety and Licensing Board Panel. 7pp. 46254:088-46254:094.



8807290024 Informs Commission that Massachusetts atty General (MAG) disagrees w/ ASLAB memorandum & order re MAG financial qualification petition Believes ASLAB decision narrowly grounded & urges Commission to adopt broader reasoning. JONASS, A. Massachusetts, Commonwealth of #388 6773 88/07/19. ZECH, L.W. ROBERTS, T. CARR, K.M. Commissioners 2pp 46253 177-46253 178

8807290015 Notice of prehearing conference \* Conference will consider contentions & issues to be adjudicated re emergency planning for plant & Massachusetts communities lying within EPZ Served on 880721  
SMITH, W. Atomic Safety and Licensing Board Panel #388 6772 88/07/20. 2pp 46253 175-46253 176

8807290042 Applicant motion to compel answers to interrogatories propounded to atty general for Commonwealth of MA. \* W/Certificate of Svc  
SELLECK, K.A. Public Service Co. of New Hampshire SELLECK, K.A. Ropes & Gray #388 6798 88/07/20 Atomic Safety and Licensing Board Panel 25pp 46254 120-46254 144

8807290216 Forwards response to NRC response to New England Coalition on Nuclear Pollution (NECNP) first set of interrogatories & request for production of documents to NRC on NECNP Contention 1 B 2 w/o encl Related correspondence  
BERRY, G.A. Assistant General Counsel for Hearings #388 6815 88/07/20 CURRAN, D. Public Service Co. of New Hampshire CURRAN, D. Harmon & Weiss 1p 46258 295-46258 295

8807290226 NRC Staff response to New England Coalition on Nuclear Pollution (NECNP) first set of interrogatories & request for production of documents to NRC Staff on NECNP Contention 1 B 2 \* Related correspondence  
BERRY, G.A. Office of the General Counsel #388 6814 88/07/20 New England Coalition on Nuclear Pollution 12pp 46258 162-46258 180

8807290234 Affidavit of A. Gili \* Advises that author participated in preparing NRC responses to Interrogatories 11 & 12 Related correspondence  
GILL, A. NRC - No Detailed Affiliation Given 88/07/20 1p 46258 174-46258 174

8807290236 Affidavit of H. Walker \* Advises that author participated in preparing NRC responses to Interrogatories 6-10 & 14-16 Related correspondence  
WALKER, H. Plant Systems Branch 88/07/20 1p 46258 175-46258 175

8807290241 Affidavit of V. Hersey \* Advises that author participated in preparing Interrogatories 3, 4, 5 & 17 W/Certificate of Svc. Related correspondence  
HERSEY, V. Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/20 5pp 46258 176-46258 180

8807290009 New England Coalition on Nuclear Pollution brief in opposition to authorization of low power operation at Seabrook Nuclear Power Plant \* Board lacks authority to permit low power operation  
CURRAN, D. FERSTER, A. New England Coalition on Nuclear Pollution CURRAN, D. Harmon & Weiss #388 6798 88/07/21 Atomic Safety and Licensing Board Panel 4pp 46254 072-46254 081

8807290012 New England Coalition on Nuclear Pollution motion for extension of discovery schedule \* Schedule should be extended to 880815 Certificate of Svc encl  
CURRAN, D. New England Coalition on Nuclear Pollution CURRAN, D. Harmon & Weiss 88/07/21 Atomic Safety and Licensing Board Panel 6pp 46254 076-46254 081

8807290033 Forwards H.K. Woodward affidavit in response to Board question raised in 880720 telecon  
DIGNAN, T.G. Public Service Co. of New Hampshire DIGNAN, T.G. Ropes & Gray #388 6794 88/07/21 WOLFE, S.J., LUEBKE, E.A., HARBOUR, J. Atomic Safety and Licensing Board Panel 1p 46253 205-46253 222

8807290037 Affidavit of N.K. Woodward \* Discusses environ qualification of RG-58 & RG-59 cables w/supporting documentation & Certificate of Svc  
WOODWARD, N.K. Public Service Co. of New Hampshire WOODWARD, N.K. TENERA Corp (subs of TERA Corp.) 88/07/21 17pp 46253 206-46253 222

8807290039 New England Coalition on Nuclear Pollution (NECNP) third set of interrogatories & request for production of documents to applicant on NECNP Contention 1 B 2 \* Svc 1st encl Related correspondence  
CURRAN, D. Public Service Co. of New Hampshire #388 6797 88/07/21 Public Service Co. of New Hampshire 13pp 46254 107-46254 119

8807290044 Memorandum & order-Part I (ruling on contentions on Seabrook Plan for Commonwealth of MA communities) \* Parties may defer discovery responses until prehearing conference scheduled 880803-04 Served on 880722  
HARBOUR, J., LINENBERGER, G., SMITH, W. Atomic Safety and Licensing Board Panel #388 6793 88/07/22 Office of the General Counsel 132pp 46253 299-46254 071

8807290017 NRC Staff response to joint intervenors petition for review of ALAB-895 \* Petition should be denied Certificate of Svc encl  
BERRY, G.A. Assistant General Counsel for Hearings #388 6800 88/07/22 Commissioners 15pp 46253 186-46253 200

8807290023 Order \* New England Coalition on Nuclear Pollution request for extension of discovery schedule denied based on ASLB not timely advised on counsel longstanding vacation plans Served on 880725  
WOLFE, S.J. Atomic Safety and Licensing Board Panel #388 6784 88/07/22 New England Coalition on Nuclear Pollution 2pp 46253 202-46253 203

8807290041 Forwards corrected Attachment 4 to applicant response to New England Coalition on Nuclear Pollution first set of interrogatories & request for production of documents to applicant re Contention 1 B 2 Certificate of Svc encl  
TROUT, J.P. Public Service Co. of New Hampshire TROUT, J.P. Ropes & Gray #388 6803 88/07/22 Docking & Services Branch 7pp 46253 223-46253 229

8807290056 NRC Staff response to Commission order of 880714 \* Atty general waiver petition should be denied & ALAB-895 vacated Supporting documentation & Certificate of Svc encl  
BERRY, G.A., BERGQUIST, S.A. Assistant General Counsel for Hearings #388 6799 88/07/22 Commissioners 19pp 46254 145-46254 163

8807290058 Applicant response to Commission order of 880714 \* Requests that atty general of Commonwealth of MA request for exemption or waiver from certain NRC regulations re financial qualifications be denied W/Certificate of Svc  
DIGNAN, T.G. Public Service Co. of New Hampshire DIGNAN, T.G. Ropes & Gray #388 6801 88/07/22 Commissioners 11pp 46253 248-46253 262

8807290060 Affidavit of J.F. Eichorn \* Discusses applicant financial situation W/Certificate of Svc  
EICHORN, J.F. Public Service Co. of New Hampshire EICHORN, J.F. Eastern Utilities Associates 88/07/22 6pp 46253 257-46253 262

8807290192 Applicant memo in support of permitting low power operation prior to resolution of coaxial cable issue \* Low power operation should be permitted pending resolution of coaxial cable issue  
DIGNAN, T.G. Public Service Co. of New Hampshire DIGNAN, T.G. Ropes & Gray #388 6810 88/07/22 Atomic Safety and Licensing Board Panel 8pp 46258 223-46258 239

8807290197 Affidavit of R. Bergeron \* Affidavit provides justification that all RG-58 coaxial cables installed at station capable of remaining intact during accident conditions  
BERGERON, R. Public Service Co. of New Hampshire 88/07/22 6pp 46258 231-46258 238

8807290201 Affidavit of B.E. Bauchel \* Affidavit describes results of evaluation performed assuming that hypothetical RG-58 cable located in harsh environment & caused failure of other cables Supporting info encl  
BAUCHEL, B.E. Public Service Co. of New Hampshire 88/07/22 21pp 46258 237-46258 257

8807290206 Affidavit of T.W. Glowacky \* Describes evaluation of all RG-59 cables to assure that failure will not prevent satisfactory accomplishment of safety functions by safety-related equipment  
GLOWACKY, T.W. Public Service Co. of New Hampshire 88/07/22 6pp 46258 258-46258 263

8807290211 Affidavit of R.C. Jamison \* Describes special test program re ability of RG-58 coaxial cable to carry current w/o degrading adjacent cables during low power testing Supporting info encl  
JAMISON, R.C. Public Service Co. of New Hampshire 88/07/22 6pp 46258 264-46258 268

8807290213 Affidavit of P.S. Littlefield \* Discusses analysis of DBAs prior to operation of plant W/Certificate of Svc  
LITTLEFIELD, P. Public Service Co. of New Hampshire 88/07/22 20pp 46258 270-46258 289

8807290208 NRC Staff response to Board request of 880720 \* New England Coalition on Nuclear Pollution motion for clarification or reconsideration of ASLB 880823 should be denied Certificate of Svc encl  
BERRY, G.A. Assistant General Counsel for Hearings #388 6816 88/07/22 Atomic Safety and Licensing Board Panel 20pp 46258 286-46258 315

8807290047 Applicant notice re exercise-related documents \* Forwards correspondence exchanged among parties re intervenors access to applicant documents Intervenor not entitled to documents prior to filing of contention W/Certificate of Svc  
SELLECK, K.A. Public Service Co. of New Hampshire SELLECK, K.A. Ropes & Gray #388 6802 88/07/26 16pp 46263 230-46263 245

8807290203 NRC Staff response to applicant motion for protective order \* NRC has no objection to entry of protective order in form proposed by applicant & urges Board to grant motion W/Certificate of Svc  
BERRY, G.A. Assistant General Counsel for Hearings #388 6821 88/07/25 Atomic Safety and Licensing Board Panel 5pp 46258 290-46258 294

8807290247 NRC Staff response to Commonwealth of MA atty general offer, proof & motion for reconsideration \* Motion opposed on grounds of untimeliness W/Certificate of Svc  
CHAN, E.I. Assistant General Counsel for Hearings #388 6810 88/07/25 Atomic Safety and Licensing Board Panel 4pp 46268 317-46268 320

8807290019 Advises that time for Commission to review ALAB-894 expired Commission declined review Decision became final agency action on 880725 Served on 880726  
CHILK, S.J. Office of the Secretary of the Commission #388 6701 88/07/26 Office of the General Counsel 1p 46263 201-46263 201

8807290263 Protective order \* Counsel to active parties in proceeding & other authorized persons shall be permitted access to protected info upon conditions stated Served on 880728  
WOLFE, S.J. Atomic Safety and Licensing Board Panel #388 6808 88/07/27 Office of the General Counsel 8pp 46268 321-46268 328

8807290271 NRC Staff response to Licensing Board order of 880701 \* Board should issue order in accordance w/views expressed  
BERRY, G.A. Assistant General Counsel for Hearings #388 6813 88/07/27 Atomic Safety and Licensing Board Panel 14pp 46268 181-46268 206

8807290273 Affidavit of H. Walker \* Addresses whether remanded New England Coalition on Nuclear Pollution Contention 1 B 2 re RG-58 coaxial cable raises issues that must be answered prior to low power authorization W/Certificate of Svc  
WALKER, H. Plant Systems Branch 88/07/27 11pp 46268 105-46268 206

## H. General correspondence

8807180029 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
ALMEIDA, G. Affiliation Not Assigned 87/02/08 NRC - No Detailed Affiliation Given 1p 46165 282-46165 282

8807180379 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
MAVROULES, N. House of Rep., Armed Services 87/02/08 ZECH, L.W. Commissioners 1p 46165 321-46165 321

8807180035 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
KUHN, H. Affiliation Not Assigned 87/02/07 Commissioners 1p 46165 287-46165 287



- 8807180083** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. WILLJANEN,C.B. Affiliation Not Assigned. 87/02/10. ZECH,L.W. Commissioners 2pp. 46165 333-46165 334.
- 8807200111** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LAWRENCE,E.H. Affiliation Not Assigned. 87/02/16. PALLADINO Commissioners 1p. 46194.101-46194.101.
- 8807180305** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FOWLE,A.L. Affiliation Not Assigned. 87/02/17. ZECH,L. ASSELSTINE,J. ROBERTS,T. Commissioners 1p. 46165 350-46165 350.
- 8807210081** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DASCHER,G.H. Affiliation Not Assigned. 87/02/17. REAGAN,R. President of U.S. & Executive Offices 1p. 46208 084-46208 084.
- 8807180313** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FROBB,A. Affiliation Not Assigned. 87/02/18. CHILK Office of the Secretary of the Commission 1p. 46177-348-46177-348.
- 8807200253** Comments supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SMIRLOCK,M.E. Affiliation Not Assigned. 87/02/10. ZECH,L.W. Commissioners 20pp. 46208 003-46208 022.
- 8807210146** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CURRAN,D. WEISSE. Harrman & Weiss CURRAN,D. Union of Concerned Scientists. 87/02/20. ZECH,L.W. Commissioners ROBERTS,T.M., ASSELSTINE,J.K. NRC - No Detailed Affiliation Given. 4pp. 46208 100-46208 103.
- 8807180328** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning & supporting petition for rulemaking PRM-50-31 to expand EPZ to 20 miles. YOUNG,F. Affiliation Not Assigned. 87/02/22. CHILK,S. NRC - No Detailed Affiliation Given. 1p. 46191.084-46191.084.
- 8807180331** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SULLIVAN,J. Affiliation Not Assigned. 87/02/22. CHILK,S. Office of the Secretary of the Commission. 1p. 46165 282-46165 282.
- 8807180274** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SNEIDER,C.S. Massachusetts, Commonwealth of. 87/02/23. NRC - No Detailed Affiliation Given. 8pp. 46191.081-46191.142.
- 8807180339** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 87/02/23. CHILK,S. Office of the Secretary of the Commission 1p. 46165 294-46165 294.
- 8807190100** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PRAATT,C. PRAATT,J. Affiliation Not Assigned. 87/03/01. Commissioners 2pp. 46177-360-46177-361.
- 8807200002** Petition opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FEINGOLD,C.B., ARMERDING,H.T., MCGINN,P. Affiliation Not Assigned. 87/02/23. NRC - No Detailed Affiliation Given. 17pp. 46196 224-46197 037.
- 8807180284** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DOUGHTY,J. Seacoast Anti-Pollution League. 87/02/24. NRC - No Detailed Affiliation Given. 8pp. 46191.071-46191.078.
- 8807180348** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BABBITT,B. Affiliation Not Assigned. 87/02/24. ZECH,L.W. Commissioners. 3pp. 46165 308-46165 311.
- 8807200287** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FRANK,B. Affiliation Not Assigned. 87/02/24. NRC - No Detailed Affiliation Given. 1p. 46207 360-46207 360.
- 8807200294** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DUKAKIS,M.S. Massachusetts, Commonwealth of. 87/02/24. NRC - No Detailed Affiliation Given. 8pp. 46208 026-46208 031.
- 8807200307** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. 8807200317 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SMITH,R.C. House of Rep. 87/02/24. NRC - No Detailed Affiliation Given. 4pp. 46208 040-46208 043.
- 8807200325** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MARKEY,E.J. Affiliation Not Assigned. 87/02/24. NRC - No Detailed Affiliation Given. 5pp. 46208 044-46208 048.
- 8807200338** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BIDEN,J.R. Affiliation Not Assigned. 87/02/24. NRC - No Detailed Affiliation Given. 2pp. 46208 049-46208 050.
- 8807200364** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BOSSONG,K. Affiliation Not Assigned. 87/02/24. ZECH,L. Commissioners. 4pp. 46208 052-46208 056.
- 8807200069** Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PLATT,R. Affiliation Not Assigned. 87/02/25. ZECH,L.W. Commissioners 1p. 46197 067-46197 067.
- 8807200080** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DRUM,DE. Affiliation Not Assigned. 87/02/25. ZECH,L. Commissioners 2pp. 46197 062-46197 063.
- 8807220001** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PASSER,H.C. Affiliation Not Assigned. 87/02/25. ZECH,NRC - No Detailed Affiliation Given. 2pp. 46241.202-46241.203.
- 8807200297** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HOWLAND,A. Affiliation Not Assigned. 87/02/26. ZECH,L. Commissioners 1p. 46197 079-46197 079.
- 8807210101** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. JOHNSON,C. Affiliation Not Assigned. 87/02/26. REAGAN,R. President of U.S. & Executive Offices. 1p. 46208 088-46208 088.
- 8807220002** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MABY,E.C. Affiliation Not Assigned. 87/02/26. ZECH,L. Commissioners 1p. 46241.204-46241.204.
- 8807260122** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 87/02/26. ZECH,L. Commissioners. 1p. 46240 102-46240 102.
- 8807190008** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SOUTHWICK,L. Affiliation Not Assigned. 87/02/27. NRC - No Detailed Affiliation Given. 1p. 46177-349-46177-349.
- 8807190037** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CHILDS,A. Affiliation Not Assigned. 87/02/27. CHILK NRC - No Detailed Affiliation Given. 1p. 46177-352-46177-352.
- 8807190049** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MACKIE,B.A. Affiliation Not Assigned. 87/02/27. ZECH,L.W. Commissioners. 4pp. 46177-354-46177-357.
- 8807200008** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. ROWEN,M.J. Affiliation Not Assigned. 87/02/27. CHILK Office of the Secretary of the Commission. 1p. 46207-326-46207-326.
- 8807200026** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. YOUNG,T.P. Affiliation Not Assigned. 87/02/27. CHILK NRC - No Detailed Affiliation Given. 1p. 46207-328-46207-328.
- 8807200113** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LANIKES,J.B. Affiliation Not Assigned. 87/02/27. NRC - No Detailed Affiliation Given. 2pp. 46197-054-46197-055.
- 8807200371** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.

8807190376 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
\* Affiliation Not Assigned. 87/02/28 NRC - No Detailed Affiliation Given 1p 46191.148-46191.148

8807200043 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
PRATT,C. PRATT,J. Affiliation Not Assigned. 87/03/01 Commissioners. 2pp. 46194.047-46194.048

8807200048 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
WOOD,C.A. Affiliation Not Assigned. 87/03/01. NRC - No Detailed Affiliation Given 2pp. 46194.044-46194.045

8807190134 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
CUNNINGHAM,P. Affiliation Not Assigned. 87/03/02. ZECH,L.W. Commissioners. 2pp. 46178.003-46178.004

8807200070 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SKEFFREY,P. Affiliation Not Assigned. 87/03/02. ZECH,L.W. NRC - No Detailed Affiliation Given 1p. 46194.094-46194.094.

8807200138 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
\* Affiliation Not Assigned. 87/03/02. ZECH NRC - No Detailed Affiliation Given. 1p. 46184.103-46194.103.

8807200315 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
\* Affiliation Not Assigned. 87/03/02. NRC - No Detailed Affiliation Given. 1p. 46197.084-46197.084.

8807200376 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
CUNNINGHAM,P.L. Affiliation Not Assigned. 87/03/02. ZECH,L.W. NRC - No Detailed Affiliation Given. 1p. 46197.083-46197.083.

8807200091 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
LAUER,E. Affiliation Not Assigned. 87/03/03. CHILK NRC - No Detailed Affiliation Given. 2pp. 46194.098-46194.099.

8807200097 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
FERM,D.B. Affiliation Not Assigned. 87/03/03. Office of Nuclear Material Safety & Safeguards,Director. 1p. 46194.100-46194.100.

8807200143 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
BLOCH,H.G. Affiliation Not Assigned. 87/03/03. Commissioners. 1p. 46194.105-46194.105.

8807200331 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
COFFEY,P.H. Affiliation Not Assigned. 87/03/03. NRC - No Detailed Affiliation Given. 2pp. 46197.086-46197.087.

8807220123 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
MANIX,E.A. MANIX,G.C. Affiliation Not Assigned. 87/03/03. NRC - No Detailed Affiliation Given. 1p. 46220.312-46220.312.

8807210001 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
NATHAN,B.M. Affiliation Not Assigned. 87/03/05. ZECH,L.W. Commissioners. 1p. 46277.003-46277.003.

8807200395 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
BILLINGTON,S.T. Affiliation Not Assigned. 87/03/06. Docketing & Services Branch. 1p. 46197.098-46197.099.

8807210022 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
PERRAULT,C. Affiliation Not Assigned. 87/03/06. ZECH,L. Commissioners. 1p. 46208.071-46208.071.

8807210035 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
PASKAVITCH,J. Affiliation Not Assigned. 87/03/06. ZECH,L.W. Commissioners. 2pp. 46208.072-46208.073.

8807210075 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SEIDIN,M. Affiliation Not Assigned. 87/03/06. NRC - No Detailed Affiliation Given. 2pp. 46208.081-46208.082.

8807220038 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
ATKINS,V. Affiliation Not Assigned. 87/03/08. Office of the Secretary of the Commission 2pp. 46220.316-46220.317.

8807220108 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
JOHNSTONE,D.L. KELLEY,D.J. Affiliation Not Assigned. 87/03/09. ASSETLINE,J. Commissioners 1p. 46220.313-46220.313

8807220081 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
JOHNSTONE,J. JOHNSTONE,N. Affiliation Not Assigned. 87/03/11. ZECH,L. Commissioners 1p. 46220.314-46220.314.

8807010132 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MACFARLAND,E. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45993.073-45993.073

8807010135 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BASCOM,O.H. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45993.072-45993.072

8807010245 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only uti interests in mind  
\* Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45989.231-45989.231.

8807010285 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/05/21. Docketing & Services Branch. 1p. 45979.013-45979.013.

8807010303 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only uti interests in mind.  
SHEPARD,S.E. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45989.218-45989.218.

8807010376 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only uti interest in mind.  
CARTLEDGE,I. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984.346-45984.346

8807010503 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety.  
KESHNER,C. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45979.106-45979.106.

8807010521 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety.  
FEARNLEY,E.A. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45979.104-45979.104.

8807010578 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety.  
BROWN,A.T. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984.353-45984.353.

8807070236 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PROLL,L.A. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46017.335-46017.335.

8807070241 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LANE,S.J. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46017.306-46017.306.

8807070464 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KAISER,E.M. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46018.064-46018.064.

8807070473 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
REILLY,D.O. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46018.081-46018.081.

8807070478 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
VECCHIONE,T. Affiliation Not Assigned. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46018.053-46018.053.

88070120518 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GRINNELL,D Affiliation Not Assigned 88/05/21 CHILK,S.J. Office of the Secretary of the Commission 1p. 450105.153-450105.150

8807280382 Forwards petition opposing NRC recommendation of new rule for low power operation of nuclear plants for docking & svc Served on 880806  
MERCHANT,D B New Hampshire, State of #288 6476 88/05/25. NRC - No Dated Affiliation Given 6pp 46262 025-46262 030

8807050085 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DEHNE,W Affiliation Not Assigned. 88/06/01 Docking & Services Branch 1p. 45995 232-45995 232

8807010561 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to approve proposed clarification of 5% rule.  
VOSS,C Affiliation Not Assigned 88/06/02 Docketing & Services Branch 1p. 45978.101-45979 101.

8807010362 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations There should be educational & public relations campaign for nuclear power.  
STEEVES,G N Affiliation Not Assigned 88/06/03 CHILK,S.J. Office of the Secretary of the Commission 1p. 45984.342-45984.342

8807010080 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BISSET,S Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 45993 081-45993 081.

8807010082 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CORSON,C Affiliation Not Assigned 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p. 45993.080-45993 080.

8807010087 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BCKROWSKI,J R Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45993 078-45993 078.

8807010090 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 45993 078-45993 078

8807010094 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HIGGINS,D Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 45993 077-45993 077.

8807010098 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MELAS KYRIAZI Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 45993 076-45993 076

8807010110 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILLIAMS,C M., WILLIAMS,D M Affiliation Not Assigned. 88/06/06 CHILK,S.J. Office of the Secretary of the Commission. 1p. 45070:130-45070 130.

8807010111 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FAIRCHILD,J Affiliation Not Assigned. 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p. 45984.312-45984 312.

8807010113 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PARSONS,F A Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45993.075-45993 075

8807010117 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HOBSO,D, HOBSO,S.C Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45979 012-45979 012

8807010126 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CHASE,J.C., CHASE,O L Affiliation Not Assigned. 88/06/06 CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984 313-45984 313.

8807010130 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BLOUIN,A.J., BLOUIN,J Affiliation Not Assigned. 88/06/06 CHILK,S.J. Office of the Secretary of the Commission. 1p. 45981:202-45981 202.

8807010136 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROWN,J.J Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984.314-45984 314.

8807010141 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HASKELL,S Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 45979 066-45979 066.

8807010142 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BRESNAHAN,L.J Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 45993 071-45993 071.

8807010148 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TUSHILL,N.M. Affiliation Not Assigned 88/06/06 CHILK,S.J. Office of the Secretary of the Commission. 1p. 45983 070-45993 070.

8807010153 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LENO,H.W. Affiliation Not Assigned. 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p. 45984:315-45984 315.

8807010155 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45978 065-45979 065

8807010158 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CONNELL,B.N. Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45993 067-45993 067

8807010166 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LAMBERT,J Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45979 010-45979 010.

8807010176 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p. 45979 011-45979 011.

8807010189 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SALT,B.J. Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 45979 009-45979 009

8807010198 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only unit interests in mind.  
SHAPIRO,L.M. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45981:207-45981 207.

8807010200 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MORRISON,R Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 45979 008-45979 008.

8807010201 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARONCELLI,F. Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984:319-45984 319.

8807010210 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only unit interest in mind.  
BEARDSLEY,H. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45981:204-45981 204.

8807010211 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PICARD,T.M. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 45979 007-45979 007.

8807010223 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only unit interest in mind.  
LARSEN,L Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45981:200-45981 200.

8807010224 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COLE,L., COLE,C Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45979 006-45979 006.

8807010225 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only unit interests in mind.  
CLARK,N.C Affiliation Not Assigned. 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p. 45984 317-45984 317.

8807010231 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45979 005-45979 005.

BALL, M. J., LARSON, W. G. Affiliation Not Assigned 88/06/06. CHILK, S. J. Office of the  
Secretary of the Commission 1p 45989 222-45989-222.

8807010295 Commerce opposing proposed rule 10CFR53 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/out uti interests in mind.  
LANGLOIS,S.J. Affiliation Not Assigned 88/06/06 CHILK,S.J. Office of the Secretary of the Commission. 1p 45989 221-45969 221.

8507010299 Comments opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only util interests in mind.  
CLEMENCE, P. P. Affiliation Not Assigned 88/08/06. CHILK, S.J. Office of the Secretary of the Commission 1p 45989 220-45989 220

8807010302 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only util interests in mind.  
O'CONNELL,S.N Affiant on Not Assigned 88/08/08 CHILK,S.J. Office of the Secretary of the Commission 1p 45981 102-45981/02

8807010305 Comments opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GRIFFIN,B.C. Affiliation Not Assigned 89/06/06 CHILK,S.J. Office of the Secretary of the Commission. 1p 45989.218-45899.218.

8807010307 Common opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interest in mind  
\* Affiliation Not Assigned 88/06/08. CHILK, S J Office of the Secretary of the Commission. ID 45984 331-45984-331

8807010308 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/out any interests in mind  
ABUSAMRA.L., ABUSAMRA.D Affiliation Not Assigned. 88/08/06. CHILK.S.J. Office of the Secretary of the Commission on 1p 45984.330.45904.330.

8607010310 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SAVRE, A. Affiliation Not Assigned 8/8/06. CHILK, S.J. Office of the Secretary of the Commission. to: 45984-329-45984-329.

8807010315 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operation. Proposed rule developed w/only int interest in mind.  
GRAY, R. Affiliation: Not Assigned 89/06/C6. CHILK, S. J. Office of the Secretary of the Commission. 1p. 45904.328-45904.328.

8807010317 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DILISIO,D.A. Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 10.45984:327.45984:327.

8807010322 Comment opposing proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KUKENE, G.A. Affiliation Not Assigned. 88/08/06. CHILK, S.J. Office of the Secretary of the Commission. In: 45984:332; 45984:332

8807010326 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/out any interest in mind.  
BINGHAM,V.S. Affiliation Not Assigned. 06/08/06. CHILK,S.J. Office of the Secretary of the Commission. no. 45984:334,45984:334

8807010342 Comment opposing proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BOWER,S.E. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 10.45884:333.45884:333

8807010351 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PETRAS. Affiliation Not Assigned 08/08/08. CHILK, S.J. Office of the Secretary of the Commission. In 45BR4-322, 45BR4-322

8807010358 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations

8807010383 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
POLLARD, D. Affiliation Not Assigned. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984-341.45984-341.

**8807010367** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

**MORRISON,B., MORRISON,G.** Affiliation Not Assigned. 88/08/06. CHILK,S.J. Officer of the Secretary of the Commission. In: 45899-244,45899-244.

8807010371 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/out any interest in mind.  
PHILBRICK, R., PHILBRICK, H. Affiliation Not Assigned. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. In: 4598B 243, 4598B 241.

8807010381 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
THOMPSON, L.W. Affiliation Not Assigned 88/06/06 CHILK, S.J. Office of the Secretary of the Commission 1p 45984.345.45984.345

9807010391 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interest in mind  
SOUTHALL, T. SOUTHALL, B.A. Affiliation Not Assigned. 88/08/08 CHILK, S.J. Office of the Secretary of the Commission Ip. 459899.242-459899:242.

8807010399 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to reject proposed rule  
YOUNG B. Affiliation Not Assigned. 88/06/06 CHILK, S.J. Office of the Secretary of the Commission 1p 45981.078-45981.078

8807010411 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to reject proposed rule change in interest of public safety  
CHICHESTER,G Affiliation Not Assigned. 88/06/06 CHILK,S J. Office of the Secretary of the Commission. 1p 45981:075-45981:075

8807010413 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MANURG Affiliation Not Assigned. 88/06/06 CHILK,S.J. Office of the Secretary of the Commission. 1p 45989:184-45980:184.

8907010417 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FOX,H.S. Affiliation Not Assigned. 88/08/06. CHILK,S J. Office of the Secretary of the Commission. 1p. 45980:183-45980:183

8807010419 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WINTERS, C.R. Affiliation Not Assigned. 88/06/06. CHILK S.J. Office of the Secretary of the Commission. tp. 459801-182-459891-182.

8907010424 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CAVATORTA,E.A. Affiliation Not Assigned. 68/06/06. CIHLK,S.J. Office of the Secretary of the Commission 1p. 45980-170-45989:179.

0007010429 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BARNES R J. Affiliation Not Assigned. 08/06/08. CHILK,S,J. Office of the Secretary of the Commission. tp. 45909.177-45909:177.

8807010436 Comment opposing proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DENNIS, E. A. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission 1p 45984:359-45984:359.

8807010438 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CARTER P. Affiliation Not Assigned. 88/06/00 CHILK S.J. Office of the Secretary of the Commission 1p. 45984:358-46984:358.

8807010444 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PACER V. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p 45884.357.45884.357.

8807010448 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SPINNEY,W.A. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p 45984.356-45984.356.

8907010485 Comment opposing proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only util interests in mind.  
WILLIAMS,C., JACKSON,K. Affiliation Not Assigned. 88/08/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984:355-46984:355.

8607010488 Comment opposing proposed rule 10CFR50 re emergency planning & pre-  
paradness requirements for nuclear power plant fuel loading & initial low power opera-  
tions.  
MULCAHY, M. Affiliation Not Assigned. 88/06/06. CHILK, S J. Office of the Secretary  
of the Commission. p. 45993:148-45993:148.

8807010491 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.Urges Commission to reject proposed rule change in interest of public safety.  
POWER,M. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of

6807010485 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to reject proposed rule change in interest of public safety.  
KALASKIAN, K Affiliation Not Assigned BB/06/06 CHILK, S.J Office of the Secretary of the Commission, 1p 45981 072-45981 072

8807010497 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HILDT, B.A. Affiliation Not Assigned 88/08/06. CHILK, S.J. Office of the Secretary of the Commission 1p. 45993.144.45993.144

8807010504 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LUMSDEN,L, LUMSDEN,F K Affiliated Not Assigned. 88/06/06 CHILK,S J Office of the Secretary of the Commission 1p 45993.142-45993.142.

8807010512 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety.

CASEY.D. Affiliation Not Assigned. 88/06/06 CHILK,S J. Office of the Secretary of the Commission 1p. 45979 105.45979:105.

8807010514 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
POLLOCK,R J Affiliation Not Assigned 88/06/08 CHILK,S J Office of the Secretary of the Commission 1p 45983 140 45993 140.

8807010528 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BIRD, F. J. Affiliation Not Assigned 88/06/06 CHILK, S. J. Office of the Secretary of the Commission tp 45993 120 45993 120.

88070 10540 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & in full low power operations.  
SPINNEY,S.A. SPINNEY,M Affiliation: Not Assigned. 88/06/00 CHILK,S.J. Office of the Secretary of the Commission 1p 45003:117-45893:117.

8807010647 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
VOGEL, L. J. Affiliation: Not Assigned. 88/06/08. CHILK, S. J. Office of the Secretary of the Commission. pp. 45993-115. 45993-115.

8807010651 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DIMENTO, W.J. Affiliation Not Assigned 88/08/06 CHILK, S.J. Office of the Secretary of the Commission. 1p. 45003;114-45993;114.

8807010558 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
OLMSTEAD, O Affiliation Not Assigned 88/08/08 CHILK, S.I. Office of the Secretary of the Commission. 1p. 45903;111-45903 111.

6807010573 Comment opposing proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to reject proposed rule change in interest of public safety  
WELCH,R.H., SWEENEY,J.M., WELCH,C.S. Affiliation Not Assigned. 88/08/06.  
CHILK,S.J. Office of the Secretary of the Commission on 1p 45984 354-45984 354

8807010583 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety.  
DOYLE, W. Affiliation Not Assigned 88/08/06. CHILKS, J. Office of the Secretary of the Commission. Ip. 45984:352-45984:352.

**8807010590** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety.  
WOOD, J.W. Affiliation Not Assigned. 88/06/06 CHILK, S.J. Office of the Secretary of the Commission tp 45984:351-45984:351.

8807050397 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 DESORBO, J. Affiliation Not Assigned. 88/06/06. CHILK, S. J. Office of the Secretary of the Commission. 1p. 45995.067.45995.067.

**8807070242** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
**BASHLIN,K.G.** Affiliation Not Assigned. **88/06/06** CHILK,S.J. Office of the Secretary of the Commission. **tp. 48017-307-48017-307.**

6807070258 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KIMBALL,H.S., KIMBALL,L.L. Affiliation Not Assigned. 88/06/06 CHILK,S.J. Office of



8807070262 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & in:al few power operations  
CAPRAN,B., CAPRAN,J. Affiliation Not Assigned. 88/06/06 CHLLK,S.J Office of the Secretary of the Commission 1p 48017.311-48017.311.

8807070273 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KING, P Affiliation Not Assigned. 88/06/06. CHILK, S J Office of the Secretary of the Commission. 1p 46017:314-46017:314.

8607070276 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GREEN, D.C. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. pp. 48017-315-48017-315.

8807070280 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
COCO,R.A. Affiliation Not Assigned 88/06/06. CHILK,S.J. Office of the Secretary of the Commission 1p. 48017 316 48017 316

8807070283 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 MCCARTHY,M., CALLAGHER,V.C Affiliation Not Assigned 88/06/06 CHILK,S.J  
 Officer of the Secretary of the Commission 1p. 4601:317-4601:317.

8807070293 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GANGI, B. Affiliation Not Assigned 88/06/06 CHLKS, J. Office of the Secretary of the Commission. 1p. 46017:319-46017:319.

8807070308 Comment opposing proposed rule 1CCFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HYDER-PRAT,S. Affiliation Not Assigned 88/06/06. Ctr/LKS,J. Office of the Secretary of the Commission 1p 46017:320-48017:320.

8807070318 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MORRIS, L.A. Affiliated on Not Assigned. 68/08/06 CHILK, S.J. Office of the Secretary of the Commission. 1p 46017:321-46017:321.

8807070324 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MARSHALL, F.R. Affiliation Not Assigned. 88/06/06 CHILKS, J. Office of the Secretary of the Commission. lp. 46017.322-46017.322

8907070461 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operation.  
ROBITAILLE, R. Affiliation Not Assigned. 89/06/06. CHILK, S J. Office of the Secretary of the Commission 1p. 46018.037-46018.037.

8807070487 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GRANDONI,R., GRANDONI,N. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46018.056-46018.056.

5807070490 Comment opposing proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROOKINGS,W.J. Affiliation Not Assigned. 88/08/06. CHILK,S.J. Office of the Secretary of the Commission. tp. 46018.054-46018.054.

8807120125 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 DECASTOFAROD, Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. tp. 48105 097-48105 097.

8807120130 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LAYERDURE,C. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 48105:098-48105:099.

**8607120133** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BRITTON,W.E. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46105.098-46105.099.

8807120158 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HOWARD,C.E. Affiliation Not Assigned 88/06/05. CHILK,S.J. Office of the Secretary of the Commission. 1p 48105.106-48105.106.

8607120162 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCDANIEL,D. Affiliation Not Assigned. 88/08/08 CHILK,S.J. Office of the Secretary of the Commission. tp. 46105:108-46105:108.

**8607120174** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
**BASTABLE,D.M.** Affiliation Not Assigned. 08/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 48105:110-48105.110.

8807120179 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BRUMFIELD,R. Affiliation Not Assigned. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. Ip. 46105-111-46105-111

8807120181 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCNULTY, L. Affiliation Not Assigned 88/06/06. CHILK, S. J. Office of the Secretary of the Commission. 1p 46105:112-46105:112.

8807120187 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
EDSON,D.V. Affiliation Not Assigned 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p. 48105:113-46105 113.

8807120204 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ELKINS, Altha on Not Assigned. 88/08/06 CHILKS, S.J. Office of the Secretary of the Commission. Ip. 46105:116-46105:116

8807120205 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DEFANSKI, L.M. Allocation Not Assigned 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p 46105:117-46105:117.

8807120214 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FREYSINGER, R.C. Affiliation Not Assigned 88/06/06 CHILK, S.J. Office of the Secretary of the Commission. 1p 46105.118-46105.119.

8807120216 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
REILLY-SULLIVAN Alhhat on Not Assigned 88/06/06 CHILKS J. Office of the Secretary of the Commission 1p. 46105:120-46105:120.

8807120222 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 DECRISTOFARO,M. Affiliation Not Assigned. 88/06/06 CHILK,S J Office of the Secretary of the Commission. 1p 46105:121-46105:121

8807120238 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GALLANT,D., GALLANT,N., GALLANT,C. Affiliation Not Assigned 88/CB/06.  
CHILK.S.J. Office of the Secretary of the Commission In 40105 123 40105 123

8807120239 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GALLANT, D. Affiliated on Not Assigned. 88/06/06 CHILK, S. J. Office of the Secretary of the Commission 1p. 46105.124-46105.124

8807120244 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROSENE,M. Affiliation Not Assigned. 08/08/08 CHILK,S.J. Office of the Secretary of the Commission. 1p. 48105:125-46105:125.

8807120250 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 RODD,S. Affiliation on Not Assigned. 88/06/06 CHILK,S,J. Office of the Secretary of the Commission. 1p 48105:126-48105:126

8807120463 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
EMERY, J. Affiliation Not Assigned. 88/08/06 CHILK, S. J. Office of the Secretary of the Commission. 1p. 46105:132-46105:132.

8807120470 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GOROON, T. Affiliation Not Assigned. 88/06/08. CHILK, S. J. Office of the Secretary of the Commission. 1p. 46105:133-46105:133.

8807120475 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SMART, L.P. Affiliation Not Assigned. 88/08/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105:134-46105:134.

8807120477 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KENNY, R. Affiliation Not Assigned. 88/06/06. CHILK, S. J. Office of the Secretary of the Commission. 1p. 46105:135-46105:135.

8807120481 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PERREAULT, F. Affiliation Not Assigned. 88/06/06. CHILK, S. J. Office of the Secretary of the Commission. D. 46105:136-46105:136.

**8807120492** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 BELANGER,B.J. Affiliation Not Assigned. 88/08/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 48105:140-48105:140.

**8807120500** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HARRIS, P. Affiliation Not Assigned. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.143-46105.143

**8807120503** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ZUREK, K. Affiliation Not Assigned. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.144-46105.144

**8807120507** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BARTLETT, C.L. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.145-46105.145

**8807120509** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MOERS, P. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.146-46105.146

**8807120511** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FLYNN, B.D. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.147-46105.147

**8807120513** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LACEY, A.C. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.148-46105.148

**8807120514** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HICKS, R. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.149-46105.149

**8807120523** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HOBSON, E. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.152-46105.152

**8807120532** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MALONIK, S. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.155-46105.155

**8807180020** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CLOSE, S.L. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46191.054-46191.054

**8807200272** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HICKEY, J.K. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46194.040-46194.040

**8807200276** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DANIALS, L.M. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46104.042-46104.042

**8807200284** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HICKEY, R. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46194.041-46194.041

**8807280376** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JORDAN, H.E. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46253.129-46253.129

**8807010218** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DONOVAN, J.L. Affiliation Not Assigned. 88/06/07. Docketing & Services Branch. 1p. 45984.321-45984.321

**8807010483** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CANNING, H.F. Affiliation Not Assigned. 88/06/08. Office of the Secretary of the Commission. 1p. 45993.149-45993.149

**8807010336** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
VAN DER HEIJDE. Affiliation Not Assigned. 88/06/10. Office of the Secretary of the Commission. 1p. 45984.340-45984.340

**8807010423** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FISK, C. Affiliation Not Assigned. 88/06/10. CHILK, S. Office of the Secretary of the Commission. 1p. 45981.071-45981.071

**8807010431** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PARRIS, P. Affiliation Not Assigned. 88/06/10. Office of the Secretary of the Commission. 1p. 45984.360-45984.360

**8807010288** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARSTON, W., BREISETH, S., ALLEN, K.D. Affiliation Not Assigned. 88/06/13. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989.223-45989.223

**8807010393** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROCK, M.T. Shaleno & McEachern. BROCK, M.T. Hampton, NH. 88/06/13. PARLER, W.C. Office of the General Counsel. 1p. 45989.241-45989.241

**8807010343** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SANBORN, I.M. Affiliation Not Assigned. 88/06/14. CHILK, S. Office of the Secretary of the Commission. 3pp. 45984.323-45984.325

**8807010425** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HARDEN, S.M. Affiliation Not Assigned. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989.178-45989.178

**8807010287** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DEMILIE, N.W. Affiliation Not Assigned. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.318-46017.318

**8807010482** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WILLIAMS, N. Affiliation Not Assigned. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46018.050-46018.050

**8807200270** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KRAMER, F. Affiliation Not Assigned. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46194.039-46194.039

**8807010575** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/15. NRC - No Detailed Affiliation Given. 2pp. 45903.106-45903.107

**8807010173** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PERUSSE, C. Affiliation Not Assigned. 88/06/16. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.316-45984.316

**8807010421** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MANN, M.A. Affiliation Not Assigned. 88/06/17. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989.180-45989.181

**8807050320** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
UPSON, L. Affiliation Not Assigned. 88/06/17. Docketing & Services Branch. 1p. 45995.073-45995.073

**8807010256** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BAMFORD, M.S. Affiliation Not Assigned. 88/06/20. Docketing & Services Branch. 1p. 45979.120-45979.120

**8807010455** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HIATT, S.L. Ohio Citizens for Responsible Energy. 88/06/20. NRC - No Detailed Affiliation Given. 2pp. 45993.173-45993.174

**8807010612** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
VINCENT, C., VINCENT, S. Affiliation Not Assigned. 88/06/20. Docketing & Services Branch. 1p. 45993.082-45993.082

**8807010728** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PALMER, A.D. Affiliation Not Assigned. 88/06/20. Docketing & Services Branch. 1p. 45994.043-45994.043

**8807060561** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/20. Docketing & Services Branch. 2pp. 46010.236-46010.236

**8807070335** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARKEY, E.J. House of Rep. 88/06/20. ZECH, L.W. Commissioners. 2pp. 46017.326-46017.327

8807010182 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BARR, D.P. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45981:119-45981:119.

8807010193 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. SILLOWAY, B.E. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45981:117-45981:117.

8807010489 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MCGAUGHEY, M.E. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45993:147-45993:147.

8807010572 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CONNOLLY, J.G. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45993:108-45993:108.

8807010581 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HOLLOWAY, J.L. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45993:104-45993:104.

8807010692 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges NRC to stop yielding to those who would stop plant. DAY, J. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45989:187-45989:187.

8807010724 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MCCARTY, M.R. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45994:044-45994:044.

8807050053 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. AQUIZAR, B. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:220-45995:220.

8807050064 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CHENG, E. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:225-45995:225.

8807050066 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. JOVELLANOS, R. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:226-45995:226.

8807050071 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CLOUTMAN, S.J. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:228-45995:228.

8807050101 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. GAGNE, J.A. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:206-45995:206.

8807050105 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DUBOIS, B. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:208-45995:208.

8807050146 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges plant operation. ARMSTRONG, C.S. Affiliation Not Assigned. 88/06/21. Office of the Secretary of the Commission. 1p. 45995:187-45995:187.

8807050203 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MAHAN, W.F. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45992:106-45992:106.

8807050319 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. EPSON, P.B. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:066-45995:066.

8807050348 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. LETOURNEAU, L.J. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:137-45995:137.

8807050493 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MIDDLETON, W.T. Affiliation Not Assigned. 88/06/21. NRC - No Detailed Affiliation Given. 2pp. 45999:280-45999:281.

8807070002 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. WENTWORTH, R. Affiliation Not Assigned. 88/06/21. NRC - No Detailed Affiliation Given. 1p. 46010:325-46010:325.

8807070027 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. SHEER, R.A. Affiliation Not Assigned. 88/06/21. CHILKS, S.J. Office of the Secretary of the Commission. 1p. 46010:317-46010:317.

8807070031 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. TIERNEY, P.A. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 46010:316-46010:316.

8807070105 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DEKEON, G. Haverhill, MA. 88/06/21. CHILKS, S.J. Office of the Secretary of the Commission. 1p. 46011:186-46011:186.

8807070118 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PELOSI, T.A. Haverhill, MA. 88/06/21. CHILKS, S.J. Office of the Secretary of the Commission. 2pp. 46011:202-46011:203.

8807070172 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. ST GERMAINE, R. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 2pp. 46011:090-46011:091.

8807070181 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HARTMAN, P.J. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 46011:094-46011:094.

8807070254 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PRICE, S. Affiliation Not Assigned. 88/06/21. ZECH, L.W. Commissioners. 1p. 46017:300-46017:308.

8807070265 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. LEAVITT, M.E. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 46024:358-46024:358.

8807070270 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. STUCHINSKI, V.L. Three Mile Island Alert. 88/06/21. CHILKS, S.J. Office of the Secretary of the Commission. 1p. 46017:312-46017:313.

8807070299 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HYLAND, G. Affiliation Not Assigned. 88/06/21. NRC - No Detailed Affiliation Given. 1p. 46010:357-46010:357.

8807070303 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MCGINN, R.J. Affiliation Not Assigned. 88/06/21. NRC - No Detailed Affiliation Given. 2pp. 46010:358-46010:359.

8807070368 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. RICHARDS, B.M. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 46017:334-46017:334.

8807070366 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CLEMENT, B. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 46018:088-46018:088.

8807070435 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. WATTS, J.C. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 46017:286-46017:286.

8807070471 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. SMITH, S.L. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 46018:062-46018:062.

8807070481 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. GILBERT, J.R. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 46018:057-46018:057.

8807120172 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Low power operation poses no threat to public safety. KYTE, J.R. Affiliation Not Assigned. 88/06/21. ZECH, L.W. Commissioners. 1p. 46105:109-46105:109.

SMART,R.A. Affiliation Not Assigned. 88/06/21. CHILK Office of the Secretary of the Commission. 1p. 46105:118-46105:118.

8807010100 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DIESING,P. Affiliation Not Assigned. 88/06/16. NRC - No Detailed Affiliation Given. 2pp. 45984:310-45984:311.

8807010143 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. KOTKOWSKI,G.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:112-45981:112.

8807010163 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BRAMBILLA,S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:114-45981:114.

8807010170 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. GAUTHIER,E.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:120-45981:120.

8807010277 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BERTRAND,F.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:121-45981:121.

8807010187 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BRADSHAW,G.B. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:118-45981:118.

8807010202 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. ST LAURENT,J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:116-45981:116.

8807010208 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. GROSSO,C.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45978:116-45978:115.

8807010217 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. OLSON,B.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45979:118-45979:118.

8807010229 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BEARD,T.N. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45978:117-45978:117.

8807010241 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DREW,M.D. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45979:119-45979:119.

8807010247 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. FEIGENBAUM,J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45978:118-45978:118.

8807010261 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. LEGENDRE,A.L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45978:121-45978:121.

8807010269 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MOODY,J.H. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 45979:122-45979:123.

8807010278 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. NEALT,P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45978:124-45978:124.

8807010297 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. GOLDSTEIN,D.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45978:126-45978:126.

8807010309 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PILLSBURY,N.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:100-45981:100.

MACDONALD,J.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:099-45981:099.

8807010325 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HUBBARD,L.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:096-45981:096.

8807010328 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. JACOBSON,B.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:095-45981:095.

8807010335 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BERTRAM,J.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:093-45981:093.

8807010344 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PECK,S.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:091-45981:091.

8807010347 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. TRINGALI,GAGNE Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:090-45981:090.

8807010353 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BEAVER,D.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 45981:085-45981:086.

8807010387 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HALL,W.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:079-45981:079.

8807010403 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MCGONIGLE,D.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:077-45981:077.

8807010407 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BOEDDINGHAUS,L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:076-45981:076.

8807010412 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. TAYLOR,K.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:074-45981:074.

8807010499 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. TONER,J.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:069-45981:069.

8807010501 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. FEERICK,M.S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:068-45981:068.

8807010505 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. VARGAS,J.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:067-45981:067.

8807010507 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CREIGHTON,P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:066-45981:066.

8807010508 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DAGOSTINO,P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45983:141-45983:141.

8807010513 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MCLEAN,J.N. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45981:188-45981:188.

8807010517 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BRAMILL,J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45983:121-45983:121.



## 178 DOCKETED ITEMS

**8807010618** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROWN,B.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45981:187-45991:187.

**8807010528** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LEITHEAD,W.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45993:119-45993:119.

**8807010531** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SULLIVAN,M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45981:185-45981:185.

**8807010536** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FORD,J.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45993:118-45993:118.

**8807010552** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BICHL,R.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45993:113-45993:113.

**8807010579** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARTEL,R.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45993:105-45993:105.

**8807010593** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PALUMBO,M.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45993:102-45993:102.

**8807010598** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Strongly recommends Commission approval of low power testing.  
ALBERETTI,J.D. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45984:350-45984:350.

**8807010605** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Supports licensing plant because power is needed.  
LAROUCHE,A.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45984:349-45984:349.

**8807010607** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COX,R.R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45993:084-45993:084.

**8807010611** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Supports getting plant on-line because New England needs more power.  
LEONE,P.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45984:348-45984:348.

**8807010618** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
REED,W.H. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45984:040-45984:040.

**8807010622** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROBINSON,D.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45984:039-45984:039.

**8807010625** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MERS,G. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45984:347-45984:347.

**8807010633** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to proceed w/low power testing of plant by approving rule.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45989:217-45989:217.

**8807010637** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARSH,C.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45993:202-45993:202.

**8807010642** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to proceed w/low power testing of plant.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45989:216-45989:216.

**8807010644** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

**8807010646** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to proceed w/low power testing of plant.  
BRENNEN,J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45989:215-45989:215.

**8807010649** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
THURLER,K.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45993:200-45993:200.

**8807010654** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HENDERSON,A.W. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45993:189-45993:189.

**8807010655** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to proceed w/low power testing of plant.  
OSSING,M.H. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45989:214-45989:214.

**8807010656** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WEYMOUTH,J.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45993:188-45993:188.

**8807010661** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to proceed w/low power testing of plant.  
SCHREIER,C.H. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45989:213-45989:213.

**8807010665** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HILL,G.F. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45993:187-45993:187.

**8807010670** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Lists reasons for support.  
DALEY,W.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp 45989:200-45989:201.

**8807010676** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FAULKINGHAM,C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45993:176-45993:176.

**8807010680** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BJORNSON,R. Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 45993:175-45993:175.

**8807010685** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Requests NRC to expeditiously favor proposed rule to help put plant on-line.  
MCCORMACK,R.B. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45989:188-45989:188.

**8807010694** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ABELY,D.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45984:067-45984:067.

**8807010696** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SCHMITT,M.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45984:068-45984:068.

**8807010700** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to proceed w/low power testing of plant.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45989:186-45989:186.

**8807010702** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WEEKS,D. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 45984:065-45984:065.

**8807010706** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCNAMARA,M.D. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45984:062-45984:062.

**8807010709** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.



**8807010711** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Favors issuance of license to perform low power testing for plant  
GOODRIDGE, R.H. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45989.194-45989.194

**8807010716** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Believes subj rule will clear up confusion  
MIKOS, G.P. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45989.192-45989.192

**8807010719** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TILLEY, J.A. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45994.046-45994.046

**8807010720** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Supports operation of plant  
SALES, J.P. Affiliation Not Assigned 88/06/22 NRC - No Detailed Affiliation Given 1p 45989.191-45989.191

**8807010722** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DESFOSSÉS, W.J. Affiliation Not Assigned 88/06/22 Office of the Secretary of the Commission 1p 45994.045-45994.045

**8807010723** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Desires to see plant licensed as soon as possible  
LEWALLEN, J.T. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45989.190-45989.190

**8807010725** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
OSCON, D.M. Affiliation Not Assigned 88/06/22 NRC - No Detailed Affiliation Given 1p 45989.188-45989.188

**8807010727** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Supports ruling in order for plant to be licensed for 5% low power testing  
MESSER, S.N. Affiliation Not Assigned 88/06/22 NRC - No Detailed Affiliation Given 1p 45989.188-45989.188

**8807010729** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
APPLEGATE, R. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45984.042-45984.042

**8807010730** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Hopes Commission adopts proposed clarification  
CARUSO, S.N. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45989.187-45989.187

**8807010732** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILLSON, D. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45984.041-45984.041

**8807010733** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Hopes NRC will reject obstructionist tactics & adopt proposed rule  
WHITE, R.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45989.185-45989.185

**8807050048** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DOLLARD, S. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45989.301-45989.301

**8807050062** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SUFFRIDGE, S.M. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.224-45995.224

**8807050065** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STARKEY, P.W. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45989.302-45989.302

**8807050076** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TEFFT, J.G. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.229-45995.229

**8807050082** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HIGGINS, E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.231-45995.231

**8807050083** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations

**8807050097** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KENT, C. Affiliation Not Assigned 88/06/22 NRC - No Detailed Affiliation Given 1p 45995.236-45995.236

**8807050102** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FROLO, C. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.207-45995.207

**8807050107** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KINGSTON, G. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.208-45995.208

**8807050110** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JENKINS, J.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.211-45995.211

**8807050127** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.205-45995.205

**8807050128** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GRILLO, J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.204-45995.204

**8807050147** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MADEJE, V. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45985.188-45985.188

**8807050149** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.189-45995.189

**8807050150** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HILL, J.W. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.190-45995.190

**8807050151** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Believes will must be allowed to proceed w/low power testing  
PATTERSON, D.J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.191-45995.191

**8807050155** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FREY, R. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46000.166-46000.166

**8807050159** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KELLEHER, A.B. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 2pp 45995.184-45995.185

**8807050160** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ROBERTSON, V.S. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.186-45995.186

**8807050163** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BICKNELL, L.I. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.187-45995.187

**8807050164** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DOWNING, W.F. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.198-45995.198

**8807050168** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Favors closing of facility  
MORRIS, R. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45999.205-45999.205

**8807050168** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PESANESI, M.W. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 45995.199-45995.199

**8807050169** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations

8807050173 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Supports effort to reduce misundersanding re ul  
KENRICK S.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.030-45992.030

8807050174 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KILEY G.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.091-45992.091.

8807050175 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCRGAN,R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.092-45992.092.

8807050180 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Plant should go online & produce power  
SEYMOUR,P.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.094-45992.094

8807050182 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BOWER A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46000.167-46000.167.

8807050183 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to implement proposed clarification.  
KOTKOWSKI,E.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.095-45992.095

8807050188 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DURAND,N. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.037-45992.037.

8807050190 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges NRC not to be persuaded by irresponsible groups & to approve rule.  
TUTINAS,P.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.098-45992.098

8807050191 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
RONNER,E.F. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.099-45992.099.

8807050192 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCCLAIN,D.G. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.100-45992.100.

8807050196 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
RICHARDSON,P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46000.189-46000.189.

8807050199 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Encourages Commission to rule in favor of proposed rule expeditiously.  
BERGERON,R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.104-45992.104.

8807050204 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Encourages Commission to approve proposed rule change.  
JAMISON,R.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.107-45992.107.

8807050208 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.109-45992.109.

8807050210 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PERKINS,W.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.111-45992.111.

8807050225 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FARRELL,J.T. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.118-45992.118.

8807050229 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DOBSON,B.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.122-45992.122.

8807050230 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KETCHEL,S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.123-45992.123.

8807050240 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WEED,D.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.129-45992.129.

8807050247 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GAUTHIER,L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.132-45992.132.

8807050258 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BLANCHARD,L.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.138-45992.138.

8807050261 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LEEMING,A.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.141-45992.141.

8807050262 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
STRANGE,R.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.142-45992.142.

8807050264 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WALSCH,L.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.144-45992.144.

8807050265 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WALLACE,C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.074-45992.074.

8807050267 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HUTCHINS,C.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.075-45992.075.

8807050269 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MOODY,D.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.076-45992.076.

8807050295 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MATICK,M.L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995.068-45995.068.

8807050298 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
EATON,L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995.069-45995.069.

8807050302 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TAYLOR,M.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995.071-45995.071.

8807050305 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HOWELL,D.T. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.086-45992.086.

8807050308 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COVILL,D.L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992.087-45992.087.

8807050315 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ANDERSON,R.F. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995.072-45995.072.

8807050318 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DEVILAMINCK,T. Coalition for Reliable Energy. 88/06/22. Docketing & Services Branch. 1p. 45995.065-45995.065.

8807050323 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GAYNE,J.R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995.075-45995.075.

8807050328 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PALAZZO,P.L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995.103-45995.103.

8807050539 Comment supporting proposed rule 10CFR150 re emergency planning preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DINSMORE, J. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 146000.039.46000.039.

BB07070037 Comment supporting proposed rule 10CFR5D re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 HOUE,K.F. Affiliation Not Assigned 88/08/22. Office of the Secretary of the Commission. 1p. 46017:292-46017:292.

8807070165 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GARVEY, J.R. Affirmative Not Assigned. 88/06/22. Docketing & Services Branch. 2pp  
46011.008 18011.000

8807070174 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DAROLE Affiliation Not Assigned 88/08/22. Docketing & Services Branch 1p.  
48011:092-46011:092

8807070178 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TARZIA, J Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. tp. 46011-993-46011-093

8807070184 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PLAZESKI,P. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 1p  
46011.095-46011.095

8807070186 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & in-lial low power operations  
ROGERS,D.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. tp. 46017-300-46017:300

8807070187 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & in-lial low power operations  
 PIETZAK,LS Affiliation Not Assigned 80/06/22. Docketing & Services Branch. 1p.  
 46011-036.46011-096.

8807070193 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 1p. 46011.097. 46011.097

8607070198 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/08/22. NRC - No Detailed Affiliation Given. Ip. 46017-331-46017-301.

8807070199 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 AZZOPARDI, J.O. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch.  
 1p. 46011.099-46011.089

8807070201 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/00/22. Dockoting & Services Branch. 1p. 46011:100-46011:100

0807070209 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
THOMAS, S L. Affiliation Not Assigned. 08/08/22. Docketing & Services Branch. 1p  
4601373-46017303.

8807070214 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliated: Not Assigned. 88/00/22. Docketing & Services Branch. 1p. 46017:304. 46017:304.

8807070228 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KILCOYNE,MR Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p  
46017-305-46017-305.

8807070239 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
YIN,M.S. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 1p  
46018-788-46018-078.

8807070246 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CHAMPIGNEY,P.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch  
1p. 46018 & 76-46018.076.

5607070251 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CASSIDY,T.C. Affiliation Not Assigned. 88/06/22. Office of the Secretary of the Commission. 1p. 46018.077-46018.077.

8607070256 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PERRY, A.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p  
46018-079-46018-079.

8807070274 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ZORN,M.O. Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given  
1p. 46018.082-46018.082.

8807070278 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CAUCHON,L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p  
46018.083-46018.C83.

8807070289 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DAVIS, D.R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch tp 46017.337-46017-337.

8807070295 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TINEL,P.L. Affiliation Not Assigned. 88/C6/22 Docketing & Services Branch 1p  
46017-338-46017 338

8807070301 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MURPHY, M.C. Affiliation Not Assigned. 88/C6/22 Docketing & Services Branch. 1p 48017.340-46017.340

8807070306 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROUX,D.P. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
46017 Assigned:441-48017-341

8807070309 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GAGNAR, R. Affiliation Not Assigned 88/06/22. Docketing & Services Branch 1p.  
46011.077-46011.077.

8807070319 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WADLEIGH, B. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 2pp.  
48017-344-48017-345.

8807070327 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FROLO, T.R. Allocation Not Assigned 88/06/22 Docketing & Services Branch 1p  
46017-346 46017-346.

**8807070328** Common supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CARON,D.A. Affiliation Not Assigned. 80/06/22. Docketing & Services Branch 1p.  
46011 081-46011 081.

8807070331 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WHITCOMB,C. Affiliation Not Assigned 08/08/22 NRC - No Detailed Affiliation  
Given. 1p. 8807-347-48017:347.

8807070336 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BUCHWALD,S.P. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch.  
1p. 46017:348-46017:348.

8807070337 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KOLONOSKI,D.E. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 1p. 460181094-46018094.

8807070342 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JONES, R.E. Attention Not Assigned 88/06/22. Docketing & Services Branch. 1p.  
46017-328-46017-328.

9807070343 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SCHREIER,R.M. Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46011:084-46011:084.

880707C344 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DODGE,S.L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p.  
46018 093-46018:093.

8807070349 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MAILHOT, T. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch 2pp.  
46017-330-46017-331.

8807070352 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LIZOTTE, R.G. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 48017:332-48017:332.

8007070354 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CORMIER, M.C. Affiliation Not Assigned. 88/08/22. Docking & Services Branch. 1p.  
48017:333-48017:333.

8007070355 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JULIAN,R.C. Affiliation Not Assigned 88/06/22. Docketing & Services Branch. 2pp.  
48011:085-46011:086.



8807070445 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
NCHADKJ, J.W. Affiliation Not Ass.gned. 88/06/22. NRC - No Detailed Affiliation  
Given: 146018:104-46018 104

8807070448 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operation: cns  
SEYMOUR, B.R. Affiliation Not Assigned. 88/08/22. Office of the Secretary of the Commission. pp. 46018 122-46018.122.

8807070454 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 COLE R.F. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p.  
 46018 116-46018-116

8807070457 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HODGDON, A D. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch, 1p.  
46018 066-46018 066.

8607070460 Comments supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MAKOWICZ, M.J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch  
1p. 46018 109.46018.109.

8807070462 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
NICHOLS, W.W. Affiliation Not Assgined 88/08/22. Dockeling & Services Branch. tp 46018 065-46018 065

8807070463 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
RYAN, P.L. Affiant Not Assigned 88/08/22. NRC - No Detailed Affiliation Given. 1p 46018-105, 46018-105.

8807070465 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PRICE, K.E. Affiliation Not Assigned 08/08/22. Docketing & Services Branch. fp 46018.003.46018.063

8807070466 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. Jp. 46018.108.  
46018.106

8807070468 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TOOLE,M.F. Affiliation Not Assigned. 88/06/22. Dockoting & Services Branch. 1p. 16080200. 12010020.

8807070489 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BENNETT,M.A. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 1p.  
68048 OFF. 68. 005

8807070494 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SHEPPERD, J.K. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p  
SHEPPERD, J.K.

8807070497 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARBLE,R.E. Affiliation Not Assigned 88/08/22. Docketing & Services Branch. 1p

8807070499 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
AUNE,J.E. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 1p

8807070500 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MORREALE,C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch, 1p.

8807070502 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PARADIS,M.G. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p.

8807070503 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RANO,T.L. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 10

**8607070504** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BODDH,D.J. Affiliation Not Assigned, 88/06/22. Docketing & Services Branch, 200.

**8807070508** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FOYEDH Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018.119-46018.119

**8807070508** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HAN.F.F.F Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018.120-46018.120

**8807070510** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LIEDES,R.H Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46016.121-46018.121.

**8807120137** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HILLS,D.E Affiliation Not Assigned 88/06/22. CHILK,S.J. Office of the Secretary of the Commission 1p 46105.103-46105.103.

**8807120149** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Existing safety requirements already criminally threadbare  
LODER,J.E Affiliation Not Assigned 88/06/22. CHILK,S.J. Office of the Secretary of the Commission 4pp 46105.101-46105.105.

**8807120169** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GEAGHAN,D.F. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46105.107-46105.107

**8807120486** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HUMPHREY,G.J. Senate. 88/06/22 CHILK,S.J. Office of the Secretary of the Commission 3pp 46105.137-46105.139.

**8807180002** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WALTER,C.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46101.058-46101.058

**8807200252** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Economic development will stagnate w/o facility.  
TAYLOR,M.A Affiliation Not Assigned 88/06/22. Docketing & Services Branch 2pp 46194.037-46194.038.

**8807010562** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HAWKES,C.L Affiliation Not Assigned 88/06/23 Docketing & Services Branch 1p 45993.110-45993.110.

**8807010664** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FRETCHETTE,R. Affiliation Not Assigned 88/06/23. Docketing & Services Branch 1p 45993.203-45993.203.

**8807010689** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GLYNN,B.M. Affiliation Not Assigned. 88/06/23. Office of the Secretary of the Commission. 1p. 45994.060-45994.060

**8807010705** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 88/06/23. Docketing & Services Branch. 1p. 45994.064-45994.064.

**8807010715** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 45994.047-45994.047.

**8807010731** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
OKEEFE,M. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch 1p. 45989.106-45989.106.

**8807010734** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
THOMPSON,T.M. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch 1p 45993.205-45993.205.

**8807050039** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCARTHUR,M.W., MCARTIHUR,L.G. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p 45995.213-45995.213.

**8807050041** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FINNIGAN,J. Affiliation Not Assigned 88/06/23. Docketing & Services Branch. 1p. 45995.214-45995.214.

**8807050048** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LEARY,P. Affiliation Not Assigned 88/06/23 Docketing & Services Branch 1p. 45995.216-45995.216

**8807050047** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RILEY,S.M Affiliation Not Assigned 88/06/23. Docketing & Services Branch. 1p 45995.217-45995.217

**8807050051** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WORKMAN,M.K. Affiliation Not Assigned 88/06/23. Docketing & Services Branch 1p 45995.218-45995.218

**8807050052** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ASCANIO,R Affiliation Not Assigned 88/06/23 Docketing & Services Branch. 1p 45995.219-45995.219.

**8807050054** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SATTERFIELD,M Affiliation Not Assigned 88/06/23 Docketing & Services Branch. 1p 45995.221-45995.221

**8807050058** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BROWN,C. Affiliation Not Assigned 88/06/23 Docketing & Services Branch 1p. 45995.222-45995.222

**8807050080** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GILBERTO,D.G. Affiliation Not Assigned 88/06/23 Docketing & Services Branch 1p. 45995.223-45995.223

**8807050069** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GILBERT,N.E Affiliation Not Assigned 88/06/23 Docketing & Services Branch 1p. 45995.227-45995.227.

**8807050079** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
AIELLO,K.M Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p 45995.230-45995.230.

**8807050089** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GERHSHID,R Affiliation Not Assigned 88/06/23. NRC - No Data'd Affiliation Given 1p. 45995.233-45995.233

**8807050093** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TAHMY,E.A. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p 45995.235-45995.235.

**8807050095** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HANLEY,M.A. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p 45999.339-45999.339

**8807050108** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 45999.340-45999.340

**8807050116** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HAM,H., HAM,S. Affiliation Not Assigned. 88/06/23. NRC - No Data'd Affiliation Given 1p. 45999.341-45999.341

**8807050122** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JASINSKI,M Affiliation Not Assigned. 88/06/23. NRC - No Data'd Affiliation Given. 1p 45995.212-45995.212.

**8807050132** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GASNEPAIN,S.J. Affiliation Not Assigned 88/06/23. Docketing & Services Branch. 1p. 45995.203-45995.203

**8807050140** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TARDIF,L. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 45989.342-45989.342.

**8807050168** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ENGBERG,B. Affiliation Not Assigned 88/06/23. NRC - No Data'd Affiliation Given 1p. 45995.193-45995.193.

WILSON, K. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p  
46009 227-48009 227

8807050647 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BASSS Affiliation Not Assigned. 88/06/23. Docketing & Services Branch 1p  
46000.036-46000.038

8807060531 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KEIZER, R. Affiliation Not Assigned 88/06/23. Dockeling & Services Branch 1p  
46010:238-46010:238.

8807080558 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned 88/06/23. Docketing & Services Branch 1p. 46010 234. 46010 234.

8807060584 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
NELSON,P.C Affiliation Not Assigned. 08/06/23. NRC - No Detailed Affiliation Given  
1p. 48010.231-48010.231.

8807060587 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LEVESQUE,N.T., LEVESQUE,C.R. Affiliation Not Assigned 88/06/23 Docketing & Services Branch. 1p. 48010 230-46010 230.

8807080600 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GEHRKE.L. Attention Not Assigned. 88/06/23. NRC - No Detailed Attention Given  
1p. 46010 226-46010-226.

8807080604 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SAVAGE, R W. Affiliation Not Assigned. 88/08/23. Docket no & Services Branch. 1p 48010 225-48010 225.

8807080607 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CORTON,J.E. Affiliation Not Assigned. 88/08/23. Docketing & Services Branch. 1p  
40010-223-46010-223.

8607080608 Comment supporting proposed rule 10CFR350 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROTHERTON, R. Affiliation Not Assigned. 08/08/23. Docketing & Services Branch  
Id. 46010: 222-46010:222.

8807070006 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FLAHARDY,C. Affiliation Not Assigned. 09/06/23. Docketing & Services Branch 1p  
4610-322 4610 322.

8807070014 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FLAHARDY,D. Affiliation Not Assigned. 88/08/23. Docketing & Services Branch 1p  
48010-319-4801319.

8807070062 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LENTZ,E.S. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. tp 46017-294-46017-294.

**8807070065** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SIMONSON,S.C. Affiliation Not Assigned. 08/08/23. Docketing & Services Branch  
to 46010-310-46010-310

8807070068 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCCABE, P.D. Affiliation Not Assigned. 88/08/23. Docketing & Services Branch 1p  
46010-308-16010-308.

8807070082 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HICKOK, R.E. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p  
100-308-46010-308

8807070090 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GOULD,G.W. Affiliation Not Assigned. 88/06/23. Dockeling & Services Branch 1p  
48010-300,46010-306

**8807070097** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCCARTHY,M.P. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46010.305-46010.305.

**8807070104** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SAMSTAG,S.S. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46010.304-46010.304.

**8807070107** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WRIGHT,R.V. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46010.303-46010.303.

**8807070112** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GARSKI,J.P. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46010.302-46010.302.

**8807070115** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46010.301-46010.301.

**8807070122** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PRANTIS,J.P. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46010.300-46010.300.

**8807070124** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FANNING,R.K. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46010.299-46010.299.

**8807070141** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JANSEN,D.M. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46011.209-46011.209.

**8807070145** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DESMOND,J.C. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46011.210-46011.210.

**8807070160** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TILDEN,R.C. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46011.087-46011.087.

**8807070164** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 2pp. 46017.298-46017.299.

**8807070260** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BRAMBILLA,M.A. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46018.080-46018.080.

**8807070267** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BEASLEY,B. Affiliation Not Assigned. 88/06/23 NRC - No Detailed Affiliation Given. 1p. 46024.355-46024.355.

**8807070289** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SLEMP,P.W. Affiliation Not Assigned. 88/06/23 NRC - No Detailed Affiliation Given. 1p. 46018.081-46018.081.

**8807070305** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CLEMENCE,J.B. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46010.360-46010.360.

**8807070313** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JASINSKI,G.L. Affiliation Not Assigned. 88/06/23 NRC - No Detailed Affiliation Given. 1p. 46017.342-46017.342.

**8807070315** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PINSACE,R.P. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46011.078-46011.078.

**8807070318** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCKEE,J.P. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46018.084-46018.084.

**8807070321** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WALLACE,D.G. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46011.079-46011.079.

**8807070325** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46011.080-46011.080.

**8807070326** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46024.353-46024.353.

**8807070338** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STANLEY,J.A. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46011.083-46011.083.

**8807070348** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STORY,J. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46018.088-46018.088.

**8807070360** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RICCIO,J.P. Nuclear Information & Resource Service. 88/06/23. CHILKS, S. Office of the Secretary of the Commission. 14pp. 46018.021-46018.031.

**8807070371** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PORT,R.B. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46018.091-46018.091.

**8807070377** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46017.359-46017.359.

**8807070378** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KERRY,J. Senate. 88/06/23. ZECH,L. Commissioners. 2pp. 46024.350-46024.351.

**8807070388** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
EGELAND,C. Affiliation Not Assigned. 88/06/23. Office of the Secretary of the Commission on. 1p. 46018.005-46018.005.

**8807070395** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FERSTER,A.C., CURRAN,D. Harmon & Weiss. FERSTER,A.C. Union of Concerned Scientists. 88/06/23. NRC - No Detailed Affiliation Given. 14pp. 46018.006-46018.019.

**8807070405** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CYR,P.R. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46018.095-46018.095.

**8807070410** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CONWAY,G.R. Affiliation Not Assigned. 88/06/23. Commissioners. 1p. 46018.125-46018.125.

**8807070425** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BUNTING,A.R. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 2pp. 46018.074-46018.075.

**8807070444** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46018.088-46018.088.

**8807070451** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* National Association of Manufacturers. \* Commerce, Dept. of. 88/06/23. ZECH,L.W. NRC - No Detailed Affiliation Given. 1p. 46018.087-46018.087.

**8807070476** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KERSHOW,W.V. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46018.080-46018.080.

**8807070485** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
VIZVARY,K. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch. 1p. 46018.058-46018.058.

8807070518 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LORD, W.S. Amesbury, MA 88/08/23 CHILK, S.J. Office of the Secretary of the Commission. 1p. 46018 124-46018 124.

8807070528 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JURGELON, E., JURGELON, L., JURGELON, J. Affiliation Not Assigned. 88/08/23 Docketing & Services Branch. 1p. 46018 123-46018 123.

8807110259 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Changes would significantly weaken level of public protection  
RICHARDSON, D.E. Employee's Legal Project 88/06/23 NRC - No Detailed Affiliation Given. 1cpp. 46101:121-46101:133.

8807110371 Responds to 850924 request to closely monitor organizational changes at facility & forwards SER input; will be incorporated into SSER B  
STELLO, V. Ofc of the Executive Director for Operations 88/06/23. ZECH, ROBERTS, CARR Commissioners. 6pp. 46082 030-46082 035.

8807120277 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Proposal will threaten utility's economic public welfare.  
MORSE, G. Affiliation Not Assigned. 88/06/23 CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105:129-46105 129.

8807120495 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GORRIE, P. Affiliation Not Assigned. 88/08/23 CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 141-46105:141.

8807070126 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MOUGHAN, T.F. Citizens Within the Ten Mile Radius. 88/06/24. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 46011 204-46011 206.

8807070329 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILLIS, P.M. Affiliation Not Assigned. 88/06/24. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 46017 323-46017 325.

8807060550 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SCHREMPF, D.A. Affiliation Not Assigned. 88/08/25. Docketing & Services Branch. 1p. 46010 242-46010 242.

8807120283 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MADEA, R.W. Affiliation Not Assigned. 88/08/28. Docketing & Services Branch. 1p. 46105 130-46105 130.

8807120498 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MATHEWS, R., MATHEWS, B. Affiliation Not Assigned. 88/07/01. Docketing & Services Branch. 1p. 46105 142-46105 142.

8807180018 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BLANCHARD, B.J. Affiliation Not Assigned. 88/07/05. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46191:055-46191:055.

8807180015 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MACFARLANE, W.A. Affiliation Not Assigned. 88/07/11. NRC - No Detailed Affiliation Given. 1p. 46191:056-46191:056.

#### I. Financial Information

8806300374 Forwards 1987 annual reports for joint owners of plant.  
THOMAS, G.S. Public Service Co. of New Hampshire. 88/08/23. Document Control Branch (Document Control Desk). 34pp. 46015 107-46018 214.

-8806300380 "Northeast Util 1987 Annual Rept."  
ELLIS, W.B. Northeast Utilities. 87/12/31. 55pp. 46015 141-46015 186.

-8806300381 "United Illuminating 1987 Annual Rept."  
EDWARDS, G.W. United Illuminating Co. 87/12/31. 69pp. 46015 187-46015 267.

-8806300385 "Eastern Util Assoc 1987 Annual Rept."  
EICHORN, J.F. Eastern Utilities Associates. 87/12/31. 54pp. 46016 268-46015 321.

-8806300386 "New England Electric Sys 1987 Annual Rept."  
BOK, J.T., HUNTINGTON, S. New England Electric System. 87/12/31. 44pp. 46015 322-46016 004.

-8806300387 "Commonwealth Energy Sys 1987 Annual Rept."  
SIEGFRIED, R.E., ANDERSON, G.E. Commonwealth Energy System. 87/12/31. 136pp. 46016 005-46016 143.

-8806300395 "Taunton Municipal Lighting Plant 1987 Annual Rept."  
\* Taunton Municipal Lighting Plant. 87/12/31. 20pp. 46016 144-46016 164.

-8806300402 "Massachusetts Municipal Wholesale Electric Co 1987 Annual Rept."  
LEARY, G.E., MURRAY, N.E. Massachusetts Municipal Wholesale Co. 87/12/31. 49pp. 46016 165-46016 214.

8807200072 Commission notification. \* Forwards press release issued to Northeast Util indicating that util will be advancing sufficient funds for plant project Certificate of Svc also encl.  
DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray #388 6733. 88/07/14. 6pp. 46193 354-46193 359.

8807280058 NRC Staff response to Commission order of 880714. \* Atty general waiver petition should be denied & ALAB-895 vacated. Supporting documentation & Certificate of Svc encl.  
BERRY, G.A., BERGQUIST, S.A. Assistant General Counsel for Hearings. #388 6799. 88/07/22. Commissioners. 10pp. 46254 145-46254 163.

#### P. Operating license stage documents & correspondence

8807110371 Responds to 850924 request to closely monitor organizational changes at facility & forwards SER input; will be incorporated into SSER B.  
STELLO, V. Ofc of the Executive Director for Operations. 88/06/23. ZECH, ROBERTS, CARR Commissioners. 6pp. 46082 030-46082 035.

8807110346 Discusses proposed changes (Rev 4) to offsite dose calculation manual. Changes acceptable. Lists items re lack of attention to details in rev preparation. Including stated symbol omission.  
NERSE, V. Project Directorate I-3. 88/06/27. HARRISON, R.J. Public Service Co of New Hampshire. 4pp. 46081:333-46081:338.

8807150020 Forwards changes to facility Tech Specs, per 880504 NRC meeting w/ licensed. Corrected Tech Spec page, originally w/ typo, also included. Stated addl changes will be provided separately.  
THOMAS, G.S. Public Service Co. of New Hampshire. 88/07/08. Document Control Branch (Document Control Desk). 56pp. 46185 284-46185 339.

8807150062 Forwards projected ref lamp values for PTS events per NRC request. Data developed for facility by Westinghouse, based on methods & generic assessment outlined in 10CFR50.61.  
THOMAS, G.S. Public Service Co. of New Hampshire. 88/07/08. Document Control Branch (Document Control Desk). 3pp. 46181:336-46181:338.

8807180276 Application for amend to License NPF-58, changing Tech Specs to reflect replacement of Varitak/Tobar transmitters w/ Rosemount transmitters. For paid.  
THOMAS, G.S. Public Service Co. of New Hampshire. 88/07/08. Document Control Branch (Document Control Desk). 2pp. 46203:290-46203:306.

-8807180278 Proposed Tech Specs, reflecting replacement of Varitak/Tobar transmitters w/ Rosemount transmitters.  
\* Public Service Co. of New Hampshire. 88/07/08. 16pp. 46203:292-46203:306.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CIPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

8807210164 Forwards test plan & results of environ qualification testing completed by Nail Testing Sys/Action Div on RG-58 coaxial cable mgmt by ITT Surponent. Data of testing support conclusion that RG-58 meets 10CFR50.49 requirements.  
FEIGENBAUM, T.C. Public Service Co. of New Hampshire. 88/07/12. Document Control Branch (Document Control Desk). 4pp. 46233:135-46233:165.

-8807210167 "Test Procedure for Environ Qualification Testing of Coaxial Instrument Cables (RG 58) for New Hampshire Yankee."  
DRAIN, B.J., WHITTLES, K.G. International Telephone & Telegraph Corp. 88/05/25. 26pp. 46233:140-46233:165.

8807220198 Application for amend to License NPF-58, revising organizational structure, per Generic Ltr 88-08 Fee paid.  
THOMAS, G.S. Public Service Co. of New Hampshire. 88/07/14. Document Control Branch (Document Control Desk). 3pp. 46249 081-46249 092.

-8807220200 Proposed Tech Specs re administrative control requirements.  
\* Public Service Co. of New Hampshire. 88/07/14. 9pp. 46240 084-46249 092.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 156-45978 266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 326-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-46240 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46018 266-46020 018.



8806300347 NRC Info Notice 88-045, "Problems In Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/07.  
Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807200318 Forwards Safety Insp Rept 50-443/88-08 on 880601-02 No violations noted.  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/07/07. HARRISON,R.J. Public Service Co. of New Hampshire. 6pp. 46229.279-46229.287.

-8807200321 Insp Rept 50-443/88-08 on 880601-02.No violations noted. Major areas inspected:vehicular alert & notification sys to be utilized as public alert & notification sys for communities within Commonwealth of MA.  
CONKLIN,C. Region 1, Ofc of the Director. 88/06/22. 3pp. 46229.285-46229.287

8807210207 Forwards Insp Rept 50-443/88-09 on 880627-29.No violations noted  
BELLAMY,R.R. Region 1, Ofc of the Director. 88/07/07. HARRISON,R.J. Public Service Co. of New Hampshire. 6pp. 46237.135-46237.146.

-8807210208 Insp Rept 50-443/88-09 on 880627-29.No violations noted. Major areas inspected:emergency preparedness & observation of licensee annual full-participation emergency exercise.  
FOX,E., LAZARUS,W.J. Region 1, Ofc of the Director. 88/07/06. 6pp. 46237.141-46237.146.

8807080006 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/08.  
Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027.

8807160015 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." No pump performance degradation attributable to inadequate min flow rate occurred  
THOMAS,G.S. Public Service Co. of New Hampshire. 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46182.197-46182.200.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/12.  
Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324.

8807120550 NRC Info Notice 88-049, "Marking,Handling,Control,Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241.203-46242.005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18.  
Consolidated Edison Co. of New York, Inc. 119pp. 46257.258-46258.016.

8807250030 Forwards response to request for addl info re IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Stated sys data base will not be used as justification.  
THOMAS,G.S. Public Service Co. of New Hampshire. 88/07/18. Document Control Branch (Document Control Desk). 8pp. 46268.262-46268.280.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257.088-46267.206.

#### R. Periodic operating reports & related correspondence

8807180356 Monthly operating rpt for June 1988 for Seabrook Station Unit 1.W/  
880711 ltr.  
NARDONE,P., THOMAS,G.S. Public Service Co. of New Hampshire. 88/06/30. 8pp. 46195.022-46195.028.

#### S. Reportable occurrences, LERs & related correspondence

8807120209 Corrected PNO I-88-070 on 880702,public meeting tie'd re emergency preparedness exercise on 880627-28.Meeting attended by approx 160 people w/only loud verbal comments & heckling occurring.Comments received negative & positive.  
CONKLIN,C. Region 1, Ofc of the Director. 88/07/05. 1p. 46148.246-46148.246.

#### T. Hearing transcripts on non-entitled matters

8807050033 Transcript of 880623 hearing in Bethesda,MD re onsite emergency planning & safety.Pp 1,159-1,167.  
\* Atomic Safety and Licensing Board Panel. 88/06/23. 31pp. 45999.171-45999.202.

8807110008 Offer of proof & motion for reconsideration. \* Requests Board to reconsider 880616 order denying rebuttal testimony on sheltering contentions & to admit ally general testimony. Rebuttal testimony of G Thompson,RL Goble & J Bayea encl.  
SNEIDER,C.S. Massachusetts, Commonwealth of. #388 8858. 88/07/08. Atomic Safety and Licensing Board Panel. 8pp. 46034.128-46034.175.

-8807110011 Rebuttal testimony of Doctors G Thompson,RL Goble & J Bayea on behalf of ally general for Commonwealth of MA on sheltering contentions. \* Certificate of Svc encl.  
THOMPSON,G., GOBLE,R.L., BEYEA,J. Massachusetts, Commonwealth of. 88/08/30. Atomic Safety and Licensing Board Panel. 80pp. 46111.162-46111.241.

8807210295 Transcript of 880719 hearing telecon in Bethesda,MD re offsite emergency planning Pp 14,286-14,281.  
\* Atomic Safety and Licensing Board Panel. 88/07/19. 18pp. 46233.033-46233.050.

#### U. Congressional/Executive Correspondence

8807130418 Responds to 880525 ltr urging NRC to delay Seabrook 'low power operation until emergency planning & financial qualification issues resolved  
ZECH,L.W. Commissioners 88/07/01. HUMPHREY,G.J. Senate 3pp. 46172.001-46172.004.

-8807130423 Urges NRC not to saddle Seabrook w/addl costs associated w/ low power operation until significant issues re emergency planning & financial qualifications of owners resolved.  
HUMPHREY,G.J. Senate. 88/05/25. ZECH,L.W. Commissioners 1p. 46172.004-46172.004.

#### DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

##### A. Application/construction stage documents & correspondence

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations.Svc list & Rev 2 to Reg Guide 1.98 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

##### F. Security, medical, emergency & fire protection plans

8808280400 Rev 39 to production emergency response manual W/880623 ltr  
MACDONALD,J.A., THOMAS,G.S. Public Service Co. of New Hampshire. 88/06/20. 200pp. 46997.038-45997.139.

8807290047 Applicant notice re exercise related documents \* Forwards correspondence exchanged among parties re intervenors access to applicant documents intervenors not entitled to documents prior to filing of contention.W/Certificate of Svc  
SELLECK,K.A. Public Service Co. of New Hampshire. #388 6802 88/07/25. 16pp. 46253.230-46253.245.

##### G. Adjudicatory correspondence

8807200136 Reply of town of West Newbury to responses of applicant & NRC Staff to intervenors contentions re Seabrook plan for Commonwealth of MA communities \* Certificate of Svc encl.  
MIZNER,J.H. West Newbury, MA. #388 6747. 88/08/17. Atomic Safety and Licensing Board Panel. 8pp. 46193.100-46193.107.

8807080016 Advises that Bore review of 880112-13 transcript of Bore & Thomas did not identify errors.TJ McKenna testimony re NUREG-1210 encl Related correspondence.  
TURK,S.E. Assistant General Counsel for Hearings. #388 6629 88/08/24. SMITH,I.W., LINENBERGER,G., HARBOUR,J. Atomic Safety and Licensing Board Panel. 1p. 45995.290-45995.298

-8807080016 Testimony of TJ McKenna re NUREG-1210. \* Related correspondence  
MCKENNA,T.J. Division of Operational Assessment (Post 870413) 88/08/24. 8pp. 45995.291-45995.298

8807060012 Applicant response to city of Haverhill detailed contentions \* Contentions should be rejected & city should be denied admission as party,per 10CFR2.714.Supporting documentation & Certificate of Svc encl.  
TROUT,J.P. Public Service Co. of New Hampshire. TROUT,J.P. Ropes & Gray. #388 6628. 88/08/27. Atomic Safety and Licensing Board Panel 11pp. 45998.314-45998.324.

8807060023 Forwards NRC Info Notice 88-037, "Flow Blockage of Cooling Water to Safety Sys Components" Document re matter pending before Appeal Board W/o encl.  
BERRY,G.A. Assistant General Counsel for Hearings #388 6641. 88/08/27. ROSTHAL,A.S., MOORE,T.S., WILBUR,H.A. Atomic Safety and Licensing Appeal Panel. 1p. 45998.203-45998.203.

8807060029 Order. \* Extends time in which Commission may review ALAB-881 until 880629.Served on 880628  
CHILK,S.J. Office of the Secretary of the Commission. #388 6642. 88/06/27. 1p. 45998.360-45998.360.

8807060045 Applicant advice to Appeal Board. \* Forwards memorandum on plan exclusivity extension issued by Bankruptcy Court of District of NJ. Court states intention to extend plan exclusivity to 881227.Certificate of Svc encl.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #388 6643. 88/08/27. 54pp. 45995.338-45998.031.

8807060075 Notice of appearance. \* Certificate of Svc encl.  
TROUT,J.P. Public Service Co. of New Hampshire. TROUT,J.P. Ropes & Gray. #388 6627. 88/08/27. 6pp. 45998.342-45998.346.

8807060051 NRC Staff response to New England Coalition on Nuclear Pollution petition for review of ALAB 882. \* Petition should be denied.Certificate of Svc encl.  
BERRY,G.A. Assistant General Counsel for Hearings #388 6644. 88/06/20. Commissioners. 15pp. 45995.314-45995.320

8807060058 New England Coalition on Nuclear Pollution (NECNP) list set of interrogatories & request for production of documents to applicant in NECNP Contention I.B.2. \* Svc list encl Related correspondence.  
CURRAN,D. New England Coalition on Nuclear Pollution. CURRAN,D. Harmon & Weiss. #388 6638. 88/06/28. Public Service Co. of New Hampshire 10pp. 45998.325-45998.334.

8807060084 Applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness re issue of environ qualification of RG-58 cable. \* Instant order exceeds jurisdiction of ASLB.W/Certificate of Svc.  
DIGNAN,T.G. Public Service Co. of New Hampshire. DIGNAN,T.G. Ropes & Gray. #388 6645. 88/08/28. Atomic Safety and Licensing Appeal Panel. 23pp. 45998.037-45998.239.

-8807060073 Forwards listed documents for filing in proceeding including applicant suggestion of mootness, affidavits of R Bergeron, GA Kolowski, TC Feigenbaum & applicant response to Board 880509 order. STEENLAND, D.S. Public Service Co. of New Hampshire 88/05/19 Docketing & Services Branch 1p. 45996.091-45996.123

-8807060082 Forwards supplemental 880526 affidavit of R Bergeron re 880519 applicant suggestion of mootness. Applicant have revised information provided on Page 2 of 880519 document. Document reproduced w/ corrected page. STEENLAND, D.S. Public Service Co. of New Hampshire STEENLAND, D.S. Ropes & Gray 88/05/27. WOLFES, J., LUEBKE, E.A., HARBOUR, J. Atomic Safety and Licensing Board Panel 1p. 45996.124-45996.238.

-8807060089 Applicant suggestion of mootness \* Order should enter finding that issue re environ qualification of RG-58 coaxial cable pending before Licensing Board moot. STEENLAND, D.S. Public Service Co. of New Hampshire STEENLAND, D.S. Ropes & Gray 88/05/27. Atomic Safety and Licensing Board Panel. 6pp. 45996.125-45996.130

-8807060092 Supplemental affidavit of R Bergeron. BERGERON, R. Public Service Co. of New Hampshire BERGERON, R. New Hampshire, State of 88/05/26 App. 45996.131-45996.238.

8807110048 Applicant opposition to New England Coalition on Nuclear Pollution (NECNP) petition for review of ALAB-892. \* Issue raised in petition previously addressed by Commission w/ Certificate of Svc. STEENLAND, D.S. Public Service Co. of New Hampshire STEENLAND, D.S. Ropes & Gray. #388 6668 88/06/28. Commissioners 10pp. 46034.073-46034.083

8807110058 Memorandum (re telcon of 880623). \* Advises of telcon hearing of applicant reply to NRC & New England Coalition on Nuclear Pollution responses to applicant suggestion of mootness re RG-58 coaxial cable. Served on 880701. WOLFES, J. Atomic Safety and Licensing Board Panel. #388 6664. 88/06/28. 6pp. 46034.087-46034.072

8807060086 Order \* Responses to applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness re environ qualification of RG-58 cable should be filed by 880713. Served on 880629. SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #388 6639. 88/06/28. Public Service Co. of New Hampshire re. 1p. 45999.204-45999.204

8807060076 Order \* Advises that Commission will not review ASLB 880425 Memorandum & Order ALAB-891 & directs Board to determine remanded coaxial cable issue needs to be resolved before low power operations. Served on 880629. CHILKS, J. Office of the Secretary of the Commission. #388 6640. 88/06/29. Atomic Safety and Licensing Board Panel 2pp. 45996.340-45996.341

8807110103 Forwards NUREG/CR-2903, "Independent Assessment of Education Time Estimates for Peak Population Scenario in EP2 of Seabrook Nuclear Station" w/ro repl. Certificate of Svc & svc list encl. THOMAS, E.A. Federal Emergency Management Agency. #388 6671. 88/06/28. HARBOUR, J. Atomic Safety and Licensing Board Panel App. 46033.247-46033.260.

8807110005 Applicant motion for schedule re effect of RG-58 issue upon 5% operation. \* Board should enter order directing all parties to file statement of position on or before 880720. Certificate of Svc encl. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #388 6665 88/06/30. Atomic Safety and Licensing Board Panel. 6pp. 46034.176-46034.180.

8807110017 New England Coalition on Nuclear Pollution (NECNP) first set of interrogatories & request for production of documents to NRC Staff on NECNP Contention 1B.2. \* Svc list encl. Related correspondence. CURRAN, D. New England Coalition on Nuclear Pollution. CURRAN, D. Harmon & Weiss. #388 6666 88/07/01. Public Service Co. of New Hampshire. 8pp. 46034.117-46034.124

8807110029 Applicant motion for schedule. \* Adoption of listed schedule for litigation of contentions arising from Seabrook plan for Commonwealth of MA communities & graded exercise held on 880820-29 requested. Certificate of Svc encl. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #388 6653 88/07/01. Atomic Safety and Licensing Board Panel. 6pp. 46033.222-46033.226.

8807110031 New England Coalition on Nuclear Pollution (NECNP) second set of interrogatories & request for production of documents to applicant on NECNP Contention 1B.2. \* W/Certificate of Svc. Related correspondence. CURRAN, D. New England Coalition on Nuclear Pollution. CURRAN, D. Harmon & Weiss. #388 6667 88/07/01. Public Service Co. of New Hampshire re. 6pp. 46034.092-46034.096.

8807110038 Notice of appearance. \* Certificate of Svc encl. BERQUIST, S.A. Office of the General Counsel. #388 6654. 88/07/01. App. 46034.086-46034.089.

8807110040 Forwards "NRC Staff Proposed Findings of Fact & Conclusions of Law." Applicant findings & conclusions adopted by NRC except where noted. BERQUIST, S.A. Office of the General Counsel. #388 6674. 88/07/01. SMITH, J.W., HARBOUR, J., LINENBERGER, G. Atomic Safety and Licensing Board Panel. 1p. 46033.025-46033.208.

-8807110053 NRC Staff Proposed Findings of Fact & Conclusions of Law. \* Issuance of OI for plant subject prior satisfaction of listed conditions. Certificate of Svc encl. BERQUIST, S. Office of the General Counsel. 88/07/01. 183pp. 46033.026-46033.203

8807110045 Order. \* Applicant & New England Coalition on Nuclear Pollution briefs ordered to be filed simultaneously no later than 880722 & NRC should file brief no later than 880727 to address remanded coaxial cable issue. Served on 880701. WOLFES, J. Atomic Safety and Licensing Board Panel. #388 6663. 88/07/01. Public Service Co. of New Hampshire 2pp. 46034.084-46034.085.

8807140007 New England Coalition on Nuclear Pollution (NECNP) brief in support of appeal of Board dismissal of NECNP Contention IV. \* Board 880217.0318 & 0401 decisions should be reversed. W/Certificate of Svc. FERSTER, A. New England Coalition on Nuclear Pollution. FERSTER, A. Harmon & Weiss. #388 6678. 88/07/01. Atomic Safety and Licensing Appeal Panel. 6pp. 46117.103-46117.177.

8807110021 Forwards notice of appearance for JF Scinto distributed to Board & parties at 880615 hearing. TURK, S.E. Assistant General Counsel for Hearings. #388 6655 88/07/05. SMITH, J.W., HARBOUR, J., LINENBERGER, G. Atomic Safety and Licensing Board Panel. 2pp. 46033.227-46033.228.

8807110060 Memorandum & order. \* Affirms Licensing Board denial of applicant's waiver petition & certifies to Commission on final general petition. Served on 880706. SHOEMAKER, C.J. Atomic Safety and Licensing Appeal Panel. #388 6669 88/07/05. New England Coalition on Nuclear Pollution 30pp. 46033.251-46033.269

8807110113 NRC Staff response to applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness re issue of environ qualification of RG-58 cable. \* Certificate of Svc encl. BERRY, G.A. Assistant General Counsel for Hearings. #388 6672 88/07/05. Atomic Safety and Licensing Appeal Panel. 15pp. 46033.232-46033.246

8807140004 Notice of appearance. \* Author enters appearance on behalf of applicant for proceeding. Certificate of Svc encl. SMITH, J.B. Public Service Co. of New Hampshire SMITH, J.B. Ropes & Gray #388 6681. 88/07/05. 5pp. 46117.080-46117.084.

8807140018 Applicant motion for protective order. \* Protective order governing conditions under which Commonwealth of MA may receive certain confidential & proprietary info re applicant alert & notification system warning system requested. SELLECK, K.A. Public Service Co. of New Hampshire SELLECK, K.A. Ropes & Gray #388 6662. 88/07/05. Atomic Safety and Licensing Board Panel. 7pp. 46117.197-46117.218

-8807140026 Affidavit of TC Feigenbaum re FEMA-REP-10 design rept & Seabrook plan for Commonwealth of MA Communities w/ Certificate of Svc. FEIGENBAUM, T.C. Public Service Co. of New Hampshire 88/05/18 15pp. 46117.204-46117.218

8807140019 Applicant response to Commonwealth of MA atty general first set of interrogatories to applicant re siren contentions. \* Certificate of Svc encl. Related correspondence. THOMAS, G.S., SELLECK, K.A. Public Service Co. of New Hampshire SELLECK, K.A. Ropes & Gray. #388 6690 88/07/05. Massachusetts, Commonwealth of. 20pp. 46117.219-46117.238

8807110008 Order of proof & motion for reconsideration. \* Requests Board to reconsider 880618 order denying rebuttal testimony on shattering contentions & to admit atty general latest mcy. Rebuttal testimony of G Thompson, H. Goble & J. Bayou encl. SNEIDER, C.S. Massachusetts, Commonwealth of. #388 6650. 88/07/06. Atomic Safety and Licensing Board Panel. 8pp. 46034.120-46034.175.

8807110043 Applicant request for schedule re certification contained in ALAB-895. \* Requests that Commission set expedited schedule for obtaining views of parties re certification made in proceeding on 880705 w/ Certificate of Svc encl. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray #388 6670. 88/07/06. Commissioners App. 46033.290-46033.293.

8807200087 NRC Staff response to City of Haverhill dated contentions. \* City of Haverhill late-filed contentions should be rejected. Certificate of Svc encl. TURK, S.E. Assistant General Counsel for Hearings. #388 6745 88/07/06. Atomic Safety and Licensing Board Panel. 9pp. 46193.325-46193.333

8807140005 Forwards corrected applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness w/ respect to issue of environ qualification of RG-58 cable. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. #388 6676 88/07/07. ROSENTHAL, A.S., MOORE, T.S., WILBER, H.A. Atomic Safety and Licensing Appeal Panel. 2pp. 46117.005-46117.108.

-8807140009 Corrected applicant appeal & petition for directed certification of order of ASLB rejecting applicant suggestion of mootness w/ respect to issue of environ qualification of RG-58 cable. \* W/Certificate of Svc. DIGNAN, T.G. Public Service Co. of New Hampshire. DIGNAN, T.G. Ropes & Gray. 88/08/28. Atomic Safety and Licensing Appeal Panel. 22pp. 46117.087-46117.108.

8807140016 Suggests that Board schedule rehearing conference & oral argument before acting on suggestion that intervenor contentions be rejected. Served on 880711. TRAFICANTE, J. Massachusetts, Commonwealth of. #388 6684. 88/07/07. SMITH, J.W. Atomic Safety and Licensing Board Panel. 3pp. 46117.194-46117.196.

8807200073 NRC Staff response to town of Salisbury amended contentions re applicant plan for Commonwealth of MA communities. \* Applicant uniformly amends to contentions should be rejected. Certificate of Svc encl. TURK, S.E. Assistant General Counsel for Hearings. #388 6744. 88/07/07. Atomic Safety and Licensing Board Panel. 9pp. 46193.346-46193.353

8807200020 Commonwealth of MA atty general response to first set of interrogatories re Commonwealth of MA atty general amended contentions on notification issue. \* Certificate of Svc encl. Related correspondence. JONAS, S.A. Massachusetts, Commonwealth of. #388 6726. 88/07/12. Public Service Co. of New Hampshire. 28pp. 46192.302-46192.328.

8807200080 Seacoast Anti-Pollution League, town of Hampton, New England Coalition on Nuclear Pollution appeal of partial denial of waiver request (ALAB 895) to review financial qualifications of Public Svc Co. of New Hampshire. BACKUS, R.A. Seacoast Anti-Pollution League. BACKUS, R.A. Backus, Moyer & Solomon. #388 6722. 88/07/12. Commissioners. 12pp. 46192.330-46192.341.

8807150008 Order. \* Review period for ALAB-892 extended to 880811, per 10CFR2.772. Served on 880713. CHILKS, J. Office of the Secretary of the Commission. #388 6702. 88/07/13. Commissioners. 1p. 46189.356-46189.358.

8807200039 Intervenor's joint response to applicant motion for schedule. \* Proposed schedule for litigation of plan for Massachusetts communities & graded exercise that took place in June should be rejected as premature. Svc list encl. CURRAN, D. New England Coalition on Nuclear Pollution. CURRAN, D. Seacoast Anti-Pollution League. CURRAN, D. Hampton, NH. #388 6714. 88/07/13. Atomic Safety and Licensing Board Panel. 13pp. 46192.266-46192.278.

8807200040 Forwards New England Coalition on Nuclear Pollution (NECNP) motion for clarification or reconsideration \* NECNP response to applicant appeal & 880628 petition for directed certification, w/ two attachments  
CURRAN,D. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss #388 6724 88/07/13 WOLFE,S.J., LUEBKE,E.A., HARBOUR,J. Atomic Safety and Licensing Board Panel 1p 46193.175-46193.264

-8807200051 New England Coalition on Nuclear Pollution motion for clarification or reconsideration of Board order of 880623 \* Certification of RG-59 coaxial cable qualification in replacement applications requested w/ Certificate of Svc  
CURRAN,D. TROUSLEY,D. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss 88/07/13 Atomic Safety and Licensing Board Panel 7pp 46193.178-46193.264

8807200055 Applicant response to New England Coalition on Nuclear Pollution (NECNP) first set of interrogatories & request for production of documents to applicant on NECNP Contention 1B.2 \* Supporting documentation & Certificate of Svc encl  
VARGAS,J.M. New Hampshire, State of TROUT,J.P. Public Service Co. of New Hampshire TROUT,J.P. Ropes & Gray #388 6729 88/07/13 New England Coalition on Nuclear Pollution 45pp 46192.258-46192.301

8807200062 Forwards New England Coalition on Nuclear Pollution (NECNP) response to applicant appeal & petition for directed certification & NECNP motion for clarification or reconsideration, filed before Licensing Board on 880713.  
CURRAN,D. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss #388 6725 88/07/13 ROSENTHAL,A.S., WILBER,H.A. Atomic Safety and Licensing Appeal Panel 1p 46193.279-46193.292

-8807200071 New England Coalition on Nuclear Pollution response to applicant appeal & petition for directed certification, did 880628 \* NECNP entitled to test assertions re RG-58 coax cable through discovery & hearing Certificate of Svc encl  
CURRAN,D. TROUSLEY,D. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss 88/07/13 Atomic Safety and Licensing Appeal Panel 13pp 46193.280-46193.292

8807200082 Applicant response to proposed findings & rulings of other parties \* Certificate of Svc encl  
DIGNAN,T.G. Public Service Co. of New Hampshire DIGNAN,T.G. Ropes & Gray. #388 6748 88/07/13 10pp. 46193.090-46193.099

8807200088 Order \* Advises that Atty General of Massachusetts made prima facie showing that petition for waiver should be granted exempting electric utility from requirement of financial qualifications review. Served on 880714  
BATES,A.L. Office of the Secretary of the Commonwealth #388 6723. 88/07/14. Massachusetts, Commonwealth of. 2pp. 46192.342-46192.343

8807200072 Commission notification \* Forwards press release issued to Northeast UMs indicating that utility will be advancing sufficient funds for plant project Certificate of Svc also encl.  
DIGNAN,T.G. Public Service Co. of New Hampshire DIGNAN,T.G. Ropes & Gray #388 6733 88/07/14 6pp 46193.354-46193.359

8807200033 Memorandum & order \* Applicant appeal dismissed & petition for directed certification denied. Served on 880715  
SHOEMAKER,C.J. Atomic Safety and Licensing Appeal Panel #388 6727. 88/07/15 Public Service Co. of New Hampshire 6pp. 46192.348-46192.356

8807200074 Applicant proposed findings of fact & rulings of law w/ respect to sheltering issues. \* Board finds & rules that adequate considerations has been given to protective action sheltering Certificate of Svc encl.  
DIGNAN,T.G. Public Service Co. of New Hampshire DIGNAN,T.G. Ropes & Gray. #388 6749 88/07/15 42pp 46193.048-46193.099

8807200089 Applicant response to motion of Commonwealth of MA atty general motion for reconsideration of order denying leave to file rebuttal testimony of Thompson et al \* Motion should be denied Certificate of Svc encl  
DIGNAN,T.G. Public Service Co. of New Hampshire DIGNAN,T.G. Ropes & Gray. #388 6746 88/07/15 Atomic Safety and Licensing Board Panel 12pp. 46193.334-46193.345

8807200014 Applicant response to Massachusetts atty general first request to applicants for production of documents & entry upon land for inspection on content on W/ Certificate of Svc. Related correspondence  
SELLECK,K.A. Public Service Co. of New Hampshire SELLECK,K.A. Ropes & Gray #388 6776 88/07/15 Massachusetts, Commonwealth of. 9pp. 46253.200-46253.288

8807200021 Applicants second set of interrogatories re Massachusetts atty general amended contention on notification sys W/ Certificate of Svc Related correspondence.  
SELLECK,K.A. Public Service Co. of New Hampshire SELLECK,K.A. Ropes & Gray. #388 6777. 88/07/15 Massachusetts, Commonwealth of. 10pp. 46253.289-46253.296

880720009 NRC Staff response to applicant motion for schedule \* Applicant motion supported w/ exception of mod in schedule to allow prehearing conference on both contentions W/ Certificate of Svc.  
CHAN,E.I. Assistant General Counsel for Hearings. #388 6750. 88/07/18. Atomic Safety and Licensing Board Panel 5pp. 46195.351-46195.355

8807200012 Applicant suppl Interrogatory. \* Applicant requests that State of MA atty general supply answers to Numbers 8,10,11, 12,18,19 & 20(a) of first set of interrogatories. Certificate of Svc encl. Related correspondence.  
SELLECK,K.A. Public Service Co. of New Hampshire SELLECK,K.A. Ropes & Gray #388 6753. 88/07/18 Massachusetts, Commonwealth of. 27pp. 46195.275-46195.301

8807200079 Commonwealth of MA atty general second set of interrogatories re alien contentions. \* Related correspondence.  
JONAS,S.A. Massachusetts, Commonwealth of. #388 6781. 88/07/18. Public Service Co. of New Hampshire. 3pp. 46254.228-46254.236

8807200033 NRC Staff response to New England Coalition on Nuclear Pollution motion for clarification of reconsideration of Board order of 880623 \* Motion should be denied Certificate of Svc encl.  
BERRY,G.A. Assistant General Counsel for Hearings. #388 6752. 88/07/19. Atomic Safety and Licensing Board Panel 6pp. 46198.001-46198.006

8807290013 Notice of taking deposition of E Desmarais & T Board \* Deponents will be examined re basis for adequacy & efficacy of applicant vehicle & airtel notification system Certificate of Svc encl. Related correspondence  
JONAS,S.A. Massachusetts, Commonwealth of. #388 6779 88/07/19 6pp 46254.002-46254.087

8807290018 Applicant response to New England Coalition on Nuclear Pollution motion for clarification or reconsideration of Board order of 880623 \* Issue re environmental qualification of RG-59 cable should be remitted W/ Certificate of Svc  
DIGNAN,T.G. Public Service Co. of New Hampshire DIGNAN,T.G. Ropes & Gray #388 6780. 88/07/19 Atomic Safety and Licensing Board Panel 7pp. 46254.098-46254.094

8807290024 Informs Commission that Massachusetts atty general (MAG) disagrees w/ ASLB memorandum & order re MAG financial qualification petition. Believes ASLB decision narrowly grounded & urges Commission to adopt broader reasoning  
JONAS,S.A. Massachusetts, Commonwealth of. #388 6773 88/07/19 ZELCH,L.W. ROBERTS,T., CARR,K.M. Commissioners 2pp. 46253.177-46253.176

8807290015 Notice of prehearing conference. \* Conference will consider contentions & issues to be adjudicated re emergency planning for plant & Massachusetts communities lying within EPZ. Served on 880721.  
SWITH,L.W. Atomic Safety and Licensing Board Panel #388 6772 88/07/20 2pp 46253.175-46253.176

8807290042 Applicant motion to compel answers to interrogatories prepared to atty general for Commonwealth of MA \* W/ Certificate of Svc.  
SELLECK,K.A. Public Service Co. of New Hampshire SELLECK,K.A. Ropes & Gray #388 6798. 88/07/20 Atomic Safety and Licensing Board Panel 25pp. 46254.120-46254.144

8807290016 Forwards response to NRC response to New England Coalition on Nuclear Pollution (NECNP) first set of interrogatories & request for production of documents to NRC on NECNP Contention 1B.2 W/ encl. Related correspondence  
BERRY,G.A. Assistant General Counsel for Hearings. #388 6815 88/07/20 CURRAN,D. Public Service Co. of New Hampshire CURRAN,D. Harmon & Weiss 1p 46250.295-46250.295

8807290026 NRC Staff response to New England Coalition on Nuclear Pollution (NECNP) first set of interrogatories & request for production of documents to NRC Staff on NECNP Contention 1B.2 \* Related correspondence  
BERRY,G.A. Office of the General Counsel #388 6814. 88/07/20 New England Coalition on Nuclear Pollution 12pp. 46258.162-46258.160

-8807290034 Affidavit of A Gil \* Advises that author participated in preparing NRC responses to interrogatories 11 & 12 Related correspondence  
GILL,A. NRC - No Detailed Affidavit Given. 88/07/20. 1p. 46259.174-46259.174

-8807290036 Affidavit of H Walker \* Advises that author participated in preparing NRC responses to interrogatories 6-10 & 14-15. Related correspondence  
WALKER,H. Plant Systems Branch 88/07/20 1p. 46258.175-46258.175

-8807290041 Affidavit of V Norses \* Advises that author participated in preparing interrogatories 3,4,5 & 17 W/ Certificate of Svc. Related correspondence  
NERSES,V. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/20 5pp. 46258.176-46258.180

8807290008 New England Coalition on Nuclear Pollution brief in opposition to authorization of low power operation at Seabrook Nuclear Power Plant \* Board lacks authority to permit low power operation.  
CURRAN,D. FERSTER,A. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss #388 6796 88/07/21. Atomic Safety and Licensing Board Panel 4pp. 46254.072-46254.081

-8807290012 New England Coalition on Nuclear Pollution motion for extension of discovery schedule \* Schedule should be extended to 880815 Certificate of Svc encl  
CURRAN,D. New England Coalition on Nuclear Pollution CURRAN,D. Harmon & Weiss 88/07/21. Atomic Safety and Licensing Board Panel 6pp. 46254.076-46254.081

8807290033 Forwards NK Woodward affidavit, in response to Board question raised in 880720 telecon  
DIGNAN,T.G. Public Service Co. of New Hampshire DIGNAN,T.G. Ropes & Gray. #388 6794. 88/07/21. WOLFE,S.J., LUEBKE,E.A., HARBOUR,J. Atomic Safety and Licensing Board Panel. 1p. 46253.205-46253.222

-8807290037 Affidavit of NK Woodward. \* Discusses environmental qualification of RG-58 & RG-59 cables w/ supporting documentation & Certificate of Svc.  
WOODWARD,N.K. Public Service Co. of New Hampshire WOODWARD,N.K. TENERA Corp. (subs. of TERA Corp.). 88/07/21. 17pp. 46253.206-46253.222

8807290039 New England Coalition on Nuclear Pollution (NECNP) third set of interrogatories & request for production of documents to applicant on NECNP Contention 1B.2 \* Svc encl. Related correspondence  
CURRAN,D. Public Service Co. of New Hampshire. #388 6797 88/07/21. Public Service Co. of New Hampshire. 13pp. 46254.107-46254.119

8807290004 Memorandum & order-Part I (ruling on contentions on Seabrook Plan for Commonwealth of MA communities) \* Parties may defer discovery responses until prehearing conference scheduled 880803. Served on 880722  
HARBOUR,J., LINENBERGER,G. SMITH,I.W. Atomic Safety and Licensing Board Panel. #388 6783. 88/07/22 Office of the General Counsel 132pp. 46253.289-46254.071

8807290017 NRC Staff response to joint intervenors petition for review of ALAB-895. \* Petition should be denied Certificate of Svc encl.  
BERRY,G.A. Assistant General Counsel for Hearings. #388 6800. 88/07/22. Commissioners. 15pp. 46253.186-46253.200

8807290023 Order. \* New England Coalition on Nuclear Pollution request for extension of discovery schedule denied based on ASLB not timely advised on counsel long-standing vacant on plans. Served on 880725.  
WOLFE,S.J. Atomic Safety and Licensing Board Panel. #388 6784 88/07/22. New England Coalition on Nuclear Pollution. 2pp. 46253.202-46253.203

8807290041 Forwards corrected Attachment 4 to applicant response to New England Coalition on Nuclear Pollution first set of interrogatories & request for production of documents to applicant re Contention 1.B.2 Certificate of Svc encl  
TROUT, J.P. Public Service Co. of New Hampshire TRCUT, J.P. Ropes & Gray #398 6803 88/07/22 Docking & Services Branch 7pp 46253 223-46253 229

8807290056 NRC Staff response to Commission order of 880714 \* Atty general waiver petition should be denied & ALAB 895 vacated Supporting documentation & Certificate of Svc encl  
BERRY, G.A. BERGQUIST, S.A. Assistant General Counsel for Hearings #398 6799 88/07/22 Commissioners 19pp 46254 145-46254 163

8807290058 Applicant response to Commission order of 880714 \* Requests that atty general of Commonwealth of MA request for exemption or waiver from certain NRC regulations re financial qualifications be denied W/Certificate of Svc  
DIGNAN, T.G. Public Service Co. of New Hampshire DIGNAN, T.G. Ropes & Gray #398 6801 88/07/22 Commissioners 11pp 46253 246-46253 262

8807290060 Affidavit of J.F. Eichorn \* Discusses applicant financial situation W/Certificate of Svc  
EICHORN, J.F. Public Service Co. of New Hampshire EICHORN, J.F. Eastern Utilities Associates 88/07/22 6pp 46253 257-46253 262

8807290192 Applicant memo in support of permitting low power operation prior to resolution of coaxial cable issue \* Low power operation should be permitted pending resolution of coaxial cable issue  
DIGNAN, T.G. Public Service Co. of New Hampshire DIGNAN, T.G. Ropes & Gray #398 6810 88/07/22 Atomic Safety and Licensing Board Panel 8pp 46258 223-46258 289

8807290197 Affidavit of R. Bergeron \* Affidavit provides justification that all RG-58 coaxial cables installed at station capable of remaining intact during accident conditions.  
BERGERON, R. Public Service Co. of New Hampshire 88/07/22 6pp 46258 231-46258 236

8807290201 Affidavit of DE Bouchel \* Affidavit describes results of evaluation performed assuming that hypothetical RG-58 cable located in harsh environment & caused failure of other cables Supporting info encl  
BOUCHEL, B.E. Public Service Co. of New Hampshire 88/07/22 21pp 46258 237-46258 257

8807290208 Affidavit of TW Glowacky \* Describes evaluation of all RG-58 cables to assure that failure will not prevent satisfactory accomplishment of safety functions by safety-related equipment.  
GLOWACKY, T.W. Public Service Co. of New Hampshire 88/07/22 6pp 46258 258-46258 263

8807290211 Affidavit of RC Jamison \* Describes special test program re ability of RG-58 coaxial cable to carry current w/o degrading adjacent cables during low power testing Supporting info encl  
JAMISON, R.C. Public Service Co. of New Hampshire 88/07/22 6pp 46258 264-46258 269

8807290213 Affidavit of PS Littlefield \* Discusses analysis of DBAs prior to operation of plant W/Certificate of Svc  
LITTLEFIELD, P. Public Service Co. of New Hampshire 88/07/22 20pp 46258 270-46258 289

8807290208 NRC Staff response to Board request of 880720 \* New England Coalition on Nuclear Pollution motion for clarification or reconsideration of ASLB 880623 should be denied Certificate of Svc encl  
BERRY, G.A. Assistant General Counsel for Hearings #398 6816 88/07/22 Atomic Safety and Licensing Board Panel 20pp 46258 295-46258 315

8807290047 Applicant notice re exercise-related documents. \* Forwards correspondence exchanged among parties re intervenors access to applicant documents intervenors not entitled to documents prior to filing of content on W/Certificate of Svc  
SELLECK, K.A. Public Service Co. of New Hampshire SELLECK, K.A. Ropes & Gray #398 6802 88/07/25 16pp 46253 230-46253 245

8807290203 NRC Staff response to applicant motion for protective order. \* NRC has no objection to entry of protective order in form proposed by applicant & urges Board to grant motion W/Certificate of Svc  
BERRY, G.A. Assistant General Counsel for Hearings #398 6821 88/07/25 Atomic Safety and Licensing Board Panel 6pp 46258 290-46258 294

8807290247 NRC Staff response to Commonwealth of MA atty general offer, proof & motion for reconsideration \* Motion opposed on grounds of untimeliness W/Certificate of Svc  
CHAN, E.I. Assistant General Counsel for Hearings #398 6818 88/07/25 Atomic Safety and Licensing Board Panel 4pp 46258 317-46258 320

8807290018 Advises that time for Commission to review ALAB 894 expired Commission declined review Decision became final agency action on 880725 Served on 880726  
CHILK, S.J. Office of the Secretary of the Commission #398 6791 88/07/26 Office of the General Counsel 1p 46253 201-46253 201

8807290263 Protective order. \* Counsel to active parties in proceeding & other authorized persons shall be permitted access to protected info upon conditions stated Served on 880728  
WOLFE, S.J. Atomic Safety and Licensing Board Panel #398 6808 88/07/27 Office of the General Counsel 8pp 46258 321-46258 326

8807290271 NRC Staff response to Licensing Board order of 880701 \* Board should issue order in accordance w/ views expressed  
BERRY, G.A. Assistant General Counsel for Hearings #398 6813 88/07/27 Atomic Safety and Licensing Board Panel 14pp 46258 181-46258 206

8807290273 Affidavit of H Walker \* Addresses whether remanded New England Coalition on Nuclear Pollution Contention 1.B.2 re RG-58 coaxial cables raises issues that must be answered prior to low power authorization W/Certificate of Svc  
WALKER, H. Plant Systems Branch 88/07/27 11pp 46258 195-46258 208

## H. General correspondence

8807180029 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
ALVEIDA, G. Affiliation Not Assigned 87/02/06 NRC - No Detailed Affiliation Given 1p 46185 282-46185 282

8807180379 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
MAVROULES, N. House of Rep., Armed Services 87/02/06 ZECH, L.W. Commissioners 1p 46185 321-46185 321

8807180035 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
KUHN, H. Affiliation Not Assigned 87/02/07 Commissioners 1p 46185 287-46185 287

8807180083 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
WILJANEN, C.B. Affiliation Not Assigned 87/02/10 ZECH, L.W. Commissioners 2pp 46185 333-46185 334

8807200111 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
LAWRENCE, E.H. Affiliation Not Assigned 87/02/16 PALLADINO Commissioners 1p 46194 101-46194 101

8807180305 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
FOWLE, A.L. Affiliation Not Assigned 87/02/17 ZECH, L. ASSELSTINE, J. ROBERTS, T. Commissioners 1p 46185 350-46185 350

8807210081 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
DASCHER, G.H. Affiliation Not Assigned 87/02/17 REAGAN, R. President of U.S. & Executive Offices 1p 46208 084-46208 084

8807180313 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
ROBB, A. Affiliation Not Assigned 87/02/18 CHILK, S. Office of the Secretary of the Commission 1p 46177 348-46177 348

8807200253 Comments supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SMIRLOCK, M.E. Affiliation Not Assigned 87/02/19 ZECH, L.W. Commissioners 20pp 46208 003-46208 022

8807210148 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
CURRAN, D. Harmon & Weiss. WEISS, E.R. Union of Concerned Scientists CURRAN, D. New England Coalition on Nuclear Pollution 87/02/20 ZECH, L.W. Commissioners 4pp 46208 100-46208 103

8807180328 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning & supporting petition for rulemaking PRM-50-31 to expand EPZ to 20 miles  
YOUNG, F. Affiliation Not Assigned 87/02/22 CHILK, S. NRC - No Detailed Affiliation Given 1p 46191 054-46191 054

8807180331 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SULLIVAN, J. Affiliation Not Assigned 87/02/22 CHILK, S. Office of the Secretary of the Commission 1p 46185 292-46185 292

8807180274 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SNEIDER, C.S. Massachusetts, Commonwealth of 87/02/23 NRC - No Detailed Affiliation Given 8pp 46191 081-46191 142

8807180339 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
\* Affiliation Not Assigned 87/02/23 CHILK, S. Office of the Secretary of the Commission 1p 46185 294-46185 294

8807190100 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
PRATT, C. PRATT, J. Affiliation Not Assigned 87/03/01 Commissioners 2pp 46177 360-46177 361

8807200002 Petition opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
FEINGOLD, C.B., ARMERDING, H.T., MCGINN, P. Affiliation Not Assigned 87/02/23 NRC - No Detailed Affiliation Given 17pp 46186 224-46186 037

8807180284 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
DOUGHTY, J. Seacoast Anti-Pollution League 87/02/24 NRC - No Detailed Affiliation Given 8pp 46191 071-46191 078



8807200287 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FRANK,B. Affiliation Not Assigned. 87/02/24. NRC - No Detailed Affiliation Given. 1p. 46207.360-46207.360

8807200294 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. OUKAKIS,M.S. Massachusetts. Commonwealth of. 87/02/24. NRC - No Detailed Affiliation Given. 8pp. 46208.028-46208.031

8807200307 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BABBITT,B. Affiliation Not Assigned. 87/02/24. ZECH,L.W. Commissioners. 2pp. 46197.081-46197.083.

8807200317 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SMITH,R.C. House of Rep. 87/02/24. NRC - No Detailed Affiliation Given. 4pp. 46208.040-46208.043.

8807200325 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MARKEY,E.J. Affiliation Not Assigned. 87/02/24. NRC - No Detailed Affiliation Given. 5pp. 46208.044-46208.048.

8807200338 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BIDEN,J.R. Affiliation Not Assigned. 87/02/24. NRC - No Detailed Affiliation Given. 2pp. 46208.049-46208.050.

8807200364 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BOSSONG,K. Affiliation Not Assigned. 87/02/24. ZECH,L. Commissioners. 4pp. 46208.052-46208.058.

8807200089 Comment on proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PLATT,R. Affiliation Not Assigned. 87/02/25. ZECH,L.W. Commissioners. 1p. 46197.087-46197.087.

8807200090 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DRUM,D.E. Affiliation Not Assigned. 87/02/25. ZECH,L. Commissioners. 2pp. 46197.062-46197.063.

8807220001 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PASSER,H.C. Affiliation Not Assigned. 87/02/25. ZECH,NRC - No Detailed Affiliation Given. 2pp. 46241.202-46241.203.

8807200297 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HOWLAND,A. Affiliation Not Assigned. 87/02/26. ZECH,L. Commissioners. 1p. 46197.079-46197.079.

8807210101 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. JOHNSON,C. Affiliation Not Assigned. 87/02/26. REAGAN,R. President of U.S. & Executive Offices. 1p. 46208.088-46208.088.

8807220002 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MABY,E.C. Affiliation Not Assigned. 87/02/26. ZECH,L. Commissioners. 1p. 46241.204-46241.204.

8807250122 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. \* Affiliation Not Assigned. 87/02/26. ZECH,L. Commissioners. 1p. 46248.102-46248.102.

8807190006 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SOUTHWICK,L. Affiliation Not Assigned. 87/02/27. NRC - No Detailed Affiliation Given. 1p. 46177.348-46177.348.

8807190037 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CHILDS,A. Affiliation Not Assigned. 87/02/27. CHILK NRC - No Detailed Affiliation Given. 1p. 46177.352-46177.352.

8807190049 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MACKIE,B.A. Affiliation Not Assigned. 87/02/27. ZECH,L.W. Commissioners. 4pp. 46177.354-46177.357.

8807200008 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. ROWEN,M.J. Affiliation Not Assigned. 87/02/27. CHILK Office of the Secretary of the Commission. 1p. 46207.326-46207.326.

8807200028 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. YOUNG,T.P. Affiliation Not Assigned. 87/02/27. CHILK NRC - No Detailed Affiliation Given. 1p. 46207.328-46207.328

8807200113 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LANKES,J.B. Affiliation Not Assigned. 87/02/27. NRC - No Detailed Affiliation Given. 2pp. 46197.054-46197.055

8807200371 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HOGAN,L. HOGAN,J. Affiliation Not Assigned. 87/02/27. NRC - No Detailed Affiliation Given. 1p. 46208.057-46208.057

8807190378 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. \* Affiliation Not Assigned. 87/02/28. NRC - No Detailed Affiliation Given. 1p. 46197.148-46197.148

8807200043 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PRATT,C. PRATT,J. Affiliation Not Assigned. 87/03/01. Commissioners. 2pp. 46194.047-46194.048.

8807200048 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. WOOD,C.A. Affiliation Not Assigned. 87/03/01. NRC - No Detailed Affiliation Given. 2pp. 46194.044-46194.045

8807190134 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CUNNINGHAM,P. Affiliation Not Assigned. 87/03/02. ZECH,L.W. Commissioners. 2pp. 46178.003-46178.004

8807200070 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SKEFFREY,P. Affiliation Not Assigned. 87/03/02. ZECH,L.W. NRC - No Detailed Affiliation Given. 1p. 46197.094-46197.094.

8807200138 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. \* Affiliation Not Assigned. 87/03/02. ZECH,NRC - No Detailed Affiliation Given. 1p. 46194.103-46194.103

8807200315 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. \* Affiliation Not Assigned. 87/03/02. NRC - No Detailed Affiliation Given. 1p. 46197.084-46197.084.

8807200378 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CUNNINGHAM,P.L. Affiliation Not Assigned. 87/03/02. ZECH,L.W. NRC - No Detailed Affiliation Given. 1p. 46197.093-46197.093.

8807200091 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LAVERE. Affiliation Not Assigned. 87/03/03. CHILK NRC - No Detailed Affiliation Given. 2pp. 46194.098-46194.098.

8807200097 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FERM,D.B. Affiliation Not Assigned. 87/03/03. Office of Nuclear Material Safety & Safeguards,Director. 1p. 46194.100-46194.100

8807200143 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BLOCH,H.G. Affiliation Not Assigned. 87/03/03. Commissioners. 1p. 46194.105-46194.105.

8807200331 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. COFFEY,P.H. Affiliation Not Assigned. 87/03/03. NRC - No Detailed Affiliation Given. 2pp. 46197.086-46197.087.

8807220123 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MANIX,E.A. , MANIX,G.C. Affiliation Not Assigned. 87/03/03. NRC - No Detailed Affiliation Given. 1p. 46220.312-46220.312

8807210001 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. NATHAN,D.M. Affiliation Not Assigned. 87/03/05. ZECH,L.W. Commissioners. 1p. 46277.003-46277.003

8807200395 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BILLINGTON,S.T. Affiliation Not Assigned. 87/03/06. Docketing & Services Branch. 1p. 46197.098-46197.098



PERFAULT, C. Affiliation Not Assigned 87/03/06 ZECH.L. Commissioners 1p 46208:071-46208:071.

8807210035 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
PASKAVITCH, J. Affiliation Not Assigned 87/03/06 ZECH.L.W. Commissioners. 2pp 46208:072-46208:073.

8807210076 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SEIDIN, M. Affiliation Not Assigned 87/03/06 NRC - No Detailed Affiliation Given 2pp. 46208:081-46208:082.

8807220038 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
ATKINS, V. Affiliation Not Assigned 87/03/08 Office of the Secretary of the Commission. 2pp. 46220:316-46220:317.

8807220108 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
JOHNSTONE, D.L., KELLEY, D.J. Affiliation Not Assigned 87/03/09. ASSETLINE, J. Commissioners. 1p. 46220:313-46220:313

8807220081 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
JOHNSTONE, J., JOHNSTONE, N. Affiliation Not Assigned. 87/03/11 ZECH.L. Commissioners. 1p. 46220:314-46220:314.

8807010132 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MACFARLANE, E. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:073-45993:073.

8807010135 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BASCOM, O.H. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:072-45993:072

8807010245 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Proposed rule developed w/only util interests in mind.  
\* Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:231-45993:231.

8807010255 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/05/21. Docketing & Services Branch. 1p. 45970:013-45970:013.

8807010303 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Proposed rule developed w/only util interests in mind.  
SHEPARD, S.E. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45983:218-45983:219.

8807010370 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Proposed rule developed w/only util interest in mind.  
CARTLEDGE, I. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984:346-45984:346.

8807010503 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Urges Commission to reject proposed rule change in interest of public safety.  
KESLINER, C. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45979:106-45979:106.

8807010521 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Urges Commission to reject proposed rule change in interest of public safety.  
PEARLLEY, E.A. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45979:104-45979:104.

8807010578 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Urges Commission to reject proposed rule in interest of public safety.  
BROWN, A.T. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984:353-45984:353.

8807070238 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PROULL, A. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017:335-46017:335.

8807070241 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LANE, S.J. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017:306-46017:306.

8807070464 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KAISER, E.M. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46018:084-46018:084.

REILLY, D.O. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46018:061-46018:061.

8807070478 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
VECCHIONE, T. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46018:053-46018:053

8807120518 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GRINNELL, D. Affiliation Not Assigned. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105:150-46105:150.

8807010642 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Urges Commission to proceed w/low power testing of plant  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45989:218-45989:218

8807050198 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/23. NRC - No Detailed Affiliation Given. 1p. 45992:103-45992:103

8807280382 Forwards petition opposing NRC recommendation of new rule for low power operation of nuclear plants for docking & svc.Served on 880606.  
MERCHANT, D.B. New Hampshire, State of. #288 6476. 88/05/25. NRC - No Detailed Affiliation Given. 6pp. 46262:025-46262:030.

8807050086 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DEHNE, W. Affiliation Not Assigned. 88/06/01. Docketing & Services Branch. 1p. 45995:232-45995:232.

8807010661 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Urges Commission to approve proposed clarification of 5% rule.  
VOSS, C. Affiliation Not Assigned. 88/06/02. Docketing & Services Branch. 1p. 45978:101-45979:101.

8807010382 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
There should be educational & public relations campaign for nuclear power.  
STEEVES, G.N. Affiliation Not Assigned. 88/06/03. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984:342-45984:342.

8807010080 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BISSET, S. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:081-45993:081.

8807010082 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CORSON, C. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:080-45993:080.

8807010087 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BORKOWSKI, J.R. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:079-45993:079

8807010090 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:078-45993:078.

8807010094 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HIGGINS, D. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:077-45993:077.

8807010098 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MELAS-KYRIAZI Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:076-45993:076.

8807010110 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WILLIAMS, C.M., WILLIAMS, D.M. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45978:130-45979:130.

8807010111 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FAIRCHILD, J. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984:312-45984:312.

8807010113 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PARSONS, F.A. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:075-45993:075.

8807010223 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interest in mind.  
LARSEN, L Affiliation Not Assigned 88/08/08 CHILK, S.J Office of the Secretary of the Commission to 459811-200-45981-200.

8807010224 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COLE, L., COLE, C. Affiliation Not Assigned. 88/06/06 CHILK, S. J. Office of the Secretary of the Commission to 45979.056-45979.008.

8807010225 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operation. Proposed rule developed w/ only util interests in mind.  
CLARK, N.C. Affidavit Not Assigned 88/08/08. CHILK, S.J. Office of the Secretary of the Commission on 1p 45984317-45984317.

8807010231 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assgned. 88/CB/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45979.005-45979.005

8807010233 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned 88/05/06. CHILK, S.J. Office of the Secretary of the Commission. 10 45084 320-45084320.

8807010238 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interest in mind.  
FENNESSY,S., FENNESSY,T. Affirmation Not Assigned. 88/05/06. CHILKS,J. Office of the Secretary of the Commission. 1p. 45981. 199. 45981. 199.

8807010239 Comment opposing proposed rule 10CFR50 re emergency planning & pre-  
address requirements for nuclear power plant fuel loading & initial low power  
operations Evacuat in event of emergency impossible due to traffic congestion  
MARSH,S. Affiliation Not Assigned 88/08/08. CHILK,S.J. Office of the Secretary of  
the Commission 1p 45000 232 45069 232.

8907010240 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SCHÖENE, M.G. Affiliation Not Assigned 88/08/06. CHILK, S.J. Office of the Secretary of the Commission to 45994 063-45994 063.

8807010246 Comment opposing proposed rule 10CFR50 re emergency planning & pre-  
paradness requirements for nuclear power plant fuel loading & initial low power  
operat ons. Proposed rule developed w/only utl. interest in mind.  
BILLINGTON, S.T. Attn: on Not Assigned. 89/08/06. CILK, S.J. Office of the Sec-  
retary of the Commission. tp. 45981.110-45981.110.

8607010250 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WINTERS,J.M. Affiliation Not Assigned. 88/03/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984 318-45984 318.

6607010265 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SHEEHAN, A.V. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. Id. 45089 230-45089 230.

8607010267 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only little interest in mind.  
DERBYSHIRE, L.A. Affiliation Not Assigned. 88/08/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46901:111-45981:111.

5807010265 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DEWITT, C.J. Affiliation Not Assigned 68/06/06. CHILK, S.J. Office of the Secretary of the Commission 1p. 45989.229-45989.29

8807010267 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only ut interests in mind  
DALEY,M.M. Affiliation:Not Assn/gnd 88/08/08. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45081:191-45081:191.

8807010270 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ZAPPALA, A.J. Affiliation Not Assigned 88/08/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989.228;45989.228.

5807010276 Comment opposing proposed n're 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int' interests in mind.  
SHERMAN, M.J. Affiliation Not Assigned. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1n. 45089 227-45989 227.

8807010277 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interest in mind.  
FRYBERG,T.B Affiliation Not Assigned. 88/08/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45981 108.45981.108.

**8807010279** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interests in mind  
\* Affiliation Not Assigned 88/08/06. CHILK, S.J. Office of the Secretary of the Commission. 10. 45888-226-45989 226.

POLLARD, D. Affiliation Not Assigned. 69/08/08 CHILK, S. J. Office of the Secretary of the Commission to 45984 341-45984 341

8807010367 Comment opposing proposed rule 10CFR59 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MORRISON, B., MORRISON, G. Affiliation Not Assigned 88/06/06 CHILKS, J. Office of the Secretary of the Commission. 1p. 45989 Not Assgnd 45989 244

8807010371 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial "cw power operators Proposed rule developed w/only ut interest in mind.  
PHILBRICK, R., PHILBRICK, H. Affiliation Not Assigned 88/08/C6. CHALK, S.J. On: 24 of the Secretary of the Commission 1p 450809.243 450809.243

8807010381 Comment opposing proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
THOMPSON, L.W. Affiliation: Not Assigned 88/06/08 CHILKIS, J. Office of the Secretary of the Commission. 1p. 45984.345-45984.345.

BB07010391 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/out any interest in mind  
SOUTHLAND, T., SOUTHLAND, A. Affiliation Not Assigned. 66/06/06 CHILL, S. J. Office of the Secretary of the Commission 1p 45988 242-45989 242

8807010399 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule  
YOUNG, M.B. Affiliation Not Assigned 88/08/08. C11LK,S.J. Office of the Secretary of the Commission 1p 45981.078-45981.078.

8807010411 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to reject proposed rule change in interest of public safety.  
CHICHESTER, G. Affiliation Not Assgned 88/06/06. CHILK, S J. Office of the Secretary of the Commission 1p. 450801075-450801075.

8807010413 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MANN, N. G. Affiliation Not Assigned 88/06/06. CHILK, S. J. Office of the Secretary of the Commission. 1p. 45989. 184.45000. 181

8807010417 Common opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FOX,H.S. Affiliation Not Assigned 08/08/08. Call K.K.S.J. Office of the Secretary of the Commission on 1p. 459899 183. 459899 183.

8807010410 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WINTERS,C.R. Affiliation Not Assigned 88/06/06. CHILK.S.J. Office of the Secretary of the Commission 1. 45988.102-45988.182

8807010424 Comment opposing proposed rule 10CFR50 re emergency planning & pre-  
paradeous requirements for nuclear power plant fuel loading & initial low power op-  
erations.  
CAVATORTA, E A. Affiliation Not Assigned 88/08/08. CHILK, S J. Office of the Secre-  
tary of the Commission. To: 45989 179, 45989 179

8807010429 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BARNES R J. Affiliation Not Assigned. 88/08/06 CHILK,S.J. Office of the Secretary of the Commission. to: 45989:177-45989:177

8907010436 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DENNIS, E.A. Affiliation Not Assigned. 08/06/08. CHILK, S.J. Office of the Secretary of the Commission 10. 45984:350-45984:350.

**8807010438** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

8807010444 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PACER.V. Affiliation Not Assigned. 88/06/08. CHILK,S.J. Office of the Secretary of the Commission 1p. 45984:357-45984:357.

8907010448 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SPINNEY, W.A. Affiliation Not Assigned 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.356-45984.356

9807010351 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PETRAS, A. Affiliation Not Assigned 88/06/06 CHILK, S.J. Office of the Secretary of the Commission. tp. 45984.322-45984.322.





8807120470 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GORDON, T. Affiliation Not Assigned. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. Ip. 46105:133-46105:133.

**8807280378** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.



- 8807010218** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DONOVAN, J.L. Affiliation Not Assigned. 88/06/07. Docketing & Services Branch 1p. 45984:321-45984:321.
- 8807010483** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CANNING, H.F. Affiliation Not Assigned. 88/06/08. Office of the Secretary of the Commission. 1p. 45993:149-45993:149.
- 8807010336** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
VAN DER HEIJDEN. Affiliation Not Assigned. 88/06/10. Office of the Secretary of the Commission. 1p. 45984:340-45984:340.
- 8807010423** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FISK, C. Affiliation Not Assigned. 88/06/10. CHILK, S. Office of the Secretary of the Commission. 1p. 45981:071-45981:071.
- 8807010431** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PARRIS, P. Affiliation Not Assigned. 88/06/10. Office of the Secretary of the Commission. 1p. 45984:360-45984:360.
- 8807010286** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MARSTON, W., BREISETH, S., ALLEN, K.D. Affiliation Not Assigned. 88/06/13. CHILK, S. Office of the Secretary of the Commission. 1p. 45989:223-45989:223.
- 8807010393** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROCK, M.T. Shalnos & McEachern. BROCK, M.T. Hampton, NH 88/06/13. PARLER, W.C. Office of the General Counsel. 1p. 45980:241-45980:241.
- 8807010343** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GANBORN, I.M. Affiliation Not Assigned. 88/06/14. CHILK, S. Office of the Secretary of the Commission. 3pp. 45984:323-45984:325.
- 8807010425** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HARDEN, S.M. Affiliation Not Assigned. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989:178-45989:178.
- 8807070287** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DEMINE, N.W. Affiliation Not Assigned. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017:318-46017:318.
- 8807070482** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WILLIAMS, N. Affiliation Not Assigned. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46018:059-46018:059.
- 8807200270** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KRAMER, F. Affiliation Not Assigned. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46194:039-46194:039.
- 8807010575** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/16. NRC - No Detailed Affiliation Given. 2pp. 45993:106-45993:107.
- 8807010173** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PERUSSE, C. Affiliation Not Assigned. 88/06/16. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984:318-45984:318.
- 8807010421** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MANN, M.A. Affiliation Not Assigned. 88/06/17. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989:180-45989:181.
- 8807050320** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
UPSON, L. Affiliation Not Assigned. 88/06/17. Docketing & Services Branch. 1p. 45995:073-45995:073.
- 8807010256** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BAMFORD, M.S. Affiliation Not Assigned. 88/06/20. Docketing & Services Branch. 1p. 45979:120-45979:120.
- 8807010812** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
VINCENT, C., VINCENT, S. Affiliation Not Assigned. 88/06/20. Docketing & Services Branch 1p. 45993:082-45993:082.
- 8807010728** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PALMER, A.D. Affiliation Not Assigned. 88/06/20. Docketing & Services Branch 1p. 45994:043-45994:043.
- 8807060561** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/20. Docketing & Services Branch. 2pp. 46010:235-46010:236.
- 8807070335** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARKEY, E.J. House of Rep. 88/06/20. ZECH, L.W. Commissioners. 2pp. 46017:326-46017:327.
- 8807010182** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BARR, D.P. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45981:119-45981:119.
- 8807010193** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SILLOWAY, B.E. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45981:117-45981:117.
- 8807010489** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCGAUGHEY, M.E. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45993:147-45993:147.
- 8807010572** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CONNOLLY, J.G. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45993:108-45993:108.
- 8807010581** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HOLLOWAY, J.L. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45993:104-45993:104.
- 8807010692** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges NRC to stop yielding to those who would stop plant  
DAY, J. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45980:197-45980:197.
- 8807010724** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCARTY, M.R. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45994:044-45994:044.
- 8807050053** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
AQUIZAP, B. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:220-45995:220.
- 8807050064** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CHENG, E. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:226-45995:225.
- 8807050068** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JOVELLANOS, R. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:226-45995:226.
- 8807050071** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CLOUTMAN, S.J. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:228-45995:228.
- 8807050101** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GAGNE, J.A. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:206-45995:206.
- 8807050106** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DUBOIS, B. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p. 45995:208-45995:208.

## 200 DOCKETED ITEMS

- 8807050203 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MAHAN,W.F. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch 1p 45992 106-45992 106
- 8807050319 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
EFSCH,P.B. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch 1p 45995 068-45995 066
- 8807050348 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LETOURNEAU,L.J. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch 1p 45995 137-45995 137
- 8807050493 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MIDDLETON,W.T. Affiliation Not Assigned. 88/06/21. NRC - No Detailed Affiliation Given. 2pp 45993 260-45993 281
- 8807070002 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WENTWORTH,R. Affiliation Not Assigned. 88/06/21. NRC - No Detailed Affiliation Given. 1p 46010 325-46010 325
- 8807070027 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SHER,R.A. Affiliation Not Assigned. 88/06/21. CHLK,S. Office of the Secretary of the Commission. 1p 46010 317-46010 317
- 8807070031 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TIERNEY,P.A. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch 1p 46010 316-46010 316
- 8807070105 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DEKEON,G. Haverhill, MA. 88/06/21. CHLK,S.J. Office of the Secretary of the Commission. 1p 46011 186-46011 186
- 8807070118 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PELOSI,T.A. Haverhill, MA. 88/06/21. CHLK,S.J. Office of the Secretary of the Commission. 2pp 46011 202-46011 203
- 8807070172 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ST GERMAIN,E.R. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 2pp 46011 090-46011 091
- 8807070181 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HARTMAN,P.J. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch 1p 46011 094-46011 094
- 8807070254 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PRICE,S. Affiliation Not Assigned. 88/06/21. ZECH,L.W. Commissioners. 1p 46017 308-46017 308
- 8807070255 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LEAVITT,M.E. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p 46024 356-46024 356
- 8807070270 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STUCHINSKI,V.L. Three Mile Island Alert. 88/06/21. CHLK,S.J. Office of the Secretary of the Commission. 1p 46017 312-46017 313
- 8807070299 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HYLAND,G. Affiliation Not Assigned. 88/06/21. NRC - No Detailed Affiliation Given. 1p 46010 357-46010 357
- 8807070303 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCGINN,R.J. Affiliation Not Assigned. 88/06/21. NRC - No Detailed Affiliation Given. 2pp 46010 358-46010 358
- 8807070358 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RICHARDS,B.M. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch. 1p 46010 359-46010 359
- 8807070435 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WATTS,J.C. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch 1p 46017 286-46017 286
- 8807070471 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SMITH,S.L. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch 1p 46018 062-46018 062
- 8807070481 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GILBERT,J.R. Affiliation Not Assigned. 88/06/21. Docketing & Services Branch 1p 46018 057-46018 057
- 8807120172 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Low power operation poses no threat to public safety.  
KYTE,J.R. Affiliation Not Assigned. 88/06/21. ZECH,L.W. Commissioners. 1p 46018 109-46018 109
- 8807120211 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SMART,R.A. Affiliation Not Assigned. 88/06/21. CHLK Office of the Secretary of the Commission. 1p 46105 118-46105 118
- 8807010100 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DIESING,P. Affiliation Not Assigned. 88/06/16. NRC - No Detailed Affiliation Given. 2pp 45984 310-45984 311
- 8807010143 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KOTKOWSKI,G.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45981 112-45981 112
- 8807010163 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BRAMBILLA,S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45981 114-45981 114
- 8807010170 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GAUTHIER,E.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45981 120-45981 120
- 8807010177 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BERTRAND,F.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45981 121-45981 121
- 8807010187 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BRADSHAW,G.B. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45981 118-45981 118
- 8807010202 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ST LAURENT,J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45981 116-45981 116
- 8807010208 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GROSSO,C.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45978 115-45978 115
- 8807010217 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
OLSON,B.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45978 118-45978 118
- 8807010229 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BEARD,T.N. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45978 117-45978 117
- 8807010241 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DREW,M.D. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45978 118-45978 118
- 8807010247 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FEIGENBAUM,J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 45978 119-45978 119

**8807010269** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MOODY,J.H. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 2pp  
45979:122-45979:123.

**8807010278** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
NEAULT,P. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p  
45979:124-45979:124.

**8807010297** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GOLDSTEIN,D.M. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 1p  
45979:126-45979:126.

**8807010309** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PILLSBURY,N.A. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p.  
45981:100-45981:100.

**8807010314** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MACDONALD,J.A. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p.  
45981:099-45981:099

**8807010325** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HUBBARD,L.A. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 1p.  
45981:096-45981:096

**8807010328** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JACOBSON,B.A. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p.  
45981:095-45981:095.

**8807010335** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BERTRAM,J.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p.  
45981:093-45981:093

**8807010344** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PECK,S.M. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p.  
45981:091-45981:091.

**8807010347** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TRINGALI,GAGNE Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p  
45981:090-45981:090.

**8807010353** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BEAVER,D.C. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 2pp.  
45981:085-45981:088.

**8807010397** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HALL,W.J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p.  
45981:079-45981:078.

**8807010403** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCGONIGLE,D.J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p.  
45981:077-45981:077.

**8807010407** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BOEDDINGHAUS,L. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
45981:076-45981:076.

**8807010412** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TAYLOR,K.C. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
45981:074-45981:074.

**8807010499** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TONEJR,J.A. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 1p.  
45981:069-45981:069.

**8807010501** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FEERICK,M.S. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
45981:068-45981:068.

**8807010505** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
VARGAS,J.M. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
45981:067-45981:067.

**8807010507** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CREIGHTON,P. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p  
45981:066-45981:066.

**8807010508** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DAGOSTINO,P. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p  
45993:141-45993:141

**8807010513** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCLEAN,J.N. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p  
45981:188-45981:188

**8807010517** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BRAMLI,J.J. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
45993:121-45993:121.

**8807010518** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROWN,B.E. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 1p  
45981:187-45981:187.

**8807010528** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LEITHHEAD,W.C. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p  
45993:118-45993:118.

**8807010531** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SULLIVAN,M. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 1p.  
45981:185-45981:185.

**8807010538** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FORD,J.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p  
45993:118-45993:118.

**8807010552** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DICH,R.C. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p  
45993:113-45993:113.

**8807010579** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARTEL,R.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p  
45993:105-45993:105.

**8807010593** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PALUMBO,M.A. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p.  
45993:102-45993:102.

**8807010598** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Strongly recommends Commission approval of low power testing.  
ALBERETTI,J.D. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 1p.  
45993:350-45993:350.

**8807010605** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Supports licensing plant because power is needed.  
LAROUCHE,A.P. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p.  
45984:348-45984:348.

**8807010607** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COX,R.R. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
45993:084-45993:084.

**8807010611** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Supports getting plant on-line because New England needs more power.  
LEONE,P.A. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 1p.  
45984:348-45984:348.

**8807010616** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
REED,W.H. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
45984:040-45984:040.

**8807010622** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROBINSON,D.A. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
45984:039-45984:039.

**8807010625** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MYERS,G. Affiliation Not Assigned. 88/06/22 Docketing & Services Branch. 1p.  
45984:347-45984:347.

8807010633 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant by approving rule  
\* Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.217-45989.217

8807010637 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MARSH,C.P. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45993.202-45993.202

8807010644 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BERGERON,R.C. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45993.201-45993.201

8807010646 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant  
BRENNEN,J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.215-45989.215

8807010649 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
THURLEIGH,K.M. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45993.200-45993.200

8807010654 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HENDERSON,A.W. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45993.199-45993.199

8807010655 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant  
OSSING,M.H. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.214-45989.214

8807010658 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WEYMOUTH,J.P. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45993.198-45993.198

8807010661 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant  
SCHREIER,C.H. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.213-45989.213

8807010665 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HILL,G.F. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45993.197-45993.197

8807010670 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Lists reasons for support  
DALEY,W.J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 2pp. 45989.200-45989.201

8807010675 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FAULKINGHAM,C. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45993.176-45993.176

8807010680 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BJORNSON,R. Affiliation Not Assigned 88/06/22 NRC - No Detailed Affiliation Given. 1p. 45993.175-45993.175

8807010685 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Requests NRC to expeditiously favor proposed rule to help put plant online  
MCCORMACK,R.B. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.198-45989.198

8807010694 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ABELY,D.J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45994.087-45994.087

8807010696 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SCHWITT,M.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45994.066-45994.066

8807010700 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant  
\* Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.198-45989.198

8807010702 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WEEKS,D. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45994.065-45994.065

8807010706 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCNAMARA,M.D. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45994.062-45994.062

8807010709 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Believes plant deserves to be tested to run  
LAMIE,D.M. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.195-45989.195

8807010711 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Favors issuance of license to perform low power testing for plant  
GOODRIDGE,R.H. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.194-45989.194

8807010716 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Believes sub rule will clear up confusion  
MIKOS,G.P. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.192-45989.192

8807010719 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TILLEY,J.A. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45994.046-45994.046

8807010720 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Supports operation of plant  
SALES,J.P. Affiliation Not Assigned 88/06/22 NRC - No Detailed Affiliation Given. 1p. 45989.191-45989.191

8807010722 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DESFOSES,W.J. Affiliation Not Assigned 88/06/22 Office of the Secretary of the Commission. 1p. 45994.045-45994.045

8807010723 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Desires to see plant licensed as soon as possible  
LEWALLEN,J.T. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.190-45989.190

8807010725 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
OSBORN,D.M. Affiliation Not Assigned 88/06/22 NRC - No Detailed Affiliation Given. 1p. 45989.189-45989.189

8807010727 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Supports ruling in order for plant to be licensed for 5% low power testing  
MESSER,S. Affiliation Not Assigned 88/06/22 NRC - No Detailed Affiliation Given. 1p. 45989.188-45989.188

8807010729 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
APPLEGATE,R. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45994.042-45994.042

8807010730 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Hopes Commission adopts proposed clarification  
CANUSO,S.N. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.187-45989.187

8807010732 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILLSON,D. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45994.041-45994.041

8807010733 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Hopes NRC will reject obstructionist tactics & adopt proposed rule  
WHITE,R.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.185-45989.185

8807050048 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DOLLARD,S. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.301-45989.301

8807050062 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SUFFRIDGE,S.M. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.224-45989.224

8807050065 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STARKEY,P.W. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.302-45989.302

8807050076 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TEFFT,J.G. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p. 45989.229-45989.229

**8807050082** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 11GGINS,E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:231-45995:231.

**8807050083** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 SWINTON,C.W. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45990:336-45995:336

**8807050097** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 KENT,C. Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 45995:238-45995:238.

**8807050102** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 FROLO,C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:207-45995:207.

**8807050107** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 KINGSTON,G. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:209-45995:209.

**8807050110** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 JENKINS,H.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:211-45995:211.

**8807050127** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 \* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:205-45995:205.

**8807050128** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 GRILLO,J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:204-45995:204.

**8807050147** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 MADEJ,E.V. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:188-45995:188.

**8807050149** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 \* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:189-45995:189.

**8807050150** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 HILL,L.W. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:190-45995:190.

**8807050151** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.Believes until must be allowed to proceed w/low power testing.  
 PATTERSON,D.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:191-45995:191.

**8807050155** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 FREY,R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46000:166-46000:166.

**8807050159** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 KELLEHER,A.B. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 45995:194-45995:195.

**8807050160** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 ROBERTSON,V.S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:196-45995:196.

**8807050163** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 BICKNELL,L.I. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:197-45995:197.

**8807050164** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 DOWNING,W.F. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:198-45995:198.

**8807050165** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

**8807050168** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 PESANESI,M.W. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:199-45995:199.

**8807050169** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 STACK,E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45995:200-45995:200.

**8807050173** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.Supports effort to reduce misunderstanding re util  
 KENRICK,S.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:090-45992:090.

**8807050174** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 KILEY,G.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:091-45992:091.

**8807050175** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 MORGAN,R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:092-45992:092.

**8807050180** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.Plant should go online & produce power.  
 SEYMOUR,P.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:094-45992:094.

**8807050182** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 BOWEN,A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46000:167-46000:167.

**8807050183** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.Urges Commission to implement proposed clarification  
 KOTKOWSKI,E.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:095-45992:095.

**8807050188** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 OURAND,N. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:097-45992:097.

**8807050190** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.Urges NRC not to be persuaded by irresponsible groups & to approve rule.  
 TUTINAS,P.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:098-45992:098.

**8807050191** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 BONNER,E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:099-45992:099.

**8807050192** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 MCCLAIN,D.G. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:100-45992:100.

**8807050198** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 RICHARDSON,P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46000:168-46000:168.

**8807050199** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.Encourages Commission to rule in favor of proposed rule expeditiously.  
 BERGERON,R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:104-45992:104.

**8807050204** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.Encourages Commission to approve proposed rule change.  
 JAMISON,R.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:107-45992:107.

**8807050208** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 \* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:109-45992:109.

**8807050210** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 PERKINS,W.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45992:111-45992:111.

**8807050225** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.



8807050229 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operation  
DOBSON, B. A. Affiliation Not Assigned 88/08/22. Docketing & Services Branch 1p  
45992 122-45992 122

8807050230 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KETCHELS, Alfred on Not Ass gned. 88/06/22. Docketing & Services Branch 1p.  
45992-123-45992-123.

8807050240 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operational ops  
WEED D.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p  
45992 129-45992 129

6807050247 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GAUTHIER,L Affiliation Not Assigned 88/06/22. Docketing & Services Branch 1p.  
45992-132 45992 132

8807050258 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness req. comments for nuclear power plant fuel loading & initial low power operations.  
BLANCHARD, L A Affiliation Not Assigned. 88/06/22 Docketing & Services Branch  
to 45992:138-45992:138

8807050261 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & in situ low power operations  
LEEMING, G.A.A. Affiliations Not Assigned 88/06/22 Docketing & Services Branch. 1p  
45992 141-45992 141.

8807050262 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STRANGE, R.J. Attention Not Assigned. 88/06/22. Docking & Services Branch. 1p  
45992 142-45992 142

8807050264 Comment: supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operation  
WALSHELA Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p  
45992:144-45992:144

8807050265 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WALLACE,C Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p  
45992-074.45992-074.

B807050267 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HUTCHINS, C.E. Affiliation Not Assigned 88/06/22. Docketing & Services Branch. 1p  
45992 075-45992 075

8807050269 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MOODY, D.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p  
45992 076-45992.078

8607050295 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MATICK,M.L. Affiliation: Not Assigned. 88/08/22. Docketing & Services Branch. 1p  
45995 068-45995-068.

6807050298 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
EATON, L. Affiliation Not Assigned 88/06/22, Docketing & Services Branch, 1p  
45995.069-45995.089.

8807050302 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TAYLOR, M M Affiliation Not Assigned 86/06/22, Docketing & Services Branch, 1p  
45995 071-45905 071.

8807050305 Comment supporting proposed rule 10CFR50 re emergency planning, preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROWELL, D T. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 45892.086-45892.086.

8807050308 Comment supporting proposed rule 10CFR50 re emergency planning, preparedness requirements for nuclear power plant fuel loading & initial low power operations  
COVILL,DL Affirmation Not Assigned. 88/06/22. Docketing & Services Branch, 145892.087-45892.087.

8607050315 Comment supporting proposed rule 10CFR50 re emergency planning, preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ANDERSON,R.F. Affiliation Not Assigned 88/06/22. Docketing & Services Branch  
1p. 45955 072-45995.072.

8607050318 Comment supporting proposed rule 10CFR50 re emergency planning preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DEV/LAMINCKT. Coalition for Reliable Energy. 88/08/22. Docketing & Service Branch. tp. 45895.065 45895.065.

8807050323 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GAYNE, JR. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 1p  
45995 075-45995 075.

8807050328 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PALAZZO,P.L. Affiliation Not Assigned 88/06/22. Docketing & Services Branch 1p 45995-13.45895:103

8807050337 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SIENKIEWICZ, F. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch  
1p 450955-105-450955:105.

8807050339 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
NAY,J.F. Affiliation Not Assigned 88/06/22. Docketing & Services Branch 1p.  
45895:106-45895:106

6607050343 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial icw power operations.  
CURRY,D.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p  
45995:135-45995:135.

8807050348 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROBERTS, C W. Affirmation Not Assigned 88/06/22. Dockelling & Services Branch. Ip 45995:138-45995:136.

6807050356 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
D:PROFIO,WA Affiliation Not Assigned. 88/06/22 Docketing & Services Branch 1p  
45996:139-45996:139.

8807050360 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & in fuel low power operations.  
ROUSQUIN, K. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch 1p  
45985-140-45985-140.

8807050369 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCNAMARA, W.E. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch to. 45095.141-45095.141.

8807050372 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LIPMAN,M. Affiliation: Not Assigned. 88/08/22. Docketing & Services Branch. 1p  
45905:142-45905:142.

8807050378 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
H.A.M.S.R. Affiliation Not Assigned. 88/06/22. Dockating & Services Branch. 1p.  
45095:143-45095:143.

6807050363 Common supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GURNEY,P.V. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p.  
45005:173-45005:173.

6807050386 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/08/22. Dockelling & Services Branch. 1p. 45902:146. 45982:145.

8807050393 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DE COSTA, E.J. Affiliation Not Assigned. 86/08/22. Dockelling & Services Branch. 1p  
45992:168-45992:168.

8807050398 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HOWARD, S A. Affiliation Not Assigned. 88/08/22. Docketing & Order. 1p  
45895 009.45895:009.

8807050400 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KILEY, M. Affiliation Not Assigned. 88/08/22. Docketing & Services Branch. 1p  
45B95.010.45B95.010.

8807050403 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WORTH, S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p  
45995.011:45995.011.

8807050431 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KIRCHHOFF, S.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch in 4800 044-46000-044.

8807050512 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WATSON,C.A. Affiliation Not Assigned 88/06/22 Docketing & Services Branch, 1p.  
15909-310-1502

8807070032 Comment supporting proposed rule 10CFR50 re emergency planning preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COMITAM. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1.  
42017-281, 46017-201

8807070036 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WHITE,R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46010 314-46010 314.

8807070037 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HOUE,K.F. Affiliation Not Assigned. 88/06/22. Office of the Secretary of the Commission. 1p. 46017:292-46017 292.

8807070043 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SMITH,J.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46010 313-46010 313.

8807070052 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ARSENAULT,PETTI Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017:293-46017 293.

8807070061 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCMICKLE,R.H. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 46010 311-46010 312.

8807070079 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SEITZ,K.W. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:181-46011 181.

8807070084 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
O'SULLIVAN,C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:182-46011 182.

8807070085 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HENDRIX,S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46010 307-46010 307.

8807070092 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KANN,G.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:184-46011 184.

8807070094 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WACHTER,T.M. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:185-46011 185.

8807070098 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WIDGER,J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:187-46011 187.

8807070113 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Comments of Massachusetts Atty General JM Shannon encl.  
JONAS,S.A. Massachusetts, Commonwealth of. 88/06/22. Docketing & Services Branch. 14pp. 46011:188-46011 201.

8807070130 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DAMS. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017:295-46017 295.

8807070135 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:207-46011 207.

8807070138 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HANSEN,L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:208-46011 208.

8807070146 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MORRISSEY,S.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 46011:211-46011 212.

8807070147 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROOKS,S.B. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017:297-46017 297.

8807070150 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SESSLER,G.F. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:213-46011 213.

8807070152 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LOGUE,K.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:214-46011 214.

8807070165 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GARVEY,J.R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 46011:088-46011 089.

8807070174 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DARGO,S.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:082-46011 092.

8807070178 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TARZIA,J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011 093-46011 093.

8807070184 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PIETZAK,P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011 095-46011 095.

8807070186 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROGERS,D.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017:300-46017 300.

8807070187 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PIETZAK,L.S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011 096-46011 096.

8807070193 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011 097-46011 097.

8807070198 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46017:301-46017 301.

8807070199 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
AZZOPARDI,J.O. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:098-46011 098.

8807070201 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011:100-46011 100.

8807070209 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
THOMAS,S.L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017:303-46017 303.

8807070214 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017:304-46017 304.

8807070228 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KILCOYNE,M.R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017:305-46017 305.

8807070239 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
YIN,M.S. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018:078-46018 078.

8807070246 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CHAMPAGNEY,P.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018:078-46018 078.

8807070251 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CASSIDY,T.C. Affiliation Not Assigned. 88/06/22. Office of the Secretary of the Commission. 1p. 46018:077-46018 077.

8807070256 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PERRY,A.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018:079-46018 079.

8807070274 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ZORN,M.O. Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given  
1p. 46018.082-46018.082.

8807070278 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CALCHOUN,L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.083-46018.083

8807070289 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DAVIS,D.R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-337-46017-337

8807070295 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TINEL,P.L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-338-46017-338

8807070301 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MURPHY,M.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-340-46017-340.

8807070306 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ROUX,D.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-341-46017-341.

8807070309 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GAGNAR,R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011-077-46011-077.

8807070319 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WADLEIGH,B. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 46017-344-46017-345

8807070327 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FROLO,T.R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-346-46017-346

8807070328 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CAHON,D.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46011-081-46011-081.

8807070331 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WHITCOMB,C. Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46017-347-46017-347

8807070336 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BUCHWALD,S.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-348-46017-348.

8807070337 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KOLONOSKI,D.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.094-46018.094.

8807070342 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JONES,R.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-328-46017-328.

8807070343 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SCHREIER,R.M. Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46011-084-46011-084.

8807070344 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DODGE,S.L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.093-46018.093.

8807070349 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MAILHOT,T. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 46017-330-46017-331.

8807070352 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LIZOTTE,R.G. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-332-46017-332

8807070354 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
COFMIER,M.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-333-46017-333

8807070355 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JULIAN,R.C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 46011-085-46011-086

8807070357 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RAFALOWSKI,J.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.085-46018.085

8807070381 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
METELF,E.T. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.086-46018.086

8807070383 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DIGIACOMO,R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.087-46018.087

8807070388 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LUSSIER,R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.090-46018.090.

8807070381 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GODSBOUT,R.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46017-360-46017-360

8807070382 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KEARNEY,J.J. Edison Electric Institute. 88/06/22. CHILK,S. Office of the Secretary of the Commission. 2pp. 46018.001-46018.002.

8807070383 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HINTON,W.D. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.004-46018.004.

8807070387 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PASCUCCI,C.J. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46067-273-46067-273.

8807070390 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ULREY,R.L. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46067-274-46067-274.

8807070401 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BECKLEY,B.P. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.007-46018.007.

8807070408 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PAULSEN,G.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 2pp. 46018.098-46018.099.

8807070413 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FROST,R.E. Affiliation Not Assigned. 88/06/22. Office of the Secretary of the Commission. 1p. 46018.100-46018.100

8807070418 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
COUTURE,T.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.035-46018.035.

8807070429 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MUELLER,D.R. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018.072-46018.072.

8807070433 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MOLLER,F., MOLLER,C. Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46018.070-46018.070

8807070438 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HENRY,G.R. Affiliation Not Assigned. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46018.102-46018.102.

8807070440 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SEYMOUR,M.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018 103-46018 103.

8807070441 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MOORE,E.M. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018 069-46018 069

8807070445 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
NORACKI,J.W. Affiliation Not Assigned 88/06/22 A-FC - No Detailed Affiliation Given 1p 46018 104-46018 104.

8807070448 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SEYMOUR,B.R. Affiliation Not Assigned 88/06/22 Office of the Secretary of the Commission 1p 46018 122-46018 122.

8807070454 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
COLLE,R.F. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018:116-46018:116

8807070457 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HODGDON,A.D. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018 066-46018 066

8807070460 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MAKOWICZ,M.J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018 109-46018 109

8807070462 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
NICIOLIS,W.W. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p 46018 065-46018 065

8807070463 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RYAN,P.L. Affiliation Not Assigned 88/06/22 NRC - No Detailed Affiliation Given 1p 46018 105-46018 105

8807070465 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PRICE,K.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018 063-46018 063

8807070466 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p. 46018 106-46018 106.

8807070468 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TOOLE,M.F. Affiliation Not Assigned 88/06/22 Docketing & Services Branch. 1p 46018 038-46018 038

8807070469 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BENNETT,M.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 46018 055-46018 055.

8807070494 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SHEPPARD,J.K. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p. 46018 115-46018 115.

8807070497 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MARBLE,R.E. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018 112-46018 112.

8807070499 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
AUNE,J.E. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 1p 46018:110-46018:110.

8807070500 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MORREALE,C. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch. 1p 46018:111-46018:111.

8807070502 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PARADIS,M.G. Affiliation Not Assigned 88/06/22. Docketing & Services Branch. 1p 46018 113-46018 113

8807070503 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RANOT,L. Affiliation Not Assigned 88/06/22. Docketing & Services Branch 1p 46018 114-46018 114

8807070504 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BODCH,D.J. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 2pp 46018 117-46018 118

8807070506 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FOYE,D.H. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018 119-46018 119.

8807070508 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HANNIFFY,F. Affiliation Not Assigned 88/06/22 Docketing & Services Branch 1p 46018 120-46018 120

8807070510 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LIECES,R.H. Affiliation Not Assigned 88/06/22. Docketing & Services Branch. 1p 46018 121-46018 121.

8807120137 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HILLS,D.E. Affiliation Not Assigned 88/06/22. CHILK,S.J. Office of the Secretary of the Commission 1p. 46105 100-46105 100.

8807120149 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Existing safety requirements already criminally threadbare  
LODER,J.E. Affiliation Not Assigned. 88/06/22. CHILK,S.J. Office of the Secretary of the Commission 4pp 46105 101-46105 105

8807120159 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GEAGHAN,D.F. Affiliation Not Assigned 88/06/22. Docketing & Services Branch. 1p 46105 107-46105 107.

8807120468 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HUMPHREY,G.J. Senator. 88/06/22 CHILK,S.J. Office of the Secretary of the Commission 3pp. 46105 137-46105 139.

8807180002 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WALTER,C.E. Affiliation Not Assigned 88/06/22. Docketing & Services Branch 1p 46101 058-46101 058.

8807200252 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Economic development will stagnate w/o facility.  
TAYLOR,M.A. Affiliation Not Assigned. 88/06/22. Docketing & Services Branch 2pp 46194 037-46194 038.

8807010562 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HAWKES,C.L. Affiliation Not Assigned 88/06/23. Docketing & Services Branch 1p 45993 110-45993 110.

8807010684 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FRETCHETTE,R. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch 1p 45993 203-45993 203

8807010689 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GLYN,B.M. Affiliation Not Assigned. 88/06/23. Office of the Secretary of the Commission 1p 45994 068-45994 068.

8807010705 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p 45994 064-45994 064.

8807010715 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 45994 047-45994 047.

8807010731 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
OKEEFE,M. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch 1p 45989 168-45989 168.

8807010734 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
THOMPSON,T.M. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch 1p 45983 205-45983 205.



8807050039 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & in-ial low power operations.  
MCARTHUR,M.W., MCARTHUR,L.G. Affiliation Not Assigned. 88/08/23 Docketing & Services Branch. to: 459085.213.45995.213.

8807050041 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FINN'GAN, J. Affiliation Not Assigned. 68/06/23. Docketing & Services Branch. 1p  
45995-214.45995-214.

8807050046 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LEARY,P. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch 1p  
45935-216.45995-216.

8807050047 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RILEY,S.M. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p  
45095.217.45095.217

8807050051 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WORKMAN,M.K. Affiliation Not Assigned. 88/06/23 Docketing & Services Branch.  
In. 45885-218,45995-218

8807050052 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ASANO, R. Affiliation Not Assigned. 88/08/23. Docketing & Services Branch. 1p.  
459A5:219.45995:219

**8807050054** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
**SATTERFIELD, M.** Affiliation Not Assigned. 88/06/23. Docketing & Services Branch.  
 In: 45005-221, 45005-221

8907050056 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROWN.C. Affiliation Not Assigned. 88/06/23. Dockoting & Services Branch. 1p  
45895.222.45895.222

8907050080 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GILBERTO,D.G. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p.  
45095.273.45095.273

**6807050089** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GUILBERT, N.E. Affiliation Not Assigned. 88/06/23. Dockelling & Services Branch. 1p.  
45095-227, 45095-227.

8807050079 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
AIE LLO,K.M. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p  
45095.230.45095.230

8807050089 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GEARISH,D.R. Affiliation Not Assigned. 88/08/23. NRC - No Detailed Affiliation Given. 01.45995.232.45995.232

8807050093 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ARMY, E.A. Affiliation Not Assigned. 86/08/23. Docketing & Services Branch Ip  
45905:225, 45906:226

**8807050095** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HANLEY, M.A. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p  
45000-320, 45000-320

8807050106 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 45999:340-45999:340.

8807050116 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HAM,H., HAM,S. Affiliation Not Assigned. 88/08/23. NRC - No Detailed Affiliation  
Chgo, IL 60606-2441, 60606-2441

8807050122 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JASINSKI, M. Affiliation Not Assigned. 88/06/23. NRC - No Detailed Affiliation Given

8807050132 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GASNEPAIN,S.J. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch

8907050140 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TARDIF, L. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p  
45999-342.45999.342

8807050158 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ENGBERG,B. Affiliation Not Assigned 80/06/23. NRC - No Detailed Information Given  
In 45095-183.45095-183

8907050177 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
VINCENT, C. J. Affiliated on Not Assigned. 89/06/23. Docketing & Services Branch. 1p  
45992-093.45992-093

8807050184 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WOOD, J.H. Affiliation Not Assigned 88/08/23. Docketing & Services Branch. 1p  
45992-096.45992 036

8807050193 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations

8807050212 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Lists reasons for support. Assents plant capacity could eliminate concerns. CASEY, T.J. Affiliation Not Assigned 88/06/23. Docketing & Services Branch. 1p. 45992-113. 45992-113

8807050216 Common supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DINEEN-TOMASINI Affiliation Not Assigned. 88/06/23. Docketing & Services Branch  
in 459922 114-459922 114

8907050217 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Alliation Not Assigned. 85/06/23. Dockelling & Services Branch 1p 46092.115  
45092.115

8607050248 Comments supporting proposed rule 10CFR50 re emergency planning and preparedness requirements for nuclear power plant fuel loading and initial low power operations.  
MELCHIORRE, A.A. Affiliation Not Assigned. 86/08/23 Docketing and Services Branch  
In. 45992 133-45992-133

8907050251 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GASS, W.A. Affiliation Not Assigned. 88/08/23. Docketing & Services Branch. 1 p. 45002; 135.45002 135

8007050259 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LAZZARA, A.M. Affiliation Not Assigned. 80/08/23. Docketing & Services Branch. 1p  
45002 & 139,45002 & 139

8807050300 Comment supporting proposed rule 10CFR50 re emergency planning, preparedness requirements for nuclear power plant fuel loading and initial low power operations.  
KUSELY,H.E. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch 1p  
45005 070-45005-070

8807050314 Comment supporting proposed rule 10CFR50 re emergency planning preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 45902.068  
45902.068

8807050321 Comment supporting proposed rule 10CFR50 re emergency planning  
preparedness requirements for nuclear power plant fuel loading & inital low power op-  
erations.  
WELLS,J.J. Aftilation Not Assigned. 88/06/23. Docketing & Services Branch. 1  
45095.074.45095.074

8807050425 Comment supporting proposed rule 10CFR50 to emergency planning preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 88/06/23. NRC - No Data/ed Affiliation Given. 1/45095.013-4.5095.013

8007050428 Comment supporting proposed rule 10CFR50 re emergency planning preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LANE, R. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 148000 228-48000-228

8807050428 Comment supporting proposed rule 10CFR50 re emergency planning  
preparedness requirements for nuclear power plant fuel loading & initial low power o  
erations.  
DINEEN,J. Affiliation: Not Assigned. 88/08/23. Docketing & Services Branch 1  
45905.014.45905.014

8807050472 Comment supporting proposed rule 10CFR50 re emergency planning preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
 CIANCJ. Affiliation Not Assigned 88/06/23. Office of the Secretary of the Commission.  
 Date: 2np. 15900:360.15900:181.

8807070082 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HICKOK, R.E. Affiliation Not Assigned 88/08/23. Docketing & Services Branch. 1p.  
46010-308-46010-308.

8807070313 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JASINSKI,G.L. Affiliation Not Assigned. 88/08/23. NRC - No Detailed Affiliation Given  
10.18017-242 18017-342

8807070315 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PINSAI,R.P. Affiliation Not Assigned. 88/06/23. Dockoting & Services Branch. 1p  
4801.1078-48011-078

46018 058-46018 058

8807070321 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WALLACE, D.G. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46011.079-46011.079

8807070325 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46011.080-46011.080

8807070326 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46024.353-46024.353

8807070338 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STANLEY, J.A. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46011.083-46011.083

8807070348 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STORY, J. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46018.089-46018.089

8807070360 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RICCIO, J.P. Nuclear Information & Resource Service. 88/06/23. CHILK, S.J. Office of the Secretary of the Commission. 14pp. 46018.021-46018.034

8807070371 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PORTER, B. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46018.081-46018.081

8807070377 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46017.359-46017.359

8807070378 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KERRY, J. Senate. 88/06/23. ZECH, L. Commissioners. 2pp. 46024.350-46024.351

8807070388 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
EGELAND, C. Affiliation Not Assigned. 88/06/23. Office of the Secretary of the Commission. 1p. 46018.005-46018.005

8807070395 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FERSTER, A.C. Harmon & Weiss. CURRAN, D. Union of Concerned Scientists. FERSTER, A.C. New England Coalition on Nuclear Pollution. 88/06/23. NRC - No Dated Affiliation Given. 14pp. 46018.006-46018.019

8807070405 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CYR, P.R. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46018.095-46018.095

8807070410 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CONWAY, G.R. Affiliation Not Assigned. 88/06/23. Commissioners. 1p. 46018.125-46018.125

8807070425 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BUNTING, A.R. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 2pp. 46018.074-46018.075

8807070444 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46018.068-46018.068

8807070451 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* National Association of Manufacturers \* Commerce, Dept. of. 88/06/23. ZECH, L.W. NRC - No Dated Affiliation Given. 1p. 46018.067-46018.067

8807070476 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KERSHAW, W.V. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46018.080-46018.080

46018 058-46018 058

8807070518 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LORD, W.S. Amesbury, MA. 88/06/23. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46018.124-46018.124

8807070528 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JURGELON, E. JURGELON, L. JURGELON, J. Affiliation Not Assigned. 88/06/23. Docketing & Services Branch. 1p. 46018.123-46018.123

8807112059 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Changes would significantly weaken level of public protection  
RICHARDSON, D.E. Employee's Legal Project. 88/06/23. NRC - No Dated Affiliation Given. 10pp. 46101.121-46101.130

8807120277 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
Proposal will falter until purses while sacrificing public welfare.  
MORSE, G. Affiliation Not Assigned. 88/06/23. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.129-46105.129

8807120495 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GORRIE, P. Affiliation Not Assigned. 88/06/23. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105.141-46105.141

8807070126 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MOUGHAN, T.F. Citizens Within the Ten Mile Radius. 88/06/24. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 46011.204-46011.206

8807070320 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILLIS, P.M. Affiliation Not Assigned. 88/06/24. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 46017.323-46017.325

8807060550 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SCHREMPF, D.A. Affiliation Not Assigned. 88/06/25. Docketing & Services Branch. 1p. 46010.242-46010.242

8807120283 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MADEA, R.W. Affiliation Not Assigned. 88/06/28. Docketing & Services Branch. 1p. 46105.130-46105.130

8807120498 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MATHEWS, R., MATHEWS, B. Affiliation Not Assigned. 88/07/01. Docketing & Services Branch. 1p. 46105.142-46105.142

8807180018 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BLANCHARD, B.J. Affiliation Not Assigned. 88/07/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46191.055-46191.055

8807180015 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MACFARLANE, W.A. Affiliation Not Assigned. 88/07/11. NRC - No Dated Affiliation Given. 1p. 46191.056-46191.056

#### I. Financial Information

8806300374 Forwards 1987 annual repts for joint owners of plant.  
THOMAS, G.S. Public Service Co. of New Hampshire. 88/06/23. Document Control Branch (Document Control Desk). 34pp. 46015.107-46016.214

-8806300380 "Northeast Util 1987 Annual Rept"  
ELLIS, W.B. Northeast Utilities. 87/12/31. 56pp. 46015.141-46015.196

-8806300381 "United Illuminating 1987 Annual Rept"  
EDWARDS, G.W. United Illuminating Co. 87/12/31. 69pp. 46015.197-46015.267

-8806300385 "Eastern Util Assoc 1987 Annual Rept"  
EICHORN, J.F. Eastern Utilities Associates. 87/12/31. 54pp. 46015.268-46015.321

-8806300386 "New England Electric Sys 1987 Annual Rept"  
BOK, J.T., HUNTINGTON, S. New England Electric System. 87/12/31. 44pp. 46015.322-46016.004

-8806300387 "Commonwealth Energy Sys 1987 Annual Rept"  
SIEGFRIED, R.E., ANDERSON, G.E. Commonwealth Energy System. 87/12/31. 136pp. 46016.005-46016.143

-8806300395 "Taunton Municipal Lighting Plant 1987 Annual Rept"  
\* Taunton Municipal Lighting Plant. 87/12/31. 20pp. 46016.144-46016.164

8806300402 "Massachusetts Municipal Wholesale Electric Co 1987 Annual Report" LEARY, G.E., MURRAY, N.E. Massachusetts Municipal Wholesale Co 87/12/31. 49pp. 46016:165-46016:214.

8807200972 Commission notification \* Forwards press release issued to Northeast Utilities indicating that it will be advancing sufficient funds for plant project. Certificate of Svc also encl. DIGIANI, T.G. Public Service Co. of New Hampshire #388 6733 88/07/14 6pp 46193 354-46193 359.

8807290058 NRC Staff response to Commission order of 880714 \* Atty general waiver petition should be denied & ALAB 895 vacated. Supporting documentation & Certificate of Svc encl. BERRY, G.A. Assistant General Counsel for Hearings #398 6793 88/07/22 Commissioners 18pp. 46254 145-46254:163

#### Q. Inspection reports, IE Bulletins & correspondence

8808130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/15 Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams" NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/05/22 Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp. 46019:037-46019:152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-410 Circuit Breakers" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212

8807080006 NRC Info Notice 88-046, "Licensee Report of Defective Refurbished Circuit Breakers" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807120291 NRC Info Notice 88-048, "Licensee Report of Defective Refurbished Valves" Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Crip Times." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:283-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258:016

8807250030 Forwards response to request for addl info re IE Bulletin 85 003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings." Stated sys data base will not be used as justification. THOMAS, G.S. Public Service Co. of New Hampshire, 88/07/18 Document Control Branch (Document Control Desk). 8pp. 46268 252-46268:260

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. 257:088-46257:206.

Agency plan-

45999:202

Insider

at ally

Atomic

ea on

blicato

38/06/

#### U. Congressional/Executive Correspondence

8807130418 Responds to 880525 ltr urging NRC to delay Seabrook low power operation until emergency planning & financial qualification issues resolved. ZECH, L.W. Commissioners. 88/07/01. HUMPHREY, G.J. Senate 3pp. 46172:001. 46172:004.

--8807130423 Urges NRC not to saddle Seabrook w/addl costs associated w/ 'low power operation' until significant issues re emergency planning & financial qualifications of owners resolved. HUMPHREY, G.J. Senate 88/05/25 ZECH, L.W. Commissioners 1p. 46172:004. 46172:004

#### DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

##### A. Application/construction stage documents & correspondence

8806280131 Forwards proposed marked up changes to NRC second draft Tech Specs, reflecting all Tech Spec review program. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/06/23. Document Control Branch (Document Control Desk) 500pp. 45982:265-45984:111.

8807070126 Clarifies "significant safety-related" as used in Comanche Peak Response Team collective significance report. C. Grimes request. Phrase indicates that unit has reasonable assurance that items can perform safety-related functions. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/06/21. Document Control Branch (Document Control Desk). 1p. 46125:210-46125:210.

8807070362 Responds to Generic Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Pressure Boundary Components in PWR Plants." COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/06/24. Document Control Branch (Document Control Desk). 4pp. 46124:343-46124:348

8807060500 Forwards description of changes to FSAR Amend 72. COUNCIL, W.G. WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk). 12pp. 46087:321-46087:332.

8807060518 Forwards rev to FSAR, Section 3.6D re determination of jet cone shape for jets discharging from high energy pipe breaks. COUNCIL, W.G. WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk). 3pp. 46114:253-46114:255.

8807180234 Discusses completion of NRC action items re application of leak-before-break methodology to branch lines, per 880415 request. Data input & results for presurizer nozzle safe end weld location & related documentation encl. WALKER, R.D. TU Electric (formerly Texas Utilities Generating Co.). 88/07/08. Document Control Branch (Document Control Desk). 11pp. 46204:001-46204:011.

8807180222 Rev 15 to "Independent Assessment Program Cable Tray Support Design Review Issues List" W/880709 ltr. WILLIAMS, N.H. CYGNA Energy Services. 88/07/08. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 182pp. 46216:171-46217:031.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of C.P.s re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA, F. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 40257:207-46257:257.

8807200204 Notification of 880716 meeting w/util in Arlington, TX to discuss applicability portions of util agreement to withdraw from licensing hearing, per R Walker request. WARNICK, R.F. Ofc of Special Projects. 88/07/12. GRIMES, C.I. Ofc of Special Projects. 4pp. 46239:345-46239:348.

##### F. Security, medical, emergency & fire protection plans

8807080034 Forwards Insp Repts 50-445/88-39 & 50-446/88-33 on 880504-0607 No violations or deviations noted. WARNICK, R.F. Ofc of Special Projects. 88/06/24. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 46139:262-46139:281.

--8807080039 Insp Repts 50-445/88-39 & 50-446/88-33 on 880504-0607 No violations or deviations noted. Major areas inspected: applicant action on previous Insp findings, preoperational testing program, mgmt meeting plant tours & fire protection. BITTER, S.D., SINGHA, A., BURRIS, S.P. Ofc of Special Projects. 88/06/24. 15pp. 46139:267-46139:281.

8807190319 Forwards Insp Repts 50-445/88-43 & 50-446/88-39 on 880613-18 No violations or deviations noted. WARNICK, R.F. Ofc of Special Projects. 88/07/11. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 4pp. 46204:327-46204:332.

--8807190320 Insp Repts 50-445/88-43 & 50-446/88-39 on 880613-18 No violations or deviations noted. Major areas inspected: security plan & procedures, test & maint program & personnel access control. Details withheld (rel 10CFR73.21). CALDWELL, R.A., EVERETT, R.J. Region 4, Ofc of the Director. 88/07/09. 2pp. 46204:331-46204:332.

8807250155 Forwards Insp Repts 50-445/88-40 & 50-446/88-36 on 880608-0708 No violations or deviations noted. WARNICK, R.F. Ofc of Special Projects. 88/07/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). 5pp. 46285:131-46285:146.

--8807250164 Insp Repts 50-445/88-40 & 50-446/88-35 on 880608.0706 No violations or deviations noted Major areas inspected applicant actions on IE buildings, general plant insp, fire prevention/protection & QA control's & administration.  
PHILIPPS,H.S. LIVERMORE,H.H. Ofc of Special Projects 88/07/15 11pp  
46285 136-46285 146

#### G. Adjudicatory correspondence

8807080079 Forwards draft pages from Ofc of Inspector & Auditor Rpt 86-10, "Allegations of Misconduct by Region IV Mgt Re Comanche Peak Steam Electric Station," per attached list w/o encls Related correspondence  
BONDENICK,B.M. Assistant General Counsel for Hearings #388 6632 88/05/23  
ROISMAN,A.Z. Roisman, A.Z 3pp 45996.337-45996.339

8807060040 Expresses opposition to licensee request for extension of CP compliance date for unit Three CP application docks urged to be consolidated for all matters since underlying issue identical to a"  
ROISMAN,A.Z. Citizens Association for Sound Energy. ROISMAN,A.Z. Cohen, Mstein & Hausfeld #388 6635. 88/06/29. Document Control Branch (Document Control Desk) 3pp. 45996.032-45996.034.

8807110104 Forwards joint stipulation & joint motion for dismissal & exhibits for filing in proceeding  
SCHMUTZ,T.A. TU Electric (formerly Texas Utilities Generating Co) SCHMUTZ,T.A. Newman & Holtzinger #388 6675 88/07/01. JULIAN,E Docking & Services Branch 1p 46034:181-46067.093

--8807110119 Joint motion for dismissal of proceedings \* Parties request that Board accept 880630 joint stipulation of parties & admit into evidentiary record of proceeding documents parties agreed to tender for admission into proceedings  
ELLIS,J. GARDE,B.P. Citizens Association for Sound Energy. GARDE,B.P. Garde, B.P. 88/07/01 Atomic Safety and Licensing Board Panel. 4pp 46034:182-46034:185

--8807110134 Joint stipulation \* Stipulation to withdrawal of Contentions 2 & 5 & dismissal of proceedings subj to listed conditions & agreements Supporting documentation & Certificate of Svc encl  
ELLIS,J. Citizens Association for Sound Energy. COUNSEL,W.G. TU Electric (formerly Texas Utilities Generating Co) \* Ofc of the General Counsel\* 88/07/01 11,788pp  
46034 186-46067.093

8807140091 Memorandum & order (terminating proceedings subj. to condition). \* Joint stipulation for dismissal of proceedings filed by all parties on 880701 accepted & parties directed to attend prehearing conference on 880713. Served on 880706  
BLOCH,P.B. Atomic Safety and Licensing Board Panel. #388 6694 88/07/05 Office of the General Counsel 7pp 46117:208-46117:299

8807110035 Forwards listed pleadings in addition to notice of appearance of MD Kohn,SM Kohn & DK Colapinto on behalf of J Doe  
KOHN,M.D. Kohn & Associates #388 6652 88/07/06 BLOCH,P.B. Atomic Safety and Licensing Board Panel 1p 46033:209-46033:221

--8807110039 Notice of intent to file motion requesting substitution of parties or in alternative notice of intent to file motion for intervention \* Petitioner requests that proceeding not be dismissed until petitioner motion reviewed.  
KOHN,M.D. Kohn & Associates 88/07/06 Atomic Safety and Licensing Board Panel 2pp. 46033:210-46033:211.

--8807110042 Motion to proceed as J Doe \* Petitioner moves Board to proceed as J Doe in proceeding for listed reasons  
KOHN,M.D. Kohn & Associates 88/07/06. Atomic Safety and Licensing Board Panel 3pp. 46033:212-46033:214

--8807110050 Motion to make public all settlement agreements enacted by parties \* Requests that pending public agreement or joint stipulation submitted on 880701 not be approved & all other agreements be provided Certificate of Svc encl  
KOHN,M.D. Kohn & Associates 88/07/06. Atomic Safety and Licensing Board Panel. 7pp 46033:215-46033:221.

8807140038 Forwards motion for permission to withdraw pleadings w/o prejudice & w/ leave to file substitute pleadings within 48 h  
KOHN,M.D. Kohn & Associates #388 6692. 88/07/06 BLOCH,P.B. Atomic Safety and Licensing Board Panel. 1p. 46117:278-46117:284.

--8807140055 Motion for permission to withdraw pleadings w/o prejudice & w/leave to file substitute pleadings within 48 h \* W/ Certificate of Svc  
KOHN,M.D. Kohn & Associates 88/07/06 Atomic Safety and Licensing Board Panel. 5pp 46117:280-46117:284.

8807140032 Forwards substitute pleadings of petitioner J Doe.  
KOHN,M.D. Kohn & Associates #388 6691. 88/07/07. BLOCH,P.B. Atomic Safety and Licensing Board Panel. 1p. 46117:264-46117:278.

--8807140035 Notice of intent to file motion requesting substitution of parties or in alternative notice of intent to file motion for intervention \* Requests that proceeding not be dismissed or compromised until petitioner motion reviewed.  
KOHN,M.D. Kohn & Associates. 88/07/07. Atomic Safety and Licensing Board Panel 2pp 46117:285-46117:286.

--8807140047 Motion to proceed as J Doe. \* Petitioner requests to proceed as J Doe due to fear of harassment, intimidation or termination based on filings of proceedings.  
KOHN,M.D. Kohn & Associates 88/07/07. Atomic Safety and Licensing Board Panel. 3pp 46117:287-46117:289.

--8807140054 Motion to make public all settlement agreements enacted by parties \* Requests that joint stipulation submitted on or about 880701 not be approved & petitioner be granted 30 days to review all agreements. W/Certificate of Svc.  
KOHN,M.D. Kohn & Associates. 88/07/07. Atomic Safety and Licensing Board Panel 9pp. 46117:270-46117:278.

8807140027 Forwards motions to Intervene & for sua sponte filed on behalf of Citizens for Fair Utility Regulation & individual residents  
COLAPINTO,D.K. Citizens for Fair Utility Regulation. COLAPINTO,D.K. Kohn & Associates #388 6693. 88/07/08. BLOCH,P. Atomic Safety and Licensing Board Panel. 1p 46117:239-46117:248.

--8807140033 Citizens for Fair Utility Regulation motion to intervene & for sua sponte relief. \* Petitioner requests that all settlement agreements re joint stipulation be ordered publicly released & that 880713 hearing be continued for 60 days  
COLAPINTO,D.K. Citizens for Fair Utility Regulation COLAPINTO,D.K. Kohn & Associates. 88/07/08 Atomic Safety and Licensing Board Panel 3pp 46117:240-46117:242

--8807140041 Individual residents motion to intervene & for sua sponte relief \* Listed petitioners request relief that all settlement agreements re joint stipulation be publicly released & 880713 hearing be extended W/Certificate of Svc  
COLAPINTO,D.K. Kohn & Associates 88/07/08 Atomic Safety and Licensing Board Panel. 6pp. 46117:243-46117:248

8807150031 Clarifies relevant issues raised in LC Clerk 880708 ltr re recent filings by J Doe. W/supporting info & Certificate of Svc.  
KOHN,M.D. Kohn & Associates #388 6704 88/07/10. BLOCH,P.B. Atomic Safety and Licensing Board Panel 6pp. 46189:341-46189:349.

8807150032 Second group of individual residents motion for leave to intervene & motion for sua sponte relief \* Requests that all settlement agreements re joint stipulation be ordered publicly released W/Certificate of Svc.  
KOHN,M.D. Kohn & Associates #388 6708 88/07/11. Atomic Safety and Licensing Board Panel. 7pp 46189:334-46189:340

8807150067 Notice of withdrawal w/o prejudice \* Withdraws J Doe as potential intervenor in proceedings W/Certificate of Svc  
KOHN,M.D. KOHN,S.M., COLAPINTO,D.K. Kohn & Associates #388 6705 88/07/11. 4pp. 46189:338-46189:341.

8807150086 Greater Fort Worth Sierra Club motion for leave to intervene & motion for sua sponte relief \* Requests that relief for listed items be granted sua sponte to address complex safety-related issues W/Certificate of Svc.  
KOHN,M.D. Kohn & Associates #388 6707. 88/07/11 Atomic Safety and Licensing Board Panel 6pp 46189:302-46189:307.

8807150014 Forwards suppl filing of response of applicant to motions to stay, to intervene & for sua sponte relief filed by various parties  
EDGAR,G.L. TU Electric (formerly Texas Utilities Generating Co) EDGAR,G.L. Newman & Holtzinger #388 6703 88/07/12 JULIAN,E Docking & Services Branch 1p 46189:357-46189:016

--8807150016 Forwards response of applicant to motion to stay, to intervene & for sua sponte relief filed by various parties  
SCHMUTZ,T.A. TU Electric (formerly Texas Utilities Generating Co) SCHMUTZ,T.A. Newman & Holtzinger. 88/07/12. BLOCH,P.B., JORDAN,W.H., MCCOLLUM,K.A. Atomic Safety and Licensing Board Panel. 1p 46189:358-46189:359

--8807150024 Response of applicant to motions to stay, to intervene & for sua sponte relief filed by various petitioners \* Papers filed by petitioners should be rejected & denied & dismissal of proceedings be completed. W/Certificate of Svc  
NEWMAN,J.R. TU Electric (formerly Texas Utilities Generating Co) NEWMAN,J.R. Newman & Holtzinger. 88/07/12 Atomic Safety and Licensing Board Panel. 18pp 46189:359-46189:016

8807150064 Forwards correct Exhibit B to re applicant 880729 public meeting to parties joint stipulation filed on 880701 W/ Certificate of Svc  
SCHMUTZ,T.A. TU Electric (formerly Texas Utilities Generating Co) SCHMUTZ,T.A. Newman & Holtzinger. #388 6710. 88/07/12. JULIAN,E Docking & Services Branch. 340pp 46191:001-46191:012

8807200054 Notice of withdrawal. \* Withdrawal as atty of record for petitioners Citizens for Fair Utility Regulation, Greater Fort Worth Sierra Club & Comanche Peak Citizens Audit noted. Search for replacement counsel unsuccessful.  
KOHN,M.D., KOHN,S.M., COLAPINTO,D.K. Kohn & Associates #388 6712. 88/07/12 1p. 46194:001-46194:005

--8807200063 Motion for petitioners to appear pro se \* Petitioners request to appear before Board at 880713 hearing in order to present arguments in support of petitioners motions & for stay of proceedings. W/Certificate of Svc  
KOHN,M.D. Kohn & Associates. 88/07/12. Atomic Safety and Licensing Board Panel 4pp. 46194:002-46194:005.

8807150034 Comanche Peak Citizens Audit motion for stay & motion for sua sponte relief. \* Requests time to review concerns of J Doe & for relief for listed items in order to act as intervenor in proceeding. W/Certificate of Svc  
KOHN,M.D. Kohn & Associates #388 6700 88/07/13. Atomic Safety and Licensing Board Panel. 6pp. 46189:312-46189:317.

8807200086 Memorandum & order (dismissing proceedings). \* Documents that parties in joint stipulation agreed to tender admitted to record at 880713 prehearing conference Served on 880715.  
BLOCH,P.B. Atomic Safety and Licensing Board Panel. #388 6711. 88/07/13. Office of the General Counsel 81pp 46192:170-46192:257.

#### I. Financial Information

8808300353 Forwards 1987 annual repts for Texas Util Co, Brazos Electric Power Coop & Texas Municipal Power Agency.  
COUNSEL,W.G. MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co). 88/06/22. Document Control Branch (Document Control Desk). 1p. 46016:218-46016:354.

--8808300358 "Texas Util Co 1987 Annual Rept"  
FARRINGTON,J. Texas Utilities Co. 87/12/31. 4pp. 46016:219-46016:280.

--8808300380 "Brazos Electric Power Cooperative Inc 1987 Annual Rept"  
PARKER,W.G. Brazos Electric Power Cooperative, Inc. 87/12/31 40pp. 46016:281-46016:322.

--8808300384 "Texas Municipal Power Agency 1987 Annual Rept"  
TATE,M. Texas Municipal Power Agency. 87/12/31. 51pp. 46016:323-46016:354.



## K. Utility Final Safety Analysis Report (FSAR) & amends

8807280333 Forwards Amend 71 to FSAR for Comanche Peak Steam Electric Station Related correspondence  
SMITH, M.A. TU Electric (formerly Texas Utilities Generating Co.) #288 6451. 88/05/27. STEPHENS, C.R., STEPHENS, C.R. Docketing & Services Branch 300pp 46258001-46257085

8807050058 Amend 72 to FSAR for Comanche Peak Steam Electric Station W/ 880701  
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. 444pp 46029.148-46030.231

## Q. Inspection reports, IE Bulletins & correspondence

8807150159 Ack receipt of 880531 ltr in response to violations noted in Insp Repts 50-445/88-17 & 50-446/88-14. NRC believes citation valid as stated & agrees w/ul corrective actions including more definitive requirements for traveler content  
WARNICK, R.F. Ofc of Special Projects. 88/06/08. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46185.127-46185.131.

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp 45978.156-45978.268

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.162.

8807010091 Forwards revised response to NRC 870911 notice of deviation, Item E as noted in Insp Rept 50-445/88-07. Corrective actions: Procedure CP-OAP-16.1 revised including block on NCR form identifying evaluations per 10CFR50.55(e).  
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/06/22. Document Control Branch (Document Control Desk). 4pp. 46018.319-46018.322

8807080151 Ack receipt of 880620 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/88-27 & 50-446/88-23.  
WARNICK, R.F. Ofc of Special Projects. 88/06/23. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46136.142-46136.146

8807100546 Forwards Insp Repts 50-445/88-24 & 50-446/88-21 on 880308-0603 & notice of violation  
GRIMES, C.I. Ofc of Special Projects. 88/06/23. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46082.093-46082.111.

8807100549 Notice of violation from Insp on 880308-0603 Violation noted/fact of procedures that could objectively demonstrate control of conversion of documentation content of piping (component) data packages to isometric drawings.  
GRIMES, C.I. Ofc of Special Projects. 88/06/23. 3pp. 46082.096-46082.100.

8807110552 Insp Repts 50-445/88-24 & 50-446/88-21 on 880308-0603. Violations noted: Major areas inspected previously identified ASME Code insp findings & allegations re OAC program & implementation  
WILLIAMS, C.C., GRIMES, C.I. Ofc of Special Projects. 88/06/23. 11pp. 46082.101-46082.111.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-18 Circuit Breakers" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 112pp 46019.153-46019.265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46018.266-46020.018.

8807050549 Provides add info to revised response to NRC ltr re violations noted in Insp Rept 50-445/88-26 & 50-446/88-22 per NRC 880527 request.  
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/06/24. Document Control Branch (Document Control Desk). 4pp. 46073.315-46073.318

8807080009 Forwards Insp Repts 50-445/88-37 & 50-446/88-35 on 880504-0607. No violations or deviations noted.  
WARNICK, R.F. Ofc of Special Projects. 88/06/24. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46139.293-46139.314.

8807080014 Insp Repts 50-445/88-37 & 50-446/88-35 on 880504-0607. No violations or deviations noted. Major areas inspected: applicant actions on previous insp findings, followup on violations/deviations, general plant areas & mgt meeting  
LIVERMORE, H.H. Ofc of Special Projects. 88/06/24. 16pp. 46139.298-46139.314.

8807080034 Forwards Insp Repts 50-445/88-39 & 50-446/88-33 on 880504-0607. No violations or deviations noted.  
WARNICK, R.F. Ofc of Special Projects. 88/06/24. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46139.262-46139.281.

8807080039 Insp Repts 50-445/88-39 & 50-446/88-33 on 880504-0607. No violations or deviations noted. Major areas inspected: applicant action on previous insp findings, preoperational testing program, mgt meeting, plant tours & fire protection.  
BITTER, S.D., SINGH, A., BURRIS, S.P. Ofc of Special Projects. 88/06/24. 16pp. 46139.267-46139.281.

8807080321 Revises date of full compliance for notice of violation, Items E & C from Insp Repts 50-445/88-03 & 50-446/88-02. Completion of action for HVAC rescheduled due to reduced level of Unit 2 activities.  
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk). 1p. 46116.115. 46116.115.

8807080331 Responds to NRC 880520 ltr re violations noted in Insp Repts 50-445/88-32 & 50-446/88-28. Corrective actions personnel reminded of need to fully document engineering justifications when displacing nonperformance repts  
COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk). 4pp. 46116.316-46116.319.

8807070458 Ack receipt of 880620 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/88-20 & 50-446/88-17.  
WARNICK, R.F. Ofc of Special Projects. 88/07/01. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 6pp. 46124.308-46124.313.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242.109-46242.212

8807140297 Ack receipt of 880701 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/88-32 & 50-446/88-28.  
WARNICK, R.F. Ofc of Special Projects. 88/07/07. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46176.317-46176.321

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231.281-46232.027

8807180278 Forwards response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Sys w/pump & piping sys configurations that do not preclude pump-to-pump interaction during millflow operation listed  
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/07/08. Document Control Branch (Document Control Desk). 5pp. 46184.278-46184.282.

8807180052 Responds to NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays Mfg by GE." Use of HFA relays in Class 1E applications not used at facility.  
COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/07/11. Document Control Branch (Document Control Desk). 3pp. 46213.225-46213.227

8807190319 Forwards Insp Repts 50-445/88-43 & 50-446/88-39 on 880613-16. No violations or deviations noted.  
WARNICK, R.F. Ofc of Special Projects. 88/07/11. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 4pp. 46204.327-46204.332.

8807190320 Insp Repts 50-445/88-43 & 50-446/88-39 on 880613-16. No violations or deviations noted. Major areas inspected: safety plan & procedures, test & main program & personnel action control Details withheld (ref 10CFR73.21).  
CALDWELL, R.A., EVERETT, R.J. Region 4, Ofc of the Director. 88/07/08. 2pp. 46204.331-46204.332.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.008-46242.108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240.222-46240.324

8807250101 Forwards Insp Repts 50-445/88-45 & 50-446/88-41 on 880608-0708. No violations or deviations noted.  
WARNICK, R.F. Ofc of Special Projects. 88/07/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46269.191-46269.208.

8807250125 Insp Repts 50-445/88-45 & 50-446/88-41 on 880608-0708. No violations or deviations noted. Major areas inspected: actions on previous insp findings, IC Power on violations/deviations, followup on 10CFR50.55(e) repts & general plant tours  
WAGNER, P.C., LIVERMORE, H.H. Ofc of Special Projects. 88/07/14. 13pp. 46269.196-46269.208.

8807250140 Forwards Insp Repts 50-445/88-42 & 50-446/88-39 on 880608-0708. No violations or deviations noted.  
WARNICK, R.F. Ofc of Special Projects. 88/07/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46255.045-46255.059.

8807250145 Insp Repts 50-445/88-42 & 50-446/88-39 on 880608-0708. No violations or deviations noted. Unresolved item noted re field verification method. Major areas inspected issue: specific action plans & cab's & flexible conduit slack.  
RUNYAN, M.F., LIVERMORE, H.H. Ofc of Special Projects. 88/07/15. 10pp. 46255.050-46255.059.

8807250155 Forwards Insp Repts 50-445/88-40 & 50-446/88-36 on 880600-0708. No violations or deviations noted.  
WARNICK, R.F. Ofc of Special Projects. 88/07/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46285.131-46285.146

8807250164 Insp Repts 50-445/88-40 & 50-446/88-36 on 880608-0708. No violations or deviations noted. Major areas inspected: applicant actions on IE bulletins, general plant insp, fire prevention/protection & QA controls & administration.  
PHILLIPS, J.S., LIVERMORE, H.H. Ofc of Special Projects. 88/07/15. 11pp. 46285.136-46285.146.

8807250194 Forwards Insp Repts 50-445/88-41 & 50-446/88-37 on 880608-0708. No violations or deviations noted.  
WARNICK, R.F. Ofc of Special Projects. 88/07/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46273.054-46273.067.

--8807250203 Safety Insp Repts 50-445/88-41 & 50-446/88-37 on 880608. 07C6 No violations, deviations or unresolved items noted. Major areas inspected applicant actions on previous Insp findings, 10CFR50.55(e) deficiencies & FSAR Amend 71. HALE, C.L. LIVERMORE, I.H. Oic of Special Projects. 88/07/15. 8pp. 46273-059. 46273-067.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc ltr encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc ltr encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-016.

8807250210 Ack receipt of 880824 ltr informing NRC of steps taken to correct violations found in Insp Repts 50-445/88-26 & 50-446/88-22. WARINCK, R.F. Oic of Special Projects. 88/07/18. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46259-252-46259-258.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc ltr encl. ROSS, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-206.

#### S. Reportable occurrences, LERs & related correspondence

8807010078 Inform & final Deficiency Rpt CP-88-07 for Units 2 & 1, respectively re svc water sys leakage initially reported on 860411. Final corrective actions listed being implemented to resolve sublet deficiency. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/06/22. Document Control Branch (Document Control Desk). 3pp. 46018-323-46018-325.

8807010127 Final Deficiency Rpt CP-83-08 re control valve brackets. Initially reported on 830423. Unit will replace brackets in use as snubber attachment points on safety-related Fisher control valves. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/06/22. Document Control Branch (Document Control Desk). 4pp. 46008-077-46008-080.

8807060420 Supplemental Deficiency Rpt CP-85-027 re seismic Category I bldgs initially reported on 851217. Debris removal & actual widening of gap. Corrective actions for Unit 1 currently scheduled for completion by 881001 & for Unit 2 by 880101. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/06/28. Document Control Branch (Document Control Desk). 1p. 46110-007-46110-007.

8807060419 Supplemental Deficiency Rpt CP-85-49 re unevaluated fluid transient in steam supply line for turbine driven auxiliary feedwater pump (TDAFP) initially reported on 851220. TDAFP will be tested w/ revised piping configuration. BECK, J.W. TU Electric (formerly Texas Utilities Generating Co.) 88/06/28. Document Control Branch (Document Control Desk). 2pp. 46108-357-46108-358.

8807060264 Supplemental Deficiency Rpt CP-86-54 re design & installation of control room ceiling initially reported on 861003. Structural mods required completed w/ exception of open insp issues & lighting conduit supports evaluated. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk). 1p. 46103-350-46103-350.

8807060262 Final Deficiency Rpt CP-86-10 re electrical penetration assemblies. Initially reported on 880404. Rpt submitted to provide status of corrective actions. Physical const activities complete for Unit 1. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk). 1p. 46087-320-46087-320.

8807060530 Supplemental Deficiency Rpt CP-86-83 re separation barrier wall (SBM) on power cables & power raceways. Initially reported on 870605. Procedure ECC-10-07 revised to control future SBM installations. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk). 1p. 46114-252-46114-252.

8807180238 Supplemental Deficiency Rpt CP-86-19 re instrumentation installations. Initially reported on 880129. Completion date for corrective actions specified in TXX-88146 revised to 881215. COUNCIL, W.G., WALKER, R.D. TU Electric (formerly Texas Utilities Generating Co.) 88/07/08. Document Control Branch (Document Control Desk). 1p. 46203-224-46203-224.

8807190274 Interim Deficiency Rpt CP-86-48 re adequacy of nonconformance rpt dispositions. Initially reported on 880616. Review indicates nonconformance rpt disposition program be revised. Next rpt expected by 881012. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/07/13. Document Control Branch (Document Control Desk). 3pp. 46215-283-46215-285.

#### T. Hearing transcripts on non-antitrust matters

8807180363 Forwards transcript of 880623 meeting between util, CASE & J Doyle re corrective actions program. MALLOY, M. Oic of Special Projects. 88/07/07. Oic of Special Projects. 4pp. 46198-127-46198-286.

--8807180366 Transcript of 880823 public meeting w/ util, CASE & J Doyle re upper lateral restraint & HVAC. TU Electric (formerly Texas Utilities Generating Co.) 88/08/23. 152pp. 46198-133-46198-286.

#### DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

##### A. Application/construction stage documents & correspondence

8807070125 Clarifies "significant safety-related" as used in Comanche Peak Response Team collective significance report. C Grimes request. Phrase indicates that util has reasonable assurance that items can perform safety-related functions. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/08/24. Document Control Branch (Document Control Desk). 1p. 46125-210-46125-210.

8807070382 Responds to Genenc Ltr 88-05, "Boric Acid Corrosion of Carbon Steel Reactor Pressure Boundary Components in PWR Plants." COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/06/24. Document Control Branch (Document Control Desk). 4pp. 46124-343-46124-346.

8807080500 Forwards description of changes to FSAR Amend 72. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk). 12pp. 46087-321-46087-332.

8807080518 Forwards rev to FSAR, Section 3.6B re determination of jet cone shape for jets discharging from high energy pipe breaks. COUNCIL, W.G., WOODLAND, D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk). 3pp. 46114-253-46114-255.

8807130454 Genenc Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation ambientment of reactor vessel mats & impact on plant operations. Svc ltr & Rev 2 to Reg Guide 1.89 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 5pp. 46257-207-46257-257.

8807200204 Notification of 880715 meeting w/ util in Arlington, TX to discuss applicable portions of util agreement to withdraw from licensing hearing. R Walker request. WARNICK, R.F. Oic of Special Projects. 88/07/12. GRIMES, C. Oic of Special Projects. 4pp. 46239-345-46239-348.

##### F. Security, medical, emergency & fire protection plans

8807080034 Forwards Insp Repts 50-445/88-38 & 50-446/88-33 on 880504. 0607 No violations or deviations noted. WARNICK, R.F. Oic of Special Projects. 88/06/24. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46139-282-46139-281.

--8807080039 Insp Repts 50-445/88-38 & 50-446/88-33 on 880504. 0607 No violations or deviations noted. Major areas inspected: applicant action on previous Insp findings, preoperational testing program, night meeting plant tour & fire protection. BITTER, S.D. Oic of Special Projects. 88/06/24. 15pp. 46139-287-46139-281.

8807180319 Forwards Insp Repts 50-445/88-43 & 50-446/88-39 on 880613-16 No violations or deviations noted. WARNICK, R.F. Oic of Special Projects. 88/07/11. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 4pp. 46204-327-46204-332.

--8807180320 Insp Repts 50-445/88-43 & 50-446/88-39 on 880613-16 No violations or deviations noted. Major areas inspected: security plan & procedures, lost & maint program & personnel access control. Data's withheld (ref 10CFR71.21). CALDWELL, R.A. Region 4, Oic of the Director. 88/07/08. 2pp. 46204-331-46204-332.

8807250165 Forwards Insp Repts 50-445/88-40 & 50-446/88-38 on 880608. 0706 No violations or deviations noted. WARNICK, R.F. Oic of Special Projects. 88/07/15. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp. 46205-131-46205-148.

--8807250164 Insp Repts 50-445/88-40 & 50-446/88-38 on 880608. 0706 No violations or deviations noted. Major areas inspected: applicant actions on IE bulletins, general plant insp, fire prevention/protection & QA controls & administration. PHILLIPS, H.S. Oic of Special Projects. 88/07/15. 11pp. 46285-136-46285-148.

##### G. Adjudicatory correspondence

8807080079 Forwards draft pages from Oic of Inspector & Auditor Rpt 86-10, "Allegations of Misconduct by Region IV Mgr Re Comanche Peak Steam Electric Station," per attached ltr w/o encls Re related correspondence. BORDEENACK, B.M. Assistant General Counsel for Hearings. #388 8632. 88/06/23. ROISMAN, C.Z. Roisman, A.Z. 3pp. 45098-337-45098-339.

8807110104 Forwards joint stipulation & joint motion for dismissal & exhibits for living in proceeding. SCHMUTZ, T.A. TU Electric (formerly Texas Utilities Generating Co.). SCHMUTZ, T.A. Newman & Holzinger. #388 8675. 88/07/01. JULIAN, E. Docketing & Services Branch. 1p. 46034-181-46067-093.

--8807110119 Joint motion for dismissal of proceedings. Parties request that Board accept 880630 joint stipulation of parties & admit into evidentiary record of proceedings documents parties agreed to tender for admission into proceedings. ELLIS, J. GARDE, B.P. Citizens Association for Sound Energy. GARDE, B.P. Garde, B.P. 88/07/01. Atomic Safety and Licensing Board Panel. 4pp. 46034-182-46034-185.

--8807110134 Joint stipulation. Stipulation re withdrawal of Contentions 2 & 5 & dismissal of proceedings sub to listed conditions & agreements. Supporting documentation & Certificate of Svc encl. ELLIS, J. Citizens Association for Sound Energy. COUNCIL, W.G. TU Electric (formerly Texas Utilities Generating Co.). Office of the General Counsel. 88/07/01. 11,788pp. 46034-188-46087-093.

8807140091 Memorandum & order (terminating proceedings sub to condition) \* Joint stipulation for dismissal of proceedings filed by all parties on 880701 accepted & per-

## 216 DOCKETED ITEMS

8807110035 Forwards listed pleadings in addition to notice of appearance of MD Kohn, S.M. Kohn & CK Compinto on behalf of J Doe KOHN,M.D. Kohn & Associates #388 6652. 88/07/06 BLOCH,P.B. Atomic Safety and Licensing Board Panel 1p 46033 203-46033 221

--8807110039 Notice of intent to file motion requesting substitution of parties or in alternative notice of intent to file motion for intervention on \* Petitioner requests that proceeding not be dismissed until petitioner motion reviewed KOHN,M.D. Kohn & Associates 88/07/06 Atomic Safety and Licensing Board Panel 2pp 46033 210-46033 211

--8807110042 Motion to proceed as J Doe \* Petitioner moves Board to proceed as J Doe in proceeding for listed reasons KOHN,M.D. Kohn & Associates 88/07/06 Atomic Safety and Licensing Board Panel 3pp 46033 212-46033 214

--8807110050 Motion to make public all settlement agreements enacted by parties \* Requests that joint stipulation submitted on 880701 not be approved & all other agreements be provided Certificate of Svc encl KOHN,M.D. Kohn & Associates 88/07/06 Atomic Safety and Licensing Board Panel 7pp 46033 215-46033 221

8807140038 Forwards motion for permission to withdraw pleadings w/o prejudice & w/leave to file substitute pleadings within 48 h. KOHN,M.D. Kohn & Associates #388 6692. 88/07/06 BLOCH,P.B. Atomic Safety and Licensing Board Panel 1p 46117 279-46117 284

--8807140056 Motion for permission to withdraw pleadings w/o prejudice & w/leave to file substitute pleadings within 48 h. W/ Certificate of Svc KOHN,M.D. Kohn & Associates 88/07/06 Atomic Safety and Licensing Board Panel 5pp 46117 280-46117 284

8807140032 Forwards substitute pleadings of petitioner J Doe KOHN,M.D. Kohn & Associates #388 6691. 88/07/07 BLOCH,P.B. Atomic Safety and Licensing Board Panel 1p 46117 264-46117 278

--8807140035 Notice of intent to file motion requesting substitution of parties or in alternative notice of intent to file motion for intervention on \* Requests that proceeding not be dismissed or compromised until petitioner motion reviewed KOHN,M.D. Kohn & Associates 88/07/07 Atomic Safety and Licensing Board Panel 2pp 46117 265-46117 266

--8807140047 Motion to proceed as J Doe \* Petitioner requests to proceed as J Doe due to fear of harassment, intimidation or termination based on findings of proceedings. KOHN,M.D. Kohn & Associates 88/07/07 Atomic Safety and Licensing Board Panel 3pp 46117 267-46117 269

--8807140054 Motion to make public all settlement agreements enacted by parties \* Requests that joint stipulation submitted on or about 880701 not be approved & petitioner be granted 30 days to review all agreements W/Certificate of Svc KOHN,M.D. Kohn & Associates 88/07/07 Atomic Safety and Licensing Board Panel 9pp 46117 270-46117 278

8807140027 Forwards motions to intervene & for sua sponte filed on behalf of Citizens for Fair Utility Regulation & Individual residents. COLAPINTO,D.K. Citizens for Fair Utility Regulation COLAPINTO,D.K. Kohn & Associates #388 6693. 88/07/08 BLOCH,P.B. Atomic Safety and Licensing Board Panel 1p 46117 239-46117 248

--8807140033 Citizens for Fair Utility Regulation motion to intervene & for sua sponte relief. \* Petitioner requests that all settlement agreements re joint stipulation be ordered publicly released & that 880713 hearing be continued for 60 days COLAPINTO,D.K. Citizens for Fair Utility Regulation COLAPINTO,D.K. Kohn & Associates 88/07/08 Atomic Safety and Licensing Board Panel 3pp 46117 240-46117 242

--8807140041 Individual residents motion to intervene & for sua sponte relief. \* Listed petitioners request relief that all settlement agreements re joint stipulation be publicly released & 880713 hearing be extended W/Certificate of Svc COLAPINTO,D.K. Kohn & Associates 88/07/08 Atomic Safety and Licensing Board Panel 6pp 46117 243-46117 248

8807150031 Parties relevant issues raised in LC Clark 880708 ltr re recent findings by J Doe W/supporting info & Certificate of Svc KOHN,M.D. Kohn & Associates #388 6704. 88/07/10 BLOCH,P.B. Atomic Safety and Licensing Board Panel 6pp 46189 341-46189 349

8807150032 Second group of individual residents motion for leave to intervene & motion for sua sponte relief. \* Requests that all settlement agreements re joint stipulation be ordered publicly released W/Certificate of Svc KOHN,M.D. Kohn & Associates #388 6708. 88/07/11 Atomic Safety and Licensing Board Panel 7pp 46189 334-46189 340

8807150067 Notice of withdrawal w/o prejudice \* Withdraws J Doe as potential intervenor in proceedings W/Certificate of Svc KOHN,M.D. Kohn, S.M. COLAPINTO,D.K. Kohn & Associates #388 6705. 88/07/11 4pp 46189 308-46189 311

8807150065 Greater Fort Worth Sierra Club motion for leave to intervene & motion for sua sponte relief. \* Requests that relief for listed items be granted sua sponte to address complex safety-related issues W/Certificate of Svc KOHN,M.D. Kohn & Associates #388 6707. 88/07/11 Atomic Safety and Licensing Board Panel 6pp 46189 302-46189 307

8807150014 Forwards supplemental filing of response of applicant to motions to stay, to intervene & for sua sponte relief filed by various parties. EDGAR,G.L. TU Electric (formerly Texas Utilities Generating Co.). EDGAR,G.L. Newman & Holtzinger #388 6703. 88/07/12 JULIAN,E. Docketing & Services Branch 1p 46189 357-46189 016

--8807150018 Forwards response of applicant to motion to stay, to intervene & for sua sponte relief filed by various parties.

--8807150024 Response of applicant to motions to stay, to intervene & for sua sponte relief filed by various petitioners. \* Papers filed by petitioners should be rejected & denied & dismissal of proceedings be completed W/Certificate of Svc. NEWMAN,J.R. TU Electric (formerly Texas Utilities Generating Co.). NEWMAN,J.R. Newman & Holtzinger 88/07/12 Atomic Safety and Licensing Board Panel 18pp 46189 359-46189 016

8807150054 Forwards correct Exhibit B.biv re applicant 880729 public meeting to parties joint stipulation filed on 880701 W/ Certificate of Svc SCHMUTZ,T.A. TU Electric (formerly Texas Utilities Generating Co.). SCHMUTZ,T.A. Newman & Holtzinger #388 6710. 88/07/12 JULIAN,E. Docketing & Services Branch 34pp 46191 001-46191 012

8807200054 Notice of withdrawal \* Withdrawal as attys of record for petitioners Citizens for Fair Utility Regulation, Greater Fort Worth Sierra Club & Comanche Peak Citizens Audit noted search for replacement counsel unsuccessful KOHN,M.D. Kohn, S.M. COLAPINTO,D.K. Kohn & Associates #388 6712. 88/07/12 1p 46194 001-46194 005

--8807200063 Motion for petitioners to appear pro se. \* Petitioners request to appear before Board at 880713 hearing in order to present arguments in support of petitioners motions & for stay of proceedings W/Certificate of Svc KOHN,M.D. Kohn & Associates. 88/07/12 Atomic Safety and Licensing Board Panel 4pp 46194 002-46194 005

8807150034 Comanche Peak Citizens Audit motion for stay & motion for sua sponte relief. \* Requests time to review concerns of J Doe & for relief for listed items in order to act as intervenor in proceeding W/Certificate of Svc KOHN,M.D. Kohn & Associates #388 6706. 88/07/13 Atomic Safety and Licensing Board Panel 6pp 46189 312-46189 317

8807200065 Memorandum & order (dismissing proceedings). \* Documents that parties in joint stipulation agreed to tender admitted to record at 880713 prehearing conference served on 880715. BLOCH,P.B. Atomic Safety and Licensing Board Panel #388 6711. 88/07/13. Office of the General Counsel 81pp 46192 178-46192 257

### I. Financial Information

8806300353 Forwards 1987 annual reports for Texas Utilities Co., Brazos Electric Power Corp & Texas Municipal Power Agency. COUNCIL,W.G. MARSHALL,J.S. TU Electric (formerly Texas Utilities Generating Co.) 88/06/22. Document Control Branch (Document Control Desk) 1p 46016 218-46016 354

--8806300358 "Texas Util Co. 1987 Annual Rept." FARRINGTON,J. Texas Utilities Co 87/12/31. 44pp 46016 219-46016 280

--8806300360 "Brazos Electric Power Cooperative Inc 1987 Annual Rept." PARKER,W.G. Brazos Electric Power Cooperative, Inc. 87/12/31. 40pp 46016 281-46016 322

### K. Utility Final Safety Analysis Report (FSAR) & amendments

8807280333 Forwards Amend 71 to FSAR for Comanche Peak Steam Electric Station Related correspondence. SMITH,M.A. TU Electric (formerly Texas Utilities Generating Co.). #288 6451. 88/05/27. STEPHENS,C.R. STEPHENS,C.R. Docketing & Services Branch 306pp 46258 001-46257 085

8807250058 Amend 72 to FSAR for Comanche Peak Steam Electric Station W/ 880701 ltr. COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/07/01. 44pp 46029 148-46030 231

### Q. Inspection reports, IE Bulletins & correspondence

8807150159 Ack receipt of 880531 ltr in response to violations noted in Insp Rpts 50-445/88-17 & 50-446/88-14. NRC believes citation valid as stated & agrees w/ all corrective actions, including more definitive requirements for traveler content. WARNICK,R.F. Ofc of Special Projects 88/06/08. COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 6pp 46185 127-46185 131

8808130168 NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp 45978 156-45978 288

8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp 46240 325-46241 201

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp 45978 034-45978 155

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 118pp 46018 037-46018 152

8807010091 Forwards revised response to NRC 870811 notice of deviation, item E as noted in Insp Rept 50-445/86-07. Corrective actions Procedure CP-OAP-16.1 revised, including block on NCR form identifying evaluations per 10CFR60.55(g). COUNCIL,W.G. TU Electric (formerly Texas Utilities Generating Co.). 88/08/22. Document Control Branch (Document Control Desk) 4pp 46018 319-46018 322

8807080151 Ack receipt of 880620 ltr informing NRC of steps taken to correct violations

--8807110549 Notice of violation from insp rpt 880308-0633 Violation noted lack of procedures that could objectively demonstrate control of conversion of documentation content of piping (component) data packages to isometric drawings. GRIMES,C.I. Ofc of Special Projects 88/08/23 3pp 46082 098-46082 100

--8807110552 Insp Repts 50-445/88-24 & 50-446/88-21 on 880308-0633 Violations noted Major areas inspected previously identified ASME Code Insp findings & allegations re QA/QC program & implementation. WILLIAMS,C.C., GRIMES,C.I. Ofc of Special Projects 88/08/23 11pp 46082 101-46092 111

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/05/24 Consolidated Edison Co. of New York, Inc. 113pp 46019 153-46019 265

8806240139 Suppl 1 to NRC Bulletin 88-038, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp 46019 266-46023 018

8807050549 Provides addl info to revised response to NRC ltr re violations noted in Insp Rpt 50-445/88-26 & 50-446/88-22 per NRC 880527 request. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/06/24. Document Control Branch (Document Control Desk) 4pp 46073 315-46073 318

8807080009 Forwards Insp Repts 50-445/88-37 & 50-446/88-35 on 880504-0607 No violations or deviations noted. WARNICK,R.F. Ofc of Special Projects 88/06/24 COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46139 293-46139 314.

--8807080014 Insp Repts 50-445/88-37 & 50-446/88-35 on 880504-0607 No violations or deviations noted Major areas inspected applicant actions on previous insp findings, followup on violations/ deviations, general plant areas & mgmt modeling. LIVERMORE,H.H. Ofc of Special Projects 88/06/24 16pp 46139 298-46139 314.

8807080034 Forwards Insp Repts 50-445/88-39 & 50-446/88-33 on 880504-0607 No violations or deviations noted. WARNICK,R.F. Ofc of Special Projects 88/06/24 COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46139 262-46139 281

--8807080039 Insp Repts 50-445/88-39 & 50-446/88-33 on 880504-0607 No violations or deviations noted Major areas inspected applicant action on previous insp findings prearranged retensing program, mgmt meeting plant tours & ltr protection. BITTER,S.D., SINGH,A., BURRIS,S.P. Ofc of Special Projects 88/06/24 15pp 46139 267-46139 281

8807080321 Reviews date of full compliance for notice of violation, Items E & C from Insp Repts 50-445/88-03 & 50-446/88-02. Completion of action for HVAC rescheduled due to reduced level of Unit 2 activities. COUNSIL,W.G., WOODLAND,D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk) 1p 46116-115-46118 115

8807080331 Responds to NRC 880520 ltr re violations noted in Insp Repts 50-445/88-32 & 50-446/88-28 Corrective actions personnel reminded of need to fully document engineering justifications when displacing nonperformance repts. COUNSIL,W.G., WOODLAND,D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk) 4pp 46115-316-46115-318.

8807070458 Ack receipt of 880620 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/88-32 & 50-446/88-17. WARNICK,R.F. Ofc of Special Projects 88/07/01. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 6pp 46124 308-46124 313

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 46242 109-46242 212.

8807140297 Ack receipt of 880701 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/88-32 & 50-446/88-28. WARNICK,R.F. Ofc of Special Projects 88/07/07. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 6pp 46176-317-46176 321

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp 46231 281-46232 027.

8807080278 Forwards response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss" Sys w/pump & piping sys configurations that do not preclude pump-to-pump interaction during miniflow operation listed. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/07/08 Document Control Branch (Document Control Desk) 5pp 46194-278-46194 282

8807180052 Responds to NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays Mig by GE." Use of HFA relays in Class 1E applications not used at facility. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/07/11. Document Control Branch (Document Control Desk) 3pp 46213-225-46213 227.

8807190319 Forwards Insp Repts 50-445/88-43 & 50-446/88-39 on 880613-16 No violations or deviations noted. WARNICK,R.F. Ofc of Special Projects 88/07/11. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 4pp 46204 327-46204 332.

--8807190320 Insp Repts 50-445/88-43 & 50-446/88-39 on 880613-16 No violations or deviations noted Major areas inspected: security plan & procedures, test & maint program & personnel access control Details withheld (ref 10CFR73.21). CALDWELL,R.A., EVERETT,R.J. Region 4, Ofc of the Director. 88/07/08. 2pp 46204 331-46204 332

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp 46240 272-46240 324.

8807250101 Forwards Insp Repts 50-445/88-45 & 50-446/88-41 on 880608 0706 No violations or deviations noted. WARNICK,R.F. Ofc of Special Projects 88/07/15 COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46269 194-46269 208

--8807250125 Insp Repts 50-445/88-45 & 50-446/88-41 on 880608-0706 No violations or deviations noted Major areas inspected actions on previous insp findings, followup on violations/ deviations, followup on 10CFR50 55(e) repts & general plant tours. WAGNER,P.C., LIVERMORE,H.H. Ofc of Special Projects 88/07/14. 13pp 46269 198-46269 208.

8807250140 Forwards Insp Repts 50-445/88-42 & 50-446/88-38 on 880608 0706 No violations or deviations noted. WARNICK,R.F. Ofc of Special Projects 88/07/15 COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46255 045-46255 059

--8807250145 Insp Repts 50-445/88-42 & 50-446/88-38 on 880608-0706 No violations or deviations noted Unresolved item noted re field verification method Major areas inspected: issue specific action plans & cable & flex-bid conduit slack. RUMYAN,M.F., LIVERMORE,H.H. Ofc of Special Projects 88/07/15 10pp 46255 050-46255 059

8807250155 Forwards Insp Repts 50-445/88-40 & 50-446/88-38 on 880608 0706 No violations or deviations noted. WARNICK,R.F. Ofc of Special Projects 88/07/15 COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46265 131-46265 146.

--8807250164 Insp Repts 50-445/88-40 & 50-446/88-36 on 880608-0706 No violations or deviations noted Major areas inspected, applicant actions on IE bulletins, general plant ins, fire prevention/protection & QA controls & administration. PHILLIPS,H.S., LIVERMORE,H.H. Ofc of Special Projects 88/07/15 11pp 46265 138-46265 146

8807250194 Forwards Insp Repts 50-445/88-41 & 50-446/88-37 on 880608-0706 No violations or deviations noted. WARNICK,R.F. Ofc of Special Projects 88/07/15. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46273 054-46273 067.

--8807250203 Safety Insp Repts 50-445/88-41 & 50-446/88-37 on 880608-0706 No violations, deviations or unresolved items noted. Major areas inspected applicant actions on previous insp findings, 10CFR50 55(e) deficiencies & FSAH Amend 71. HALE,C.J., LIVERMORE,H.H. Ofc of Special Projects 88/07/15. 6pp 46273 059-46273 067.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp 46241 263-46242 005

8807120563 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc. 118pp 46257 258-46258 016

8807250210 Ack receipt of 880624 ltr informing NRC of steps taken to correct violations noted in Insp Repts 50-445/88-26 & 50-446/88-22. WARNICK,R.F. Ofc of Special Projects 88/07/18. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 5pp 46259 252-46259 255

8807180101 NRC Info Notice 88-051, "Fairness of MSIVs." Svc list encl. ROSSI,C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp 46257 086-46257 206.

#### S. Reportable occurrences, LERs & related correspondence

880710078 Interim & final Deficiency Rept CP-86-07 for Units 2 & 1, respectively re svc water sys leakage. Initially reported on 860411. Final corrective actions listed being implemented to resolve sub/delic anc. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/08/22. Document Control Branch (Document Control Desk) 3pp 46018 323-46018 325.

8807101127 Final Deficiency Rept CP-83-08 re control valve brackets. Initially reported on 830423. Unit will replace brackets in use as snubber attachment points on safety-related Fisher control valves. COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/08/22. Document Control Branch (Document Control Desk) 4pp 46008 077-46008 080.

8807060420 Supplemental Deficiency Rept CP-85-027 re seismic Category I bldgs. Initially reported on 851217. Debris removal & actual widening of gap. Corrective actions for Unit 1 currently scheduled for completion by 881001 & for Unit 2 by 900101. COUNSIL,W.G., WOODLAND,D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/08/28. Document Control Branch (Document Control Desk) 1p 46110 007-46110 007.

8807080419 Supplemental Deficiency Rept CP-85-49 re unventilated fluid transient in steam supply line for turbine driven auxiliary feedwater pump (TDAFP). Initially reported on 851220 TDAFP will be tested w/ revised piping configuration. BECK,J.W. TU Electric (formerly Texas Utilities Generating Co.) 88/08/28. Document Control Branch (Document Control Desk) 2pp 46109 357-46109 358.



8807060254 Submits Supplemental Deficiency Rept CP-86-54 re design & installation of control room ceiling initially reported on 881003 Structural mods required completed w/exception of open nsp issues & lighting conduit supports evaluated  
COUNSIL,W.G., WOODLAND,D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk) 1p 46103 350-46103 350.

8807060262 Final Deficiency Rept CP-86-10 re electrical penetration assemblies initially reported on 880404 Rept submitted to provide status of corrective actions Physical control activities complete for Unit 1  
COUNSIL,W.G., WOODLAND,D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk) 1p 46087 320-46087 320.

8807060530 Supplemental Deficiency Rept CP-86-63 re separation barrier mat (SBM) on power cables & power raceways. Initially reported on 870605 Procedure ECC-10-07 revised to control future SBM installations.  
COUNSIL,W.G., WOODLAND,D.R. TU Electric (formerly Texas Utilities Generating Co.) 88/07/01. Document Control Branch (Document Control Desk) 1p 46114 252-46114 252.

8807180238 Supplemental Deficiency Rept CP-86-19 re instrumentation installations. Initially reported on 880129 Completion date for corrective actions specified in TXX-88146 revised to 881215  
COUNSIL,W.G., WALKER,R.D. TU Electric (formerly Texas Utilities Generating Co.) 88/07/08. Document Control Branch (Document Control Desk) 1p 46203 224-46203 224.

8807190274 Interim Deficiency Rept CP-86-48 re adequacy of nonconformance report dispositions. Initially reported on 880618 Review indicates nonconformance report disposition program be revised. Next report expected by 881012.  
COUNSIL,W.G. TU Electric (formerly Texas Utilities Generating Co.) 88/07/13. Document Control Branch (Document Control Desk) 3pp. 46215 283-46215 285

#### T. Hearing transcripts on non-arbitrational matters

8807180363 Forwards transcript of 880623 meeting between UICASE & J Doyle re corrective actions program  
MALLOY,M. Ofc of Special Projects 88/07/07. Ofc of Special Projects 4pp. 46198 127-46198 286

-8807180366 Transcript of 880623 public meeting w/UICASE & J Doyle re upper lateral restraint & HVAC  
\* TU Electric (formerly Texas Utilities Generating Co.) 88/08/23. 152pp 46198 133-46198 286

8807200336 Transcript of 880713 hearing in Dallas, TX Pp 25 187-25, 235.  
\* Atomic Safety and Licensing Board Panel 88/07/13. 110pp 46207 215-46207 325.

#### DOCKET 6TN-50-454 BYRON STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807190337 Forwards Rev 25 to security plan. Encl withheld (ref ICCF#73 21)  
BLISS,H.E. Commonwealth Edison Co. 88/07/14. Document Control Branch (Document Control Desk). 1p. 46215 341-46215 341.

#### P. Operating license stage documents & correspondence

8807120376 Forwards request for addl info re 880302 request for amend to Tech Spec that would reduce containment tendon design stresses. Response requested within 60 days  
OLSHAN,L. Project Directorate III-2. 88/06/22. BLISS,H. Commonwealth Edison Co. 6pp. 46112 001-46112 006.

8807130290 Application for amendments to Licenses NPF-37 & NPF-66, revising Tech Spec action statement re ultimate heat sink. Fee paid.  
AINGER,K.A. Commonwealth Edison Co. 88/08/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46170 274-46170 278

-8807130292 Proposed Tech Specs, revising action statement re ultimate heat sink.  
\* Commonwealth Edison Co. 88/06/22. 4pp. 46170 276-46170 279.

8807010160 Confirms 880816 plans re 880718 meeting w/UIC at Region III o/c to discuss several engineering issues associated w/ plants.  
GREENMAN,E.G. Region 3, O/c of the Director. 88/08/24. REED,C. Commonwealth Edison Co. 2pp. 46009 058-46009 059.

8807110368 Forwards request for addl info to determine if electrical distribution systems meets GDC-17. Question results from licensee response to 871007 loss of offsite power event. Response within 30 days of receipt of letter requested.  
OLSHAN,L. Project Directorate III-2. 88/06/27. BLISS,H. Commonwealth Edison Co. 6pp. 46100 108-46100 112.

8807130001 Forwards Amends 19 to Licenses NPF-37 & NPF-66 & safety evaluation. Amends change Tech Specs to reduce composition of onsite nuclear safety group from four to three members.  
OLSHAN,L.N. Project Directorate III-2. 88/07/01. BLISS,H.E. Commonwealth Edison Co. 3pp. 46169 209-46169 219.

-8807130002 Amends 19 to Licenses NPF-37 & NPF-66, changing Tech Specs to reduce composition of onsite nuclear safety group from four to three members.  
NORRHOLM,L.J. Project Directorate III-2. 88/07/01. 6pp. 46169 212-46169 217.

-8807130004 Safety evaluation supporting Amends 19 to Licenses NPF-37 & NPF-66.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/01. 2pp. 46169 218-46169 219.

8807190004 Notice of consideration of issuance of amendments to Licenses NPF-37 & NPF-66 & proposed NSHC determination & opportunity for hearing. Amends revise action statement re UHS to state that provisions of Spec 3.0.4 do not apply.  
OLSHAN,L.N. Project Directorate III-2. 88/07/01. 8pp. 46209 259-46209 268.

8807180179 Forwards Rev 4 to, "ATWS Mitigation Sys Specific Design for Byron/Bradwood Stations"  
CHIRZANOWSKI,R. Commonwealth Edison Co. 88/07/06. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 29pp. 46195 063-46195 091

-8807180221 Rev 4 to, "ATWS Mitigation Sys Specific Design for Byron/Bradwood Stations"  
\* Sergeant & Lundy, Inc. 88/05/31. 27pp. 46195 085-46195 091

8807120100 Forwards Rev 51 changes to QA program. Topical Rept CE-1-A dtd 880707 Rev made to reflect organization changes, to provide addl organization position description & identification to change commitment to ANSI/ASME NQA-1  
MORGAN,W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46156 048-46156 075

-8807180205 Rev 51 to licensee QA Program Topical Rept CE-1-A  
SHEWSKI,W.J. Commonwealth Edison Co. CE-1-A R51. 88/07/07. 25pp. 46156 051-46156 075.

8807210083 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-77, removing fixed Fxy limits in Tech Spec 4.2.2.2. Fee paid.  
CHIRZANOWSKI,R. Commonwealth Edison Co. 88/07/11. MURLEY,T.E. Document Control Branch (Document Control Desk) 2pp. 46235 121-46235 130.

-8807210089 Proposed Tech Specs, removing fixed Fxy limits in Spec 4.2.2.2 & substituting requirement to submit Fxy limits to NRC  
\* Commonwealth Edison Co. 88/07/11. 8pp. 46235 124-46235 130

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.98 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 237-46257 257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 156-45978 266.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46240 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46018 037-46018 152.

8806210036 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device In Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses In Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46019 018.

8807120114 Provides supplemental response to NRC Bulletin 88-001 re Westinghouse Series DS circuit breakers. Three reactor trip breakers failing to meet acceptance criteria in bulletin listed.  
MORGAN,W.E. Commonwealth Edison Co. 88/06/27. DAVIS,A.B. Region 3, O/c of the Director. 2pp. 46141 351-46141 352.

8806300347 NRC Info Notice 88-045, "Problems In Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/09. Consolidated Edison Co. of New York, Inc. 107pp. 46231 281-46231 027.

8807250015 Informs that addl info submitted to IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings," now acceptable.  
GREENMAN,E.G. Region 3, O/c of the Director. 88/07/08. REED,C. Commonwealth Edison Co. 2pp. 46273 182-46273 183.

8807200195 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate minflow capacity.  
MORGAN,W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228 182-46228 211

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 008-46242 108

8807060368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.



8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Salvageable Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 110pp. 46257-258-46258-016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-008-46257-208.

#### R. Periodic operating reports & related correspondence

8807080084 Monthly operating reports for Apr 1988 for Byron Station Units 1 & 2 W/ 880510 ltr.  
SPITZER, D.J., PLENIEWICZ, R. Commonwealth Edison Co. 88/04/30. 14pp. 46134-095-46134-108.

#### V. Operator Examinations

8807120095 Forwards draft Rev 6 to ES 601, "Administration of NRC Recalculation Program Evaluations." W/o encl.  
WRIGHT, G.C. Region 3, Oic of the Director. 88/00/23. CHERNICK, A.J. Commonwealth Edison Co. 1p. 46148-352-46148-352.

#### DOCKET STN-60-455 BYRON STATION, UNIT 2

#### F. Security, medical, emergency & fire protection plans

8807190337 Forwards Rev 26 to security plan/encl withheld (ref 10CFR73.21).  
BLISS, H.E. Commonwealth Edison Co. 88/07/14. Document Control Branch (Document Control Desk). 1p. 46215-341-46215-341.

#### P. Operating license stage documents & correspondence

8807120376 Forwards request for add'l info re 880302 request for amend to Tech Spec that would reduce containment function design stresses. Response requested within 60 days.  
OLSHAN, L. Project Directorate III-2. 88/06/22. BLISS, H. Commonwealth Edison Co. 6pp. 46112-001-46112-006.

8807130290 Application for amendments to Licenses NPF-37 & NPF-66, revising Tech Spec action statement re ultimate heat sink. Four paid.  
MORAN, W.E. Commonwealth Edison Co. 88/06/22. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46170-274-46170-278.

-8807130292 Proposed Tech Specs, revising action statement re ultimate heat sink.  
\* Commonwealth Edison Co. 88/06/22. 4pp. 46170-276-46170-278.

8807010160 Confirms 880610 plans re 880718 meeting w/ull at Region III oic to discuss several engineering issues associated w/ plants.  
GREENMAN, E.G. Region 3, Oic of the Director. 88/06/24. REED, C. Commonwealth Edison Co. 2pp. 46009-058-46009-059.

8807110366 Forwards request for add'l info to determine if electrical distribution systems GDC-17. Question results from licensee response to 871007 loss of offsite power event. Response within 30 days of receipt of ltr requested.  
OLSHAN, L. Project Directorate III-2. 88/06/27. BLISS, H. Commonwealth Edison Co. 5pp. 46100-108-46100-112.

8807130001 Forwards Amends 10 to Licenses NPF-37 & NPF-66 & safety evaluation Amends change Tech Specs to reduce composition of onsite nuclear safety group from four to three members.  
OLSHAN, L. Project Directorate III-2. 88/07/01. BLISS, H.E. Commonwealth Edison Co. 3pp. 46169-209-46169-210.

-8807130002 Amends 10 to Licenses NPF-37 & NPF-66, changing Tech Specs to reduce composition of onsite nuclear safety group from four to three members.  
NORRIS, L.M. Project Directorate III-2. 88/07/01. 6pp. 46169-212-46169-217.

-8807130004 Safety evaluation supporting Amends 10 to Licenses NPF-37 & NPF-66.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/01. 2pp. 46169-218-46169-219.

8807190004 Notice of consolidation of issuance of amendments to Licenses NPF-37 & NPF-66 & proposed NSIC determination & opportunity for hearing. Amends revise action statement re UHS to state that provisions of Spec 3.0.4 do not apply.  
OLSHAN, L. Project Directorate III-2. 88/07/01. 8pp. 46200-260-46200-266.

8807180179 Forwards Rev 4 to, "ATWS Mitigation Sys Specific Design for Byron/Braidwood Stations."  
CHERNICK, A.J. Commonwealth Edison Co. 88/07/08. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 20pp. 46195-063-46195-091.

-8807180221 Rev 4 to, "ATWS Mitigation Sys Specific Design for Byron/Braidwood Stations."  
\* Sergeant & Lundy, Inc. 88/05/31. 27pp. 46195-085-46195-091.

8807120100 Forwards Rev 51 changes to QA program Topical Rept CE-1-A did 880707. Rev made to reflect organization changes, to provide add'l organization position description & identification to change commitment to ANSI/ASME NQA-1.  
MORAN, W.E. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46156-048-46156-076.

-8807190205 Rev 51 to licensee QA Program Topical Rept CE-1-A.

8807210083 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-77, removing fixed Fxy limits in Tech Spec 4.2.2.2.e. Fee paid.  
CHERNICK, A.J. Commonwealth Edison Co. 88/07/11. MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp. 46235-121-46235-130.

-8807210089 Proposed Tech Specs, removing fixed Fxy limits in Spec 4.2.2.2.e & substituting requirement to submit Fxy limits to NRC.  
\* Commonwealth Edison Co. 88/07/11. 8pp. 46235-124-46235-130.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.80 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

8807280338 Requests that 880622 amend application re UHS be processed under emergency provisions of 10CFR50.81a(5) for OL NPF-66. Request based on discussed 880714 breaker event.  
LENTINE, F.G. Commonwealth Edison Co. 88/07/14. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 46255-243-46255-245.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130166 NRC Info Notice 88-039, "Leakage Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-158-45978-266.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019-037-46019-152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device In Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807120114 Provides supplemental response to NRC Bulletin 88-001 re Westinghouse Series DS circuit breakers. Three reactor trip breakers failing to meet acceptance criteria in bulletin listed.  
MORGAN, W.E. Commonwealth Edison Co. 88/06/27. DAVIS, A.B. Region 3, Oic of the Director. 2pp. 46141-351-46141-352.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807080008 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807260015 Informs that add'l info submitted re IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings," now acceptable.  
GREENMAN, E.G. Region 3, Oic of the Director. 88/07/08. REED, C. Commonwealth Edison Co. 2pp. 46273-182-46273-183.

8807200196 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate m/f flow capacity.  
MORGAN, W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228-182-46228-211.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-008-46242-108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120560 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Salvageable Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005.

8807120563 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.

#### R. Periodic operating reports & related correspondence

8807080084 Monthly operating reports for Apr 1988 for Byron Station Units 1 & 2 W/ 880510 ltr  
SPITZER D.J., PLEN EWICZ R. Commonwealth Edison Co 88/04/30. 14pp.  
46134 095-46134 108

#### S. Reportable occurrences, LERs & related correspondence

8836300205 LER 88-008 C/C on 880602 reactor trip due to control rod drop caused by inter-then component failure in rod drive sys. No root cause determined. All degraded tubes identified in rod drive power cabinets & replaced W/880621 ltr.  
BRADLE D., PLEN EWICZ R. Commonwealth Edison Co 88/06/21. 5pp. 46009.031-46009.035

8807080213 LER 88-007 C/C on 880603 operator could not open preheater bypass valve to steam generator C. Caused by valve failure inhibiting feedwater flow disturbance. All licensed operators required to read LER W/880630 ltr.  
BRADLE D., PLEN EWICZ R. Commonwealth Edison Co 88/08/30. 4pp. 46140.023-46140.026

8807140226 LER 87-012-01 on 870730 diesel generator failed to reach rated speed within required time limit. On 870731 diesel generator 2B tripped on turbocharger thrust bearing failure. Caused by normal wear. Turbocharger replaced W/880706 ltr.  
JOYCE T., PLEN EWICZ R. Commonwealth Edison Co 88/07/06. 5pp. 46178.273-46178.277

#### V. Operator Examinations

8807120095 Forwards draft Rev 5 to ES 601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT G.C. Region 3, O/C of the Director 88/05/23. CHERNICK A.J. Commonwealth Edison Co 1p. 46148.352-46148.352

#### DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

#### E. NRC Safety Evaluation Report (SER), update & correspondence

8807060087 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF BRAIDWOOD STATION, UNITS 1 AND 2. Docket Nos. 50-456 AND 50-457 (Commonwealth Edison Company)  
\* Division of Reactor Projects - III, IV & Special Projects (Post 870411). NUREG-1002 S06 88/05/30. 29pp. 46002.339-46003.007

#### F. Security, medical, emergency & fire protection plans

8806290477 Rev 10 to Emergency Plan Implementing Procedure BWZP 600-2, "Station Employee List."  
WILFREY D. Commonwealth Edison Co 88/06/10. 19pp. 45997.003-45997.021.

8807060172 Revised emergency plan implementing procedures, including Rev 4 to BWZP 100-11, "Operational Support Ctr (OSC) Supervisor Implementing Procedure" & Rev 5 to BWZP 500-4, "Operational Support Ctr Inventory."  
\* Commonwealth Edison Co. 88/06/15. 49pp. 46116.048-46116.096

8807060258 Rev 5 to Emergency Plan Implementing Procedure BWZP 500-5, "Technical Support Ctr Inventory" & Rev 8 to BWZP 500-5A1, "App A Technical Support Ctr Inventory Checklist."  
WILFREY D. Commonwealth Edison Co 88/06/21. 7pp. 46117.335-46117.341.

8807060325 Forwards Safeguards Insp Repts 50-456/88-18 & 50-457/88-18 on 880606-21. No violations noted. Encl. with Ltr (10CFR73.21).  
MALLET, B.S. Region 3, O/C of the Director 88/06/29. REED, C. Commonwealth Edison Co. 3pp. 46115.156-46115.159.

8807060326 Partially withheld Insp Repts 50-456/88-18 & 50-457/88-18 on 880606-10 & 0614.21. No violations noted. Major areas inspected: mgmt effectiveness, security organization & program audit records & repts & physical barriers.  
MADEA, T.J., DROUIN, B., CREED, J.R. Region 3, O/C of the Director 88/06/28. 1p. 46115.159-46115.159

8807120064 Forwards Safeguards Insp Repts 50-456/88-20 & 50-457/88-20 on 880620. Violations noted. Notice of violation will be provided under separate correspondence.  
NOELIUS, C.E. Region 3, O/C of the Director 88/07/01. REED, C. Commonwealth Edison Co. 2pp. 46154.215-46154.217

8807120070 Partially withheld Physical Security Insp Repts 50-456/88-20 & 50-457/88-20 on 880620 (rel 10CFR2.780). Violations noted. Major areas inspected: compensatory measures & access control & incident involving inattentiveness of security officers.  
MADEA, T.J., CREED, J.R., MALLET, B.S. Region 3, O/C of the Director 88/07/01. 1p. 46154.217-46154.217

#### P. Operating license stage documents & correspondence

8807050517 Forwards AEO Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector," for consideration due to recent events at Braidwood Unit 1.  
ROSENTHAL, J.E. Reactor Operations Analysis Branch. 88/06/23. BERLINGER, C.H. Generic Communications Branch. 2pp. 45998.060-45998.066

8807050528 Forwards AEO Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector." Events where recovery of stuck detector & clearing of thimble tubes led to personnel hazard, discussed.  
WEGNER, M.S. Reactor Operations Analysis Branch. 88/06/23. ROSENTHAL, J.E. Reactor Operations Analysis Branch. 1p. 45998.062-45998.062

8807050550 Technical Review Rept T809, "Blocked Thimble Tubes/Stuck Incore Detector."  
\* Office for Analysis & Evaluation of Operational Data, Director. 88/06/15. 4pp. 45998.063-45998.066

8807010160 Confirms 880616 plans re 880718 meeting w/utl at Region III o/c to discuss several engineering issues associated w/ plans.  
GREENMAN, E.G. Region 3, O/C of the Director. 88/06/24. REED, C. Commonwealth Edison Co. 2pp. 46009.058-46009.059.

8807110388 Forwards request for addl info to determine if electrical distribution sys meets GDC-17. Question results from licensee response to 871007 loss of offsite power event Response within 30 days of receipt of ltr requested.  
OLSHAN, L. Project Directorate III-2. 88/06/27. BLISS, H. Commonwealth Edison Co. 5pp. 46100.108-46100.112

8807120273 Informs that Affiliation Rm 88-A-009 re availability of QA procedures to contractor employees closed.  
GREENMAN, E.G. Region 3, O/C of the Director 88/07/05. REED, C. Commonwealth Edison Co. 2pp. 46143.285-46143.285.

8807120365 Submits addl info re contractor & util instrument technician work on QA manual & work request program.  
HUNSAKER, S.C. Commonwealth Edison Co. 88/06/21. DAVIS, A.B. Region 3, O/C of the Director. 2pp. 46143.292-46143.293.

8807120371 Discusses onsite investigation into allegations re availability of QA procedures to contractor employees. No evidence identified that appropriate procedures not available to contractor technicians.  
HUNSAKER, S.C. Commonwealth Edison Co. 88/06/28. DAVIS, A.B. Region 3, O/C of the Director. 2pp. 46143.294-46143.295.

8807180179 Forwards Rev 4 to, "ATWS Mitigation Sys Specific Design for Byron/Braidwood Stations."  
CHYZANOWSKI, R. Commonwealth Edison Co. 88/07/06. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 29pp. 46195.063-46195.091.

8807180221 Rev 4 to, "ATWS Mitigation Sys Specific Design for Byron/Braidwood Stations."  
\* Sargent & Lundy, Inc. 88/05/31. 27pp. 46195.085-46195.091

8807120100 Forwards Rev 51 changes to QA program. Topical Rept CE-1-A cis 880707. Rev made to reflect organization changes, to provide addl organization position description & identification to change commitment to ANSI/ASME NQA-1.  
MORGAN, W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46156.048-46156.075.

8807190205 Rev 51 to licensee QA Program Topical Rept CE-1-A.  
SHEWSKI, J.R. Commonwealth Edison Co. CE-1-A R51. 88/07/07. 25pp. 46156.051-46156.075.

8807210063 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-77, re moving fixed Fxy limits in Tech Spec 4.2.2.2.0. Foo para.  
CHYZANOWSKI, R. Commonwealth Edison Co. 88/07/11. MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp. 46235.121-46235.130

8807210089 Proposed Tech Specs removing fixed Fxy limits in Spec 4.2.2.2.0 & s.s. stipulating requirement to submit Fxy limits to NRC.  
\* Commonwealth Edison Co. 88/07/11. 8pp. 46235.124-46235.130

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc ltr & Rev 2 to Reg Guide 1.00 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/05/15. Consolidated Edison Co. of New York, Inc. 110pp. 45970.156-45970.268.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BH-0122 & svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019.037-46019.152.

8806290019 Forwards Safety Insp Repts 50-456/88-17 & 50-457/88-17 on 880524-26 & 0531-0802 & notice of violation.  
SHAFFER, W.D. Region 3, O/C of the Director. 88/06/22. REED, C. Commonwealth Edison Co. 2pp. 45987.243-45987.254.

8806290027 Notice of violation from Insp on 880524-26 & 0531-0802. Violations noted: germanium detectors used to demonstrate compliance w/ Tech Specs improperly calibrated using noncertified radioactive sources.  
SHAFFER, W.D. Region 3, O/C of the Director. 88/06/22. 1p. 45987.245-45987.245.

8806290033 Insp Repts 50-456/88-17 & 50-457/88-17 on 880524-26 & 0531-0802. No deviations noted. Violation noted: Major areas inspected: plant chemistry organization, mgmt controls, QA & conformity measurements for plant radioactive analyses.  
JANUSKA, A.G., BOCANEGRA, R., SCILUMACHER, M.C. Region 3, O/C of the Director 88/06/21. 8pp. 45987.248-45987.264.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc ltr encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019.153-46019.265

8807120114 Provides supplemental response to NRC Bulletin 88-001 re Westinghouse Series DS circuit breakers. Three reactor trip breakers failing to meet acceptance criteria in Bulletin listed.  
MORGAN, W. Commonwealth Edison Co. 88/06/27. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 46141 351-46141 352

8807060378 Confirms 880718 enforcement conference in Glen Elder, IL to discuss importance of security guard effectiveness.  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/06/28. REED, C. Commonwealth Edison Co. 2pp. 46103 287-46103 288

8807060325 Forwards Safeguards Insp Repts 50-456/88-18 & 50-457/88-18 on 880620. No violations noted. Ref withheld (ref 10CFR147.21).  
MALLET, B.S. Region 3, Ofc of the Director. 88/06/28. REED, C. Commonwealth Edison Co. 3pp. 46116 158-46116 159

-8807060326 Partially withheld Insp Repts 50-456/88-18 & 50-457/88-18 on 880620. No violations noted. Major areas inspected mgt effectiveness, security organization & program and records & repts & physical barriers.  
MAEDA, T.J., CHILDS, J.R. Region 3, Ofc of the Director. 88/06/28. 1p. 46115 159-46115 159

8807120084 Forwards Safeguards Insp Repts 50-456/88-20 & 50-457/88-20 on 880620. Violations noted. Notice of violation will be provided under separate correspondence.  
NORRIS, C.E. Region 3, Ofc of the Director. 88/07/01. REED, C. Commonwealth Edison Co. 2pp. 46154 215-46154 217

-8807120070 Partially withheld Physical Security Insp Repts 50-456/88-20 & 50-457/88-20 on 880620. No violations noted. Major areas inspected mgt effectiveness, security organization & program and records & repts & physical barriers.  
MAEDA, T.J., CHILDS, J.R., MALLET, B.S. Region 3, Ofc of the Director. 88/07/01. 1p. 46154 217-46154 217

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." See list and.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/02. Consolidated Edison Co. of New York, Inc. 104pp. 46242 101-46242 212

8807080008 NRC Info Notice 88-048, "Unusual Rept of Defective Relucted Circuit Breakers." See list and.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/09. Consolidated Edison Co. of New York, Inc. 107pp. 46231 201-46231 027

8807200100 Responds to NRC Bulletin 88-004 re potential for dead ending of one or more prongs in safety related app & potential for inadequate in-flow capacity.  
MORGAN, W. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228 182-46228 211

8807210212 Accepts 880502 response to 880421 request for add info re response to Action Item of R. Bulletin 88-001, "Motor Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings".  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/07/11. REED, C. Commonwealth Edison Co. 2pp. 46234 174-46234 175

8807120291 NRC Info Notice 88-040, "Unusual Rept of Defective Relucted Valves." See list and.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 086-46242 108

8807080380 NRC Info Notice 88-047, "Slower Than Expected Rod Drop Times." See list and.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324

8807120550 NRC Info Notice 88-040, "Marking Handling, Control, Storage & Destruction of Safeguards Info." See list and.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46241 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." See list and.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257 258-46258 016

8807180101 NRC Info Notice 88-051, "Factors of MSVs." See list and.  
ROSS, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 080-46257 200

## R. Periodic operating reports & related correspondence

8807070593 Monthly operating repts for May 1988 for Bradwood Units 1 & 2. W/880810.  
PETERSON, M.W., QUERIO, R.E. Commonwealth Edison Co. 88/05/31. 20pp. 46124 273-46124 292

## S. Reportable occurrences, LERs & related correspondence

8807110452 LER 88-013-00 on 880609. Station chemist informed that four release tank samples missing. Caused by programmatic deficiency. Samples will be kept in locked storage cabinet. W/880701.  
CROHN, J.B., QUERIO, R.E. Commonwealth Edison Co. 88/06/30. 4pp. 46138 358-46138 359

## E. NRC Safety Evaluation Report (SER), supp & correspondence

8807080087 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF BRAIDWOOD STATION. UNITS 1 AND 2. Docket Nos. 50-456 And 50-457 (Commonwealth Edison Company).  
\* Division of Reactor Projects - RIV & Special Projects (Post 870411). NUREG-1002 S00. 88/06/30. 28pp. 46032 338-46032 007

## F. Security, medical, emergency & fire protection plans

8806290477 Rev 10 to Emergency Plan Implementing Procedure BWZP 600-2, "Station Employee List".  
WINFREY, D. Commonwealth Edison Co. 88/06/10. 10pp. 45987 003-45987 021

8807080172 Revised emergency plan implementing procedures, including Rev 4 to BwZP 100-11, "Operational Support Cir (OSC) Supervisor Implementing Procedure" & Rev 5 to BwZP 500-4, "Operational Support Cir Inventory".  
\* Commonwealth Edison Co. 88/06/15. 49pp. 46116 048-46116 098

8807080258 Rev 5 to Emergency Plan Implementing Procedure BwZP 500-5, "Technical Support Cir Inventory" & Rev 8 to BwZP 503-5A1, "App A Technical Support Cir Inventory Checklist".  
WINFREY, D. Commonwealth Edison Co. 88/06/21. 7pp. 46117 335-46117 341

8807080325 Forwards Safeguards Insp Repts 50-456/88-18 & 50-457/88-18 on 880620. No violations noted. Encl withheld (ref 10CFR73.21).  
MALLET, B.S. Region 3, Ofc of the Director. 88/06/29. REED, C. Commonwealth Edison Co. 3pp. 46115 156-46115 159

-8807060326 Partially withheld Insp Repts 50-456/88-18 & 50-457/88-18 on 880620. No violations noted. Major areas inspected mgt effectiveness, security organization & program and records & repts & physical barriers.  
MAEDA, T.J. Region 3, Ofc of the Director. 88/06/28. 1p. 46115 159-46115 159

8807120084 Forwards Safeguards Insp Repts 50-456/88-20 & 50-457/88-20 on 880620. Violations noted. Notice of violation will be provided under separate correspondence.  
NORRIS, C.E. Region 3, Ofc of the Director. 88/07/01. REED, C. Commonwealth Edison Co. 2pp. 46154 215-46154 217

-8807120070 Partially withheld Physical Security Insp Repts 50-456/88-20 & 50-457/88-20 on 880620. No violations noted. Major areas inspected. Compensatory measures & access control & incident involving infiltration of security officers.  
MAEDA, T.J. Region 3, Ofc of the Director. 88/07/01. 1p. 46154 217-46154 217

## P. Operating license stage documents & correspondence

8808300346 Confirms 880630 meeting w/util in Region III ofc to discuss startup testing performance at completion of 50% power test, per 880620 action.  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/06/23. REED, C. Commonwealth Edison Co. 2pp. 45997 198-45997 109

8807010180 Confirms 880618 plans re 880718 meeting w/util at Region III ofc to discuss several engineering issues associated w/ plants.  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/06/24. REED, C. Commonwealth Edison Co. 2pp. 46009 058-46009 059

8807110388 Forwards request for add info to determine if electrical distribution systems GDC-17. Question results from licensee response to 871007 loss of off-site power event. Response within 30 days of receipt of request.  
OLSHAN, L. Project Directorate III-2. 88/06/27. OLISH, H. Commonwealth Edison Co. 6pp. 46100 108-46100 112

8807120273 Informs that Allegation RII-88-A-009 re availability of QA procedures to contractor employees closed.  
GREENMAN, E.G. Region 3, Ofc of the Director. 88/07/05. REED, C. Commonwealth Edison Co. 2pp. 46143 285-46143 295

-8807120385 Submits add info re contractor & util instrument technician work on QA manual & work request program.  
HUNSADER, S.C. Commonwealth Edison Co. 88/06/21. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 46143 292-46143 293

-8807120371 Discusses onsite investigation into allegations re availability of QA procedures to contractor employees. No evidence identified that appropriate procedures not available to contractor technicians.  
HUNSADER, S.C. Commonwealth Edison Co. 88/06/28. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 46143 294-46143 295

8807180179 Forwards Rev 4 to, "ATWS Mitigation Sys Specific Design for Byron/Bradwood Stations".  
CHIRZANOWSKI, R. Commonwealth Edison Co. 88/07/08. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 29pp. 46195 063-46195 091

-8807180221 Rev 4 to, "ATWS Mitigation Sys Specific Design for Byron/Bradwood Stations".  
\* Sargent & Lundy, Inc. 88/05/31. 27pp. 46195 085-46195 091

8807120100 Forwards Rev 51 changes to QA program. Topical Rept CE-1-A dtd 880707. Rev may be used to reflect organization changes to provide add organization position description & identification to change commitment to ANSI/ASME NQA-1.  
MORGAN, W. Commonwealth Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46156 048-46156 075

-8807190205 Rev 51 to licensee QA Program Topical Rept CE-1-A.  
SHEWSKI, J. Commonwealth Edison Co. CE-1-A R51. 88/07/07. 25pp. 46158 051-46158 075

8807210063 Application for amendments to Licenses NPF-37, NPF-66, NPF-72 & NPF-77, re-moving fixed Fry Limits in Tech Spec 4.2.2.2 & Fee paid  
CHRZAR, QWSKI R. Commonwealth Edison Co. 88/07/11. MURLEY, T.E. Document Control Branch (Document Control Desk). 2pp. 46235 124-46235 130

-8807210069 Proposed Tech Specs, re-moving fixed Fry Limits in Spec 4.2.2.2 & substituting requirement to submit Fry Limits to NRC  
Commonwealth Edison Co. 88/07/11. 8pp. 46235 124-46235 130.

8807130454 General Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation environment of reactor vessel walls & impact on plant operators. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257 207-46257 257.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 158-45978 268.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152.

8806290019 Forwards Safety Insp Repts 50-456/88-17 & 50-457/88-17 on 880524-26 & 0531-0802 & notice of violation  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/08/22. REED, C. Commonwealth Edison Co. 2pp. 45987 243-45987 254.

-8806290027 Notice of violation from insp on 880524-26 & 0531-0802. Violations noted germanium detectors used to demonstrate compliance w/ Tech Specs improperly calibrated using noncertified radioactive sources  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/08/22. 45987 245-45987 245.

-8806290033 Insp Repts 50-456/88-17 & 50-457/88-17 on 880524-26 & 0531-0802. No deviations noted. Violation noted: Major areas inspected: plant chemistry organization, mgmt controls, QA & confirmatory measurements for plant radiochemical analyses.  
JANUSKA, A.G., BOCANEGRA, R., SCHUMACHER, M.C. Region 3, Ofc of the Director. 88/06/21. 9pp. 45987 246-45987 254.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265.

8806240139 Suppl 1 to NRC Bulletin 88-009, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018.

8807120114 Provides supplemental response to NRC Bulletin 88-001 re Westinghouse Series DS circuit breakers. Three reactor trip breakers failing to meet acceptance criteria in bulletin listed.  
MORGAN, W.E. Commonwealth Edison Co. 88/06/27. DAVIS, A.B. Region 3, Ofc of the Director. 2pp. 46141 351-46141 352.

8807060378 Confirms 880718 enforcement conference in Glen Ellyn, IL to discuss instances of security guard inattentiveness.  
GREEMAN, E.G. Region 3, Ofc of the Director. 88/08/28. REED, C. Commonwealth Edison Co. 2pp. 46103 287-46103 288.

8807080325 Forwards Safeguards Insp Repts 50-456/88-18 & 50-457/88-18 on 880806-21. No violations noted. Encl withheld (ref 10CFR73.21).  
MALLET, B.S. Region 3, Ofc of the Director. 88/06/28. REED, C. Commonwealth Edison Co. 3pp. 46115 156-46115 159.

-8807080326 Partially withheld Insp Repts 50-456/88-18 & 50-457/88-18 on 880808-10 & 0614-21. No violations noted. Major areas inspected: mgmt effectiveness, security organization & program audit, records & repts & physical barriers.  
MADEIRA, T.J., DROUIN, B., CREED, J.R. Region 3, Ofc of the Director. 88/08/28. 1p. 46115 159-46115 159.

8807120064 Forwards Safeguards Insp Repts 50-456/88-20 & 50-457/88-20 on 880620. Violations noted. Notice of violation will be provided under separate correspondence.  
NORELIUS, C.E. Region 3, Ofc of the Director. 88/07/01. REED, C. Commonwealth Edison Co. 2pp. 46154 215-46154 217.

-8807120070 Partially withheld Physical Security Insp Repts 50-456/88-20 & 50-457/88-20 on 880620 (ref 10CFR2.790). Violations noted. Major areas inspected: compensatory measures & access control & incident involving inattentiveness of security officers.  
MADEIRA, T.J., CREED, J.R., MALLET, B.S. Region 3, Ofc of the Director. 88/07/01. 1p. 46154 217-46154 217.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 109-46242 212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231 261-46232 027.

8807200186 Responds to NRC Bulletin 88-004 re potential for deadheading of one or more pumps in safety-related sys & potential for inadequate minflow capacity.  
MORGAN, W.E. Commonwealth Edison Co. 88/07/11. Document Control Branch (Document Control Desk). 30pp. 46228 182-46228 211.

8807210212 Accepts 880502 response to 880321 request for additional response to Action Item 6 of IE Bulletin 85-003, "Motor-Operated Valve Common Mode Failures During Plant Transients Due to Improper Switch Settings."  
GREENEVANE, G. Region 3, Ofc of the Director. 88/07/11. REED, C. Commonwealth Edison Co. 2pp. 46234 174-46234 175.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/19. Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257 258-46258 016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257 086-46257 206.

#### R. Periodic operating reports & related correspondence

8807070593 Monthly operating repts for May 1988 for Braidwood Units 1 & 2 W/880610 ltr.  
PETERSON, M.W., QUERIO, R.E. Commonwealth Edison Co. 88/05/31. 20pp. 46124 273-46124 292.

#### S. Reportable occurrences, LERs & related correspondence

8807080527 LER 88-009-00 on 880530, manual reactor trip due to inoperable rod control sys. Caused by failure of miscellaneous electric room (MER) ventilation fan temporary cooling fans installed in MER W/880623 ltr.  
WIEGAND, C.M., QUERIO, R.E. Commonwealth Edison Co. 88/06/14. 4pp. 46109 226-46109 229.

8807080521 LER 88-010-00 on 880531, documentation for performance of Surveillance DS 2.2.2-1 unit dc bus bar trip operability weekly surveillance could not be located. Caused by personnel error. Search conducted & event reviewed W/880627 ltr.  
ROBISON, D.L., QUERIO, R.E. Commonwealth Edison Co. 88/06/23. 4pp. 46074 065-46074 066.

8807120309 LER 88-011-00 on 880607, reactor shutdown upon receipt of notification that environ qualification documents for motor operator on High Isolation valve 2SIB809B could not be found. Motor replaced W/880706 ltr.  
ZAPINSKI, S.M., QUERIO, R.E. Commonwealth Edison Co. 88/08/30. 4pp. 46146 037-46146 100.

#### V. Operator Examinations

8807120289 Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations."  
WRIGHT, G.C. Region 3, Ofc of the Director. 88/08/29. MCGEE, B. Commonwealth Edison Co. 1p. 46148 001-46148 348.

-8807120299 Draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations."  
NRC - No Detailed Affiliation Given. 88/10/01. 347pp. 46149 002-46149 348.

#### DOCKET 50-456 RIVER BEND STATION, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807120061 Forwards response to violations noted in Insp Rept 50-456/88-09 re detection aids, bullet-resistant structure & compensatory measures Encl withheld (ref 10CFR73.21).  
DEDDENS, J.C. Gulf States Utilities Co. 88/07/06. Document Control Branch (Document Control Desk). 2pp. 46148 342-46148 343.

8807130289 Forwards FEMA evaluation of plant prompt alert & notification sys confirming that requirements satisfied per NUREG-0654/FEMA-REP-1, Rev 1 & FEMA-REP-10.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/06. DEDDENS, J.C. Gulf States Utilities Co. 2pp. 46167 001-46167 242.

8807190341 Forwards Insp Rept 50-456/88-15 on 880613-17. No violations or deviations noted.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/08. DEDDENS, J.C. Gulf States Utilities Co. 2pp. 46214 006-46214 014.

-8807190343 Insp Rept 50-456/88-15 on 880613-17. No violations or deviations noted. Major areas inspected: fire protection/prevention program & implementation.  
SINGH, A. Region 4, Ofc of the Director. 88/07/08. 7pp. 46214 008-46214 014.

## H. General correspondence

- 8807110389 Discusses steps taken by licensee to correct conditions at plant re prompt notification sys & potential for release of contaminated water from condensate storage tank in response to 880523 Ltr forwarding SM Irving Ltr  
STELLOV, C of the Executive Director for Operations 88/06/27 BREAUX, J. Senate 6pp 46100.113-46103.123
- 8807110408 Requests investigation of SM Irving comments & to provide rpt re recent incidents at facility involving inadvertent activation of prompt notification sys & break in tank containing sodium hypochlorite  
BREAUX, J. Senate 88/05/23 MURLEY, T. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp 46100.119-46100.123

## P. Operating license stage documents & correspondence

- 8807110623 Application for amend to License NPF-47 revising Tech Spec 6.8.4 d due to proposed changes to passive clam control program Fee paid  
DEDDENS, J.C. Gulf States Utilities Co. 88/06/21. Document Control Branch (Document Control Desk) 8pp. 46017.041-46017.049
- 8807110624 Proposed Tech Spec 6.8.4 d re passive clam control program  
\* Gulf States Utilities Co. 88/06/21 1p 46017.049-46017.049
- 8807110344 Application for amend to License NPF-47, facilitating removal of organizational charts from Tech Spec Section 6.0 per Generic Ltr 88-06 Fee paid  
DEDDENS, J.C. Gulf States Utilities Co. 88/06/21. Document Control Branch (Document Control Desk) 7pp 46025.077-46025.090
- 88071105349 Proposed Tech Spec Section 6.0 removing organizational chart per Generic Ltr 88-06  
\* Gulf States Utilities Co. 88/06/21. 7pp 46025.084-46025.090
- 8807110244 Forwards safety eval on accepting review of Generic Ltr 83-28 re on-line functional testing of diverse trip features for plant  
PAULSON, W.A. Project Directorate IV. 88/06/23. DEDDENS, J.C. Gulf States Utilities Co. 3pp 46100.335-46100.339
- 8807110249 Safety eval on accepting Generic Ltr 83-28 re reactor trip sys reliability sys functional testing  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/06/23 2pp. 46103.338-46100.339
- 8807110210 Forwards Amend 25 to License NPF-47 & safety evaluation Amend increases allowable drywell temp to 145 F & area temp for main steam tunnel to 135 F.  
PAULSON, W.A. Project Directorate IV. 88/06/29. DEDDENS, J.C. Gulf States Utilities Co. 3pp 46141.172-46141.180
- 8807110212 Amend 25 to License NPF-47 increasing allowable drywell temp to 145 F & area temp for main steam tunnel to 135 F  
CALVO, J.A. Project Directorate IV. 88/06/29 7pp 46141.175-46141.181
- 8807110090 Safety evaluation supporting Amend 25 to License NPF-47.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/29. 3pp. 46141.182-46141.184
- 8807110221 Supplemental safety evaluation supporting Amend 24 to License NPF-47.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/29 2pp. 46141.185-46141.186
- 8807110142 Advises that first update to rpt re progress of neutron flux monitoring will be provided by 880930.  
BOOKER, J.E. Gulf States Utilities Co. 88/07/08. Document Control Branch (Document Control Desk) 1p 46186.357-46186.357
- 8807110454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation unemployment of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.90 encl.  
MARAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp 46257.207-46257.257
- 8807110142 Forwards safety evaluation accepting util response to Generic Ltr 83-28, "Required Actions Based on Generic Implications of Salem ATWS Events," Items 3.1.1, 3.1.2, 3.2.1 & 3.2.2 re post-maint testing of safety-related components.  
PAULSON, W.A. Project Directorate IV. 88/07/12. DEDDENS, J.C. Gulf States Utilities Co. 3pp 46214.001-46214.005
- 8807110145 Safety evaluation supporting util 840803 & 870922 responses to Generic Ltr 83-28, Items 3.1.1, 3.1.2, 3.2.1 & 3.2.2 re post-maint testing of all safety-related components  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/12. 2pp. 46214.004-46214.005

## O. Inspection reports, IE Bulletins & correspondence

- 8806130166 NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/16. Consolidated Edison Co. of New York, Inc. 110pp 45978.158-45978.286
- 8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams" NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240.325-46241.201
- 8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978.034-45978.155
- 8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp 46019.037-46019.152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp 46019.153-46019.265

8806240139 Suppl 1 to NRC Bulletin 88-008 "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp 46019.266-46020.018

8807070088 Ack receipt of 880601 Ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-458/86-08  
CALLAN, L.J. Region 4, Ofc of the Director. 88/06/28. DEDDENS, J.C. Gulf States Utilities Co. 2pp 46125.228-46125.229

8807120061 Forwards response to violations noted in Insp Rept 50-458/80-09 re detection aids, built-in-resistant structure & compensatory measures Encl without (ref 10CFR73.21)  
DEDDENS, J.C. Gulf States Utilities Co. 88/07/05. Document Control Branch (Document Control Desk) 2pp. 46148.342-46148.343

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 46242.109-46242.212

8807130200 Forwards response to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss" Review of plant records revealed no instance of corrective action due to pump excessive wear attributable to low flow operation A4 event encl.  
BOOKER, J.E. Gulf States Utilities Co. 88/07/07. Document Control Branch (Document Control Desk) 5pp 46164.058-46164.062

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Reluctant Circuit Breakers" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp 46231.281-46231.027

8807190341 Forwards Insp Rept 50-458/88-15 on 880613-17 No violations or deviations noted  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/06. DEDDENS, J.C. Gulf States Utilities Co. 2pp 46214.036-46214.014

8807190343 Insp Rept 50-458/88-15 on 880613-17 No violations or deviations noted. Major areas inspected re protection/prevention program & implementation  
SINGH, A. Region 4, Ofc of the Director. 88/07/06 7pp 46214.008-46214.014

8807121020 Responds to violations noted in Insp Rept 50-458/88-10 on 880411-15 Corrective actions, active radiation work permits (RWP) reviewed, required survey updates ensured & Temporary Change Notice 88-0417 written to replace revised RWP forms  
DEDDENS, J.C. Gulf States Utilities Co. 88/07/11. Document Control Branch (Document Control Desk) 6pp 46233.342-46233.347

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Rebuilt Steam Valves" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242.006-46242.108

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp 46240.222-46240.324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp 46241.263-46242.005

8807120563 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp 46257.258-46258.016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257.086-46257.206

## S. Reportable occurrences, LERs & related correspondence

- 8807010050 LER 88-001-01 on 880101, unit scrammed from 19% power on low reactor water level as result of isolations on both low pressure feedwater heater airings. Probably caused by flashing in level transmitter pots. W/880824 Ltr  
ENGLAND, L.A., BOOKER, J.E. Gulf States Utilities Co. 88/06/24. 4pp 46017.139-46017.142
- 8807060144 Special report on 880531 & 0601, diesel generators 1B & 1A identified as being above Tech Spec 3.4.7.0 limit of 104 F. Cause not yet determined. Safety-related equipment susceptible to thermal aging mechanisms replaced  
BOOKER, J.E. Gulf States Utilities Co. 88/06/24. Document Control Branch (Document Control Desk) 3pp 46103.151-46103.153
- 8807180110 LER 88-011-01 on 880503, torque arm key on containment isolation valve fell out of keyway, rendering valve inoperable. Caused by failure to recognize as found condition of valve key replaced W/890708 Ltr  
ENGLAND, L.A., BOOKER, J.E. Gulf States Utilities Co. 88/07/08. 5pp 46195.045-46195.048
- 8807250102 Special report on 880324, temp in north end of main steam tunnel rose above Tech Spec limit during surveillance test. On 880623, NRC issued Amend 25 to License NPF-47 raising limit for north end of tunnel to 135F  
BOOKER, J.E. Gulf States Utilities Co. 88/07/11. Document Control Branch (Document Control Desk) 2pp 46255.184-46255.185



**DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1**

**A. Application/construction stage documents & correspondence**

**8807080148** Advises that util deferring responses to NRC bulletins & generic ltrs since project placed on extended const delay.  
SORENSEN, G.C. Washington Public Power Supply System 88/06/27. Document Control Branch (Document Control Desk) 2pp 46139 257-46139 258

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257 257

**Q. Adjudicatory correspondence**

**8807110010** Submits 19th quarterly status report re const activities, per 831014 memorandum & order No significant safety-related const activities performed during Second Quarter 1988. Change in level of activity re anticipated W/o stated report.  
REYNOLDS, N.S. Washington Public Power Supply System REYNOLDS, N.S. Bishop, Cook, Purcell & Reynolds #388 6673 88/07/01. BLOCH, P.B., HARBOUR, J., BRIGHT, G.O. Atomic Safety and Licensing Board Panel 1p 46033 231-46033 231.

**Q. Inspection reports, IE Bulletins & correspondence**

**8807080148** Advises that util deferring responses to NRC bulletins & generic ltrs since project placed on extended const delay.  
SORENSEN, G.C. Washington Public Power Supply System 88/06/27 Document Control Branch (Document Control Desk) 2pp 46139 257-46139 258

**DOCKET 50-461 CLINTON POWER STATION, UNIT 1**

**F. Security, medical, emergency & fire protection plans**

**8807190178** Requests that util initiate appropriate investigation & take appropriate action re allegation concerning impact of security supervisory turnover rates at facility. Results of review to be forwarded to NRC within 45 days. Encl withheld.  
NORELIUS, C.E. Region 3, OIC of the Director 88/07/05 GERSTNER, W.C. Illinois Power Co. 2pp. 46214 039-46214 040

**8807200372** Ack receipt of 880321 ltr responding to NRC allegation re inaccurate records provided by union for unescorted access. Ltrs submitted to labor union due to confusion about administrative application procedures.  
NORELIUS, C.E. Region 3, OIC of the Director 88/07/11. GERSTNER, W.C. Illinois Power Co. 2pp 46229 257-46229 260.

**8807200374** Responds to NRC 880204 ltr on allegations re inaccurate work history records.  
SPANGENBERG, F. Illinois Power Co. 88/03/21. DAVIS, A.B. Region 3, OIC of the Director. 2pp 46229-259-46229 260.

**8807190327** Forwards Change 8b to physical security plan. Change located on Page 3-5 of Chapter 3 Change withheld (ref 10CFR73.21).  
SPANGENBERG, F. Illinois Power Co. 88/07/13 Document Control Branch (Document Control Desk) 1p 46220 029-46220 029

**H. General correspondence**

**8807010131** Comment supporting proposed rule 10CFR50 re leak before break (LBB) technology. Believes that extensions of LBB technology to performance requirements for emergency core cooling systems appropriate.  
HALL, D.P. Illinois Power Co. 88/06/07. CHILKS, J. Office of the Secretary of the Commission. 1p 45993 074-45993 074.

**P. Operating license stage documents & correspondence**

**8807130050** Forwards notice of consideration of issuance of amend to License NPF-62 & opportunity for hearing re proposed Tech Spec change for main steam line radiation, high full power background radiation levels & associated trip setpoints.  
STEVENS, J.A. Project Directorate III-2. 88/06/21. SPANGENBERG, F. Illinois Power Co. 3pp. 46169 178-46169 186.

**8807130055** Notice of consideration of issuance of amend to License NPF-62 & proposed NSHC determination & opportunity for hearing. Amend changes Tech Specs re main steam line radiation & high full power background radiation levels.  
NORRHOLM, L.J. Project Directorate III-2. 88/06/21. 5pp 46169 182-46169 186.

**8807120049** Requests that util review encl allegations re radiation protection program & submit results of review & disposition within 45 days of ltr date encl withheld (ref 10CFR2.790).  
NORELIUS, C.E. Region 3, OIC of the Director. 88/07/01. GERSTNER, W.C. Illinois Power Co. 2pp. 46154 213-46154 214.

**8807180056** Forwards util 880706 ltr to Illinois EPA, requesting variance to NPDES permit in accordance w/Section 3.2 of emission protection plan.  
SPANGENBERG, F. Illinois Power Co. 88/07/06. Document Control Branch (Document Control Desk) 17pp 46194 299-46194 315.

**8807130276** Forwards notice of consideration of issuance of amend to License NPF-62 & opportunity for hearing re 880205 request to revise Tech Specs in order to remove requirements for isolating containment monitoring & process sampling sys.  
STEVENS, J.A. Project Directorate III-2. 88/07/07. SPANGENBERG, F. Illinois Power Co. 2pp 46169 244-46169 251.

**8807130276** Notice of consideration of issuance of amend to License NPF-62 & opportunity for hearing re 880205 request to change Tech Specs in order to remove requirements for isolating containment monitoring & process sampling sys.  
NORRHOLM, L.J. Project Directorate III-2. 88/06/08. 6pp 46169 246-46169 251.

**8807180114** Responds to 880405 request for addl info re actions taken or contemplated to improve reliability of seismic instrumentation & of plant earthquake procedures.  
SPANGENBERG, F. Illinois Power Co. 88/07/10. Document Control Branch (Document Control Desk) 5pp 46208 311-46208 315.

**8807210108** Application for amend to License NPF-62, revising Tech Specs 3.0.4.4.0.3 & 4.0.4.4 Tech Spec Basis 3.0.4.0 & 4.0 & deleting Tech Specs statements which presently take exception to Spec 3.04.Fed para.  
HALL, D.P. Illinois Power Co. 88/07/11. Document Control Branch (Document Control Desk) 6pp. 46238 002-46238 050

**8807210115** Proposed Tech Specs 3.0.4.4.0.3.4.0.4 & Tech Spec Basis Section 3.0.4.4.0.  
Illinois Power Co. 88/07/11. 43pp 46238 008-46238 050

**8807130454** Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257 257.

**Q. Inspection reports, IE Bulletins & correspondence**

**8806130168** NRC Info Notice 88-038, "LaSalle Unit 2 Loss of Recirculation Pumps w/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/15 Consolidated Edison Co. of New York, Inc. 110pp 45078 150-45078 268

**8806160340** NRC Info Notice 88-040, "Examining Handbook for Developing Corrective Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201

**8806170033** NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp 45078 034-45078 155

**8806170291** NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp 46010 037-46010 152

**8806280132** Ack receipt of 880601 ltr informing NRC of steps taken to correct violations noted in Insp Rpt 60-461/88-10. Issues identified will be considered in conjunction w/ response to notice of violation & proposed imposition of civil penalty.  
MILLER, H.J. Region 3, OIC of the Director. 88/06/22. GERSTNER, W.C. Illinois Power Co. 2pp. 45985 344-45985 348

**8806280183** Responds to NRC 880420 ltr re violations noted in Insp Rpt 60-461/88-10. Ltrs clarifications to accurately reflect util position on issues discussed at 880331 enforcement conference.  
HALL, D.P. Illinois Power Co. 88/06/01. DAVIS, A.B. Region 3, OIC of the Director. 3pp 45985 340-45985 348.

**8806210038** NRC Info Notice 88-044, "Mechanical finding of Spring Release Device - Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp. 46010 153-46010 265.

**8806240139** Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp. 46010 260-46020 010

**8807060594** Responds to NRC 880601 notice of violation and proposed imposition of civil penalty in amount of \$75,000. Corrective actions taken: walkdown & rework of all butt splices in high humidity areas completed on 8/11/88.  
HALL, D.P. Illinois Power Co. 88/06/20. LIEBERMAN, J. OIC of Enforcement (Post 870413) 15pp. 46010 240-46010 254.

**8806300347** NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242 100-46242 212

**8807080006** NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp. 46231 201-46232 027

**8807120291** NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp. 46242 006-46242 108

**8807260071** Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." HALL, D.P. Illinois Power Co. 88/07/12. Document Control Branch (Document Control Desk) 12pp. 46254 347-46254 350.

**8807080366** NRC Info Notice 88-047, "Slower-Than-Expected Flood-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240 222-46240 324.

**8807260002** Responds to Suppl 1 & 2 to NRC Bulletin 87-002, "Fastener Testing to Determine Conformance w/Applicable Matl Specs." Response to Item 1 contained encl list re safety-related vendor address list.  
HALL, D.P. Illinois Power Co. 88/07/14. Document Control Branch (Document Control Desk) 12pp. 46285 113-46285 124

**8807120550** NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Salvageable Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp. 46241 263-46242 005.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257.096-46257.206.

#### S. Reportable occurrences, LERs & related correspondence

8806290182 LER 88-016-00 on 880510, secondary containment integrity violation Caused by failure to recognize location & extent of penetration seal repair Personnel counseled & proper documents for determining boundary identified W/880628 Ltr.  
SCHALLER, R.F., SPANGENBERG, F. Illinois Power Co. 88/06/17. 6pp. 45954.248-45954.253.

8807010049 PNO-III-88-057 on 880623, three workers received burns while working on radwaste evaporator, resulting in skin contamination (less than 10,000 dpm/100 cm<sup>2</sup>) Onsite radiation specialist reviewing accident. News media informed.  
GREGGER, L.R., SHAFER, W. Region 3, Oic of the Director. 88/06/23. 1p. 46017.281-46017.281.

8807080071 Forwards with 880617 Ltr U-801213 forwarding LER 88-016-00. Ltr previously submitted w/o data.  
WEAVER, J.D. Illinois Power Co. 88/06/30. MCKNIGHT, J.C. NRC - No Detailed Affidavit Given. 1p. 46134.184-46134.190.

-8807080078 Forwards LER 88-016-00 re failure to recognize location & extent of penetration seal repair results in violation of secondary containment integrity.  
SPANGENBERG, F. Illinois Power Co. 88/06/17. Document Control Branch (Document Control Desk). 1p. 46134.185-46134.190

#### V. Operator Examinations

8807120271 Forwards draft Rev 5 to ES 601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT, G.C. Region 3, Oic of the Director. 88/06/23. WYATT, R. Illinois Power Co. 1p. 46148.353-46148.353

#### DOCKET STN-50-470 CESSAR SYSTEM 80

##### A. Application/construction stage documents & correspondence

8807120374 Summary of 880510 meeting w/C-E in Rockville, MD re human factors program in control room design for CESSAR-DC Sys 80+. Viewgraphs encl.  
VISSING, G.S. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 88/06/20. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 112pp. 46113.179-46113.200.

8807110364 Forwards request for addl info re steam generator tube rupture analysis for SYSTEM 80 & auxiliary pressurizer spray sys issue.  
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/06/22. SCHERER, A.E. Combustion Engineering, Inc. 4pp. 46082.044-46082.047.

8807120716 Forwards request for addl info re Amend B of Chapters 4 & 6 of CESSAR-DC Sys 80+, transmitted by 880411 Ltr. Receipt of info within 90 days of ltr date requested.  
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/06/28. SCHERER, A.E. Combustion Engineering, Inc. 4pp. 46120.200-46120.203.

8807120720 Requests addl info re Amend B of Chapters 5 & 9 of CESSAR-DC Sys 80+ for review completion.  
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/06/28. SCHERER, A.E. Combustion Engineering, Inc. 6pp. 46113.356-46113.360.

8807140271 Forwards response to NRC 880316 request for addl info re CESSAR-DC, Chapter 10, "Plant Sys Branch."  
SCHERER, A.E. Combustion Engineering, Inc. 88/06/30. VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 42pp. 46185.043-46185.082.

8807140097 Summary of 880628 meeting w/C-E in Rockville, MD re QA program plan for CESSAR-DC Sys 80+, request for addl info re review of Chapter 17 of Amend 12 & engineering plans for revising QA program plan. Attendance list encl.  
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/07/01. Standardization & Non-Power Reactor Project Directorate. 19pp. 46184.063-46184.081.

8807150268 Forwards "Flow Distribution & Tube Vibration: Evaluation of Sys 80 Steam Generator Tube Lane/Economizer Corner Region," in support of C-E 870918 request that steam generator tube vibration issue be closed.  
SCHERER, A.E. Combustion Engineering, Inc. 88/07/01. VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 2pp. 46182.092-46182.181.

-8807180001 "Flow Distribution & Tube Vibration: Evaluation of Sys 80 Steam Generator Tube Lane/Economizer Corner Region."  
\* Combustion Engineering, Inc. 88/06/30. 185pp. 46182.094-46182.181.

#### K. Utility Final Safety Analysis Report (FSAR) & amends

8807120188 Forwards Amend C to CESSAR-DC (design certification), Chapters 5.6 & 10. Summary of significance of revs also encl.  
SCHERER, A.E. Combustion Engineering, Inc. 88/06/30. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 11pp. 46157.196-46158.031.

-8807120199 Amend C to CESSAR-DC.  
\* Combustion Engineering, Inc. 88/06/30. 185pp. 46157.207-46158.031.

8807010231 Forwards SALP Board Rept. 50.482/88.14 for 870301.880331 for plant SALP Category I ratings in security & fire protection reliable & reflect effective mgmt involvement in areas.  
MARTIN, R.D. Region 4, Oic of the Director. 88/06/23. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp. 45993.268-45993.311

-8807010253 SALP Rept 50.482/88.14 for 870301.880331  
\* Region 4, Oic of the Director. 88/06/23. 41pp. 45993.271-45993.311

8807120471 Forwards Rev 24 to radiological emergency response plan & revs to radiological emergency response plan implementing procedures.  
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/07/07. Document Control Branch (Document Control Desk). 1p. 46150.001-46150.340

-8807120479 Rev 24 to "Wolf Creek Generating Station Radiological Emergency Response Plan."  
WITHERS, B.D., ANDREWS, R., MOLES, K.J. Wolf Creek Nuclear Operating Corp. 88/06/30. 338pp. 46150.002-46150.339

-8807120510 Revised emergency plan implementing procedures, including Rev 8 to EPP 01-4.3, "Radiological Emergency Response Plan Implementing Procedure Emergency Operation Facility Activation," & Rev 5 to EPP 01-9.1, "Exposure Control" & "Wolf Creek Nuclear Operating Corp. 88/06/13. 70pp. 46150.340-46150.340

8807210141 Advises that certain portions of Revs 11 & 12 to physical security/control nency/tra ring plans acceptable. Corrected plan pages requested to be resubmitted to maintain plan continuity. Encl with'd re's. 10CFR72.21.  
CALLAN, L.J. Region 4, Oic of the Director. 88/07/11. WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp. 46237.034-46237.005

#### G. Adjudicatory correspondence

8807220036 Advises that time for Commission to review Director's Decision 88-06 expired & decision became final agency action on 880620. Served on 880711.  
CHILK, S.J. Office of the Secretary of the Commission. #388. 6757. 88/06/29. STEPHENS, S. EYE, R. Nuclear Awareness Network. 1p. 46195.356-46195.356

#### P. Operating license stage documents & correspondence

8807050025 Application for amend to License NPF-42, revising Tech Spec 3.4.9.1, Figures 3.4-2.3.4-3 & 3.4-4 re pressure/temp limits RCS Fee paid.  
BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 88/06/20. Document Control Branch (Document Control Desk). 12pp. 46025.240-46025.262

-8807050026 Proposed Tech Spec 3.4.9.1 re pressure/temp limits RCS  
\* Wolf Creek Nuclear Operating Corp. 88/06/20. 11pp. 46025.252-46025.262

8807050027 Application for amend to License NPF-42, revising Tech Spec 3.2.3, Figure 3.2-3, Table 2.2-1 & corresponding bases to reflect revised RCS temp measurement uncertainties. Fee paid.  
BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 88/06/24. Document Control Branch (Document Control Desk). 18pp. 46020.263-46020.307

-8807050029 Proposed Tech Specs re reactivity control sys.  
\* Wolf Creek Nuclear Operating Corp. 88/06/24. 27pp. 46020.281-46020.307.

8807070132 Forwards response to NRC 880524 request for addl info re steam generator tube rupture analysis for facility info provided for present analysis similar to info in updated SAR, Table 15.6-4 to allow independent assessment.  
WITHERS, B.D., NEISES, S.J. Wolf Creek Nuclear Operating Corp. 88/06/28. Document Control Branch (Document Control Desk). 9pp. 46123.079-46123.087.

8807070183 Forwards Relief Request PR-11 from inservice testing program requirements for fuel pool coolant pumps.  
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/06/29. Document Control Branch (Document Control Desk). 4pp. 46136.357-46136.360.

8807180222 Application for amend to License NPF-42, revising Tech Spec 3.4.8 re RCS specific activity. Fee paid.  
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/07/08. Document Control Branch (Document Control Desk). 8pp. 46203.210-46203.223

-8807180223 Proposed Tech Spec 3.4.8 re RCS specific activity  
\* Wolf Creek Nuclear Operating Corp. 88/07/06. 6pp. 46203.218-46203.223

8807180239 Application for amend to License NPF-42, revising Tech Specs re ESFAS instrumentation. Fee paid.  
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/07/06. Document Control Branch (Document Control Desk). 9pp. 46188.260-46188.271.

-8807180240 Proposed Tech Specs re ESFAS instrumentation.  
\* Wolf Creek Nuclear Operating Corp. 88/07/06. 3pp. 46188.269-46188.271

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel walls & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

#### O. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978.156-45978.286.

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams" NUREG/BR-0122 & svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22  
Consolidated Edison Co. of New York, Inc. 237pp 46240 325-46241 201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22  
Consolidated Edison Co. of New York, Inc. 122pp 45978 034-45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22  
Consolidated Edison Co. of New York, Inc. 116pp 46019 037-46019 152

8806290158 Responds to NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA-Type Latching Relays May by GE" No latching type relays in use at plant per utility search  
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/06/22 Document Control Branch (Document Control Desk). 2pp 45973 345-45973 346

8807010227 Forwards SALP Board Rept 50-482/88-14 for 870301-880331 for plant SALP Category I ratings in security & fire protection notable & reflect effective mgmt involvement in areas  
MARTIN, R.D. Region 4, OIC of the Director 88/06/23 WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp 45993 266-45993 311

-8807010253 SALP Rept 50-482/88-14 for 870301-880331  
\* Region 4, OIC of the Director 88/06/23 41pp 45993 271-45993 311

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24  
Consolidated Edison Co. of New York, Inc. 113pp 46019 153-46019 265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24  
Consolidated Edison Co. of New York, Inc. 114pp 46019 266-46020 018

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07  
Consolidated Edison Co. of New York, Inc. 104pp 46242 109-46242 212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Rebuilt Circuit Breakers" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08  
Consolidated Edison Co. of New York, Inc. 107pp 46231 281-46232 027

8807120678 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss" for facility Evaluation of Inservice-Rand pumps will be completed & supplied to NRC by 881001  
WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/07/08 Document Control Branch (Document Control Desk) 23pp 46154 176-46154 198

8807190336 Ack receipt of util 880615 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-482/88-15  
CALLAN, L.J. Region 4, OIC of the Director 88/07/08 WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp 46215 112-46215 113

8807200009 Responds to NRC 880810 ltr re violations noted in Insp Rept 50-482/88-17 Corrective action temporary procedure change to require and big check of each channel each shift incorporated into surveillance procedure on 880415  
BAILEY, J.A. Wolf Creek Nuclear Operating Corp. 88/07/11 Document Control Branch (Document Control Desk) 7pp 46221 120-46221 126

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Rebuilt Valves" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12  
Consolidated Edison Co. of New York, Inc. 103pp 46242 006-46242 108

8807200290 Confirms arrangement for meeting scheduled for 880720 to discuss SALP for period Mar 1987 - Mar 1988  
CALLAN, L.J. Region 4, OIC of the Director 88/07/12 WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 2pp 46229 288-46229 291

-8807200295 Notice of significant licensee meeting on 880720 in Burlington, KS to discuss SALP assessment for Mar 1987 - Mar 1988  
CHAMBERLAIN, Region 4, OIC of the Director 88/07/12 Region 4, OIC of the Director 2pp 46229 290-46229 291

8807080386 NRC Info Notice 88-047, "Slower Than Expected Rod Drop Times" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/14  
Consolidated Edison Co. of New York, Inc. 103pp 46240 222-46240 324

8807120550 NRC Info Notice 88-049, "Marking Handling, Control, Storage & Destruction of Safeguards Info" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18  
Consolidated Edison Co. of New York, Inc. 103pp 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18  
Consolidated Edison Co. of New York, Inc. 118pp 46257 258-46258 016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21  
Consolidated Edison Co. of New York, Inc. 121pp 46257 086-46257 208

#### R. Periodic operating reports & related correspondence

8807180378 Monthly operating report for June 1988 for Wolf Creek Generating Station W/ 880714 ltr  
WILLIAMS, M.G., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/06/30. 7pp 46200 001-46200 007

#### S. Reportable occurrences, LERs & related correspondence

8808290286 LER 88-048-01 on 871014 ltr reported in ESF switchgear room & worker in contact w/ energized part of Train B safety-related ESF bus caused by failure of electrician to follow maint procedure. Procedure enhanced W/ 880624 ltr  
WILLIAMS, M.G., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/06/24 12pp 45987 255-45987 266

8807150074 LER 88-008-00 on 880616, control room ventilation isolation signal occurred caused by broken chemically sensitive paper tape used to detect chlorine Paper tape replaced W/ 880705 ltr  
WILLIAMS, M.G., WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 88/07/05 6pp 46181 328-46181 333

#### V. Operator Examinations

8807010227 Forwards SALP Board Rept 50-482/88-14 for 870301-880331 for plant SALP Category I ratings in security & fire protection notable & reflect effective mgmt involvement in areas  
MARTIN, R.D. Region 4, OIC of the Director 88/06/23 WITHERS, B.D. Wolf Creek Nuclear Operating Corp. 3pp 45993 266-45993 311

-8807010253 SALP Rept 50-482/88-14 for 870301-880331  
\* Region 4, OIC of the Director 88/06/23 41pp 45993 271-45993 311

#### DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807080129 Forwards Safeguards Insp Rept 50-483/88-13 on 880525 No violations noted  
MALLET, B.S. Region 3, OIC of the Director 88/08/17 SCHNELL, D.F. Union Electric Co. 2pp 46115 088-46115 093

-8807080138 Insp Rept 50-483/88-13 on 880525 Allegations not substantiated Major areas inspected allegation re abnormal behavior by named individual w/ unsecured access to plant  
PITLIE, G.L., CREED, J.R. Region 3, OIC of the Director 88/08/18 4pp 46115 080-46115 093

8807080372 Forwards Amend 38 to License NPF-30 & safety evaluation Amend changes Paragraph 2 E of license to require compliance w/ amended physical security plan  
ALEXION, T.W. Project Directorate III-3 88/08/21 SCHNELL, D.F. Union Electric Co. 3pp 46076 333-46076 340

-8807080373 Amend 38 to License NPF-30, changing paragraph 2 E of license to require compliance w/ amended physical security plan  
PERKINS, K.E. Project Directorate III-3 88/08/21 2pp 46076 336-46076 337

-8807080374 Safety evaluation supporting Amend 38 to License NPF-30  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/21 3pp 46076 338-46076 340

#### P. Operating license stage documents & correspondence

8807010877 Forwards response to 880510 request for add info re wide range gas monitoring concentration display variance  
SCHNELL, D.F. Union Electric Co. 88/08/21 Document Control Branch (Document Control Desk) 6pp 46088 154-46088 158

8807080372 Forwards Amend 38 to License NPF-30 & safety evaluation Amend changes Paragraph 2 E of license to require compliance w/ amended physical security plan  
ALEXION, T.W. Project Directorate III-3 88/08/21 SCHNELL, D.F. Union Electric Co. 3pp 46076 333-46076 340

-8807080373 Amend 38 to License NPF-30, changing paragraph 2 E of license to require compliance w/ amended physical security plan  
PERKINS, K.E. Project Directorate III-3 88/08/21 2pp 46076 336-46076 337

-8807080374 Safety evaluation supporting Amend 38 to License NPF-30  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/08/21 3pp 46076 338-46076 340

8808290284 Comments on use of commercial plant performance indicators identified in AEO 880427 ltr Concern expressed re validity of indications which have small industry averages & definition used for safety system actuation  
RANDOLPH, G.L. Union Electric Co. 88/08/23 Document Control Branch (Document Control Desk) 3pp 45988 001-45988 003

8807110245 Application for amend to License NPF-30, reflecting organization changes to be effective on 880701 Fee paid  
SCHNELL, D.F. Union Electric Co. 88/08/28 Document Control Branch (Document Control Desk) 4pp 46141 158-46141 171

-8807110246 Proposed Tech Specs re onsite & offsite organization, nuclear safety review board & organizational responsibilities  
\* Union Electric Co. 88/08/28 10pp 46141 162-46141 171

8807210158 Advises that 880512 response to Generic Ltr 88-03, "Steam Binding of Auxiliary Feedwater Pumps," satisfactory  
ALEXION, T.W. Project Directorate III-3 88/07/08 SCHNELL, D.F. Union Electric Co. 2pp 46235 015-46235 016

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation monitoring of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.90 oncl  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp 46257 207-46257 257

8807280418 Informs of issue re potential increase in calculated radnactive releases to environ following postulated events & of licensee evaluation of accident dose calculations to determine extent to which sub issue applies to plant  
SCHNELL,D.F. Union Electric Co. 88/07/15 Document Control Branch (Document Control Desk). 6pp. 46336:135-46336 140.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/15 Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978 268.

8807050036 Advises that no GE latching type HFA relays installed in Class 1E applications at plant per NRC Bulletin 88-003, "Inadequate Latch Engagement in HFA Type Latching Relays Mfg by GE."  
SCHNELL,D.F. Union Electric Co. 88/08/17. DAVIS,A.B. Region 3, Ofc of the Director. 3pp. 46025:214-46025 216.

8807080129 Forwards Safeguards Insp Rept 50-483/88-13 on 880525 No violations noted  
MALLETT,B.S. Region 3, Ofc of the Director. 88/06/17. SCHNELL,D.F. Union Electric Co. 2pp. 46115:088-46115:093.

-8807060138 Insp Rept 50-483/88-13 on 880525 Allegations not substantiated Major areas inspected/allegation re aberrant behavior by named individual w/unescorted access to plant.  
PIRTLE,G.L., CREED,J.R. Region 3, Ofc of the Director. 88/06/16 4pp. 46115:090-46115:093

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp. 46240:325-46241:201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp. 46010:037-46010:152

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 113pp. 46010:153-46010:265

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212

8807080006 NRC Info Notice 88-046, "Licensor Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027

8807160191 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss Due to Pump Min Flow Interactions or Inadequately Sized Min Pump Flow Lines." Visual Insp of impellers for damage due to cavitation w/ll be performed  
SCHNELL,D.F. Union Electric Co. 88/07/08 Document Control Branch (Document Control Desk). 6pp. 46188:117-46188:122.

8807120291 NRC Info Notice 88-048, "Licensor Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:283-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258:018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:088-46257:206.

#### S. Reportable occurrences, LERs & related correspondence

8807140260 Special Rept 88-02 on 880613, approx 13,000 gallons of NaOCl, 12.45 pH spilled at cooling water chemical control sys bldg. On 880617, second spill occurred. Caused by open drain valve. PVC piping to be replaced w/stronger piping  
BLOSSER,J.D. Union Electric Co. 88/07/08 Document Control Branch (Document Control Desk). 5pp. 46178:268-46178:272.

#### V. Operator Examinations

8807120082 Forwards draft Rev 5 to ES-601, "Administration of NRC Requalification Program Evaluations." W/o encl.  
WRIGHT,G.C. Region 3, Ofc of the Director. 88/06/23. NETERER,D. Union Electric Co. 1p. 46149:351-46149:351.

#### DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

#### F. Security, medical, emergency & fire protection plans

8807080109 Ack receipt of 880331 ltr & payment of civil penalty in amount of \$50,000, per 880309 notice of violation. Comments re denial of three violations and prevention of recurrence not adequately addressed Enc. withheld (rel 10CFR73.21)  
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 88/08/20. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 46110:029-46110:031

8807110233 Revised emergency plan implementing procedures, including Rev 3 to OEP01-2A-0003, "Emergency Notification." Rev 5 to OEP01-2A-0007, "Accountability/Evacuations" & Rev 1 to OEP01-2A-0018, "Emergency Operations Ctr." W/ 880701 ltr.  
MCBURNETT,M.A. Houston Lighting & Power Co. 88/07/01 144pp. 46138:160-46138:303.

8807190287 Forwards Insp Repts 50-498/88-37 & 50-499/88-37 on 880523-27 violations noted. Notification of enforcement action will be forwarded under separate cover. Actions taken re previous Insp findings examined & discussed in replot Paragraph 2  
CALLAN,L.J. Region 4, Ofc of the Director. 88/07/13. GOLDBERG,J.H. Houston Lighting & Power Co. 3pp. 46214:015-46214:019

-8807190288 Partially withheld Insp Repts 50-498/88-37 & 50-499/88-37 on 880523-27 (rel 10CFR73.21) violations noted. Major areas inspected physical security programs, including lock & key control & physical protection of safeguards info.  
EARNEST,A.B., EVERETT,R.J. Region 4, Ofc of the Director. 88/06/29 2pp. 46214:018-46214:019.

8807220309 Forwards Rev 8 to safeguards contingency plan Rev withheld (rel 10CFR73.21).  
MCBURNETT,M.A. Houston Lighting & Power Co. 88/07/18 Document Control Branch (Document Control Desk). 2pp. 46250:294-46250:295.

#### G. Adjudicatory correspondence

8807220020 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision 88-09 expired & became final agency action on 880712. Served on 880719  
CHILK,S.J. Office of the Secretary of the Commission. #388 8755 88/07/15 DUGELBY,B. Earth First. FLYNN,C. Gray Panthers. BAKER,L.A. Lone Tree Council. 1p. 46195:302-46195:302.

#### I. Financial Information

8807110481 Forwards annual financial repts for 1987.  
MCBURNETT,M.A. Houston Lighting & Power Co. 88/06/30 Document Control Branch (Document Control Desk). 2pp. 46137:099-46138:158.

-8807110488 "Houston Industries Inc. 1987 Annual Rept."  
JORDAN,D.D. Houston Industries, Inc. 87/12/31. 285pp. 46137:101-46138:025.

-8807110490 "Central Power & Light Co. Annual Rept 1987."  
SHOCKLEY,T.V. Central Power & Light Co. 87/12/31. 81pp. 46138:026-46138:106.

-8807110493 "City Public Svc 1986-87 Annual Rept - FY ended 880131."  
BIGGS,G. San Antonio City Public Service Board. 87/12/31 52pp. 46138:107-46138:158.

#### J. Insurance & Indemnity Information

8807120256 Forwards Endorsements 2 & 8 to MAELU Policies MW-100 & MF-130, respectively & Endorsements 2 & 13 to NELIA Policies NW-198 & NF-307, respectively  
MCBURNETT,M.A. Houston Lighting & Power Co. 88/06/28 Document Control Branch (Document Control Desk). 3pp. 46155:015-46155:054.

#### P. Operating license stage documents & correspondence

8806300048 Requests that city of Austin, TX be added to document control list in order to receive documents re Amend 10 to application for CPs & OLs matter.  
MUNTZING,L.M. Doub, Muntzing & Glasgow (formerly Doub & Muntzing). MUNTZING,L.M. Austin, TX. 88/06/21. DICK,G. Project Directorate IV. 1p. 45988:356-45988:358.

8806290122 Forwards evaluation of adequacy of plant hardware & operating staff performance to determine plant readiness to continue power in excess of 50% of rated power. Facility has been operated, tested & maintained in acceptable manner.  
GOLDBERG,J.H. Houston Lighting & Power Co. 88/06/22. Document Control Branch (Document Control Desk). 152pp. 45974:122-45974:273

8806300099 Discusses 880602 meeting w/NRC re use of PRA techniques to justify extending allowed outage times for certain safety-related sys. Followup meeting will be scheduled for Fall 1988. Viewgraphs encl.  
BAILEY,J.N. Houston Lighting & Power Co. 88/08/22. Document Control Branch (Document Control Desk). 28pp. 45988:215-45988:242.

8807060486 Application for amend to License 14PF-76, changing Tech Specs 6.2.1 & 6.2, defining onsite & offsite organization charts from administrative control requirements Fee paid  
VAUGHN, G.E. Houston Lighting & Power Co. 88/08/22 Document Control Branch (Document Control Desk) 5pp 46103 230-46103 331

8807060488 Proposed Tech Specs 6.2, rev'ing offsite & onsite organization charts from administrative control requirements  
\* Houston Lighting & Power Co. 88/06/22 7pp 46103 295-46103 301.

8807180341 Notification of 880711 meeting w/utl & Biehler in Rockville, MD to discuss utl request to expand special fuel pool capacity  
DICK, G.F. Project Directorate IV. 88/07/08 MURLEY, T., ST. EZEK, J., ROE, J. NRC - No Data Rel Allegation Given 4pp. 46204 234-46204 237

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation environment of reactor vessel walls & impact on plant operations Svc list & Rev 2 to Reg Guide 1.99 encl  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp 46257 207-46257 257

# O. Inspection reports, IE Bulletin & correspondence

8808130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15 Consolidated Edison Co. of New York, Inc. 110pp 45978 158-45978 266

8807060109 Ack receipt of 880331 ltr & payment of civil penalty in amount of \$50,000 per 880309 notice of violation on Comments to denial of three violations encl Prevention of recurrence not adequately addressed Encl withheld (rel 10CFR73.21).  
LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/08/20. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp 46110 028-46110 031.

8808100340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator License Exams." NUREG/BR-0122 & svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp 45978 034-45978 155

8808170281 NRC Bulletin 88-038, "Thermal Stresses in Piping Connected to RCS." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp 46019 037-46019 152.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 113pp 46019 153-46019 265.

8808240139 Suppl 1 to NRC Bulletin 88-038, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24 Consolidated Edison Co. of New York, Inc. 114pp 46019 266-46020 018.

8808300222 Ack receipt of 880415 & 0531 ltrs informing NRC of steps taken to correct violations noted in Insp Repts 50-498/88-07 & 50-499/88-07.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/06/24. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp 46006 329-46006 330.

8807070067 Forwards Insp Repts 50-498/88-32 & 50-499/88-32 on 880516-20 No violations or deviations noted  
CALLAN, L.J. Region 4, Ofc of the Director. 88/06/27. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp 46123 030-46123 038.

8807070071 Insp Repts 50-498/88-32 & 50-499/88-32 on 880516-20 No violations or deviations noted. Major areas inspected: licensee water chemistry & radiochemistry programs & post-accident sampling sys.  
NICHOLAS, J.B., BAER, R.E. Region 4, Ofc of the Director. 88/06/20 7pp 46123 032-46123 035.

8807070365 Ack receipt of 880408 ltr informing NRC of steps taken to correct violations noted in Insp Rept 50-498/88-09. NRC understands that exception withdrawn & revised response will be issued re Violation 498/8809-06  
CALLAN, L.J. Region 4, Ofc of the Director. 88/06/28. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp 46125 211-46125 213

8807070567 Forwards Exam Rept 50-498/OL-88-01 administered on 880516-23 Sixteen applicants passed exams. Deficiencies noted re compliance to request for preparation of exam matts.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/06/30. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp 46146 001-46146 061.

8807070560 Exam Rept 50-498/OL-88-01 on 880516-23 Exam results: 16 of 17 candidates passed exam & issued appropriate license.  
MCCORMY, S.L., PELLET, J.L. Region 4, Ofc of the Director. 88/06/27. 59pp. 46146 003-46146 061.

8807070449 Forwards Insp Repts 50-498/88-31 & 50-499/88-31 on 880502-06 & 18-20 No violations or deviations noted.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/01. GOLDBERG, J.H. Houston Lighting & Power Co. 4pp 46123 088-46123 105.

8807070463 Insp Repts 50-498/88-31 & 50-499/88-31 on 880502-06 & 18-20. No violations or deviations noted. Major areas inspected: licensee operator training & non-licensed staff training.  
PICK, G.A., VICKREY, R.B., GAGLIARDI, J.E. Region 4, Ofc of the Director. 88/06/30. 14pp 46123 092-46123 105.

8807110506 Requests add info to address listed comments on Action Item E of IE Bulletin 85-003 including exclusion of motor-operated valves.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/01. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp 46185 035-46185 037.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Cooperation." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp 46242 100-46242 212

8807080006 NRC Info Notice 88-046, "Licensee Right of Defective Refurbished Circuit Breakers." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp 46231 201-46232 027

8807190326 Discusses Insp Repts 50-498/88-11 & 50-499/88-24 on 880405 0502 & forwards notice of violation  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/08. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp 46200 153-46200 158

8807190329 Notice of violation from insp on 880211-0331 & 0405 0502 violations noted. Train A PORV stuck open not noted as failure of corrective action in clearance tag out log as required by Procedure 14PF-04-2A 0301  
\* Region 4, Ofc of the Director. 88/07/08 3pp 46208 150-46208 158.

8807200022 Forwards Insp Repts 50-498/88-36 & 50-499/88-36 on 880516 0617 & notice of violation  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/08. GOLDBERG, J.H. Houston Lighting & Power Co. 4pp 46221 107-46221 110

8807200023 Notice of violation from insp on 880516 0617 Violation noted. Safety related insp on 870417 of Steam Generator C found nonconformance that was not identified on nonconformance report & resolved prior to preoperational testing  
\* Region 4, Ofc of the Director. 88/07/08 1p 46221 111-46221 111.

8807200025 Insp Repts 50-498/88-36 & 50-499/88-36 on 880516-0617. Violations noted. Major areas inspected: preservation of components & component supports  
GILBERT, L.O., MCNEIL, W.M., BARNES, J. Region 4, Ofc of the Director. 88/07/05 8pp 46221 112-46221 110.

8807210062 Provides supplemental response to violations noted in Insp Repts 50-498/88-07 & 50-499/88-07. Corrective actions: technical quality of production welds verified to be adequate based on listed info  
GOLDBERG, J.H. Houston Lighting & Power Co. 88/07/08 Document Control Branch (Document Control Desk) 8pp 46234 034-46234 042

8807120291 NRC Info Notice 88-048, "Licensee Right of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12 Consolidated Edison Co. of New York, Inc. 103pp 46242 000-46242 108

8807190270 Responds to NRC Bulletin 88-004, "Potential Safety-Isolated Pump Loss." Long term reliability of centrifugal charging pumps under review & will be completed by 880830  
GOLDBERG, J.H. Houston Lighting & Power Co. 88/07/12 Document Control Branch (Document Control Desk). 13pp. 46204 314-46204 320

8807190287 Forwards Insp Repts 50-498/88-17 & 50-499/88-17 on 880523-27. Vols: Long noted. Notification of enforcement action will be forwarded under separate cover. Actions taken re previous insp findings examined & discussed in report Paragraph 2  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/13. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp 46214 015-46214 010

8807190288 Partially withheld Insp Repts 50-498/88-37 & 50-499/88-37 on 880523-27 (rel 10CFR73.21). Violations noted. Major areas inspected: physical security programs, including lock & key control & physical protection of safeguards info.  
EARNEST, A.B., EVERETT, H.J. Region 4, Ofc of the Director. 88/06/29 2pp 46214 018-46214 019.

8807080388 NRC Info Notice 88-047, "Slower-Than-Expected Flood Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14 Consolidated Edison Co. of New York, Inc. 103pp 46240 222-46240 324.

8807120550 NRC Info Notice 88-040, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18 Consolidated Edison Co. of New York, Inc. 103pp 40241 263-40242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/10 Consolidated Edison Co. of New York, Inc. 110pp 46257 258-46258 010

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46267 086-46267 206.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46267 086-46267 206.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46267 086-46267 206.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46267 086-46267 206.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46267 086-46267 206.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46267 086-46267 206.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46267 086-46267 206.

## S. Reportable occurrences, LERs & related correspondence

8806300148 Summary of Operating Reactors Events Meeting 88-24 on 880614. Two significant events identified for input to NRC performance indicator program. No events suggested for long-term followup. List of attendees encl  
LANNING, W. Events Assessment Branch. 88/06/17. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 16pp 45978 188-45978 202

8807080438 LER 88-025-01 on 880323. ESF actuation of control room ventilation sys to recirculation mode occurred. Caused by actuation of control room ventilation radiation monitor. Continued surveillance testing will be done W/880624 ltr.  
AYALA, C.A., VAUGHN, G.E. Houston Lighting & Power Co. 88/06/24 5pp 46108 318-46108 322.

8807080424 Final deficiency report re Ventriak transmitters initially reported on 880601. Reactor protection setpoints currently in use considered conservative & no hardware changes required.  
GOLDBERG, J.H. Houston Lighting & Power Co. 88/06/20 Document Control Branch (Document Control Desk). 7pp 46116 309-46116 315



8807190097 Final special report on 880316, nonvalid failure occurred while performing operability surveillance testing of standby diesel generator 13. Caused by spurious activation of overcurrent relay. Relays replaced w/ relays w/ time delays. VAUGHN, G.E. Houston Lighting & Power Co. 88/07/01. Document Control Branch (Document Control Desk). 4pp. 46206 269-46206-272.

8807160165 LER 88-038-00 on 880607, unmonitored release of 1,504 gallons of liquid effluent occurred. Caused by personnel error. Responsible individual counseled & incident reviewed w/ others involved w/ radioactive effluents W/880705 ltr. AYALA, C.A., VAUGHN, G.E. Houston Lighting & Power Co. 88/07/05 7pp. 46178 285-46178 291.

8807200385 LER 88-037-00 on 880600, failure of 480 volt breaker to automatically close due to mfg defect occurred. Insp performed on 23 480 volt class 1E load cut breakers which automatically close after ESF load sequencer. W/880711 ltr. AYALA, C.A., VAUGHN, G.E. Houston Lighting & Power Co. 88/07/11 7pp. 46240 119-46240 125.

8807210073 LER 88-027-01 on 880428, use of improper seal mall in steam generator PORVs occurred. Caused by Paul Monroe spec of improper hydraulic cylinder seal part in order to subsupplier. Documentation for seal corrected. W/880711 ltr. AYALA, C.A., VAUGHN, G.E. Houston Lighting & Power Co. 88/07/11 7pp. 46233 283-46233 289.

8807250435 LER 88-038-00 on 880613, failure to perform surveillance testing of intermediate range nuclear instrumentation prior to entering Mode 2 discovered. Caused by inadequate surveillance program. Mode change report reviewed. W/880713 ltr. AYALA, C.A., VAUGHN, G.E. Houston Lighting & Power Co. 88/07/13 6pp. 46276 348-46276 353.

#### V. Operator Examinations

8807070453 Insp Repts 50-498/88-31 & 50-499/88-31 on 880502-06 & 16-20. No violations or deviations noted. Major areas inspected: licensed operator training & non-licensed staff training. PICK, G.A., VICKREY, R.B., GAGLIARDO, J.E. Region 4, Ofc of the Director. 68/06/30 14pp. 46123 092-46123 105.

8807070557 Forwards Exam Rept 50-498/OL-88-01 administered on 880516-23. Sixteen applicants passed exams. Deficiencies noted re compliance to request for preparation of exam malis. CALLAN, L.J. Region 4, Ofc of the Director. 88/06/30. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46148 001-46148 081.

8807070560 Exam Rept 50-498/OL-88-01 on 880516-23 Exam results. 16 of 17 candidates passed exam & issued appropriate license. MCCORMY, S.L., PELLET, J.L. Region 4, Ofc of the Director. 88/06/27. 50pp. 46146 003-46146 081.

8807070449 Forwards Insp Repts 50-498/88-31 & 50-499/88-31 on 880502-06 & 16-20. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/07/01. GOLDBERG, J.H. Houston Lighting & Power Co. 4pp. 46123 088-46123 105.

#### DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

#### A. Application/construction stage documents & correspondence

8806300048 Requests that city of Austin, TX be added to document control list in order to receive documents re Amendment 10 to application for CPs & OLs matter. MUNTZING, L.M. Doub, Muntzing & Glasgow (formerly Doub & Muntzing). MUNTZING, J.M. Austin, TX. 88/06/21. DICK, G. Project Directorate IV. 1p. 45988 356-45988 356.

8806300099 Discusses 880602 meeting w/NRC re use of PRA techniques to justify extending allowed outage times for certain safety-related systems. Followup meeting will be scheduled for Fall 1988. Viewgraphs encl. BAILEY, J.N. Houston Lighting & Power Co. 88/06/22. Document Control Branch (Document Control Desk). 2pp. 45988 215-45988 242.

8807060488 Application for amendment to License NPF-76, changing Tech Specs 6.2.1 & 6.2.2, relating on-site & off-site organization charts from administrative control requirements. Fee paid. VAUGHN, G.E. Houston Lighting & Power Co. 88/06/22. Document Control Branch (Document Control Desk). 5pp. 48103 290-48103 301.

8807060488 Proposed Tech Specs 6.2, removing off-site & on-site organization charts from administrative control requirements. \* Houston Lighting & Power Co. 88/06/22. 7pp. 48103 295-48103 301.

8807120212 Forwards revised annotated FSAR re: radiological consequences of locked rotor accident. BAILEY, J.N. Houston Lighting & Power Co. 88/07/08. Document Control Branch (Document Control Desk). 6pp. 48135 226-48135 231.

8807180341 Notification of 880711 meeting w/Util & Bechtel in Rockville, MD to discuss unit request to expand spent fuel pool capacity. DICK, G.F. Project Directorate IV. 88/07/08. MURLEY, T., SNIEZEK, J., ROE, J. NRC - No Detailed Affiliation Given. 4pp. 46204 234-46204 237.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel malis & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 61pp. 46257 207-46257 257.

#### F. Security, medical, emergency & fire protection plans

8807060109 Ack receipt of 880331 ltr & payment of civil penalty in amount of \$50,000 per 880309 notice of violation. Comments re denial of three violations encl. Prevention of recurrence not adequately addressed. Encl withheld (ref 10CFR73.21). LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/06/20. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46110 029-46110 031.

8807110233 Revised emergency plan implementing procedures, including Rev 3 to OEP01-2A.0003, "Emergency Notification." Rev 5 to OEP01-2A.0007, "Accountability/Evacuations." & Rev 1 to OEP01-2A.0018, "Emergency Operations." Cir. W/880701 ltr. MCBURNETT, M.A. Houston Lighting & Power Co. 88/07/01. 144pp. 46138 160-46138 303.

8807190287 Forwards Insp Repts 50-498/88-37 & 50-499/88-37 on 880523-27. Violations noted. Notification of enforcement action will be forwarded under separate cover. Actions taken re previous insp findings examined & discussed in report. Paragraph 2. CALLAN, L.J. Region 4, Ofc of the Director. 88/07/13. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46214 015-46214 019.

8807190288 Partially withheld Insp Repts 50-498/88-37 & 50-499/88-37 on 880523-27 (ref 10CFR73.21). Violations noted. Major areas inspected: physical security programs, including lock & key control & physical protection of safeguards info. EARNEST, A.B. Region 4, Ofc of the Director. 88/06/29 2pp. 46214 018-46214 019.

8807220309 Forwards Rev 8 to safeguards contingency plan. Rev withheld (ref 10CFR73.21). MCBURNETT, M.A. Houston Lighting & Power Co. 88/07/18. Document Control Branch (Document Control Desk). 2pp. 46250 294-46250 295.

#### I. Financial Information

8807110481 Forwards annual financial reports for 1987. MCBURNETT, M.A. Houston Lighting & Power Co. 88/06/30. Document Control Branch (Document Control Desk). 2pp. 46137 099-46138 156.

8807110486 "Houston Industries Inc. 1987 Annual Report." JORDAN, D.O. Houston Industries, Inc. 87/12/31. 285pp. 46137 101-46138 025.

8807110490 "Central Power & Light Co. Annual Report 1987." SHOCKLEY, F.V. Central Power & Light Co. 87/12/31. 81pp. 46138 026-46138 106.

8807110493 "City Public Service 1986-87 Annual Report." FY ended 870131. BIGGS, G. San Antonio City Public Service Board. 87/12/31. 52pp. 46138 107-46138 158.

#### J. Insurance & Indemnity Information

8807120256 Forwards Endorsements 2 & 8 to MAELU Policies MW-100 & MF-130, respectively & Endorsements 2 & 13 to NELA Policies NW-199 & NF-307, respectively. MCBURNETT, M.A. Houston Lighting & Power Co. 88/06/28. Document Control Branch (Document Control Desk). 39pp. 46155 015-46155 054.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/Power Oscillation Event." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978 156-45978 266.

8807060109 Ack receipt of 880331 ltr & payment of civil penalty in amount of \$50,000 per 880309 notice of violation. Comments re denial of three violations encl. Prevention of recurrence not adequately addressed. Encl withheld (ref 10CFR73.21). LIEBERMAN, J. Ofc of Enforcement (Post 870413). 88/06/20. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46110 029-46110 031.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240 325-46241 201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978 034-45978 155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46019 037-46019 152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019 153-46019 265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019 266-46020 018.

8806300222 Ack receipt of 880415 & 0531 ltrs informing NRC of steps taken to correct violations noted in Insp Repts 50-498/88-07 & 50-499/88-07. CALLAN, L.J. Region 4, Ofc of the Director. 88/06/24. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46008 329-46008 330.

8807070087 Forwards Insp Repts 50-498/88-32 & 50-499/88-32 on 880516-20. No violations or deviations noted. CALLAN, L.J. Region 4, Ofc of the Director. 88/06/27. GOLDBERG, J.H. Houston Lighting & Power Co. 2pp. 46123 030-46123 038.

8807070071 Insp Repts 50-498/88-32 & 50-499/88-32 on 880516-20. No violations or deviations noted. Major areas inspected: licensee water chemistry & radiochemistry programs & post-accident sampling sys. NICHOLS, J.B., BAER, R.E. Region 4, Ofc of the Director. 88/06/20. 7pp. 46123 032-46123 038.

8807060359 Responds to NRC 880607 ltr re violations noted in Insp Rept 50-499/88-24. Corrective action Unit 2 areas listed in Attachment 1 inspected by QC to verify edge guards still in place per SSP-27.  
GOLDBERG, J.H. Houston Lighting & Power Co. 88/06/29. Document Control Branch (Document Control Desk). 5pp. 46115-178-46115-182.

8807070449 Forwards Insp Repts 50-498/88-31 & 50-499/88-31 on 880502-06 & 16-20. No violations or deviations noted.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/01. GOLDBERG, J.H. Houston Lighting & Power Co. 4pp. 46123-088-46123-105.

-8807070453 Insp Repts 50-498/88-31 & 50-499/88-31 on 880502-06 & 16-20. No violations or deviations noted. Major areas inspected: licensed operator training & non-cessed staff training.  
PICK, G.A., VICKREY, R.B., GAGLIARDO, J.E. Region 4, Ofc of the Director. 88/06/30. 14pp. 46123-092-46123-105.

8807110506 Requests add'l info to address listed comments on Action Item E of IE Bulletin 85-003, including exclusion of motor-operated valves.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/01. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46185-035-46185-037.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Relubricated Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-261-46232-027.

8807190325 Discusses Insp Repts 50-498/88-11 & 50-499/88-24 on 880405-0502 & forwards notice of violation.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/08. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46208-153-46208-158.

8807200022 Forwards Insp Repts 50-498/88-36 & 50-499/88-36 on 880516-0617 & notice of violation.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/08. GOLDBERG, J.H. Houston Lighting & Power Co. 4pp. 46221-107-46221-119.

-8807200023 Notice of violation from Insp on 880516-0617. Violation noted eddy current Insp on 870417 of Steam Generator C found nonconformance that was not identified on nonconformance rpt & resolved prior to preoperational testing.  
\* Region 4, Ofc of the Director. 88/07/08. 1p. 46221-111-46221-111.

-8807200025 Insp Repts 50-498/88-36 & 50-499/88-36 on 880516-0617. Violations noted: Major areas inspected: preservice Insp of components & component supports.  
GILBERT, L.D., MCNEILL, W.M., BARNES, I. Region 4, Ofc of the Director. 88/07/05. 8pp. 46221-112-46221-119.

8807210062 Provides supplemental response to violations noted in Insp Repts 50-498/88-07 & 50-499/88-07. Corrective actions: technical quality of production welds verified to be adequate based on listed info.  
GOLDBERG, J.H. Houston Lighting & Power Co. 88/07/08. Document Control Branch (Document Control Desk). 9pp. 46234-034-46234-042.

8807210068 Responds to NRC 880607 ltr re Violation 8824-01 in Insp Rept 50-499/88-24. No corrective actions taken due to unit in compliance w/existing site procedures as discussed.  
GOLDBERG, J.H. Houston Lighting & Power Co. 88/07/08. Document Control Branch (Document Control Desk). 5pp. 46235-260-46235-264.

8807250412 Forwards Rev 1 to preservice Insp program Re'l Request RR-ENG-02, de-energizing application to Unit 2.  
BAILEY, J.N. Houston Lighting & Power Co. 88/07/11. Document Control Branch (Document Control Desk). 4pp. 46255-225-46255-228.

8807210281 NRC Info Notice 88-048, "Licensee Rept of Defective Relubricated Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-008-46242-108.

8807190270 Responds to NRC Bulletin 88-004, "Potential Safety-Related Pump Loss." Long-term reliability of centrifugal charging pumps under review & will be completed by 880830.  
GOLDBERG, J.H. Houston Lighting & Power Co. 88/07/12. Document Control Branch (Document Control Desk). 13pp. 46204-314-46204-326.

8807210108 Responds to NRC 880607 ltr re Violation 8824-03 in Insp Rept 50-499/88-24. Corrective actions: discrepant conditions in isolation valve cubicles initiated.  
GOLDBERG, J.H. Houston Lighting & Power Co. 88/07/12. Document Control Branch (Document Control Desk). 4pp. 46238-050-46238-053.

8807190287 Forwards Insp Repts 50-498/88-37 & 50-499/88-37 on 880523-27. Violations noted. Notification of enforcement action will be forwarded under separate cover. Actions taken per previous Insp findings examined & discussed in repl Paragraph 2.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/13. GOLDBERG, J.H. Houston Lighting & Power Co. 3pp. 46214-015-46214-018.

-8807200288 Partially withheld Insp Repts 50-498/88-37 & 50-499/88-37 on 880523-27 (ref 10CFR73.21). Violations noted: Major areas inspected: physical security programs, including lock & key control & physical protection of safeguards info.  
EARNEST, A.B., EVERETT, R.J. Region 4, Ofc of the Director. 88/06/29. 2pp. 46214-018-46214-018.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241-283-46242-005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/16. Consolidated Edison Co. of New York, Inc. 119pp. 46257-258-46258-018.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-208.

#### S. Reportable occurrences, LERs & related correspondence

8807060424 Final deficiency rpt re Veritrac transmitters. Initially reported on 880901. Reactor protection setpoints currently in use considered conservative & no hardware changes required.  
GOLDBERG, J.H. Houston Lighting & Power Co. 88/06/29. Document Control Branch (Document Control Desk). 7pp. 46116-308-46116-315.

#### V. Operator Examinations

8807070449 Forwards Insp Repts 50-498/88-31 & 50-499/88-31 on 880502-06 & 16-20. No violations or deviations noted.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/01. GOLDBERG, J.H. Houston Lighting & Power Co. 4pp. 46123-088-46123-105.

-8807070453 Insp Repts 50-498/88-31 & 50-499/88-31 on 880502-06 & 16-20. No violations or deviations noted. Major areas inspected: licensed operator training & non-cessed staff training.  
PICK, G.A. Region 4, Ofc of the Director. 88/06/30. 14pp. 46123-092-46123-105.

#### DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

#### A. Application/construction stage documents & correspondence

8807080476 Notification of 880707 meeting w/unit in Rockville, MD to discuss probable seismic hazard analysis submitted by 880229 ltr. Meeting room changed.  
VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/08/09. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 1p. 46003-019-46003-019.

8807190188 Forwards response to Questions 230.1 & 230.2 re resolution of key licensing issues concerning questions on Cascade Subduction Zone.  
SORENSEN, G.C. Washington Public Power Supply System. 88/08/30. Document Control Branch (Document Control Desk). 2pp. 46214-067-46215-046.

-8807190184 "Ground Motion Simulations for Thrust Earthquakes Beneath Western Washington."  
DAY, S.M. S-Cubed. SSS-R-87-9801. 88/02/29. 119pp. 46214-069-46214-190.

-8807190188 "Cascade Subduction Zone Evaluation of Earthquake Potential Implications to Washington Nuclear Plant 3."  
\* Washington Public Power Supply System. 88/08/30. 200pp. 46214-181-46216-046.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs to NRC position on radiation embrittlement of reactor vessel nozzles & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.89 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257-207-46257-267.

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978-158-45978-268.

880710061 Defers responses to NRC bulletins & generic ltrs unless NRC specifically requests that unit respond for facility. Unit will reply to outstanding bulletins & generic ltrs that require response following resumption of coast.  
SORENSEN, G.C. Washington Public Power Supply System. 88/08/17. Document Control Branch (Document Control Desk). 2pp. 46020-240-46020-241.

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201.

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/09/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-165.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/22. Consolidated Edison Co. of New York, Inc. 116pp. 46018-037-46018-152.

8806210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46018-163-46018-265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 114pp. 46018-268-46020-018.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12  
Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc  
list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14.  
Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction  
of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/10.  
Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Avail-  
ability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18  
Consolidated Edison Co. of New York, Inc. 110pp. 46257-258-46258-016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21.  
Consolidated Edison Co. of New York, Inc. 121pp. 46257-086-46257-206

#### DOCKET STN-50-518 HARTSVILLE NUCLEAR PLANT, UNIT 1

##### G. Inspection reports, IE Bulletins & correspondence

8807140071 Responds to NRC Bulletin 87-002, Suppls 1 & 2, "Fastener Testing to De-  
termine Conformance W/ Applicable Specs." Requests clarification of bulletin to pro-  
vide necessary info & extension to 880130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Docu-  
ment Control Desk). 3pp. 46184-146-46184-148

#### DOCKET STN-50-519 HARTSVILLE NUCLEAR PLANT, UNIT 2

##### G. Inspection reports, IE Bulletins & correspondence

8807140071 Responds to NRC Bulletin 87-002, Suppls 1 & 2, "Fastener Testing to De-  
termine Conformance W/ Applicable Specs." Requests clarification of bulletin to pro-  
vide necessary info & extension to 880130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Docu-  
ment Control Desk). 3pp. 46184-146-46184-148

#### DOCKET STN-50-520 HARTSVILLE NUCLEAR PLANT, UNIT 3

##### G. Inspection reports, IE Bulletins & correspondence

8807140071 Responds to NRC Bulletin 87-002, Suppls 1 & 2, "Fastener Testing to De-  
termine Conformance W/ Applicable Specs." Requests clarification of bulletin to pro-  
vide necessary info & extension to 880130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Docu-  
ment Control Desk). 3pp. 46184-146-46184-148

#### DOCKET STN-50-521 HARTSVILLE NUCLEAR PLANT, UNIT 4

##### G. Inspection reports, IE Bulletins & correspondence

8807140071 Responds to NRC Bulletin 87-002, Suppls 1 & 2, "Fastener Testing to De-  
termine Conformance W/ Applicable Specs." Requests clarification of bulletin to pro-  
vide necessary info & extension to 880130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Docu-  
ment Control Desk). 3pp. 46184-146-46184-148

#### DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

##### F. Security, medical, emergency & fire protection plans

8807190148 Forwards Insp Repts 50-528/88-14, 50-529/88-15 & 50-530/88-14 on  
880417-0521. No violations or deviations noted.  
PATER, J. Region 5, Ofc of the Director. 88/08/29. VAN BRUNT, E.E. Arizona Nuclear  
Power Project (formerly Arizona Public Service Co.). 2pp. 46205-118-46205-134.

8807190153 Insp Repts 50-528/88-14, 50-529/88-15 & 50-530/88-14 on 880417-  
0521. No violations or deviations noted. Major areas inspected previously identified  
items review of plant activities & plant tours.  
POLCH, T., RICHARDS, S. Region 5, Ofc of the Director. 88/08/29. 15pp. 46205-120-  
46205-134.

8807200047 Forwards Insp Repts 50-528/88-16, 50-529/88-17 & 50-530/88-16 on  
880606-10. No violations or deviations noted.  
SCARANO, R.A. Region 5, Ofc of the Director. 88/07/01. VAN BRUNT, E.E. Arizona  
Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 46222-068-  
46222-073.

8807200049 Insp Repts 50-528/88-16, 50-529/88-17 & 50-530/88-16 on 880606-  
10. No violations noted. Major areas inspected: emergency preparedness exercise.  
BROWN, G.A. Region 5, Ofc of the Director. 88/06/30. 6pp. 46222-088-46222-073.

8807210109 Rev 5 to Emergency Plan Implementing Procedure EPIP-15, "Protective  
Action Guidelines." W/880708 ltr.  
OGUREK, A.G., BARSUK, T.S. Arizona Nuclear Power Project (formerly Arizona Public  
Service Co.). 88/07/06. 41pp. 46235-077-46235-116.

##### G. Adjudicatory correspondence

8808290227 Denies 860716 petition for discrimination by licensee against certain em-  
ployees by requiring sub-employees to polygraph testing as means of discouraging  
reporting unsafe conditions at facility, except request to have notices posted W/ encl.  
LIEBERMAN, J. Ofc of Enforcement (Post 870413). #288 6522 88/06/15 BUSH, B.S.,  
MCKAY, L., SCOTT, M.L. Coalition for Responsible Energy Education. lp. 46261-322-  
46262-022.

8807280391 Submits petition per 10CFR2.205, requesting imposition of civil or other  
action under 10CFR50.7(c)(2) based on util allegedly selecting plant workers to poly-  
graph exams to identify source of info leaked to media.  
SCOTT, M., MCKAY, L., BUSH, B.S. Coalition for Responsible Energy Education. 86/  
06/18. Ofc of Inspection & Enforcement, Director (820201-870413). 45pp. 46261-333-  
46262-022

8807220026 Advises that time for Commission to review Decision 88-08 expired & deci-  
sion became final agency action on 880711. Served on 880710.  
CHILK, S.J. Office of the Secretary of the Commission. #388 6756. 88/07/15  
BUSH, B.S., MCKAY, L., SCOTT, M.L. Coalition for Responsible Energy Education. lp.  
46185-357-46185-357.

##### I. Financial information

8807250168 Discusses sale & leaseback transactions by Public Svc Co of New  
Mexico, per 870403 & 0330 ltrs. Listed executed documentation reflecting amended &  
beneficial assignments encl.  
QUINTANA, R.L. Kelskar & McLeod. 88/07/14. MIRAGLIA, F.J. Office of Nuclear Re-  
actor Regulation, Director (Post 870411). 154pp. 46285-316-46285-116.

##### J. Insurance & indemnity information

8807050032 Forwards Endorsement 20 to MAELU Policy MF-116 & Endorsement 38 to  
NELIA Policy NF-268.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service  
Co.). 88/06/15. Office of Nuclear Reactor Regulation, Director (Post 870411). 18pp.  
46025-221-46025-230.

8807150168 Forwards Endorsement 43 to NELIA Policy NF-268, Endorsement 25 to  
MAELU Policy MF-110, Endorsement 3 to NELIA Policy NW-160 & MAELU Policy  
MW-88 & Endorsements 4 to NELIA Policy NF-114 & MAELU Policy M-114.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service  
Co.). 88/07/01. Office of Nuclear Reactor Regulation, Director (Post 870411). 15pp.  
46188-102-46188-116.

##### P. Operating license stage documents & correspondence

8807050382 Advises that licensee 880600 justification for continued operation re recent  
auxiliary feedwater pump degradation event acceptable. Licensee will perform correc-  
tive maint when replacement parts received.  
DAVIS, M.J. Project Directorate V. 88/06/23. RICHARDS, S. Region 5, Ofc of the Di-  
rector. lp. 46891-282-45891-282.

8807110076 Advises that C-E 880108 repl of fuel surveillance test results previously  
submitted to NRC as nonproprietary info, should be considered proprietary.  
DAVIS, M.J. Project Directorate V. 88/06/24. LANHAM, M.J. Document Control Branch  
(Document Control Desk). 2pp. 46140-380-46140-381.

8807060489 Forwards responses to NRC 880223 request for addl info re Generic Ltr  
88-06, "Reactor Coolant Pump Trip Strategy." To trip first set of reactor coolant  
pumps, conservatively high pressure setpoint used.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service  
Co.). 88/06/27. Document Control Branch (Document Control Desk). 13pp.  
46116-316-46116-328.

8807070322 Recommends closeout of EAB Long-Term Followup Item 87-157 on reac-  
tor coolant pump shaft cracking at plant. Modified shafts installed & vibration monitor-  
ing programs in place.  
DAVIS, M.J. Project Directorate V. 88/06/28. LANNING, W. Events Assessment  
Branch. 2pp. 46136-285-46136-286.

8807120444 Forwards addl info re 880316 proposed Tech Specs change re Surveil-  
lance Requirement 4.5.2 h for LPSI subsystem. Info responds to ECCS analyses as-  
sumptions.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service  
Co.). 88/07/08. Document Control Branch (Document Control Desk). 4pp. 46148-148-  
46148-151.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re  
NRC position on radiation embrittlement of reactor vessel metals & impact on plant  
operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated  
Edison Co. of New York, Inc. 51pp. 46257-207-46257-257.

##### G. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/  
Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/15  
Consolidated Edison Co. of New York, Inc. 110pp. 45978-168-45978-268.

8807050113 Forwards Insp Repts 50-528/86-21,50-529/88-21 & 50-530/88-20 on 880502 Concern over number of events which reflect poorly on performance of plant expressed

MARTIN, J.B. Region 5, O/c of the Director. 88/06/21. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp. 46026-339-46026-354

--8807050119 Meeting Repts 50-528/86-21,50-529/88-21 & 50-530/88-21 on 880502.Licensee performance not improved at anticipated rate & future decline in overall performance predicted.Major areas inspected.Licensee event repts & previous issues

RICHARDS, S.A. Region 5, O/c of the Director. 88/06/17. 14pp. 48026-341-46026-354

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp. 46240-325-46241-201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978-034-45978-155.

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 118pp. 46019-037-46019-152.

8807110258 Advises that 880108 submittal re fuel surveillance test results should be considered exempt from public disclosure, per 880603 request.Document withheld from public disclosure, per 10CFR27.95(b)(5).

KNIGHTON, G.W. Project Directorate V. 88/06/23. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 6pp. 46101-008-46101-013

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019-153-46019-265.

8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019-266-46020-018.

8807190148 Forwards Insp Repts 50-528/88-14,50-529/88-15 & 50-530/88-14 on 880417-0521.No violations or deviations noted.

PATE, R.J. Region 5, O/c of the Director. 88/06/29. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp. 46205-118-46205-134.

--8807190153 Insp Repts 50-528/88-14,50-529/88-15 & 50-530/88-14 on 880417-0521.No violations or deviations noted.Major areas inspected,previously identified items,review of plant activities & plant tours

POLICH, T., BALL, J., FIORELLI, G. Region 5, O/c of the Director. 88/06/29. 15pp. 46205-120-46205-134

8807200047 Forwards Insp Repts 50-528/88-16,50-529/88-17 & 50-530/88-16 on 880606-10.No violations or deviations noted.

SCARANO, R.A. Region 5, O/c of the Director. 88/07/01. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp. 46222-068-46222-073.

--8807200049 Insp Repts 50-528/88-16,50-529/88-17 & 50-530/88-16 on 880606-10.No violations noted.Major areas inspected, emergency preparedness exercise

BROWN, G.A., FISHER, F. Region 5, O/c of the Director. 88/06/30. 6pp. 46222-068-46222-073

8807200200 Forwards Insp Repts 50-528/88-13,50-529/88-14 & 50-530/88-13 on 880516-27 & notice of violation

SCARANO, R.A. Region 5, O/c of the Director. 88/07/01. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp. 46222-084-46222-112.

--8807200202 Notice of violation from 880516-27.Violation noted: radioactive mobile bins on product gases vented w/o prior evaluation & redwaste shipments 88-17-21 & 23 arrived at disposal site w/ loose chain restraints

SCARANO, R.A. Region 5, O/c of the Director. 88/07/01. 2pp. 46222-088-46222-087.

--8807200205 Insp Repts 50-528/88-13,50-529/88-14 & 50-530/88-13 on 880516-27.Violations noted.Major areas inspected actions on previous findings, radiation protection & mgmt,external & internal control & tours.

NORTH, H.S., COLLIS, M., COTTE, G.R. Region 5, O/c of the Director. 88/07/01. 25pp. 46222-089-46222-112.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242-109-46242-212.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231-281-46232-027.

8807210055 Responds to NRC Bulletin 88-004 re potential loss of safety-related pumps due to deficiencies in min flow recirculation design for pumps.Configuration of latched pump & piping sys does not preclude stated interactions

VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/07/08. Document Control Branch (Document Control Desk). 12pp. 46237-223-46237-234.

8807140209 Forwards response to NRC 880610 ltr re violations noted in Insp Rept 50-528/88-15.Response withheld (ref 10CFR73.21)

KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/07/11. Document Control Branch (Document Control Desk). 1p. 46178-049-46178-049.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242-006-46242-108.

8807080368 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240-222-46240-324.

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/19. Consolidated Edison Co. of New York, Inc. 103pp. 46241-263-46242-005

8807120653 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/19. Consolidated Edison Co. of New York, Inc. 119pp. 46257-268-46258-016

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.

ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257-088-46257-208

## R. Periodic operating reports & related correspondence

8807060382 Annual rept of changes for CY87.

VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/06/27. Document Control Branch (Document Control Desk) 64pp. 46115-325-46116-027.

8807180306 Forwards biweekly notice of applications & amendments to OLS involving NSIC, did 880615 w/o encl.

Office of Nuclear Reactor Regulation, Director (Post 870411). 88/07/11. KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 4pp. 46205-270-46205-273.

## S. Reportable occurrences, LERs & related correspondence

8808290116 Suppl 1 to Special Rept 1-SR-88-003 on 880304, valid failure of "B" emergency diesel generator occurred.Engineering evaluation initiated to determine root cause of improper breaker operation & corrective action to prevent recurrence.

HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/22. Document Control Branch (Document Control Desk). 3pp. 45984-219-45984-221.

8807060304 LER 88-017-00 on 880528, both essential chillers discovered inoperable.Caused by cognitive personnel error. Administrative guidance for control & installation of warning labels will be developed.W/880628 ltr.

SHRIVER, T.D., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/08/28. 8pp. 46103-279-46103-288.

8807190051 PNO-V-88-041 on 880706, fire in auxiliary transformer caused loss of both 13 kV buses that energize non-safety-related loads.Caused by transformer oil sprayed during reenergizing bus SO-2 fire extinguished.

RICHARDS, S., POLICH, T. Region 5, O/c of the Director. 88/07/08. 1p. 46208-390-46208-390.

8807120662 LER 88-018-01 on 880514, reactor trip occurred as control element assemblies inserted following attempt to start up reactor.Caused by nonconservative operator performance during startup.Lockkeeping practices improved.W/880707 ltr.

SHRIVER, T.D., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/07/07. 18pp. 46145-208-46145-224

8807150100 PNO-V-88-041A on 880706, unit auxiliary transformer failed & caught fire while providing power to both trains of nonlatch house loads.One security guard suffered smoke inhalation & treated.Licensee restored power & plant cooldown conducted.

RICHARDS, S., POLICH, T. Region 5, O/c of the Director. 88/07/07. 2pp. 46186-349-46186-350.

8807180242 Special Rept 1-SR-88-005, fire occurred in auxiliary transformer resulting in loss of nonclass 1E ac power.Fire extinguished & notification of unusual event terminated.When bus energized, second fire started.Plant remained stable.

HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/07/11. Document Control Branch (Document Control Desk). 2pp. 46203-359-46203-360.

8807210046 LER 84-001-00 on 841231, fire-rated assemblies not previously included in fire impairment procedure found.Caused by cognitive personnel error.Compensatory fire watches initiated upon identification.W/880714 ltr.

SHRIVER, T.D., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/07/14. 6pp. 46237-303-46237-308.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8807190148 Forwards Insp Repts 50-528/88-14,50-529/88-15 & 50-530/88-14 on 880417-0521.No violations or deviations noted.

PATE, R.J. Region 5, O/c of the Director. 88/06/29. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 46205-118-46205-134.

--8807190153 Insp Repts 50-528/88-14,50-529/88-15 & 50-530/88-14 on 880417-0521.No violations or deviations noted.Major areas inspected,previously identified items,review of plant activities & plant tours.

POLICH, T., RICHARDS, S. Region 5, O/c of the Director. 88/06/29. 15pp. 46205-120-46205-134.

8807200047 Forwards Insp Repts 50-528/88-16,50-529/88-17 & 50-530/88-16 on 880606-10.No violations or deviations noted.

SCARANO, R.A. Region 5, O/c of the Director. 88/07/01. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp. 46222-068-46222-073.

--8807200049 Insp Repts 50-528/88-16,50-529/88-17 & 50-530/88-18 on 880506-10 No violations noted. Major areas inspected emergency preparedness exercise BROWN, G.A. Region 5, Ofc of the Director 88/06/30. 6pp 46222-068-46222-073

8807210109 Rev 5 to Emergency Plan Implementing Procedure EPP-15, "Protective Action Guidelines." W/880706 ltr. OGUREK, A.G., BARSUK, T.S. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/06 41pp 46235-077-46235-116

### G. Adjudicatory correspondence

8808290227 Denies 880716 petition for discrimination by licensee against certain employees by requiring sub employees to polygraph testing as means of discouraging reporting unsafe conditions at facility except request to have notices posted w/enc LEBERMAN, J. Ofc of Enforcement (Post 870413) #288 6522. 88/08/15 BUSH, B.S., MCKAY, L., SCOTT, M.I. Coalition for Responsible Energy Education 1p 46261-322-46262-022

--8807280391 Submits petition, per 10CFR22.206, requesting imposition of civil or other action under 10CFR50.7(c)(2) based on an allegedly selecting plant workers to polygraph exams to identify source of info leaked to media SCOTT, M., MCKAY, L., BUSH, B.S. Coalition for Responsible Energy Education 86/08/16. Ofc of Inspection & Enforcement, Director (820201-870413) 45pp 46261-339-46262-022

8807220025 Advises that time for Commission to review Decision 88-08 expired & decision became final agency action on 880711. Served on 880719 CHICK, S.J. Office of the Secretary of the Commission #388 6756 88/07/15 BUSH, B.S., MCKAY, L., SCOTT, M.I. Coalition for Responsible Energy Education 1p 46195-357-46195-357

### I. Financial Information

8807250188 Discusses sale & leaseback transactions by Public Svc Co of New Mexico per 870403 & 0330 ltrs. Ltr sent executed documentatn on collecting armds & beneficial assignments encl QUINTANA, R.L. Kelahe & McLeod 88/07/14 MIRAGLIA, F.J. Office of Nuclear Reactor Regulation, Director (Post 870411) 154pp 46268-316-46269-116

### J. Insurance & Indemnity Information

8807050032 Forwards Endorsement 20 to MAELU Policy MF-118 & Endorsement 38 in NELA Policy NF-266. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/15. Office of Nuclear Reactor Regulation, Director (Post 870411) 19pp 46025-221-46025-239

8807160156 Forwards Endorsement 43 to NELA Policy NF-266, Endorsement 25 to MAELU Policy MF-116, Endorsement 3 to NELA Policy NW-160 & MAELU Policy MW-88 & Endorsements 4 to NELA Policy N-114 & MAELU Policy M-114. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/01. Office of Nuclear Reactor Regulation, Director (Post 870411) 15pp 46108-102-46108-116

### P. Operating licensee stage documents & correspondence

8807050382 Advises that licensee 880609 justification for continued operation re recent auxiliary feedwater pump degradation event acceptable licensee w/ perform corrective maint when replacement parts received DAVIS, M.J. Project Directorate V 88/06/23. RICHARDS, S. Region 5, Ofc of the Director 1p 45991-282-45991-282

8807060489 Forwards responses to NRC 880223 request for addl info re Generic Ltr 88-06, "Reactor Coolant Pump Trip Strategy." To trip list set of reactor coolant pumps conservatively high pressure setpoint used VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/06/27. Document Control Branch (Document Control Desk). 13pp 46116-318-46116-328

8807070322 Recommends closeout of EAB Long-Term Followup Item 87-157 on reactor coolant pump shaft cracking at plant. Modified shafts installed & vibration monitoring programs in place DAVIS, M.J. Project Directorate V 88/08/28. LANNING, W. Events Assessment Branch. 2pp 46136-285-46136-286

8807120444 Forwards addl info re 880316 proposed Tech Specs change re Surveillance Requirement 4.5.2.h for LPSI subsystem info responds to ECCS analysis assumptions VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/06. Document Control Branch (Document Control Desk) 4pp 46148-140-46148-151

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation ambientment of reactor vessel mats & impact on plant operations. Svc ltr & Rev 2 to Reg Guide 1.99 encl. MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp 46257-207-46257-257

### Q. Inspection reports, IE Bulletins & correspondence

8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc ltr encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp 45978-166-45978-266

--8807050119 Meeting Repts 50-528/88-21,50-529/88-21 & 50-530/88-21 on 880502 licensee performance not improved at anticipated rate & future decline in overall performance predicted. Major areas inspected licensee event repts & previous SSOs RICHARDS, S.A. Region 5, Ofc of the Director 88/06/17. 14pp 46026-341-46026-354

8806180340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BF-0122 & svc ltr encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp 46240-325-46241-201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc ltr encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp 45978-034-45978-155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc ltr encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp 46019-037-46019-152

8806120038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers." Svc ltr encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp 46019-153-46019-285

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc ltr encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp 46019-208-46020-018

8807180135 Forwards Insp Rept 50-529/88-18 on 880523-0610 No violations noted. PATER, J. Region 5, Ofc of the Director 88/06/20. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46216-163-46216-170

--8807180137 Insp Rept 50-529/88-18 on 880523-0610 No violations noted. Major areas inspected activities re "as built" Type A containment integrated leak rate test including review of procedures & records & interviews w/personnel. CLARK, C., RICHARDS, S. Region 5, Ofc of the Director 88/06/20 6pp 46216-165-46216-170

8807190148 Forwards Insp Repts 50-528/88-14,50-529/88-15 & 50-530/88-14 on 880417-0521 No violations or deviations noted PATER, J. Region 5, Ofc of the Director 88/06/20. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46205-118-46205-134

--8807190153 Insp Repts 50-528/88-14,50-529/88-15 & 50-530/88-14 on 880417-0521. No violations or deviations noted. Major areas inspected, previously identified items, review of plant activities & plant tours. POLICH, T., BAL, J., FIORELLI, G. Region 5, Ofc of the Director 88/06/20 15pp 46205-120-46205-134

8807200047 Forwards Insp Repts 50-528/88-16,50-529/88-17 & 50-530/88-16 on 880606-10. No violations or deviations noted. SCARANO, R.A. Region 5, Ofc of the Director 88/07/01. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46222-088-46222-073

--8807200049 Insp Repts 50-528/88-16,50-529/88-17 & 50-530/88-16 on 880606-10. No violations noted. Major areas inspected: emergency preparedness exercise. BROWN, G.A., FISH, R.F. Region 5, Ofc of the Director 88/06/30 6pp 46222-088-46222-073

8807200200 Forwards Insp Repts 50-528/88-13,50-529/88-14 & 50-530/88-13 on 880516-27 & notice of violation. SCARANO, R.A. Region 5, Ofc of the Director 88/07/01. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46222-084-46222-112

--8807200202 Notice of violation from Insp on 880516-27. Violation noted: radioactive noble fission product gases vented w/ prior evaluation & radwaste shipments 88-RW-21 & 23 arrived at disposal site w/ loose chain restraints. SCARANO, R.A. Region 5, Ofc of the Director 88/07/01. 2pp 46222-088-46222-087

--8807200205 Insp Repts 50-528/88-13,50-529/88-14 & 50-530/88-13 on 880516-27. Violations noted: Major areas inspected: actions on previous findings, radiation protection & mgmt, external & internal control & tours. NORTH, H.S., CILLIS, M., CICOTIE, G.H. Region 5, Ofc of the Director 88/07/01. 26pp 46222-088-46222-112

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc ltr encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 46242-109-46242-212

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Refurbished Circuit Breakers." Svc ltr encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp 46231-281-46232-027

8807210055 Response to NRC Bulletin 88-004 re potential loss of safety-related pumps due to deficiencies in min flow recirculation design for pumps. Configuration of listed pump & piping sys does not preclude stated interactions VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/08. Document Control Branch (Document Control Desk). 12pp 46237-223-46237-234

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc ltr encl ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12. Consolidated Edison Co. of New York, Inc. 102pp 46231-281-46232-027



8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safety-related Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18  
Consolidated Edison Co. of New York, Inc. 103pp 46241 263 46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18  
Consolidated Edison Co. of New York, Inc. 119pp 46257 258 46258 016

8807180101 NRC Info Notice 88-051, "Features of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21  
Consolidated Edison Co. of New York, Inc. 121pp 46257 086 46257 206

#### R. Periodic operating reports & related correspondence

8807060382 Annual report of charges for CY87  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 65/06/27 Document Control Branch (Document Control Desk) 64pp 46115 375 46116 027

8807190306 Forwards biweekly notice of applications & amends to OLS involving NESH, did 639515 WFO encl.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/11  
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 4pp 46205 270 46205 273

#### S. Reportable occurrences, LERs & related correspondence

8806290126 LER 88-011-00 on 880522, decontamination worker received 2.607 rem whole body dose to right leg resulting in cumulative whole body exposure for quarter of 3.269 rem. Caused by incomplete decontamination W/880622 Ltr.  
SHRIVER, T.D., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 85/06/22 10pp 45994 203 45984 212

8807060418 LER 88-010-01 on 880415, allowable surveillance test (ST) interval for plant vent system monitors (PVSIM) exceeded. Caused by personnel error. Appropriate ST on PVSIM completed & terminology in ST 755T-92207 changed W/880627 Ltr.  
SHRIVER, T.D., HAYNES, J.G. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/06/27 6pp 46102 176 46102 181

#### DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

#### F. Security, medical, emergency & fire protection plans

8807190148 Forwards Insp Repts 50-528/88-14, 50-529/88-15 & 50-530/88-14 on 880417-0521. No violations or deviations noted.  
PATE, R.J. Region 5, Office of the Director 88/06/29 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46205 118 46205 134

-8807190153 Insp Repts 50-528/88-14, 50-529/88-15 & 50-530/88-14 on 880417-0521. No violations or deviations noted. Major areas inspected previously identified items, review of plant activities & plant tours.  
POLICHT, Hey on 5, Office of the Director 88/06/29 15pp 46205 120 46205 134

8807200047 Forwards Insp Repts 50-528/88-16, 50-529/88-17 & 50-530/88-16 on 880608-10. No violations or deviations noted.  
SCARANO, R.A. Region 5, Office of the Director 88/07/01 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46222 068 46222 073

-8807200049 Insp Repts 50-528/88-16, 50-529/88-17 & 50-530/88-16 on 880608-10. No violations noted. Major areas inspected, emergency preparedness exercise.  
BROWN, A. Region 5, Office of the Director 88/06/30 6pp 46222 068 46222 073

8807210109 Rev 5 to Emergency Plan Implementing Procedure EPIP-15, "Protective Action Guidelines." W/880706 Ltr.  
OGUREK, A.G., BARSUK, T.S. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/08 41pp 46235 077 46235 118

#### G. Adjudicatory correspondence

8806290227 Denies 860716 petition re discrimination by licensee against certain employees by requiring subp. responses to polygraph testing as means of discouraging reporting unsafe conditions at facility, except request to have notices posted W/encl.  
LIEBERMAN, J. Office of Enforcement (Post 870413) #289 6522 88/06/15 BUSH, B.S., MCKAY, L., SCOTT, M.L. Coalition for Responsible Energy Education. 1p. 46261 322 46262 022

-8807280331 Submits petition, per 10CFR21.206, requesting imposition of civil or other action under 10CFR50.7(c)(2) based on utility allegedly selecting plant workers to polygraph exams to identify source of info leaked to media.  
SCOTT, M., MCKAY, L., BUSHER, S. Coalition for Responsible Energy Education. 66/06/16 Office of Inspection & Enforcement, Director (820201-870413) 45pp 46261 339 46262 022

8807220025 Advises that time for Commission to review Decision 88-08 expired & decision became final agency action on 880711. Served on 880718.  
CHILKS, J. Office of the Secretary of the Commission #388 8758 88/07/15 BUSH, B.S., MCKAY, L., SCOTT, M.L. Coalition for Responsible Energy Education. 1p. 46195 357 46195 357

#### J. Insurance & Indemnity Information

8807050032 Forwards Endorsement 20 to MAELU Policy MF-116 & Endorsement 38 to MAELU Policy NF-268.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/08/15 Office of Nuclear Reactor Regulation, Director (Post 870411) 19pp 46025 221 46025 230

8807150158 Forwards Endorsement 43 to NELIA Policy NF-268, Endorsement 25 to MAELU Policy MF-116, Endorsement 3 to NELIA Policy NW-160 & MAELU Policy MW-86 & Endorsements 4 to NELIA Policy N-114 & MAELU Policy M-114  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/01 Office of Nuclear Reactor Regulation, Director (Post 870411) 15pp 46188 102 46188 116

#### P. Operating license stage documents & correspondence

8807050382 Advises that licensee 880603 justification for continued operation re recent auxiliary feedwater pump degradation event acceptable. Licensee will perform corrective maintenance when replacement parts received.  
DAVIS, M.J. Project Directorate V. 88/06/23 RICHARDS, S. Region 5, Office of the Director. 1p 45991 202 45991 282

8807080469 Forwards responses to NRC 880223 request for addl info re Generic Ltr 86-06, "Reactor Coolant Pump Trip Strategy." To trip first set of reactor coolant pumps conservatively high pressure signal used.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/06/27 Document Control Branch (Document Control Desk) 13pp 46116 316 46116 328

8807070322 Recommends closure of EAB Long-Term Followup Item 87-157 on reactor coolant pump shaft cracking at plant Modified shafts installed & vibration monitoring programs in place.  
DAVIS, M.J. Project Directorate V. 88/06/28 LANNING, W. Events Assessment Branch 2pp 46136 285 46136 286

8807130046 Forwards Suppl 1 to "Palo Verde Nuclear Generating Station Unit 3 Startup Rept." covering open items at time of startup report submission. Suppl 2 addressing CPC & core operating limit support system calculations will be submitted by 881006.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/01 Document Control Branch (Document Control Desk) 1p 46170 292 46170 295

-8807130106 Suppl 1 to "Palo Verde Nuclear Generating Station Unit 3 Startup Rept." Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/31 3pp 46170 203 46170 205

8807120444 Forwards addl info re 880716 proposed Tech Specs change re Surveillance Requirement 4.5.2 Ltr for LPSI subsystem info responds to ECCS analysis assumptions.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 88/07/08 Document Control Branch (Document Control Desk) 4pp 46148 146 46148 151

8807220380 Forwards Amend 9 to License NPF-74 & safety evaluation. Amend raises Figure 3.1-1 of Tech Spec 3.4.1.1.3 to increase negative moderator temp coefficient limit from -30 pcm/F to -35 pcm/F.  
DAVIS, M.J. Project Directorate V. 88/07/04 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 4pp 46249 339 46249 348

-8807220382 Amend 9 to License NPF-74, raising Figure 3.1-1 of Tech Spec 3.4.1.1.3 to increase negative moderator temp coefficient limit from -30 pcm/F to -35 pcm/F.  
KNIGHTON, G.W. Project Directorate V. 88/07/08 4pp 46249 339 46249 346

-8807220385 Safety evaluation supporting Amend 9 to License NPF-74.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411) 88/07/06 2pp 46249 347 46249 348

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metal & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.90 and  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc. 51pp 46257 207 46257 257

#### Q. Inspection reports, IE Bulletins & correspondence

8806130168 NRC Info Notice 88-030, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/15 Consolidated Edison Co. of New York, Inc. 110pp 45078 156 45078 266

8807050113 Forwards Mtg Insp Repts 50-528/88-21, 50-529/88-21 & 50-530/88-20 or 880502. Concern over number of events which reflect poorly on performance of plant expressed.  
MARTIN, J.B. Region 5, Office of the Director 88/06/21 VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.) 2pp 46026 339 46026 354

-8807050119 Meeting Repts 50-528/88-21, 50-529/88-21 & 50-530/88-21 on 880502. Licensee performance not improved at anticipated rate & future decline in overall performance predicted. Major areas inspected. Licensee event reports & previous issues.  
RICHARDS, S.A. Region 5, Office of the Director 88/06/17 14pp 46026 341 46026 354

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp 46240 325 46240 201

8806170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp 45978 034 45978 155

8806170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp 46019 037 46019 152

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-416 Circuit Breakers" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 113pp. 46010:153-46010:265.

8806240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.

8807190148 Forwards Insp Rpts 50-528/88-14, 50-529/88-15 & 50-530/88-14 on 880417-0521. No violations or deviations noted.  
PATE, R.J. Region 5, Ofc of the Director. 88/06/29. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 46205:118-46205:134.

8807190153 Insp Rpts 50-528/88-14, 50-529/88-15 & 50-530/88-14 on 880417-0521. No violations or deviations noted. Major areas inspected previously identified re: review of plant activities & plant tours.  
POLICH, T., BALL, J., FIORELLI, G. Region 5, Ofc of the Director. 88/06/29. 15pp. 46205:120-46205:134.

8807200047 Forwards Insp Rpts 50-528/88-16, 50-529/88-17 & 50-530/88-18 on 880506-10. No violations or deviations noted.  
SCARANO, R.A. Region 5, Ofc of the Director. 88/07/01. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 46222:066-46222:073.

8807200049 Insp Rpts 50-528/88-16, 50-529/88-17 & 50-530/88-18 on 880506-10. No violations noted. Major areas inspected: emergency preparedness exercise.  
BROWN, G.A., FISH, R.F. Region 6, Ofc of the Director. 88/06/30. 6pp. 46222:068-46222:073.

8807200200 Forwards Insp Rpts 50-528/88-13, 50-529/88-14 & 50-530/88-13 on 880518-27 & notice of violation.  
SCARANO, R.A. Region 5, Ofc of the Director. 88/07/01. VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 2pp. 46222:084-46222:112.

8807200205 Insp Rpts 50-528/88-13, 50-529/88-14 & 50-530/88-13 on 880518-27. No violations noted. Major areas inspected: actions on previous findings, radiation protection & mgmt, external & internal control & tours.  
NORTH, S., CILLIS, M., CORTI, G.R. Region 5, Ofc of the Director. 88/07/01. 25pp. 46222:088-46222:112.

8806300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp. 46242:109-46242:212.

8807080008 NRC Info Notice 88-046, "Licensee Rpt of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.

8807210055 Responds to NRC Bulletin 88-004 re potential loss of safety-related pumps due to deficiencies in min flow recirculation design for pumps. Configuration of listed pump & piping sys does not preclude stated interactions.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/07/08. Document Control Branch (Document Control Desk). 12pp. 46237:223-46237:234.

8807120281 NRC Info Notice 88-048, "Licensee Rpt of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp. 46242:006-46242:108.

8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.

8807120550 NRC Info Notice 88-040, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 118pp. 46257:258-46258:016.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/21. Consolidated Edison Co. of New York, Inc. 121pp. 46257:088-46257:206.

## R. Periodic operating reports & related correspondence

8807060382 Annual rpt of changes for CY87.  
VAN BRUNT, E.E. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 88/06/27. Document Control Branch (Document Control Desk). 64pp. 46115:325-46116:027.

8807190308 Forwards biweekly notice of applications & amendments to OLs involving NSIC, dtd 880815. W/o encl.  
KARNER, D.B. Arizona Nuclear Power Project (formerly Arizona Public Service Co.). 4pp. 46205:270-46205:273.

## A. Application/construction stage documents & correspondence

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel: mails & impact on plant operations. Svc list & Rev 2 to Reg Guo 6.199 encl.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257:207-46257:257.

## DOCKET STN-50-553 PHIPPS BEND NUCLEAR STATION, UNIT 1

### Q. Inspection reports, IE Bulletins & correspondence

8807140071 Responds to NRC Bulletin 87-002, Supp's 1 & 2, "Fastener Testing to Determine Conformance W/ Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 890130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 3pp. 46184:146-46184:148.

## DOCKET STN-50-554 PHIPPS BEND NUCLEAR STATION, UNIT 2

### Q. Inspection reports, IE Bulletins & correspondence

8807140071 Responds to NRC Bulletin 87-002, Supp's 1 & 2, "Fastener Testing to Determine Conformance W/ Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 890130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 3pp. 46184:146-46184:148.

## DOCKET STN-50-556 YELLOW CREEK NUCLEAR PLANT, UNIT 1

### Q. Inspection reports, IE Bulletins & correspondence

8807140071 Responds to NRC Bulletin 87-002, Supp's 1 & 2, "Fastener Testing to Determine Conformance W/ Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 890130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 3pp. 46184:146-46184:148.

## DOCKET STN-50-567 YELLOW CREEK NUCLEAR PLANT, UNIT 2

### Q. Inspection reports, IE Bulletins & correspondence

8807140071 Responds to NRC Bulletin 87-002, Supp's 1 & 2, "Fastener Testing to Determine Conformance W/ Applicable Specs." Requests clarification of bulletin to provide necessary info & extension to 890130 to provide proper response.  
GRIDLEY, R. Tennessee Valley Authority. 88/07/06. Document Control Branch (Document Control Desk). 3pp. 46184:146-46184:148.

## DOCKET 50-601 RESAR SP/90

## A. Application/construction stage documents & correspondence

8807120628 Forwards status rpt on std plant design technical reviews.  
RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 88/07/01. SHAOL, Division of Engineering & Systems Technology (Post 870411). PARTLOW, J. Division of Reactor Inspection & Safeguards (Post 870411). CONGEL, F. Division of Radiation Protection & Emergency Preparedness (Post 870411). 14pp. 46148:054-46148:087.

8807180323 Forwards Westinghouse responses to Questions 210.25 - 72 in review of Westinghouse Advanced PWR RESAR-SP/90 preliminary design approval & application for withholding Responses withheld (ref 10CFR2.780).  
JOHNSON, W.J. Westinghouse Electric Corp. 88/07/08. RUBENSTEIN, L. Standardization & Non-Power Reactor Project Directorate. 2pp. 46194:112-46194:114.

8807180353 Requests that Westinghouse response to Questions 210.25 - 72 re review of Westinghouse Advanced PWR RESAR-SP/90 preliminary design approval be withheld (ref 10CFR2.780).  
WIESEMANN, R.A. Westinghouse Electric Corp. 88/07/08. RUBENSTEIN, L. Standardization & Non-Power Reactor Project Directorate. 1p. 46194:114-46194:114.

## K. Utility Final Safety Analysis Report (FSAR) & amendments

8807130205 Forwards Addendum 10 to WAPWR RESAR-SP/90 PDA re Westinghouse response to outstanding SEB questions. Affidavit for withholding addendum (ref 10CFR2.780) encl.  
JOHNSON, W.J. Westinghouse Electric Corp. 88/06/23. RUBENSTEIN, L. Standardization & Non-Power Reactor Project Directorate. 2pp. 46168:011-46168:014.

8807130207 Requests withholding of Addendum 10 to WAPWR RESAR-SP/90 PDA re Westinghouse response to NRC outstanding SEB questions from public disclosure (ref 10CFR2.780).  
WIESEMANN, R.A. Westinghouse Electric Corp. 88/06/23. RUBENSTEIN, L. Standardization & Non-Power Reactor Project Directorate. 1p. 46166:013-46166:014.

Q Inspection reports, IE Bulletins & correspondence

8807180231 Responds to NRC 880324 re re violations noted in insp rpt on 880324 Corrective actions immediate check of review dates on all procedures & 1st made of all mods of any type  
BAUER T.L. Texas, Univ. of Austin, TX 88/04/22 CALLAN, L.J. Associate Director for Projects (Post 870411) 13pp 46156 332-46198 344

8807190350 Forwards Insp Rpt 50-602/88-03 on 880616-17 No violations or deviations noted  
CALLAN, L.J. Region 4, Ofc of the Director 88/07/11 KLEIN, D.E. Texas, Univ. of Austin TX 46208 166-46206 170

8807190351 Insp Rpt 50-602/88-03 on 880616-17 No violations or deviations noted Major areas inspected shield wall concrete placement for nuclear engineering teaching lab  
JOHNSON, C.F. IRELAND, R.E. Region 4, Ofc of the Director 88/07/05 3pp 46208 166 46208 170

DOCKET 50-603 ALCHEMIE CENTRIFUGE ENRICHMENT PLANT

G. Adjudicatory correspondence

8807060090 Forwards NRC 880621 ltr to applicant requesting add info re State of TN concerns re info  
BORDEN, C.K. B.M. Assistant General Counsel for Hearings #388 6633. 88/06/23 MARGULIES, M.B., PARIS, O.H., LUEBKE, E.A. Atomic Safety and Licensing Board Panel 3pp 45996 357-45996 359

8807110012 Order (setting time & place of special prehearing conference). \* Special prehearing conference scheduled to begin on 880721 in Knoxville, TN & will continue to following day if necessary Served on 880701  
MARGULIES, M.B. Atomic Safety and Licensing Board Panel #388 6650 88/05/30. All Chemie Isotope Enrichment, Inc. 1p 46033 230-46033 230

8807290063 Advises that State of TN will forgo appearance at 880721 prehearing conference in Knoxville, TN based on concerns already in process of being addressed  
PEARL, G.E. Tennessee, State of #388 6769. 88/07/18 MARGULIES, M.B. Atomic Safety and Licensing Board Panel 2pp 46253 263-46253 264

8807290030 Special prehearing conference order \* Discusses ASLB rulings from 880721 special prehearing conference Served on 880727  
MARGULIES, M.B. Atomic Safety and Licensing Board Panel #388 6804 88/07/26. Office of the General Counsel 3pp 46254 104-46254 106

8807290219 Forwards applicant 880720 ltr responding to NRC 880621 request for add info  
BORDEN, C.K. B.M. Assistant General Counsel for Hearings #388 6820 88/07/27. MARGULIES, M.B., PARIS, O.H., LUEBKE, E.A. Atomic Safety and Licensing Board Panel 3pp 46258 159-46258 161

H. General correspondence

8807180157 Advises of changes to AlChemie Board of Directors, per 880618 annual stockholders meeting  
SMELSER, J.H. All Chemical Isotope Enrichment, Inc 88/07/08 THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director 3pp 46188 243-46188 245

DOCKET 50-604 ALCHEMIE CENTRIFUGE ENRICHMENT PLANT

A. Application/construction stage documents & correspondence

8807120381 Responds to 880609 request for record of decision re AlChemie request for exemption from 10CFR50.10(c) requirements for CP for erection of temporary storage facility Documentation provided  
CLARK, A.T. Fuel Cycle Safety Branch 88/08/30. DREY, L. Affiliation Not Assigned. 2pp 46111 327-46111 335

G. Adjudicatory correspondence

8807060090 Forwards NRC 880621 ltr to applicant requesting add info re State of TN concerns re info  
BORDEN, C.K. B.M. Assistant General Counsel for Hearings #388 6833. 88/06/23. MARGULIES, M.B., PARIS, O.H., LUEBKE, E.A. Atomic Safety and Licensing Board Panel 3pp 45996 357-45996 359

8807110012 Order (setting time & place of special prehearing conference). \* Special prehearing conference scheduled to begin on 880721 in Knoxville, TN & will continue to following day if necessary Served on 880701  
MARGULIES, M.B. Atomic Safety and Licensing Board Panel #388 6650. 88/06/30. All Chemical Isotope Enrichment, Inc. 1p 46033 230-46033 230

8807290063 Advises that State of TN will forgo appearance at 880721 prehearing conference in Knoxville, TN based on concerns already in process of being addressed  
PEARL, G.E. Tennessee, State of #388 6769. 88/07/18 MARGULIES, M.B. Atomic Safety and Licensing Board Panel 2pp 46253 263-46253 264

8807290030 Special prehearing conference order \* Discusses ASLB rulings from 880721 special prehearing conference Served on 880727  
MARGULIES, M.B. Atomic Safety and Licensing Board Panel #388 6804. 88/07/26. Office of the General Counsel 3pp 46254 104-46254 106

8807290219 Forwards applicant 880720 ltr responding to NRC 880621 request for add info  
BORDEN, C.K. B.M. Assistant General Counsel for Hearings #388 6820. 88/07/27. MARGULIES, M.B., PARIS, O.H., LUEBKE, E.A. Atomic Safety and Licensing Board Panel 3pp 46258 159-46258 161

8807180157 Advises of changes to AlChemie Board of Directors, per 880618 annual stockholders meeting  
SMELSER, J.H. All Chemical Isotope Enrichment, Inc 88/07/08 THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director 3pp 46188 243-46188 245

DOCKET STN-50-605 GE ADVANCED BWR DESIGN

A. Application/construction stage documents & correspondence

8807120628 Forwards status report on old plant design technical reviews.  
RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate 88/07/01 SHAOL, Division of Engineering & Systems Technology (Post 870411) PARTLOW, J. Division of Reactor Inspection & Safeguards (Post 870411) CONNELL, Division of Radiation Protection & Emergency Preparedness (Post 870411) 14pp 46148 054-46148 067

8807120634 Forwards request for add info re GE application for certification of advanced BWR design Responses requested by 880915  
SCALET, D.C. Standardization & Non-Power Reactor Project Directorate 88/07/07 GAY, J.S. General Electric Co. 28pp 46154 283-46154 314

K. Utility Final Safety Analysis Report (FSAR) & amendments

8807050003 Forwards Amend 2 to Chapters 7-9, 11-14 & 17 of SSAR for Advanced BWR per NRC 870807 Advanced BWR Licensing Review Basis  
GAY, J.S. General Electric Co. 88/06/29. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate 1,288pp. 46021 047-46024 254

8807050004 Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co 88/06/29. 884pp. 46022 091-46024 254

8807050005 Chapter 7, "Instrumentation & Control Sys." of Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co 88/06/29. 394pp. 46022 092-46023 125

8807050006 Chapter 8, "Electric Power," of Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co 88/06/29. 63pp. 46023 126-46023 186

8807050007 Chapter 9, "Auxiliary Sys." of Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co 88/06/29. 138pp. 46023 187-46023 324

8807050008 Chapter 11, "Radwaste Mgt." of Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co. 88/06/29. 40pp. 46023 325-46024 013

8807050009 Chapter 12, "Radiation Protection," of Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co 88/06/29. 74pp. 46024 014-46024 004

8807050010 Chapter 13, "Conduct of Operations," of Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co. 88/06/29. 14pp. 46024 095-46024 108

8807050011 Chapter 14, "Initial Test Program," of Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co. 88/06/29. 74pp. 46024 109-46024 182

8807050013 Chapter 17, "QA," of Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co. 88/06/29. 11pp. 46024 183-46024 193

8807050014 Chapter 20, "Question & Response Guide," of Amend 2 to GE Advanced BWR SSAR  
\* General Electric Co. 88/06/29. 82pp. 46024 194-46024 254

8807140283 Forwards Figures 7.6-1 & 7.8-2 of Amend 2 to GE Advanced BWR SSAR Figures withheld.  
GAY, J.S. General Electric Co. 88/07/08. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate. 1p. 46175 300-46175 300

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0025 ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA

8806280178 Forwards Safety Insp Rpt 70-0025/88-02 on 880516-19, 0601 & 07 & notice of violation.  
MONTGOMERY, J.L. Region 5, Ofc of the Director. 88/06/23. GIBBS, D.C. Rockwell International Corp. 2pp 45972 327-45972 343

8806280180 Notice of violation from insp on 880516-19 & 0601-07. Violation noted: failure to meet training requirements per License Condition 24 & work conducted in hot cells w/o completing required restricted access area permit.  
MONTGOMERY, J.L. Region 5, Ofc of the Director. 88/06/23. 2pp. 45972 328-45972 330

8806280182 Insp Rpt 70-0025/88-02 on 880516-19 & 0601-07. Violations noted: Major areas inspected: mgt organization & controls, training & retraining, critical safety operations review, transportation, radiation protection & environ programs.  
BROCK, B.L., PRENDERGAST, K., THOMAS, R.D. Region 5, Ofc of the Director. 68/06/23. 13pp. 45972 331-45972 343

8807220226 Responds to violations noted in Insp of License SNM-21 on 880516-19. Corrective actions preliminary draft radiological contingency plan being reviewed & training program being developed to include plan requirements.  
REMLEY, M.E. Rockwell International Corp. 88/07/14. Document Control Branch (Document Control Desk). 4pp. 46249 282-46249 285

8807110458 Forwards summary of differences between average & measured values for specified items which Naval Nuclear Fuel Div requested exemption for on 880314, per Temporary License Condition TC(MC8A) 2  
BOYD, C.C. Babcock & Wilcox Co. 88/05/11. MCALPINE, E.J. Region 2, OIC of the Director. 3pp. 46006-331-46006-333.

8806300031 Forwards proprietary Insp Rept 70-0027/88-17 on 880523-28. No violations or deviations noted. (ref 10CFR2.790(d) & 10CFR73.21)  
CLINE, W.E. Region 2, OIC of the Director. 88/06/15. TETRAULT, R.E. Babcock & Wilcox Co. 2pp. 46006-331-46006-333.

8806300033 Partially withheld Insp Rept 70-0027/88-17 on 880523-28 (ref 10CFR2.790(d) & 10CFR73.21). No violations or deviations noted. Major areas inspected: measurements & followup on previous Insp findings.  
BATES, J.W., MCALPINE, E.J. Region 2, OIC of the Director. 88/05/15. 1p. 46006-333-46006-333.

8807130074 Forwards Insp Rept 70-0027/88-11 on 880502-08 & notice of violation.  
COLLINS, D.M. Region 2, OIC of the Director. 88/06/22. TETRAULT, R.E. Babcock & Wilcox Co. 2pp. 46164-257-46164-274.

8807130077 Notice of violation from Insp on 880602-06. Violation noted from 880101-0506, on-site waste treatment facility operated & maintained w/o approved procedures & on 880503, procedures unavailable to evaluate potential radiological hazards.  
COLLINS, D.M. Region 2, OIC of the Director. 88/06/22. 2pp. 46164-259-46164-260.

8807130079 Insp Rept 70-0027/88-11 on 880502-08. Violations noted. Major areas inspected: radiation protection staff organization & training, radioactive contamination control, internal exposure evaluations & radwaste mgmt.  
KUZO, G.B., COLLINS, T.B., HORSEY, C.M. Region 2, OIC of the Director. 88/06/22. 14pp. 46164-261-46164-274.

8807250099 Responds to NRC 880622 ltr re violations noted in Insp Rept 70-0027/88-11.  
TETRAULT, R.E. Babcock & Wilcox Co. 88/07/18. Document Control Branch (Document Control Desk). 3pp. 46276-339-46276-341.

#### DOCKET 70-0113 PENNSYLVANIA STATE UNIV., UNIVERSITY PARK, PA

8807070140 Forwards Safeguards Insp Repts 50-005/88-02 & 70-0113/88-01 on 880503-06. No violations noted. Steps taken to correct violations brought to attention in NRC 850827 ltr also verified.  
BEILAMY, R.R. Region 1, OIC of the Director. 88/06/28. HOSLER, C.L. Pennsylvania State Univ., University Park, PA. 2pp. 46125-258-46125-268.

8807070143 Mail Control, Accounting & Physical Security Insp Repts 50-005/88-02 & 70-0113/88-01 on 880503-06. Major areas inspected: organization & operation, shipping & receiving storage & internal controls, inventory & record & repts.  
DELLA RATTIA, A., KEIMIG, R.R. Region 1, OIC of the Director. 88/06/28. 7pp. 46125-260-46125-266.

#### DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

8807130111 Forwards Safeguards Insp Repts 70-0135/88-02 & 70-0364/88-02 on 880524-27 & notice of violation.  
BEILAMY, R.R. Region 1, OIC of the Director. 88/06/27. COLEMAN, W.L. Babcock & Wilcox Co. 2pp. 46164-216-46164-221.

8807130115 Partially withheld notice of violation re Insp on 880524-27 (ref 10CFR2.790).  
\* Region 1, OIC of the Director. 88/06/27. 1p. 46164-218-46164-218.

8807130116 Partially withheld Nuclear Mail Control Accounting & Physical Security Insp Repts 70-0135/88-02 & 70-0364/88-02 (ref 10CFR2.790). Violations noted. Major areas inspected: inventory, records & repts & physical protection measures.  
DELLA RATTIA, A. Region 1, OIC of the Director. 88/06/21. 3pp. 46164-219-46164-221.

#### DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

8807130198 Forwards Rev 95 to FNMCP Section 7. Subj rev withheld (ref 10CFR2.790(d)). Fee paid.  
HENSLEY, K.D. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.) 88/04/28. BRACH, W.E. Office of Nuclear Material Safety & Safeguards, Director. 2pp. 46122-189-46122-190.

8807120434 Forwards Rev 88 to FNMCP Section 2.0, per 10CFR70.32(c). Encl withheld (ref 10CFR2.790(d)).  
HENSLEY, K.D. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.) 88/04/29. GRACE, J.N. Region 2, OIC of the Director. 2pp. 46110-356-46110-357.

8807130081 Forwards resubmittal of proposed changes to license FNMCP, Section 7, including changes to Paragraph 7.7.5 per D Joy suggestions during 880509-10 telecon w/ C Brown. Encl withheld (ref 10CFR2.790).  
HENSLEY, K.D. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.) 88/05/13. BRACH, W.E. Office of Nuclear Material Safety & Safeguards, Director. 2pp. 46122-043-46122-044.

8806300138 Forwards Insp Rept 70-0143/88-15 on 880426-29, 0509-13 & 23-27. No violations or deviations noted.  
CLINE, W.E. Region 2, OIC of the Director. 88/06/15. LONG, J.A. Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.) 2pp. 45995-278-45995-283.

8806300140 Insp Rept 70-0143/88-15 on 880426-0527. No violations or deviations noted. Major areas inspected: facility operations, maint & mod, nuclear criticality safety, radiation protection, radwaste mgmt & mail control & accounting.  
LEE, T.D. Region 2, OIC of the Director. 88/06/14. 6pp. 45995-278-45995-283.

8807140118 Recommends that contents of NFS proposal be incorporated into license per 880629 ltr con.  
HAWKINS, D.S. Tennessee, State of. 88/06/29. SOONG, S. NRC - No Detailed Affiliation Given. 2pp. 46164-083-46164-084.

8807110458 Forwards summary of differences between average & measured values for specified items which Naval Nuclear Fuel Div requested exemption for on 880314, per Temporary License Condition TC(MC8A) 2  
BOYD, C.C. Babcock & Wilcox Co. 88/05/11. MCALPINE, E.J. Region 2, OIC of the Director. 3pp. 46006-331-46006-333.

#### DOCKET 70-0270 MISSOURI, UNIV. OF, COLUMBIA, MO

8807250017 Forwards Mail Control & Accounting Insp Repts 50-123/88-02 & 70-0270/88-02 on 880627-29. No violations noted.  
MALLET, B.S. Region 3, OIC of the Director. 88/07/14. WARNER, D. Missouri, Univ. of, Rolla, MO. 2pp. 46299-068-46299-070.

8807250019 Partially withheld Mail Control & Accounting Insp Repts 50-123/88-02 & 70-0270/88-02 on 880627-29 (ref 10CFR2.790). No violations noted. Major areas inspected: mail control & accounting - reactors.  
CHRISTOFFER, G., CREED, J.R. Region 3, OIC of the Director. 88/07/14. 1p. 46299-070-46299-070.

#### DOCKET 70-0364 BABCOCK & WILCOX CO., APOLLO, PA

8807110468 Informs of intention not to continue plans for development of commercial incineration portion of vol reduction on site facility (VRSF). Super compactor portion of VRSF previously approved by EPA will operate.  
CULBERSON, D.G. Babcock & Wilcox Co. 88/06/15. MASLAN, T. Environmental Protection Agency. 3pp. 46100-176-46100-177.

8807130111 Forwards Safeguards Insp Repts 70-0135/88-02 & 70-0364/88-02 on 880524-27 & notice of violation.  
BEILAMY, R.R. Region 1, OIC of the Director. 88/06/27. COLEMAN, W.L. Babcock & Wilcox Co. 2pp. 46164-216-46164-221.

8807130115 Partially withheld notice of violation re Insp on 880524-27 (ref 10CFR2.790).  
\* Region 1, OIC of the Director. 88/06/27. 1p. 46164-218-46164-218.

8807130116 Partially withheld Nuclear Mail Control Accounting & Physical Security Insp Repts 70-0135/88-02 & 70-0364/88-02 (ref 10CFR2.790). Violations noted. Major areas inspected: inventory, records & repts & physical protection measures.  
DELLA RATTIA, A. Region 1, OIC of the Director. 88/06/21. 3pp. 46164-219-46164-221.

#### DOCKET 70-0371 UNC NAVAL PRODUCTS, INC., UNCASVILLE, CT

8807130218 Confirms 880211 ltr con w/ NRC re guidance on metals & explosives detectors & X-ray units. Understands that Reg Guide 5.7 being updated which will result in add'l guidance for installatn & use of subj detectors & X-ray units.  
GILLOT, R.J. United Nuclear Corp. (subs. of UNC Resources, Inc.) 88/02/10. BRACH, W. Licensing Branch. 2pp. 46166-148-46166-149.

8807130209 Clarifies two items submitted re change to physical protection plan per NRC 880311 request. All hand-carried objects will also be subj to Insp by electronic apparatus.  
GILLOT, R.J. United Nuclear Corp. (subs. of UNC Resources, Inc.) 88/05/18. BRACH, W. Licensing Branch. 2pp. 46170-028-46170-029.

8806290471 Responds to NRC 880518 ltr re violations noted in Insp Rept 70-0371/88-03. Training plan will be rewritten to eliminate ambiguous language contributing to misunderstanding & submit resultant rev to NRC by 881231.  
KAUFMAN, N.C. United Nuclear Corp. (subs. of UNC Resources, Inc.) 88/06/08. RUSSELL, W.T. Region 1, OIC of the Director. 5pp. 45984-280-45984-284.

8807120284 Issues Amend 13 to License SNM-368, authorizing fabrication & storage of new naval reactor component.  
ROUSE, L.C. Fuel Cycle Safety Branch. 88/06/27. GREGG, R. UNC Resources, Inc. 1p. 46113-353-46113-355.

8807120294 SER re license 880111 application for amend to License SNM-368, authorizing fabrication & storage of new component. Approval recommended.  
BIDINGER, G.H., SWIFT, J.J. Fuel Cycle Safety Branch. 88/06/27. 1p. 46113-354-46113-354.

8807120298 Notices that neither environ assessment nor EIS warranted re license 880111 application for amend to License SNM-368 to authorize fabrication & storage of new naval reactor component.  
ROUSE, L.C. Fuel Cycle Safety Branch. 88/06/27. Fuel Cycle Safety Branch. 1p. 46113-355-46113-355.

8807210307 Responds to NRC 880813 ltr re violations noted in Insp Rept 70-0371/88-02 on 880219-0319. Corrective actions licensee has laid out broad plan to assess radiation protection program. Civil penalty payment oncl.  
KAUFMAN, N.C. United Nuclear Corp. (subs. of UNC Resources, Inc.) 88/07/12. OIC of Enforcement (Post 870413). 15pp. 46234-001-46234-016.

#### DOCKET 70-0734 GA TECHNOLOGIES, INC., SAN DIEGO, CA

8807060642 Ack receipt of 880422 ltr transmitting change to shutdown facility physical protection plan dated May 1985 & advises that page change encl acceptable for inclusion to plan per 10CFR70.32 Encl withheld per 10CFR2.790.  
MONTGOMERY, J.L. Region 5, OIC of the Director. 88/08/30. ASMUSSEN, K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.) 1p. 46115-124-46115-124.

#### DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

8807120530 Confirms 880621 agreement w/ GJ Comfort re use of TLD neutron albedo dosimeters at potential criticality accident locations to fulfill post-accident dose determination on equipment requirements of License SNM-880, App A, Section 8.6.  
CUNNINGHAM, G.E. General Electric Co. 88/06/22. ROUSE, L.C. Fuel Cycle Safety Branch. 2pp. 46113-351-46113-352.

**DOCKET 70-0820 UNC RECOVERY SYSTEMS, WOOD RIVER JUNCTION, VA**

8807060459 Forwards Safety Insp Rept 70-0820/88-01 on 880524 No violation noted BELLAMY,R.R. Region 1, Ofc of the Director. 88/06/27. VELASQUEZ,J.R. UNC Recovery Systems 2pp. 46109.347-46109.353

-8807060525 Insp Rept 70-0820/88-01 on 880524 No violations noted Major areas inspected/status of facility decommissioning. ROTH,J., PASCIAK,W. Region 1, Ofc of the Director. 88/06/22 5pp 46109.349-46109.353.

**DOCKET 70-0824 BABCOCK & WILCOX CO., LYNCHBURG, VA**

8807120157 Forwards 880617 "Integrity of Waste Storage," providing addl info for Amend 4 to License SNM-778 re expected life & mechanical strength of storage containers. Containers will be used to hold waste stored in temporary storage facility. OLSEN,A.F. Babcock & Wilcox Co. 88/06/20 SOONG,A. Fuel Cycle Safety Branch 1p. 46113.307-46113.318.

-8807120167 "Integrity of Waste Storage." HAYNER,G.O., FRYE,C.R. Babcock & Wilcox Co. 88/06/17. 11pp 46113.308-46113.318.

8807130060 Forwards corrected Insp Rept 70-0824/88-03 Incorrectly dispatched under Docket 70.27 as Insp Rept 70-0027/88-03. COLLINS,D.M. Region 2, Ofc of the Director. 88/06/30. TRENT,L.K. Babcock & Wilcox Co. 1p. 46169.189-46169.198.

-8807130113 Forwards Insp Rept 70-0824/88-03 on 880516-18 No violations or deviations noted. COLLINS,D.M. Region 2, Ofc of the Director. 88/06/30. TRENT,L.K. Babcock & Wilcox Co. 2pp. 46169.190-46169.196.

-8807130118 Insp Rept 70-0824/88-03 on 880516-18 No violations or deviations noted Major areas inspected liquid & gaseous effluents, radiological environ monitoring & confirmatory measurements. MARSTON,R.R., BERMUDEZ,H., KAHLE,J.B. Region 2, Ofc of the Director. 88/06/30. 5pp. 46169.192-46169.196

8807180059 Recommends finding of no significant impact re B&W 871208, 860333 & 0820 applications for amend to License SNM-778, authorizing const & use of temporary storage facility within existing restricted area for storage of hot cell waste. LAROCHE,G., SWIFT,J.J. Fuel Cycle Safety Branch 88/07/08 3pp 46209.207-46209.212.

-8807190064 Finding of no significant impact re applications for amend to License SNM-778, authorizing const & use of temporary storage facility, in restricted area, for storage of hot cell waste. ROUSE,L.C. Fuel Cycle Safety Branch 88/07/03. 3pp 46209.210-46209.212.

8807220298 Environ assessment for 871208 application for amend to License SNM-778 re temporary storage facility. Finding of no significant impact for proposed amend recommended per 10CFR51.31. LAROCHE,G., SWIFT,J.J. Fuel Cycle Safety Branch. 88/07/08 3pp 46260.226-46260.227.

**DOCKET 70-0920 RENSSELAER POLYTECHNIC INSTITUTE, TROY, NY**

8807120554 Requests addl info re basis for proposed exemption from 10CFR20.202(c) requirements on monitored individuals. PENNINGTON,W.S. Fuel Cycle Safety Branch 88/06/24. RYAN,R.M. Rensselaer Polytechnic Institute, Troy, NY. 1p. 46112.347-46112.347.

**DOCKET 70-0925 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK**

8807120242 Forwards revised application for amend to License SNM-928 re onsite disposition of contaminated soil at facility. STAUTER,J.C. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/06/28. ROUSE,L.C. Division of Fuel Cycle, Medical, Academic & Commercial Use Safety 870413-870728. 2pp. 46145.225-46145.267.

-8807120249 Application for amend to License SNM-928, permitting onsite disposition of contaminated soil at facility. Sequoyah Fuels Corp. (subs. of Kerr-McGee Nuclear Corp.). 88/06/30. 41pp. 46145.227-46145.267.

**DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT**

8807130252 FNO-I-86-009 on 880630, fuel fabrication facility employees went on strike. Fuel fabrication facility in process of shutting down for holiday weekend. Contingency plans re site security implemented & no addl bargain sessions scheduled. ROTH,J., BELLAMY,R. Region 1, Ofc of the Director. 88/07/01. 1p. 46172.067-46172.067.

8807130398 Requests addl info in support of 880120 application to amend License SNM-1067 to permit processing of U-enriched to 6% in U-235 isotope. BIDINGER,G.H. Division of Industrial & Medical Nuclear Safety (Post 870729). 88/07/07. MCGILL,P.L. Combustion Engineering, Inc. 5pp. 46189.220-46189.224.

8807210345 Responds to NRC 880606 ltr re violations noted in Insp Rept 70-1100/88-03. Corrective actions/draws labeled as to estimated U-235 content & enrichment limits & review conducted of all secured mass limited containers in use. MCGILL,P.L. Combustion Engineering, Inc. 88/07/08. RUSSELL,W.T. Region 1, Ofc of the Director. 10pp. 46235.267-46235.275.

**DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC**

8807110256 Forwards Amend 15 to License SNM-1097, authorizing dry conversion of U hexafluoride to U oxide & safety evaluation. ROUSE,L.C. Fuel Cycle Safety Branch. 88/06/27. WINSLOW,T.P. General Electric Co. 1p. 46101.001-46101.007.

-8807110256 Amend 15 to License SNM-1097 for GE, authorizing use of 5G 003 kg U-235 enriched to 6% U-235, 0.35 kg U-235 enriched in U-235, 500 kg U-235 enriched to 15% U-235, 20 g Pu at existing facilities in Wilmington, NC. ROUSE,L.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 88/06/27. 1p. 46101.002-46101.002.

-8807110317 SER supporting 880516 amend application, authorizing conversion to UO2. BIDINGER,G.H., SWIFT,J.J. Fuel Cycle Safety Branch. 88/06/27 3pp. 46101.003-46101.005.

-8807110324 Discusses categorical exclusion for 880516 amend request. Use of new dry conversion process will have insignificant environ impact & public health & safety will not be endangered. ROUSE,L.C. Fuel Cycle Safety Branch 88/06/27. General Electric Co. 2pp. 46101.006-46101.007.

8807220040 Requests that encl analysis of samples identified in Insp 70-1113/86-02 on 880222-26 be withheld (rel 10CFR2.780). Analysts identifies 'licensed SNM material characteristics. WINSLOW,T.P. General Electric Co. 88/06/30. BATES,J.W. Region 2, Ofc of the Director. 1p. 46249.236-46249.236.

**DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., COLUMBIA, SC**

8807190232 Forwards Insp Rept 70-1151/88-08 on 880523-27 No violations or deviations noted. CLINE,W.E. Region 2, Ofc of the Director. 88/06/20. LOCH,E.P. Westinghouse Electric Corp. 2pp. 46209.213-46209.215.

-8807190235 Partially withheld Insp Rept 70-1151/88-08 on 880523-27 (rel 10CFR2.780 & 73.21) No violations or deviations noted. Major areas inspected measurements. SEYMOUR,D.A., MCALPINE,E.J. Region 2, Ofc of the Director. 88/06/23 1p. 46209.215-46209.215.

8807130226 Forwards rev updating FNMCP Rev with hold (rel 10CFR2.790(d)). NARDI,A.J. Westinghouse Electric Corp. 88/07/01. STOHR,J.P. Region 2, Ofc of the Director. 1p. 46186.028-46186.028.

8807130228 Forwards rev updating physical security plan. Rev withheld (rel 10CFR2.790(d)). NARDI,A.J. Westinghouse Electric Corp. 88/07/01. STOHR,J.P. Region 2, Ofc of the Director. 1p. 46172.068-46172.068.

8807140287 Discusses categorical exclusion for revised radiological contingency plan. Neither environ assessment nor environ impact statement warranted for proposed action. ROUSE,L.C. Fuel Cycle Safety Branch. 88/07/08. Fuel Cycle Safety Branch 2pp. 46213.223-46213.224.

8807250390 Ack receipt of 880701 ltr which transmitted Rev 12 to physical security plan. Changes constant w/ 10CFR70.32(a) & acceptable. CLINE,W.E. Region 2, Ofc of the Director. 88/07/14. LOCH,E.P. Westinghouse Electric Corp. 2pp. 46273.308-46273.310.

**DOCKET 70-1201 BABCOCK & WILCOX CO., LYNCHBURG, VA**

8807190040 Requests approval of encl license exemptions & mods, due to shut down of fuel fabrication activities during summer as result of reactor reload schedule. See pad WATTERS,J.P. Babcock & Wilcox Co. 88/05/31. ROUSE,L.C. Fuel Cycle Safety Branch 5pp. 46217.041-46217.045.

8808290029 Forwards Insp Rept 70-1201/88-08 on 880518-20. No violations or deviations noted. COLLINS,O.M. Region 2, Ofc of the Director. 88/06/16. ALTO,R.A. Babcock & Wilcox Co. 2pp. 45974.305-45974.312.

-8808290031 Insp Rept 70-1201/88-08 on 880518-20. No violations or deviations noted. Major areas inspected: liquid gaseous radwaste, environ monitoring & confirmatory measurements. MARSTON,R.R., BERMUDEZ,H., KAHLE,J.B. Region 2, Ofc of the Director. 88/06/16 6pp. 45974.307-45974.312.

8807140149 Revised application for amend to License SNM-1168 to accommodate temporary shutdown in fuel fabrication activities in Summer 1988. Attachment I of 880531 application modified. WATTERS,J.P. Babcock & Wilcox Co. 88/08/20. ROUSE,L.C. Fuel Cycle Safety Branch. 5pp. 46172.356-46172.360.

**DOCKET 70-1257 ADVANCED NUCLEAR FUELS CORP., RICHLAND, WA**

8807120427 Requests approval of encl revised page to FNMCP, reflecting change in quantity of mail which may be measured for accounting purposes under certain conditions. Fee sent under separate cover. Page withheld (rel 10CFR2.790(d)). SCHNEIDER,R.A. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) 88/05/09. BRACH,E.W. Licensing Branch. 1p. 46110.358-46110.358.

**DOCKET 70-1359 IRT CORP., SAN DIEGO, CA**

8807220307 Application for amend to License SNM-1405, requesting storage of radioactive materials listed. MASCHKA,P.R. International Research & Technology Corp. 88/05/26. PENNINGTON,W.S. Fuel Cycle Safety Branch. 3pp. 46250.228-46250.230.

8807190008 Forwards Amend 5, renewing License SNM-1405 & SER Amend extend license expiration date to 881231. ROUSE,L.C. Fuel Cycle Safety Branch. 88/07/08. MASCHKA,P.R. IRT Corp. 1p. 46209.267-46209.272.



-8807190011 Amerd 5 to License SNM-1405 for INT Corp, extending expiration date to 8/23/1.  
ROUSEL.C. Division of Industrial & Medical Nuclear Safety (Post 870728). 88/07/08 2pp 46203 268-46208 269

-8807190014 SER supporting Amerd 5 to License SNM-1405  
FENNINGTON, W.S. SWIFT, J.J. Fuel Cycle Safety Branch 88/07/08 3pp 46209:270-46209 272

#### DOCKET 70-2470 TRANSNUCLEAR, INC., FALLS CHURCH, VA

8807070108 'nforms that route from Norfolk Intl Terminal, Norfolk, VA to DCE Savannah River Plant for spent reactor fuel transport, requested for NRC approval in 871002 is approved through 881231 per 10CFR73.37 under License ISNM-1899 W/oncl MACDONALD, C.E. Transportation Branch 88/06/16 MANGUSI, J. Transnuclear, Inc 10pp 46011 268-46011 275

#### DOCKET 70-3055 GEORGIA POWER CO., WAYNESBORO, GA

8807080026 Discusses environ assessment of license application to receive new fuel. Environmental impacts associated w/new fuel storage at plant expected to be insignificant. No effluents, liquid or airborne, will be released.  
HCRN, M. Fuel Cycle Safety Branch 88/05/26 Fuel Cycle Safety Branch 4pp 46134:193-46134 196

8807210027 Forwards SER supporting and License SNM-1981, authorizing receipt, possession, insp & storage of U enriched in U-235 fuel assemblies Amnd 3 to Indemnity Agreement B-107, finding of no significant impact & environ assessment also and  
ROUSEL.C. Fuel Cycle Safety Branch 88/07/13 HAIRSTON, W.G. Georgia Power Co 3pp 46237 244-46237 267

-8807210032 License SNM-1981, for Georgia Power Co, authorizing receipt, possession & use of U contained in U-235 fuel assemblies  
ROUSEL.C. Division of Industrial & Medical Nuclear Safety (Post 870728) 88/07/13 1p 46237 247-46237 247

-8807210039 SER supporting 880122 application for license to receive, possess & store unirradiated nuclear fuel assemblies & associated radioactive materials  
MCCAUGHY, D. Fuel Cycle Safety Branch 88/07/13 8pp 46237 248-46237 255

-8807210048 Unexecuted Amnd 3 to Indemnity Agreement B-107, revising Item 3 as listed  
THOMAS, C.C. Policy Development & Technical Support Branch (Post 870411) 88/07/13 2pp 46237 256-46237 257

-8807210053 Notice of consideration of issuance of SNM & finding of no significant impact re authorization to receive, possess, inspect & store SNM in form of unirradiated fuel assemblies  
ROUSEL.C. Fuel Cycle Safety Branch 88/05/26 6pp 46237 258-46237 263

-8807210080 Environ assessment supporting 880122 application for license to receive, possess & store SNM in form of unirradiated fuel assemblies  
HCRN, M. Fuel Cycle Safety Branch 88/05/26 4pp 46237:264-46237 267

### PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

#### DOCKET 71-0210 GULF NUCLEAR, INC.

8807200301 Advises that QA Approval 0210 terminated per 880520 request  
MACDONALD, C.E. Transportation Branch 88/07/13 HOPCRAFT, C.P. Gulf Nuclear, Inc 1p 46228 357-46228 357

#### DOCKET 71-0479 SOUTH CAROLINA ELECTRIC & GAS CO.

8807210281 Requests that point of contact for NRC registered users list be changed to OS Bradham at stated address  
BRADHAM, O.S. South Carolina Electric & Gas Co. 88/07/01. MACDONALD, C.E. NRC - No Detailed Affiliation Given. 2pp 46233 171-46233 172

#### DOCKET 71-0498 GEARHART-OWEN INDUSTRIES

8807200339 Forwards QA program approval for radioactive mail package: 0498, Rev 2.  
MACDONALD, C.E. Transportation Branch 88/07/13. CAYWOOD, L. Gearhart Industries, Inc 1p 46221 208-46221 209

-8807200343 QA program approval for radioactive mail package 0498, Rev 2.  
MACDONALD, C.E. Transportation Branch 88/07/13. 1p 46221 208-46221 209

#### DOCKET 71-0842 RTS TECHNOLOGY, INC.

8807200306 Forwards request for add info re 880503 application requesting approval of amend to QA program  
MACDONALD, C.E. Transportation Branch 88/07/13. MUNRO, J.J. RTS Technology, Inc. 2pp 46222 150-46222 151

#### DOCKET 71-0865 MICHIGAN STATE UNIV., EAST LANSING, MI

8807080215 Application for QA program approval for radioactive mail package 0855. Program will be implemented during defueling & transportation of fuel from reactor using Clinchem BMI-1 cask.  
WILKINSON, R.E. Michigan State Univ., East Lansing, MI. 88/06/16. Office of Nuclear Material Safety & Safeguards, Director. 1p 46140 001-46140 022

-8807080224 QA program for Michigan State Univ. Div of Engineering Research  
WILKINSON, R.E. MITCHELL, M.W. GALONSKY, A. Michigan State Univ., East Lansing, MI. 88/06/15 22pp 46140 002-46140 022

#### DOCKET 71-0556 PROFESSIONAL WELDING ASSOCIATES

8807220269 Forwards QA program & associated documents for review  
KLINE, R.P. Professional Welding Associates, Inc. 88/07/08. Office of Nuclear Material Safety & Safeguards, Director. 2pp 46254 237-46254 284

-8807220278 Requests registration as user of Model 2T, USA/9056/B() & C-1, USA/9036/B(), under terms of Certificate of Compliance 9056 & 9036, respectively, issued to Source Production & Equipment Co.  
KLINE, R.P. Professional Welding Associates, Inc. 88/07/06. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 1p 46254 239-46254 239

-8807220290 "QA Procedure"  
Professional Welding Associates, Inc. 88/06/05 51pp 46254 240-46254 284

#### DOCKET 71-3002 MODEL: NR-10, NIPPON NUCLEAR FUEL DEVELOPMENT CO., LTD.

8807200197 Forwards request for add info re 880218 & 0501 requests for review of Model NR-10 package.  
MACDONALD, C.E. Transportation Branch 88/07/15. WANGLER, M.E. Transportation, Dept. of 2pp 46229 222-46229 223

#### DOCKET 71-3003 MODEL: TN-1, TRANSNUCLEAR QMBH

8807010088 Forwards documents re reva/valiation of German Package Approval D/4004/B(U)F for TN1 package per 880508 request to DOT.  
MCLAUGHLIN, J. Transnuclear, Inc. 88/06/16. MACDONALD, C.E. Transportation Branch 20pp 45991 207-45991 227

8807120373 Forwards documents in response to 880508 request for add info re reva/valiation of German package Approval D/4004/B(U)F for TN1 package.  
WANGLER, M.E. Transportation, Dept. of 88/06/17. MACDONALD, C.E. Transportation Branch. 18pp 46111 342-46111 360

#### DOCKET 71-4986 MODEL: RA-2, RA-3, RA-J, GENERAL ELECTRIC CO.

8807070505 Requests registration as user of Package USA/4886/AF to forward fuel rods to Nall Nuclear Corporation State of CA. Requests verification that QA policy in agreement w/10CFR71. Support H not required since State of NM is agreement state.  
DAVIDSON, D.R. Jamar Systems. 88/06/07. MACDONALD, C.E. NRC - No Detailed Affiliation Given. 2pp 46110 116-46110 116

#### DOCKET 71-5552 MODEL: GAS CYLINDER FIRE IMPACT SHIELD, ENERGY, DEPT.

8807205530 Application for renewal of Certificate of Compliance 5552 for Models OGO 13 through 37 Operating history & brief status of package listed.  
MAUCK, C.J. Energy, Dept. of 88/06/20. MACDONALD, C.E. Transportation Branch 2pp 46119 107-46110 108

#### DOCKET 71-5967 MODEL: BMI-1, BATTELLE COLUMBUS LABORATORY

8807080215 Application for QA program approval for radioactive mail package 0655. Program will be implemented during defueling & transportation of fuel from reactor using Clinchem BMI-1 cask.  
WILKINSON, R.E. Michigan State Univ., East Lansing, MI. 88/06/16. Office of Nuclear Material Safety & Safeguards, Director. 1p 46140 001-46140 022

-8807080224 QA program for Michigan State Univ. Div of Engineering Research  
WILKINSON, R.E. MITCHELL, M.W. GALONSKY, A. Michigan State Univ., East Lansing, MI. 88/06/15 22pp 46140 002-46140 022

8807080427 Advises of license intent to utilize Clinchem, Inc BMI-1 shipping cask per 10CFR70.12.  
WILKINSON, R.E. Michigan State Univ., East Lansing, MI. 88/06/17. Office of Nuclear Material Safety & Safeguards, Director. 2pp 45991 294-45991 295

#### DOCKET 71-5980 MODEL: GE-600, GENERAL ELECTRIC CO.

8807190029 Requests registration as user of GE Model 600.  
FISHER, T. Radiation Sterilizers, Inc. 88/07/05. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 2pp 46205 116-46205 117

#### DOCKET 71-6574 MODEL: HN-200, WESTINGHOUSE-HITTMAN NUCLEAR, INC.

8807110529 Notification of registration as user of Certificates of Compliance 6574 & 9208.  
MACDONALD, C.E. Transportation Branch 88/06/28. TORRES, J.L. Energy, Dept. of. 1p 46080 292-46080 292

#### DOCKET 71-6613 MODEL: 702, TECH/OPS, INC.

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 19.  
MACDONALD, C.E. Transportation Branch 88/06/28. ROUGHAN, C. Amersham Corp. 1p 46111 242-46111 242

**DOCKET 71-6677 MODEL: LP-12, ENERGY, DEPT. OF**

8807180285 Submits info re unauthorized design changes on LP-50 & unauthorized welding on LP-50 & LP-12 containers A1 LP-50 containers will be radiographed before filing to determine if unauthorized welds used  
 TORRES,J.L. Energy, Dept of 88/02/18 MACDONALD,C.E Transportation Branch  
 3pp 46203.307-46203.310

**DOCKET 71-6678 MODEL: LP-50, ENERGY, DEPT. OF**

8807180285 Submits info re unauthorized design changes on LP-50 & unauthorized welding on LP-50 & LP-12 containers A1 LP-50 containers will be radiographed before filing to determine if unauthorized welds used  
 TORRES,J.L. Energy, Dept of 88/02/18 MACDONALD,C.E Transportation Branch  
 3pp 46203.307-46203.310

8807190018 Provides detailed rept of incident at Savannah River Plant on 871118 re use of weld & welding technique not authorized by SAR for Packaging SARP OPSPU 74-124.5 Corrective actions listed including insp program initiation  
 MAUCK,C.J. Energy, Dept of 88/06/13 MACDONALD,C.E Division of Safeguards & Transportation (Post 87C413) 4pp 46216.159-46216.162

**DOCKET 71-6717 MODEL: 6717-B, GAMMA INDUSTRIES, INC.**

8807130206 Requests registration as user of NRC Certificates of Compliance 9056,9036 & 6717  
 BRUTON,J.P.N. Sowego Testing Service, Inc. 88/06/27. MORRIS,J. Glynn County, GA 2pp 46172.124-46172.125

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p 46111.242-46111.242

8807190041 Requests registration as user of Models Century SA & S, IR-100,660,680,770,771,865,IR-50,2-T,C-1 & C-10  
 WATSON,S.N. CTL, Inc. (formerly Alaska Welding Center) 88/06/29.  
 MACDONALD,C.E Office of Nuclear Material Safety & Safeguards,Director 3pp 46217.240-46217.242

**DOCKET 71-9006 MODEL: AI 500 SU, TECH/OPS, INC.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p 46111.242-46111.242

**DOCKET 71-9007 MODEL: 520, TECH/OPS, INC.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p 46111.242-46111.242

**DOCKET 71-9010 MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.**

8807080069 Advises that addl mod to NLI-1/2 cask prepared Mod strengthens I-beam that provides clearance between floor of container & impact limiters Approval to return Serial Number NLI 5462-4 to svc will be requested at later date W/enc1  
 VIEBROCK,J.M. Nuclear Assurance Corp. 88/06/20 MACDONALD,C.E Transportation Branch 25pp 46076.205-46076.220

**DOCKET 71-9019 MODEL: BU-7, GENERAL ELECTRIC CO.**

8807130232 Application for rev to Certificate of Compliance 9019 to reflect mass limits contained in Flev 13 to certificate Fee paid  
 WINSLOW,T.P. General Electric Co 88/06/20 MACDONALD,C.E. NRC - No Detailed Affiliation Given. 12pp. 46166.332-46166.348.

-8807130234 Forwards payment for 680620 licensing request re change to Certificate of Compliance 9019  
 FOLECK,R.H. General Electric Co 88/06/23 JACKSON,G. License Fee Management Branch 1p. 46166.344-46166.348

**DOCKET 71-9021 MODEL: 760, TECH/OPS, INC.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p 46111.242-46111.242

**DOCKET 71-9027 MODEL: 741 & 741E, TECH/OPS, INC.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p. 46111.242-46111.242.

**DOCKET 71-9028 MODEL: 684 & 684E, TECH/OPS, INC.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E. Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p. 46111.242-46111.242

**DOCKET 71-9029 MODEL: 676 & 676E, TECH/OPS, INC.**

8807010039 Notification of registration as user of Certificate of Compliance 9036, 880603 request.  
 MACDONALD,C.E Transportation Branch 88/06/23 MARUDAS,D.M. McKeesport Co 1p 45989.353-45989.360

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p. 46111.242-46111.242

**DOCKET 71-9032 MODEL: 650, TECH/OPS, INC.**

8807130430 Requests registration as user of Model 650 source changer for shipping package  
 WALTHER,A.E. Navy, Dept of 88/06/17 Office of Nuclear Material Safety & Safeguards,Director. 2pp 46172.176-46172.177.

8807080302 Notification of registration as user of Certificates of Compliance 9036 & 8107,pc: 10CFR71.12  
 MACDONALD,C.E Transportation Branch 88/06/28 HATZIS,C. General Dynamics Corp. 1p 46078.230-46078.230

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p 46111.242-46111.242

**DOCKET 71-9033 MODEL: 660 & 680E, TECH/OPS, INC.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p 46111.242-46111.242

8807190041 Requests registration as user of Models Century SA & S, IR-100,660,680,770,771,865,IR-50,2-T,C-1 & C-10  
 WATSON,S.N. CTL, Inc. (formerly Alaska Welding Center) 88/06/29  
 MACDONALD,C.E Office of Nuclear Material Safety & Safeguards,Director 3pp 46217.240-46217.242

**DOCKET 71-9035 MODEL: 680 & 680E, TECH/OPS, INC.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p. 46111.242-46111.242

8807190041 Requests registration as user of Models Century SA & S, IR-100,660,680,770,771,865,IR-50,2-T,C-1 & C-10  
 WATSON,S.N. CTL, Inc. (formerly Alaska Welding Center) 88/06/29  
 MACDONALD,C.E Office of Nuclear Material Safety & Safeguards,Director 3pp 46217.240-46217.242

**DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.**

8807130206 Requests registration as user of NRC Certificates of Compliance 9056,9036 & 6717.  
 BRUTON,J.P.N. Sowego Testing Service, Inc. 88/06/27. MORRIS,J. Glynn County, GA 2pp. 46172.124-46172.125.

8807110262 Advises that registration of each location separately as user of shipping package not necessary Records indicate that recipient already registered for packages ref in 880520 lr  
 MACDONALD,C.E Transportation Branch 88/06/28 ROUGHAN,C. Amersham Corp.  
 1p. 46111.242-46111.242

8807110534 Notification of registration as user of Certificates of Compliance 9036 & 9058  
 MACDONALD,C.E. Transportation Branch 88/06/28. MORRIS,J. Bayou Testes, Inc. 1p 46100.198-46100.198.

8807190041 Requests registration as user of Models Century SA & S, IR-100,660,680,770,771,865,IR-50,2-T,C-1 & C-10  
 WATSON,S.N. CTL, Inc. (formerly Alaska Welding Center) 88/06/29  
 MACDONALD,C.E Office of Nuclear Material Safety & Safeguards,Director 3pp 46217.240-46217.242

8807200283 Requests withdrawal of certificate of compliance and applications Revised applications will be resubmitted  
 OICHARRY,R.D. Source Production & Equipment Co., Inc. 88/07/06  
 MACDONALD,C.E Transportation Branch. 2pp. 46222.113-46222.114.

8807190362 Advises that review of 880718 application re Models C-1 & SPEC 21 terminated per 880708 request.  
 MACDONALD,C.E Transportation Branch 88/07/15 OICHARRY,R.D. Source Production & Equipment Co., Inc. 1p. 46213.360-46213.360.

DOCKET 71-9039 MODEL: 715, TECH/OPS, INC.

8807110282 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD,C.E. Transportation Branch. 88/06/28. ROUGHAN,C. Amersham Corp. 1p. 46111.242-46111.242

8807210128 Requests registration as user of Tech/Ops Model 715 for Certificate of Compliance 9039  
GILL,K.S. World Technical Services, Inc. 88/07/11. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards, Director. 2pp. 46234.149-46234.150

DOCKET 71-9053 MODEL: 683, TECH/OPS, INC.

8807110282 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD,C.E. Transportation Branch. 88/06/28. ROUGHAN,C. Amersham Corp. 1p. 46111.242-46111.242

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.

8807130206 Requests registration as user of NRC Certificate of Compliance 9036, 9036, 9036 & 6717  
BRUTON,J.P.N. Sowego Testing Service, Inc. 88/06/27. MORRIS,J. Glynn County, GA. 2pp. 46172.124-46172.125

8807110282 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD,C.E. Transportation Branch. 88/06/28. ROUGHAN,C. Amersham Corp. 1p. 46111.242-46111.242

8807110534 Notification of registration as user of Certificate of Compliance 9036 & 9056  
MACDONALD,C.E. Transportation Branch. 88/06/28. MORRIS,J. Rayon Testers, Inc. 1p. 46100.100-46100.100

8807190041 Requests registration as user of Models Century SA & S. IR-100,660,680,770,771,865,IR-50,2-T,C-1 & C-10.  
WATSON,S.N. CTI, Inc. (formerly Alaska Welding Center). 88/06/20. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46217.240-46217.242

8807200283 Requests withdrawal of certificate of compliance among applications. Revised applications will be resubmitted.  
DICHARRY,R.D. Source Production & Equipment Co., Inc. 88/07/08. MACDONALD,C.E. Transportation Branch. 2pp. 46222.113-46222.114

8807190382 Advises that review of 880718 application to Model's C-1 & SPEC 2-T terminated per 880708 request.  
MACDONALD,C.E. Transportation Branch. 88/07/15. DICHARRY,R.D. Source Production & Equipment Co., Inc. 1p. 46213.360-46213.360

DOCKET 71-9073 MODEL: OH-142 SERIES, NUCLEAR PACKAGING, INC.

8807190039 Requests extension to 881015 for submittal of consolidated application for renewal of Certificate of Compliance 9073, due to workload.  
ANTONUCCI,G.J. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 88/07/01. MACDONALD,C.E. Transportation Branch. 2pp. 46217.238-46217.239

8807200258 Notices that documents supporting 880216 request for renewal of respective certificates of compliance & stamped proprietary/copyrighted may be placed in PDR.  
BETOW,R.C. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 88/07/01. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46241.208-46241.202

--8807250054 Notices that proprietary Drawing E-9414-M-3204, supporting 880224 request for renewal of Certificate of Compliance 9073, may be placed in PDR.  
BETOW,R.C. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 88/07/01. GORDON,C. Transportation Branch. 1p. 46241.210-46241.210

--8807250062 Forwards Rev F to Procedure WM-013, "Gamma Scanning of Lead Shielding for LN Type Casks," per Williams request.  
FRAZER,W.H. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 87/07/29. MACDONALD,C.E. Transportation Branch. 2pp. 46241.211-46241.254

--8807250073 Rev H to Procedure WM-011, "Soap Bubble Leak Test LN Technologies Corp Type A Shipping Cask." Copyrighted.  
FRAZER,W. BUSH,F., MOONEY,J. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 86/11/25. 7pp. 46241.265-46241.261

--8807250079 Application for rev to Certificate of Compliance 9073 for Model NUS-50, reflecting change in company name resulting from London Nuclear Svcs 860930 purchase of all NUS Process Svcs Corp outstanding stock. Fee paid.  
FRAZER,W.H. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 87/06/01. MACDONALD,C.E. Transportation Branch. 1p. 46241.262-46241.262

DOCKET 71-9086 MODEL: HN-100, SERIES 1, HITTMAN NUCLEAR & DEVELOPMENT

8807070584 Forwards Rev 4 to STD-R-02-006, "SAR for HN-190-1 Radwaste Shipping Cask..." & responses to NRC 880610 ltr for review re license 880226 application for renewal of Certificate of Compliance 9086.  
ROY,B.A. Hittman Nuclear & Development Corp. (subs. of Hittman Corp.) 88/08/23. MACDONALD,C.E. NRC - No Dated Affiliation Given. 3pp. 46125.129-46125.146

--8807070588 Rev 4 to "SAR for HN-190-1 Radwaste Shipping Cask STD-R-02-006, Ref 10CFR71 Type 'A' Packaging Regulations."  
Hittman Nuclear & Development Corp. (subs. of Hittman Corp.) STD-R-02-006 R04. 88/08/22. 14pp. 46125.133-46125.146

DOCKET 71-9102 MODEL: NPI-20WC-6, NEUTRON PRODUCTS, INC.

8807190296 Requests add info re 880430 application requesting renewal of Certificate of Compliance 9102, including engineering drawing of 20WC overpack.  
MACDONALD,C.E. Transportation Branch. 88/07/13. TURKAN,S.M.M. Neutron Products, Inc. 2pp. 46205.263-46205.264

DOCKET 71-9103 MODEL: NLI-8502, NUCLEAR ASSURANCE CORP.

8807200361 Forwards Rev 0 to Operating Procedure UNIT-NLI-040, "NAC Cask Recommended Operating Instructions."  
DANESE,F.L. Nuclear Assurance Corp. 88/07/05. MACDONALD,C.E. NRC - No Dated Affiliation Given. 1p. 46221.222-46221.234

--8807200382 Rev 0 to Procedure UNIT-NLI-040, "NAC Cask Recommended Operating Instructions."  
BERTHUNE,W.J., LO,K., TANAKA,J. Nuclear Assurance Corp. 88/05/09. 12pp. 46221.223-46221.234

DOCKET 71-9107 MODEL: 771, TECH/OPS, INC.

8807080302 Notification of registration as user of Certificate of Compliance 9032 & 9107 per 10CFR71.12.  
MACDONALD,C.E. Transportation Branch. 88/06/28. HATZIS,C. General Dynamics Corp. 1p. 46076.230-46076.230

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD,C.E. Transportation Branch. 88/06/28. ROUGHAN,C. Amersham Corp. 1p. 46111.242-46111.242

8807190041 Requests registration as user of Models Century SA & S. IR-100,660,680,770,771,865,IR-50,2-T,C-1 & C-10.  
WATSON,S.N. CTI, Inc. (formerly Alaska Welding Center). 88/06/20. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46217.240-46217.242

DOCKET 71-9108 MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.

8807110522 Advises that application for renewal of Certificate of Compliance 9108 for Model CNS 6-75 w/expiration date of 880930 should be submitted at least 30 days prior to expiration date.  
MACDONALD,C.E. Transportation Branch. 88/06/28. KINIER,S. Chem-Nuclear Systems, Inc. 1p. 46111.243-46111.243

DOCKET 71-9110 MODEL: MX-IC-100, MAGNAFLUX CORP.

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD,C.E. Transportation Branch. 88/06/28. ROUGHAN,C. Amersham Corp. 1p. 46111.242-46111.242

DOCKET 71-9120 MODEL: TN-12, TRANSNUCLEAR, INC.

8807200258 Notices that documents supporting 880216 request for renewal of respective certificates of compliance & stamped proprietary/copyrighted may be placed in PDR.  
BETOW,R.C. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 88/07/01. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46241.208-46241.202

DOCKET 71-9126 MODEL: 20, 20A, 50, 50A, GAMMA INDUSTRIES, INC.

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD,C.E. Transportation Branch. 88/06/28. ROUGHAN,C. Amersham Corp. 1p. 46111.242-46111.242

DOCKET 71-9127 MODEL: 100, 100A, 200, 200A, GAMMA INDUSTRIES, INC.

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD,C.E. Transportation Branch. 88/06/28. ROUGHAN,C. Amersham Corp. 1p. 46111.242-46111.242

DOCKET 71-9128 MODEL: C-8, GAMMA INDUSTRIES, INC.

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD,C.E. Transportation Branch. 88/06/28. ROUGHAN,C. Amersham Corp. 1p. 46111.242-46111.242

DOCKET 71-9133 MODEL: C-10, GAMMA INDUSTRIES, INC.

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD,C.E. Transportation Branch. 88/06/28. ROUGHAN,C. Amersham Corp. 1p. 46111.242-46111.242

**DOCKET 71-9135 MODEL: CENTURY S & SA, GAMMA INDUSTRIES, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**8807190041** Requests registration as user of Models Century SA & S, IR-100, 680, 680, 770, 771, 865, IR-50, 2-T, C-1 & C-10.  
WATSON, S.N. CTI, Inc. (formerly Alaska Welding Center). 88/06/23.  
MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46217:240-46217:242.

**DOCKET 71-9137 MODEL: 820, TECH/OPS, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**DOCKET 71-9141 MODEL: 900, TECH/OPS, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**DOCKET 71-9143 MODEL: 920, TECH/OPS, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**DOCKET 71-9145 MODEL: NUPAC 50-1.5L, NUCLEAR PACKAGING, INC.**

**8807220175** Application for rev to Certificate of Compliance 9145, changing listed model, drawing & procedures prefix numbers & company name to LN Technologies Corp due to merger. Fee paid. W/one oversize drawing.  
FRAZER, W.H. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 87/06/01.  
MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46231:053-46231:055.

**-8807220182** Rev B to "Operating Procedure for Type A Series 50 Casks."  
\* LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 87/05/28. 16pp. 46231:062-46231:079.

**-8807220186** Rev B to "Maint & Insp Procedure for Type A, Series 50 Casks."  
\* LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 87/05/27. 14pp. 46231:080-46231:095.

**8807200258** Notices that documents supporting 880216 request for renewal of respective certificates of compliance & stamped proprietary/copyrighted may be placed in PDR.  
BETOW, R.C. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 88/07/01.  
MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46241:208-46241:262.

**-8807250062** Forwards Rev F to Procedure WM-013, "Gamma Scanning of Lead Shielding for LN Type Casks," per Williams request.  
FRAZER, W.H. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 87/07/29.  
MACDONALD, C.E. Transportation Branch. 2pp. 46241:211-46241:254.

**-8807250079** Application for rev to Certificate of Compliance 8073 for Model NUS-50, reflecting change in company name resulting from London Nuclear Svcs 880930 purchase of all NUS Process Svcs Corp outstanding stock. Fee paid.  
FRAZER, W.H. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 87/06/01.  
MACDONALD, C.E. Transportation Branch. 1p. 46241:262-46241:262.

**DOCKET 71-9147 MODEL: 850, TECH/OPS, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**DOCKET 71-9148 MODEL: 770, TECH/OPS, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**8807190041** Requests registration as user of Models Century SA & S, IR-100, 680, 680, 770, 771, 865, IR-50, 2-T, C-1 & C-10.  
WATSON, S.N. CTI, Inc. (formerly Alaska Welding Center). 88/08/29.  
MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46217:240-46217:242.

**DOCKET 71-9149 MODEL: 910, TECH/OPS, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**DOCKET 71-9151 MODEL: HN-100 SERIES 3, WESTINGHOUSE-HITTMAN NUCLEAR**

**8807200258** Notices that documents supporting 880216 request for renewal of respective certificates of compliance & stamped proprietary/copyrighted may be placed in PDR.  
BETOW, R.C. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 88/07/01.  
MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46241:208-46241:262.

**DOCKET 71-9154 MODEL: 858, TECH/OPS, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**8807190041** Requests registration as user of Models Century SA & S, IR-100, 680, 680, 770, 771, 865, IR-50, 2-T, C-1 & C-10.  
WATSON, S.N. CTI, Inc. (formerly Alaska Welding Center). 88/08/29.  
MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46217:240-46217:242.

**DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**8807190041** Requests registration as user of Models Century SA & S, IR-100, 680, 680, 770, 771, 865, IR-50, 2-T, C-1 & C-10.  
WATSON, S.N. CTI, Inc. (formerly Alaska Welding Center). 88/08/29.  
MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46217:240-46217:242.

**DOCKET 71-9159 MODEL: NUPAC 14/190L, M & H, NUCLEAR PACKAGING, INC.**

**8807220052** Application for renewal of Certificate of Compliance 9159, 9176, 9177, 9178 & 9179 for listed models. W/ two oversize drawings.  
BETOW, R.C. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 88/02/16.  
MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46220:129-46220:302.

**-8807220082** Rev C to "Operating Procedure for Type A Series II Casks."  
HIPSHER, W., MOTL, G.P., MILLER, T. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 85/05/06. 64pp. 46220:164-46220:228.

**-8807220067** Rev B to "Maint & Insp Procedure for Type A, Series II Cask."  
REGAN, E., MAYBER, R., VOIT, R. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 84/12/17. 44pp. 46220:229-46220:272.

**-8807220071** Rev A to "Soap Bubble Leak Test LN Technologies Type A Series II Shipping Casks."  
\* LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 88/01/25. 26pp. 46220:273-46220:302.

**8807200258** Notices that documents supporting 880216 request for renewal of respective certificates of compliance & stamped proprietary/copyrighted may be placed in PDR.  
BETOW, R.C. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). 88/07/01.  
MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46241:208-46241:262.

**DOCKET 71-9160 MODEL: 20-VS & 40-VS, GULF NUCLEAR, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**DOCKET 71-9165 MODEL: 855, TECH/OPS, INC.**

**8807110262** Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111:242-46111:242.

**DOCKET 71-9168 MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.**

8807200139 Requests registration as user of Models CNS-8-120B & HN-215H shipping casks  
LEONARD, J.D. Long Island Lighting Co. 88/07/07. MACDONALD, C.E. Transportation Branch. 2pp. 46229 243-46229 244.

**DOCKET 71-9176 MODEL: NUPAC 14/210L & 14/210H, NUCLEAR PACKAGING, INC.**

8807220052 Application for renewal of Certificate of Compliance 9159, 9176, 9177, 9178 & 9179 for listed models W/two oversize drawings  
BETOW, R. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 88/02/16. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46220 129-46220 302.

**DOCKET 71-9177 MODEL: NUPAC 10/140, NUCLEAR PACKAGING, INC.**

8807220052 Application for renewal of Certificate of Compliance 9159, 9176, 9177, 9178 & 9179 for listed models W/two oversize drawings  
BETOW, R. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 88/02/16. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46220 129-46220 302.

**DOCKET 71-9178 MODEL: NUPAC 7/100, NUCLEAR PACKAGING, INC.**

8807220052 Application for renewal of Certificate of Compliance 9159, 9176, 9177, 9178 & 9179 for listed models W/two oversize drawings  
BETOW, R. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 88/02/16. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46220 129-46220 302.

**DOCKET 71-9179 MODEL: NUPAC 6/100L & 6/100H, NUCLEAR PACKAGING, INC.**

8807220052 Application for renewal of Certificate of Compliance 9159, 9176, 9177, 9178 & 9179 for listed models W/two oversize drawings  
BETOW, R. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 88/02/16. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46220 129-46220 302.

**DOCKET 71-9180 MODEL: 500-SU-OP, AUTOMATION INDUSTRIES, INC.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111-242-46111-242.

**DOCKET 71-9182 MODEL: HUSMAN IRRADIATOR, AGRICULTURE, DEPT. OF**

8807210131 Forwards Certificate of Compliance 9182, Rev 1 for Husman irradiator shipping package.  
MACDONALD, C.E. Transportation Branch. 88/07/15. JARRETT, R.D. Agriculture, Dept. of. 1p. 46232 143-46232 146.

-8807210134 Certificate of Compliance 9182, Rev 1, for Husman irradiator.  
MACDONALD, C.E. Transportation Branch. 88/07/15. 3pp. 46232:144-46232 146.

**DOCKET 71-9186 MODEL: OP-100, INDUSTRIAL NUCLEAR CO.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111-242-46111-242.

**DOCKET 71-9187 MODEL: 865, TECH/OPS, INC.**

8807110262 Advises that registration of each location separately as user of shipping package not necessary. Records indicate that recipient already registered for packages ref in 880520 ltr.  
MACDONALD, C.E. Transportation Branch. 88/06/28. ROUGHAN, C. Amersham Corp. 1p. 46111-242-46111-242.

8807180041 Requests registration as user of Models Century SA & S, IR-100, 680, 890, 770, 771, 865, IR-50, 2, T.C-1 & C-10.  
WATSON, S.N. CTI, Inc. (formerly Alaska Welding Center). 88/06/29. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46217 240-46217 242.

**DOCKET 71-9208 MODEL: NUPAC 10-142, NUCLEAR PACKAGING, INC.**

8807050326 Requests registration as user of NuPac Model 10-142.  
HESS, J.E. General Public Utilities Corp. - G.P.U. Serv. Co. Corp. 88/06/21. MACDONALD, C.E. Transportation Branch. 2pp. 45991:263-45991 264.

8807110529 Notification of registration as user of Certificates of Compliance 6574 & 9208  
MACDONALD, C.E. Transportation Branch. 88/06/28. TORRES, J.L. Energy, Dept. of. 1p. 46080:292-46080 292.

**DOCKET 71-9210 MODEL: NUS 10-135, NUS CORP.**

8807220376 Forwards nonproprietary Rev B to "SAR for LN Technologies 10-135 Cask to 10CFR71 Packaging Requirements" & proprietary drawings Drawings withheld (ref 10CFR2.780).  
MCCOY, S.B. LN Technologies Corp. (formerly London Nuclear Svcs, Inc.) 87/04/30. MACDONALD, C.E. Transportation Branch. 5pp. 46210:326-46211 211.

-8807220383 Nonproprietary Rev B to "SAR for LN Technologies 10-135 Cask to 10CFR71 Packaging Requirements."  
LN Technologies Corp. (formerly London Nuclear Svcs, Inc.). \* Engineering Design & Testing Corp. 87/04/30. 250pp. 46210:331-46211 211.

**DOCKET 71-9218 MODEL: TRUPACT-II, ENERGY, DEPT. OF**

8807110167 Summary of 880209 meeting w/NUPAC, DOE, Sandia NM-Enviro Eval-  
uation Group & Westinghouse in Rockville, MD re Model TRUPACT II package  
ODERGAARDEN, R. Transportation Branch. 88/05/06. Transportation Branch. 2pp. 46141:325-46141 326.

8807080168 Forwards info on TRUPACT-II & tentative testing program at SANL, per  
580821 meeting.  
QUINN, G.J. Nuclear Packaging, Inc. 88/08/27. CHAPPELL, R. NRC - No Dated Affili-  
ation Given. 16pp. 46131:127-46131:146.

**DOCKET 71-9222 MODEL: HN-215H, WESTINGHOUSE HITTMAN NUCLEAR, INC.**

8807080083 Requests registration as user of Hittman Nuclear Model HN-215H radioac-  
tive mails shipping cask.  
ZUPKO, J. Public Service Electric & Gas Co. of New Jersey. 88/08/22. MACDONALD, C.E. Office of Nuclear Material Safety & Safeguards, Director. 2pp. 46134:197-46134:198.

8807200139 Requests registration as user of Models CNS 8-120B & HN-215H shipping  
casks.  
LEONARD, J.D. Long Island Lighting Co. 88/07/07. MACDONALD, C.E. Transportation  
Branch. 2pp. 46229 243-46229 244.

8807200203 Requests registration as user of Westinghouse Model HN-215H.  
DIEDERICH, G.J. Commonwealth Edison Co. 88/07/07. MACDONALD, C.E. Transpor-  
tation Branch. 2pp. 46220 254-46220 255.

**DOCKET 71-9226 MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.**

8807110109 Forwards SAR for legal weight truck cask Drop tests performed at ORNL  
demonstrating structural strength of design completed. Results will be incorporated in  
future SAR rev.  
WELLS, A.H. Nuclear Assurance Corp. 88/06/10. MACDONALD, C.E. Division of Safe-  
guards & Transportation (Post 870413). 2pp. 46100:264-46100 265.

**LICENSING OF INDEPENDENT SPENT FUEL STORAGE****DOCKET 72-0004 DUKE POWER CO., 50-269**

8807110366 Forwards questions re environ rept for ISFSI dtd 880331. Questions will be  
discussed during upcoming site visit on 880714.  
ROBERTS, J.P. Fuel Cycle Safety Branch. 88/06/24. TUCKER, H.B. Duke Power Co.  
5pp. 46082:051-46082 055.

8807130404 Forwards notice of consideration of issuance of mails license & amends to  
OLs & opportunity for hearing. Amends would modify Tech Specs to allow use of multi-  
element spent fuel dry shielded casks, per 880331 request.  
ROUSEL, C. Fuel Cycle Safety Branch. MATTHEWS, D.B. Project Directorate II-3. 88/  
06/30. TUCKER, H.B. Duke Power Co. 2pp. 46166:223-46166 230.

-8807130409 Notice of consideration of issuance of mails license for storage of spent  
fuel & amends to Licenses DPR-38, DPR-47 & DPR-55. Amend would revise Tech  
Specs to allow use of multi-element spent fuel dry shielded casks.  
ROUSEL, C. Fuel Cycle Safety Branch. 88/06/30. 6pp. 46166 225-46166 230.



## 10CFR COMMISSION MEETING RECORDS

- 8807010073 Transcript of 880621 briefing in Bethesda, MD re proposed rule on fitness for duty Pp 1-70.  
\* Commissioners 88/06/21 85pp. 45989-271-45989-355
- 8807010432 Staff requirements memo re 880602 briefing in Rockville, MD on master plan for integrating all severe accident issues. Commission requested EDO to establish Senior Severe Accident Review Group to review decision making criteria.  
CHILK, S.J. Office of the Secretary of the Commission. M880602 88/06/24 STELLOV, Oic of the Executive Director for Operations 2pp. 45991-228-45991-229
- 8807050409 Transcript of TVA 880621 briefing in Bethesda, MD re utility reorganization & plant status  
\* Commissioners 88/06/21 91pp. 45998-073-45998-163
- 8807060583 Staff requirements memo re Boston Edison Co 880608 briefing in Rockville, MD on status of plant Zoch cautioned license that transition from shutdown activities to operational performance requires close attention by mgmt & personnel.  
CHILK, S.J. Docking & Services Branch. M880609 88/06/24 STELLOV, Oic of the Executive Director for Operations 2pp. 46003-008-46003-009
- 8807080047 Transcript of 880628 affirmation/discussion & vote in Rockville, MD Pp 1-3.  
\* Commissioners 88/06/29 7pp. 46139-315-46139-321
- 8807080186 Transcript of initial briefing by ACRS on Nuclear Waste in Rockville, MD Pp 1-29 Related info incl.  
\* Commissioners 88/06/29 56pp. 46126-193-46126-248.
- 8807080245 Staff requirements memo re 880609 briefing in Rockville, MD re status of plant license cautioned to continue close monitoring of reactor operator overtime & encouraged to continue emphasis on degraded operator program initiatives.  
CHILK, S.J. Office of the Secretary of the Commission. M880609 88/06/24 STELLOV, Oic of the Executive Director for Operations. 2pp. 46078-354-46078-355.
- 8807120146 Staff requirements memo re 880620 briefing on Tech Spec revs in Rockville, MD Commission requested that staff obtain industry commitment for early transmission of proposed STS.  
CHILK, S.J. Office of the Secretary of the Commission. M880620 88/07/06 STELLOV, Oic of the Executive Director for Operations. 2pp. 46148-215-46148-216.
- 8807120462 Staff requirements memo re Commission briefing on 880616 in Rockville, MD re advanced LWRs.  
CHILK, S.J. Office of the Secretary of the Commission. M880616 88/06/30. NRC - No Dated Affiliation Given. 2pp. 46111-251-46111-252.
- 8807120663 Transcript of Commission on 880627 public meeting in Rockville, MD for briefing on proposed rule on early site permits and design certification & combined licenses for nuclear power reactors Pp 1-34 Related info incl.  
\* Commissioners 88/06/27 45pp. 46121-124-46121-168.
- 8807120710 Staff requirements memo re Commission 880621 briefing on TVA reorganization & status of plants.  
CHILK, S.J. Office of the Secretary of the Commission. M880621 88/06/29 STELLOV, Oic of the Executive Director for Operations 1p. 46120-183-46120-183.
- 8807130172 Staff requirements memo re Commission 880628 affirmation/discussion & vote in Rockville, MD on SECY-88-183, remanding coaxial cable issue.  
CHILK, S.J. Office of the Secretary of the Commission. M880628 88/07/07. PARLER, W.C. Office of the General Counsel. 1p. 46184-222-46184-222.
- 8807140311 Transcript of 880705 briefing in Rockville, MD re accountability of radioactive mail used by licensees Pp 1-51. Vowgraphs incl.  
\* Commissioners 88/07/05 68pp. 46176-247-46176-315.
- 8807150028 Staff requirements memo re 880727 briefing in Rockville, MD on proposed rule on early site permits, std design certification & combined licenses for nuclear power reactors.  
CHILK, S.J. Office of the Secretary of the Commission. M880627 88/07/12. PARLER, W.C. Office of the General Counsel. STELLOV, Oic of the Executive Director for Operations. 1p. 46184-278-46184-278.
- 8807150044 Transcript of 880706 briefing in Rockville, MD re EEO program Pp 1-50. Supporting documentation incl.  
\* Commissioners 88/07/06 60pp. 46183-158-46183-226.
- 8807210021 Transcript of 880715 briefing in Rockville, MD on matters of common interest between NRC & EPA in regulation of radiological hazards Pp 1-38.  
\* Commissioners 88/07/15 64pp. 46238-227-46238-290.
- 8807210028 Transcript of 880714 briefing in Rockville, MD re final rule on 10CFR50.46, ECCS acceptance criteria (App K) Pp 1-50.  
\* Commissioners 88/07/14 85pp. 46237-026-46237-110.
- 8807210038 Transcript of Commission 880713 periodic briefing in Rockville, MD re operating reactors & fuel facilities. Pp 1-89 Supporting documentation incl.  
\* Commissioners 88/07/13 105pp. 46234-248-46234-352.
- 8807210050 Transcript of 880714 affirmation/discussion & vote in Rockville, MD Pp 1-5 Supporting documentation incl.  
\* Commissioners 88/07/14 8pp. 46236-095-46236-103.
- 8807250012 Transcript of 880712 INPO annual briefing in Rockville, MD Pp 1-48 Supporting documentation incl.  
\* Commissioners 88/07/12 70pp. 46274-323-46275-033.

## ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

- 8807110517 Summary of ACRS 338th meeting on 880602-04 in Washington, DC re early site permits, std design certification, NRC research on heat transfer & fluid transport & priority ranking for group of generic issues.  
KERR, W. ACRS - Advisory Committee on Reactor Safeguards. 88/06/17. ZECH, L.W. Commissioners. 4pp. 46110-315-46110-318.

- 8807110523 Summary of ACRS 337th meeting on 880505-07 in Washington, DC re proposed policy statement on prof conduct of plant operators & proposed generic for individual plant exams.  
KERR, W. ACRS - Advisory Committee on Reactor Safeguards. 88/05/19. ZECH, L.W. Commissioners. 4pp. 46100-183-46100-186.
- 8807110527 Summary of 880531 ACRS Subcommittee on Occupational & Environ Protection Sys meeting in Washington, DC to review proposed revs to 10CFR20. "Sids for Protection Against Radiation".  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/06/20 ACRS - Advisory Committee on Reactor Safeguards. 11pp. 46100-187-46100-197.
- 8807110540 Discussions summary of ACRS 336th meeting in Washington, DC on 880407-09 & presents items proposed for consideration during ACRS 880505-07 meeting.  
KERR, W. ACRS - Advisory Committee on Reactor Safeguards. 88/04/19. ZECH, L.W. Commissioners. 4pp. 46100-207-46100-210.
- 8807110544 Summary of ACRS Subcommittee on Metal Components 880526 meeting in Washington, DC to review BWR reactor pressure vessel inservice insp program, quality of fasteners used in nuclear plants & pros/cons/corrosion of pipes.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/06/20 ACRS - Advisory Committee on Reactor Safeguards. 10pp. 46100-211-46100-220.
- 8807110548 Summary of ACRS Regional Programs Subcommittee 880524 meeting in Atlanta, GA to review activities under control of NRC Region II Oic.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/08/22. ACRS - Advisory Committee on Reactor Safeguards. 40pp. 46100-221-46100-260.
- 8807120324 Summary of 336th ACRS meeting on 880407-09 in Washington, DC. Apps & related info incl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/07/01. ACRS - Advisory Committee on Reactor Safeguards. 46pp. 46112-279-46112-322.
- 8807120333 App to summary of 335th ACRS meeting on 880310-12 in Washington, DC Related documentation incl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/07/01 ACRS - Advisory Committee on Reactor Safeguards. 53pp. 46112-228-46112-278.
- 8807120339 Summary of ACRS Subcommittee on Auxiliary Sys 880309 meeting in Washington, DC.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/03/16. ACRS - Advisory Committee on Reactor Safeguards. 85pp. 46112-128-46112-211.
- 8807120348 Summary of ACRS Subcommittee on Reliability Assurance (Valves) 880307-08 meetings in Washington, DC.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/04/07. ACRS - Advisory Committee on Reactor Safeguards. 16pp. 46112-099-46112-116.
- 8807120352 Summary of ACRS Subcommittee on Waste Mgt 880121-22 meetings in Washington, DC.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/02/12 ACRS - Advisory Committee on Reactor Safeguards. 27pp. 46112-072-46112-098.
- 8807120357 Summary of ACRS Subcommittee on Waste Mgt 871015-16 meeting in Washington, DC.  
\* ACRS - Advisory Committee on Reactor Safeguards. 87/11/12. ACRS - Advisory Committee on Reactor Safeguards. 60pp. 46112-011-46112-071.
- 8807120363 Expresses concern that 880527 meeting of ACRS Thermal Hydraulic Phenomena Subcommittee led to inconclusive result on question of acceptability of Westinghouse UH evaluation model. Another meeting will be required.  
PLESSET, M.S. California Institute of Technology, Pasadena, CA 88/06/07. BOEHNETT, P. ACRS - Advisory Committee on Reactor Safeguards. 1p. 46112-010-46112-010.
- 8807120377 Comments on 880527 Thermal Hydraulics Subcommittee meeting. Westinghouse approach does not make significant use of best estimate analysis but instead makes vague arguments about superbound conservative equivalence of 95% probability.  
SCHROCK, V.E. California, Univ. of Berkeley, CA. 88/06/01. WARD, D. ACRS - Advisory Committee on Reactor Safeguards. 1p. 46111-341-46111-341.
- 8807120386 Comments on NRC review of DOE COSCP in flow of attending next wk subcommittee meeting.  
KRAUSKOPF, K.B. Stanford Univ., Stanford, CA. 88/04/20. MERRILL, O.S. ACRS - Advisory Committee on Reactor Safeguards. 1p. 46111-328-46111-328.
- 8807120390 Tabulates questions B&W elected not to answer on 880504.  
REED, G.A. ACRS - Advisory Committee on Reactor Safeguards. 88/05/04. WYLIE, C. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 46111-324-46111-325.
- 8807120418 Summary of ACRS Subcommittee on Waste Mgt 880428 meeting in Washington, DC.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/05/26. ACRS - Advisory Committee on Reactor Safeguards. 36pp. 46110-319-46110-365.
- 8807120420 Summary of ACRS Subcommittee on Waste Mgt 880317 meeting in Washington, DC re nuclear waste mgt research & low level & high level waste list of attendees & related info incl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/03/30. ACRS - Advisory Committee on Reactor Safeguards. 48pp. 46114-113-46114-158.
- 8807120424 Summary of ACRS Subcommittee on Metal Components 880315 meeting in Charlotte, NC re EPRI/Westinghouse Owners Group program on nondestructive exam of cast stainless steel. Related info incl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/04/27 ACRS - Advisory Committee on Reactor Safeguards. 11pp. 46114-159-46114-169.
- 8807120428 Summary of ACRS Thermal Hydraulic Phenomena Subcommittee 880418 meeting re draft models & correlations document for RELAP-5/MOD2 thermal hydraulic code Related info incl.  
\* ACRS - Advisory Committee on Reactor Safeguards. 88/05/03 ACRS - Advisory Committee on Reactor Safeguards. 40pp. 46114-170-46114-209.

8807120435 Discusses 870922-23 meeting of DOE Nevada Operations OLC w/ NRC re seismic detection strategies for Yucca Mountain site in Nevada & forwards mail presented during meeting w/ no encl.  
TRIFUNAC, M.D. Southern California Univ. of Los Angeles, CA 87/03/28.  
MERRILL, O. ACRS - Advisory Committee on Reactor Safeguards 1p 46113 326-46113 326

8807120443 Ack receipt of minutes of ACRS Subcommittee on Waste Mgt meeting & suggests revs of remarks author made during meeting.  
KRAUSKOPF, K.B. Stanford Univ., Stanford, CA 87/09/28. MERRILL, O. S. ACRS - Advisory Committee on Reactor Safeguards 3pp 46111 255-46111 257.

8807120517 Provides random comments on subjs covered in 870219-20 meeting. Strongly urges nil meetings of regulators & suggests adding hydrologist knowledgeable about modeling ground water movement to roster.  
KRAUSKOPF, K.B. Stanford Univ., Stanford, CA 87/02/21. MERRILL, O. ACRS - Advisory Committee on Reactor Safeguards 3pp 46113 343-46113 344

8807120539 Summary of ACRS Thermal Hydraulic Phenomena Subcommittee 880420-21 meetings in Idaho Falls to review of final version of proposed rule to ECCS rule (10CFR50.46 & App K) & to hold working level session to develop draft ltr.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/04/25. ACRS - Advisory Committee on Reactor Safeguards 34pp 46114 001-46114 034

8807120559 Summary of ACRS Subcommittee on Severe Accidents 880426 meeting in Washington, DC re proposed generic ltr for individual plant exams which are part of implementation plan for Severe Accident Policy Statement.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/05/04. ACRS - Advisory Committee on Reactor Safeguards 35pp 46113 073-46113 105

8807120571 Summary of ACRS Subcommittee on Generic Items 880427 meeting in Washington, DC re ISAP II & integration of related generic issues.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/05/24. ACRS - Advisory Committee on Reactor Safeguards 25pp 46113 030-46113 054

8807120586 Summary of ACRS Human Factors Subcommittee 880427 meeting in Washington, DC re industry views on prof conduct of nuclear power plant operators, proposed NRC policy statement on conduct of operators & cognitive environment simulator.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/05/25. ACRS - Advisory Committee on Reactor Safeguards 13pp 46113 135-46113 147

8807120624 Discusses BWR Mark I containment performance workshop on 880224-28 in Baltimore, MD. Need to close severe accident issue expressed.  
CATTEN, J. ACRS - Advisory Committee on Reactor Safeguards 88/03/15.  
MUSTON, D. ACRS - Advisory Committee on Reactor Safeguards 5pp 46121 068-46121 072

8807120674 Forwards rept on ACRS subcommittee meeting on 880223-24 in Burlington, CA re status of long term seismic program at plant.  
SCAVUZZO, R.J. Scavuzzo, R.J. 88/04/19. SIESS, C.P. ACRS - Advisory Committee on Reactor Safeguards 1p 46121 174-46121 177

-8807120695 Comments on ACRS Subcommittee on Diablo Canyon meeting on 880223-24 in Burlington, CA re status of long term seismic program of plant.  
SCAVUZZO, R.J. Scavuzzo, R.J. 88/03/31. 4pp 46121 175-46121 177

8807120690 Comments on structural engineering meeting. Major progress made towards resolution of seismic piping problem. Experimental data convincing re resistance of piping to failure under severe simulated seismic loads.  
BUSH, S.H. Battelle Memorial Institute, Pacific Northwest Laboratory 88/04/11.  
IGNEE, G. ACRS - Advisory Committee on Reactor Safeguards 1p 46121 194-46121 194

8807120701 Responds to questions posed during Jul 1987 meeting in Las Vegas, NV. Results of PRA would be more meaningful than usual.  
MARK, J.C. Affiliation Not Assigned. 88/02/20. MERRILL, O. ACRS - Advisory Committee on Reactor Safeguards 7pp 46121 195-46121 201.

8807120711 Comments on DOE comments on Q351 GTP & draft responses to questions generated at Jul meeting. Sect on geochemistry of vital interest. Geochemical work exceedingly well done.  
KRAUSKOPF, K.B. Stanford Univ., Stanford, CA 87/12/08. MERRILL, O. S. ACRS - Advisory Committee on Reactor Safeguards 1p 46121 202-46121 202.

8807120718 Comments on several issues raised at meeting. Reasonable list of tests that should be performed on proposed waste forms made in presentations on low level waste form program.  
KRAUSKOPF, K.B. Stanford Univ., Stanford, CA 87/10/19. MOELLER, D.W. ACRS - Advisory Committee on Reactor Safeguards 2pp 46120 204-46120 205.

8807120721 Summary of ACRS Subcommittee on Structural Engineering 880330 meeting in Culver City, CA to review EPIH/NRC piping & fitting dynamic reliability program.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/04/19. ACRS - Advisory Committee on Reactor Safeguards 14pp 46120 206-46120 219.

8807120723 Summary of Instrumentation & Control Sys Subcommittee 880324 meeting in Washington, DC to review NRC analysis & study to limit scope of USI A-47, "Safety Implications of Control Sys," & to examine validity of limiting process.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/03/31. ACRS - Advisory Committee on Reactor Safeguards 8pp 46120 220-46120 227.

8807120725 Summary of Human Factors Subcommittee 880328 meeting in Washington, DC re Human Factors Research Program Plan.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/04/27. ACRS - Advisory Committee on Reactor Safeguards 22pp 46120 228-46120 249.

8807130448 Summary of 880504 meeting of ACRS Subcommittee on Waste Mgt in Washington, DC to review & discussion of current & potential applicability of de minimis & below regulatory concern concepts to Commission policies.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/05/20. ACRS - Advisory Committee on Reactor Safeguards 18pp 46122 061-46122 078.

8807210324 Transcript of morning session of ACRS 339th general meeting on 880714 in Washington, DC Pp 1-77.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/07/14. 80pp. 46233 051-46233 130.

8807210331 Transcript of ACRS Subcommittee on Severe Accidents 880713 meeting in Washington, DC re Integration Plan for Closure of Accident Issues Pp 1-235. Supporting documentation encl.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/07/13. 350pp 46223 222-46224 187.

8807210338 Transcript of ACRS 339th general meeting on 880715 in Washington, DC Pp 175-427. Related documentation encl.  
\* ACRS - Advisory Committee on Reactor Safeguards 88/07/15. 352pp 46222 196-46223 221

8807250034 Responds to ACRS rept on NRC comments re consultation draft site characterization plan for Yucca Mountain site.  
STELLO, V. OLC of the Executive Director for Operations 88/06/15. FRAYER, J.F. ACRS - Advisory Committee on Reactor Safeguards 2pp 46273 096-46273 129

-8806080078 Forwards list of requests made at 337th ACRS meeting on 880505-07, based on discussions re methods for improved implementation & followup of ACES recommendations.  
FRAYER, J.F. ACRS - Advisory Committee on Reactor Safeguards 88/05/28. STELLO, V. OLC of the Executive Director for Operations 7pp 46273 098-46273 128

-8805230033 Concurs w/ Rev 2 to Reg Guide 1.100, "Seismic Qualification of Electric Mechanical Equipment For Nuclear Power Plants," during 880505-07 337th ACES meeting.  
KEHR, W. ACRS - Advisory Committee on Reactor Safeguards 88/05/10. STELLO, V. Commissioners 1p 46273 129-46273 129.

#### ADVCOM NRC ADVISORY COMMITTEE

8807060405 Transcript of Advisory Committee on Nuclear Waste 880627 meeting, morning session in Washington, DC Pp 1-104. Supporting documentation on encl.  
\* Advisory Committee on Nuclear Waste 88/06/27. 146pp 46101 300-46102 035

8807060409 Transcript of Advisory Committee on Nuclear Waste 880627 meeting in Washington, DC Pp 95-180.  
\* Advisory Committee on Nuclear Waste 88/06/27. 105pp 46106 108-46108 212

8807120287 Transcript of Advisory Committee on Nuclear Waste 880628 first general meeting in Washington, DC Pp 181-341. Supporting documentation encl.  
\* Advisory Committee on Nuclear Waste. S. 88/06/28. 376pp. 46151 001-46152 015

8807120525 Transcript of Advisory Committee on Nuclear Waste 880629 first general meeting in Washington, DC Pp 517-569. Supporting documentation encl.  
\* Advisory Committee on Nuclear Waste. 88/06/29. 83pp. 46156 167-46156 250

8807130038 Transcript of Advisory Committee on Nuclear Waste 880628 first general meeting in Washington, DC Pp 398 518.  
\* Advisory Committee on Nuclear Waste. 88/06/28. 162pp 46170 039-46170 260

8807130091 Comments on proposed rule on storage of spent nuclear fuel in casks at nuclear power reactor sites discussed at Advisory Committee on Nuclear Waste 880627-29 meetings.  
MOELLER, D.W. Advisory Committee on Nuclear Waste. 88/07/01. ZECH, L.W. Commissioners 1p 46160 187-46160 197

8807130130 Summarizes 880627-29 meetings re petition being developed by DOE to establish accident dose guideline in 10CFR60 for high level radioactive repository. Values proposed by DOE should be compared to safety goals developed for nuclear power plants.  
MOELLER, D.W. Advisory Committee on Nuclear Waste 88/07/01. ZECH, L.W. Commissioners 2pp 46170 048-46170 049

8807130278 Transcript of Advisory Committee on Nuclear Waste 880628 first general meeting in Washington, DC Pp 342-398.  
\* Advisory Committee on Nuclear Waste 88/06/28. 50pp. 46172 005-46172 085

#### COMMISSION NRC COMMISSIONERS

8703060130 Requests all documents & records re proposed rule on emergency planning regulations which would permit NRC to issue full power CL in situations where state & local govts have not submitted emergency plans.  
MARKEY, E.J. House of Rep., Energy & Commerce. 87/02/06. ZECH, L.W. Commissioners 2pp 46076 203-46076 204

8807070378 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KERRY, J. Senate. 53FR16435 01577. 88/08/23. ZECH, L.W. Commissioners 4p 46024 350-46024 351

8807110239 Weekly info rept for wk ending 880624.  
REHM, T.A. OLC of the Executive Director for Operations 88/06/28. 28pp. 46100 337-46100 334

8807110335 Responds to 880513 ltr re 1987 amendments to Nuclear Waste Policy Act of 1982 & NRC plans for implementing four licensing conditions imposed by 1987 amendments on license for moribund retrievable storage facility.  
ZECH, L.W. Commissioners. 88/06/00. SIMPSON, A.K. Senate, Environment & Public Works. 1p 46089 358-46089 357.

-8807110343 Requests to be informed of what steps, if any, Commission intends to take to ensure that licensing conditions can be imposed in appropriate manner re amended Nuclear Waste Policy Act of 1982.  
SIMPSON, A.K. Senate, Environment & Public Works 88/05/13. ZECH, L.W. Commissioners 1p 46000 357-46000 357.

8807110368 Responds to 880524 ltr expressing concern re remarks made by NRC commissioners concerning resumption of operations at plant. Commission has not made decision on plant restart. Biography of each Commission member encl.  
ZECH, L.W. Commissioners. 88/06/21. MUIRHEAD, D.M. Citizens Urging Responsible Energy. 6pp 46100 099-46100 107

-8807110375 Requests info on commissioners, including qualifications, forms in file & activities w/nuclear industry New York: 880321 article on issue of GE Mark I containment enclosure. MUIRHEAD, D.M., OTT, M.C. Citizens Urging Responsible Energy 88/05/24. ZECH, L.W. Commissioners 3pp 46100.105-46100.107

8807110401 Responds to recipient ltr which criticizes comments author made after touring plant in late Apr 1988 Recognizes that number of issues must be addressed before commissioners make decision on resumed operation of plant. CARR, K.M. Commissioners 88/06/17 MUIRHEAD, D.M. Citizens Urging Responsible Energy 2pp 46099.358-46099.359

8807120139 Discusses response to Commissioner Rogers 880528 memo to Chairman Zech re agency schedule for Yucca Mountain site characterization plan approval & licensing THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director 88/07/08 REHM, T.A. Ofc of the Executive Director for Operations 2pp 46153.335-46153.340

-8807120153 Expresses concerns re apparent number of substantive agency activities that must be accomplished if current DOE project decision scheduled milestones for Yucca Mountain site characterization plan approval & licensing are to be met ROGERS, K.C. Commissioners. 88/05/26 ZECH, L.W. Commissioners. 2pp 46153.337-46153.340

8807120551 Informs Commission of options that staff is considering for discussion at 880711.13 workshop on proposed rulemaking for maintenance of nuclear power plant & provides draft rule for preferred option for Commission consideration STELLO, V. Ofc of the Executive Director for Operations 88/06/27. ZECH, ROBERTS, CARR Commissioners 19pp. 46113.011-46113.029

8807120563 Advises that request to enforce subpoenas issued to 11 utility employees submitted to US Justice Dept on 880523 Enforcement request not yet filed w/court ZECH, L.W. Commissioners. 88/06/10 SHARP, P. House of Rep., Energy & Commerce 1p 46113.106-46113.106

8807120578 Responds to 880518 request for 120-day extension of comment period for proposed rule 10CFR50 re emergency planning requirements for fuel loading & low power operation Comment period extended by 45 days. ZECH, L.W. Commissioners. 88/08/10. MAARVOULES, N. House of Rep. 1p. 46113.031-46113.032

-8807120584 Requests 120 day extension of comment period for proposed rule 10CFR50 re nuclear plant fuel loading & low power operation MAARVOULES, N. House of Rep 88/05/16. ZECH, L.W. Commissioners. 1p. 46113.002-46113.002

8807130418 Responds to 880525 ltr urging NRC to delay Seabrook low power operation until emergency planning & financial qualification issues resolved ZECH, L.W. Commissioners. 88/07/01. HUMPHREY, G.J. Senate. 3pp. 46172.001-46172.004

8807130423 Urges NRC not to saddle Seabrook w/ added costs associated w/ low power operation until significant issues re emergency planning & financial qualifications of owners resolved HUMPHREY, G.J. Senate 88/05/25. ZECH, L.W. Commissioners. 1p. 46172.004-46172.004

8807150080 Weekly info rept for wk ending 880701 REHM, T.A. Ofc of the Executive Director for Operations. 88/07/06. 30pp. 46184.209-46184.318

8807180139 Final response to FOIA request for documents. Forwards App B documents App B documents also available in PDF format App B documents partially or completely withheld (of FOIA Exemptions 5 & 6). GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/06/29. ELLIS, K. Gannett News Service, Washington, DC 5pp. 45527.159-45527.311

-8807180151 Advises of appointment to Natl Assoc of Regulatory Util Commission In event J Association not reappointed Next meeting will be held in San Francisco, CA on 880720-23. Related info encl. BRADFORD, P.A. National Association of Regulatory Utility Commissioners. 87/03/18. ZECH, L.W. Commissioners 10pp. 45527.192-45527.201

-8807180159 Partially deleted trip rept of 870810-13 visit to Laguna Verde Nuclear Station near Veracruz, Mexico Related info encl. CARR, K.M. Commissioners. 87/08/10. ZECH, ROBERTS, BERNTHAL Commissioners. 24pp. 45527.203-45527.226

-8807180196 Ack receipt of invitation to address Ninety-Ninth Annual Convention & Regulatory Symposium of Natl Assoc of Regulatory Util Commissioners in New Orleans, LA 871116 Invitation declined due to previous commitment. ZECH, L.W. Commissioners 87/08/03. BRADFORD, P.A. New York, State of. 1p. 45527.271-45527.271

-8807180198 Notifies that 871116-19 Ninety-Ninth Annual Convention & Regulatory Symposium will be held in New Orleans, LA Related info encl. BRADFORD, P.A. National Association of Regulatory Utility Commissioners. 87/08/06. ZECH, L.W. Commissioners. 15pp. 45527.272-45527.286

-8807180203 Summary of 880217-19 NEA workshop on public info during nuclear emergencies Workshop devoted to improving western public affairs activities & coordination during nuclear or radiological emergencies. DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 88/04/18. ZECH, ROBERTS, BERNTHAL Commissioners. 11pp. 45527.287-45527.297

-8807180210 Trip rept of 880307-10 visit to Vienna, Austria to represent NRC in first meeting of newly constituted Nuclear Safety Study Advisory Group. DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 88/03/18. ZECH Commissioners. 9pp. 45527.298-45527.306

-8807180215 Discusses IAEA symposium on severe accidents in nuclear power plants held in Sorrento, Italy, including differences in emphasis between US & European severe accident approaches. DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 88/03/30. ZECH, ROBERTS, BERNTHAL Commissioners. 3pp. 45527.307-45527.309

-8807180218 Trip rept of 880331 visit to ANS headquarters at invitation of Chairman of Committee on Int'l Activities. DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 88/04/04. ZECH, ROBERTS, BERNTHAL Commissioners 2pp. 45527.310-45527.311

8807180286 Weekly info rept for wk ending 880708 REHM, T.A. Ofc of the Executive Director for Operations. 88/07/13. 26pp. 46200.178-46200.203

## CONTRACT NRC CONTRACTS AND MODIFICATIONS

8807010013 Notification of contract execution, Mod 2, to "Technical Assistance in Developing & Implementing Programs & Procedures for Reactors Requiring Special Insp Resources." Contractor: Ebasco Svcs, Inc. HAGEY, H. Division of Contracts & Property Management (Post 880515). FIN D-1781. NRC-03-87-119. 88/06/15. BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given 1p. 45975.354-45975.355.

-8807010016 Mod 2, providing incremental funding, to "Technical Assistance in Developing & Implementing Programs & Procedures for Reactors Requiring Special Insp Resources." Ebasco Services, Inc. (subs of Enserch Corp). EDGEWORTH, P.J. Division of Contracts (870413-880514). FIN D-1781. NRC-03-87-119. 88/06/15. 1p. 45975.355-45975.355

8807010115 Notification of contract execution, Mod 7, to "Technical Assistance for Vendor & Contractor Insps." Contractor: SMC O'Donnell & Assoc, Inc. VELEZ, P. Contract Administration Branch. FIN B-8727. NRC-05-88-168. 88/06/17. BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411). WEST, S. NRC - No Detailed Affiliation Given 1p. 45989.358-45989.358

-8807010181 Mod 7, deobligating 100,000.00 of FY88 funds, to "Technical Assistance for Vendor & Contractor Insps." EDGEWORTH, P.J. SMC O'Donnell & Associates, Inc. (formerly O'Donnell & Associates, Inc.) SELZA, Division of Contracts (870413-880514). FIN B-8727. NRC-05-88-168. 88/06/17. 2pp. 45989.357-45989.358

8807010274 Notification of contract execution, Mod 8, to "Independent Assessment & Analysis." Contractor: Franklin Research Ctr. HAGEY, H. Contract Administration Branch. FIN D-2108. NRC-05-88-168. 88/06/15. RICHARDSON, S. Ofc of Special Projects. BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411). WEST, S. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 45981.006-45981.008

-8807010289 Mod 8, adding add'l Ofc of Special Project funds, to "Independent Assessment & Analysis." Calspan Corp. (subs. Arvin Industries/Franklin Research Center). EDGEWORTH, P.J. Division of Contracts & Property Management (Post 880515). FIN D-2108. NRC-05-88-168. 88/06/15. 2pp. 45981.007-45981.008

8807010311 Notification of contract execution, Mod 13, to "Program to Support Operator Licensing Activities." Contractor: Sonlysis, Inc. BELL, S. Office of Administration & Resources Management, Director (Post 870413). FIN D-1332. NRC-03-88-054. 88/05/31. BAJWA, S.S. Planning, Program & Management Support Branch (Post 870411). PULSIPHER, K. NRC - No Detailed Affiliation Given. 1p. 45981.004-45981.005

-8807010331 Mod 13, adding names to Section H.1, "Key Personnel," to "Program to Support Operator Licensing Activities." PETERSEN, L.R. Sonlysis, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post 880515). FIN D-1332. NRC-03-88-054. 88/05/31. 1p. 45981.005-45981.005

8807050087 Notification of contract execution, Mod 1, to "Operation & Maintenance of Nuclear Documents Sys (NUDOCs)." Contractor: SBA. Subcontractor: Statistica, Inc. FLEENOR, C.M. Contract Negotiation Branch-1. FIN D-1874. NRC-39-88-211. 88/06/01. SCOTT, R.S. Division of Information Support Services (Post 870413). COLLINS, M.D. NRC - No Detailed Affiliation Given. 1p. 45991.238-45991.238

8807050178 Notification of contract execution "Topical Meeting on TMI-2 Accident Mists Behavior & Plant Recovery Technology Washington, DC 881031-1104," awarded to American Nuclear Soc. DEMARCO, D. KNOX, E. Division of Contracts & Property Management (Post 880515). FIN G-1138. NRC-04-88-148. 88/08/23. GUSTAVE, R.P. Program Management, Policy Development & Analysis Staff (Post 870413). VAN HOUTON, R. NRC - No Detailed Affiliation Given. 1p. 46003.062-46003.064

-8807050200 Grant: "Topical Meeting on TMI-2 Accident Mists Behavior & Plant Recovery Technology Washington, DC 881031-1104," awarded to American Nuclear Society. GARUNER, M. American Nuclear Society. THOMPSON, R.D. Division of Contracts & Property Management (Post 880515). FIN G-1138. NRC-04-88-148. 88/08/23. 2pp. 46003.063-46003.064

8807050330 Notification of contract execution, Mod 1, to "Shuttle Bus Svc." Contractor: American Coach Lines, Inc. MEEHAN, B. NRC - No Detailed Affiliation Given. FIN D-2328. NRC-39-88-187. 88/08/07. HALMAN, E.J. Division of Contracts & Property Management (Post 880515). QUEEND, NRC - No Detailed Affiliation Given. 1p. 45991.265-45991.266

-8807050338 Mod 1, deobligating funds due to termination of contract for default by 880801 ltr, to "Shuttle Bus Svc." American Coach Lines. HAGAN, T.F. Division of Contracts & Property Management (Post 880515). FIN D-2328. NRC-39-88-187. 88/08/07. 1p. 45991.266-45991.266

8807050350 Notification of contract execution, Mod 1, to "Equipment in Support of Video Teleconferencing Pilot Program." Contractor: Concept Communications, Inc. FLYNN, M.J. Contract Negotiation Branch-1. FIN B-8155. NRC-39-88-180. 88/05/31. AMENTA, J. Ofc of Administration & Resources Management, Director (Post 870413). KIRK, I. NRC - No Detailed Affiliation Given. 1p. 45981.278-45981.281

-8807050355 Mod 1, authorizing purchase of IMAGE 30 PC boards. Audioplex enhancement boards & associated maint coverage, to "Equipment in Support of Video Teleconferencing Pilot Program." HAYNES, S. Concept Communications, Inc. WIGGINS, E.J. Division of Contracts & Property Management (Post 880515). FIN B-8155. NRC-39-88-180. 88/05/31. 2pp. 45981.280-45981.281

8807060490 Notification of contract execution, Purchase Moderns & Ancillary Equip  
ment, awarded to Universal Data Sys  
SMITH, P.A. Office of Administration & Resources Management, Director (Post  
870413) FIN D-1863 NRC-33-88-207 88/06/24 EYSYMONT, G.P. Division of Com  
puter & Telecommunications Services (Post 870413) BROWNELL, B.D. Telecommu  
nications Branch 1p 46011 217 46011 262

8807060507 Contract, "Purchase Moderns & Ancillary Equipment," awarded to Univer  
sal Data Sys  
MARTIN, R.R. Universal Data Systems, SMITH, P.A. Division of Contracts & Property  
Management (Post 880515) FIN D-1863 NRC-33-88-207 88/06/24 45pp  
46011 218 46011 262

8807060492 Notification of contract execution, Mod 21a, "Interleaf Graphics Worksta  
tion," Contractor Interleaf Inc  
HAGEY, H. Division of Contracts & Property Management (Post 880515) NRC-33-87-  
243 88/06/23 GRASLEY, D. Division of Freedom of Information & Publications Ser  
vices (Post 880515) THOT, THOMPSON, NRC - No Detailed Affiliation Given 1p  
46011 263 46011 265

8807070072 Mod 2, extending period of performance, providing for partial  
payment, reducing price, contract & providing additional training to NRC employees, to  
"Interleaf Graphics Workstation"  
NEWBY, C.T. Interleaf, Inc. EDGEWORTH, P.J. Division of Contracts (870413-880514)  
NRC-33-87-243 88/05/23 2pp 46011 264 46011 265

8807060582 Notification of contract execution, Mod 31a, "Interleaf Graphics Worksta  
tion," Contractor Interleaf Inc  
HAGEY, H. Division of Contracts & Property Management (Post 880515) FIN D-1896  
NRC-33-87-243 88/06/23 GRASLEY, D. Division of Freedom of Information & Publi  
cations Services (Post 880515) THOT, THOMPSON, NRC - No Detailed Affiliation  
Given 1p 46003 024 46003 024

8807060586 Mod 3, correcting inadvertent omission of accounting data in Block 12 of  
Mod 2, to "Interleaf Graphics Workstation"  
\* Interleaf, Inc. EDGEWORTH, P.J. Division of Contracts & Property Management  
(Post 880515) FIN D-1896 NRC-33-87-243 88/06/23 1p 46003 024 46003 024

8807070109 Discusses Lufkin status databases Extension until 881030 requested to  
search for some required reports in response files  
DEAN, R.S. Parameter, Inc. NRC-05-85-157-02 88/06/23 BERLINGER, C.H. Genera  
communications Branch 2pp 46124 271 46124 272

8807070606 Notification of contract execution, Mod 8, to "Development of NRC Reactor  
Operator Licensing Exam Specs." Contractor Professional Exam Svc  
BELL, S. NRC - No Detailed Affiliation Given FIN D-1315 NRC-03-85-052 88/06/20  
BAJWAS, Planning, Program & Management Support Branch (Post 870411)  
PULS, PHER, K. NRC - No Detailed Affiliation Given 1p 46019 033 46019 036

8807070607 Mod 8, revising indirect rates, providing increase for overrun & changes &  
delays, increasing ceiling & obligated amounts & extending period of performance, to  
"Development of NRC Reactor Operator Licensing Exam Specs."  
\* Professional Examination Service, EDGEWORTH, P.J. NRC - No Detailed Affiliation  
Given FIN D-1315 NRC-03-85-052 88/06/20 3pp 46019 034 46019 036

8807080022 Notification of contract execution, Mod 15, to "ADP Sys Development"  
Contractor Sys Automation Corp  
BELL, S. Office of Administration & Resources Management, Director (Post 870413)  
FIN B-8166 NRC-33-87-224 88/06/29 EYSYMONT, G.P. Division of Computer &  
Telecommunications Services (Post 870413) SULLIVAN, J. NRC - No Detailed Affili  
ation Given 1p 46134 265 46134 268

8807080028 Mod 15, providing incremental funding to "ADP Sys Development."  
\* System Automation Corp. EDGEWORTH, P.J. Division of Contracts (870413-  
880514) FIN B-8166 NRC-33-87-224 88/06/29 1p 46134 266 46134 266

8807080031 Notification of grant execution, Mod 7, to "Partial Support of Geological Sci  
ences Board," Contractor NAS  
DORSEY, M. Contract Administration Branch FIN G-1054 NRC-G-04-83-007 88/06/  
21. FOREHAND, W. Office of Nuclear Regulatory Research, Director (Post 860720)  
ZURFUEH, E. NRC - No Detailed Affiliation Given 1p 46139 322 46139 323

8807080037 Mod 7, extending period of performance, providing funds & incorporating  
grantee proposal, to "Partial Support of Geological Sciences Board"  
SMITH, P.M. National Academy of Sciences, HAGAN, T.F. Division of Contracts &  
Property Management (Post 880515) FIN G-1054 NRC-G-04-83-007 88/06/21 1p  
46139 323 46139 323

8807080035 Notification of contract execution, Mod 8, to "Init Piping Integrity Research  
Program," Contractor BML  
BELL, S. NRC - No Detailed Affiliation Given FIN D-1658 NRC-04-86-106 88/06/21  
GUSTAV, E. Office of Nuclear Regulatory Research, Director (Post 860720)  
SCHWARTZ, A. NRC - No Detailed Affiliation Given 1p 46134 120 46134 123

8807080042 Mod 8, changing statement of work to provide for transfer & transport of  
centrifugal pump as govt furnished equipment to "Init Piping Integrity Research Pro  
gram."  
SEWELL, H.M. Battelle Memorial Institute, Columbus Laboratories, HAGAN, T.F. Divi  
sion of Contracts & Property Management (Post 880515) FIN D-1658 NRC-04-86-  
106 88/06/21 3pp 46134 121 46134 123

8807080051 Notification of contract execution, Mod 29, to "Technical Assistance for Faci  
lities Requiring Special Assistance," Contractor Parameter, Inc.  
MEEHAN, B. NRC - No Detailed Affiliation Given FIN D-2101 NRC-05-86-156 88/07/  
05. RICHARDSON, S.D. Office of Special Projects CORELY, D.J. NRC - No Detailed Af  
filiation Given 1p 46136 048 46136 049

8807080058 Mod 29, adding incremental funding, to "Technical Assistance for Faci  
lities Requiring Special Assistance"  
\* Parameter, Inc. HAGAN, T.F. Division of Contracts & Property Management (Post  
880515) FIN D-2101 NRC-05-86-156 88/07/05 1p 46136 049 46136 049

8807080067 Notification of contract execution, Mod 5, to "Steam Generator & Steam  
Line Overhaul Issues," Contractor SBA/Sciencetech, Inc.  
VELEZ, P. Office of Administration & Resources Management, Director (Post 870413)  
FIN D-1766 NRC-04-87-398 88/05/09 GUSTAV, E. Program Management, Policy  
Development & Analysis Staff (Post 870413) SHAKAT, S.K. NRC - No Detailed Affili  
ation Given 1p 46136 160 46136 162

8807080097 Mod 5, modifying completion schedule for Task 2 under Section C11,  
"Steam Generator & Steam Line Overhaul Issues."  
BARRER, J. Small Business Administration, YBARRO, N.O. L.J. Sciencetech, Inc.  
WIGGINS, E.J. Division of Contracts (870413-880514) FIN D-1766 NRC-04-87-398  
88/05/09 2pp 46136 161 46136 162

8807080058 Notification of contract execution, Mod 1, to "Lease/Purchase of B&W  
NSSS PWR Simulator," Contractor Power Safety Intl.  
BELL, S. Division of Contracts & Property Management (Post 880515) FIN D-2177  
NRC-26-88-316 88/06/29 SPESSAF, R.L. Division of Operational Assessment & E  
870413) SHOWE, S. Technical Training Center 1p 46133 328 46133 330

8807080077 Mod 1, extending delivery date for simulator & to accept as cons delivery  
items listed in contract 880525, to "Lease/Purchase of B&W NSSS PWR Simulator"  
LEE, O.E. Power Safety International, HAGAN, T.F. Division of Contracts & Property  
Management (Post 880515) FIN D-2177 NRC-26-88-316 88/06/29 2pp 46133 329  
46133 330

8807080106 Notification of contract execution, Mod 11, to "Commercial Facilities 1/2 of  
One White Flint North," Contractor Parsons Brinckerhoff Manti Svc  
PAGE, M. Contract Administration Branch FIN D-2440 NRC-10-87-171 88/07/21  
HAGMAN, E.L. Division of Contracts & Property Management (Post 880515)  
ROULINS, C.L. NRC - No Detailed Affiliation Given 1p 46139 290 46139 292

8807080113 Mod 11, incorporating alternative maintenance specs, to "Commercial Faci  
lies 1/2 of One White Flint North"  
WILSON, J.R. Parsons Brinckerhoff Construction Services, Inc. HAGAN, T.F. Division  
of Contracts & Property Management (Post 880515) FIN D-2440 NRC-10-87-171 88/  
07/01 2pp 46139 291 46139 292

8807080121 Notification of contract execution, Mod 1, to "Main & Sys Support for PC  
BRS Software," Contractor Zonar Corp  
KNOX, E. Office of Administration & Resources Management, Director (Post 870413)  
FIN D-1212 NRC-33-87-218 88/05/16 EYSYMONT, G.P. SHELBOURNE, E.C. NRC -  
No Detailed Affiliation Given 1p 46139 348 46139 349

8807080127 Mod 1, changing project officer, to "Main & Sys Support for PC  
BRS Software."  
\* Zonar Corp. WIGGINS, E.J. Division of Contracts & Property Management (Post  
880515) FIN D-1212 NRC-33-87-218 88/05/16 1p 46139 349 46139 349

8807080139 Notification of contract execution, Mod 20, to "Coordination of Federal/State  
Radiation Control Activities & Assistance in Solving Radiation Control Problems"  
Contractor HHS, FDA  
KNOX, E. Office of Administration & Resources Management, Director (Post 870413)  
NRC-06-76-247 88/07/05 KAMMERER, C. State, Local & Indian Tribal Programs 2p  
46185 029 46185 030

8807080149 Mod 20, designating new project officer, to "Coordination of Federal/State  
Radiation Control Activities & Assistance in Solving Radiation Control Problems"  
\* Food & Drug Administration, EDGEWORTH, P.J. Division of Contracts & Property  
Management (Post 880515) NRC-06-76-247 88/07/05 1p 46185 030 46185 033

8807080160 Notification of contract execution, Mod 6, to "Sealing of Boreholes & Sha  
fts in Salt," Contractor Univ of Arizona  
DORSEY, M. Office of Administration & Resources Management, Director (Post  
870413) NRC-04-86-113 88/06/27 GUSTAV, E. Program Management, Policy De  
velopment & Analysis Staff (Post 870413) PHILIP, J. NRC - No Detailed Affili  
ation Given 1p 46139 216 46139 220

8807080172 Mod 6, revising Section C description/specs/work statement, to "Sealing  
of Boreholes & Shafts in Salt"  
WHEELER, J.I. Arizona, Univ. of Tucson, AZ. HAGAN, T.F. Division of Contracts &  
Property Management (Post 880515) NRC-04-86-113 88/06/27 4pp 46133 217  
46133 220

8807080194 Notification of contract execution, "Application of Optical Disk Techno  
logy," awarded to Orkand Corp  
FLYNN, M.J. Contract Negotiation Branch-1, FIN D-1901 NRC-39-88-243 88/04/04  
SCOTT, R.S. Division of Information Support Services (Post 870413) PAULSEN, B.  
NRC - No Detailed Affiliation Given 1p 46077 147 46077 284

8807080197 Contract, "Application of Optical Disk Technology," awarded to Orkand  
Corp.  
CAIN, D.L. Orkand Corp. HAGAN, T.F. Division of Contracts (870413-880514) FIN D-  
1901 NRC-39-88-243 88/04/04 117pp 46077 148 46077 284

8807080198 Notification of contract execution, "Local Svc for Region III," awarded to  
Illinois Bell Telephone Co  
DORSEY, M. Office of Administration & Resources Management, Director (Post  
870413) NRC-30-88-287 88/07/01 ROY, G.W. Region 3, Office of the Director  
BRITZ, P. NRC - No Detailed Affiliation Given 1p 46126 249 46126 273

8807080212 Contract, "Local Svc for Region III," awarded to Illinois Bell Telephone  
Co.  
CHILDRESS, C. Illinois Bell Telephone Co. WIGGINS, E. Division of Contracts & Prop  
erty Management (Post 880515) NRC-30-88-287 88/07/01 24pp 46126 250  
46126 273

8807080241 Notification of contract execution, Mod 5, to "Technical Assistance for  
Design Reviews of High Level Waste Geologic Repositories," Contractor Itasca Con  
sulting Group, Inc.  
KNOX, E. NRC - No Detailed Affiliation Given NRC-02-85-002 88/06/30  
FUNCHES, J.L. Program Management, Policy Development & Analysis Staff (Post  
870413) TANIUS, N.S. NRC - No Detailed Affiliation Given 1p 46140 076  
46140 078

8807080259 Mod 5, designating new project officer, to "Technical Assistance for Design  
Reviews of High Level Waste Geologic Repositories"  
\* Itasca Consulting Group, Inc. HAGAN, T.F. Division of Contracts & Property Ma  
nagement (Post 880515) NRC-02-85-002 88/06/30 2pp 46140 077 46140 078



HAGEY,H Contract Administration Branch, NRC-10-86-238, 88/06/23 SCOTT,R S  
Division of Information Support Services (Post 870413) CHEN,E NRC - No Data  
All at on Given 1p 46100 266 46109 267

--8807110150 Mod 2,changing delivery address for NRC Region 1 to "ASME 1986  
Boiler & Pressure Vessel Code"  
\* American Society of Mechanical Engineers, EDGEWORTH,P.J. Division of Contracts  
& Property Management (Post 880515) NRC-10-86-238 88/06/23 1p 46100 267-  
46100 267

8807110161 Notification of contract execution,Mod 4 to "On-Call Maint of NRC Con-  
tractor Peripheral Equipment." Contractor General Scientific Corp.  
VELEZ,P. Contract Administration Branch, FIN B-1403, NRC-33-86-263, 88/08/09  
EYSYMONTT,G.P. Division of Computer & Telecommunications Services (Post  
870413) NRC-33-86-262 88/06/21 EYSYMONTT,G.P. Division of Comp., &  
Telecommunications Services (Post 870413) JOHNSON,C NRC - No Data  
All at on Given 1p 46100 268 46103 270

--8807110175 Mod 4,adding equipment & new NRC location to "On-Call Maint of NRC  
Contractor Peripheral Equipment"  
\* COSGROVE,W.A. General Scientific Corp. EDGEWORTH,P.J. Division of Contracts &  
Property Management (Post 880515) FIN D-8174 NRC-33-86-282 88/06/21 2pp  
46100 269 46100 270

8807110240 Mod 1,increasing amount obligated to "Operation & Maint of NUOCCS"  
ELLIS,D. Small Business Administration BOSE,D.D. Statistica, Inc. HAGAN,T.F. Di-  
vision of Contracts & Property Management (Post 880515) FIN D-1874, NRC-39-89-  
211 88/05/01 11pp 46091 143 46091 253.

8807110316 Notification of contract execution "Regulatory Process," awarded to Regu-  
latory Group,Inc.  
NEARSE,S.D. Contract Negotiation Branch,2 NRC-39-88-365 88/06/24  
GO,DMAN,P. Ofc of Personnel (Post 870413) BASS,N.C. NRC - No Data  
All on Given 1p 46111 036 46111 161

--8807110323 Contract "Regulatory Process," awarded to Regulatory Group  
RODENECK,A. Regulatory Group, Inc. SMITH,P.A. Division of Contracts & Property  
Management (Post 880515) NRC-39-88-365 88/06/24 15pp 46111 037-  
46111 181

8807120252 Corrected notification of contract execution,Mod 7 to "Audiovisual  
Equipment,Purchase & Installation at One White Flint North." Contractor,Maryland  
Sound Industries,Inc.  
PAGE,M. Contract Administration Branch FIN D-2465 NRC-10-87-211 88/06/08  
GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post  
880515) LINDSAY,R NRC - No Data  
All on Given 1p 46113 323 46113 325.

--8807120266 Corrected Mod 7,authorizing installation of equipment in Commissioners  
Conference Room & extending contract completion dates to "Audiovisual  
Equipment,Purchase & Installation at One White Flint North."  
\* Maryland Sound Industries, Inc. HAGAN,T.F. Division of Contracts & Property  
Management (Post 880515) FIN D-2465 NRC-10-87-211 88/06/08 2pp 46113 324-  
46113 325

8807120316 Notification of contract execution,Mod 20 to "Fuel Cycle Licensing Assis-  
tance." Contractor Science Applications Intl Corp.  
MEEHAN,B. Division of Contracts & Property Management (Post 880515) FIN D-  
1083-8 NRC-02-87-004 88/06/29 TENEYCKE,O. Ofc of Nuclear Material Safety  
& Safeguards,Director LOYSEN,P. NRC - No Data  
All on Given 1p 46148 145 46148 147

--8807120320 Mod 20,adding incremental funding to, "Fuel Cycle Licensing Assis-  
tance"  
\* Science Applications International Corp. (formerly Science Applications, Inc.)  
EDGEWORTH,P.J. Division of Contracts & Property Management (Post 880515) FIN  
D-1083-8 NRC-02-87-004 88/06/29 2pp 46148 146 46148 147.

8807120336 Notification of contract execution,Mod 19 to "Fuel Cycle Licensing Assis-  
tance." Contractor Science Applications Intl Corp.  
MEEHAN,B. Contract Administration Branch FIN D-1082-8 NRC-02-87-004 88/06/  
29 TENEYCKE,O. Program Management, Policy Development & Analysis Staff (Post  
870413) LOYSEN,P. NRC - No Data  
All on Given 1p 46148 192 46148 201

--8807120340 Mod 19,detailing Task Order 14 & adding incremental funding to "Fuel  
Cycle Licensing Assistance"  
\* Science Applications International Corp. (formerly Science Applications, Inc.)  
HAGAN,T.F. Division of Contracts & Property Management (Post 880515) FIN  
D-1082-8 NRC-02-87-004 88/06/29 9pp 46148 193 46148 201

8807120350 Notification of contract execution,Mod 15 to "Structural Integrity of LWR  
Boundary Components - II." Contractor: Mats Engineering Assoc,Inc.  
BELL,S. Contract Administration Branch, FIN B-8903 NRC-04-84-102 88/06/24  
FOREHAND,W. Program Management, Policy Development & Analysis Staff (Post  
870413) TABOADA,A. NRC - No Data  
All on Given 1p 46156 274 46156 278

--8807120353 Mod 15,providing continued maint of data under Task 2 & extending  
period of performance to 880829 to "Structural Integrity of LWR Boundary Com-  
ponents - II."  
\* LOSS,F. J. Materials Engineering Associates, Inc. HAGAN,T.F. Division of Contracts &  
Property Management (Post 880515) FIN B-8900 NRC-04-84-102 88/06/24 4pp  
46156 275 46156 278

8807120521 Notification of contract execution,Mod 5 to "Microcomputer."  
Contractor Govt Technology Svcs,Inc.  
VELEZ,P. Contract Administration Branch NRC-33-87-252 88/06/28 SCOTT,S. Di-  
vision of Computer & Telecommunications Services (Post 870413) GIANOIS,C NRC -  
No Data  
All on Given 1p 46113 345 46113 350

--8807120580 Mod 5,providing incremental funding,modifying Section B.1 & decreasing  
ceiling amount to "Microcomputer"  
\* WILLIAMS,G.W. Government Technology Services, Inc. EDGEWORTH,P.J. Division of  
Contracts & Property Management (Post 880515) NRC-33-87-252 88/06/28 5pp  
46113 346 46113 350.

ELEONOR,C.M. Contract Negotiation Branch-1 FIN D-1783 NRC-03-88-027 88/07/  
05 BAJWASS S. Planning Program & Management Support Branch (Post 870411)  
PULSIPHER,K NRC - No Data  
All at on Given 1p 46158 076 46158 115

--8807120586 Contract "NRC Reactor Operator Examiner Training Conference," award-  
ed to Tabas Hotel  
DRAKE,H. Tabas Hotel WIGGINS,E.J. Division of Contracts & Property Management  
(Post 880515) FIN D-1783 NRC-03-88-027 88/06/29 39pp 46158 077 46158 115

8807120597 Notification of contract execution,Mod 14 to "Conventional Sys Develop-  
ment." Contractor Mathreco,Inc.  
VELEZ,P. Contract Administration Branch, FIN B-1403, NRC-33-86-263, 88/08/09  
EYSYMONTT,G.P. Division of Computer & Telecommunications Services (Post  
870413) DOLLEY,A. NRC - No Data  
All on Given 1p 46156 303 46156 304

--8807120598 Mod 14,correcting total obligated amount as shown in Mod 12 to "Con-  
ventional Sys Development."  
\* Mathreco, Inc. EDGEWORTH,P.J. Division of Contracts & Property Management  
(Post 880515) FIN B-1403 NRC-33-86-263 88/06/09 1p 46156 304 46156 304.

8807120708 Corrected notification of contract execution,Mod 7 to "Audiovisual  
Equipment,Purchase & Installation at White Flint North." Contractor,Maryland Sound  
Industries,Inc.  
PAGE,M. Contract Negotiation Branch-2 FIN D-2465, NRC-10-87-211 88/06/08  
GRIMSLEY,D. Division of Freedom of Information & Publications Services (Post  
880515) LINDSAY,R NRC - No Data  
All on Given 1p 46155 109 46155 108

8807130184 Notification of contract execution,Mod 26 to "Technical Assistance for Fa-  
cilities Requiring Special Assistance." Contractor:Parametric,Inc.  
MEEHAN,B. Contract Administration Branch FIN D-2101 NRC-05-86-156 88/06/08  
R.CHARDSON,S.D. Ofc of Special Projects COHLEY,D.J. NRC - No Data  
All on Given 1p 46170 026 46170 027

--8807130194 Mod 26,providing incremental funding to "Technical Assistance for Fa-  
cilities Requiring Special Assistance"  
\* Parametric, Inc. EDGEWORTH,P.J. Division of Contracts & Property Management  
(Post 880515) FIN D-2101 NRC-05-86-156 88/06/08 1p 46170 027 46170 027.

8807130210 Notification of contract execution,Mod 4 to "BWR Nuclear Engineering  
Course." Contractor GE  
HAGEY,H. Contract Administration Branch FIN B-8758, NRC-05-86-151 88/05/31  
JORDAN,E. Ofc for Analysis & Evaluation of Operational Data, Director 1p  
46168 150 46168 152.

--8807130222 Mod 4,exercising second of four options under contract to "BWR Nuclear  
Engineering Course."  
\* HEYDRICKS,C. General Electric Co. FIN B-8758 NRC-05-86-151 88/05/31 2pp  
46168 151 46168 152

8807130285 Notification of contract execution,Mod 19 to "Degraded Piping Program -  
Phase II." Contractor,BMI.  
HAGEY,H. Contract Administration Branch, NRC-04-84-103 88/06/24 GUSTAVE,R  
Program Management, Policy Development & Analysis Staff (Post 870413)  
MAYFIELD,M. NRC - No Data  
All on Given 1p 46172 089 46172 091

--8807130294 Mod 19,extending completion date for all efforts performed under con-  
tract up to Mod 15 through 880930 at no addl cost to "Degraded Piping Program -  
Phase II."  
SEWELL,H.M. Battelle Memorial Institute Columbus Laboratories. EDGEWORTH,P.J.  
Division of Contracts & Property Management (Post 880515) NRC-04-84-103 88/06/  
24 2pp 46172 090 46172 091.

8807130308 Notification of contract execution,Mod 19 to "Degraded Piping Program -  
Phase II." Contractor,BMI  
HAGEY,H. Contract Administration Branch, FIN B-8134 NRC-04-84-103 88/06/24  
GUSTAVE,R. Program Management, Policy Development & Analysis Staff (Post  
870413) MAYFIELD,M. NRC - No Data  
All on Given 1p 46184 016 46184 021.

--8807130314 Mod 19,increasing contract ceiling & obligated amounts to allow contrac-  
tor to complete experiment under Section C to "Degraded Piping Program - Phase II."  
SEWELL,H.M. Battelle Memorial Institute, Columbus Laboratories. EDGEWORTH,P.J.  
Division of Contracts & Property Management (Post 880515) FIN B-8134 NRC-04-84-  
103 88/06/24 5pp 46184 017 46184 021.

8807130374 Notification of contract execution,Mod 1 to "Fabrication & Installation of  
Conference Table & Four Video Cabinets in Commissioners Hearing Room,White Flint  
North." Contractor: Production House,Inc.  
PAGE,M. Contract Administration Branch, NRC-39-88-232 88/05/16 SPRINGER,M.L.  
Ofc of Consolidation (Post 870413) PLEASANT,E. NRC - No Data  
All on Given 1p 46186 145 46186 147.

--8807130377 Mod 1,extending contract until 880531 to "Fabrication & Installation of  
Conference Table & Four Cabinets in Commissioners Hearing Room,White Flint  
North."  
\* BURT,D.T. Production House, Inc. WIGGINS,E.J. NRC - No Data  
All on Given 1p 46186 148 46186 147.

8807150157 Notification of cooperative agreement,Mod 1 to "Maint & Operation of  
LPDR." Contractor:TH MidPetrol Library, Louisiana State Univ.  
SMITH,P. Property & Procurement Branch FIN D-2418 NRC-10-87-337 88/07/12  
GRIMSLEY,D.H. Ofc of Administration & Resources Management, Director (Post  
870413) SOUDER,J. NRC - No Data  
All on Given 1p 46183 340 46183 359

--8807150163 Mod 1,extending period of performance to "Maint & Operation of LPDR"  
PIKE,R.W. Louisiana State Univ, Baton Rouge, LA. SMITH,P. Division of Contracts &  
Property Management (Post 880515) FIN D-2418, NRC-10-87-337 88/07/12 19pp  
46183 341 46183 359.

8807180132 Notification of contract execution,Mod 8 to "Operation of CNWRA -  
FFRDC." Contractor SWRI  
MACE,M.H. Contract Administration Branch FIN D-1035-0 NRC-02-88-005 88/06/  
29 FUNCHES,J.L. Program Management, Policy Development & Analysis Staff (Post  
870411) BUNTING,J. NRC - No Data  
All on Given 1p 46202 347 46202 348



--8807180138 Mod 8,increasing contract amount & reimbursable costs,to "Operation of CNWRA - FFRDC." Contractor:SWRI  
\* Southwest Research Institute, MACE,M.H. Division of Contracts & Property Management (Post 880515) FIN D-1035-8 NRC-02-88-005 88/06/29 2pp 46202-348 46202-349

8807180145 Notification of contract execution,Mod 7,to "Operation of CNWRA - FFRDC." Contractor:SWRI  
MACE,M Contract Administration Branch NRC-02-88-005 88/06/27 FUNCHES,J.L. Program Management, Policy Development & Analysis Staff (Post 870413). BUNTING,J.O. NRC - No Detailed Affiliation Given 1p 46203-330-46203-348.

--8807180150 Mod 7,providing incremental funding & revising award fee plan,to "Operation of CNWRA - FFRDC."  
PRIEGEL,R.E. Southwest Research Institute, MACE,M.H. Division of Contracts & Property Management (Post 880515), NRC-02-88-005 88/06/27 18pp 46203-331-46203-348.

8807180162 Notification of contract execution,Mod 1,to "Specialized Technical Training in PWR Training." Contractor:Resource Technical Svcs,Inc.  
VELEZ,P. Contract Administration Branch, FIN D-8798 NRC-26-87-417 88/07/01. SPESSARD,R.L. Division of Operational Assessment (Post 870413). SHOWE,S.K. NRC - No Detailed Affiliation Given 1p 46203-323-46203-324

--8807180168 Mod 1,providing incremental funding & amount obligated,to "Specialized Technical Training in PWR Training."  
\* Resource Technical Services, Inc. EDGEWORTH,P.J. Division of Contracts & Property Management (Post 880515), FIN D-8798 NRC-26-87-417 88/07/01 1p 46203-324-46203-324.

8807180279 Notification of contract execution: "Operation & Maint of Info Technology Svcs Training Lab" awarded to USDA Graduate School  
MEARSE,S.D. Contract Negotiation Branch-2, NRC-38-88-364 88/06/17. GOLDMAN,P.J. Ofc of Personnel (Post 870413) MITCHUM,B NRC - No Detailed Affiliation Given. 1p. 46197-235-46198-126

--8807180289 Contract: "Operation & Maint of Info Technology Svcs Training Lab," awarded to USDA Graduate School.  
POOLE,G.R. Agriculture, Dept. of, Graduate School, Washington, DC. SMITH,P.A. Division of Contracts & Property Management (Post 880515) NRC-38-88-364 88/06/17 300pp 46197-238-46198-126

8807186315 Notification of contract execution,Mod 14,to "Program to Support Operator Licensing Activities." Contractor: Sonalysts,Inc.  
BELL,S. Contract Administration Branch, FIN D-1332 NRC-03-88-054 88/07/08. BAJWA,S.S. Planning, Program & Management Support Branch (Post 870411). PULSIPHER,K. NRC - No Detailed Affiliation Given. 1p 46200-039-46200-040

--8807180319 Mod 14,providing incremental funding to, "Program to Support Operator Licensing Activities."  
\* Sonalysts, Inc. HAGAN,T.F. Division of Contracts & Property Management (Post 880515) FIN D-1332 NRC-03-88-054 88/07/08 1p 46200-040-46200-040.

8807180359 Notification of contract execution,Mod 5,to "Human Skill Bldg Training Course." Contractor:SBA Subcontractor Space Qualified Sys Corp  
VELEZ,P. Contract Administration Branch, NRC-10-87-208 88/06/16 GOLDMAN,P.J. Ofc of Personnel (Post 870413). 1p. 46199-358-46199-359

--8807180374 Mod 5,correcting contract coding on Mod 4 & obligating funds,to "Human Skill Bldg Training Course."  
\* Small Business Administration, IVORY,B.J. Space Qualified Systems Corp. WIGGINS,E.J. Division of Contracts & Property Management (Post 880515), NRC-10-87-208 88/06/16 3pp 46199-357-46199-359.

8807180377 Notification of contract execution,Mod 7,to "Support Svcs for Evaluation of Severe Accident Phenomena." Contractor:BMI  
HAGEY,H. Contract Administration Branch, FIN D-1595 NRC-04-87-066 88/07/05. GUSTAVE,R. Program Management, Policy Development & Analysis Staff (Post 870413). WALKER,T. NRC - No Detailed Affiliation Given. 1p 46200-269-46200-270.

--8807180380 Mod 7,adding incremental funds,to "Support Svcs for Evaluation of Severe Accident Phenomena."  
\* Battelle Memorial Institute, Columbus Laboratories. EDGEWORTH,P.J. Division of Contracts & Property Management (Post 880515), FIN D-1595 NRC-04-87-066 88/07/05 1p 46200-270-46200-270.

8807200142 Notification of contract execution,Mod 13,to "Technical Assistance in Support of NRC Licensing Activities." Contractor:Science Applications Intl Corp.  
FIELDS,J.A. NRC - No Detailed Affiliation Given FIN D-1776 NRC-03-87-029 88/07/14. BAJWA,S.S., WEST,S. Office of Nuclear Reactor Regulation, Director (Post 870411). LOISE,E. Office of Nuclear Regulatory Research, Director (Post 860720) 1p 46229-224-46229-227.

--8807200147 Mod 13,changing accounting & appropriation data under Mod 9 for FIN D-2076 & providing addl funding,to "Technical Assistance in Support of NRC Licensing Activities."  
\* Science Applications International Corp. (formerly Science Applications, Inc.) EDGEWORTH,P.J. Division of Contracts & Property Management (Post 880515) FIN D-1776 NRC-03-87-029 88/07/11 3pp 46229-225-46229-227.

8807200151 Notification of contract execution: "Data Entry Support Svcs for Region I," awarded to SBA/Wilson Hewitt & Assoc,Inc.  
FLYNN,M.J. Contract Negotiation Branch-1, FIN C-1015 NRC-28-88-270 88/06/30. MCOSCAR,J.J. Region I, Ofc of the Director, MARTINSON,P. NRC - No Detailed Affiliation Given, 1p 46240-011-46240-076

--8807200157 Contract: "Data Entry Support Svcs for Region I," awarded to SBA/Wilson Hewitt & Assoc,Inc.  
COLLINS,L.S. Small Business Administration, \* Wilson Hewitt & Associates, Inc. WIGGINS,E.J. NRC - No Detailed Affiliation Given, FIN C-1015 NRC-28-88-270 88/06/30 58pp 46240-012-46240-076.

8807210072 Notification of contract execution,Mod 41,to "Technical Assistance in Support of NRC Reactor Licensing Action - Program 2." Contractor:Franklin Research Ctr.  
FIELDS,J.A. Office of Administration & Resources Management, Director (Post 870413), NRC-03-81-130 88/07/12. BAJWA,S.S. Office of Nuclear Reactor Regulation, Director (Post 870411). WEST,S. NRC - No Detailed Affiliation Given. 1p 46237-286-46237-289

--8807210093 Mod 41,incorporating award fee earned for 13th evaluation period to "Technical Assistance in Support of NRC Reactor Licensing Action - Program 2." \* Calspan Corp. (subs. Arvin Industries/Franklin Research Center) EDGEWORTH,P.J. Division of Contracts & Property Management (Post 880515) NRC-03-81-130 88/07/12 3pp 46237-287-46237-289

8807210088 Notification of contract execution,Mod 9,to "Operation of CNWRA - FFRDC." Contractor:SWRI  
MACE,M.H. Office of Administration & Resources Management, Director (Post 870413), NRC-02-88-005 88/07/05 FUNCHES,J.L. Program Management, Policy Development & Analysis Staff (Post 870413) BUNTING,J. NRC - No Detailed Affiliation Given 1p 46235-017-46235-019

--8807210094 Mod 9,providing incremental funding,to "Operation of CNWRA - FFRDC." \* Southwest Research Institute, MACE,M.H. Division of Contracts & Property Management (Post 880515), NRC-02-88-005 88/07/05 2pp 46235-018-46235-019

8807210158 Notification of contract execution,Mod 5,to "Operating Reactor Plant: Specific Reviews." Contractor:SBA Subcontractor,Viking Sys,Intl  
HAGEY,H. Contract Administration Branch, FIN D-1762 NRC-03-87-028 88/07/05. BAJWA,S.S. Planning, Program & Management Support Branch (Post 870411). POSLUSNY,C. NRC - No Detailed Affiliation Given. 1p 46236-089-46236-092.

--8807210161 Mod 5,increasing contract ceiling amount & providing incremental funding to, "Operating Reactor Plant Specific Reviews."  
STEWART,R. Small Business Administration, SALUJA,J. Viking Systems International, EDGEWORTH,P.J. Division of Contracts (870413-880514), FIN D-1762 NRC-03-87-028 88/07/05 3pp 46236-090-46236-092

8807210193 Notification of contract execution,Mod 7,to "Assessment of NMSS Assurance Regulation Framework." Contractor:ICF,Inc  
KNOX,E. NRC - No Detailed Affiliation Given NRC-02-87-002 88/07/08. FUNCHES,J.L. Program Management, Policy Development & Analysis Staff (Post 870413). BYSKOK,L.M. NRC - No Detailed Affiliation Given. 1p 46234-354-46234-360

--8807210195 Mod 7,redesigning scope of work for Task 4.0,to "Assessment of NMSS Financial Assurance Regulation Framework."  
RUSSO,J.O. ICF, Inc. HAGAN,T.F. Division of Contracts & Property Management (Post 880515), NRC-02-87-002 88/07/08 6pp 46234-355-46234-360

8807210283 Notification of contract execution,Mod 42,to "Technical Assistance in Support of NRC Reactor Licensing Action - Program 2." Contractor:Franklin Research Ctr.  
FIELDS,J.A. NRC - No Detailed Affiliation Given NRC-03-81-130 88/07/12. BAJWA,S.S. Office of Nuclear Reactor Regulation, Director (Post 870411). WEST,S. NRC - No Detailed Affiliation Given 1p 46234-134-46234-137.

--8807210266 Mod 42,incorporating award fee earned for 14th evaluation period to "Technical Assistance in Support of NRC Reactor Licensing Action - Program 2." \* Calspan Corp. (subs. Arvin Industries/Franklin Research Center) EDGEWORTH,P.J. Division of Contracts & Property Management (Post 880515), NRC-03-81-130 88/07/12 3pp 46234-135-46234-137.

8807220086 Notification of contract execution,Mod 1,to "On-Call Maint for NRC Microcomputers & Related Equipment." Contractor: Automation Mgt Consultants,Inc  
KNOX,E. NRC - No Detailed Affiliation Given, NRC-39-88-170 88/07/14. EYSUMONTT,G. Division of Computer & Telecommunications Services (Post 870413). OLIVER,D. NRC - No Detailed Affiliation Given. 1p 46249-158-46249-160

--8807220087 Mod 1,adding items to list of equipment to be maintained,to "On-Call Maint for NRC Microcomputers & Related Equipment."  
POSTELLE,P.N. Automatic Management Consultants, Inc. HAGAN,T.F. Division of Contracts & Property Management (Post 880515), NRC-39-88-170 88/07/14 2pp 46249-169-46249-180.

8807220095 Notification of contract execution,Mod 5,to "Charleston Earthquake Research Program." Contractor:Law Environ,Inc  
DORSEY,M. Contract Administration Branch, NRC-04-85-112 88/07/01. GUSTAVE,R. Program Management, Policy Development & Analysis Staff (Post 870413). ZUMFLUEH,E. NRC - No Detailed Affiliation Given 1p 46249-106-46249-205.

--8807220107 Mod 5,providing novel on agreement,to "Charleston Earthquake Research Program."  
BROWN,R.S. Law Engineering Testing Co. HAGAN,T.F. Division of Contracts & Property Management (Post 880515), NRC-04-85-112 88/07/01 8pp 46249-197-46249-205.

8807250148 Notification of grant execution: "Seismic Study of Soil Dynamics at Garner Valley,CA." Contractor:Univ of California Santa Barbara  
BAZIN,J. Contract Negotiation Branch-2, FIN G-1136 NRC-04-88-146 88/07/14. GUSTAVE,R. Program Management, Policy Development & Analysis Staff (Post 870413). MURPHY,A. NRC - No Detailed Affiliation Given. 1p 46276-330-46276-339

--8807250153 Grant, "Seismic Study of Soil Dynamics at Garner Valley,CA." Awarded to Univ of California Santa Barbara  
MACMILLAN,S. California, Univ. of, Santa Barbara, CA. SMITH,P.A. Division of Contracts & Property Management (Post 880515), FIN G-1136 NRC-04-88-146 88/07/14 2pp 46276-337-46276-338.

## FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

8806270149 First partial response to FOIA request for documents. Forwards App B & C documents. Documents available in PDR App A documents also available in PDR Apps D through G documents withheld (ref FOIA Exemption 5) Releaseable portion end  
GRIMSLEY,D.H. Division of Rules & Records (870413-880514) 88/06/15. BOLEY,K. Public Citizen's Critical Mass Energy Project 24pp 45998-208-45998-350.

8807070604 Final response to FOIA request for documents. Inform that App C document withheld (ref FOIA Exemption 5)  
GRIMSLEY,D.H. Division of Rules & Records (870413-880514) 88/06/23. CONNOR,L. Doc-Search Associates 3pp 46019-028-46019-032.

8807150199 Partial response to FOIA request for documents Forwards App K & L documents [S..h] documents also available in PDR App L documents partially withheld (ref FOIA Exemption 6 & 7)  
GRIMSLEY,D.H. Division of Rules & Records (870413-880514). 88/06/23. HUGE H Rogovin, Hugo & Lenzner App 45527 312-45527:333

-8807150211 Partially withheld package of info re process of issuing instructor certifications & inspector recertifications.  
HOGGSON,B. Affiliation Not Assigned. 83/09/13. 14pp 45527.320-45527.333

8807150201 Update to FOIA request for documents re internal &/or external correspondence/communications to & from NRC & H Myers during 1984-1987  
CONNOR,L. Doc-Search Associates. 88/01/21. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 2pp 46153.095-46153.098.

8807150204 Final response to FOIA request for documents Forwards App B documents & documents to be placed in PDR App A documents already available in PDR.  
GRIMSLEY,D.H. Division of Rules & Records (870413-880514). 88/06/24. CONNOR,L. Doc-Search Associates. App 46153.097-46153.205

-8807150214 Forwards affidavits of JA Olshinski,RH Vollmer & D Eisenhower because of potential impact on any regulatory or enforcement action on plant.  
BAUSER,D.B. Shaw, Pittman, Potts & Trowbridge. 87/11/23. ZECH,L.W., BERNTHAL,F.M., ROBERTS,T.M. Commissioners. 3pp 46153.101-46153.103.

-8807150225 Affidavit of D Eisenhower re plant compliance w/NRC rules.  
EISENHUT,D. NUS Corp. 87/11/17. 5pp 46153.104-46153.108

-8807150231 Affidavit of JA Olshinski re nuclear safety review staff perceptions of App B compliance  
OLSHINSKI,JA. Nuclear Energy Consultants, Inc. 87/11/11. 7pp 46153.109-46153.115

-8807150239 Affidavit of RH Vollmer re nuclear safety review staff perceptions of App B compliance at plant  
VOLLMER,RH. TENERA Corp. (subs. of TERA Corp.). 87/11/17. 8pp 46153.116-46153.124

-8807150241 Forwards package for H Myers  
AXELRAD,J. NRC - No Detailed Affiliation Given. 87/11/30. NRC - No Detailed Affiliation Given. 1p. 46153.125-46153.125.

-8807150246 Forwards H Myers comment on Insp Repts 50-327/87-31 & 50-328/87-31  
COMBS,T. NRC - No Detailed Affiliation Given. 88/01/06. DENTON,H. NRC - No Detailed Affiliation Given. 3pp 46153.126-46153.135.

-8807150253 Forwards questions from majority staff of House Interior Committee for review & appropriate action  
BRADBURN,J.C. Congressional Affairs. 88/01/11. EBNETER,S. Ofc of Special Projects. 70pp 46153.136-46153.205.

-8807150214 Forwards affidavits of JA Olshinski,RH Vollmer & D Eisenhower because of potential impact on any regulatory or enforcement action on plant.  
BAUSER,D.B. Shaw, Pittman, Potts & Trowbridge. 87/11/23. ZECH,L.W., BERNTHAL,F.M., ROBERTS,T.M. Commissioners. 3pp 46153.101-46153.103.

-8807150225 Affidavit of D Eisenhower re plant compliance w/NRC rules  
EISENHUT,D. NUS Corp. 87/11/17. 5pp 46153.104-46153.108.

-8807150231 Affidavit of JA Olshinski re nuclear safety review staff perceptions of App B compliance  
OLSHINSKI,JA. Nuclear Energy Consultants, Inc. 87/11/11. 7pp 46153.109-46153.115

-8807150239 Affidavit of RH Vollmer re nuclear safety review staff perceptions of App B compliance at plant  
VOLLMER,RH. TENERA Corp. (subs. of TERA Corp.). 87/11/17. 8pp 46153.116-46153.124

-8807150241 Forwards package for H Myers  
AXELRAD,J. NRC - No Detailed Affiliation Given. 87/11/30. NRC - No Detailed Affiliation Given. 1p. 46153.125-46153.125

-8807150246 Forwards H Myers comment on Insp Repts 50-327/87-31 & 50-328/87-31  
COMBS,T. NRC - No Detailed Affiliation Given. 88/01/06. DENTON,H. NRC - No Detailed Affiliation Given. 3pp 46153.126-46153.135.

-8807150253 Forwards questions from majority staff of House Interior Committee for review & appropriate action  
BRADBURN,J.C. Congressional Affairs. 88/01/11. EBNETER,S. Ofc of Special Projects. 70pp 46153.136-46153.205

8807150262 FOIA request for documents re chemical or any type of contamination on properties located on West Central Ave, Maywood,NJ.  
PONCE,L. Affiliation Not Assigned. 88/05/18. (870413-880514). 88/06/24. PONCE,L. Affiliation Not Assigned. 1p. 46135.338-46135.338

8807150264 Responds to 880528 ltr requesting clarification as to intended use of FOIA request  
PONCE,L. Affiliation Not Assigned. 88/05/31. NRC - No Detailed Affiliation Given. 1p. 46135.337-46135.337.

8807150289 Final response to FOIA request for documents Search of pertinent files indicates that NRC not in possession of documents subj to request.  
GRIMSLEY,D.H. Division of Rules & Records (870413-880514). 88/06/24. PONCE,L. Affiliation Not Assigned. 1p. 46135.336-46135.336.

8807150292 FOIA request for documents to AEC/NRC meetings held prior to Jan 1973.  
DALY,L.A. California, State of, Public Utilities Commission. 88/03/18. NRC - No Detailed Affiliation Given. 2pp 46153.001-46153.002

8807150295 Final response to FOIA request for documents Forwards App A documents Subj documents also available in PDR Adm records being addressed in FOIA-88-156. Instructions for obtaining records from PDR also encl.  
GRIMSLEY,D.H. Division of Rules & Records (870413-880514). 88/06/20. DALY,L.A. California, State of, Public Utilities Commission. 2pp. 46153.003-46153.084.

-8807150299 Forwards PG&E request for preliminary site review involving siting of company proposed nuclear power plant at site near Diablo Canyon,CA & requests draft rept of preliminary review by early Nov 1988  
CASE,E.G. Atomic Energy Commission. 88/10/07. LEMMON,D.M. Interior, Dept. of, Geological Survey. 28pp 46153.005-46153.028.

-8807150303 Forwards two colored photographs that should be inserted in App 3 of PG&E rept forwarded by 681007 ltr W/o encl  
CASE,E.G. Atomic Energy Commission. 88/10/12. LEMMON,D.M. Interior, Dept. of, Geological Survey. 1p. 46153.029-46153.029.

-8807150305 Forwards Vols I & II of PSAR filed by PG&E for proposed const & operation of pressurized water nuclear reactor at Diablo Canyon site in San Luis Obispo County,CA & requests rept of review by 670415 W/o encl  
CASE,E.G. Atomic Energy Commission. 67/02/08. LEMMON,D.M. Interior, Dept. of, Geological Survey. 1p. 46153.030-46153.031.

-8807160003 Forwards Amends 1 & 2 to PG&E license application consisting of First & Second Supple to PSAR for proposed Diablo Canyon nuclear reactor & addl technical info requested by Commission W/o encl.  
BOYD,R.S. Atomic Energy Commission. 67/07/31. LEMMON,D.M. Interior, Dept. of, Geological Survey. 1p. 46153.032-46153.032

-8807180005 Forwards third suppl to PSAR for nuclear reactor proposed by PG&E to construct & operate at Diablo Canyon site,containing addl technical data answering Commission questions W/o encl.  
BOYD,R.S. Atomic Energy Commission. 67/08/11. LEMMON,D.M. Interior, Dept. of, Geological Survey. 1p. 46153.033-46153.038

-8807180008 Forwards Amend 5 to PG&E facility license application, containing Fourth Suppl to PSAR for proposed nuclear plant at Diablo Canyon site W/o encl.  
BOYD,R.S. Atomic Energy Commission. 67/10/25. LEMMON,D.M. Interior, Dept. of, Geological Survey. 1p. 46153.037-46153.037.

-8807180008 Supps 671025 & re nuclear plant PG&E 671214 ltr forwarding revised page 2 to Amend 5 to application for license and W/o encl  
BOYD,R.S. Atomic Energy Commission. 68/01/23. LEMMON,D.M. Interior, Dept. of, Geological Survey. 1p. 46153.038-46153.038

-8807180012 Forwards Div of Reactor Licensing 880123 safety evaluation re proposed nuclear plant USGS comments attached as App D to rept W/o encl  
BOYD,R.S. Atomic Energy Commission. 68/02/07. WALDRON,H.N. Interior, Dept. of, Geological Survey. 2pp 46153.039-46153.039.

-8807180024 "Preliminary Site Rept Diablo Canyon, San Luis Obispo County, CA." W/o overall design drawing  
Pacific Gas & Electric Co. 68/09/30. 27pp. 46153.040-46153.088

-8807180038 "Diablo Canyon Nuclear Plant Site Preliminary Geologic Investigation." W/3 overall drawings  
MICHELI,M. Pacific Gas & Electric Co. 68/01/25. 28pp 46153.069-46153.093.

-8807180088 Forwards 880123 safety evaluation re facility W/o encl  
BOYD,R.S. Atomic Energy Commission. 68/02/07. LEMMON,D.M. Interior, Dept. of, Geological Survey. 1p. 46153.004-46153.034.

8807180011 FOIA request for exact copy of FY budget for FY88 & FY89 for Administrative Resources Mgt of NRC  
PERKINS,J.R. Maxima Corp. 88/05/24. ROBINSON NRC - No Detailed Affiliation Given. 1p 45527.343-45527.343.

8807180018 Final FOIA response to request for documents Estimates contained in NRC five-yr plan did 1983 available in PDR. Documents listed in App A completely withheld (ref FOIA Exemption 5)  
GRIMSLEY,D. NRC - No Detailed Affiliation Given. 88/06/22. PERKINS,J.R. Maxima Corp. 3pp. 45527.344-45527.346

8807180025 Appeals denial of FOIA request for TE Murley 860428 memo to RH Vollmer re revised severity levels for App R enforcement  
JONES,C.R. Affiliation Not Assigned. 88/05/03. Ofc of the Executive Director for Operations. 2pp 45527.349-45527.357.

8807180031 Responds to appeal re denial of FOIA request for documents. Withheld info contains info which constitutes advice, opinion & recommendations of staff on revised severity levels for App R enforcement. Documents withheld (ref FOIA Exemption 5).  
STELLO,V. Ofc of the Executive Director for Operations. 88/06/22. JONES,C.R. Affiliation Not Assigned. 2pp 45527.347-45527.348.

8807180038 FOIA request for list of addresses of nuclear power plants in US.  
CHRISTEN,F. Affiliation Not Assigned. 88/08/07. NRC - No Detailed Affiliation Given. 1p. 45527.358-45527.358.

8807180041 Final response to FOIA request for documents Document listed in App A maintained among PDR files.  
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/06/24. CHRISTEN,F. Affiliation Not Assigned. 2pp 45527.359-45527.360.

8807180055 FOIA request for waiver of search & first 100 pages of copying costs as news media organization  
FELTON,J.M. Nuclear Licensing Reports. 88/08/08. GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 1p. 46163.208-46163.208.

8807180059 Final response to FOIA request for documents Forwards agency records subj to request  
GRIMSLEY,D.H. NRC - No Detailed Affiliation Given. 88/06/27. FELTON,J.M. Nuclear Licensing Reports. 1p. 46153.207-46153.284.

-8807180064 "Ongoing RES Rulemaking Activities."  
NRC - No Detailed Affiliation Given. 88/08/08. 77pp. 46153.208-46153.284.

8807180074 FOIA request for records that provide listing of each & every nuclear power plant outage for every commercial nuclear reactor in US,including date,facility,cause & method of each outage.  
BOLEY,K. Public Citizen's Critical Mass Energy Project. 88/08/11. GRIMSLEY,D. NRC - No Detailed Affiliation Given. 2pp. 45527.340-45527.341.

8807180077 FOIA request for full fee waiver of any processing, search or duplication costs incurred by NRC in fulfilling attached FOIA request.  
BOLEY, K. Public Citizen's Critical Mass Energy Project 88/08/11. GRIMSLEY, D. NRC - No Detailed Affiliation Given. 2pp. 45527.337-45527.339.

8807180084 Final response to FOIA request for documents NUREG-0200, "Licensed Operating Reactor Status Summary Report" contains info on nuclear power plant reactor outages data for May 1988 expected first wk of Jul 1988.  
GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/06/28 BOLEY, K. Public Citizen's Critical Mass Energy Project. 1p. 45527.342-45527.342

8807180093 FOIA request for agency records & info re Insp Repts 50-334/88-16 & 50-412/88-11 did 880517.  
BAUMAN, L. Government Accountability Project 88/06/08. NRC - No Detailed Affiliation Given. 2pp. 45527.335-45527.338

8807180104 Final response to FOIA request for documents. Staff located re records other than insp rpt located in PCR.  
GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/06/28 BAUMAN, L. Government Accountability Project. 1p. 45527.334-45527.334

8807180109 FOIA request for listed documents re FSAR amend.  
GENTILE, C.A. Princeton Univ., Princeton, NJ 88/06/03. NRC - No Detailed Affiliation Given. 1p. 46135.359-46135.359

8807180113 Final response to FOIA request for documents. Forwards two computer printouts responding to items 1-3 of request. No agency records located for item 4 of request. W/o encl.  
GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/06/28. GENTILE, C.A. Princeton Univ., Princeton, NJ. 1p. 46135.358-46135.358.

8807180119 FOIA request for documents re communications to & from Houston Police dept. criminal intelligence d.v. or summaries about public demonstrations, protests, rallies, gatherings & any other political events. Related info encl.  
BERNSTEIN, A. Houston Chronicle. 88/05/31. NRC - No Detailed Affiliation Given. 4pp. 46135.353-46135.358

8807180120 Final response to FOIA request for documents. Agency records subj to request encl. W/o encl.  
GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/06/20. BERNSTEIN, A. Houston Chronicle. 1p. 46135.357-46135.357.

8807180139 Final response to FOIA request for documents. Forwards App B documents App B documents also available in PDR. Certain App B documents partially or completely withheld (ref FOIA Exemptions 5 & 6).  
GRIMSLEY, D. NRC - No Detailed Affiliation Given. 88/06/28. ELLIS, K. Gazette News Service, Washington, DC. 5pp. 45527.159-45527.311.

8807180144 Summary of 070624 meeting w/utis in San Francisco, CA re Commission activities associated w/licensing of high level waste repository & NARUC summer meeting.  
LARKINS, J.T. NRC - No Detailed Affiliation Given. 87/06/30. DENTON, H. NRC - No Detailed Affiliation Given. 26pp. 45527.165-45527.191

8807180151 Advises of appointment to Natl Assoc of Regulatory Util Commission in event J. Asselstine not reappointed. Next meeting will be held in San Francisco, CA on 870720-23. Related info encl.  
BRADFORD, P.A. National Association of Regulatory Utility Commissioners. 87/03/16. ZECH, L.W. Commissioners. 10pp. 45527.192-45527.201.

8807180154 Requests comments on encl draft Mexico rept.  
FELGATE, G. NRC - No Detailed Affiliation Given. 87/08/25. DENTON, H. HENDERSON, K. NRC - No Detailed Affiliation Given. 1p. 45527.202-45527.202

8807180159 Partially deleted trip rept of 870810-13 visit to Laguna Verde Nuclear Station near Veracruz, Mexico. Related info encl.  
CARR, K.V. Commissioners. 87/08/10. ZECH, ROBERTS, BERNTHAL Commissioners. 24pp. 45527.203-45527.226

8807180164 Forwards for info, trip rept on Chairman visit to Peoples Republic of China.  
LEE, J.D. NRC - No Detailed Affiliation Given. 87/10/22. DENTON, H., SHAW, H., BURKE, K. NRC - No Detailed Affiliation Given. 1p. 45527.227-45527.227.

8807180170 Documents info contained in cables reporting Chairman trip to China. Dates of events listed. Related info encl.  
LEE, J.D. NRC - No Detailed Affiliation Given. 87/10/15. NRC - No Detailed Affiliation Given. 13pp. 45527.228-45527.240

8807180178 Informs of topic to be discussed at 870828-1032 Int'l conference. Denton requested to attend pre-session briefing meeting 30 minutes before session.  
THOMAS, B. International Atomic Energy Agency. 87/07/16. DENTON, H. NRC - No Detailed Affiliation Given. 13pp. 45527.241-45527.253.

8807180189 Expresses appreciation for accepting invitation to speak on 871116 on topic entitled "America Nuclear Option Can Be Revived," as part of Ninety-ninth Annual Convention & Regulatory Symposium in New Orleans, LA.  
RODGERS, P. National Association of Regulatory Utility Commissioners. 87/09/08. DENTON, H.R. Office of Nuclear Reactor Regulation, Director (Post 870411). 17pp. 45527.254-45527.270.

8807180196 Ack receipt of invitation to address Ninety-ninth Annual Convention & Regulatory Symposium of Natl Assoc of Regulatory Util Commissioners in New Orleans, LA on 871116. Invitation declined due to previous commitment.  
ZECH, L.W. Commissioners. 87/09/03. BRADFORD, P.A. New York, State of. 1p. 45527.271-45527.271.

8807180198 Notifies that 871116-19 Ninety-ninth Annual Convention & Regulatory Symposium will be held in New Orleans, LA. Related info encl.  
BRADFORD, P.A. National Association of Regulatory Utility Commissioners. 87/08/06. ZECH, L.W. Commissioners. 15pp. 45527.272-45527.286.

8807180203 Summary of 880217-19 NEA workshop on public info during nuclear emergencies. Workshop devoted to improving western public affairs activities & coordination during nuclear or radiological emergencies.  
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 88/04/19. ZECH, ROBERTS, BERNTHAL Commissioners. 11pp. 45527.287-45527.297.

8807180210 Trip rept of 880307-10 visit to Vienna, Austria to represent NRC in first meeting of newly constituted Nuclear Safety Study Advisory Group.  
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 88/03/16. ZECH, ROBERTS, BERNTHAL Commissioners. 9pp. 45527.298-45527.306.

8807180215 Discusses IAEA symposium on severe accidents in nuclear power plants held in Sorrento, Italy, including differences in emphasis between US & European severe accident approaches.  
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 88/03/16. ZECH, ROBERTS, BERNTHAL Commissioners. 3pp. 45527.307-45527.309

8807180218 Trip rept of 880331 visit to ANS headquarters at invitation of Chairman of Committee on Int'l Activities.  
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 88/03/16. ZECH, ROBERTS, BERNTHAL Commissioners. 2pp. 45527.310-45527.311

8807180299 Final response to FOIA request for documents. Forwards App C documents App C documents also available in PDR. App D documents partially withheld & App E documents withheld in entirety (ref FOIA Exemption 5).  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/06/30. BREMERBERGER, A. Affiliation Not Assigned. 5pp. 46199.024-46199.043.

8807190110 Forwards draft staff paper addressing issues raised in Martinelli memo for review & comments. Paper partially deleted.  
NRC - No Detailed Affiliation Given. 87/09/16. BANGART, D., BROWN, B. NRC - No Detailed Affiliation Given. 5pp. 46199.032-46199.041.

8807190141 Partially withheld comments on draft SECY paper re U recovery issues. Believes legislative remedy pursued before problem exists preferable approach.  
MARTIN, R.D. Region 4, Office of the Director. 87/09/17. THOMPSON, H.R. Office of Nuclear Material Safety & Safeguards, Director. 2pp. 46199.042-46199.043

8807190160 Final response to FOIA request for documents. Forwards App D documents. App D & nonexempt portion of App F available in PDR. App E & F withheld (ref FOIA Exemption 5).  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/06/30. BRAD, C.C. Paper, Hamilton & Sheetz. 7pp. 46180.024-46180.036.

8807190170 Discusses Aca Federal Reporting protest against proposed contract award to Heritage Reporting Corp.  
KIDD, D.G. NRC - No Detailed Affiliation Given. 87/08/14. NRC - No Detailed Affiliation Given. 1p. 46180.032-46180.032.

8807190175 Recommends contract re stenographic reporting svcs for NRC be awarded to Ann Reilly Assoc.  
FITZ, C.J. Atomic Safety and Licensing Appeal Panel. 87/07/10. HAGAN, T. Contract Negotiation Branch-1. 1p. 46180.033-46180.033

8807190184 Recommends that Heritage Reporting Corp be awarded contract re stenographic reporting svcs for NRC headquarters offices, except Commissioner offices.  
FITZ, C.J. Atomic Safety and Licensing Appeal Panel. 87/09/06. HAGAN, T. Contract Negotiation Branch-1. 1p. 46180.034-46180.034.

8807190197 Partially deleted memo informing of review completion of invitation to bids (IFB) for stenographic reporting svcs & provides comments that show necessity for revs. Attached IFB comments withheld.  
HASSELL, D.F. Office of the General Counsel. 87/06/05. FLEENOR, C. Contract Negotiation Branch-1. 2pp. 46180.035-46180.036.

8807190218 Final response to FOIA request for documents. Informs that no agency records subj to request located.  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/06/30. CONNOR, R. Nuclear Search Associates. 1p. 46180.037-46180.039.

8807190234 FOIA request for documents re SECY-87-308 & SECY-418 UN4.  
PHILLIS, M.T. Bishop, Cook, Purcell & Reynolds. 88/05/20. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 46180.040-46180.040.

8807190239 Final response to FOIA request. Forwards App B documents. App A & C documents available in PDR. App C documents withheld in whole or in part (ref FOIA Exemption 5).  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/06/29. PHILLIS, M.T. Bishop, Cook, Purcell & Reynolds. 5pp. 46180.041-46180.124.

8807190241 Forwards revised version of decommissioning rule contained in SECY-87-309 in response to 880302 staff requirements memo.  
STELLO, V. Office of the Executive Director for Operations. 88/03/31. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 46180.048-46180.050

8807190246 Summarizes findings as reported in encl, "Cost & Availability of Funds for Decommissioning: Analysis of Internal & External Funding."  
SIEGEL, J.J. Siegel, J.J. 87/11/24. SERPAN, C. NRC - No Detailed Affiliation Given. 2pp. 46180.051-46180.052.

8807190251 "Cost & Availability of Funds for Decommissioning: Analysis of Internal & External Funding."  
SIEGEL, J.J. Siegel, J.J. 87/11/30. 35pp. 46180.053-46180.087.

8807190267 "Final Generic EIS on Decommissioning of Nuclear Facilities."  
Office of Nuclear Regulatory Research, Director (Post 860720). 87/10/31. 367pp. 46180.088-46180.113.

8807190277 SECY-87-308 Partially withheld version of Commission paper obtaining Commission approval to publish final rule amending 10CFR30, 40, 50, 51, 70 & 72 by setting forth technical & financial requirements for decommissioning nuclear facilities.  
STELLO, V. Office of the Executive Director for Operations. 87/12/17. 10pp. 46180.114-46180.124.

8807210294 FOIA request for records re falsification of records incident involving Powerplant Specialists, Inc. referred to in NRC info Notice 88-026.  
FELTON, J.M. Nuclear Licensing Reports. IEIN 88-026. 88/06/02. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 46189.063-46189.064.

8807210303 Final response to FOIA request. App A documents withheld in entirety (ref FOIA Exemption 7).  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/07. FELTON, J.M. Nuclear Licensing Reports. 3pp. 46189.065-46189.067.

8607220136 Confirms understanding of actions to be taken in response to enforcement conference on 880408. New written response to 880212 notice of violation w/ be submitted within 30 days & list of authorized users w/ be submitted within 7 days. NORELIUS, C.E. Region 3, OIC of the Director. 88/04/15 ALLEN, H. Toledo, Univ. of Toledo, OH. 2pp 46231 048-46231 049.

8807220210 Responds to 880212 ltr re violations noted during Insp of activities under License 34-10247-06. MCCOMAS, J.D. Texas, Univ. of Austin, TX. 88/03/07. MALLETT, B.S. Reg on 3, OIC of the Director. 2pp 46231 011-46231 036.

8807220226 PNO III-88-035 on 880303, Ra-226 contamination found in crawl space. Caused by leakage from sealed radioactive sources believed stored in crawl space & initially mentioned to NRC inspector during 880128-29 Insp. MULLAUER, J., MALLETT, B. Region 3, OIC of the Director. 88/04/08. 11pp. 46231 037-46231 047.

8807220241 Partially withhold memo re 880328 telcon w/anonymous Univ of Toledo employee re radioactive contamination in crawl space. WEIL, C.H. Region 3, OIC of the Director. 88/04/21. NORELIUS, C.E. Region 3, OIC of the Director. 3pp 46231 050-46231 062.

8807220256 Partial response to FOIA request Forwards App G documents, App F & G documents available in PDR. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/06/30. MAXWELL, B. Cosmos Broadcasting Corp. 3pp. 46230 293-46230 350.

8807220260 Package of drafts re evaluations & actions completed prior to startup & plant evaluations of single MSIV shutdown. \* Cleveland Electric Illuminating Co. 87/11/11. 53pp. 46230 298-46230 350.

8807220324 Final response to FOIA request for documents Forwards App A document available in PDR. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/06. GARDE, B.P. Garde, B.P. 2pp. 46230 283-46230 284.

8807210358 FOIA request for documents re License 29 06431-01. FERRY, CIRILLO Medi-Physics, Inc. 88/06/02. NRC - No Detailed Affiliation Given. 1p. 46199 049-46199 049.

8807210360 Final response to FOIA request for documents Forwards App A documents App A documents also available in PDR. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 89/06/30. FERRY, CIRILLO Medi-Physics, Inc. 2pp. 46189 050-46199 082.

8807200488 Amend 33 to License 29 06431-01 for Our Lady of Lourdes Medical Centering license re entirety. JOHANSEN, J.M. Region 1, OIC of the Director. 86/08/07. 4pp. 46199 059-46199 062.

8807200492 Forwards Amend 33 to License 29 06431-01. GLENN, J.E. Region 1, OIC of the Director. 105793. 86/08/07. RAPPOPORT, B. Our Lady of Lourdes Medical Center, Camden, NJ. 3pp. 46189 057-46199 058.

8807200705 Submits add'l info supporting 880324 application for amend to License 29 06431-01 adding Lunar bone mineral analyzer to nuclear medicine program. Names of persons responsible for analyzing swipes & performing source exchange provided. RAPPOPORT, B.A. Our Lady of Lourdes Medical Center, Camden, NJ. 105793. 86/06/26. GLENN, J.E. Region 1, OIC of the Director. 6pp. 46189 052-46189 066.

8807220131 FOIA request for documents re FEMA graded exercise on adequacy of radiological emergency response planning & preparedness for plant & Rev 9 to license emergency plan for plant including FEMA review of sub plan. BELAIR, R.H. Kirkpatrick & Lockhart. 88/05/23. NRC - No Detailed Affiliation Given. 6pp. 46212 336-46212 342.

8807220141 Partial response to FOIA request for documents Forwards App B documents & informs that App A & B available in PDR. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/01. BELAIR, R.H. Kirkpatrick & Lockhart. 3pp. 46212 343-46212 350.

8807220153 Forwards comments resulting from review of Shoreham scenario. No major deficiencies noted. STOEZEL, G.A., JAMISON, J.D. Battelle Memorial Institute, Pacific Northwest Laboratory. 88/05/02. AMATO, C.G. Region 1, OIC of the Director. 7pp. 46212 346-46212 352.

8807220166 Forwards revised exercise objectives re exercise scenario transmitted by 880416 ltr. Objectives revised to reflect FEMA comments received on 880415 W/o encl. CROCKER, D.M. Long Island Lighting Co. 88/04/19. LAZARUS, W.J. Region 1, OIC of the Director. 1p. 46212 353-46212 353.

8807220169 Forwards proposed 1988 exercise scenario for plant W/o encl. CROCKER, D.M. Long Island Lighting Co. 88/04/16. LAZARUS, W.J. Region 1, OIC of the Director. 1p. 46212 354-46212 354.

8807220174 Informs that proposed objectives for onsite portion of ongoing preparedness exercise to be conducted during wk of 880813, found adequate for development of exercise scenario. LAZARUS, W.J. Region 1, OIC of the Director. 88/04/12. CROCKER, D. Long Island Lighting Co. 2pp. 46212 355-46212 356.

8807220202 FOIA request for documents re storage of radioactive waste in crawl space under Engineering Science Bldg at Univ of Toledo. JULIUS, J. Gallen, Kalin & Iorio. 88/04/28. NRC - No Detailed Affiliation Given. 3pp. 46231 002-46231 034.

8807220208 Final response to FOIA request for documents App A documents available in PDR App B & A documents encl & available in PDR App C & D documents partially or completely withheld (ref FOIA Exemptions 5-7). GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/06/30. JULIUS, J. Gallen, Kalin & Iorio. 6pp. 46231 005-46231 052.

8804270029 Confirms understanding of actions to be taken in response to enforcement conference on 880408. New written response to 880212 notice of violation w/ be submitted within 30 days & list of authorized users w/ be submitted within 7 days. NORELIUS, C.E. Region 3, OIC of the Director. 88/04/15 ALLEN, H. Toledo, Univ. of Toledo, OH. 2pp. 46231 048-46231 049.

8807220210 Responds to 880212 ltr re violations noted during Insp of activities under License 34-10247-06. MCCOMAS, J.D. Texas, Univ. of Austin, TX. 88/03/07. MALLETT, B.S. Reg on 3, OIC of the Director. 2pp. 46231 011-46231 036.

8807220226 PNO III-88-035 on 880303, Ra-226 contamination found in crawl space. Caused by leakage from sealed radioactive sources believed stored in crawl space & initially mentioned to NRC inspector during 880128-29 Insp. MULLAUER, J., MALLETT, B. Region 3, OIC of the Director. 88/04/08. 11pp. 46231 037-46231 047.

8807220241 Partially withhold memo re 880328 telcon w/anonymous Univ of Toledo employee re radioactive contamination in crawl space. WEIL, C.H. Region 3, OIC of the Director. 88/04/21. NORELIUS, C.E. Region 3, OIC of the Director. 3pp. 46231 050-46231 062.

8807220256 Partial response to FOIA request Forwards App G documents, App F & G documents available in PDR. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/06/30. MAXWELL, B. Cosmos Broadcasting Corp. 3pp. 46230 293-46230 350.

8807220260 Package of drafts re evaluations & actions completed prior to startup & plant evaluations of single MSIV shutdown. \* Cleveland Electric Illuminating Co. 87/11/11. 53pp. 46230 298-46230 350.

8807220324 Final response to FOIA request for documents Forwards App A document available in PDR. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/06. GARDE, B.P. Garde, B.P. 2pp. 46231 107-46231 137.

8807220330 Alphabetical listing of active NRC contractors. \* NRC - No Detailed Affiliation Given. 88/06/24. 2pp. 46231 109-46231 137.

8807220347 FOIA request for documents re Norway nuclear exports of nuclear exports policies or attitude toward nuclear weapons & nuclear weapon proliferation & Israel nuclear imports during 1950-1953. SURROWS, A.S. Affiliation Not Assigned. 88/06/15. ZECH, L. Commissioners. 3pp. 46252 308-46252 310.

8807220368 Final response to FOIA request Forwards App A documents App A documents also available in PDR No records submitted to Category 1 of request located. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/12. Affiliation Not Assigned. 3pp. 46252 311-46252 357.

8807220381 License for American Machine & Foundry Co to export 1,000 kW pool-type research reactor to Israel. PRICE, H.L. Atomic Energy Commission. 58/06/12. 5pp. 46252 314-46252 319.

8807250035 Amends License XR-0021 for American Machine & Foundry Co. extending expiration date from 590630 to 600630. License authorizes export of 1,000 kW pool-type research reactor to Israel. LEE, F.C. NRC - No Detailed Affiliation Given. 59/07/07. PITRELLI, J.A. American Machine & Foundry Co. 1p. 46252 319-46252 319.

8807250042 Amends License XR-0021 for American Machine & Foundry Co. authorizing to export 1,000 kW pool-type research reactor to Israel, to expire on 610630. KIRK, H.L. Atomic Energy Commission. 60/05/24. PITRELLI, J.A. American Machine & Foundry Co. 1p. 46252 320-46252 320.

8807250059 Advises that AMF Atomic does not desire to renew License XR-0021 which expires 610630 in response to NRC 610414 ltr. PITRELLI, J.A. American Machine & Foundry Co. 61/04/17. FLEURY, E.R. Atomic Energy Commission. 1p. 46252 321-46252 321.

8807250072 Notice of pending expiration of Licenses XR-0021, XR-0023 & XR-0029. FLEURY, E.R. Atomic Energy Commission. 61/04/14. PITRELLI, J.A. American Machine & Foundry Co. 1p. 46252 322-46252 323.

8807250080 Application for amend to License XR-0021, extending expiration date from 600630 to 610630. PITRELLI, J.A. American Machine & Foundry Co. 60/05/29. 1p. 46252 324-46252 324.

8807250084 Application for amend to License XR-0021, extending expiration date from 590630 to 600630. PITRELLI, J.A. American Machine & Foundry Co. 59/08/15. JOHNSON, L. Atomic Energy Commission. 1p. 46252 325-46252 325.

8807250088 Notice of expiration of License XR-0021 on 590630. JOHNSON, L. Atomic Energy Commission. 59/08/10. CHAMBERLAIN, W. American Machine & Foundry Co. 1p. 46252 326-46252 326.

8807250093 Forwards License XR-0021 for American Machine & Foundry Co. authorizing expiration of 1,000 kW pool-type research reactor to Israel. PRICE, H.L. Atomic Energy Commission. 58/06/12. CHAMBERLAIN, W. American Machine & Foundry Co. 1p. 46252 327-46252 328.

8807250103 Submits add'l info re 580408 application for license to export research reactor to Israel per 580529 telcon. DENNIS, S. American Machine & Foundry Co. 58/06/02. KARAS, F.W. Atomic Energy Commission. 1p. 46252 329-46252 330.

8807250110 Forwards notice submitted to FR for filing & publication covering proposed export of pool-type research reactor to Israel. PRICE, H.L. Atomic Energy Commission. 58/04/28. American Machine & Foundry Co. 2pp. 46252 331-46252 332.

8807250115 Application for license to export one MW pool type research reactor to Israel. CHAMBERLAIN, W. American Machine & Foundry Co. 58/04/08. PRICE, H.L. Atomic Energy Commission. 5pp. 46252 333-46252 337.

8807250127 Advises of FR publication of notice of issuance of export license to American Machine & Foundry Co. FREDERICK, R.J. NRC - No Detailed Affiliation Given. 58/06/30. EDWARDS, C.T. NRC - No Detailed Affiliation Given. 1p. 46252 338-46252 338.

8807250138 Urges to officially inform Govt of Israel that observations & comments previously offered for advice only & that issuance of export license does not imply assumption of responsibility for safety of facility by Commission. PRICE, H.L. Atomic Energy Commission. 58/06/25. HALL, J. Atomic Energy Commission. 2pp. 46252 339-46252 340.

8807250143 Informs of issuance of License XR-0021 to American Machine & Foundry Co. authorizing export of 1,000 kW pool-type research reactor to Israel & of filing of notice of proposed issuance of license w/FR on 580502 for publication. PRICE, H.L. NRC - No Detailed Affiliation Given. 58/06/12. FIELDS, K.E. NRC - No Detailed Affiliation Given. 1p. 46252 341-46252 341.

8807250150 Recommends issuance of export license to AMF Atomic, Inc re proposed export of one MW pool-type research reactor to Israel. HALL, J.A. NRC - No Detailed Affiliation Given. 58/05/16. PRICE, H.L. NRC - No Detailed Affiliation Given. 1p. 46252 342-46252 342.

8807250158 Advises of FR publication of notice of filing of application for facility export license on 580503. FREDERICK, R.J. NRC - No Detailed Affiliation Given. 58/05/07. EDWARDS, C.T. NRC - No Detailed Affiliation Given. 1p. 46252 343-46252 343.



-8807250170 Forwards application by AMF Atomic Energy for license to export one MW pool-type research reactor to Israel & requests to advise whether proposed export comes within purview of effective agreement for cooperation w/ Govt of Israel.  
JOHNSON, L. Atomic Energy Commission. 58/04/17. HALL, J. Atomic Energy Commission. 2pp. 46252:344-46252:346

-8807250108 Comments on Preliminary Hazards Analysis of Israel research reactor per 580127 memorandum. Advises that info not enough to determine that proposed instrumentation sys is safe & that sub instrumentation should be examined carefully.  
PRICE, H.L. NRC - No Detailed Affiliation Given. 58/04/01. HALL, J.A. NRC - No Detailed Affiliation Given. 3pp. 46252:348-46252:348

-8807250197 Comments on "Research Reactor Proposal & Preliminary Hazards Analysis," submitted in support of Israeli request for financial grant from US in response to 571227 memo.  
PRICE, H.L. NRC - No Detailed Affiliation Given. 58/02/11. HALL, J.A. NRC - No Detailed Affiliation Given. 1p. 46252:349-46252:349

-8807250207 Call's to attention that Commission does not evaluate safety characteristics of reactors for which export license issued & that issuance of export license implies no approval of design nor assumption of responsibility for facility.  
VANDER WEYDEN Atomic Energy Commission. 58/07/14. LAHAV, E. Israeli Govt. of. 1p. 46252:350-46252:350

-8807250212 Forwards notice of issuance of export license to American Machine & Foundry Co. for publication.  
SHEA, K.H. Office of the General Counsel. 58/08/13. KENNEDY, B.R. National Archives & Records Administration. 2pp. 46252:351-46252:352

-8807250221 Informs Joint Committee on Atomic Energy that AEC issued license XR-0021 to American Machine & Foundry Co. authorizing export of one 1,000 kW pool-type research reactor to Israel.  
PRICE, H.L. Atomic Energy Commission. 58/06/12. RAMEY, J.T. Congress, Joint Committee on Atomic Energy. 1p. 46252:353-46252:353

-8807250232 Informs Joint Committee that AEC submitted notice of filing of application by American Machine & Foundry Co. for license to export one 1,000 kW pool-type research reactor to Israel, to FR Div for filing & publication.  
PRICE, H.L. Atomic Energy Commission. 58/04/20. RAMEY, J.T. Congress, Joint Committee on Atomic Energy. 1p. 46252:354-46252:354

-8807250236 Forwards notice of filing of application for export license for American Machine & Foundry Co. for publication in FR.  
SHEA, K.H. Office of the General Counsel. 58/04/28. KENNEDY, B.R. National Archives & Records Administration. 3pp. 46252:355-46252:357

-8807250252 FOIA request for documents re OIC of Inspector & Auditor investigation into allegations of flight IV misconduct at facility.  
HEAL, D. Dallas Morning News, Dallas, TX. 88/08/20. NRC - No Detailed Affiliation Given. 1p. 46230:353-46230:353

-8807250253 Final response to FOIA request for documents App A documents withheld (rel FOIA Exemption 7).  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/13. REAL, D. Dallas Morning News, Dallas, TX. 3pp. 46230:354-46230:356

-8807250280 FOIA request for documents re 880503 meeting w/ NMSS & EPA.  
FELTON, J.M. Nuclear Licensing Reports. 88/06/26. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 2pp. 46231:096-46231:097

-8807250283 Final response to FOIA request for documents Forwards App B documents App A documents withheld (rel FOIA Exemption 5).  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/14. FELTON, J.M. Nuclear Licensing Reports. 4pp. 46231:108-46231:105

-8807250289 Agenda of EPA/NRC Interface Council 880503 meeting in Washington, DC & lists of lead NRC technical & mgmt contacts & EPA members.  
\* NRC - No Detailed Affiliation Given. 88/07/14. 4pp. 46231:102-46231:105

-8807250323 Responds to FOIA request for documents re proposed rules governing U imports App documents available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 880515). 88/07/13. MOKOENA, K. Fund for Peace (National Security Archive). 3pp. 46231:138-46231:145

-8807250338 FOIA request for documents re processing of listed applications for import licenses of U from South Africa.  
MOKOENA, K. Fund for Peace (National Security Archive). 87/05/28. MACHAK, F.M. State, Dept. of. 6pp. 46255:340-46255:354

-8807250344 Responds to FOIA request for documents re processing of specified applications for import licenses of U from South Africa App documents available in PDR.  
GRIMSLEY, D.H. Division of Freedom of Information & Publications Services (Post 880515). 88/07/13. MOKOENA, K. Fund for Peace (National Security Archive). 3pp. 46231:146-46231:148

-8807250364 Partial response to FOIA request for documents App D documents available in PDR.  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/13. BELAIR, R.R. Kirkpatrick & Lockhart. 2pp. 46231:149-46231:184

-8807250373 Informs of plant full participation emergency preparedness exercise on 880607 & scenario briefing on 880606 at plant. Team roster, assignments & proposed schedule encl.  
CONKLIN, C. Region 1, OIC of the Director. 88/06/24. Region 1, OIC of the Director. 2pp. 46231:157-46231:160

-8807250389 Discusses ASLB findings & comments re licensee reception criteria 880500 Partial Initial Decision ASLB found sub ctrs adequate to satisfy NRC regulatory standards for use in event of radiological emergency.  
SCINTO, J.F. Assistant General Counsel for Hearings. 88/05/18. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46231:159-46231:160

-8807250398 Advises that Commission recognized that American Red Cross (ARC) charter from Congress & natl policy require that ARC provide aid in any radiological or natural disaster, w/ or w/o ltr of agreement w/ ARC re particulate emergency plan.  
REIS, E.J. Deputy General Counsel. 88/05/11. CUMMING, W.R. Federal Emergency Management Agency. 1p. 46231:161-46231:162

-8807250434 Discusses ASLB 871207 partial initial decision that until 860213 exercise of emergency plan did not test as much of plan in four limited areas as reasonably achievable plan failed to meet requirements of 10CFR50, App E, Part IV, F.1.  
MURRAY, J.P. Deputy General Counsel. 87/12/10. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46231:163-46231:184

-8807270296 FOIA request for documents re 880607 meeting between V. Miller & GAO representatives re GAO mails audit program & 880616 meeting between V. Miller & GAO representatives re ASNT representatives on certification of radiographers.  
FELTON, J.M. Nuclear Licensing Reports. 88/06/23. GRIMSLEY, D.H. Office of Administration & Resources Management, Director (Post 870413). 2pp. 46262:043-46262:044

-8807270298 Final response to FOIA request for documents Forwards App A document App B document withheld (rel FOIA Exemption 5).  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/14. FELTON, J.M. Nuclear Licensing Reports. 4pp. 46262:045-46262:049

-8807270301 Informs of GAO audit team 880607 visit to NMSS for audit of mail program GAO team will return in 2 wks to discuss draft report on sub audit lists topics discussed w/ auditors.  
MILLER, V.L. Medical, Academic & Commercial Use Safety Branch. 86/06/05. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 1p. 46262:049-46262:049

-8807270302 FOIA request for documents re Contract NRC-30-86-360 awarded to Norcom Int'l Corp.  
MICHAEL, P.B. Federal Management Associates. NRC-30-86-360. 88/06/30. NRC - No Detailed Affiliation Given. 1p. 46262:023-46262:023

-8807270303 Final response to FOIA request for documents Informs that Contract NRC-30-86-360 available in PDR.  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. NRC-30-86-360. 88/07/13. MICHAEL, P.B. Federal Management Associates. 1p. 46262:024-46262:024

-8807270304 FOIA request for documents re Form 473 (diagnostic measurement effort form).  
SMALL, P. FOI Services. 71842. 88/07/05. NRC - No Detailed Affiliation Given. 3pp. 46262:050-46262:052

-8807270305 Final response to FOIA request for documents App A documents available in PDR.  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/14. SMALL, P. FOI Services. 2pp. 46262:053-46262:054

-8807280007 FOIA request for documents re NRC 880505 notice of violation & proposed imposition of civil penalty against TVA.  
CONKOR, L. Doc-Search Associates. 88/07/05. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 46262:031-46262:031

-8807280013 Final response to FOIA request for documents App A document withheld (rel FOIA Exemption 5). NRC did not officially release requested records.  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/14. CONKOR, L. Doc-Search Associates. 3pp. 46262:032-46262:034

-8807280021 FOIA request for documents re INPO rankings of commercial nuclear power reactors currently operating or under const in US & basis upon which rankings made.  
BOLEY, K. Public Citizen's Critical Mass Energy Project. 88/08/10. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 2pp. 46262:035-46262:039

-8807280026 Requests for full fee waiver of processing, search or duplication costs incurred by NRC in fulfilling attached FOIA request. Lists 10CFR8.41(b) criteria for fee waiver & corresponding response by requestor to full fee requirements.  
BOLEY, K. Public Citizen's Critical Mass Energy Project. 88/06/10. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 3pp. 46262:037-46262:039

-8807280048 Final response to FOIA request for documents App A document withheld (rel FOIA Exemption 5).  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 88/07/15. BOLEY, K. Public Citizen's Critical Mass Energy Project. 3pp. 46262:040-46262:042

-8807290007 FOIA request for documents re EPA proposed regulations to regulate disposal of discrete naturally occurring & accelerator-produced radioactive materials (NARM) sources & documents indicating disposal of NARM sources.  
FELTON, J.M. Nuclear Licensing Reports. 88/08/06. GRIMSLEY, D.H. NRC - No Detailed Affiliation Given. 1p. 46327:210-46327:210

## GEN TEC IS GENERIC TECHNICAL ISSUES

-8806130188 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Purging W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). GL 88-02. 88/08/15. Consolidated Edison Co. of New York, Inc. 110pp. 45978:156-45978:266

-8806290469 Forwards comments on BNL final draft NUREG/CR-4048, "Technical Findings Re Generic Issue 23: Reactor Coolant Pump Seal Failure," for Incorporation into final report.  
NEWTON, R.A. Westinghouse Operating Plants Owners Group. OG-88-26. 88/06/22. HODGES, M.W. Reactor Systems Branch. JACKSON, J.E. Engineering Issues Branch. (870413. 880716). 60pp. 45997:140-45997:183

-8807050455 Summary of 880602 meeting w/ unit in Bethesda, MD to discuss response to Generic LR 87-02 re seismic qualification of equipment per USI A-46.  
TOURIGNY, E.G. Project Directorate II-2. TAC 88303. 88/06/16. Project Directorate II-2. 10pp. 45991:298-45992:003

-8807050467 "Seismic Hazard Data Prepared for Resolution of USI A-46."  
\* Ebasco Services, Inc. (subs. of Ensorh Corp.). 88/06/16. 21pp. 45991:308-45991:326

-8807050479 "Radiological Data Prepared for Resolution of USI A-46."  
\* Ebasco Services, Inc. (subs. of Ensorh Corp.). 88/06/16. 31pp. 45991:327-45991:357



8807080360 NUREG/CR-3509 POWER SPECTRAL DENSITY FUNCTIONS COMPATIBLE WITH NRC REGULATORY GUIDE 1.60 RESPONSE SPECTRA  
SH NOZUKA,M. MOCHEOT,T. SAMARASE,F Columbia Univ., New York, NY 88/06/33. Division of Reactor Accident Analysis (870413-880716). 71pp 46077-033-46077-106

8807110251 Notification of CRGR Meeting 1-11 on 880714 in Bethesda,MD to review proposed Generic Ltr on instrument air problems & for RES presentation on proposed resolution of USI A.45 on DHH  
JORDAN,E.L. Committee to Review Generic Requirements. 88/07/05  
BERNERO,R. Office of Nuclear Material Safety & Safeguards,Director.  
PAPERILLO,C.J. Region 3, Ofc of the Director. ROSS,D.F. Office of Nuclear Regulatory Research, Director (Post 870420) 2pp 46138-348-46138-349.

8807110275 Informs of initiation of new Multi-Plant Action A-22, "Implementation of Station Blackout Rule,10CFR50.63," to be effective on 880721. Encl FR notice to be forwarded to licensees  
TAM,P.S. Project Directorate IV. 88/08/23. Office of Nuclear Reactor Regulation, Director (Post 870411) 18pp 46110-290-46110-308

8807120469 Notifies that confirmation of actions described in 880525 Ltr in response to Generic Ltr 88-03 acceptable. Actions re maint of stat on procedures for identification & restoration of auxiliary feedwater sys should steam binding occur  
MILANO,P.D. Project Directorate IV. GL-89-03 88/08/23 ANDREWS,R.I. Omaha Public Power District 3pp 46111-244-46111-246

8807120669 Informs that w/ 870610 response to Generic Ltr 87-06 re periodic verification of leak tight integrity of pressure isolation valves acceptable.  
BACK,S. Ofc of Special Projects, GL-87-05 88/07/06. WHITE,S.A. Tennessee Valley Authority 4pp 46156-163-46156-166.

8807190233 Notification of 880720 meeting w/BWR Owners Group in Rockville,MD re MSIV leak rate limits, information of MSIV leakage control sys & how results of Generic Issue C-8 will be used in proposed approach  
KUDRICK,J. Plant Systems Branch 88/07/07. CRAIG,J.W. Plant Systems Branch. 3pp 46208-142-46208-144

8807200031 Forwards schedule for actions resulting from SEP Topic XV-1 will be resolved per USI A-47  
MEDFORD,M.O. Southern California Edison Co. 88/07/13. Document Control Branch (Document Control Desk) 8pp 46222-022-46222-029

8807210215 Forwards NUS rept on status of Generic Issue 105, "Interfacing Sys LOCs at LWRs," per request. Subj rept included as part of NUS Nuclear Safety Issues Review program  
JORDAN,P.S. NUS Corp CD-RIS-88-309 88/07/06 ROTHBERG,O.O. NRC - No Detailed Allocation Given 10pp 46237-235-46237-243

#### IA&E INSPECTION AND ENFORCEMENT

8808130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event" Svc list encl  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). GL-88-02 88/06/15. Consolidated Edison Co. of New York, Inc. 110pp 45978-156-45978-266

8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator License Exams." NUREG/BR-0122 & svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp 46240-325-46241-201

8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/06/22 Consolidated Edison Co. of New York, Inc. 122pp 45978-034-45978-155.

8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). IEB-79-13 88/06/22 Consolidated Edison Co. of New York, Inc. 116pp 46018-037-46018-152.

8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/08/24 Consolidated Edison Co. of New York, Inc. 113pp 46019-163-46019-285.

8808210163 Updated PNO-II-88-040A on 880607, leaking WESF Cs-137 source at facility & radiation levels measured represent 12 mrem/h. Cause not yet identified. Facility quarantined & Georgia Tech physics professor to develop strategy.  
TROJANOWSKI,R. Region 2, Ofc of the Director. 88/06/08 2pp 45914-001-45914-002.

8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). IEB-88-008. 88/05/24. Consolidated Edison Co. of New York, Inc. 114pp 46019-266-46020-018.

8808290479 PNO-I-88-057B updates PNO-I-88-057A re identification of contamination leaving Neutron Products facility due to inadequate monitoring of workers leaving restricted area. Order issued requesting licensee take listed steps re subj.  
COSTELLO,F. ALLAN,J. Region 1, Ofc of the Director. 88/08/24. 1p 45985-360-45985-360.

8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). GL-81-12 88/07/07 Consolidated Edison Co. of New York, Inc. 104pp 46242-108-46242-212.

8807010008 PNO-I-88-057A identified radioactive contamination on contractor exiting facility protected area. Contamination also identified in individual home & co-worker car. Caused by inadequate monitoring before leaving restricted area  
COSTELLO,F. ALLAN,J. Region 1, Ofc of the Director. 88/08/22. 1p 46020-247-46020-247.

8807010049 PNO-III-88-057 on 880623, three workers received burns while working on radiowave evaporator, resulting in skin contamination (loss than 10,000 dpm/100 cm2). Onsite radiation specialist reviewing accident. News media informed  
GREGGER,L.R. SHAFFER,W. Region 3, Ofc of the Director. 88/08/23 1p 46017-281-46017-281.

8807010107 PNO-I-88-067 on 880622, reactor scram occurred from approx 100% power. Caused by low reactor vessel level resulting from malfunction & closure of feedwater control valve. Licensee plans to restart pending completion of valve repairs  
COOK,W. JOHNSON,J. Region 1, Ofc of the Director. 88/05/23 1p 46020-068-46020-068.

8807010125 PNO-I-88-066 on 880622, unit tripped following loss of vital instrument bus inverter. C-105 caused low reactor trip low trip. Caused by loss of reactor coolant pump breaker operation indication & loss of power. Licensee initiated investigation.  
BORCHARDT,W. SWETLAND,P. Region 1, Ofc of the Director. 88/06/22 1p 46017-074-46017-074

8807010389 PNO-II-88-054B on 880610, steel plant casting area & other locations contaminated when sp of molten steel damaged gauges containing Cs-137. Decontamination complete. Licensee permitted to resume operation w/o gauges  
WIEDEMAN,D. MALLET,B. Region 3, Ofc of the Director. 88/06/27 1p 46020-154-46020-154

8807010597 Forwards ref file for NUREG-1311, "Funding NRC Training Program for States," for placement in PDR.  
LUBENAU,J. Assistant Director for State Agreements Program. 88/06/07. NRC - No Detailed Allocation Given 2pp 45993-003-45993-126

8807050017 PNO-III-88-011B computer listing of approx 4,000 customers who received call from table bases & parts from Fabcon Products, Inc. between stated dates obtained. Company believes almost all contamination related bases remain at facility  
WIEDEMAN,D. AXELSON,W. HENDON,J. Region 3, Ofc of the Director. 88/02/07 2pp 45991-104-45991-105

8807050571 PNO-II-88-041 on 880617, radiography overexposure occurred. Bulk of exposure occurred while working at Florida Power & Light fossil steam plant & small amount of exposure received while working at Cape Canaveral Air Force Base  
BROWN,R. CLINE,W. Region 2, Ofc of the Director. 88/06/23 1p 46074-038-46074-038

8807080320 PNO-III-88-058 on 880623 reactor scrammed from 84% power due to turbine trip. Caused by damaged latching mechanism in turbine control sys. Latching mechanism repaired.  
COOPER,R.W., KNOP,R.C. Region 3, Ofc of the Director. 88/06/24. 1p 46147-194-46147-194.

8807080354 PNO-III-88-059 on 880629, unit shutdown after unsuccessful efforts to start newly installed wide range power monitor sys. Calbr problem related to sys software GE has been notified of problem.  
JACKWILL,N. AXELSON,W.L. Region 3, Ofc of the Director. 88/06/23 1p 46087-312-46087-312

8807070066 PNO-I-88-088 on 880629, radioactive mail found in residential area. Object identified as Navy dock marker. Object surveyed. No loose contamination noted  
WHITE,J., JOYNER,J. Region 1, Ofc of the Director. 88/06/29 1p 46139-026-46139-026

8807070188 PNO-I-88-057C updating PNO-I-88-57B re actions taken by State of MD as result of evidence of possible contamination of worker automobiles & residences. Contamination found in one house. Seven additional houses will be surveyed  
MCCRATH,J., ALLAN,J. Region 1, Ofc of the Director. 88/06/29 1p 46119-121-46119-121.

8807080006 NRC Info Notice 88-046, "Licensee Rept of Defective Relubricated Circuit Breakers" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/08 Consolidated Edison Co. of New York, Inc. 107pp 46231-281-46232-027.

8807080386 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times" Svc list encl.  
ROSSI,C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp 46240-222-46240-324.

8807110218 PNO-V-88-044 on 880627, earthquake occurred 5 miles east of Santa Cruz, CA. Seismic instrumentation not triggered at Vallecitos. Aerobics operations at at Univ. of California at Berkeley.  
NORTH,H.S., YUHAS,G.P. Region 5, Ofc of the Director. 88/06/27 2pp 46141-330-46141-331.

8807110223 PNO-V-88-043 on 880627, settlement of rate case announced. Upr will receive 7.8 cents per kW-hour for power produced from plant. Settlement also calls for three member independent safety committee.  
COOK,G., KUNIHITO,D. Region 5, Ofc of the Director. 88/08/27. 2pp 46141-187-46141-188.

8807110227 PNO-V-88-042 on 880628, magnitude 4.7 earthquake occurred. Telephone contact established that earthquake did not, no damage identified, no releases of radioactivity occurred & seismic instrumentation operable & did not respond  
NORTH,H.S., YUHAS,G.P. Region 5, Ofc of the Director. 88/08/27. 1p 46140-265-46140-265.

8807110283 PNO-V-88-045 on 880625, during testing of check valve on pump 1-1 & flush of other check valves suspected of leakage, water hammer was reported. Snubber removal & operational testing in progress. Licensee proceeded to cold shutdown.  
PEREIRA,D., NARBUT,P. Region 5, Ofc of the Director. 88/06/27 2pp 46140-357-46140-358.

8807110383 PNO-IV-88-054 on 880705, reactor shut down to commence 99-day paired outage to replace fasteners associated w/Helium circulators. Licensee scheduled calls for return to operations on 881007. Region IV prepared to respond to media inquiries.  
WESTERMAN,T.F. Region 4, Ofc of the Director. 88/07/06 1p 46185-031-46185-031.

8807120025 PNO-III-88-060 on 880701, survey team found that static eliminator mfg by NFD Inc. leaking Po-210 resulting in minor contamination of wooden crate caused by device damaged by vandals. Crate dismantled & placed in barrel for burial.  
WIEDEMAN,D. MALLET,B. Region 3, Ofc of the Director. 88/07/06. 1p 46156-282-46156-282

8807120076 EN-87-102A on 880707, notice of violation & proposed imposition of civil penalties in amount of \$500 will be issued to licensee based on failure to complete required surveys, unsecured mail & failure to post required documents.  
FLACKE, LIEBERMAN, J. Ofc of Enforcement (Post 870413) EA-87-184 68/07/07. 1p 46148 278-46148-278.

8807120086 PNO-III-88-027A on 880630, FEMA found State of IA off's emergency response plan inadequate when notified by util that 880701 dead no would be missed due to incomplete rev. Post county to complete planning  
SNELL, W., SHAFER, W. Region 3, Ofc of the Director 88/07/01. 1p 46154:058-46154:058.

8807120209 Corrected PNO-I-88-070 on 880702, public meeting held re emergency preparedness exercise on 880627-28 Meeting attended by approx 150 people w/only oral verbal comments & heckling occurring Comments received negative & positive  
COCKLIN, C. Region 1, Ofc of the Director 88/07/05. 1p 46148 246-46148-246

8807120262 EN-88-059 informs Commission of action modifying licenses & notices of violation & deviation being issued to utility based on licensee failure to take prompt corrective actions re number of additional findings.  
LUEHAM, J., LIEBERMAN, J. Ofc of Enforcement (Post 870413) EA-88-064 88/07/08. 1p 46150 279-46150-279.

8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/12 Consolidated Edison Co. of New York, Inc 103pp 46242 005-46242 108

8807120540 Advises that all recipients of Suppl 1 to IE Bulletin 85-003 must respond within 30 days & must submit final rpt within 60 days  
VARGAS, A. Division of Reactor Projects - I/II (Post 870411) CRUTCHFIELD, D. Division of Reactor Projects - III/IV & Special Projects (Post 870411) EB 85-003 88/08/17 Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp 46112:340-46112:346

8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of 'Safekeeping Info'" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc 103pp 46241 263-46242 005

8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/18 Consolidated Edison Co. of New York, Inc 118pp 46257:258-46258 016

8807130180 PNO-IV-88-055 on 880701, sealed radiation sources found stored in unsecured locations by Idaho Inspector Licensee out of business & vacated facility, Idaho insp staff will provide disposition of sealed sources.  
DODAR, J. Region 4, Ofc of the Director 88/07/08 1p 46170 335-46170 335.

8807130252 PNO-I-88-089 on 880630, fuel fabrication facility employees went on strike Fuel fabrication facility in process of shutting down for holiday weekend. Contingency plans re site security implemented & no additional sessions scheduled.  
ROTH, J., BELLAMY, R. Region 1, Ofc of the Director 88/07/01. 1p 46172 087-46172 087.

8807130393 PNO-V-88-048 on 880623, licensee identified potential spent fuel pool siphon path. Drawings indicate that fuel pool purification pump has capability of pumping water from spent fuel pool to other locations Cont's installed  
JOHNSON, P., HUEY, R. Region 5, Ofc of the Director 88/07/01. 1p 46172 148-46172 148.

8807140314 PNO-I-88-071 on 880705, fisherman pulled Trawler Model 3411 moisture density gauge from lake in Rockville, MD Gauge stolen from Woodward & Clyde in 1984 Device temporarily stored at Univ of Maryland until proper disposal arranged.  
MCGRATH, J. Region 1, Ofc of the Director 88/07/07. 1p 46177:210-46177 218

8807150100 PNO-V-88-041A on 880706, util auxiliary transformer failed & caught fire while providing power to both trans of non-vital house loads. One security guard suffered smoke inhalation & treated. Licensee restored power & plant cooldown conducted.  
RICHARDS, S., POLICH, T. Region 5, Ofc of the Director 88/07/07. 2pp 46186 349-46186 350.

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/07/21 Consolidated Edison Co. of New York, Inc 121pp 46257:086-46257 208.

8807180143 PNO-IV-88-068 on 880708, licensee discovered that Co-137 brachytherapy sealed source removed from patient undergoing gynecological treatment to be 30 mg instead of intended 20 mg Caused by personnel error.  
POWERS, D.A. Region 4, Ofc of the Director 88/07/11. 1p 46184 283-46184 283.

8807190051 PNO-V-88-041 on 880706, fire in auxiliary transformer caused loss of both 13 kV buses that energize non-safety-related loads Caused by transformer oil sprayed during reenergizing bus SO-2 Fire extinguished.  
RICHARDS, S., POLICH, T. Region 5, Ofc of the Director 88/07/06. 1p 46208 300-46208 300.

8807190083 PNO-III-88-027B on 880707, FEMA issued ltr to State of IA notifying that state failed to correct emergency planning inadequacies for Duane Arnold. Inadequacies cover radiation measuring devices for bus drivers & emergency workers.  
SNELL, W., SHAFER, W. Region 3, Ofc of the Director 88/07/08. 1p 46208:182-46208:182.

8807190172 PNO-V-88-047 on 880707, cavitation of shutdown cooling pump occurred during draindown of reactor vessel Caused by blockage of relief pumps re port in pressurizer by installation of temporary camera mounting bracket  
JOHNSON, P., TATUM, J. Region 5, Ofc of the Director 88/07/08. 1p 46215 260-46215 260.

8807190181 PNO-III-88-061 on 880707, former physician entered guilty plea to federal charges re misadministration of radioactive pharms Physician dismissed from duties Region II forwarded written rpt to DOJ on 871113.  
MARABITO, R., PAWLICK, E., MALLETT, B. Region 3, Ofc of the Director 88/07/07. 1p 46214:038-46214:038.

8807190326 PNO-III-88-062 on 880708, AT&T operator received bomb threat at Fort Beach plant. State of WI & Kewaunee notified. Security operations initiated intoxicated individual arrested  
CREED, J., MALLETT, B. Region 3, Ofc of the Director 88/07/08. 1p 46215 343-46215 340.

8807200115 PNO-I-88-072 on 880709, onboard MSIV failed full closure test Subsequent testing indicated that valve stem may be separated from valve disc MSIV repair estimated to take 18 days  
COGWILL, C. Region 1, Ofc of the Director 88/07/12. 1p 46228 215-46228 215

8807200366 PNO-III-88-063 on 880711, licensee reported female patient received therapeutic dose of radiation about 18% over that prescribed. No adverse reactions expected. Patient physician will be informed.  
WIDEMAN, D., MALLETT, B. Region 3, Ofc of the Director 88/07/11. 1p 46221 235-46221 235

8807210017 EN-88-040 on 880527, notice of violation & proposed imposition of civil penalty in amount of \$750.00 issued to licensee for failure to conduct physical inventory every 6 months to account for Cs-137 source  
FLACKE, LIEBERMAN, J. Ofc of Enforcement (Post 870413) EA-88-118 88/5/24. 1p 46234 361-46234 361

8807210267 PNO-I-88-074 on 880318, former president of Radiation Technology, Inc convicted in US district court for two counts of providing false info & conspiracy of conspiring to defraud NRC.  
\* Region 1, Ofc of the Director 88/07/15. 1p 46250 001-46250 001

8807210274 PNO-I-88-073 on 880714, State of NJ Inspector found Tr-99m contamination of microwave oven used for food preparation Caused by unauthorized use of oven for Tr-99m-spiked egg preparation for gastric motility study. Oven used stopped  
JGUSTRA, PELCHAT, GLENN Region 1, Ofc of the Director 88/07/14. 1p 46233 341-46233 341

8807220208 Final response to FOIA request for documents App A documents available in PDR App B & A documents encl & available in PDR App C & D documents available or completely withheld (rel FOIA Exempt ions 5.7)  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/30. U.S.J. GAO, K&N & Iorio 6pp 46231 005-46231 017

8807220225 PNO-III-88-035 on 880303, Ra-226 contamination found in spent space Caused by leakage from sealed radioactive sources believed stored in spent space & initially mentioned to NRC Inspector during 880128-29 insp.  
MULLAHER, J., MALLETT, B. Region 3, Ofc of the Director 88/04/02. 1pp 46231 037-46231 047

8807250277 PNO-IV-88-057 on 880715, rept of fire on turbine bldg received from 6-managed & electrical arcing found in main generator outlet bus ducting Licensee stating cause & repairs not expected due to preliminary insp.  
CONSTABLE, G.L. Region 4, Ofc of the Director 88/07/15. 1p 46285 163-46285 163

## MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

8807180190 Submits appointments to performance review board for senior executive  
STELLO, V. NRC - No Detailed Affiliation Given 88/06/14. NRC - No Data Affiliation Given. 2pp 46200 037-46200 038

## NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

8806160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 88/06/22 Consolidated Edison Co. of New York, Inc. 237pp 46240 325-46241 201

8806290305 Rev 0 to Emergency Plan Implementing Procedure App I, "NLTREG0654 Cross-reference."  
DAWSON, M. Consumers Power Co. 88/06/17. 8pp 45888 010-45888 017.

8806290489 Forwards comments on BNL final draft NUREG/CR-4948, "Technical Findings Re Generic Issue 23 Reactor Coolant Pump Seal Failure," for incorporation into final rpt.  
NEWTON, R.A. Westinghouse Operating Plants Owners Group. OG-88-26. 68/06/22. HOGGES, M.W. Reactor Systems Branch. JACKSON, J.E. Engineering Issues Branch (870413-880716) 50pp 45997 140-45997 188.

8806300132 Forwards list of safety/relief valves challenges & failures that occurred in 1987 at plant per NUREG-0737, Item I.K.3.3.  
BRONK, J.C. New York Power Authority (formerly Power Authority of the State of New York) JPI-88-032. 88/06/21. Document Control Branch (Document Center Desk) 4pp 46017 032-46017 035.

8807010597 Forwards rel file for NUREG-1311, "Funding NRC Training Program for States," for placement in PDR.  
LUBENAU, J.O. Assistant Director for State Agreements Program. 88/06/07. NRC - No Detailed Affiliation Given. 2pp 45990 003-45991 128.

8807010641 Forwards summary of 871008 25th anniversary Agreement State meeting in Louisville, KY. Motions discussed & passed included request for NRC to make available guidelines for mixed waste & to continue work on bonding & surety  
BRADLEY, F.J. Labor, Dept. of. 87/11/16. NUSSBAUMER, D.A. Assistant Director for State Agreements Program. 4pp 45880 060-45880 072.

8807010651 Provides summary of eight Agreement State responses to 880314 solicitation for views on NRC funding of travel & per diem costs incurred by state personnel attending NRC sponsored training courses.  
LUBENAU, J.O. Assistant Director for State Agreements Program. 88/05/13. Assistant Director for State Agreements Program. 2pp 45990 073-45990 074.

8807010658 Provides list of individuals contacted re various policies of paying for state trainee travel & per diem costs  
CORLEY, J.H. State, Local & Indian Tribe Programs. 88/05/16. State, Local & Indian Tribe Programs. 1p 45990 075-45991 073.

--8807050017 P.A.C. #54 0118 computer listing of approx 4,000 customers who received cast iron table bases & parts from Falcon Products, Inc. between stated dates. Falcon Company believes almost all contaminated bases remain at facility. WIEDEMANN, D., AXELSON, W., HIND, J. Region 3, Ofc of the Director. 8/4/02/07. 2pp. 45991:104-45991:105

--8807050030 Forwards order modifying Licenses 22-00057-06 & 22-00057-32G effective immediately & order to show cause. Order suspends authority to transfer Po 210 immersion devices to general licenses. BERNERO, R. M. Office of Nuclear Material Safety & Safeguards, Director. 8/8/02/18 Minnesota Mining & Manufacturing Co., 3M Co. 2pp. 45991:106-45991:107

--8807260040 Order modifying Licenses 22-00057-06 & 22-00057-32G effective immediately & order to show cause. Most of licenses suspends authority to distribute Models 902, 902F, 906 & 908 Po-210 static small ion devices. BERNERO, R. M. Office of Nuclear Material Safety & Safeguards, Director. 8/8/02/18 Minnesota Mining & Manufacturing Co., 3M Co. 8pp. 45991:108-45991:123

--8807010699 Informs that as of 880309, Agreement States have expended approx 6,224 h on 3M static immersion case. Regional state agreement representatives report approx 576 h expended. Breakdown on: ROLLING, G. L. Assistant Director for State Agreements Program. 8/8/03/25 Assistant Director for State Agreements Program. 2pp. 45991:124-45991:125.

--8807010708 Discusses info re Gross 880308 info re HHS/DHEW training for states in radiological health CHEW did not pay travel & per diem costs for state & local govt personnel attending DHEW courses in radiation protection. LUBENAU, J. O. Assistant Director for State Agreements Program. 8/8/03/25 Assistant Director for State Agreements Program. 1p. 45991:126-45991:126.

8807010629 Application for amendments to Licenses DPR-19 & DPR-26, reflecting instrument enhancements for post-accident monitoring per Reg Guide 1.97 & Suppl 1 to NUREG-0737. Fee paid. SILADY, J. A. Commonwealth Edison Co. 8/8/06/20 MURLEY, T. E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46018:280-46018:303.

--8807010635 Proposed Tech Specs reflecting instrumentation enhancements for post-accident monitoring per Reg Guide 1.97 & Suppl 1 to NUREG-0737. \* Commonwealth Edison Co. 8/8/06/20. 22pp. 46018:282-46018:303

8807050001 Forwards application for amend to License NPF-3, changing Tech Spec sections re administrative controls. Proposed changes would remove investigation & report preparation responsibilities from station review board. Fee paid. SHELTON, D. C. Toledo Edison Co. 1528 8/8/06/20. Document Control Branch (Document Control Desk). 2pp. 46026:239-46026:262

8807050120 Confirms agreements reached in 880020 meeting re mod schedule to address Item II.F.2 of NUREG-0737. GRIDLEY, R. Tennessee Valley Authority. GL-84-23. 8/8/06/24 Document Control Branch (Document Control Desk). 3pp. 46024:347-46024:349.

8807050312 Comments on final draft NUREG/CR-5109, "Closeout of IE Bulletin 79-26 Bore Loss From BWR Control Blades," per 880816 telcon. Description of control blades in App A & all refs in rept deleted. DEAN, R. S. Parametrix, Inc. NRC-05-85-157-02. IEB-79-28 8/8/06/20. GELFINGER, C. H. Genium Communications Branch. 23pp. 46074:014-46074:037.

8807060015 Advises that Bore Loss of 880112-13 transcript of Bore & Thomas did not identify errors TJ McKenna testimony re NUREG-1210 oncl. Related correspondence. TURKISH, Assistant General Counsel for Hearings #388 6629. OL. 8/8/06/24. SMITH, I. W., LINDBERGER, G., HARBOUR, J. Atomic Safety and Licensing Board Panel. 1p. 45995:290-45995:298.

--8807060016 Testimony of TJ McKenna re NUREG-1210. \* Related correspondence. MCKENNA, T. J. Division of Operational Assessment (Post 870413). OL. 8/8/06/24. 8pp. 45995:291-45995:298.

8807060087 NUREG-1002 S06 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF BRAIDWOOD STATION, UNITS 1 AND 2 Docket Nos. 50-456 And 50-457 (Commonwealth Edison Company) \* Division of Reactor Projects - III, IV, V & Special Projects (Post 870411). 8/8/06/30. 26pp. 46002:338-46003:007.

8807060093 NUREG-1325 DISPOSITION OF RECOMMENDATIONS OF THE NATIONAL RESEARCH COUNCIL IN THE REPORT "REVITALIZING NUCLEAR SAFETY RESEARCH." \* Office of Nuclear Regulatory Research, Director (Post 860720). 8/8/06/30. 43pp. 46002:283-46002:337

8807060104 NUREG-1221 SUMMARY ANALYSIS AND RESPONSE TO PUBLIC COMMENTS ON PROPOSED AMENDMENTS TO 10 CFR PARTS 30.40, 50.51, 70 AND 72. DECOMMISSIONING CRITERIA FOR NUCLEAR FACILITIES. \* Division of Engineering (Post 870413). 8/8/06/30. 738pp. 46000:182-46002:197.

8807070229 Forwards response to request for add info re NUREG-0737, Item II.D.1, "Performance Testing of Relief & Safety Valves for Fort Calhoun Station." Final response will be submitted by 881118. ANDREWS, R. L. Omaha Public Power District, LIC-88-550. 8/8/06/30. Document Control Branch (Document Control Desk). 5pp. 46136:287-46136:291.

8807070314 Forwards "Supplementary Rept for Calvert Cliffs Nuclear Power Plant CDCR" & responses to human engineering discrepancies per Suppl 1 to NUREG-0737 requirements & NUREG/CR-1580 & NUREG-0700 guidance. TIERMAN, J. A. Baltimore Gas & Electric Co. TAC 66111. 8/8/06/30. Document Control Branch (Document Control Desk). 1,438pp. 46081:184-46085:181.

8807070437 NUREG-1226 DEVELOPMENT AND UTILIZATION OF THE NRC POLICY STATEMENT ON THE REGULATION OF ADVANCED NUCLEAR POWER PLANTS. WILLIAMS, P. M., KING, T. L. Office of Nuclear Regulatory Research, Director (Post 860720). 8/8/06/30. 60pp. 46013:217-46013:203.

8807070438 NUREG-0940 V07 N01 ENFORCEMENT ACTIONS SIGNIFICANT ACTIONS RESOLVED Quarterly Progress Report, January-March 1988. \* Ofc of Enforcement (Post 870413). 8/8/06/30. 315pp. 46014:046-46014:360

8807070448 NUREG/CR-4881 FISSION PRODUCT RELEASE CHARACTERISTICS INTO CONTAINMENT UNDER DESIGN BASIS AND SEVERE ACCIDENT CONDITIONS. NOURBAKHSHI, H. P., KHATIB-RAHVAR, DAVIS, R. E. Brookhaven National Laboratory. FIN A-3788. BNL-NUREG-5208. 8/8/03/31. Division of Reactor Accident Analysis (870413-880716). 122pp. 46013:264-46014:045

8807070447 NUREG/CR-5106 USER'S GUIDE FOR THE TACT5 COMPUTER CODE. WEST, D. B., GILPIN, H. E. Science Applications International Corp. (formerly Science Applications, Inc.). FIN D-1763. SAC-88/3023. 8/8/06/30. Division of Reactor Protection & Emergency Preparedness (Post 870411). 206pp. 46013:011-46013:216.

8807070455 NUREG-1311 FUNDING THE NRC TRAINING PROGRAM FOR STATES. LUBENAU, J. O., CORLEY, J. H., KAMVERER, C. State, Local & Indian Tribe Programs. 8/8/06/30. 77pp. 46011:276-46011:343.

8807070456 Forwards safety evaluation supporting util 870420 response to outstanding issue on radiography requirements identified in Section 4.2.1 of NUREG-0830 Based on SEP will agree to implement certain safety improvements. SIEGEL, B. Project Directorate III-2. TAC 65175. 8/8/06/28. BLISS, H. E. Commonwealth Edison Co. 3pp. 46139:697-46139:101

--8807070459 Safety evaluation supporting util response re radiography requirements of certain vessel & pump casings. \* Project Directorate II-2. 8/8/06/28. 2pp. 46139:103-46139:101

8807070532 Forwards response to NRC 880217 request for add info re NUREG-0737, Item II.D.1, "Performance Testing of Relief & Safety Valves." Being Computer Svcs memorandum also oncl. ANDREWS, R. L. Omaha Public Power District, LIC-88-477. 8/8/06/28. Document Control Branch (Document Control Desk). 12pp. 46125:186-46125:197

8807070558 Submits revised commitment re requalification training for mitigation of core damage per NUREG-0737, Item II.B.4. Available courses listed & are regularly scheduled & on request. LOFLIN, L. L. Carolina Power & Light Co. NLS-88-147. 8/8/07/05. Document Control Branch (Document Control Desk). 1p. 46123:107-46123:107.

8807080138 SECY-88-100 Recommends Commission approve publication of advanced notice of proposed rulemaking requesting comments on NUREG-1317, "Regulatory Options for Nuclear Plant License Renewal." STELL, C. V. Ofc of the Executive Director for Operations. 8/8/06/27. 74pp. 46253:031-46253:073.

8807080228 Advises that util responses complied w/requirements for emergency response facilities & meteorological data upgrade per IM Action Items III.A.1.2 & III.A.2.2 respectively. CROCKER, L. P. Project Directorate II-3. TAC 45951. 8/8/06/22. HAIRSTON, W. G. Georgia Power Co. 3pp. 46076:360-46076:380.

8807080350 NUREG-0750 V27 101 INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES, January-March 1988. \* Division of Freedom of Information & Publications Services (Post 880515). 8/8/06/30. 46pp. 46077:107-46077:146.

8807080380 NUREG/CR-3509 POWER SPECTRAL DENSITY FUNCTIONS COMPATIBLE WITH NRC REGULATORY GUIDE 1.60 RESPONSE SPECTRA. SHINOZUKA, M., MOCHIOI, T., SAYARASE, F. Columbia Univ., New York, NY. 8/8/06/30. Division of Reactor Accident Analysis (870413-880716). 71pp. 46077:033-46077:108.

8807080382 NUREG/CR-5147 FUNDAMENTAL ATTRIBUTES OF A PRACTICAL CONFIGURATION MANAGEMENT PROGRAM FOR NUCLEAR PLANT DESIGN CONTROL. KLEIN, S. M. ERC International, Inc. FIN B-8762. 8/8/06/30. Division of Licensee Performance & Quality Evaluation (Post 870411). 60pp. 46077:265-46077:347.

8807101013 Forwards NUREG/CR-2803, "Independent Assessment of Education Time Estimates for Peak Population Scenario in EPZ of Seabrook Nuclear Station." W/ rept Certificate of Svc & svc ltr oncl. THOMASE, A. Federal Emergency Management Agency #388 6671. OL. 8/8/06/20. HARBOUR, J. Atomic Safety and Licensing Board Panel. 4pp. 46033:247-46033:250

88071010283 Forwards Amends 188,188 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively Amends revise Tech Specs to update LOCA limited max allowable linear heat rates reflecting effects of NUREG-0830 models & analytical results using FLEXSET. PASTIS, H. N. Project Directorate II-3. TAC 65789. 8/8/06/23. TUCKER, H. B. Duke Power Co. 3pp. 46100:073-46100:087

--8807110291 Amends 188,188 & 165 to Licenses DPR-38, DPR-47 & DPR-55, respectively, revising Tech Specs to update LOCA limited max allowable linear heat rates reflecting effects of NUREG-0830 models & analytical results w/ use of FLEXSET correlation. MATTHEWS, D. D. Project Directorate II-3. DPR-55 A 165. 8/8/06/23. 8pp. 46100:076-46100:083.

- 8807110494 NUREG/CR-5695 V01 THERMODYNAMIC NONEQUILIBRIUM IN POST-CRITICAL HEAT-FLUX BOILING IN A ROD BUNDLE Description: Of Experiments And Sample Results  
TUZLA, K., UNAL, C., BADRO, Lehigh Univ., Bethlehem, PA. FIN B-6794. 88/06/30. Division of Reactor & Plant Systems (870413-880716). 153pp. 46085 169-46085 321.
- 8807110498 NUREG/CR-4864 V01 THERMODYNAMIC TABLES FOR NUCLEAR WASTE ISOLATION Aquous Solution Database.  
PHILIPS, S.L., HALE, P.V., SILVESTER, L.F. Lawrence Berkeley Laboratory. FIN A-1758. LBL-22860. 88/06/30. Division of High Level Waste Management (Post 870413). 192pp. 46082 118-46082 300.
- 8807110503 NUREG-0334 V13 N01 REGULATORY AND TECHNICAL REPORTS (ABSTRACT INDEX JOURNAL). Compilation For First Quarter 1988, January-March.  
Division of Freedom of Information & Publications Services (Post 880515). 88/06/30. 51pp. 46085 073-46085 119.
- 8807110504 NUREG/CR-4315 V09 R1 EVALUATION OF NUCLEAR FACILITY DECOMMISSIONING PROJECTS. Summary Status Report, Three Mile Island Unit 2, Radioactive Waste And Laundry Shipments.  
DOERGE, D.H., HAFFNER, D.R. Westinghouse Hanford Co. FIN B-7568. 88/06/30. Program Management, Policy Development & Analysis Staff (Post 870413). 48pp. 46385 120-46385 168.
- 8807110505 NUREG/CR-5150 STEAM GENERATOR OPERATING EXPERIENCE. Update For 1984-1986.  
FRANK, L., STOKLEY, J. Science Applications International Corp. (formerly Science Applications, Inc.) FIN D-1313. SAIC-87/3014. 88/06/30. Division of Engineering & Systems Technology (Post 870411). 65pp. 46099:233-46099 317.
- 8807110511 NUREG-1286 THERMAL OVERLOAD PROTECTION FOR ELECTRIC MOTORS ON SAFETY-RELATED MOTOR-OPERATED VALVES - GENERIC ISSUE II E.6.1.  
ROTHBERG, O. Division of Engineering (Post 870413). 88/06/30. 51pp. 46083 122-46083 169.
- 8807110512 NUREG/CR-0075 PROCEEDINGS OF CSN/NRC WORKSHOP ON DUCTILE PIPING FRACTURE MECHANISMS.  
KANNINEN, M.F. Southwest Research Institute. FIN B-0119. CSN: 97. 88/05/31. Division of Engineering (Post 870413). 164pp. 46082 318-46083 121.
- 8807110514 NUREG/CR-2000 V07 N5 LICENSEE EVENT REPORT (LER) COMPILATION For Month Of May 1988.  
Oak Ridge National Laboratory. FIN A-9135. ORNL/NSIC-200. 88/06/30. Office for Analysis & Evaluation of Operational Data, Director. 150pp. 46083 169-46083 318.
- 8807110516 NUREG/CR-5142 DUCTILE TO BRITTLE TOUGHNESS TRANSITION CHARACTERIZATION OF A533B STEEL.  
JOYCE, J.A. David W. Taylor Naval Research & Development Center. FIN B-6290. 88/06/30. Division of Engineering (Post 870413). 37pp. 46099:318-46099 355.
- 8807110521 NUREG/CR-5072 DECAY HEAT REMOVAL USING FEED-AND-BLEED FOR U.S. PRESSURIZED WATER REACTORS.  
LOOMIS, G., COZZOLLO, J.M. EG&G Idaho, Inc. (subs of EG&G, Inc.). \* Idaho National Engineering Laboratory. FIN A-6328. EGG-2526. 88/06/30. Division of Reactor & Plant Systems (870413-880710). 48pp. 46085 024-46085 072.
- 8807110524 NUREG/CR-5095 V02 THERMODYNAMIC NONEQUILIBRIUM IN POST-CRITICAL HEAT-FLUX BOILING IN A ROD BUNDLE. Data For Stabilized Quench Front Tests.  
TUZLA, K., UNAL, C., BADRO, Lehigh Univ., Bethlehem, PA. FIN B-6794. 88/06/30. Division of Reactor & Plant Systems (870413-880716). 571pp. 46079 081-46080 291.
- 8807110528 NUREG-0975 V06 COMPILATION OF CONTRACT RESEARCH FOR THE MATERIALS ENGINEERING BRANCH, DIVISION OF ENGINEERING Annual Report For FY 1987.  
Materials Engineering Branch. 88/06/30. 425pp. 46083 319-46085 023.
- 8807110530 NUREG/CR-5095 V03 THERMODYNAMIC NONEQUILIBRIUM IN POST-CRITICAL HEAT-FLUX BOILING IN A ROD BUNDLE. Data For Advancing Quench Front Tests.  
TUZLA, K., UNAL, C., BADRO, Lehigh Univ., Bethlehem, PA. FIN B-6794. 88/06/30. Division of Reactor & Plant Systems (870413-880716). 571pp. 46079 081-46080 291.
- 8807110535 NUREG-0837 V08 N01 NRC TLD DIRECT RADIATION MONITORING NETWORK Progress Report, January-March 1988.  
STUCKMEYER, R., MCNAMARA, N. Region I, Ofc of the Director. 88/06/30. 227pp. 46078:214-46078 080.
- 8807110543 NUREG/CR-3899 S01 UTILITY FINANCIAL STABILITY AND THE AVAILABILITY OF FUNDS FOR DECOMMISSIONING. An Analysis Of Internal And External Funding.  
SIEGEL, J.J. Engineering & Economics Research, Inc. FIN Q-1143. 88/06/30. Division of Engineering (Post 870413). 30pp. 46078 173-46078 213.
- 8807120227 Responds to 880122 request for update of 870805 submittal re performance testing of relief & safety valves, NUREG-0737, Item IID.1 for plant mods made during relief outage and on early in 1988 & final calculations under review.  
HOWARD, D.R. Arkansas Power & Light Co. 2CAN078803. 88/07/05. CALVO, J.A. Project Directorate IV. 299pp. 46152 017-46152 315.
- 8807120288 Notices of postponement of reactor sys portion of emergency response facility appraisal scheduled for 880718-21 due to lack of completion of DCDOR.  
SHAFFER, W.D. Region 3, Ofc of the Director. 88/07/08. HOFFMAN, D.P. Consumers Power Co. 2pp. 46141:353-46141 354.
- 8807120351 Forwards request for addl info on procedures generation package, describing development & implementation of emergency operating procedures. Requests schedule for submitting responses.  
STAHL, C. Project Directorate I-3. GL-82-33. 88/06/27. KOBER, R.W. Rochester Gas & Electric Corp. 10pp. 46113:159-46113 178.
- 8807120411 Forwards safety eval' on supporting util 87C811 revised proposal for monitoring of dc sys at facility. Proposal reflects schema for monitoring dc power including battery current, charger current & battery breaker open alarm.  
NORRIS, D.M. Project Directorate II-2. TAC 66929. 88/06/27. BLISS, J.I. Commonwealth Edison Co. 7pp. 46111:281-46111 287.
- 8807120480 Discusses B&W Owners Group safety & performance improvement program (SPIP) recommendations status. Quarterly B&W Owners Group recommendation tracking sys rept method intended to keep NRC informed of utl progress.  
HOWARD, D.R. Arkansas Power & Light Co. 1CAN078804. 88/07/05. CALVO, J.A. Project Directorate IV. 1p. 46233 351-46233 351.
- 8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edn Co. of New York, Inc. 103pp. 46241 263-46242 005.
- 8807120588 Forwards EGG-NTA-7861, "TMI Action-NUREG-0737 (IID 1), Relief & Safety Valve Testing, Maine Yankee," technical evaluation rept Utl provided acceptable response.  
SEARS, P.M. Project Directorate I-3. TAC 44592. 88/07/01. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 2pp. 46154 144-46154 170.
- 8710150408 EGG-NTA-7861: TMI Action-NUREG-0737 (IID 1) Relief & Safety Valve Testing, Maine Yankee Dockel," technical evaluation rept  
FINEMAN, C.P., HALEZNY, C.L. EG&G Idaho, Inc. (subs of EG&G, Inc.).  
FINEMAN, C.P. Idaho National Engineering Laboratory. FIN A-6492. 87/09/20. NRC. No Detailed Affiliation Given. 25pp. 46154 140-46154 170.
- 8807120616 Comments on paper entitled, "Naturally Occurring & Accelerator-Produced Radioactive Mists - 1987 Review," dir bul'ed at EPA/NRC interface control meeting on 880309. List of suggested expanded discussions of EPA controls encl.  
HOSTAGE, B. Environmental Protection Agency. 88/06/10. AUSTIN, J. Operators Branch. 5pp. 46121 063-46121 067.
- 8807120640 Forwards Amends B5 & 58 to Licenses DPR-70 & DPR-75 respectively. Amends would revise reactor trip block w/ turbine trip from P-7 (11%) parm save up to P-8 (50%) permissio.  
FISCHER, D.C. Project Directorate I-2. TAC 88039. 88/06/27. MILTENBERGER, J.S. Public Service Electric & Gas Co. of New Jersey. 3pp. 46121 104-46121 123.
- 8807120849 Safety evaluation on supporting Amends B5 & 58 to Licenses DPR-70 & DPR-75, respectively.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/27. 2pp. 46121:121-46121 123.
- 8807120894 Discusses current activities & future plans re drywell airborne particulate & gaseous RMS concerning SEP Topic V-5 on reactor coolant pressure boundary leakage detection.  
FITZPATRICK, E. General Public Utilities Corp. - GPU Service Corp. 88/07/01. Document Control Branch (Document Control Desk). 3pp. 46154 346-46154 348.
- 8807130263 Forwards marked-up copy of Section 3.2 of NUREG-0985, "NRC Inventory of Items," & corrected pages for App C & App E.  
FLIEGEL, M. Division of Low Level Waste Management & Decommissioning (Post 870413). 88/06/24. BAGCHI, G. NRC. No Detailed Affiliation Given. 21pp. 46166 153-46166 173.
- 8807130289 Forwards FEMA evaluation of plant prompt alert & notification sys containing that requirements satisfied per NUREG-0654/FEMA-REP-1, Rev 1 & FEMA-REP-10.  
CALLAN, L.J. Region 4, Ofc of the Director. 88/07/08. DEDDEN, J.C. Gulf States Utilities Co. 2pp. 46167 001-46167 242.
- 8807140078 Forwards SER re implementation of NUREG-0737, TMI Action Item 2 K.35, "Automatic Trip of Reactor Coolant Pumps." Response adequately addresses issues in Generic LR 85-12. Work associated w/ TACs 48956 & 48957 completed.  
WAGNER, D.H. Project Directorate II-3. GL-85-12. 88/07/08. FAY, C.W. Wisconsin Electric Power Co. 5pp. 46176 001-46176 005.
- 8807140101 Application for amend to License DPR-61, revising Tech Specs that provide limiting conditions for operation & surveillance requirements in response to Generic LR 83-37. Fee paid.  
MROCZKA, E.J. Connecticut Yankee Atomic Power Co. MROCZKA, E.J. Northeast Utilities. GL-83-37. 88/07/01. Document Control Branch (Document Control Desk). 3pp. 46178 114-46178 152.
- 8807140103 Proposed Tech Specs providing limiting conditions for operation per Generic LR 83-37.  
\* Connecticut Yankee Atomic Power Co. GL-83-37. 88/07/01. 30pp. 46178 117-46178 152.
- 8807140127 Expresses appreciation for support provided in on-going review of facility response to NUREG-1275 re lessons learned. Summary of staff views resulting from 880216-17 site visit requested.  
HOLAHAN, G.M. Assistant Director for Region III & Region V Reactors. 88/02/11. NOVAK, T.M. Division of Safety Programs (Post 870413). 1p. 46176 316-46176 316.
- 8807140128 Forwards safety evaluation accepting licensee inadequate core cooling instrumentation sys contingent on completion of emergency procedures & operator training & submittal of Tech Specs.  
SEARS, P.M. Project Directorate I-3. FIN B-0779. 88/07/07. RANDAZZA, J.B. Maine Yankee Atomic Power Co. 3pp. 46171:111-46171 121.



- 8807140217 Forwards final draft NUREG/CR-3984, "Techniques for Determining Probabilities of Events & Processes Affecting Performance of Geologic Repositories Vol. I: Literature Review," dated May 1988  
BOIANO, E.J. Sandia National Laboratories FIN A-1165 88/07/13. BROOKS, P. Operations Branch 256pp 46178 292-48179-187.
- 8807150289 Summary of 880628 meeting w/utl in Rockville, MD re removal of temporary dividing control room Attendees list & draft NUREG/CR-3509 encl.  
HOPKINS, J.B. Project Directorate III-3 TAC 88241 88/07/08. Project Directorate III-3 76pp 46183 081-40183-155
- 8807180084 Final response to FOIA request for documents, NUREG-0200, "Licensed Operating Reactor Status Summary Rept" contains info on nuclear power plant reactor outages Data for May 1988 expected first wk of Jul 1988.  
GRIMSLEY, D. NRC - No Dated Affiliation Given. 88/06/28 BOLEY, K. Public Citizen's Critical Mass Energy Project 1p. 45527 342-45527-342
- 8807200028 Provides results of analysis of water discharge through facility PORV discharge piping discharge piping sys determined to be qualified for postulated water discharge events per NUREG-0737 item II D 1.  
MEDFORD, M.O. Southern California Edison Co. 88/07/13. Document Control Branch (Document Control Desk) 2pp. 46221 135-46221-136
- 8807200040 Forwards New England Coalition on Nuclear Pollution (NECNP) motion for clarification or reconsideration & NECNP response to applicant appeal & 880628 petition for directed certification w/two attachments  
CURRAN, D. New England Coalition on Nuclear Pollution CURRAN, D. Harmon & Wells #388 8724 OL-1 88/07/13 WOLFE, S.J., LUEBKE, E.A., HARBOUR, J. Atomic Safety and Licensing Board Panel 1p 46193:175-46193:264.
- 8807200051 New England Coalition on Nuclear Pollution motion for clarification or reconsideration of Board order of 880623. Clarification of RG-59 coaxial cable qualification in replacement applications requested w/Certificate of Svc.  
CURRAN, D., TOUSLEY, D.R. New England Coalition on Nuclear Pollution CURRAN, D. Harmon & Wells OL-1 88/07/13. Atomic Safety and Licensing Board Panel 78pp 46193:176-46193:264.
- 8807200185 Forwards ERF Appraisal Insp Rept 50-333/88-07 on 880516-20 & notice of deviation & appraisal open items  
GELLAMY, R.R. Region 1, OIC of the Director 88/07/07. CONVERSE, R.J. New York Power Authority (formerly Power Authority of the State of New York). 2pp 46230:108-46230:133
- 8807200186 Notice of deviation from insp on 880516-20 Deviat on noted TSC HVAC sys inoperable in emergency mode & Dooms rept performed to determine radiological habitability inadequate  
Region 1, OIC of the Director 88/07/07. 2pp 46230:108-46230:108.
- 8807200188 Insp Rept 50-333/88-07 on 880716-20 No violations noted Major areas inspected emergency response facility appraisal  
FOX, E., LAZARUS, W.J. Region 1, OIC of the Director. 88/07/07. 24pp 46230:110-46230:133.
- 8807200265 Forwards list of questions re confirmatory tests of safety rel. valve tests attached piping loads Response requested within 30 days of receipt of ltr.  
QUAY, T.R. Project Directorate III-1. TAC 50807. 88/07/13 SYLVIA, B.R. Detroit Edison Co. 4pp. 46221:080-46221:083.
- 8807200333 Supplemental final draft agency rept re crazing of Conax electrical penetration sealant in ltr reported on 880402. No further actions required based on Conax Test Rept IPS 1079 verifying sealant integrity  
GRIDLEY, R. Tennessee Valley Authority. 88/07/14. Document Control Branch (Document Control Desk). 3pp 46221:072-46221:074
- 8807220037 Forwards draft Suppl 3 to NUREG-0683, "Programmatic EIS Re Decontamination & Disposal of Radwastes Resulting From 790328 Accident, TMI-2," per ASLB request.  
LEWIS, S.H. Assistant General Counsel for Hearings #380 8768 OLA. 88/07/18 Docking & Services Branch. 100pp. 46196 016-46196:221.
- 8807260384 Partial response to FOIA request for documents App D documents available in PDF  
GRIMSLEY, D. NRC - No Dated Affiliation Given 88/07/13. BELAIR, R.R. Kirkpatrick & Lockhart. 2pp 46231:149-46231:184.
- 8807260389 Discusses ASLB findings & comments re licensee reception ctrs in 880509 Partial Initial Decision ASLB found subj ctrs adequate to satisfy NRC regulatory sds for use in event of radiological emergency  
SCINTO, J.F. Assistant General Counsel for Hearings. 88/05/18 MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 46231:169-46231:160.

#### ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

- 8808130168 NRC Info Notice 88-039, "LaSalle Unit 2 Loss of Recirculation Pumps W/ Power Oscillation Event." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). GL-88-02. 88/06/15. Consolidated Edison Co. of New York, Inc. 116pp. 45978:155-45978:266.
- 8808160340 NRC Info Notice 88-040, "Examiners Handbook for Developing Operator Licensing Exams." NUREG/BR-0122 & svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 237pp 46240 325-46241:201.
- 8808170033 NRC Info Notice 88-041, "Physical Protection Weaknesses Identified Through Regulatory Effectiveness Reviews." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/06/22. Consolidated Edison Co. of New York, Inc. 122pp. 45978:034-45978:155.
- 8808170291 NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). TAC R00384. 88/06/22. Consolidated Edison Co. of New York, Inc. 116pp. 46010:037-46010:152.
- 8808210038 NRC Info Notice 88-044, "Mechanical Binding of Spring Release Device in Westinghouse Type DS-418 Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/08/24. Consolidated Edison Co. of New York, Inc. 113pp. 46019:153-46019:285.
- 8808240139 Suppl 1 to NRC Bulletin 88-008, "Thermal Stresses in Piping Connected to RCS." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). IEN-88-001. 88/06/24. Consolidated Edison Co. of New York, Inc. 114pp. 46019:266-46020:018.
- 8808290133 Trip rept of attendance at 880317 meeting w/INPO in Marietta, GA re nuclear network sys  
BERLINGER, C.H. Generic Communications Branch. 88/08/17. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 2pp. 48113 301-48113:302.
- 8808290463 Forwards FEMA "Final Radiological Emergency Preparedness Exercise Rept" for exercise conducted on 871117-18. Attention directed to areas requiring corrective actions identified by FEMA.  
COLLINS, D.M. Region 2, OIC of the Director. 88/06/16. KINGSLEY, O.D. System Ecology Resources, Inc. 2pp. 45986 302-45987-003
- 8808300146 Summary of Operating Reactors Events Meeting 88-24 on 880614 Two significant events identified for input to NRC performance indicator program No events suggested for long-term followup list of attendees encl.  
LAHNING, W. Events Assessment Branch OREM-88-024 88/06/17. ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 15pp. 45976:189-45976:202
- 8808300347 NRC Info Notice 88-045, "Problems in Protective Relay & Circuit Breaker Coordination." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). GL-81-12. 88/07/07. Consolidated Edison Co. of New York, Inc. 104pp 46242 109-46242:212
- 8807010021 Provides enforcement guidance re cases involving discrimination for engaging in protected activities & Dept of Labor actions in such cases. NRC employees should be sensitive to NRC responsibilities re protect ve activities  
LIEBERMAN, J. OIC of Enforcement (Post 870413). EGM-89-01. 88/02/10. RUSSELL, W. Region 1, OIC of the Director 11pp. 45991:127-45991:137
- 8807050022 Forwards "Radiological Emergency Preparedness Exercise Rept." for 870825 exercise State of CO & Weld County located in 5-mile plume EPZ ltrly participated in exercise. Remedial drill scheduled for June 1988  
KRIMM, R.W. Federal Emergency Management Agency. 88/08/14. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 1p. 46073:108-46073:207.
- 8807050024 "Radiological Emergency Preparedness Exercise Rept." Federal Emergency Management Agency. 88/02/03. 89pp. 46073:108-46073:207
- 8807050044 Forwards suppl to 10CFR2.206 petition on public info for plant, in response to 880506 ltr Encl documentation supports conclusion on six listed issues, including 1988 calendar & pages on emergency planning  
KRIMM, R.W. Federal Emergency Management Agency. 88/08/22. CONGEL, F.J. Division of Radiation Protection & Emergency Preparedness (Post 870411). 77pp 46026:041-46026:117.
- 8807070517 Summary of 880602 meeting w/NUMARC & EPRI to discuss external events issues NRC formed External Events Steering Group to establish methods suitable for examining plants for severe accidents within context of external hazards w/ encl.  
SHAO, L.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/24. ARLOTTO, G.A., SHERON, B. Office of Nuclear Regulatory Research, Director (Post 860720). NOVAK, T.A. Office for Analysis & Evaluation of Operational Data, Director. 16pp 46019:001-46019:018.
- 8807070527 Submits NRR OLC Ltr 501, establishing NRR policies & procedures for using & updating info re generic safety issues & USIs in Safety Issues Mgt Sys  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/28. Office of Nuclear Reactor Regulation, Director (Post 870411). 42pp 46118:190-46118:231.
- 8807080008 NRC Info Notice 88-048, "Licensed Rept of Defective Refurbished Circuit Breakers." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/08. Consolidated Edison Co. of New York, Inc. 107pp. 46231:281-46232:027.
- 8807080366 NRC Info Notice 88-047, "Slower-Than-Expected Rod-Drop Times." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/14. Consolidated Edison Co. of New York, Inc. 103pp. 46240:222-46240:324.
- 8807110095 Discusses current issues in nonpower reactor licensing. NRC ack overall increase in amount of commercial activity occurring at research reactors & will examine entire issue to ascertain if clearer guidance warranted  
ADAMS, A. Standardization & Non-Power Reactor Project Directorate. 88/08/21. MIRAGLIA, F. Associate Director for Projects (Post 870411). 3pp 48141:355-48141:357.
- 8807110270 Summarizes 880623 meeting re informal steering group plan & activities on full response to IE Bulletin 88-005 List of responsibilities needing rev encl.  
MULLER, D.R. Project Directorate III-1. IEB-88-005. 88/06/23. BAKER, E. Region 5, OIC of the Director. JACKSON, D., OLSHAN, L. Project Directorate III-2. 4pp. 48101:022-48101:029.
- 8807110419 Submits listed comments re proposed rev to NRC enforcement policy.  
BEVAN, R. Project Directorate V. 88/08/20. WRIGHT, B. Project Directorate V. 1p. 46100:134-46100:134.
- 8807120291 NRC Info Notice 88-048, "Licensee Rept of Defective Refurbished Valves." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 103pp 46242:008-46242:108
- 8807120550 NRC Info Notice 88-049, "Marking, Handling, Control, Storage & Destruction of Safeguards Info." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 103pp. 46241:263-46242:005.
- 8807120553 NRC Info Notice 88-050, "Effect of Circuit Breaker Capacitance on Availability of Emergency Power." Svc list encl.  
ROSSI, C.E. Division of Operational Events Assessment (Post 870411). 88/07/18. Consolidated Edison Co. of New York, Inc. 119pp. 46257:258-46258:018.



8807120688 Summary of Operating Reactors Events Meeting 88-25 on 880621 List of attendees discussion of significant elements of events & summary of reactor scrams and  
LANNING, W. Events Assessment Branch, OREM 88-025 88/06/22 ROSSICE, D. Division of Operational Events Assessment (Post 870411) 14pp 46121 189-46121 193

8807130330 NRC Ctr Ltr E03 providing guidance on preparation of testimony by NRC personnel as necessary to support hearing process.  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/08/27 Office of Nuclear Reactor Regulation, Director (Post 870411) 7pp 46122 046-46122 052

8807130451 Forwards "Performance Indicators for Operating Commercial Nuclear Power Reactors," data through Mar 1988  
SINGH, R. Trends & Patterns Analysis Branch, 88/07/05 S&OC7LASJA Document Control Branch (Document Control Desk) 1p 46168 042-46168 128

8807130457 "Performance Indicators for Operating Commercial Nuclear Power Reactors," data through Mar 1989  
BURTON, W. LONNEMAN, P. NAPA'NE, N. Office for Analysis & Evaluation of Operational Data, Director 88/05/31 15pp 46168 043-46168 128

8807140114 Summary of Operating Reactors Events Meeting 88-26 on 880628  
LANNING, W. Events Assessment Branch OREM-88-026 88/07/07 ROSSICE, D. Division of Operational Events Assessment (Post 870411) 17pp 46164 099-46164 115

8807140208 Forwards biweekly listing of generic communications under development by NRC including bulletins, info notices & generic ltrs reported by 880530 for info  
BERLINGER, C.H. Generic Communications Branch, 88/07/07 FADDEND, L. Institute of Nuclear Power Operations 5pp 46177 256-46177 251

8807150101 Request for OMB review & supporting statement re state agreement program Estimated respondent action is 10,000 h  
MCDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413). OMB 3150-9029 88/07/09 10pp 46185 145-46185 154

8807150212 Request for OMB review & supporting statement re generic ltr to collect operator licensing exam data  
MCDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413). OMB 3150 0131 88/07/08 5pp 46183 065-46183 073

8807180101 NRC Info Notice 88-051, "Failures of MSIVs" Svc ltr end  
ROSSICE, D. Division of Operational Events Assessment (Post 870411). 88/07/21 Consolidated Edison Co. of New York, Inc. 121pp 46257 056-46257 205

8807180172 Provides Westinghouse comments on proposed NRC info notice, "Failure of Circuit Breaker Following Installation of Amplecter Direct Trip Attachment"  
FIELDS, N. Events Assessment Branch, 88/07/08 LANNING, W. Events Assessment Branch 1p 46210 288-46210 288

8807180213 Forwards Commission biweekly notice of applications & amendments to licenses involving NSIC published in FR on 880615, per Public Law 97-415  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/28 BREAU, J.B. Senate, Environment & Public Works UDALL, M.K. House of Rep., Interior & Insular Affairs. SHARP, P.R. House of Rep., Energy & Commerce 2pp 46198 359-46198 360

8807180253 Forwards Commission biweekly notice of applications & amendments to OIs involving NSIC published in FR on 880601, w/o end  
MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/28 BREAU, J.B. Senate, Environment & Public Works UDALL, M.K. House of Rep., Interior & Insular Affairs. SHARP, P.R. House of Rep., Energy & Commerce 2pp 46200 231-46200 232

8807180285 Responds to 880613 ltr inquiring as to whether there is federal plan for compensating people that live within reactor power plant EPZ No federal program for distribution of compensation from nuclear power facilities exists  
STELLO, V. Ofc of the Executive Director for Operations, 88/07/05. MITCHELL, G.J. Senate 3pp 46202 355-46202 359

8807180287 Requests info as to whether federal assistance is available to compensate people that live within EPZ  
MITCHELL, G.J. Senate 88/06/13. ZECH, L.W. Commissioners 1p 46202 359-46202 359

8807190022 Summary of NRC 880617 interactive meeting re industry program & NRC efforts to address motor-operated valve performance Agenda list of attendees & viewpoints encl  
NOVAK, T.M. Division of Safety Programs (Post 870413). 88/07/06. JORDAN, E.I. Office for Analysis & Evaluation of Operational Data, Director 57pp 46208 104-46208 180

8807190216 Requests that L. Beltracchi be Commission representative on group formed to develop new ANSI/ANS-15 std re criteria for reactor control & safety sys of research reactor std  
RUBENSTEIN, L. Standardization & Non-Power Reactor Project Director, 88/07/11. COFFMAN, F.D. Reliability & Human Factors Branch, 2pp 46208 145-46208 146

8807190258 Forwards artificial stations site specific offsite radiological emergency alert & notification sys QA verification.  
PETERSON, G.C. Federal Emergency Management Agency, 88/06/28. STELLO, V. Ofc of the Executive Director for Operations 1p 46219 057-46219 337

8807190261 "Artificial Island Nuclear Generating Stations Site Specific Offsite Radiological Emergency Preparedness Alert & Notification Sys QA Verification."  
\* Federal Emergency Management Agency, 88/06/16 255pp 46219 058-46219 337

8807200179 Advises that end assessment will be cited in environ sect on of safety evaluations re amendments for extensions of fuel load action Sited FR notice ambiguous & not acceptable citation to show no significant impact.  
MIRAGLIA, F.J. Associate Director for Projects (Post 870411) 88/07/07. SCINTO, J. Assistant General Counsel for Hearings 8pp 46228 330-46228 337

8807200373 Forwards Rev 1 to "Post Exercise Assessment, 870512 Exercise of Radiological Emergency Response Plans of State of NJ, Ocean County & Sixteen Municipalities."

8807200377 Rev 1 to "Post Exercise Assessment, 870512 Exercise of Radiological Emergency Response Plans of State of NJ, Ocean County & Sixteen Municipalities."  
\* Federal Emergency Management Agency 87/12/10 104pp 46230 141-46230 244

8807250018 Forwards biweekly listing of generic communications under consideration or development by NRC Ltr includes a proposed generic communications reported by 880715  
BERLINGER, C.H. Generic Communications Branch, 88/07/21 FADDEND, L. Institute of Nuclear Power Operations 5pp 46269 222-46269 226

8807250364 Partial response to FOIA request for documents App D documents available in PCR  
GRIMLEY, D. NRC - No Docketed Affiliation Given 88/07/13 BFLA, R. R. F. Branch & Lockhart, 2pp 46231 149-46231 184

8807250398 Advises that Commission recognizes that American Red Cross (ARC) charter from Congress & natl policy require that ARC provide aid in any natural or natural disaster w/o or w/ ltr of agreement w/ARC in particular emergency plan  
REIS, E.J. Deputy General Counsel 88/05/11. CUMMINGS, W.R. Federal Emergency Management Agency 1p 46231 161-46231 162

8807290074 LILCO brief in opposition to intervenors appeal of Board partial decision on suitability of reception cts \* Appeal board should affirm ASIN Partial Decision LBP-88-13 Supporting info & Certificate of Service  
CHRISTMAN, J.N. Long Island Lighting Co. CHRISTMAN, J.N. Hilton & Wams 46254 165-46254 224

## PR PROPOSED RULE

8807010072 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RICE, D.A. Affiliation Not Assigned 53FR16435 01015 88/06/22 Docketing & Services Branch 1p 45979 045-45979 045

8807010076 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CALCHERA, J. Affiliation Not Assigned 53FR16435 01016 88/06/22 Docketing & Services Branch 1p 45979 044-45979 044

8807010077 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FATEMIA, Affiliation Not Assigned 53FR16435 01021 88/06/22 Docketing & Services Branch 1p 45979 043-45979 043

8807010078 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
VESCO, D.A. Affiliation Not Assigned 53FR16435 01024 88/06/22 Docketing & Services Branch 1p 45979 057-45979 057

8807010080 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BISSET, S. Affiliation Not Assigned 53FR16435 00793 88/06/08 CHILKS, J. Office of the Secretary of the Commission 1p 45993 081-45993 081

8807010081 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MAGGIO, L. Affiliation Not Assigned 53FR16435 01027 88/06/22 Docketing & Services Branch 1p 45979 056-45979 056

8807010082 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CORSON, C. Affiliation Not Assigned 53FR16435 00795 88/06/08 CHILKS, J. Office of the Secretary of the Commission 1p 45993 080-45993 080

8807010083 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01030 88/06/22 Docketing & Services Branch 1p 45979 055-45979 055

8807010086 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BAXTER, F.D. Affiliation Not Assigned 53FR16435 01033 88/06/22 Docketing & Services Branch 1p 45979 054-45979 054

8807010087 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BORKOWSKI, J.R. Affiliation Not Assigned 53FR16435 00796 88/06/08 CHILKS, J. Office of the Secretary of the Commission 1p 45993 078-45993 078

8807010089 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
COGDILL, T.C. Affiliation Not Assigned 53FR16435 01035 88/06/22 Docketing & Services Branch 1p 45979 081-45979 081

8807010090 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations

**8807010092** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01098 88/06/22 Docketing & Services Branch 1p 45979 060-45979 060.

**8807010094** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HIGGINS,D Affiliation Not Assigned 53FR16435 00708 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45983 077-45983 077.

**8807010095** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SAVCHIEZ,V Affiliation Not Assigned 53FR16435 01041 88/06/22 Docketing & Services Branch 1p 45979 059-45979 059

**8807010096** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LUCEJ,H Affiliation Not Assigned 53FR16435 01103 88/06/22 Docketing & Services Branch 1p 45981 219-45981 219

**8807010097** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
URBANOJWSK,S Affiliation Not Assigned 53FR16435 01044 88/06/22 Docketing & Services Branch 1p 45979 056-45979 058

**8807010098** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MELAS KYRIAZI Affiliation Not Assigned 53FR16435 00799 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45983 078-45983 078.

**8807010099** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ANDERSON,P.L Affiliation Not Assigned 53FR16435 01047 88/06/22 Docketing & Services Branch 1p 45979 062-45979 062

**8807010100** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
QIESING,P Affiliation Not Assigned 53FR16435 00840 88/06/16 NRC - No Data/af Affiliation Given 2pp 45984 310-45984 311.

**8807010101** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RICER,M Affiliation Not Assigned 53FR16435 01050 88/06/22 Docketing & Services Branch 1p 45979 063-45979 063

**8807010105** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01053 88/06/22 Docketing & Services Branch 1p 45979 064-45979 064

**8807010106** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCCRACKEN,D.M Affiliation Not Assigned 53FR16435 01101 88/06/22 Docketing & Services Branch 1p 45981 220-45981 220.

**8807010110** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILLIAMS,C.M, WILLIAMS,D.M Affiliation Not Assigned 53FR16435 00748 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45979 130-45979 130

**8807010111** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FAIRCHILD,J Affiliation Not Assigned 53FR16435 00841 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45984 312-45984 312.

**8807010112** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BELLAMACINA,G Affiliation Not Assigned 53FR16435 01099 88/06/22 Docketing & Services Branch 1p 45979 135-45979 135.

**8807010113** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PARSONS,F.A Affiliation Not Assigned 53FR16435 00800 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45983 075-45983 075.

**8807010114** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
YASIJ,P Affiliation Not Assigned 53FR16435 01096 88/06/22 Docketing & Services Branch 1p 45979 074-45979 074.

**8807010117** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HOBRSD,J, HOBRSD,C Affiliation Not Assigned 53FR16435 00749 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45979 012-45979 012

**8807010118** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PARKER,J.E Affiliation Not Assigned 53FR16435 01093 88/06/22 Docketing & Services Branch 1p 45979 075-45979 075

**8807010119** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LUCAS,W Affiliation Not Assigned 53FR16435 01090 88/05/22 Docketing & Services Branch 1p 45979 076-45979 076

**8807010121** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CARTER,R.G Affiliation Not Assigned 53FR16435 01098 88/06/22 Docketing & Services Branch 1p 45979 046-45979 046

**8807010122** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BLODGETT,S Affiliation Not Assigned 53FR16435 01097 88/06/22 Docketing & Services Branch 1p 45979 077-45979 077.

**8807010124** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ST DENIS,G.M Affiliation Not Assigned 53FR16435 01102 88/06/22 Docketing & Services Branch 1p 45981 218-45981 218

**8807010126** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CHASE,J.C, CHASE,O.L Affiliation Not Assigned 53FR16435 00842 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45984 313-45984 313.

**8807010128** Comment on proposed rule 10CFR50 re leak before break technology Advises that safety must be NRC first & essential concern  
EWING,J.B Affiliation Not Assigned 53FR11311 00002 88/06/21 NRC - No Data/af Affiliation Given 1p 45979 036-45979 038

**8807010129** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
OSGOOD,N.J Affiliation Not Assigned 53FR16435 01084 88/06/22 Docketing & Services Branch 1p 45979 079-45979 079.

**8807010130** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BLOUIN,A.J, BLOUIN,J Affiliation Not Assigned 53FR16435 00750 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45981 202-45981 202

**8807010131** Comment supporting proposed rule 10CFR50 re leak-before-break (LBB) technology Advises that extension of LBB technology to performance requirements for emergency core cooling sys appropriate  
HALL,D.P. Illinois Power Co 53FR11311 00031 88/06/07 CHILK,S.J. Office of the Secretary of the Commission 1p 45983 074-45983 074

**8807010132** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MACFARLANDE Affiliation Not Assigned 53FR16435 00801 88/05/21 CHILK,S.J. Office of the Secretary of the Commission 1p 45983 073-45983 073.

**8807010133** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BORGAEIN,J.W Affiliation Not Assigned 53FR16435 01103 88/06/22 Docketing & Services Branch 1p 45981 217-45981 217.

**8807010134** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ST JOHN,K.E Affiliation Not Assigned 53FR16435 01081 88/06/22 Docketing & Services Branch 1p 45979 078-45979 078.

**8807010135** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BASCOM,O.H Affiliation Not Assigned 53FR16435 00802 88/05/21 CHILK,S.J. Office of the Secretary of the Commission 1p 45983 072-45983 072.

**8807010136** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BROWN,J.J Affiliation Not Assigned 53FR16435 00843 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45984 314-45984 314.

**8807010138** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HELLMUTH,V.L Affiliation Not Assigned 53FR16435 01104 88/06/22 Docketing & Services Branch 1p 45981 215-45981 215.

**8807010139** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HOLLAND,B.Y Affiliation Not Assigned 53FR16435 01078 88/06/22 Docketing & Services Branch 1p 45979 080-45979 080

**8807010141** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HASKELL,S Affiliation Not Assigned 53FR16435 00761 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45979 086-45979 088.

**8807010142** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BRESNAHAN,L.J Affiliation Not Assigned 53FR16435 00803 88/06/06 CHILK,S.J. Office of the Secretary of the Commission 1p 45983 071-45983 071

## 262 NONDOCKETED ITEMS

**8807010143** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KOTKOWSKI, G.A. Affiliation Not Assigned. 53FR16435 00900. 88/06/22. Docketing & Services Branch. 1p. 45981:112-45981:112.

**8807010145** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PETERSON, S. Affiliation Not Assigned. 53FR16435 01075. 88/06/22. Docketing & Services Branch. 1p. 45979:081-45979:081.

**8807010146** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TUSHILL, N.M. Affiliation Not Assigned. 53FR16435 00804. 88/06/08. CHLK, S.J. Office of the Secretary of the Commission. 1p. 45993:070-45993:070.

**8807010147** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ABDOLRAHIM, M. Affiliation Not Assigned. 53FR16435 01105. 88/06/22. Docketing & Services Branch. 1p. 45981:218-45981:218.

**8807010150** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
VOLK, M.A. Affiliation Not Assigned. 53FR16435 01072. 88/06/22. Docketing & Services Branch. 1p. 45979:082-45979:082.

**8807010151** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HARRINGTON, J.J. Affiliation Not Assigned. 53FR16435 01000. 88/06/22. Docketing & Services Branch. 1p. 45979:047-45979:047.

**8807010152** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GIANIRACUSA, P. Affiliation Not Assigned. 53FR16435 00901. 88/06/22. Docketing & Services Branch. 1p. 45981:113-45981:113.

**8807010153** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LENO, H.W. Affiliation Not Assigned. 53FR16435 00844. 88/06/06. CHLK, S.J. Office of the Secretary of the Commission. 1p. 45984:316-45984:316.

**8807010154** Comment opposing proposed rule 10CFR76 re regulation of U enrichment facilities Provides comments & suggests preparation of another version of sub proposed rule.  
HALL, W.J. Affiliation Not Assigned. 53FR13278 00001. 88/05/19. Docketing & Services Branch. 2pp. 45983:068-45983:069.

**8807010155** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 00752. 88/06/06. CHLK, S.J. Office of the Secretary of the Commission. 1p. 45979:085-45979:085.

**8807010167** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SZCZESUL, T.P. Affiliation Not Assigned. 53FR16435 01106. 88/06/22. Docketing & Services Branch. 1p. 45981:214-45981:214.

**8807010168** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CONNELL, B.N. Affiliation Not Assigned. 53FR16435 00805. 88/06/06. CHLK, S.J. Office of the Secretary of the Commission. 1p. 45983:087-45983:087.

**8807010156** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BARBETTA, N.L. Affiliation Not Assigned. 53FR16435 01003. 88/06/22. Docketing & Services Branch. 1p. 45979:048-45979:048.

**8807010161** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01069. 88/06/22. Docketing & Services Branch. 1p. 45979:083-45979:083.

**8807010183** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BRAMZILLA, S. Affiliation Not Assigned. 53FR16435 00802. 88/06/22. Docketing & Services Branch. 1p. 45981:114-45981:114.

**8807010164** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01006. 88/06/22. Docketing & Services Branch. 1p. 45979:049-45979:049.

**8807010165** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01066. 88/06/22. Docketing & Services Branch. 1p. 45979:085-45979:085.

**8807010166** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

**8807010167** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MERCER, D.C. Affiliation Not Assigned. 53FR16435 00903. 88/06/22. Docketing & Services Branch. 1p. 45981:115-45981:115.

**8807010168** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ODDO, J.M. Affiliation Not Assigned. 53FR16435 01012. 88/06/22. Docketing & Services Branch. 1p. 45979:050-45979:050.

**8807010169** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01107. 88/06/22. Docketing & Services Branch. 1p. 45981:213-45981:213.

**8807010170** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GAUTHIER, E.P. Affiliation Not Assigned. 53FR16435 00904. 88/06/22. Docketing & Services Branch. 1p. 45981:120-45981:120.

**8807010171** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CHYEVEY, J. Affiliation Not Assigned. 53FR16435 01063. 88/06/22. Docketing & Services Branch. 1p. 45979:084-45979:084.

**8807010172** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BERNIER, R.E. Affiliation Not Assigned. 53FR16435 01108. 88/06/22. Docketing & Services Branch. 1p. 45981:212-45981:212.

**8807010173** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PERUSSE, C. Affiliation Not Assigned. 53FR16435 00845. 88/06/16. CHLK, S.J. Office of the Secretary of the Commission. 1p. 45984:316-45984:316.

**8807010175** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 00754. 88/06/06. CHLK, S.J. Office of the Secretary of the Commission. 1p. 45979:011-45979:011.

**8807010176** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01000. 88/06/22. Docketing & Services Branch. 1p. 45979:051-45979:051.

**8807010177** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BERTRAND, F.C. Affiliation Not Assigned. 53FR16435 00905. 88/06/22. Docketing & Services Branch. 1p. 45981:121-45981:121.

**8807010178** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KENDRICK, J.D. Affiliation Not Assigned. 53FR16435 01100. 88/06/22. Docketing & Services Branch. 1p. 45981:211-45981:211.

**8807010179** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GOODWIN, S.P. Affiliation Not Assigned. 53FR16435 01060. 88/06/22. Docketing & Services Branch. 1p. 45979:086-45979:086.

**8807010180** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCCLEUNG, C. Affiliation Not Assigned. 53FR16435 01062. 88/06/22. Docketing & Services Branch. 1p. 45979:052-45979:052.

**8807010182** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BARR, D.P. Affiliation Not Assigned. 53FR16435 00906. 88/06/21. Docketing & Services Branch. 1p. 45981:119-45981:119.

**8807010183** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARIAN, M.J. Affiliation Not Assigned. 53FR16435 01057. 88/06/22. Docketing & Services Branch. 1p. 45979:087-45979:087.

**8807010184** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KING, C.A. Affiliation Not Assigned. 53FR16435 01110. 88/06/22. Docketing & Services Branch. 1p. 45981:210-45981:210.

**8807010185** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01065. 88/06/22. Docketing & Services Branch. 1p. 45979:053-45979:053.

**8807010187** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

preparation requirements for nuclear power plant fuel loading & initial low power operations  
SALT, D.J. Affiliation Not Assigned. 53FR16435 00755. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45970.009-45979.009.

8807010190 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01111. 88/06/22. Docketing & Services Branch. 1p. 45981:209-45981:209.

8807010191 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01068. 88/06/22. Docketing & Services Branch. 1p. 45979.088-45979.089.

8807010192 "General Requirements for Decommissioning Nuclear Facilities," 10CFR30.40, 50, 51, 70 & 72 final rule Regulations amended to assure that decommissioning of all licensed facilities done in safe & timely manner & adequately funded.  
CHILK, S.J. Office of the Secretary of the Commission. 88/06/17. 161pp. 45980:200-45980:360.

8807010193 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SILLOWAY, B.E. Affiliation Not Assigned. 53FR16435 00908. 88/06/21. Docketing & Services Branch. 1p. 45981:117-45981:117.

8807010194 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PEPE, D.M. Affiliation Not Assigned. 53FR16435 01051. 88/06/22. Docketing & Services Branch. 1p. 45979:090-45979:090.

8807010196 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interests in mind  
SHAPIRO, L.M. Affiliation Not Assigned. 53FR16435 00006. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45981:207-45981:207.

8807010197 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MITCHELL, K. Affiliation Not Assigned. 53FR16435 01071. 88/06/22. Docketing & Services Branch. 1p. 45979:091-45979:091.

8807010198 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KEMP, L.S. Affiliation Not Assigned. 53FR16435 01112. 88/06/22. Docketing & Services Branch. 1p. 45981:208-45981:208.

8807010199 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HINKLE, W.D. Affiliation Not Assigned. 53FR16435 01048. 88/06/22. Docketing & Services Branch. 1p. 45979:092-45979:092.

8807010200 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MORRISON, R. Affiliation Not Assigned. 53FR16435 00766. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45979:008-45979:008.

8807010201 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARONCELLI, F. Affiliation Not Assigned. 53FR16435 00846. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984:319-45984:319.

8807010202 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ST LAURENT, J. Affiliation Not Assigned. 53FR16435 00909. 88/06/22. Docketing & Services Branch. 1p. 45981:116-45981:116.

8807010203 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01074. 88/06/22. Docketing & Services Branch. 1p. 45979:093-45979:093.

8807010204 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GALLO, J.B. Affiliation Not Assigned. 53FR16435 01113. 88/06/22. Docketing & Services Branch. 1p. 45981:206-45981:206.

8807010205 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FLYYRYNEN, S.K. Affiliation Not Assigned. 53FR16435 01045. 88/06/22. Docketing & Services Branch. 1p. 45979:094-45979:094.

8807010207 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SERONEN, M.A. Affiliation Not Assigned. 53FR16435 01077. 88/06/22. Docketing & Services Branch. 1p. 45979:085-45979:085.

preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SHERIDEN, P. Affiliation Not Assigned. 53FR16435 01114. 88/06/22. Docketing & Services Branch. 1p. 45981:205-45981:205.

8807010210 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interests in mind  
BEARDSLEY, H. Affiliation Not Assigned. 53FR16435 00807. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45981:204-45981:204.

8807010211 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PICARD, T.M. Affiliation Not Assigned. 53FR16435 00757. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45979:007-45979:007.

8807010212 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01042. 88/06/22. Docketing & Services Branch. 1p. 45979:096-45979:096.

8807010214 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01116. 88/06/22. Docketing & Services Branch. 1p. 45981:203-45981:203.

8807010216 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SCHMIDT, T. Affiliation Not Assigned. 53FR16435 01080. 88/06/22. Docketing & Services Branch. 1p. 45979:097-45979:097.

8807010217 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 00911. 88/06/22. Docketing & Services Branch. 1p. 45979:116-45979:116.

8807010218 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DONOVAN, J.L. Affiliation Not Assigned. 53FR16435 00847. 88/06/07. Docketing & Services Branch. 1p. 45984:321-45984:321.

8807010219 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SWEENEY, J.P. Affiliation Not Assigned. 53FR16435 01039. 88/06/22. Docketing & Services Branch. 1p. 45979:098-45979:098.

8807010220 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01063. 88/06/22. Docketing & Services Branch. 1p. 45979:099-45979:099.

8807010221 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BELLINIAU, K. Affiliation Not Assigned. 53FR16435 01118. 88/06/22. Docketing & Services Branch. 1p. 45981:201-45981:201.

8807010223 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interest in mind  
LARSEN, L. Affiliation Not Assigned. 53FR16435 00808. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45981:200-45981:200.

8807010224 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COLE, L., COLE, C. Affiliation Not Assigned. 53FR16435 00758. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45979:006-45979:006.

8807010225 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interests in mind  
CLARK, N.C. Affiliation Not Assigned. 53FR16435 00817. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984:317-45984:317.

8807010226 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01086. 88/06/22. Docketing & Services Branch. 1p. 45979:014-45979:014.

8807010228 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
YANG, J. Affiliation Not Assigned. 53FR16435 01117. 88/06/22. Docketing & Services Branch. 1p. 45981:199-45981:199.

8807010229 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BEARD, T.N. Affiliation Not Assigned. 53FR16435 00812. 88/06/22. Docketing & Services Branch. 1p. 45979:117-45979:117.



8807010231 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 00759. 88/08/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45979.005-45979.005

8807010232 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SHIFER,B.C. Affiliation Not Assigned. 53FR16435 01118. 88/06/22. Docketing & Services Branch. Ip. 45981.197-45981.197.

8807010233 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 00848. 88/06/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45984.320-45984.320

8807010234 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WHIPPLE,S.L. Affiliation Not Assigned. 53FR16435 01062. 88/06/22. Docketing & Services Branch. Ip. 45979.016-45979.016.

8807010236 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interest in mind.  
FENNESSY,S., FENNESSY,T. Affiliation Not Assigned. 53FR16435 00809. 88/06/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45981.198-45981.198

8807010237 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MORELLO,G. Affiliation Not Assigned. 53FR16435 01036. 88/06/22. Docketing & Services Branch. Ip. 45979.017-45979.017.

8807010238 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SAMMARO,H.D. Affiliation Not Assigned. 53FR16435 01119. 88/06/22. Docketing & Services Branch. Ip. 45981.196-45981.196.

8807010239 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interest in mind.  
MARSH,S. Affiliation Not Assigned. 53FR16435 00816. 88/06/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45989.232-45989.232

8807010240 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SCHONE,M.G. Affiliation Not Assigned. 53FR16435 00760. 88/06/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45994.063-45994.063

8807010241 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DREW,M.D. Affiliation Not Assigned. 53FR16435 00913. 88/06/22. Docketing & Services Branch. Ip. 45979.119-45979.119

8807010242 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GLOWACKY,T.W. Affiliation Not Assigned. 53FR16435 01031. 88/06/22. Docketing & Services Branch. Ip. 45979.018-45979.018.

8807010243 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SCOTT,M.W. Affiliation Not Assigned. 53FR16435 01120. 88/06/22. Docketing & Services Branch. Ip. 45981.195-45981.195.

8807010245 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interests in mind.  
\* Affiliation Not Assigned. 53FR16435 00819. 88/05/21. CHILK,S J. Office of the Secretary of the Commission. Ip. 45989.231-45989.231.

8807010246 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interests in mind.  
BILLINGTON,S.T. Affiliation Not Assigned. 53FR16435 00010. 88/06/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45981.110-45981.110.

8807010247 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FEIGENBAUM,J. Affiliation Not Assigned. 53FR16435 00914. 88/06/22. Docketing & Services Branch. Ip. 45979.118-45979.118.

8807010248 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PALULIS,A.L. Affiliation Not Assigned. 53FR16435 01028. 88/06/22. Docketing & Services Branch. Ip. 45979.019-45979.019.

8807010249 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROUDENKO,A.V. Affiliation Not Assigned. 53FR16435 01121. 88/06/22. Docketing & Services Branch. Ip. 45981.194-45981.194

COPELAND,J.A. Affiliation Not Assigned. 53FR16435 01025. 88/06/22. Docketing & Services Branch. Ip. 45978.020-45979.020.

8807010254 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PHILLEY,G.H. Affiliation Not Assigned. 53FR16435 01095. 88/06/22. Docketing & Services Branch. Ip. 45978.021-45979.021.

8807010255 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SHEEHAN,A.V. Affiliation Not Assigned. 53FR16435 00761. 88/06/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45989.230-45989.230

8807010256 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BAMFORD,M.S. Affiliation Not Assigned. 53FR16435 00915. 88/06/20. Docketing & Services Branch. Ip. 45979.120-45979.120.

8807010257 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interest in mind.  
DERBYSHIRE,L.A. Affiliation Not Assigned. 53FR16435 00811. 88/06/08. CHILK,S J. Office of the Secretary of the Commission. Ip. 45981.111-45981.111.

8807010258 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HESAM,H.T. Affiliation Not Assigned. 53FR16435 01059. 88/06/22. Docketing & Services Branch. Ip. 45979.022-45979.022.

8807010259 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DIGIONE,S. Affiliation Not Assigned. 53FR16435 01022. 88/06/22. Docketing & Services Branch. Ip. 45979.023-45979.023.

8807010260 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MULLINS,L.E. Affiliation Not Assigned. 53FR16435 01122. 88/06/22. Docketing & Services Branch. Ip. 45981.193-45981.193.

8807010261 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LEGENDRE,A.L. Affiliation Not Assigned. 53FR16435 00916. 88/06/22. Docketing & Services Branch. Ip. 45979.121-45979.121.

8807010263 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LANCE,J.J. Affiliation Not Assigned. 53FR16435 01123. 88/06/22. Docketing & Services Branch. Ip. 45981.192-45981.192.

8807010264 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01019. 88/06/22. Docketing & Services Branch. Ip. 45979.024-45979.024.

8807010265 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DEWITT,C.J. Affiliation Not Assigned. 53FR16435 00850. 88/06/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45989.220-45989.220.

8807010266 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01056. 88/06/22. Docketing & Services Branch. Ip. 45979.025-45979.025.

8807010267 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only util interests in mind.  
DALEY,M.M. Affiliation Not Assigned. 53FR16435 00812. 88/06/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45981.191-45981.191.

8807010269 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MOODY,J.H. Affiliation Not Assigned. 53FR16435 00917. 88/06/22. Docketing & Services Branch. Ip. 45979.122-45979.123.

8807010270 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ZAPPALA,A.J. Affiliation Not Assigned. 53FR16435 00762. 88/06/06. CHILK,S J. Office of the Secretary of the Commission. Ip. 45989.228-45989.228.

8807010272 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CRAFTON,S.P. Affiliation Not Assigned. 53FR16435 01018. 88/06/22. Docketing & Services Branch. Ip. 45979.026-45979.026.



**8807010273** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
JACKSON, K.A. Affiliation Not Assigned. 53FR16435 01124. 88/06/22. Docketing & Services Branch. Ip. 45981.190-45981.190

**8807010275** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
SHERMAN, M.J. Affiliation Not Assigned. 53FR16435 00820. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.227-45989.227

**8807010276** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
RODCHAUD, J.D. Affiliation Not Assigned. 53FR16435 01013. 88/03/22. Docketing & Services Branch. Ip. 45979.136-45979.136

**8807010277** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
FRYBERG, T.B. Affiliation Not Assigned. 53FR16435 00813. 88/06/05. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45981.108-45981.108

**8807010278** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FAULT, T.P. Affiliation Not Assigned. 53FR16435 00918. 88/03/22. Docketing & Services Branch. Ip. 45979.124-45979.124

**8807010279** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
Affiliation Not Assigned. 53FR16435 00821. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.226-45989.226

**8807010280** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FRANCOIS, M.P. Affiliation Not Assigned. 53FR16435 01010. 88/06/22. Docketing & Services Branch. Ip. 45979.137-45979.137

**8807010281** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ALLISON, M.M. Affiliation Not Assigned. 53FR16435 01125. 88/06/22. Docketing & Services Branch. Ip. 45981.107-45981.107

**8807010282** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
GUILLETTE, A. Affiliation Not Assigned. 53FR16435 00014. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45981.109-45981.109

**8807010283** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WHEELER-BEAND, D. Affiliation Not Assigned. 53FR16435 00763. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.225-45989.225

**8807010284** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
SANDORNG, A. Affiliation Not Assigned. 53FR16435 00822. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.224-45989.224

**8807010285** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
Affiliation Not Assigned. 53FR16435 03919. 88/05/21. Docketing & Services Branch. Ip. 45979.013-45979.013

**8807010286** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MARSTON, W., BREISETH, S., ALLEN, K.D. Affiliation Not Assigned. 53FR16435 00851. 88/06/13. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.223-45989.223

**8807010287** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JIRLU, G. Affiliation Not Assigned. 53FR16435 01007. 88/06/22. Docketing & Services Branch. Ip. 45979.027-45979.027

**8807010288** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GARROW, C. Affiliation Not Assigned. 53FR16435 01126. 88/06/22. Docketing & Services Branch. Ip. 45981.189-45981.189

**8807010290** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GAUDETTE, M.M. Affiliation Not Assigned. 53FR16435 01127. 88/06/22. Docketing & Services Branch. Ip. 45981.106-45981.106

**8807010291** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
Affiliation Not Assigned. 53FR16435 01004. 88/06/22. Docketing & Services Branch. Ip. 45979.028-45979.028

**8807010292** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SEMINO, G.P. Affiliation Not Assigned. 53FR16435 00920. 88/06/22. Docketing & Services Branch. Ip. 45979.125-45979.125

**8807010293** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
OHARA, M., OHARA, F., CHARRAS, Affiliation Not Assigned. 53FR16435 00815. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45981.105-45981.105

**8807010294** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BALL, M.J., LARSON, W.G. Affiliation Not Assigned. 53FR16435 00764. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.222-45989.222

**8807010295** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
LANGLOIS, S.J. Affiliation Not Assigned. 53FR16435 00823. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.221-45989.221

**8807010296** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HANSEN, D.A. Affiliation Not Assigned. 53FR16435 01128. 88/06/22. Docketing & Services Branch. Ip. 45981.104-45981.104

**8807010297** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GOLDSTEIN, D.M. Affiliation Not Assigned. 53FR16435 00921. 88/06/22. Docketing & Services Branch. Ip. 45979.126-45979.126

**8807010298** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WHITE, B.J. Affiliation Not Assigned. 53FR16435 01001. 88/06/22. Docketing & Services Branch. Ip. 45979.029-45979.029

**8807010299** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
CLEMENCE, P.P. Affiliation Not Assigned. 53FR16435 00824. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.220-45989.220

**8807010300** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BRIDWELL, L. Affiliation Not Assigned. 53FR16435 01129. 88/06/22. Docketing & Services Branch. Ip. 45981.103-45981.103

**8807010302** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
O'CONNELL, S.N. Affiliation Not Assigned. 53FR16435 00816. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45981.102-45981.102

**8807010303** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
SHEPARD, S.E. Affiliation Not Assigned. 53FR16435 00825. 88/05/21. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.218-45989.218

**8807010304** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HARPSTER, T.L. Affiliation Not Assigned. 53FR16435 00922. 88/06/22. Docketing & Services Branch. Ip. 45981.101-45981.101

**8807010305** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GRIFFIN, B.C. Affiliation Not Assigned. 53FR16435 00765. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45989.216-45989.216

**8807010307** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
Affiliation Not Assigned. 53FR16435 00827. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45984.331-45984.331

**8807010308** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only int. interests in mind.  
ABUSAMRAH, ABUSAMRAH, D. Affiliation Not Assigned. 53FR16435 00828. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45984.330-45984.330

**8807010309** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PILLSBURY, N.A. Affiliation Not Assigned. 53FR16435 00923. 88/06/22. Docketing & Services Branch. Ip. 45981.100-45981.100

**8807010310** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SAVRE, A. Affiliation Not Assigned. 53FR16435 00766. 88/06/06. CHILK.S.J. Office of the Secretary of the Commission. Ip. 45984.329-45984.329

**8807010312** Comment opposing proposed rule 10CFR50 re leak before break (LBB) technology. Requests not to extend LBB technology & to retract present LBB use because LBB is not to predict pipe ruptures.  
LEWIS, M.I., Lewis, M. 53FR11311 00003. 88/07/01. Office of the Secretary of the Commission. 4pp. 45983.284-45983.287

8807010337 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliated on Not Assigned 53FR16435 01136 88/06/22 Drackoning & Services  
Branch 1p 45984:338-45984 338

8807010339 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROMER,R.W. Affiliation Not Assigned. 53FR18435 C0931. 88/08/22 Document & Services Branch. 1p 45981 092-45981 092

8807010340 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PETERSON, W.K. Affiliation Not Assigned. 53FR16435 01137 88/06/22 Docketing & Services Branch 1p. 45984-336-45984-336

9807010342 Comment opposing proposed rule 10CFR50 on emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BOWER, S.E. Affiliation Not Assigned 53FR18435 00770. 88/06/06. CHILK, S. J. Office of the Secretary of the Commission on 1p. 45984-333-45984-333.

9807010343 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SANBORN, I.M. Affiliation Not Assigned 53FR16435 00830. 68/06/14 CHLKS  
Office of the Secretary of the Commission. 3pp 45984-323-45984-325

BB07010344 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PECK, S.M. Affiliation Not Assigned 53FR16435 C0932 08/06/22 Dockkoting & Services Branch 1p. 45981 091-45981.091.

8807010345 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
O'HARA, T.F. Affiliation Not Assigned 53FR16435 01138. 88/06/22 Doc string & Services Branch 1. 45979-030 45979-030.

8807010346 Common support proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial power operations  
ALBRIGHT, C.L. Affiliation Not Assigned. 53FR16435 01130. 88/06/22. Documenting & Services Branch. 1p. 45979 031-45979-031.

8807010347 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TRINGALI, GAGNE Affiliation Not Assigned 53FR16435 00933 88/08/22. Dockering & Services Branch 1p. 45081:090-45081:090.

8807010350 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01140 08/06/22. Drackulj & Services  
Branch to. 46078-032-45079 032

8807010351 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PETRAS, A. Affiliation Not Assigned 53FR16435 00771. 88/08/06 CHILKSJ Office of the Secretary of the Commission. tel. 45984.322-45984.322.

8807010352 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCDAVITT, D.F. Affiliation Not Assgned. 53FR16435 01141. 88/06/22 Document & Services Branch 1p. 45979 033-45979-033.

8807010353 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BEAVER, D.C. Affiliation Not Assigned. 53FR16435 00934. 88/06/22. Doctoberg & Services Branch 2nd. 45881-085-45881-086

8807010355 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DISTEFANO, J. Affiliation Not Assigned. 53FR16435 01142. 88/08/22 DocType: & Services Branch. In. 45978-034 45979-034.

**8807010356** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JOHNSON, J. Affiliation Not Assigned. 53FR16435 00773. 88/08/06. CHS.K.S.J  
Office of the Secretary of the Commission. 10. 45984:343:45984:343

8807010358 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SALOMON, E.H. Affiliation Not Assigned 53FR16435 01143. 88/06/22 Docking & Services Branch. In 45978 035-45978-035

8807010359 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROBINSON,J.G. Affiliation Not Assigned. 53FR16435 01144. 88/08/22 Docketing & Services Branch. 1p. 45981-084.4599.1084

8807010361 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ARMS, J. Affiliation Not Assigned. 53FR16435 01145. 88/08/22. Docking & Service Branch. In. 45081.089.45091.089

8807010362 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations There should be educational & public relations campaign for nuclear power.  
STEEVES,G.N. Affiliation Not Assigned. 53FR16435 00833. 88/06/03. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984 342-45984 342

8807010363 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
POLLARD,D. Affiliation Not Assigned. 53FR16435 00772. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984 341-45984 341.

8807010365 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HARVEY,R.B. Affiliation Not Assigned. 53FR16435 01146. 88/06/22. Docketing & Services Branch. 1p. 45981 003-45981 003

8807010366 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PERYOLAD,V. Affiliation Not Assigned. 53FR16435 01147. 88/06/22. Docketing & Services Branch. 1p. 45981 002-45981 002

8807010367 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MORRISON,B., MORRISON,G. Affiliation Not Assigned. 53FR16435 00774. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45989 244-45989 244.

8807010369 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01148. 88/06/22. Docketing & Services Branch. 1p. 45981 081-45981 081.

8807010371 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only uti interest in mind.  
PHILBRICK,R., PHILBRICK,H. Affiliation Not Assigned. 53FR16435 00834. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45989 243-45989 243.

8807010374 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LITTLEFIELD,P. Affiliation Not Assigned. 53FR16435 01149. 88/06/22. Docketing & Services Branch. 1p. 45981 C80 45981 080

8807010376 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only uti interest in mind.  
CARLEDGE,I. Affiliation Not Assigned. 53FR16435 00835. 88/05/21. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984 340-45984 340

8807010379 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STRUM,M.S. Affiliation Not Assigned. 53FR16435 01150. 88/06/22. Docketing & Services Branch. 1p. 45979 114-45979 114.

8807010381 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
THOMPSON,L.W. Affiliation Not Assigned. 53FR16435 00776. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45984 345-45984 345.

8807010382 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HAMAWI,J. Affiliation Not Assigned. 53FR16435 01151. 88/06/22. Docketing & Services Branch. 1p. 45079 113-45979 113

8807010383 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MARTIN,R.L. Affiliation Not Assigned. 53FR16435 01152. 88/06/22. Docketing & Services Branch. 1p. 45979 112-45979 112.

8807010384 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LATIMORE,K. Affiliation Not Assigned. 53FR16435 01153. 88/06/22. Docketing & Services Branch. 1p. 45979 111-45979 111.

8807010386 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ALLEN,J.F. Affiliation Not Assigned. 53FR16435 01154. 88/06/22. Docketing & Services Branch. 1p. 45979 110-45979 110.

8807010388 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposed rule developed w/only uti interest in mind  
SOUTHALL,T., SOUTHALL,B.A. Affiliation Not Assigned. 53FR16435 00836. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45989 242-45989 242.

8807010392 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SHEPARD,A.M. Affiliation Not Assigned. 53FR16435 01157. 88/06/22. Docketing & Services Branch. 1p. 45979 107-45979 107

8807010393 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BROCK,M.T. Shanes & McEachern. BROCK,M.T. Hampton, NH. 53FR16435 00776. 88/06/13. PARILER,W.C. Office of the General Counsel. 1p. 45989 241-45989 241.

8807010395 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCDONALD,G.F. Affiliation Not Assigned. 53FR16435 01158. 88/06/22. Docketing & Services Branch. 1p. 45989 240-45989 240.

8807010398 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BECKLES,O.C. Affiliation Not Assigned. 53FR16435 01159. 88/06/22. Docketing & Services Branch. 1p. 45989 239-45989 239.

8807010397 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HALL,W.J. Affiliation Not Assigned. 53FR16435 00935. 88/06/22. Docketing & Services Branch. 1p. 45981 078-45981 078.

8807010399 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to reject proposed rule  
YOUNG,M.B. Affiliation Not Assigned. 53FR16435 00607. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45981 078-45981 078

8807010400 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MARIE,R.F. Affiliation Not Assigned. 53FR16435 01160. 88/06/22. Docketing & Services Branch. 1p. 45989 238-45989 238

8807010401 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LAFONTAINE,T. Affiliation Not Assigned. 53FR16435 01161. 88/06/22. Docketing & Services Branch. 1p. 45989 237-45989 237.

8807010403 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCGONIGLE,D.J. Affiliation Not Assigned. 53FR16435 00036. 88/06/22. Docketing & Services Branch. 1p. 45981 077-45981 077.

8807010405 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01162. 88/06/22. Docketing & Services Branch. 1p. 45989 236-45989 236

8807010408 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CARLSON,L.G. Affiliation Not Assigned. 53FR16435 01163. 88/06/22. Docketing & Services Branch. 1p. 45989 235-45989 235.

8807010407 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BOEDDINGHAUS,L. Affiliation Not Assigned. 53FR16435 00937. 88/06/22. Docketing & Services Branch. 1p. 45981 076-45981 076.

8807010409 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SAPONTE,E. Affiliation Not Assigned. 53FR16435 00831. 88/06/06. NRC - No Dated Affiliation Given. 2pp. 45989 233-45989 234.

8807010410 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BENOIT,D.M. Affiliation Not Assigned. 53FR16435 01184. 88/06/22. Docketing & Services Branch. 1p. 45984 344-45984 344.

8807010411 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to reject proposed rule change in interest of public safety  
CHICHESTER,G. Affiliation Not Assigned. 53FR16435 00608. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45981 075-45981 075.

8807010412 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TAYLOR,K.C. Affiliation Not Assigned. 53FR16435 00938. 88/06/22. Docketing & Services Branch. 1p. 45981 074-45981 074.

8807010413 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MANN,R.G. Affiliation Not Assigned. 53FR16435 00852. 88/06/06. CHILK,S.J. Office of the Secretary of the Commission. 1p. 45989 184-45989 184.

## 268 NONDOCKETED ITEMS

- 8807010414 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. WENZEL, N.A. Affiliation Not Assigned. 53FR16435 01165. 88/06/22. Docketing & Services Branch. 1p. 45981.073-45981.073.
- 8807010417 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. FOX, H.S. Affiliation Not Assigned. 53FR16435 00838. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989.183-45989.183.
- 8807010419 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. WALTERS, C.R. Affiliation Not Assigned. 53FR16435 00553. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45983.182-45983.182.
- 8807010421 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MANN, M.A. Affiliation Not Assigned. 53FR16435 00839. 88/06/17. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989.180-45989.181.
- 8807010423 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. FISK, C. Affiliation Not Assigned. 53FR16435 06609. 88/08/10. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45981.071-45981.071.
- 8807010424 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CAVATORTA, E.A. Affiliation Not Assigned. 53FR16435 00854. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989.179-45989.179.
- 8807010425 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HARDEN, S.M. Affiliation Not Assigned. 53FR16435 00855. 88/08/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45983.178-45983.178.
- 8807010429 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BARNES, R.J. Affiliation Not Assigned. 53FR16435 00856. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45989.177-45989.177.
- 8807010431 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PARRIS, P. Affiliation Not Assigned. 53FR16435 00857. 88/06/10. Office of the Secretary of the Commission. 1p. 45984.360-45984.360.
- 8807010436 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DENNIS, E.A. Affiliation Not Assigned. 53FR16435 00858. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.359-45984.359.
- 8807010438 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CARTER, P. Affiliation Not Assigned. 53FR16435 00859. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.358-45984.358.
- 8807010444 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PACE, R.V. Affiliation Not Assigned. 53FR16435 00860. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.357-45984.357.
- 8807010448 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. SPINNEY, W.A. Affiliation Not Assigned. 53FR16435 00861. 88/08/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.356-45984.356.
- 8807010449 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. ROSENBERG, S.A. Affiliation Not Assigned. 53FR16435 01097. 88/08/22. Docketing & Services Branch. 1p. 45979.129-45979.129.
- 8807010453 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Affiliation Not Assigned. 53FR16435 01094. 88/06/22. Docketing & Services Branch. 1p. 45979.128-45979.128.
- 8807010455 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HATT, S.L. Ohio Citizens for Responsible Energy. 53FR16435 00862. 88/06/20. NRC. No Detailed Affiliation Given. 45993.173-45993.174.
- 8807010456 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CARROLL, K.J. Affiliation Not Assigned. 53FR16435 01091. 88/08/22. Docketing & Services Branch. 1p. 45979.127-45979.127.
- 8807010461 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Affiliation Not Assigned. 53FR16435 01095. 88/06/22. Docketing & Services Branch. 1p. 45979.132-45979.132.
- 8807010467 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. WALENSKI, S.J. Affiliation Not Assigned. 53FR16435 01082. 88/08/22. Docketing & Services Branch. 1p. 45979.134-45979.134.
- 8807010469 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. SPINNEY, K.B. Affiliation Not Assigned. 53FR16435 01079. 88/08/22. Docketing & Services Branch. 1p. 45979.133-45979.133.
- 8807010473 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CRON, N.J.T. Affiliation Not Assigned. 53FR16435 01076. 88/06/22. Docketing & Services Branch. 1p. 45978.332-45978.332.
- 8807010476 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PEREZ, P.B. Affiliation Not Assigned. 53FR16435 01073. 88/06/22. Docketing & Services Branch. 1p. 45978.073-45978.073.
- 8807010477 Comment re proposed rule 10CFR50 concerning emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Elimination of public notification requirements opposed. Sits supported. SELKER, M.A., GRANDJEAN, A.M., Ohio, State of. 53FR16435 00863. 88/06/21. Docketing & Services Branch. 7pp. 45993.150-45993.156.
- 8807010478 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HARVEY, R.C. Affiliation Not Assigned. 53FR16435 01070. 88/08/22. Docketing & Services Branch. 1p. 45979.072-45979.072.
- 8807010479 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. FUCITO, D.J. Affiliation Not Assigned. 53FR16435 01067. 88/06/22. Docketing & Services Branch. 1p. 45978.071-45978.071.
- 8807010480 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Affiliation Not Assigned. 53FR16435 01064. 88/06/22. Docketing & Services Branch. 1p. 45978.070-45978.070.
- 8807010483 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CANNING, H.F. Affiliation Not Assigned. 53FR16435 00864. 88/06/08. Office of the Secretary of the Commission. 1p. 45993.149-45993.149.
- 8807010486 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Proposed rule developed w/only util interests in mind. WILLIAMS, C., JACKSON, K. Affiliation Not Assigned. 53FR16435 00837. 88/06/26. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.355-45984.355.
- 8807010488 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MULCAHY, M. Affiliation Not Assigned. 53FR16435 00865. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993.148-45993.148.
- 8807010489 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MCGAUGHEY, M.E. Affiliation Not Assigned. 53FR16435 00864. 88/06/21. Docketing & Services Branch. 1p. 45993.147-45993.147.
- 8807010491 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety. POWER, M. Affiliation Not Assigned. 53FR16435 00810. 88/08/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45981.070-45981.070.
- 8807010492 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. XENELIS, D.D. Affiliation Not Assigned. 53FR16435 00866. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993.146-45993.146.
- 8807010494 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. TRACY, A.P. Affiliation Not Assigned. 53FR16435 00885. 88/06/22. Docketing & Services Branch. 1p. 45993.145-45993.145.
- 8807010495 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Affiliation Not Assigned. 53FR16435 00886. 88/06/22. Docketing & Services Branch. 1p. 45993.144-45993.144.



**8807010496** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01061. 88/06/22. Docketing & Services Branch. 1p. 45979:069-45979:069.

**8807010497** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HILDT, B.A. Affiliation Not Assigned. 53FR16435 03867. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:144-45993:144.

**8807010499** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TCNER, J.A. Affiliation Not Assigned. 53FR16435 00939. 88/06/22. Docketing & Services Branch. 1p. 45981:069-45981:069.

**8807010500** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SMITH, R.L. Affiliation Not Assigned. 53FR16435 01050. 88/06/22. Docketing & Services Branch. 1p. 45978:068-45978:068.

**8807010501** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FEENEY, C.K. Affiliation Not Assigned. 53FR16435 00940. 88/06/22. Docketing & Services Branch. 1p. 45981:068-45981:068.

**8807010502** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
STACEY, J.W. Affiliation Not Assigned. 53FR16435 00886. 88/06/22. Docketing & Services Branch. 1p. 45993:143-45993:143.

**8807010503** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety.  
KESHNER, C. Affiliation Not Assigned. 53FR16435 00612. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45979:106-45979:106.

**8807010504** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LUMSDEN, L. Affiliation Not Assigned. 53FR16435 00860. 88/08/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:142-45993:142.

**8807010505** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
VARGAS, J.M. Affiliation Not Assigned. 53FR16435 00041. 88/06/22. Docketing & Services Branch. 1p. 45981:067-45981:067.

**8807010506** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SZYMCAK, W.J. Affiliation Not Assigned. 53FR16435 01055. 88/06/22. Docketing & Services Branch. 1p. 45979:067-45979:067.

**8807010507** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CREIGHTON, P. Affiliation Not Assigned. 53FR16435 00042. 88/06/22. Docketing & Services Branch. 1p. 45981:066-45981:066.

**8807010508** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DAGOSTINO, P. Affiliation Not Assigned. 53FR16435 00887. 88/06/22. Docketing & Services Branch. 1p. 45993:141-45993:141.

**8807010510** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BEUCHEL, B.E. Affiliation Not Assigned. 53FR16435 01052. 88/06/22. Docketing & Services Branch. 1p. 45978:337-45978:337.

**8807010512** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety.  
CASEY, D. Affiliation Not Assigned. 53FR16435 00813. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45979:105-45979:105.

**8807010513** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCLEAN, J.N. Affiliation Not Assigned. 53FR16435 00943. 88/06/22. Docketing & Services Branch. 1p. 45981:188-45981:188.

**8807010514** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
POLLOCK, R.J. Affiliation Not Assigned. 53FR16435 00869. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:140-45993:140.

**8807010516** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COLUMBIA, G. Affiliation Not Assigned. 53FR16435 01049. 88/06/22. Docketing & Services Branch. 1p. 45978:338-45978:338.

**8807010517** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BRAMI, L.J. Affiliation Not Assigned. 53FR16435 00888. 88/06/22. Docketing & Services Branch. 1p. 45993:121-45993:121.

**8807010518** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROWN, B.E. Affiliation Not Assigned. 53FR16435 00944. 88/06/22. Docketing & Services Branch. 1p. 45981:187-45981:187.

**8807010519** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LYNCH, S. Affiliation Not Assigned. 53FR16435 01046. 88/06/22. Docketing & Services Branch. 1p. 45978:335-45978:335.

**8807010521** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety.  
FEARLEY, E.A. Affiliation Not Assigned. 53FR16435 00614. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45979:104-45979:104.

**8807010523** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
NOONAN, J. Affiliation Not Assigned. 53FR16435 00345. 88/06/22. Docketing & Services Branch. 1p. 45981:186-45981:186.

**8807010524** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HENIMATAS, L.J. Affiliation Not Assigned. 53FR16435 01043. 88/06/22. Docketing & Services Branch. 1p. 45978:334-45978:334.

**8807010526** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BIRD, F.J. Affiliation Not Assigned. 53FR16435 00970. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993:120-45993:120.

**8807010528** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LEITCHAD, W.C. Affiliation Not Assigned. 53FR16435 00880. 88/06/22. Docketing & Services Branch. 1p. 45983:118-45983:118.

**8807010529** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BORSKAD, L. Affiliation Not Assigned. 53FR16435 01040. 88/06/22. Docketing & Services Branch. 1p. 45978:333-45978:333.

**8807010531** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SULLIVAN, M. Affiliation Not Assigned. 53FR16435 00948. 88/06/22. Docketing & Services Branch. 1p. 45981:185-45981:185.

**8807010532** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CANN, J.D. Affiliation Not Assigned. 53FR16435 01037. 88/06/22. Docketing & Services Branch. 1p. 45979:004-45979:004.

**8807010533** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Suggests rule should be implemented.  
CONNORS, T.K. Affiliation Not Assigned. 53FR16435 00815. 88/06/10. Docketing & Services Branch. 1p. 45979:103-45979:103.

**8807010536** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FORD, J.E. Affiliation Not Assigned. 53FR16435 00890. 88/06/22. Docketing & Services Branch. 1p. 45993:116-45993:116.

**8807010537** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COCKRAN, K. Affiliation Not Assigned. 53FR16435 00947. 88/06/22. Docketing & Services Branch. 1p. 45981:184-45981:184.

**8807010538** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MULLER, K.J. Affiliation Not Assigned. 53FR16435 01034. 88/06/22. Docketing & Services Branch. 1p. 45979:003-45979:003.

**8807010540** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SPINNEY, S.A. Affiliation Not Assigned. 53FR16435 00871. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45983:117-45983:117.

**8807010542** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COGDELL, S.A. Affiliation Not Assigned. 53FR16435 01032. 88/06/22. Docketing & Services Branch. 1p. 45979:002-45979:002.

**8807010546** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 00891. 88/06/22. Docketing & Services Branch. 1p. 45993:118-45993:118.



8807010551 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DIMENTO, W.J. Affiliation Not Assigned. 53FR16435 00873. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993.114-45993.114.

8807010552 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BICHER, C. Affiliation Not Assigned. 53FR16435 00832. 88/06/22. Docketing & Services Branch. 1p. 45993.113-45993.113.

8807010558 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. STEELE, M. Affiliation Not Assigned. 53FR16435 00816. 88/06/04. Docketing & Services Branch. 1p. 45978.102-45978.102.

8807010557 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. LAIRD, D.J. Affiliation Not Assigned. 53FR16435 00893. 88/06/22. Docketing & Services Branch. 1p. 45993.112-45993.112.

8807010558 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. OLIMSTEAD, O. Affiliation Not Assigned. 53FR16435 00874. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45993.111-45993.111.

8807010561 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to approve proposed clarification of 5% rule. VOSS, C. Affiliation Not Assigned. 53FR16435 00617. 88/06/02. Docketing & Services Branch. 1p. 45978.101-45978.101.

8807010562 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HAWKES, C.L. Affiliation Not Assigned. 53FR16435 00834. 88/06/23. Docketing & Services Branch. 1p. 45993.110-45993.110.

8807010564 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. FADDEN, W.N. Affiliation Not Assigned. 53FR16435 01029. 88/06/22. Docketing & Services Branch. 1p. 45978.001-45978.001.

8807010568 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CALLAGHAN, J.H. Affiliation Not Assigned. 53FR16435 01026. 88/06/22. Docketing & Services Branch. 1p. 45978.360-45978.360.

8807010567 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HARRINGTON, M. Affiliation Not Assigned. 53FR16435 00618. 88/06/09. Office of the Secretary of the Commission. 1p. 45978.100-45978.100.

8807010568 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. FLYNN, S.W. Affiliation Not Assigned. 53FR16435 01023. 88/06/22. Docketing & Services Branch. 1p. 45978.359-45978.359.

8807010569 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. RAUL, W. Affiliation Not Assigned. 53FR16435 00835. 88/06/23. Docketing & Services Branch. 1p. 45993.109-45993.109.

8807010570 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BIZZUD, D.J. Affiliation Not Assigned. 53FR16435 01020. 88/06/22. Docketing & Services Branch. 1p. 45978.358-45978.358.

8807010572 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CONNOLLY, J.G. Affiliation Not Assigned. 53FR16435 00896. 88/06/21. Docketing & Services Branch. 1p. 45993.108-45993.108.

8807010573 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety. WELCH, R.H., SWEENEY, J.M., WELCH, C.S. Affiliation Not Assigned. 53FR16435 00819. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.354-45984.354.

8807010574 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. FUJITA, N. Affiliation Not Assigned. 53FR16435 01017. 88/06/22. Docketing & Services Branch. 1p. 45978.354-45978.354.

8807010575 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Affiliation Not Assigned. 53FR16435 00875. 88/06/15. NRC - No Detailed Affiliation Given. 2pp. 45993.108-45993.107.

8807010677 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MIMIKJEVIC, V. Affiliation Not Assigned. 53FR16435 01011. 88/06/22. Docketing & Services Branch. 1p. 45978.356-45978.356.

8807010578 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule in interest of public safety. BROWN, A.T. Affiliation Not Assigned. 53FR16435 00620. 88/05/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.353-45984.353.

8807010679 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MARTEL, R.E. Affiliation Not Assigned. 53FR16435 00897. 88/06/22. Docketing & Services Branch. 1p. 45993.105-45993.105.

8807010580 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Affiliation Not Assigned. 53FR16435 01008. 88/06/22. Docketing & Services Branch. 1p. 45978.355-45978.355.

8807010581 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HOLLOWAY, J.L. Affiliation Not Assigned. 53FR16435 00876. 88/06/21. Docketing & Services Branch. 1p. 45993.104-45993.104.

8807010583 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety. DOYLE, W. Affiliation Not Assigned. 53FR16435 00821. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.352-45984.352.

8807010584 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. STOUT, J.L. Affiliation Not Assigned. 53FR16435 01005. 88/06/22. Docketing & Services Branch. 1p. 45978.352-45978.352.

8807010587 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. O'BRIEN, J.J. Affiliation Not Assigned. 53FR16435 01002. 88/06/22. Docketing & Services Branch. 1p. 45978.353-45978.353.

8807010588 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BROWN, P.E. Affiliation Not Assigned. 53FR16435 00877. 88/06/22. Docketing & Services Branch. 1p. 45993.103-45993.103.

8807010590 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Urges Commission to reject proposed rule change in interest of public safety. WOOD, J.W. Affiliation Not Assigned. 53FR16435 00822. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 45984.351-45984.351.

8807010593 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PALUMBO, M.A. Affiliation Not Assigned. 53FR16435 00898. 88/06/22. Docketing & Services Branch. 1p. 45993.102-45993.102.

8807010598 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Strongly recommends Commission approval of low power testing. ALBERETTI, J.D. Affiliation Not Assigned. 53FR16435 00940. 88/06/22. Docketing & Services Branch. 1p. 45984.350-45984.350.

8807010599 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PHILLIPS, T. Affiliation Not Assigned. 53FR16435 00870. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 45993.083-45993.083.

8807010605 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Supports licensing plant because power is needed. LAROCHE, A.P. Affiliation Not Assigned. 53FR16435 00949. 88/06/22. Docketing & Services Branch. 1p. 45984.348-45984.348.

8807010607 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. COX, R.R. Affiliation Not Assigned. 53FR16435 00899. 88/06/22. Docketing & Services Branch. 1p. 45993.084-45993.084.

8807010611 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Supports getting plant on-line because New England needs more power. LEONE, P.A. Affiliation Not Assigned. 53FR16435 00950. 88/06/22. Docketing & Services Branch. 1p. 45984.348-45984.348.

**8807010512** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
VINCENT, C. VINCENT, S. Affiliation Not Assigned. 53FR16435 01183. 88/06/20. Docketing & Services Branch. Ip. 45993 082-45993 082

**8807010516** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
REED, W. H. Affiliation Not Assigned. 53FR16435 00879. 88/06/22. Docketing & Services Branch. Ip. 45994 040-45994 040

**8807010522** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ROBINSON, D. A. Affiliation Not Assigned. 53FR16435 01184. 88/06/22. Docketing & Services Branch. Ip. 45994 039-45994 039

**8807010525** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MYERS, G. Affiliation Not Assigned. 53FR16435 00951. 88/06/22. Docketing & Services Branch. Ip. 45994 347-45994 347

**8807010533** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant by approving rule.  
\* Affiliation Not Assigned. 53FR16435 00952. 88/06/22. Docketing & Services Branch. Ip. 45983 217-45983 217

**8807010538** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
AMARAL, M. R. Affiliation Not Assigned. 53FR16435 01185. 88/06/22. Docketing & Services Branch. Ip. 45994 006-45994 006

**8807010537** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MAFISH, C. P. Affiliation Not Assigned. 53FR16435 00880. 88/06/22. Docketing & Services Branch. Ip. 45993 202-45993 202

**8807010542** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant.  
\* Affiliation Not Assigned. 53FR16435 00953. 88/06/22. Docketing & Services Branch. Ip. 45980 216-45980 216

**8807010544** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BERGERON, R. C. Affiliation Not Assigned. 53FR16435 00801. 88/06/22. Docketing & Services Branch. Ip. 45993 201-45993 201

**8807010546** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant.  
BRENNEN, J. Affiliation Not Assigned. 53FR16435 00954. 88/06/22. Docketing & Services Branch. Ip. 45989 215-45989 215

**8807010549** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
THURFLER, K. M. Affiliation Not Assigned. 53FR16435 00802. 88/06/22. Docketing & Services Branch. Ip. 45993 200-45993 200

**8807010554** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HENDERSON, A. W. Affiliation Not Assigned. 53FR16435 01186. 88/06/22. Docketing & Services Branch. Ip. 45993 199-45993 199

**8807010555** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant.  
OSSING, M. H. Affiliation Not Assigned. 53FR16435 00955. 88/06/22. Docketing & Services Branch. Ip. 45980 214-45980 214

**8807010558** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WEYMOUTH, J. P. Affiliation Not Assigned. 53FR16435 00883. 88/06/22. Docketing & Services Branch. Ip. 45973 188-45973 188

**8807010561** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant.  
SCHNEIDER, C. H. Affiliation Not Assigned. 53FR16435 00958. 88/06/22. Docketing & Services Branch. Ip. 45989 213-45989 213

**8807010565** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HILL, G. F. Affiliation Not Assigned. 53FR16435 01188. 88/06/22. Docketing & Services Branch. Ip. 45993 197-45993 197

**8807010570** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Lists reasons for support.  
DALEY, W. J. Affiliation Not Assigned. 53FR16435 00957. 88/06/22. Docketing & Services Branch. 2pp. 45989 200-45989 201

**8807010576** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FAULKINGHAM, C. Affiliation Not Assigned. 53FR16435 01167. 88/06/22. Docketing & Services Branch. Ip. 45993 176-45993 176

**8807010578** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Advisors NRC to contribute efforts to correct situation re nuclear plants  
CIZAKUSKAS, T. M. Affiliation Not Assigned. 53FR16435 00958. 88/06/22. Docketing & Services Branch. Ip. 45989 199-45989 199

**8807010580** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BJORKSON, R. Affiliation Not Assigned. 53FR16435 01187. 88/06/22. NRC - No Detailed Affiliation Given. Ip. 45993 175-45993 175

**8807010581** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CARLSEN, L. Affiliation Not Assigned. 53FR16435 01188. 88/06/22. Docketing & Services Branch. Ip. 45993 204-45993 204

**8807010584** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FRECHETTE, R. Affiliation Not Assigned. 53FR16435 01188. 88/06/23. Docketing & Services Branch. Ip. 45993 203-45993 203

**8807010585** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges NRC to expeditiously favor proposed rule to help put plant online  
MCCORMACK, R. B. Affiliation Not Assigned. 53FR16435 00959. 88/06/22. Docketing & Services Branch. Ip. 45980 188-45980 188

**8807010589** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GLYNN, B. M. Affiliation Not Assigned. 53FR16435 01189. 88/06/23. Office of the Secretary of the Commission. Ip. 45994 008-45994 008

**8807010592** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges NRC to stop yielding to those who would stop plant  
DAY, J. Affiliation Not Assigned. 53FR16435 00960. 88/06/21. Docketing & Services Branch. Ip. 45988 197-45988 197

**8807010594** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ABELY, D. J. Affiliation Not Assigned. 53FR16435 01190. 88/06/22. Docketing & Services Branch. Ip. 45994 067-45994 067

**8807010596** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SCHMITT, M. E. Affiliation Not Assigned. 53FR16435 01169. 88/06/22. Docketing & Services Branch. Ip. 45994 066-45994 066

**8807010700** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/low power testing of plant.  
\* Affiliation Not Assigned. 53FR16435 00881. 88/06/22. Docketing & Services Branch. Ip. 45980 198-45980 198

**8807010702** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WEEKS, D. Affiliation Not Assigned. 53FR16435 01191. 88/06/22. Docketing & Services Branch. Ip. 45994 065-45994 065

**8807010705** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01170. 88/06/23. Docketing & Services Branch. Ip. 45994 064-45994 064

**8807010706** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCNAMARA, M. D. Affiliation Not Assigned. 53FR16435 01192. 88/06/22. Docketing & Services Branch. Ip. 45984 062-45984 062

**8807010709** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Believes plant deserves to be tested to run  
LAMHE, D. M. Affiliation Not Assigned. 53FR16435 00962. 88/06/22. Docketing & Services Branch. Ip. 45988 195-45988 195

**8807010711** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/implementation of proposed rule  
GOODRIDGE, R. H. Affiliation Not Assigned. 53FR16435 00963. 88/06/22. Docketing & Services Branch. Ip. 45988 194-45988 194

**8807010713** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Urges Commission to proceed w/implementation of proposed rule  
ROKES, C. B. Affiliation Not Assigned. 53FR16435 00964. 88/06/22. Docketing & Services Branch. Ip. 45988 193-45988 193

**8807010715** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01171. 88/06/23. Docketing & Services Branch. Ip. 45994 047-45994 047

8807010716 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Believes such rule will clear up confusion.  
MIKOS, G.P. Affiliation Not Assigned 53FR16435 00365 88/06/22 Docketing & Services Branch. tp 45993 192-45989 192

8807010719 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TILLEY, J.A. Affiliation Not Assigned 53FR16435 01193 88/06/22 Docketing & Services Branch. tp 45993 046-45993 046

8807010720 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Supports operation of plant.  
SALES, J.P. Affiliation Not Assigned 53FR16435 00956 88/06/22 NRC - No Delisted Affiliation Given. tp 45989 191-45989 191

8807010722 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DESFOSSÉS, W.J. Affiliation Not Assigned 53FR16435 01194 88/06/22 Office of the Secretary of the Commission. tp 45994 045-45994 045

8807010723 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Desires to see plant licensed as soon as possible.  
LEWALLE, J.T. Affiliation Not Assigned 53FR16435 00967 88/06/22 Docketing & Services Branch. tp 45993 190-45993 190

8807010724 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCCARTY, M.R. Affiliation Not Assigned 53FR16435 01195 88/06/21 Docketing & Services Branch. tp 45994 044-45994 044

8807010725 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
OSBORN, D.M. Affiliation Not Assigned 53FR16435 00968 88/06/22 NRC - No Delisted Affiliation Given. tp 45989 169-45989 169

8807010727 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Supports rule in order for plant to be licensed for 5% low power testing.  
MESSERS, Affiliation Not Assigned 53FR16435 00969 88/06/22 NRC - No Delisted Affiliation Given. tp 45989 169-45989 169

8807010728 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PALMER, A.D. Affiliation Not Assigned 53FR16435 01172 88/06/20 Docketing & Services Branch. tp 45994 043-45994 043

8807010729 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
APPLEGATE, R. Affiliation Not Assigned 53FR16435 01196 88/06/22 Docketing & Services Branch. tp 45994 042-45994 042

8807010730 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Hopes Commission adopts proposed clarification.  
CARUSO, S.N. Affiliation Not Assigned 53FR16435 00970 88/06/22 Docketing & Services Branch. tp 45989 187-45989 187

8807010731 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
OKEEFE, M. Affiliation Not Assigned 53FR16435 01173 88/06/23 Docketing & Services Branch. tp 45989 186-45989 186

8807010732 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WILLSON, D. Affiliation Not Assigned 53FR16435 01187 88/06/22 Docketing & Services Branch. tp 45994 041-45994 041

8807010733 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Hopes NRC will reject obstructionist tactics & adopt proposed rule.  
WHITE, R.E. Affiliation Not Assigned 53FR16435 00971 88/06/22 Docketing & Services Branch. tp 45989 185-45989 185

8807010734 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
THOMPSON, T.M. Affiliation Not Assigned 53FR16435 01188 88/06/23 Docketing & Services Branch. tp 45993 205-45993 205

8807050039 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCARTHUR, M.W. MCARTHUR, L.G. Affiliation Not Assigned 53FR16435 01300 88/06/23 Docketing & Services Branch. tp 45995 213-45995 213

8807050041 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FINNIGAN, J. Affiliation Not Assigned 53FR16435 01301 88/06/23 Docketing & Services Branch. tp 45995 214-45995 214

8807050043 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
O'CONNOR, C.L. Affiliation Not Assigned 53FR16435 01302 88/06/21 Docketing & Services Branch. tp 45995 215-45995 215

8807050046 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LEARY, P. Affiliation Not Assigned 53FR16435 01303 88/06/21 Docketing & Services Branch. tp 45995 216-45995 216

8807050047 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
RILEY, S.M. Affiliation Not Assigned 53FR16435 01304 88/06/23 Docketing & Services Branch. tp 45995 217-45995 217

8807050048 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COLLARD, S. Affiliation Not Assigned 53FR16435 01199 88/06/22 Docketing & Services Branch. tp 45999 301-45999 301

8807050051 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WORKMAN, M.K. Affiliation Not Assigned 53FR16435 01305 88/06/23 Docketing & Services Branch. tp 45995 218-45995 218

8807050052 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ASCANIO, R. Affiliation Not Assigned 53FR16435 01306 88/06/23 Docketing & Services Branch. tp 45995 219-45995 219

8807050053 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
AQUILAP, R. Affiliation Not Assigned 53FR16435 01307 88/06/21 Docketing & Services Branch. tp 45995 220-45995 220

8807050054 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SATTERFIELD, M. Affiliation Not Assigned 53FR16435 01308 88/06/23 Docketing & Services Branch. tp 45995 221-45995 221

8807050056 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BROWN, C. Affiliation Not Assigned 53FR16435 01309 88/06/23 Docketing & Services Branch. tp 45995 222-45995 222

8807050060 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GILBERT, D.G. Affiliation Not Assigned 53FR16435 01310 88/06/23 Docketing & Services Branch. tp 45995 223-45995 223

8807050062 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SUFFRIDGE, S.M. Affiliation Not Assigned 53FR16435 01311 88/06/22 Docketing & Services Branch. tp 45995 224-45995 224

8807050064 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CHENG, E. Affiliation Not Assigned 53FR16435 01312 88/06/21 Docketing & Services Branch. tp 45995 225-45995 225

8807050065 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
STARKEY, P.W. Affiliation Not Assigned 53FR16435 01174 88/06/22 Docketing & Services Branch. tp 45990 302-45990 302

8807050068 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JOVELLANOS, R. Affiliation Not Assigned 53FR16435 01313 88/06/21 Docketing & Services Branch. tp 45995 226-45995 226

8807050069 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GUILBERT, N.E. Affiliation Not Assigned 53FR16435 01314 88/06/23 Docketing & Services Branch. tp 45995 227-45995 227

8807050071 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CLOUTMAN, S.J. Affiliation Not Assigned 53FR16435 01315 88/06/21 Docketing & Services Branch. tp 45995 228-45995 228

8807050075 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TEFFT, J.G. Affiliation Not Assigned 53FR16435 01316 88/06/22 Docketing & Services Branch. tp 45995 229-45995 229

8807050078 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BOYLE, M.P. Affiliation Not Assigned 53FR16435 01175 88/06/22 Docketing & Services Branch. tp 45989 303-45989 303

8807050079 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
AIELLO, K.M. Affiliation Not Assigned 53FR16435 01317 88/06/23 Docketing & Services Branch. tp 45995 230-45995 230

8807050082 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & int. at low power operation; on: H GINSE Affiliation Not Assigned 53FR16435 01318 88/06/22 Docketing & Services Branch 1p 45995,231-45995 231

8827050083 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operation.  
SWINOTON, C.W. Affiliation Not Assigned 53FR16435 01176. 88/06/22 Docket # & Swinoton Branch 1p 45939-336 45998-336

8907050085 Comment supporting proposed NRC 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 DEHN, W. Affiliation Not Assigned. 53FR16435 01319. 08/06/01. Docketing & Serv-  
 ices Branch 1p 45995-23 45995-232

8837050088 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & shut low power operations  
HANLEY,R.J. Affiliation Not Assigned 33FR16435 01177, 88/C6/22 Dockelng & Services Branch 2pp 45999 337-45999 538

6807050089 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GERRISH, D.R. Affiliation Not Assigned. 53FR16435 01320. 88/08/23 NRC - No Date of Allot on Given 1p 45995.233;45995.233

88D7050092 *Comments supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations*  
FRACKAG Affiliation Not Assigned 53FR18435 01321 08/06/22 Docketing & Serv.Cs Branch 1p 45995 234-45895 234

8807050093 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TARMYEA Affiliation Not Assigned 53FR16435 01322. 88/00/23. Dockeling & Service Branch tp 45995 235-45995 235

8807050095 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FANLEY, M.A. Affiliation Not Assigned 53FR16435 01170 BB/C6/23. Docketing & Services Branch 1p. 45099-339-45099-339

8ED07050097 Comment supporting proposed rule 10CFR60 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KENT, C Affiliation Not Assigned 53FBI61435 01323 8U/06/22 NRC - No Detail  
Affiliation Given 1p 45995.236-45995.236

8807050100 Comments supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILLIAMS, R Affiliation Not Assigned. 53FR18435 01324. 08/08/20 Docking & Services Branch 1p 45995 237.45995 237.

8807050101 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GAGNE J.A. Affiliation Not Assigned. 53FR16435 01325. 08/06/21. Docketing & Services Branch. tp. 45995.206-45995.208.

8807050102 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 FROLO, C. Affiliation Not Assigned. 53FR16435 01400. 08/08/22. Dockwiling & Services Branch. tp. 45895 Not 45895:207.

8907050105 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DUJOIS,B. Affiliation Not Assigned 53FR16435 01326. 88/06/21. Docketing & Services Branch. 1p. 45995 200-45995 200.

8807050106 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 \* Affiliation Not Assigned. 63FR18435 01179. 88/06/23. Dockalling & Services Branch tp. 45993-94-45999 340

8807050107 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operation: ons  
KINGSTON, G. Affiliation Not Assigned 53FR16435 01327. 88/06/22. Docketing & Serv.ces Branch 1p 45895 209 45895 209

8807050109 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CLURKEP Affiliation Not Assigned. 53FA18435 01401. 88/00/22. Docketing & Services Branch 1p. 45995 210-45995 210.

8607050110 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JENKINS, H.E. Affiliation Not Assigned 53FR16435 01328. 88/06/22. Docketing & Services Branch 1p. 45995:211.45995 211.

9807050118 *Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations*  
HAM,H., HAM,S. Affiliation Not Assigned. 53FR16435 01180. 88/06/23. NRC - No Detailed Affiliation Given. 1P. 45999-341.45999-341.

8807050122 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JASINSKI, M. Affiliation Not Assigned. 53FR16435 01402. 88/06/23 NRC - No Detailed Affiliation Given. Ip. 45995:212-45995:212.

8907050127 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01403. 88/06/22 Docketing & Services Branch 1p 45995-205.45995 205

8807050128 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GRIILQJ Affiliation Not Assigned 53FF16435 01404 BB/C6/22. Branching & Scriv. ACEL Drack 1p. 45995 45995 294

8807050132 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GASNEPAIN,S J Affiliation Not Assigned 53FR16435 01405 58/06/23 Docketing & Services Branch tp. 45995 203 45995 203

8807050138 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KENNEY,S.J. Affiliation Not Assigned 53FR16435 01406 88/08/22 Docketing & Services Branch tp 45005.185-45995:105

8807050140 *Comments supporting proposed rule ICCFASO re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations*  
TARD:FL. Affiliation Not Assigned: 53FA16135 01181. 88/08/23 Drafting and Serv. Coord. 1p 458938-42-45899342.

8907050144 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FRITZ, J. H. Affiliation Not Assigned. 53FR16435 01407 80/06/22 Docking & Serv. Services Branch. 1p. 45995:186-45995:186.

8907050146 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant (n) loading & initial low power operations. Urges plant operation.  
ARMSTRONG, C S Affiliation Not Assigned. 537-4535 00072. 80/06/21 Off co of the Secretary of the Commission tp 45005 187-45905 187.

8807050147 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MADEJE V. Affiliation Not Assigned 53FR16435 01408. 88/06/22. Docketing & Services Branch. 1p 45895 188-45905 188.

8807050149 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & irradiated low power operations  
\* Affiliation Not Assigned 53FA16435 01410 88/08/22 Docketing & Servus  
Brahmton Ip. 45035 169-45955:189

8607050150 Comment supporting proposed rule 10CFR50 to emergency planning & preparedness requirements for nuclear power plant hot loading & initial low power operations  
HILL J.W. Affiliation Not Assigned 53FR16436 01400. 88/06/22. Docking & Services Branch. Ip. 45905.180-45905:100

8807050151 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Believes will must be allowed to proceed w/out power testing.  
PATTERSON, D J. Attention Not Assigned. 53FR18435 00973. 08/06/22 Docketing & Services Branch, 1. 45095 191-45995.191

8807050155 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FREYR Affiliation Not Assigned. 53FR16435 01182. 08/06/22. Docketing & Serv.ces Branch. tp. 460CD.166-480CD.166.

8907050166 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
O'NEILL, S. Attribution Not Assigned. 53FR10435 01329 89/08/21. Dockelling & Services Branch. 1p 45095 192-45993 192.

807050158 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations

ENGERR,B. Affiliation Not Assigned. 53FR16435 01410 80/06/23. NRC - No Du. tailed Affiliation Given. 1p 45995-193-45995.193.

8807050169 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KELLEHER, A.B. Affiliation Not Assigned 53FR16435 01420. 88/06/22. Docking & Services Branch. 2pp. 45995:194-45995:195.

8807050180 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROBERTSON,V.S. Affiliation Not Assigned 53FR16435 01330 88/06/22. Docketing & Services Branch 1p 45995:198-45036:186.

8807050163 *Comments supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.*  
BICKNELL, L. I. Affiliation Not Assigned. 53FR16435 01411 88/06/22. Docketing & Services Branch. 10 45895 197-45895-187.







8807050279 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Encourages Comments on to expeditiously rule in favor of proposed rule DECOTEA, E.J. Affiliation Not Assigned. 53FR16435 00399. 88/06/22. Docketing & Services Branch. 1p. 45992.083-45992.083

8807050288 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations WISELL, T.A. Affiliation Not Assigned. 53FR16435 01428. 88/06/21. Docketing & Services Branch. 1p. 45992.084-45992.084

8807050290 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations MARRES, K.F. Affiliation Not Assigned. 53FR16435 01429. 88/06/21. Docketing & Services Branch. 1p. 45992.085-45992.085

8807050295 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations MATICK, M.L. Affiliation Not Assigned. 53FR16435 01351. 88/06/22. Docketing & Services Branch. 1p. 45995.068-45995.068

8807050298 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations EATON, L. Affiliation Not Assigned. 53FR16435 01352. 88/06/22. Docketing & Services Branch. 1p. 45995.069-45995.069

8807050300 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations KUSELY, H.E. Affiliation Not Assigned. 53FR16435 01353. 88/06/23. Docketing & Services Branch. 1p. 45995.070-45995.070

8807050302 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations TAYLOR, M.M. Affiliation Not Assigned. 53FR16435 01354. 88/06/22. Docketing & Services Branch. 1p. 45995.071-45995.071

8807050305 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations ROWELL, D.T. Affiliation Not Assigned. 53FR16435 01498. 88/06/22. Docketing & Services Branch. 1p. 45992.086-45992.086

8807050308 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations COVILL, D.L. Affiliation Not Assigned. 53FR16435 01497. 88/06/22. Docketing & Services Branch. 1p. 45992.087-45992.087

8807050311 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations DAVID, M.R. Affiliation Not Assigned. 53FR16435 01496. 88/06/23. Docketing & Services Branch. 1p. 45992.088-45992.088

8807050314 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. \* Affiliation Not Assigned. 53FR16435 01495. 88/06/23. Docketing & Services Branch. 1p. 45992.089-45992.089

8807050315 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations ANDERSON, R.F. Affiliation Not Assigned. 53FR16435 01355. 88/06/22. Docketing & Services Branch. 1p. 45995.072-45995.072

8807050318 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations DEVLAMINCK, T. Coalition for Reliable Energy. 53FR16435 01518. 88/06/22. Docketing & Services Branch. 1p. 45995.085-45995.085

8807050319 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. EPSON, P.B. Affiliation Not Assigned. 53FR16435 01494. 88/06/21. Docketing & Services Branch. 1p. 45995.068-45995.068

8807050320 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. UPSON, L. Affiliation Not Assigned. 53FR16435 01358. 88/06/17. Docketing & Services Branch. 1p. 45995.073-45995.073

8807050321 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. WELLS, J.J. Affiliation Not Assigned. 53FR16435 01357. 88/06/23. Docketing & Services Branch. 1p. 45995.074-45995.074

8807050323 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. GAYNE, J.R. Affiliation Not Assigned. 53FR16435 01358. 88/06/22. Docketing & Services Branch. 1p. 45995.075-45995.075

8807050328 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. GERMAINE, D.F. Affiliation Not Assigned. 53FR16435 01359. 88/06/23. Docketing & Services Branch. 1p. 45995.076-45995.076

8807050328 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PALAZZO, P.L. Affiliation Not Assigned. 53FR16435 01360. 88/06/22. Docketing & Services Branch. 1p. 45995.103-45995.103

8807050331 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. WAFAKOMSKI, C.E. Affiliation Not Assigned. 53FR16435 01361. 88/06/22. Docketing & Services Branch. 1p. 45995.104-45995.104

8807050337 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. SIENKIEWICZ, F. Affiliation Not Assigned. 53FR16435 01362. 88/06/22. Docketing & Services Branch. 1p. 45995.105-45995.105

8807050339 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. NAY, J.F. Affiliation Not Assigned. 53FR16435 01363. 88/06/22. Docketing & Services Branch. 1p. 45995.106-45995.106

8807050343 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CURRY, D.E. Affiliation Not Assigned. 53FR16435 01364. 88/06/22. Docketing & Services Branch. 1p. 45995.135-45995.135

8807050346 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. ROBERTS, C.W. Affiliation Not Assigned. 53FR16435 01365. 88/06/22. Docketing & Services Branch. 1p. 45995.138-45995.138

8807050348 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. LETOURNEAU, L.J. Affiliation Not Assigned. 53FR16435 01366. 88/06/21. Docketing & Services Branch. 1p. 45995.137-45995.137

8807050353 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. ST PIERRE, G. Affiliation Not Assigned. 53FR16435 01367. 88/06/23. Docketing & Services Branch. 1p. 45995.138-45995.138

8807050356 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DIPROFIO, W.A. Affiliation Not Assigned. 53FR16435 01368. 88/06/22. Docketing & Services Branch. 1p. 45995.139-45995.139

8807050360 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BOUSQUIN, K. Affiliation Not Assigned. 53FR16435 01369. 88/06/22. Docketing & Services Branch. 1p. 45995.140-45995.140

8807050368 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MCNAMARA, W.E. Affiliation Not Assigned. 53FR16435 01370. 88/06/22. Docketing & Services Branch. 1p. 45995.141-45995.141

8807050372 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. LIPMAN, M. Affiliation Not Assigned. 53FR16435 01371. 88/06/22. Docketing & Services Branch. 1p. 45995.142-45995.142

8807050376 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HAM, S.R. Affiliation Not Assigned. 53FR16435 01372. 88/06/22. Docketing & Services Branch. 1p. 45995.143-45995.143

8807050379 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PROVENCHER, C. Affiliation Not Assigned. 53FR16435 01373. 88/06/22. Docketing & Services Branch. 1p. 45995.144-45995.144

8807050383 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. GURNEY, P.V. Affiliation Not Assigned. 53FR16435 01374. 88/06/22. Docketing & Services Branch. 1p. 45995.173-45995.173

8807050388 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. \* Affiliation Not Assigned. 53FR16435 01375. 88/06/22. Docketing & Services Branch. 1p. 45992.145-45992.145

8807050393 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DE COSTA, E.J. Affiliation Not Assigned. 53FR16435 01376. 88/06/22. Docketing & Services Branch. 1p. 45992.188-45992.188

8807050397 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DESORBO, J. Affiliation Not Assigned. 53FR16435 00832. 88/06/06. CHLKSJ Office of the Secretary of the Commission. 1p. 45995.087-45995.087

8807050484 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HOSPICOR J Affiliation Not Assigned 53FR16435 01389 88/06/22. Cockrell & Associates Branch 10.459.999.274.459.93.274

8807050488 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

8807050472 Common support proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 CIANCIO Affiliation No: Assigned, 53FR16435 01208, 88/06/23, Office of the Secretary of the Commission, 200, 45993 360, 45999 361

8807080474 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & in: at low power operation: ons  
ALLAN.D. Affidavit Not Assigned 53FR16435 01391. 88/06/22. Dockering & Services Branch. In: 45009.276 45009.276

8007050483 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FALMAN, P. Attention Not Assigned 53FR16435 01392, 80/06/22 Docketing & Serv.ices Branch, P.O. 45089 272.45089 272.

0607050487 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SHEPARD, H. Affiliation Not Assigned. 53CFR16435 01209 28/06/22. Docketing & Services Branch. In: 45000001.45000001

6807050489 Comment supporting proposed rule 10CFR50 to emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FRINK, JMS Affiliation Not Assigned 53FR16435 01393 88/06/22 Docketing & Serv. Branch to 45949-274 45000 2/0

8807050493 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
 MOD:ETCN,W,T Affiliation Not Assigned, 53FA16435 01394, 08/08/21, NRC - No  
 Detailed Action Group, 2021, 45993, 283, 45999, 183

6807050498 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DULLEAP, ANITA; Not Assigned 358F18-135 01210. 88/08/22 Ducketing & Soules, Branch, Inc. 45900.750.45000.750

8007050499 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FRA16435 01395 00/08/22. Dockeling & Services Branch. 10 45000 20214500 2021

8807050502 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & not low power operation  
HARVEY, P.J. All others Not Assigned 53FR16435 01211. 88/06/22. Duckett & Source Branch, to 48000041, 45000041

8807050504 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01390. 88/06/23 Docking & Serv.cus Branch, 1.6800.282.16800.203

8807050508 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01397, 88/06/22, Docking & Services Branch, tel. 45099-104, 45099-204.

8807050509 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ASHS Affiliation Not Assigned 53FR18436 01212. 88/06/22. Docketing & Services Branch. 146000142,48001012

8807050512 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WATSON, C.A. Affirmation Not Assigned 53FR16435 01398. 88/06/22. Docketing & Service Branch. to: 45904-319, 45900-319

8807050514 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BURSON, J.E. Affiliation Not Assigned 53FR10435 01213. 88/06/22. Docketing & Services Branch, to: 40000147-46000043

8607050515 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MAKOWICZ, J. L. Affiliation Not Assigned. 53FR16435 01309. 88/06/22. Docketing & Services Branch. Tel. 45089 720-45099 320.

8807050519 Comment supporting proposed rule 10CFR50 re emergency p'arring & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STRICKLAND, R.G. Affiliation Not Assigned. 53FR16435 01214. 88/06/23. Docketing & Sources Branch. 10. 45000.640.45000.1440

preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILSON, K. Affiliation Not Assigned 53FR16435 01215 88/06/23 Docketing & Services Branch 1p 46009 227-46009 227.

8807050539 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DUSVAGRE, J. Affiliation Not Assigned 53FR16435 01217 88/08/22 Docketing & Services Branch 1p 46000 039-46000 039.

8807050547 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BASS, S. Affiliation Not Assigned 53FR16435 01218 88/09/23 Docketing & Services Branch 1p 46000 039-46000 038

8807060104 NUREG-1221 SUMMARY, ANALYSIS AND RESPONSE TO PUBLIC COMMENTS ON PROPOSED AMENDMENTS TO 10 CFR PARTS 30.40, 50.51, 70 AND 72 DECOMMISSIONING CRITERIA FOR NUCLEAR FACILITIES  
\* Division of Engineering (Post 870413) 89/06/30 739pp 46000 182-46002 187.

8807060508 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HATFIELD, K. Affiliation Not Assigned 53FR16435 01221 89/06/22 Docketing & Services Branch 1p 46010 237-46010 237

8807060531 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KEIZER, R. Affiliation Not Assigned 53FR16435 01222 89/06/23 Docketing & Services Branch 1p 46010 238-46010 239

8807060535 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CARLINO, D.W. Affiliation Not Assigned 53FR16435 01223 88/06/22 Docketing & Services Branch 1p 46010 239-46010 239

8807060541 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CURTIS, C.C. Affiliation Not Assigned 53FR16435 01224 88/06/22 Docketing & Services Branch 1p 46010 240-46010 240

8807060546 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01225 88/06/22 NRC - No Detailed Affiliation Given 1p 46010 241-46010 241.

8807060550 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SCHREIFF, D.A. Affiliation Not Assigned 53FR16435 01226 88/06/25 Docketing & Services Branch 1p 46010 242-46010 242

8807060556 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01227 88/06/23 Docketing & Services Branch 1p 46010 234-46010 234

8807060561 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01228 89/06/20 Docketing & Services Branch 2pp 46010 235-46010 236.

8807060570 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JOUBERT, B.K. Affiliation Not Assigned 53FR16435 01229 88/06/22 Docketing & Services Branch 1p 46010 233-46010 233.

8807060578 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DECOMAN, R.K. Affiliation Not Assigned 53FR16435 01230 88/06/22 NRC - No Detailed Affiliation Given 1p 46010 232-46010 232

8807060584 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
NELSON, P.C. Affiliation Not Assigned 53FR16435 01231 88/06/23 NRC - No Detailed Affiliation Given 1p 46010 231-46010 231.

8807060587 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LEVESQUE, N.T., LEVESQUE, C.R. Affiliation Not Assigned 53FR16435 01232 88/06/23 Docketing & Services Branch 1p 46010 230-46010 230.

8807060590 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KELSEY, B. Affiliation Not Assigned 53FR16435 01233 88/06/22 Docketing & Services Branch 1p 46010 229-46010 229

8807060593 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned 53FR16435 01234 88/06/22 NRC - No Detailed Affiliation Given 1p 46010 228-46010 228.

preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HAYDEN, R.F. Affiliation Not Assigned 53FR16435 01235 89/06/22 Docketing & Services Branch 1p 46010 227-46010 227

8807060600 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GEMREK, L. Affiliation Not Assigned 53FR16435 01236 88/06/23 NRC - No Detailed Affiliation Given 1p 46010 226-46010 226

8807060604 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SAVAGE, R.V. Affiliation Not Assigned 53FR16435 01237 88/06/23 Docketing & Services Branch 1p 46010 225-46010 225

8807060605 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TARDIFF, B. Affiliation Not Assigned 53FR16435 01238 88/06/22 Docketing & Services Branch 1p 46010 224-46010 224

8807060607 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CORTON, J.F. Affiliation Not Assigned 53FR16435 01239 88/06/23 Docketing & Services Branch 1p 46010 223-46010 223

8807060608 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BROTHERTON, R. Affiliation Not Assigned 53FR16435 01240 88/06/23 Docketing & Services Branch 1p 46010 222-46010 222

8807060610 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GLASS, D.R. Affiliation Not Assigned 53FR16435 01241 88/05/22 Docketing & Services Branch 1p 46010 221-46010 221

8807060612 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LAMBERT, D.C. Affiliation Not Assigned 53FR16435 01242 88/05/22 Docketing & Services Branch 2pp 46010 219-46010 220

8807060616 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
VARCHI, J.L. Affiliation Not Assigned 53FR16435 01243 88/06/22 Docketing & Services Branch 1p 46010 218-46010 218

8807060617 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WIEBOLD, T.L. Affiliation Not Assigned 53FR16435 01244 88/06/23 Docketing & Services Branch 1p 46010 217-46010 217.

8807070001 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LOGUE, R. Affiliation Not Assigned 53FR16435 01276 88/06/22 NRC - No Detailed Affiliation Given 1p 46010 327-46010 327

8807070002 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WENTWORTH, R. Affiliation Not Assigned 53FR16435 01277 88/06/21 NRC - No Detailed Affiliation Given 1p 46010 325-46010 325

8807070003 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CAMPBELL, M. Affiliation Not Assigned 53FR16435 01278 88/06/21 Docketing & Services Branch 1p 46010 324-46010 324.

8807070004 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CLARK, B.F. Affiliation Not Assigned 53FR16435 01279 88/06/23 Docketing & Services Branch 1p 46010 323-46010 323

8807070005 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FLAHARDY, C. Affiliation Not Assigned 53FR16435 01280 88/06/23 Docketing & Services Branch 1p 46010 322-46010 322

8807070006 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STERRITT, R.C. Affiliation Not Assigned 53FR16435 01281 88/06/22 Docketing & Services Branch 1p 46010 321-46010 321.

8807070007 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
TILTON, D.R. Affiliation Not Assigned 53FR16435 01282 88/06/22 Docketing & Services Branch 1p 46010 320-46010 320

8807070014 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FLAHARDY, D. Affiliation Not Assigned 53FR16435 01282 88/06/23 Docketing & Services Branch 1p 46010 319-46010 319.



**8807070021** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WARNOCK, J. Affiliation Not Assigned. 53FR16435 01245. 88/06/22. NRC - No Detailed Affiliation Given. 3pp. 46010:287-46010:289.

**8807070023** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CASH, W. Affiliation Not Assigned. 53FR16435 01203. 89/06/22. Docketing & Services Branch. 1p. 46010:318-46010:318.

**8807070026** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DONALD, R. Affiliation Not Assigned. 53FR16435 01246. 88/08/23. Docketing & Services Branch. 1p. 46010:280-46010:290.

**8807070027** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SHER, R. A. Affiliation Not Assigned. 53FR16435 01284. 88/06/21. CHILK, S. J. Office of the Secretary of the Commission. 1p. 46010:317-46010:317.

**8807070031** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TIERNEY, P. A. Affiliation Not Assigned. 53FR16435 01285. 88/08/21. Docketing & Services Branch. 1p. 46010:316-46010:316.

**8807070032** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COKTAM, M. Affiliation Not Assigned. 53FR16435 01247. 88/08/22. Docketing & Services Branch. 1p. 46010:291-46010:291.

**8807070033** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KOCIMAN, D. J. Affiliation Not Assigned. 53FR16435 01206. 88/06/22. Docketing & Services Branch. 1p. 46010:315-46010:315.

**8807070036** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WHITE, R. Affiliation Not Assigned. 53FR16435 01287. 88/06/22. Docketing & Services Branch. 1p. 46010:314-46010:314.

**8807070037** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HOUCEK, F. Affiliation Not Assigned. 53FR16435 01248. 89/06/22. Office of the Secretary of the Commission. 1p. 46010:292-46010:292.

**8807070043** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SMITH, J. Affiliation Not Assigned. 53FR16435 01208. 88/06/22. Docketing & Services Branch. 1p. 46010:313-46010:313.

**8807070052** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ARSENAULT-PETIT, Affiliation Not Assigned. 53FR16435 01248. 88/08/22. Docketing & Services Branch. 1p. 46010:293-46010:293.

**8807070061** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCMICKLE, R. H. Affiliation Not Assigned. 53FR16435 01288. 88/08/22. Docketing & Services Branch. 2pp. 46010:311-46010:312.

**8807070062** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
LENTZ, E. S. Affiliation Not Assigned. 53FR16435 01250. 88/06/23. Docketing & Services Branch. 1p. 46010:294-46010:294.

**8807070065** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SMYKOS, S. C. Affiliation Not Assigned. 53FR16435 01280. 88/08/23. Docketing & Services Branch. 1p. 46010:310-46010:310.

**8807070068** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCCABE, P. D. Affiliation Not Assigned. 53FR16435 01281. 88/06/23. Docketing & Services Branch. 1p. 46010:309-46010:309.

**8807070079** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SEITZ, K. W. Affiliation Not Assigned. 53FR16435 01430. 88/08/22. Docketing & Services Branch. 1p. 46011:181-46011:181.

**8807070082** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HICKICI, R. E. Affiliation Not Assigned. 53FR16435 01210. 88/06/23. Docketing & Services Branch. 1p. 46010:308-46010:308.

**8807070084** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
O'SULLIVAN, C. Affiliation Not Assigned. 53FR16435 01431. 88/08/22. Docketing & Services Branch. 1p. 46011:182-46011:182.

**8807070085** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HENDRIX, S. Affiliation Not Assigned. 53FR16435 01220. 88/06/22. Docketing & Services Branch. 1p. 46010:307-46010:307.

**8807070086** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TROBAUGH, T. W. Affiliation Not Assigned. 53FR16435 01432. 88/08/22. Docketing & Services Branch. 1p. 46011:183-46011:183.

**8807070080** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GOULD, G. W. Affiliation Not Assigned. 53FR16435 01282. 89/06/21. Docketing & Services Branch. 1p. 46010:306-46010:306.

**8807070092** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KANN, G. A. Affiliation Not Assigned. 53FR16435 01433. 88/05/22. Docketing & Services Branch. 1p. 46011:184-46011:184.

**8807070094** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WAECHTER, T. M. Affiliation Not Assigned. 53FR16435 01434. 88/06/22. Docketing & Services Branch. 1p. 46011:185-46011:185.

**8807070097** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCCARTHY, M. P. Affiliation Not Assigned. 53FR16435 01293. 88/06/23. Docketing & Services Branch. 1p. 46010:305-46010:305.

**8807070098** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WIDGER, J. Affiliation Not Assigned. 53FR16435 01435. 88/06/22. Docketing & Services Branch. 1p. 46011:187-46011:187.

**8807070104** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SAVASTAS, S. S. Affiliation Not Assigned. 53FR16435 01294. 88/08/23. Docketing & Services Branch. 1p. 46010:304-46010:304.

**8807070105** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DEKONG, Haverhill, MA. 53FR16435 01436. 88/06/21. CHILK, S. J. Office of the Secretary of the Commission. 1p. 46011:186-46011:186.

**8807070107** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WRIGHT, R. V. Affiliation Not Assigned. 53FR16435 01295. 88/08/23. Docketing & Services Branch. 1p. 46010:303-46010:303.

**8807070112** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GARSKI, J. P. Affiliation Not Assigned. 53FR16435 01200. 88/06/23. Docketing & Services Branch. 1p. 46010:302-46010:302.

**8807070113** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
Commonwealth of Massachusetts Atty General JM Shannon encl. 53FR16435 01437. 89/08/22. Docketing & Services Branch. 14pp. 46011:188-46011:201.

**8807070115** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01297. 88/06/23. Docketing & Services Branch. 1p. 46010:301-46010:301.

**8807070118** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PELOSI, T. A. Haverhill, MA. 53FR16435 01438. 88/06/21. CHILK, S. J. Office of the Secretary of the Commission. 2pp. 46011:202-46011:203.

**8807070122** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PRANTIS, J. P. Affiliation Not Assigned. 53FR16435 01208. 88/06/23. Docketing & Services Branch. 1p. 46010:300-46010:300.

**8807070124** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FANNING, R. K. Affiliation Not Assigned. 53FR16435 01299. 88/06/23. Docketing & Services Branch. 1p. 46010:289-46010:289.

**8807070126** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MOUGHAN, T. F. Citizens Within the Ten Mile Radius. 53FR16435 01439. 88/06/24. CHILK, S. J. Office of the Secretary of the Commission. 3pp. 46011:204-46011:206.

**8807070130** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DAM, S. Affiliation Not Assigned. 53FR16435 01251. 88/06/22. Docketing & Services Branch. 1p. 46010:295-46010:295.



8807070184 Comment supporting proposed rule 10C1-H50 re emergency plan for  
preparadness requirements for nuclear power plant fuel loading & initial low power  
operations  
PLAZESKI, P Affiliation Not Assigned 53FR16435 01455 88/06/22 Document  
Services Branch. p. 46011-C95-46011-095

8807070188 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROGERS, D.P. Affiliation Not Assigned 53FR16435 01255 88/06/22 Docketing & Services Branch 1# 46017-300-46017-390

8807070187 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PIETAK, L.S. Affiliation Not Assigned. 53FR16435 01456 88/05/22. DocType: Regular Service Branch to 46011-096-46011-090

8807070193 Comment supporting proposed rule 10CFR150 re emergency planning and preparedness requirements for nuclear power plant fuel loading and initial low power operations  
\* Affiliation: Not Assigned. 53FR16435 01457. 88/08/22 Docking & Services Branch, 10 48011-097-46011-097

8807070195 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MCNICOLAS, W K Affiliation Not Assigned: 53FR16435 01459 88/05/20 Decreeing & Services Branch. to: 48011 098-46011 098

8807070198 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & normal power operations.

8807070199 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

8807070201 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operation.

8807070204 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LOVETT, P. Affiliation Not Assigned. 53FR16435 01257. 88/06/22. Docketing & Ser

8807020209 Comment supporting proposal rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
THOMAS,S.L. Affiliation Not Assigned 53FR16435 01258, 88/06/22. DocId:32111111

8807070214 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel load reg & initial low power operations.

8807070228 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel load mg & initial low power operations.

8807070236 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. PROH. A. Affidavit Not Assigned. 535R18125 01502 03/05/91. CHALKS, L. Office

8807070239 Comment supporting proposed rule 10CFR150 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

**8807070241** Comment opposing proposed rule 10CFR60 re emergency planning & preparation requirements for nuclear power plant fuel loading & initial low power operations  
LAWRENCE L. MITCHELL, New York, NY, 10007-9001, 212-693-6000 x2100, FAX 212-693-6000 x2100

8507070242 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

BASHLINE, K.G. Affiliation Not Assigned. 53FR16435 01595. 88/06/06. CHI:KJ  
Office of the Secretary of the Commission. 1p. 48017:307-48017:307.

8807070251 Comment supporting proposed rule 10CFR50 re emergency planning and preparedness requirements for nuclear power plant fuel loading & initial low power operations

CASSIDY, T.C. Affiliation Not Assigned. 63FR16435 01263. 88/06/22. Office of the Secretary of the Commission. 1p. 46018.077-46018.077.

**8807070254** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FRIGES, A. Affiliation Not Assigned. 53FR16435 01596. 88/06/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.308-46017.308

**8807070255** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
EAVITT, M.C. Affiliation Not Assigned. 53FR16435 01475. 88/06/21. Docketing & Services Branch. 1p. 46024.356-46024.356

**8807070256** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FERRY, A.J. Affiliation Not Assigned. 53FR16435 01264. 88/06/22. Docketing & Services Branch. 1p. 46018.079-46018.079

**8807070258** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KIMBALL, H.S. Affiliation Not Assigned. 53FR16435 01597. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.300-46017.309.

**8807070260** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BHAMBHALLA, M.A. Affiliation Not Assigned. 53FR16435 01476. 88/06/23. Docketing & Services Branch. 1p. 46018.080-46018.080

**8807070261** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WOLFE, R.W., HOONEY, G.F. Affiliation Not Assigned. 53FR16435 01598. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.310-46017.310

**8807070262** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CAPRAN, B., CAPRAN, J. Affiliation Not Assigned. 53FR16435 01509. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.311-46017.311

**8807070267** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BEASLEY, B. Affiliation Not Assigned. 53FR16435 01477. 88/06/23. NRC - No Detailed Affiliation Given. 1p. 46024.355-46024.355

**8807070269** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SEMPER, W. Affiliation Not Assigned. 53FR16435 01478. 88/06/23. NRC - No Detailed Affiliation Given. 1p. 46018.081-46018.081

**8807070270** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
STUCHINSKI, V.L. Three Mile Island Alert. 53FR16435 01600. 88/06/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.312-46017.313

**8807070273** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KING, P. Affiliation Not Assigned. 53FR16435 01601. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.314-46017.314.

**8807070274** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ZORIN, M.O. Affiliation Not Assigned. 53FR16435 01470. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46018.082-46018.082

**8807070276** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GREEN, D.C. Affiliation Not Assigned. 53FR16435 01602. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.315-46017.315

**8807070278** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CAUCHON, L. Affiliation Not Assigned. 53FR16435 01480. 88/06/22. Docketing & Services Branch. 1p. 46018.083-46018.083.

**8807070280** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COCO, R.A. Affiliation Not Assigned. 53FR16435 01603. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.316-46017.316

**8807070281** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KADY, P. Affiliation Not Assigned. 53FR16435 01481. 88/06/22. Docketing & Services Branch. 1p. 46024.354-46024.354.

**8807070283** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCARTHUR, M., CALLAGHER, V.C. Affiliation Not Assigned. 53FR16435 01604. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.317-46017.317

**8807070285** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ZYWIEN, S.B. Affiliation Not Assigned. 53FR16435 01482. 88/06/20. Docketing & Services Branch. 1p. 46017.336-46017.336

**8807070287** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DEMYN, E.N.W. Affiliation Not Assigned. 53FR16435 01605. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.319-46017.319

**8807070289** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
DAVIS, D.R. Affiliation Not Assigned. 53FR16435 01483. 88/06/22. Docketing & Services Branch. 1p. 46017.337-46017.337.

**8807070293** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GANGBI, B. Affiliation Not Assigned. 53FR16435 01605. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.319-46017.319.

**8807070295** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TINEL, P.L. Affiliation Not Assigned. 53FR16435 01484. 88/06/22. Docketing & Services Branch. 1p. 46017.338-46017.338.

**8807070298** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PORTER, J.J. Affiliation Not Assigned. 53FR16435 01485. 88/06/22. Docketing & Services Branch. 1p. 46017.339-46017.339

**8807070299** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HYLAND, G. Affiliation Not Assigned. 53FR16435 01461. 88/06/21. NRC - No Detailed Affiliation Given. 1p. 46010.357-46010.357

**8807070301** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MURPHY, M.C. Affiliation Not Assigned. 53FR16435 01486. 88/06/22. Docketing & Services Branch. 1p. 46017.340-46017.340

**8807070303** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCGINNIS, R.J. Affiliation Not Assigned. 53FR16435 01462. 88/06/21. NRC - No Detailed Affiliation Given. 2pp. 46010.359-46010.359.

**8807070304** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
OUELLETTE, R.F. Affiliation Not Assigned. 53FR16435 01487. 88/06/22. Docketing & Services Branch. 1p. 46017.343-46017.343.

**8807070305** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CLEMENCE, J.B. Affiliation Not Assigned. 53FR16435 01483. 88/06/23. Docketing & Services Branch. 1p. 46010.360-46010.360

**8807070306** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ROUX, D.P. Affiliation Not Assigned. 53FR16435 01480. 88/06/22. Docketing & Services Branch. 1p. 46017.341-46017.341

**8807070307** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01464. 88/06/23. Docketing & Services Branch. 1p. 46011.076-46011.076

**8807070308** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HYDERFRAT, S. Affiliation Not Assigned. 53FR16435 01607. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.320-46017.320.

**8807070309** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GAGNAR, R. Affiliation Not Assigned. 53FR16435 01465. 88/06/22. Docketing & Services Branch. 1p. 46011.077-46011.077.

**8807070313** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JASINSKI, G.L. Affiliation Not Assigned. 53FR16435 01489. 88/06/23. NRC - No Detailed Affiliation Given. 1p. 46017.342-46017.342.

**8807070315** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PINSACE, R.P. Affiliation Not Assigned. 53FR16435 01466. 88/06/23. Docketing & Services Branch. 1p. 46011.078-46011.078

**8807070316** Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MORRIS, L.A. Affiliation Not Assigned. 53FR16435 01600. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.321-46017.321.

**8807070318** Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MCKEE, J.P. Affiliation Not Assigned. 53FR16435 01265. 88/06/23. Docketing & Services Branch. 1p. 46018.084-46018.084.

8807070319 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WADLEIGH, D. Affiliation Not Assigned. 53FR16435 01490. 88/06/22. Docketing & Services Branch. 2pp. 46017.344-46017.345

8807070321 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WALLACE, D.G. Affiliation Not Assigned. 53FR16435 01467. 88/06/23. Docketing & Services Branch. 1p. 46011.079-46011.079

8807070324 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MARSHALL, F.R. Affiliation Not Assigned. 53FR16435 01603. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46017.322-46017.322

8807070325 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01468. 88/06/23. Docketing & Services Branch. 1p. 46011.080-46011.080

8807070326 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01266. 88/06/23. Docketing & Services Branch. 1p. 46024.353-46024.353

8807070327 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FROLOV, T.R. Affiliation Not Assigned. 53FR16435 01491. 88/06/22. Docketing & Services Branch. 1p. 46017.346-46017.346

8807070328 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CARON, D.A. Affiliation Not Assigned. 53FR16435 01469. 88/06/22. Docketing & Services Branch. 1p. 46011.081-46011.081.

8807070329 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILLIS, P.W. Affiliation Not Assigned. 53FR16435 01610. 88/06/24. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 46017.323-46017.325.

8807070331 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WHITCOMB, C. Affiliation Not Assigned. 53FR16435 01492. 88/06/22. NRC - No Deleted Affiliation Given. 1p. 46017.347-46017.347

8807070332 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01267. 88/06/20. Docketing & Services Branch. 1p. 46018.096-46018.096

8807070333 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PITTS, H.J. Affiliation Not Assigned. 53FR16435 01470. 88/06/22. Docketing & Services Branch. 1p. 46011.082-46011.082

8807070335 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MARKEY, E.J. House of Rep. 53FR16435 01611. 88/06/20. ZECH, L.W. Commissioners. 2pp. 46017.326-46017.327.

8807070336 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BUCHWALD, S.P. Affiliation Not Assigned. 53FR16435 01493. 88/06/22. Docketing & Services Branch. 1p. 46017.348-46017.348.

8807070337 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KOLONOSKI, L.E. Affiliation Not Assigned. 53FR16435 01268. 88/06/22. Docketing & Services Branch. 1p. 46018.094-46018.084.

8807070338 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STANLEY, J.A. Affiliation Not Assigned. 53FR16435 01471. 88/06/23. Docketing & Services Branch. 1p. 46011.083-46011.083.

8807070342 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JONES, R.E. Affiliation Not Assigned. 53FR16435 01513. 88/06/22. Docketing & Services Branch. 1p. 46017.328-46017.328

8807070343 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SCHREIER, R.M. Affiliation Not Assigned. 53FR16435 01472. 88/06/22. NRC - No Deleted Affiliation Given. 1p. 46011.084-46011.084.

8807070344 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DODGE, S.L. Affiliation Not Assigned. 53FR16435 01269. 88/06/22. Docketing & Services Branch. 1p. 46018.093-46018.093.

8807070346 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CONNOLLY, R. Affiliation Not Assigned. 53FR16435 01514. 88/06/22. NRC - No Deleted Affiliation Given. 1p. 46017.329-46017.329

8807070348 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
STORY, J. Affiliation Not Assigned. 53FR16435 01270. 88/06/23. Docketing & Services Branch. 1p. 46018.089-46018.089

8807070349 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MAILHOT, T. Affiliation Not Assigned. 53FR16435 01515. 88/06/22. Docketing & Services Branch. 2pp. 46017.330-46017.331

8807070352 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LIZOTTE, R.G. Affiliation Not Assigned. 53FR16435 01516. 88/06/22. Docketing & Services Branch. 1p. 46017.332-46017.332

8807070354 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CORMIER, M.C. Affiliation Not Assigned. 53FR16435 01517. 88/06/22. Docketing & Services Branch. 1p. 46017.333-46017.333

8807070355 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JULIAN, R.C. Affiliation Not Assigned. 53FR16435 01473. 88/06/22. Docketing & Services Branch. 2pp. 46011.085-46011.086

8807070357 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RAFALOWSKI, J.J. Affiliation Not Assigned. 53FR16435 01271. 88/06/22. Docketing & Services Branch. 1p. 46018.085-46018.085

8807070358 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RICHARDS, B.M. Affiliation Not Assigned. 53FR16435 01553. 88/06/21. Docketing & Services Branch. 1p. 46017.334-46017.334

8807070380 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
RICO, J.P. Nuclear Information & Resource Service. 53FR16435 01578. 88/06/23. CHILK, S.J. Office of the Secretary of the Commission. 14pp. 46018.071-46018.074

8807070381 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
METEALF, E.T. Affiliation Not Assigned. 53FR16435 01554. 88/06/22. Docketing & Services Branch. 1p. 46018.086-46018.086

8807070383 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GIACOMO, R. Affiliation Not Assigned. 53FR16435 01555. 88/06/22. Docketing & Services Branch. 1p. 46018.087-46018.087

8807070386 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
CLEMENT, B. Affiliation Not Assigned. 53FR16435 01556. 88/06/21. Docketing & Services Branch. 1p. 46018.088-46018.088

8807070388 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LUSSIER, R. Affiliation Not Assigned. 53FR16435 01557. 88/06/22. Docketing & Services Branch. 1p. 46018.090-46018.090

8807070371 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PORT, R.B. Affiliation Not Assigned. 53FR16435 01558. 88/06/23. Docketing & Services Branch. 1p. 46018.091-46018.091

8807070373 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SOVETSKY, E.J. Affiliation Not Assigned. 53FR16435 01559. 88/06/22. Docketing & Services Branch. 1p. 46018.092-46018.092

8807070377 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
\* Affiliation Not Assigned. 53FR16435 01580. 88/06/23. Docketing & Services Branch. 1p. 46017.359-46017.359.

8807070378 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KERRY, J. Senate. 53FR16435 01577. 88/06/23. ZECH, L. Commissioners. 2pp. 46024.350-46024.351.

8807070381 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GODOUBOUT, R.J. Affiliation Not Assigned. 53FR16435 01561. 88/06/22. Docketing & Services Branch. 1p. 46017.360-46017.360.

8807070382 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KEARNEY,J.J. Edison Electric Institute. 53FR16435 01580. 88/06/22. CHILK.S. Office of the Secretary of the Commission. 2pp. 46018.001-46018.002.

8807070383 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HINTON,W.D. Affiliation Not Assigned. 53FR16435 01562. 88/06/22. Docketing & Services Branch. 1p. 46018.004-46018.004.

8807070384 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
THOMAS,G.S. Public Service Co. of New Hampshire. 53FR16435 01578. 88/06/20. CHILK.S. Office of the Secretary of the Commission. 2pp. 46018.358-46018.359.

8807070385 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BUNCH,D.F. Energy, Dept. of. 53FR16435 01581. 88/06/23. CHILK.S. Office of the Secretary of the Commission. 1p. 46018.003-46018.003.

8807070387 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PASQUCCI,C.J. Affiliation Not Assigned. 53FR16435 01512. 88/06/22. Docketing & Services Branch. 1p. 46067.273-46067.273.

8807070388 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
EGELAND,C. Affiliation Not Assigned. 53FR16435 01563. 88/06/23. Office of the Secretary of the Commission. 1p. 46018.035-46018.005.

8807070390 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ULREY,R.L. Affiliation Not Assigned. 53FR16435 01519. 88/06/22. Docketing & Services Branch. 1p. 46067.274-46067.274.

8807070393 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
ANDERSON,W. Affiliation Not Assigned. 53FR16435 01520. 88/06/22. Docketing & Services Branch. 1p. 46067.275-46067.275.

8807070395 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FERSTER,A.C. CURRAN,D. Harmon & Weiss. FERSTER,A.C. Union of Concerned Scientists. 53FR16435 01502. 88/06/23. NRC - No Detailed Affiliation Given. 14pp. 46018.006-46018.010.

8807070401 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BECKLEY,B.P. Affiliation Not Assigned. 53FR16435 01631. 88/06/22. Docketing & Services Branch. 1p. 46018.097-46018.097.

8807070405 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CYR,P.R. Affiliation Not Assigned. 53FR16435 01532. 88/06/23. Docketing & Services Branch. 1p. 46018.095-46018.095.

8807070408 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PAULSEN,G.E. Affiliation Not Assigned. 53FR16435 01533. 88/06/22. Docketing & Services Branch. 2pp. 46018.098-46018.099.

8807070410 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
CONWAY,G.R. Affiliation Not Assigned. 53FR16435 01534. 88/06/23. Commissioners. 1p. 46018.125-46018.125.

8807070413 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
FROST,R.E. Affiliation Not Assigned. 53FR16435 01535. 88/06/22. Office of the Secretary of the Commission. 1p. 46018.100-46018.100.

8807070415 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WEDEGIS,R.A. Affiliation Not Assigned. 53FR16435 01521. 88/06/22. Docketing & Services Branch. 1p. 46018.020-46018.020.

8807070418 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COUTURE,T.E. Affiliation Not Assigned. 53FR16435 01522. 88/06/22. Docketing & Services Branch. 1p. 46018.035-46018.035.

8807070419 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BEGON,R. Affiliation Not Assigned. 53FR16435 01523. 88/06/22. Docketing & Services Branch. 1p. 46018.036-46018.036.

8807070424 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
KWASNIAK,J.M. Affiliation Not Assigned. 53FR16435 01272. 88/06/22. Docketing & Services Branch. 1p. 46018.101-46018.101.

8807070425 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BUNTING,A.R. Affiliation Not Assigned. 53FR16435 01524. 88/06/23. Docketing & Services Branch. 2pp. 46018.074-46018.075.

8807070428 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
POWELL,R.F. Affiliation Not Assigned. 53FR16435 01525. 88/06/22. Docketing & Services Branch. 1p. 46018.073-46018.073.

8807070429 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MUELLER,D.R. Affiliation Not Assigned. 53FR16435 01526. 88/06/22. Docketing & Services Branch. 1p. 46018.072-46018.072.

8807070432 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
JACOBSON,P.L. Affiliation Not Assigned. 53FR16435 01527. 88/06/22. Docketing & Services Branch. 1p. 46018.071-46018.071.

8807070433 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MOLLER,F. MOLLER,C. Affiliation Not Assigned. 53FR16435 01583. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46018.070-46018.070.

8807070435 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
WATTS,J.C. Affiliation Not Assigned. 53FR16435 01528. 88/06/21. Docketing & Services Branch. 1p. 46017.286-46017.286.

8807070438 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HENRY,G.R. Affiliation Not Assigned. 53FR16435 01536. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46018.102-46018.102.

8807070440 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SEYMOUR,M.E. Affiliation Not Assigned. 53FR16435 01537. 88/06/22. Docketing & Services Branch. 1p. 46018.103-46018.103.

8807070441 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MOORE,E.M. Affiliation Not Assigned. 53FR16435 01529. 88/06/22. Docketing & Services Branch. 1p. 46018.069-46018.069.

8807070444 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* Affiliation Not Assigned. 53FR16435 01530. 88/06/23. Docketing & Services Branch. 1p. 46018.088-46018.088.

8807070445 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
NORADKI,J.W. Affiliation Not Assigned. 53FR16435 01538. 88/06/22. NRC - No Detailed Affiliation Given. 1p. 46018.104-46018.104.

8807070448 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
SEYMOUR,B.R. Affiliation Not Assigned. 53FR16435 01539. 88/06/22. Office of the Secretary of the Commission. 1p. 46018.122-46018.122.

8807070451 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
\* National Association of Manufacturers. \* Commerce, Dept. of. 53FR16435 01584. 88/06/23. ZECH,L.W. NRC - No Detailed Affiliation Given. 1p. 46018.067-46018.067.

8807070454 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
COLE,R.F. Affiliation Not Assigned. 53FR16435 01540. 88/06/22. Docketing & Services Branch. 1p. 46018.116-46018.116.

8807070457 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HODGSON,A.D. Affiliation Not Assigned. 53FR16435 01585. 88/06/22. Docketing & Services Branch. 1p. 46018.066-46018.066.

8807070460 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
MAKOWICZ,M.J. Affiliation Not Assigned. 53FR16435 01541. 88/06/22. Docketing & Services Branch. 1p. 46018.109-46018.109.

8807070461 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
RODITAILER, Affiliation Not Assigned. 53FR16435 01588. 88/06/06. CHILK.S. Office of the Secretary of the Commission. 1p. 46018.037-46018.037.

8807070462 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
NICHOLS,W.W. Affiliation Not Assigned. 53FR16435 01564. 88/06/22. Docketing & Services Branch. 1p. 46018.065-46018.065.

8807070464 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KAISER, E.M. Affiliation Not Assigned 53FR16435 01587 88/05/21 CHILK, S.J. Office of the Secretary of the Commission 1p 46018 004-46018 064.

8807070465 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PRICE, K.E. Affiliation Not Assigned 53FR16435 01585 88/06/22 Docketing & Services Branch 1p 46018 063-46018 063

8807070466 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
Affiliation Not Assigned 53FR16435 01543 88/06/22 Docketing & Services Branch 1p 46018 106-46018 106

8807070468 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
TOOLE, M.F. Affiliation Not Assigned 53FR16435 01586 88/05/22 Docketing & Services Branch 1p 46018 038-46018 038.

8807070471 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SMITH, S.L. Affiliation Not Assigned 53FR16435 01567 88/08/21 Docketing & Services Branch 1p 46018 062-46018 062.

8807070473 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
REILLY, D.O. Affiliation Not Assigned 53FR16435 01589 88/05/21 CHILK, S.J. Office of the Secretary of the Commission 1p 46018 061-46018 061.

8807070478 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KERSHAW, W.V. Affiliation Not Assigned 53FR16435 01568 88/06/23 Docketing & Services Branch 1p 46018 060-46018 060

8807070478 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
VECCHIONE, T. Affiliation Not Assigned 53FR16435 01589 88/05/21 CHILK, S.J. Office of the Secretary of the Commission 1p 46018 053-46018 053

8807070479 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ROWE, T.J. Affiliation Not Assigned 53FR16435 01544 88/06/22 Docketing & Services Branch 1p 46018 107-46018 107

8807070481 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GILBERT, J.R. Affiliation Not Assigned 53FR16435 01569 88/06/21 Docketing & Services Branch 1p 46018 057-46018 057.

8807070482 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
WILLIAMS, N. Affiliation Not Assigned 53FR16435 01590 88/06/14 CHILK, S.J. Office of the Secretary of the Commission 1p 46018 059-46018 059.

8807070485 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
VIZVARY, K. Affiliation Not Assigned 53FR16435 01570 88/06/23 Docketing & Services Branch 1p 46018 058-46018 058.

8807070487 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
GRANDONI, N., GRANDONI, N. Affiliation Not Assigned 53FR16435 01591 88/06/06 CHILK, S.J. Office of the Secretary of the Commission 1p 46018 056-46018 056.

8807070488 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
HOFFMAN, C.F. Affiliation Not Assigned 53FR16435 01545 88/06/22 Docketing & Services Branch 1p 46018 108-46018 108.

8807070489 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
BENNETT, M.A. Affiliation Not Assigned 53FR16435 01571 88/06/22 Docketing & Services Branch 1p 46018 055-46018 055.

8807070490 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BROOKINGS, W.J. Affiliation Not Assigned 53FR16435 01502 88/06/06 CHILK, S.J. Office of the Secretary of the Commission 1p 46018 054-46018 054.

8807070494 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SHEPPERD, J.K. Affiliation Not Assigned 53FR16435 01546 88/06/22 Docketing & Services Branch 1p 46018 115-46018 115

8807070499 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
AUNE, J.E. Affiliation Not Assigned 53FR16435 01572 88/06/22 Docketing & Services Branch 1p 46018 110-46018 110

8807070500 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MORRALE, C. Affiliation Not Assigned 53FR16435 01548 88/06/22 Docketing & Services Branch 1p 46018 111-46018 111.

8807070502 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
PARADIS, M.G. Affiliation Not Assigned 53FR16435 01274 88/06/22 Docketing & Services Branch 1p 46018 113-46018 113

8807070503 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.  
RANO, T.L. Affiliation Not Assigned 53FR16435 01573 88/06/22 Docketing & Services Branch 1p 46018 114-46018 114.

8807070504 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BODDIE, D.J. Affiliation Not Assigned 53FR16435 01574 88/06/22 Docketing & Services Branch 2pp 46018 117-46018 118

8807070508 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FOYE, D.H. Affiliation Not Assigned 53FR16435 01549 88/06/22 Docketing & Services Branch 1p 46018 119-46018 119.

8807070508 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HANIFFY, F. Affiliation Not Assigned 53FR16435 01275 88/06/22 Docketing & Services Branch 1p 46018 120-46018 120.

8807070510 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LIEDES, R.H. Affiliation Not Assigned 53FR16435 01550 88/06/22 Docketing & Services Branch 1p 46018 121-46018 121

8807070518 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LORD, W.S. Amherst, MA 53FR16435 01576 88/06/23 CHILK, S.J. Office of the Secretary of the Commission 1p 46018 124-46018 124.

8807070528 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
JURGELON, E., JURGELON, L., JURGELON, J. Affiliation Not Assigned 53FR16435 01551 88/06/23 Docketing & Services Branch 1p 46018 123-46018 123.

8807070540 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LAFAMME, N.H. Affiliation Not Assigned 53FR16435 01552 88/06/22 Docketing & Services Branch 1p 46018 126-46018 126.

8807080063 Notice of availability & request for public comment on a draft technical position on alternate concentration limits  
PETTINGILL, H.J. Technical Branch 88/06/23 4pp 46148 001-46148 052

-8807080066 Draft "Technical Position on Alternate Concentration Limits for U.M.S.S.J. Format & Content Guide & SRP for Alternate Concentration Limit Applications"  
Technical Branch 88/06/30 48pp 46148 005-46148 052.

8807080132 Forwards documents relevant to final rule involving access authorization fee schedule for license personnel.  
KIDD, D.G. Facilities Security & Operational Support Branch AC85-2 1 88/06/22 LANHAM, D.H. Division of Information Support Services (Post 870413) 3pp 46077 001-46077 032

-8807080146 "Access Authorization Fee Schedule for Licensee Personnel," 10CFR11 & 25 final rules Regulations amended to revise fee schedule charged for background investigations of licensee personnel requiring access to nuclear security info.  
STELLO, V. Ofc of the Executive Director for Operations AC85-2 2 88/06/01 7pp 46077 004-46077 010.

-8807080152 Forwards draft final rules 10CFR11 & 25 re revised fee schedule for signature Regulatory analysis & draft daily staff notes item also incl  
MCDONALD, W.G. Office of Administration & Resources Management, Director (Post 870413) AC85-2 3 88/05/25 STELLO, V. Ofc of the Executive Director for Operations 12pp 46077 011-46077 022.

-8807080158 Concurs in final rules 10CFR11 & 25 that revises fee schedule. Marked changes should be made before rule submitted for publication in FR.  
MEYER, D.L. Rules & Procedures Branch AC85-2 4 88/04/29 REED, C.A. Division of Security (Post 870413) 1p 46077 023-46077 023.



- 88071080166 Advises that Paperwork Reduction Act statement correct for final rules 10CFR11 & 25 re access authorization fee schedule for licensee personnel. FR notice can be released for publication & Record & Mgt Branch memo not required. SHELTON, B.J. Records & Reports Management Branch (Post 880103) AC85-2 5 88/04/26. MEYER, D.L. Rules & Procedures Branch 1p 46077 024-46077 024
- 88071080168 Approves initiation of amendments to rules 10CFR11 & 25 re revised fee schedule for publication in FR. STELLO, V. Ofc of the Executive Director for Operations AC85-2 6 88/04/25. McDONALD, W.G. Ofc of Administration & Resources Management, Director (Post 870413) 1p 46077 025-46077 025.
- 88071080176 Forwards regulatory agenda entry, results of preliminary o/c reviews of rulemaking/preliminary regulatory analysis & supportive background documents, in support of amendments to rules 10CFR11 & 25 re revised fee schedule. McDONALD, W.G. Ofc of Administration & Resources Management, Director (Post 870413), AC85-2 7 88/04/07. STELLO, V. Ofc of the Executive Director for Operations 7pp 46077 026-46077 032
- 88071080148 "Access Authorization Fee Schedule for Licensee Personnel," 10CFR11 & 25 final rules. Regulations amended to revise fee schedule. Charges for background investigations of licensee personnel requiring access to nuclear security info. STELLO, V. Ofc of the Executive Director for Operations AC85-2 2 88/06/01. 7pp 46077 004-46077 010.
- 88071080152 Forwards draft final rules 10CFR11 & 25 re revised fee schedule for signature. Regulatory analysis & draft daily staff notes item also encl. McDONALD, W.G. Ofc of Administration & Resources Management, Director (Post 870413), AC85-2 3 88/05/25. STELLO, V. Ofc of the Executive Director for Operations 12pp 46077 011-46077 022.
- 88071080158 Concurs in final rules 10CFR11 & 25 that revises fee schedule. Marked changes should be made before rule submitted for publication in FR. MEYER, D.L. Rules & Procedures Branch AC85-2 4 88/04/29 REED, C.A. Division of Security (Post 870413). 1p. 46077 023-46077 023
- 88071080166 Advises that Paperwork Reduction Act statement correct for final rules 10CFR11 & 25 re access authorization fee schedule for licensee personnel. FR notice can be released for publication & Record & Mgt Branch memo not required. SHELTON, B.J. Records & Reports Management Branch (Post 880103) AC85-2 5 88/04/26. MEYER, D.L. Rules & Procedures Branch 1p 46077 024-46077 024
- 88071080168 Approves initiation of amendments to rules 10CFR11 & 25 re revised fee schedule for publication in FR. STELLO, V. Ofc of the Executive Director for Operations. AC85-2 6 88/04/25. McDONALD, W.G. Ofc of Administration & Resources Management, Director (Post 870413). 1p. 46077 025-46077 025.
- 88071080176 Forwards regulatory agenda entry, results of preliminary o/c reviews of rulemaking/preliminary regulatory analysis & supportive background documents, in support of amendments to rules 10CFR11 & 25 re revised fee schedule. McDONALD, W.G. Ofc of Administration & Resources Management, Director (Post 870413), AC85-2 7 88/04/07. STELLO, V. Ofc of the Executive Director for Operations. 7pp 46077 026-46077 032.
- 8807110046 Comment opposing proposed rule 10CFR50 re leak-before-break technology for pipes used for cooling water. Urges that present safety std of "defensible integrity" be retained. RUNKLE, J. Conservation Council of North Carolina 53FR11311 00010 88/06/23. Docketing & Services Branch. 1p. 46147 258-46147 258.
- 8807110058 Comment opposing proposed rule 10CFR50 re leak-before-break. Proposal deemed too risky. BYE, M. Affiliation Not Assigned. 53FR11311 00311 88/07/01. Docketing & Services Branch. 1p. 46140 289-46140 289.
- 8807110085 Comment opposing proposed rule 10CFR50 re leak-before-break technology. Further use of sub technology for ECCS would reduce safety assurances & safety benefits. Experience shows that pipe welding progresses faster than expected. BRINIE, P. Maryland Nuclear Safety Coalition. 53FR11311 00013 88/07/04. Ofc of the Secretary of the Commission. 1p 46139 338-46139 338
- 8807110115 Comment opposing proposed rule 10CFR50 re leak-before-break technology for safety-related equipment. NRC reliance on leak-before-break is irrational response to very real safety problem. NRC should implement mandatory piping inspection. BEAUDOIN, R. Nuclear Information & Resource Service 53FR11311 00005 88/06/30. CHILK, S.J. Ofc of the Secretary of the Commission 8pp 46138 338-46138 348.
- 8807110130 Comment opposing proposed rule 10CFR50 re leak-before-break technology. Rule unreliable & should be discarded. Commission indifference to findings & recommendations of GAO & ACRS upsetting to public. EWING, J.S. Affiliation Not Assigned. 53FR11311 00006 88/06/27. Ofc of the Secretary of the Commission. 2pp. 46140 293-46140 294.
- 8807110139 Comment supporting proposed rule 10CFR50 re expanding leak-before-break technology. Further broadening of regulations covering design criteria would allow additional benefits as outlined in encl detailed comments. SCHERER, A. Combustion Engineering, Inc. 53FR11311 00007 88/07/05. CHILK, S.J. Ofc of the Secretary of the Commission 4pp 46140 295-46140 298
- 8807110146 Comment opposing proposed rule 10CFR50 re leak-before-break (LBB) technology. NRC should retract present use of LBB. DEERIN, W.A. Native Americans for a Clean Environment. 53FR11311 00098 88/07/01. CHILK, S.J. Ofc of the Secretary of the Commission. 1p 46140 330-46140 330.
- 8807110153 Comment opposing proposed rule 10CFR50 re leak-before-break technology. Action should be taken to reduce pipe ruptures. HIATT, S.L. Ohio Citizens for Responsible Energy 53FR11311 00009 88/06/30. NRC - No Detailed Affiliation Given 1p. 46141 116-46141 116
- 8807110159 Comment supporting proposed rule 10CFR61 requiring all greater than Class C waste to be disposed of in geologic repository. HIATT, S.L. Ohio Citizens for Responsible Energy 53FR11311 00004 88/06/30. NRC
- 8807110200 Comment opposing proposed rule 10CFR50 re leak-before-break (LBB) technology. Pipes do not always leak before breaking. NRC has accepted faulty assumptions as facts reaching conclusion that LBB eliminates need for inservice info encl. BOLEY, K. Public Citizen's Critical Mass Energy Project 53FR11311 00312 88/07/01. CHILK, S.J. Ofc of the Secretary of the Commission 4pp 46140 351-46140 354
- 8807110208 Forwards supplemental certified ndow of emergency planning rule documentation, including 870514 hearing transcript. LEBAN, P. Ofc of the General Counsel 88/02/11. JULIAN, E. Docketing & Services Branch 67pp 46101 034-46101 101
- 8807110259 Comment opposing proposed rule 10CFR159 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Changes would significantly weaken level of public protection. RICHARDSON, O.E. Employee's Lega Project 53FR16435 01575 88/06/23. NRC - No Detailed Affiliation Given 10pp 46101 121-46101 130
- 8807110275 Inform of initiation of new Mut Plant Action A-22, "Implementation of Station Blackout Rule, 10CFR50.63," to be effective on 88/07/21 Encl FR notice to be forwarded to licensee. TAM, P.S. Project Directorate I-4 88/06/23. Ofc of Nuclear Reactor Regulation, Director (Post 870411) 19pp 46110 290-46110 308
- 8807120003 Comment opposing proposed rule 10CFR50 re leak-before-break technology. No valid reason exists to assume people will successfully apply leak-before-break theory in practice. EDCLEMAN, W. Affiliation Not Assigned. 53FR11311 00034 88/07/05. NRC - No Detailed Affiliation Given 2pp. 46148 082-46148 083
- 8807120118 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. KNUTH, D.F. KVC, Inc 53FR16435 01611 88/06/23. Docketing & Services Branch 3pp 46105 034-46105 036
- 8807120125 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. DECASTOFARO, D. Affiliation Not Assigned. 53FR16435 01612 88/06/06. CHILK, S.J. Ofc of the Secretary of the Commission. 1p. 46105 097-46105 097.
- 8807120130 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. LAVERDURE, C. Affiliation Not Assigned. 53FR16435 01613 88/06/06. CHILK, S.J. Ofc of the Secretary of the Commission. 1p 46105 086-46105 088
- 8807120133 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BRITTON, W.E. Affiliation Not Assigned. 53FR16435 01614 88/06/06. CHILK, S.J. Ofc of the Secretary of the Commission. 1p 46105 089-46105 093
- 8807120137 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HILLS, D.E. Affiliation Not Assigned. 53FR16435 01615 88/06/22. CHILK, S.J. Ofc of the Secretary of the Commission. 1p 46105 100-46105 100
- 8807120149 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Existing safety requirements already critically threadbare. LODER, J.E. Affiliation Not Assigned. 53FR16435 01616 88/06/22. CHILK, S.J. Ofc of the Secretary of the Commission 4pp 46105 101-46105 105.
- 8807120158 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. HOWARD, C.E. Affiliation Not Assigned. 53FR16435 01617 88/06/06. CHILK, S.J. Ofc of the Secretary of the Commission. 1p. 46105 106-46105 106.
- 8807120159 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. GEAGHAN, D.F. Affiliation Not Assigned. 53FR16435 01618 88/06/22. Docketing & Services Branch 1p. 46105 107-46105 107.
- 8807120162 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MCDANIEL, D. Affiliation Not Assigned. 53FR16435 01619 88/06/08. CHILK, S.J. Ofc of the Secretary of the Commission. 1p. 46105 108-46105 108.
- 8807120172 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. Low power operation poses no threat to public safety. KYTE, J.R. Affiliation Not Assigned. 53FR16435 01620 88/06/21. ZECH, L.W. Commissioners 1p 46105 109-46105 109
- 8807120174 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BASTABLE, D.M. Affiliation Not Assigned. 53FR16435 01621 88/06/06. CHILK, S.J. Ofc of the Secretary of the Commission. 1p 46105 110-46105 110
- 8807120178 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BROMFIELD, R. Affiliation Not Assigned. 53FR16435 01622 88/06/06. CHILK, S.J. Ofc of the Secretary of the Commission. 1p 46105 111-46105 111.
- 8807120181 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations.

# 286 NONDOCKETED ITEMS

- 8807120187 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
EDSON, D.V. Affiliation Not Assigned. 53FR16435 01624. 88/08/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 113-46105 113.
- 8807120196 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations justification for change accurate & sound  
COLVIN, J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage. 53FR16435 01625. 88/06/23. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 46105 114-46105 115.
- 8807120204 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ELKINS, Affiliation Not Assigned. 53FR16435 01626. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 116-46105 116.
- 8807120205 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DEFANSE, L.M. Affiliation Not Assigned. 53FR16435 01627. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 117-46105 117.
- 8807120211 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SMART, R.A. Affiliation Not Assigned. 53FR16435 01628. 88/06/21. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 118-46105 118.
- 8807120214 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FREYSENGER, R.C. Affiliation Not Assigned. 53FR16435 01629. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 119-46105 119.
- 8807120215 Forwards workpapers in support of notice of proposed rulemaking scheduled for publication on 880627 in FR for 10CFR170 & 171  
HILLER, L. Office of Administration & Resources Management, Director (Post 870413). 88/06/27. SKOCZLAS, J.A. Document Control Branch (Document Control Desk). 11pp. 46120 072-46120 182.
- 8807120216 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
REILLY-SULLIVAN, Affiliation Not Assigned. 53FR16435 01630. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 120-46105 120.
- 8807120222 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DECRISTOFARO, M. Affiliation Not Assigned. 53FR16435 01631. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 121-46105 121.
- 8807120231 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
THOMAS, G.S. Affiliation Not Assigned. 53FR16435 01632. 88/06/20. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 122-46105 122.
- 8807120236 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GALLANT, D., GALLANT, N., GALLANT, C. Affiliation Not Assigned. 53FR16435 01633. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 123-46105 123.
- 8807120239 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GALLANT, D. Affiliation Not Assigned. 53FR16435 01634. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 124-46105 124.
- 8807120244 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ROSENE, M. Affiliation Not Assigned. 53FR16435 01635. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 125-46105 125.
- 8807120250 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ROOD, S. Affiliation Not Assigned. 53FR16435 01636. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 126-46105 126.
- 8807120263 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
NEWMAN, J.B. New England Council, Inc. 53FR16435 01637. 88/06/24. ZECH, L.W. Commissioners. 1p. 46105 127-46105 127.
- 8807120269 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
O'NEILL, S. Affiliation Not Assigned. 53FR16435 01638. 88/06/21. Docketing & Services Branch. 1p. 46105 128-46105 128.
- 8807120277 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Proposal will lessen utility pursues while sacrificing public welfare.  
MORSE, G. Affiliation Not Assigned. 53FR16435 01639. 88/06/23. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 129-46105 129.
- 8807120283 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
8807120456 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SHELTON, D.C. Toledo Edison Co. 53FR16435 01665. 88/07/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 131-46105 131.
- 8807120463 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
EMERY, J. Affiliation Not Assigned. 53FR16435 01664. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 132-46105 132.
- 8807120470 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GORDON, T. Affiliation Not Assigned. 53FR16435 01663. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 133-46105 133.
- 8807120475 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
SMART, L.P. Affiliation Not Assigned. 53FR16435 01662. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 134-46105 134.
- 8807120477 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KENNY, R. Affiliation Not Assigned. 53FR16435 01061. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 135-46105 135.
- 8807120481 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
PERREAU, F. Affiliation Not Assigned. 53FR16435 01660. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 136-46105 136.
- 8807120486 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HUMPHREY, G.J. Senate. 53FR16435 01659. 88/06/22. CHILK, S.J. Office of the Secretary of the Commission. 3pp. 46105 137-46105 139.
- 8807120492 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BELANGER, B.J. Affiliation Not Assigned. 53FR16435 01658. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 140-46105 140.
- 8807120496 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
GORRIE, P. Affiliation Not Assigned. 53FR16435 01648. 88/06/23. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 141-46105 141.
- 8807120498 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MATHEWS, R., MATHEWS, B. Affiliation Not Assigned. 53FR16435 01657. 88/07/01. Docketing & Services Branch. 1p. 46105 142-46105 142.
- 8807120500 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HARM, S. Affiliation Not Assigned. 53FR16435 01647. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 143-46105 143.
- 8807120503 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
ZUREK, K. Affiliation Not Assigned. 53FR16435 01656. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 144-46105 144.
- 8807120507 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
BARTLETT, C.L. Affiliation Not Assigned. 53FR16435 01646. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 145-46105 145.
- 8807120509 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MOORE, S.P. Affiliation Not Assigned. 53FR16435 01655. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 146-46105 146.
- 8807120511 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
FLYNN, B.D. Affiliation Not Assigned. 53FR16435 01646. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 147-46105 147.
- 8807120513 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
LACEY, A.C. Affiliation Not Assigned. 53FR16435 01654. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 148-46105 148.
- 8807120514 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HICKS, R. Affiliation Not Assigned. 53FR16435 01644. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46105 149-46105 149.
- 8807120518 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations

8807120522 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KONOPKA, R. Affiliation Not Assigned. 53FR16435 01653 88/06/22 Docketing & Services Branch 1p 46105 151-46105 151

8807120523 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KORSON, E. Affiliation Not Assigned. 53FR16435 01642 88/06/08 CHILK, S. J. Office of the Secretary of the Commission 1p 46105 152-46105 152

8807120526 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KONOPKA, R. Affiliation Not Assigned. 53FR16435 01652 88/06/22 Docketing & Services Branch 1p 46105 153-46105 153

8807120529 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KONOPKA, R. Affiliation Not Assigned. 53FR16435 01651 88/06/22 Docketing & Services Branch 1p 46105 154-46105 154

8807120532 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
MALONIK, S., MALONIK, L., MALONIK, R. Affiliation Not Assigned. 53FR16435 01651 88/06/06 CHILK, S. J. Office of the Secretary of the Commission 1p 46105 155-46105 155

8807120536 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KONOPKA, R. Affiliation Not Assigned. 53FR16435 01650 88/06/22 Docketing & Services Branch 1p 46105 156-46105 156

8807120541 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KONOPKA, D. Affiliation Not Assigned. 53FR16435 01649 88/06/22 Docketing & Services Branch 1p 46105 157-46105 157

8807120578 Responds to 880518 request for 120 day extension of comment period for proposed rule 10CFR50 re emergency planning requirements for fuel loading & low power operation. Comment period extended by 45 days  
ZECHLW, W. Commissioners. 88/06/10 MAAYROULES, N. House of Rep 1p. 46113 001-46113 002

-8807120584 Requests 120-day extension of comment period for proposed rule 10CFR50 re nuclear power plant fuel loading & low power operation.  
MAAYROULES, N. House of Rep 88/05/16. ZECHLW, W. Commissioners 1p 46113 002-46113 002

8807130219 Forwards documents identified in Regulatory History Index for proposed amendments to 10CFR61 (53FR17708) & requests to place sub documents in Nuclear Documents Sys  
PHILCHAND, C. Waste Management Branch AB89-1 01. 88/07/05 MCKNIGHT, J. Document Control Branch (Document Control Desk) 2pp 46121 203-46122 012

-8807130237 Forwards detailed analysis of public comments on advanced notice of proposed rulemaking re rev of definition of high level radioactive in 10CFR61 (52FR5922) compiled by NMSS, Ofc of General Counsel & RES  
BECKJORD, E. Office of Nuclear Regulatory Research, Director (Post 860720) AB89-1 02 88/03/29 STELLOV, V. Ofc of the Executive Director for Operations. 20pp 46121 205-46121 224

-8807130247 Requests that "Regulatory Analysis for Proposed Part 61 Amendments," be placed in PDR  
PHILCHAND, C. Waste Management Branch AB89-1 03. 88/05/24 SHELBOURNE, E. Local Public Document Room Branch 8pp 46121 225-46121 232

8807130463 Forwards addl workshops for 10CFR170 & 171 notice of proposed rulemaking scheduled for publication in FR on 880627.  
HOLLOWAY, C. J. License Fee Management Branch 88/06/27. SKOCZLAS, J. A. Document Control Branch (Document Control Desk) 6pp 46122 056-46122 060

8807140240 Forwards notice of proposed rulemaking re rev to the requirements of 10CFR170 & 10CFR171 re annual fees for power reactor OLS  
MCDONALD, W. G. Office of Administration & Resources Management, Director (Post 870413). 53FR24077 88/06/27. Affiliation Not Assigned 20pp. 46171 316-46171 375

8807150135 Forwards documents for regulatory history of NRC Form 473 diagnostic misadministration report form for placement in PDR.  
MYERS, J. H. Medical, Academic & Commercial Use Safety Branch. 53FR21627. 88/06/24. Medical, Academic & Commercial Use Safety Branch 27pp 46135 276-46135 335

-8807150140 Informs medical use licensees of development & availability of NRC Form 473 Form must be used to report diagnostic misadministration.  
MYERS, J. H. Medical, Academic & Commercial Use Safety Branch. 53FR21027. 88/06/24. Medical, Academic & Commercial Use Safety Branch 27pp 46135 276-46135 304

-8807150143 Forwards FR notice of issuance of Form 473, "Diagnostic Misadministration Report Form," for publication.  
MCELROY, N. L. Medical, Academic & Commercial Use Safety Branch. 53FR21627. 88/06/02. NRC - No Detailed Affiliation Given. 1p. 46136 305-46136 305

-8807150146 Requests approval of minor rulemaking to require that medical use licensees submit diagnostic misadministration report on special form.  
THOMPSON, H. L. Office of Nuclear Material Safety & Safeguards, Director. 53FR21627 88/05/20. STELLOV, V. Ofc of the Executive Director for Operations. 11pp 46135 306-46135 316

-8807150147 Informs of no legal objection to substance of proposed FR notice re misadministration report. 880205 request.  
SMITH, R. Office of the General Counsel. 53FR21627 88/02/11. MCELROY, N. Office of Nuclear Material Safety & Safeguards, Director 4pp 46135 317-46135 320

-8807150149 Concurs on final rule that would require form to be used for reporting diagnostic misadministration.  
MCDONALD, W. G. NRC - No Detailed Affiliation Given. 53FR21627 88/02/13. THOMPSON, H. L. Office of Nuclear Material Safety & Safeguards, Director 7pp 46135 321-46135 327

-8807150151 Requests of concurrence on final rule re diagnostic misadministration reports.  
MCELROY, N. L. Office of Nuclear Material Safety & Safeguards, Director. 53FR21627 88/02/05. SMITH, R. Office of the General Counsel. 1ESAR, M. NRC - No Detailed Affiliation Given 1p 46135 328-46135 335

8807150193 Forwards regulatory history package re final rule to amend 10CFR50.55. List of documents & related FR pages encl.  
MILLMAN, G. C. Division of Engineering (Post 870413). AC29-2 01 88/07/08. MEYER, D. L. Division of Freedom of Information & Publications Services (Post 880515) 6pp 46173 188-46180 023

-871180105 Concurs in release of proposed final rule for 10CFR150.55a updating rules to editions & addenda of Section III, Div 1 & Section XI, Div 1 of ASME Boiler & Pressure Vessel Code.  
NOVAK, T. M. Division of Safety Programs (Post 870413). AC29-2 13 87/11/05. BOSNAK, R. J. Division of Engineering (Post 870413) 1p 46179 324-46179 324

-8712020339 Forwards review of final rule for 10CFR50.55a to update rules to editions & addenda of Section III, Div 1 & Section XI, Div 1 of ASME Boiler & Pressure Vessel Code.  
SHAO, L. C. Division of Engineering & Systems Technology (Post 870411). AC29-2 09 87/11/25. BOSNAK, R. J. Division of Engineering (Post 870413) 4cp 46179 277-46179 280

-8804150031 Endorses publication of final rule to amend 10CFR50.55a, "Codes & Stds." Changes found to be of minor significance not warranting formal review by Committee at scheduled meeting.  
JORDAN, E. L. Committee to Review Generic Requirements. AC29-2 06 88/04/01. BECKJORD, E. S. Office of Nuclear Regulatory Research, Director (Post 860720) 1p 46179 239-46179 239

-8807150264 Forwards notice of final rule to amend 10CFR50.55a regarding holders of construction & licensees to conform w/ requirements of certain non codes in design, fabrication on construction & resp of specified reactor components.  
BECKJORD, E. S. Office of Nuclear Regulatory Research, Director (Post 860720) AC29-2 02 88/04/27 BREAU, X. Senator, Environment & Public Works. UDALL, M. K. SHARR, P. R. Senate. 6pp 46179 194-46179 199

-8807150283 Forwards FR notice of final rule to amend 10CFR50.55a "Codes & Stds." Incorporating listed addenda to Section III & Section IX of ASME Code. Publication of notice in FR requested.  
BECKJORD, E. S. Office of Nuclear Regulatory Research, Director (Post 860720) AC29-2 03 88/04/26 MEYER, D. E. Rules & Procedures Branch 1p 46179 200-46179 200

-8807160277 Forwards FR notice of final rule to amend 10CFR50.55 re rail codes & stds for design, fabrication, construction & resp of reactor components & sys ASME Code Sections III & XI incorporated in rule by ref. Signature requested.  
BECKJORD, E. S. Office of Nuclear Regulatory Research, Director (Post 860720) AC29-2 04 88/04/07 STELLOV, V. Ofc of the Executive Director for Operations. 2pp. 46179 201-46179 202

-8807160287 "Codes & Stds for Nuclear Power Plants," 10CFR50 final rule. Regulations amended to incorporate listed addenda & sections to ASME Code. Limitation placed on use of paragraph IWB-3040 of winter 1983 & 84 addenda to Section XI, Div 1.  
STELLOV, V. Ofc of the Executive Director for Operations. AC29-2 05 88/01/13 36pp. 46179 203-46179 238

-8807160298 Discusses CRGR review of final rule to amend 10CFR50.55 re codes & stds. Comments were received from three individuals during public comment period, which expired on 870826 & most of their suggestions were incorporated in final rule. W/enc.  
BECKJORD, E. S. Office of Nuclear Regulatory Research, Director (Post 860720) AC29-2 07 88/02/22 JORDAN, E. L. Committee to Review Generic Requirements 36pp 46178 240-46178 275

-8807150302 Informs of concurrence w/ revised version of final rule amending 10CFR50.55a incorporating by ref rail codes & stds, subject to mods requested. Mods included charge to page reflecting updates to authority citation.  
MCDONALD, W. G. Office of Administration & Resources Management, Director (Post 870413). AC29-2 08 88/02/02 BECKJORD, E. S. Office of Nuclear Regulatory Research, Director (Post 860720) 1p 46178 276-46179 276

-8807150307 Advises that review of 10CFR50.55a rev completed. Author had no comments.  
PARTLOW, J. G. Division of Reactor Inspection & Safeguards (Post 870411). AC29-2 10 87/11/06. BOSNAK, R. J. Division of Engineering (Post 870413) 1p 46179 281-46179 281

-8807150308 Requests interoffice review of final rule for 10CFR50.55a re updating rule to editions & addenda of Section III, Div 1 of ASME Boiler & Pressure Vessel Code. Unsigned final rule encl.  
BOSNAK, R. J. Division of Engineering (Post 870413). AC29-2 11 87/10/22 SHAO, L. C. Division of Engineering & Systems Technology (Post 870411). PARTLOW, J. G. Division of Reactor Inspection & Safeguards (Post 870411). NOVAK, T. M. Division of Safety Programs (Post 870413) 34pp. 46179 282-46179 323

-8807150309 Responds to 871022 request for review of amended final rule 10CFR50.55a re updating ref to current ASME Code. Changes to language in Page 12 re authorized use & Page 5 re plan implementation of improved rules, recommended.  
KEPPLER, J. G. Ofc of Special Projects. AC29-2 14 87/11/06. BOSNAK, R. J. Division of Engineering (Post 870413) 1p 46179 325-46179 325

- 8807180010 Forwards corrections to proposed final rule amending 10CFR50.55a presenting minor editorial charges. Amended regulatory instruction re authority citation will not change flows to Reg Guide 1.147, re acceptable Code Cases discussed. GRIMSLEY, D.H. Division of Rules & Records (870413 880514) AC29 2 15. 87/11/06 BOSNAK, R.J. Division of Engineering (Post 870413). 15pp. 46179326-4618023
- 8807180293 Comment on proposed rule 10CFR17709 re storage of greater than Class C radioactive proposed storage should receive thorough review from scientific community, NRC & public before implementation. FERGUSON, R. Sierra Club 53FR17709 00026 88/07/05 Docketing & Services Branch 1p. 46135341-46135341
- 8807180297 Comment supporting proposed rule 10CFR17709 re disposal of greater than Class C radioactive in geologic depository unless elsewhere approved. DUNKLEBERGER, J. New York, State of. 53FR17709 00037. 89/07/06 Docketing & Services Branch 2pp. 46135339-46135340
- 8807180301 Comment supporting proposed rule 10CFR61 re disposal of greater than Class C radioactive. SHEALY, H.G. South Carolina, State of. 53FR17703 00003 88/07/05 Docketing & Services Branch 1p. 46135342-46135342
- 8807180002 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. WALTER, C.E. Affiliation Not Assigned. 53FR16435 01668 88/08/22 Docketing & Services Branch 1p. 46191058-46191058
- 8807180009 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. JANUARY, R.G. Affiliation Not Assigned. 53FR16435 01667 88/06/29. Office of the Secretary of the Commission. 1p. 46191057-46191057
- 8807180014 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. YORK, F.N. Affiliation Not Assigned. 52FR6980 00001. 87/02/06 MARKEY, E. House of Rep. 1p. 46165281-46165281.
- 8807180015 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. MACFARLANE, W.A. Affiliation Not Assigned. 53FR16435 01670 88/07/11. NRC - No Detailed Affiliation Given. 1p. 46191058-46191058.
- 8807180018 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. BLANCHARD, B.J. Affiliation Not Assigned. 53FR16435 01669 88/07/06 CHILK, S.J. Office of the Secretary of the Commission. 1p. 46191055-46191055.
- 8807180020 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations. CLOSE, S.L. Affiliation Not Assigned. 53FR16435 01666 88/06/03 CHILK, S.J. Office of the Secretary of the Commission. 1p. 46191054-46191054.
- 8807180027 Comment supporting proposed rule 10CFR62 re disposal of radioactive wastes. Requests NRC amend language in proposed rule by limiting exception to such disposal to DOE facilities. VIERIVA, T. Midwest Interstate Low-Level Radioactive Waste Commission. 52FR47578 00023. 88/07/06. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 46191052-46191053.
- 8807180029 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. ALMEIDA, G. Affiliation Not Assigned. 52FR6980 00002 87/02/06. NRC - No Detailed Affiliation Given. 1p. 46165282-46165282.
- 8807180034 Comment supporting proposed rule 10CFR35 re training & experience criteria for individuals using byproduct mail for clinical procedures. BROWN, M.L. Affiliation Not Assigned. 53FR18845 00008. 88/07/05. Docketing & Services Branch. 4pp. 46165283-46165286.
- 8807180035 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. KUHN, H. Affiliation Not Assigned. 52FR6980 00003 87/02/07. Commissioners. 1p. 46165287-46165287.
- 8807180040 Comment opposing proposed rule 10CFR35 re training & experience criteria for individuals using byproduct mail for clinical procedures. JEFFS, V.D. Kentucky. Commonwealth of. 53FR18845 00008. 88/07/07. NRC - No Detailed Affiliation Given. 1p. 46165288-46165288.
- 8807180042 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. QUIROLO, A. Affiliation Not Assigned. 52FR6980 00004. 87/02/08. PARLER, W.C. NRC - No Detailed Affiliation Given. 1p. 46165289-46165289.
- 8807180046 Comment supporting proposed rule 10CFR35 re training & experience criteria for individuals using byproduct mail for clinical procedures. LAW, J. Atlantic City Medical Center, Atlantic City, NJ. 53FR18845 00007. 88/06/28. Office of the Secretary of the Commission. 2pp. 46165290-46165291.
- 8807180049 Comment supporting proposed rule 10CFR35 re training & experience criteria for individuals using byproduct mail for clinical procedures. TEATES, C.D. Affiliation Not Assigned. 53FR18845 00035. 88/07/01. Docketing & Services Branch. 2pp. 46191050-46191051.
- 8807180058 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SCOTT, U.M. Affiliation Not Assigned. 52FR6980 00005. 87/02/09. ZECH, L.W. NRC - No Detailed Affiliation Given. 1p. 46165322-46165322.
- 8807180057 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BURR, B., BURR, A. Affiliation Not Assigned. 52FR6980 00006. 87/02/06. ZECH, L.W. Commissioners. 1p. 46165326-46165326.
- 8807180072 Comment opposing proposed rule 10CFR35 re training & experience criteria for individuals using byproduct mail for clinical procedures. SAMUELS, L.D. Affiliation Not Assigned. 53FR18845 00003 88/06/30 Docketing & Services Branch. 2pp. 46165327-46165328.
- 8807180078 Comment opposing proposed rule 10CFR35 re training & experience criteria for individuals using byproduct mail for clinical procedures. GORDON, I.M. Affiliation Not Assigned. 53FR18845 00002. 88/06/21. Docketing & Services Branch. 4pp. 46165327-46165332.
- 8807180083 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. WILJANEN, C.B. Affiliation Not Assigned. 52FR6980 00007. 87/02/10. ZECH, L.W. Commissioners. 2pp. 46165333-46165334.
- 8807180147 Comment opposing proposed rule 10CFR50 re expansion of applicability of leak before break technology to functional & performance requirements for ECCS & environment qualification. DRAKE, G.A. Affiliation Not Assigned. 53FR11311 00016 88/07/02 Docketing & Services Branch 1p. 46165335-46165335.
- 8807180156 Comment supporting proposed rule 10CFR50 re expansion of applicability of leak before break technology to functional & performance requirements for ECCS & environment qualification. GASPER, J.K. C.E. Operating Plants Owners Group. 53FR11311 00015 88/06/25 CHILK, S.J. Office of the Secretary of the Commission. 3pp. 46165340-46165343.
- 8807180176 Comment opposing proposed rule 10CFR50 re expansion of applicability of leak before break technology to functional & performance requirements for ECCS & environment qualification. EPSTEIN, E. Three Mile Island Alert. 53FR11311 00011. 88/07/02 Docketing & Services Branch. 2pp. 46165339-46165340.
- 8807180182 Comment supporting proposed rule 10CFR50 re expansion of applicability of leak before break technology to functional & performance requirements for ECCS & environment qualification. SCHIEREN, A.E. Combustion Engineering, Inc. 53FR11311 00017 88/06/25 CHILK, S.J. Office of the Secretary of the Commission. 4pp. 46165341-46165344.
- 8807180186 Comment supporting proposed rule 10CFR50 re statement outlining cooperation w/state govt to participate in insp under NRC oversight. HIATT, S.L. Ohio Citizens for Responsible Energy. 53FR121881 00002 88/06/03. NRC - No Detailed Affiliation Given. 1p. 46165345-46165345.
- 8807180191 Comment supporting proposed rule 10CFR50 re statement outlining cooperation w/state govt to participate in insp under NRC oversight. FLATER, D.A. Iowa, State of. 53FR21981 00003 88/06/20 Docketing & Services Branch. 1p. 46191083-46191083.
- 8807180200 Comment supporting proposed rule 10CFR50 & 73 re policy statement on nuclear power plant access authorization program. MISBRENER, J.M. OI, Chemical & Atomic Workers International Union. 53FR1534 00070. 88/07/05. Docketing & Services Branch. 4pp. 46191059-46191062.
- 8807180208 Submits updated list of names, addresses & telephone numbers of individuals in each state responsible for receiving info on nuclear waste shipments. 10CFR71 & 73. DENTON, H.R. Office of Governmental & Public Affairs (Post 870413) 88/06/03. NRC - No Detailed Affiliation Given. 11pp. 46190068-46199078.
- 8807180250 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CHORMAN, N. Affiliation Not Assigned. 52FR6980 00019. 87/02/24. ZECH, L.W. - No Detailed Affiliation Given. 1p. 46181070-46181070.
- 8807180251 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LYONS, D.C. Affiliation Not Assigned. 52FR6980 00008. 87/02/10. ZECH, L.W. Commissioners. 1p. 46165348-46165348.
- 8807180252 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PRODELL, A.G. Shoreham Wading River Central School District, NY. 52FR16253 00020. 87/02/18. ZECH, L.W. Commissioners. 4pp. 46191068-46191069.
- 8807180254 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MAHR, T.A. Affiliation Not Assigned. 52FR6980 00009. 87/02/10. ZECH, L.W. Commissioners. 1p. 46165347-46165347.
- 8807180258 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LUPTON, J.E. Affiliation Not Assigned. 52FR6980 00010 87/02/12 Commissioners. 1p. 46165349-46165349.
- 8807180259 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HASFURTH, D. Affiliation Not Assigned. 52FR6980 00011. 87/02/12. Commissioners. 1p. 46165348-46165348.



**8807180274** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SNE DECUS Massachusetts, Commonwealth of 52FR6950 00021. 87/02/23. NRC - No Data In Affiliation Given. Bpp. 46191.081-46191.142

**8807180284** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SUGHTY, J. SeaCoast Anti-Pollut on League. 52FR6950 00022. 87/02/24. NRC - No Data In Affiliation Given. Bpp. 46191.071-46191.078

**8807180287** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HALEY, M. Affiliation Not Assigned. 52FR6950 00023. 87/02/19. NRC - No Data In Affiliation Given. 1p. 46191.000-46191.092

**8807180292** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. EPHING, R. Affiliation Not Assigned. 52FR6950 00024. 87/02/20. ZECH, L.W. Commissioners. 3pp. 46191.143-46191.145

**8807180300** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. STEINSON, W.J. Affiliation Not Assigned. 52FR6950 00026. 87/02/22. PALLADINO, N. Commissioners. 1p. 46178.031-46178.031.

**8807180305** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MCWILE, A.L. Affiliation Not Assigned. 52FR6950 00027. 87/02/17. ZECH, L., ASSELSTINE, J., ROBERTS, T. Commissioners. 1p. 46165.350-46165.350

**8807180309** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HATT, S.L. Ohio Citizens for Responsible Energy. 52FR6950 00012. 87/02/16. ZECH, L.W., ROBERTS, T., ASSELSTINE, J.K. Commissioners. 2pp. 46165.350-46165.360

**8807180313** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. ROBB, A. Affiliation Not Assigned. 52FR6950 00028. 87/02/18. CHILK, S. Office of the Secretary of the Commission. 1p. 46177.348-46177.348

**8807180316** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CARPENTER, J. Affiliation Not Assigned. 52FR6950 00029. 87/02/20. ZECH, L.W. Commissioners. Bpp. 46165.351-46165.358

**8807180321** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SHERRY, U. Affiliation Not Assigned. 52FR6950 00031. 87/02/21. ZECH, L. Commissioners. 1p. 46191.065-46191.065.

**8807180328** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning & supporting pollution control rulemaking. 52FR6950 00032. 87/02/22. CHILK, S. NRC - No Data In Affiliation Given. 1p. 46191.084-46191.084.

**8807180331** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SULLIVAN, J. Affiliation Not Assigned. 52FR6950 00033. 87/02/22. CHILK, S. Office of the Secretary of the Commission. 1p. 46165.292-46165.292.

**8807180335** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FINALL, L.A. Affiliation Not Assigned. 52FR6950 00018. 87/02/19. CHILK, S. Office of the Secretary of the Commission. 1p. 46165.293-46165.293.

**8807180339** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 52FR6950 00034. 87/02/23. CHILK, S. Office of the Secretary of the Commission. 1p. 46165.294-46165.294.

**8807180340** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. GANDT, H.F. Affiliation Not Assigned. 52FR6950 00035. 87/02/27. ZECH, L. NRC - No Data In Affiliation Given. 1p. 46165.295-46165.295

**8807180342** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. COMLEY, S.B. Affiliation Not Assigned. 52FR6950 00017. 87/02/24. ZECH, L.W. Commissioners. 5pp. 46165.296-46165.307.

**8807180344** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PARFISH, K. Affiliation Not Assigned. 52FR6950 00036. 87/02/23. ZECH, L. Commissioners. 1p. 46191.079-46191.079.

**8807180347** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. JACOBS, D. Affiliation Not Assigned. 52FR6950 00037. 87/02/23. Office of the Secretary of the Commission. 1p. 46165.308-46165.308

**8807180348** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BABBITT, B. Affiliation Not Assigned. 52FR6950 00018. 87/02/24. ZECH, L.W. Commissioners. 3pp. 46165.309-46165.311.

**8807180350** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. COOK, M. Affiliation Not Assigned. 52FR6950 00038. 87/02/23. CHILK, S. NRC - No Data In Affiliation Given. 1p. 46165.312-46165.312.

**8807180351** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FRIEDBERG, M. Affiliation Not Assigned. 52FR6950 00039. 87/02/23. CHILK, S. NRC - No Data In Affiliation Given. 1p. 46165.313-46165.313.

**8807180354** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CALLARD, J. Affiliation Not Assigned. 52FR6950 00043. 87/02/23. Commissioners. 1p. 46165.314-46165.314

**8807180357** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BALFOUR, J. Affiliation Not Assigned. 52FR6950 00041. 87/02/23. CHILK, S. Office of the Secretary of the Commission. 1p. 46165.315-46165.315

**8807180358** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. GRIESE, C. Affiliation Not Assigned. 52FR6950 00109. 87/02/06. REAGAN, R. President of U.S. & Executive Offices. 1p. 46165.316-46165.316

**8807180361** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FORTE, D. Affiliation Not Assigned. 52FR6950 00042. 87/02/24. ZECH, L. Commissioners. 1p. 46165.317-46165.317

**8807180364** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BLUMEL, F. Affiliation Not Assigned. 52FR6950 00043. 87/02/27. ZECH, L. Commissioners. 1p. 46165.318-46165.318

**8807180367** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. VIELBIG, J.D. Affiliation Not Assigned. 52FR6950 00044. 87/02/24. ZECH, L. Commissioners. 1p. 46165.319-46165.319.

**8807180369** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MAJNUNG, K.A. Affiliation Not Assigned. 52FR6950 00110. 87/02/06. REAGAN, R. President of U.S. & Executive Offices. 1p. 46165.320-46165.320.

**8807180379** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MAVROULES, N. House of Rep., Armed Serv. 52FR6950 00111. 87/02/06. ZECH, L.W. Commissioners. 1p. 46165.321-46165.321

**8807190006** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SOUTHWICK, L. Affiliation Not Assigned. 52FR6950 00121. 87/02/27. NRC - No Data In Affiliation Given. 1p. 46177.340-46177.349.

**8807190025** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. NRC should mandate that states provide evacuation plans. DAL MOLIN, A. Affiliation Not Assigned. 52FR6950 00122. 87/02/27. ZECH, L.W. Commissioners. 1p. 46177.350-46177.350.

**8807190034** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PALMISANO, P.A., PALMISANO, E.P. Affiliation Not Assigned. 52FR6950 00123. 87/02/27. ASSELSTINE, J. Commissioners. 1p. 46177.351-46177.351

**8807190037** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CHILDS, A. Affiliation Not Assigned. 52FR6950 00124. 87/02/27. CHILK, S. NRC - No Data In Affiliation Given. 1p. 46177.352-46177.352.

**8807190042** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SCHWAB, C.B. Affiliation Not Assigned. 52FR6950 00125. 87/02/27. ZECH, L. NRC - No Data In Affiliation Given. 1p. 46177.353-46177.353

**8807190049** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MACKIE, B.A. Affiliation Not Assigned. 52FR6950 00126. 87/02/27. ZECH, L.W. Commissioners. 4pp. 46177.354-46177.357

**8807190055** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CALDERONE, B. Affiliation Not Assigned. 52FR6950 00127. 87/02/28. ZECH, L. NRC - No Data In Affiliation Given. 1p. 46177.358-46177.358



SELDON, V. Affiliation Not Assigned. 52FR6980 00128. 87/03/01. NRC - No Detailed Affiliation Given. 1p. 46177.359-46177.359

OWCHK, G. Affiliation Not Assigned. 52FR6980 00305. 87/02/27. CHILK NRC - No Detailed Affiliation Given. 1p. 46207.326-46207.326

8807190100 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
PRATT, C., PRATT, J. Affiliation Not Assigned. 52FR6980 00129. 87/03/01. Commissioners 2pp. 46177.360-46177.361.

8807200026 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
YOUNG, T. P. Affiliation Not Assigned. 52FR6980 00051. 87/02/27. CHILK NRC - No Detailed Affiliation Given. 1p. 46207.329-46207.329

8807190109 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BERKOWITZ, K. Affiliation Not Assigned. 52FR6980 00130. 87/03/02. ZECH, L. W. Commissioners 1p. 46203.254-46203.256

8807200030 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
GAFFNEY, R. J. New York. State of. 52FR6980 00052. 87/02/11. ZECH, L. W. Commissioners 1p. 46207.333-46207.333

8807190117 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CALVERT, P., BRAUMBERT, M. Affiliation Not Assigned. 52FR6980 00131. 87/03/02. ZECH, L. W. Commissioners 1p. 46178.001-46178.001

8807200032 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
RUDD, C. Affiliation Not Assigned. 52FR6980 00142. 87/03/01. ZECH, L. W. Commissioners 2pp. 46194.031-46194.032

8807190123 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
AUSLAUDER, N. B. Affiliation Not Assigned. 52FR6980 00132. 87/03/02. ZECH, L. W. Commissioners 1p. 46178.002-46178.002

8807200034 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
TUBIN, P. E. Affiliation Not Assigned. 52FR6980 00053. 87/02/13. Commissioners 1p. 46197.070-46197.070

8807190134 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CLANNINGHAM, P. Affiliation Not Assigned. 52FR6980 00133. 87/03/02. ZECH, L. W. Commissioners 2pp. 46178.003-46178.004

8807200042 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
VINKOVICH, N. Affiliation Not Assigned. 52FR6980 00054. 87/02/23. NRC - No Detailed Affiliation Given. 1p. 46207.331-46207.331

8807190143 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CLARK, P. Affiliation Not Assigned. 52FR6980 00134. 87/03/03. Office of the Secretary of the Commission. 1p. 46178.005-46178.005

8807200043 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
PRATT, C., PRATT, J. Affiliation Not Assigned. 52FR6980 00143. 87/03/01. Commissioners 2pp. 46194.047-46194.048

8807190150 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CHAPMAN, R. C. Affiliation Not Assigned. 52FR6980 00136. 87/03/03. ZECH, L. W. Commissioners 2pp. 46176.005-46176.007

8807200046 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
LASCHELLE, K. E. Affiliation Not Assigned. 52FR6980 00055. 87/02/23. ZECH, L. W. Commissioners 1p. 46207.332-46207.332

8807190278 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
HODOWITZ, A. Affiliation Not Assigned. 52FR6980 00138. 86/02/28. NRC - No Detailed Affiliation Given. 1p. 46191.146-46191.146

8807200048 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
WOOD, C. A. Affiliation Not Assigned. 52FR6980 00144. 87/03/01. NRC - No Detailed Affiliation Given. 2pp. 46194.044-46194.045

8807190286 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
MELZER, G. M. Affiliation Not Assigned. 52FR6980 00139. 87/02/28. NRC - No Detailed Affiliation Given. 1p. 46191.147-46191.147

8807200052 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
DOHOVAN, F. D. Affiliation Not Assigned. 52FR6980 00056. 87/02/24. Commissioners 1p. 46207.333-46207.333

8807190376 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
\* Affiliation Not Assigned. 52FR6980 00140. 87/02/28. NRC - No Detailed Affiliation Given. 1p. 46191.148-46191.148

8807200057 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BUTLER, D., BUTLER, L. Affiliation Not Assigned. 52FR6980 00146. 87/03/02. NRC - No Detailed Affiliation Given. 1p. 46194.046-46194.046

8807200002 Petition opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
FEINGOLD, C. B., ARMERDING, J. T., MCGINNIS, P. Affiliation Not Assigned. 52FR6980 00148. 87/02/23. NRC - No Detailed Affiliation Given. 17pp. 46196.224-46197.037

8807200058 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
HAISHAR, R. Affiliation Not Assigned. 52FR6980 00057. 87/02/25. ZECH, L. W. Commissioners 1p. 46197.069-46197.069

8807200004 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
EVANGELISTA, J. Affiliation Not Assigned. 52FR6980 00045. 87/02/24. ZECH, L. W. Commissioners 2pp. 46197.073-46197.074

8807200059 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
SAIZ, N. J., CLARK, J. L. Affiliation Not Assigned. 52FR6980 00146. 87/03/02. NRC - No Detailed Affiliation Given. 1p. 46194.043-46194.043

8807200006 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
MULLER, R. Affiliation Not Assigned. 52FR6980 00046. 87/02/24. ZECH, L. W. Commissioners 1p. 46197.072-46197.072

8807200060 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
FORST, J., FORST, J. Affiliation Not Assigned. 52FR6980 00058. 87/02/25. ZECH, L. W. Commissioners 1p. 46197.068-46197.068

8807200008 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
ROWEN, M. J. Affiliation Not Assigned. 52FR6980 00047. 87/02/27. CHILK, Office of the Secretary of the Commission. 1p. 46207.326-46207.326

8807200069 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
PLATT, R. Affiliation Not Assigned. 52FR6980 00059. 87/02/25. ZECH, L. W. Commissioners 1p. 46197.067-46197.067

8807200012 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
LEWIS, J. Affiliation Not Assigned. 52FR6980 00046. 87/02/27. CHILK, Office of the Secretary of the Commission. 1p. 46197.071-46197.071

8807200070 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
SKEFFREY, P. Affiliation Not Assigned. 52FR6980 00147. 87/03/02. ZECH, L. W. NRC - No Detailed Affiliation Given. 1p. 46194.094-46194.094

8807200018 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
GRAHAM, B. Affiliation Not Assigned. 52FR6980 00049. 87/02/27. CHILK, Office of the Secretary of the Commission. 1p. 46207.327-46207.327

8807200076 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CALANDRA, A. Affiliation Not Assigned. 52FR6980 00061. 87/02/25. ZECH, L. W. NRC - No Detailed Affiliation Given. 1p. 46197.066-46197.066

8807200019 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
RENAUD, B. Affiliation Not Assigned. 52FR6980 00141. 87/02/28. NRC - No Detailed Affiliation Given. 1p. 46194.093-46194.093

8807200077 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
RIECHERS, R. J., RIECHERS, C. Affiliation Not Assigned. 52FR6980 00149. 87/03/03. PALLADINO, N. Commissioners 2pp. 46194.095-46194.096

8807200083 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SHAKERDGE, G. Affiliation Not Assigned. 52FR6980 00149. 87/03/03. NRC - No Detailed Affiliation Given. 1p. 46194.037-46194.037.

8807200084 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BOCDY, P.B. Southampton Press Publishing Co., Inc. 52FR6980 00063. 87/02/25. ZECH, L.W. Commissioners. 3pp. 46209.059-46209.061.

8807200087 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SEXTON, J.O. Affiliation Not Assigned. 52FR6980 00064. 87/02/25. STELLO, V. NRC - No Detailed Affiliation Given. 1p. 46197.055-46197.055.

8807200088 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BRANDON, L. Affiliation Not Assigned. 52FR6980 00065. 87/02/25. ZECH, L. Commissioners. 1p. 46197.064-46197.064.

8807200090 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DRUM, D.E. Affiliation Not Assigned. 52FR6980 00066. 87/02/25. ZECH, L. Commissioners. 2pp. 46197.062-46197.063.

8807200091 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LAUER, E. Affiliation Not Assigned. 52FR6980 00150. 87/03/03. CHILK, NRC - No Detailed Affiliation Given. 2pp. 46194.098-46194.099.

8807200093 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SCARLOTT, J. Affiliation Not Assigned. 52FR6980 00067. 87/02/26. Docketing & Services Branch. 1p. 46197.061-46197.061.

8807200094 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. STEINBERGER, A. Affiliation Not Assigned. 52FR6980 00068. 87/02/26. ZECH, L.W. Commissioners. 1p. 46197.060-46197.060.

8807200096 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DILGARD, E.L. Affiliation Not Assigned. 52FR6980 00069. 87/02/26. ZECH, L. Commissioners. 1p. 46197.059-46197.059.

8807200097 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. FRIM, D.B. Affiliation Not Assigned. 52FR6980 00151. 87/03/03. Office of Nuclear Material Safety & Safeguards, Director. 1p. 46194.100-46194.100.

8807200100 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MOORE, V.B. Affiliation Not Assigned. 52FR6980 00070. 87/02/26. ZECH, L.W. Commissioners. 1p. 46197.058-46197.058.

8807200101 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LEVINSKY, A. Affiliation Not Assigned. 52FR6980 00152. 87/03/03. ASSELTINE, NRC - No Detailed Affiliation Given. 1p. 46194.108-46194.108.

8807200108 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LITTLEFIELD, G. Affiliation Not Assigned. 52FR6980 00072. 87/02/27. CHILK, NRC - No Detailed Affiliation Given. 1p. 46197.057-46197.057.

8807200108 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. VAN DER HEIJDE, Affiliation Not Assigned. 52FR6980 00073. 87/03/02. Docketing & Services Branch. 1p. 46197.056-46197.056.

8807200111 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LAWRENCE, E.H. Affiliation Not Assigned. 52FR6980 00153. 87/02/16. PALLADINO, Commissioners. 1p. 46194.101-46194.101.

8807200113 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LANKES, J.B. Affiliation Not Assigned. 52FR6980 00074. 87/02/27. NRC - No Detailed Affiliation Given. 2pp. 46197.054-46197.055.

8807200116 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. KITCH, C.L. Affiliation Not Assigned. 52FR6980 00076. 87/02/27. Office of the Secretary of the Commission. 1p. 46197.053-46197.053.

8807200122 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. GLYNN, M. Affiliation Not Assigned. 52FR6980 00155. 87/02/27. PALLADINO, N.J. Commissioners. 1p. 46194.102-46194.102.

8807200131 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BUTLER, D. BUTLER, L. Affiliation Not Assigned. 52FR6980 00156. 87/03/02. ASSELTINE, J. NRC - No Detailed Affiliation Given. 1p. 46194.104-46194.104.

8807200138 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 52FR6980 00157. 87/03/02. ZECH, NRC - No Detailed Affiliation Given. 1p. 46194.103-46194.103.

8807200143 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BLOCH, H.G. Affiliation Not Assigned. 52FR6980 00158. 87/03/03. Commissioners. 1p. 46194.105-46194.105.

8807200169 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MITCHELL, D. Affiliation Not Assigned. 52FR6980 00159. 87/03/05. ZECH, NRC - No Detailed Affiliation Given. 2pp. 46197.039-46197.039.

8807200163 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MULLER, R. Affiliation Not Assigned. 52FR6980 00160. 87/03/05. NRC - No Detailed Affiliation Given. 1p. 46197.040-46197.040.

8807200167 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SWET, M. SWET, P. Affiliation Not Assigned. 52FR6980 00077. 87/02/28. ZECH, L. Commissioners. 1p. 46197.062-46197.062.

8807200170 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SCHNEIDER, S. Affiliation Not Assigned. 52FR6980 00078. 87/03/02. ZECH, Commissioners. 1p. 46197.051-46197.051.

8807200173 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CORRADO, K. CORRADO, S. Affiliation Not Assigned. 52FR6980 00079. 87/02/28. ZECH, NRC - No Detailed Affiliation Given. 1p. 46197.050-46197.050.

8807200181 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DANIEL, P.M. Affiliation Not Assigned. 52FR6980 00080. 87/02/17. ZECH, L. Commissioners. 1p. 46197.049-46197.049.

8807200183 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BAGE, L. Affiliation Not Assigned. 52FR6980 00081. 87/02/23. CHILK, S. Office of the Secretary of the Commission. 1p. 46197.048-46197.048.

8807200187 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MANDELL, S. Affiliation Not Assigned. 52FR6980 00082. 87/02/27. ZECH, L.W. Commissioners. 1p. 46197.047-46197.047.

8807200194 Discusses 870227 to con from P. Lozowsky re opposition of proposed rule 10CFR50 re emergency planning rule. HOYLE, J.C. Commissioners. 52FR6980 00084. 87/02/27. NRC - No Detailed Affiliation Given. 1p. 46207.335-46207.335.

8807200233 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MANLEY, W.K. Affiliation Not Assigned. 52FR6980 00161. 87/03/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46197.041-46197.041.

8807200234 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. LEVINE, R.C. Affiliation Not Assigned. 52FR6980 00162. 87/03/07. Docketing & Services Branch. 1p. 46197.042-46197.042.

8807200238 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. KILMARTINS, M.F. Affiliation Not Assigned. 52FR6980 00163. 87/03/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46197.043-46197.043.

8807200237 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HART, G. Affiliation Not Assigned. 52FR6980 00087. 87/02/23. NRC - No Detailed Affiliation Given. 9pp. 46207.336-46207.344.

8807200238 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CUOMO, M.M. New York, State of. 52FR6980 00088. 87/02/23. ZECH, L. Commissioners. 5pp. 46207.345-46207.349.

8807200239 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MAVROULES, N. Affiliation Not Assigned. 52FR6980 00089. 87/02/23. ZECH, L.W. Commissioners. 3pp. 46207.350-46207.352.

- plants where state &/or local govts decline to cooperate in offsite emergency planning  
GARDNER, W.S. Affiliation Not Assigned. 52FR6980 00166. 87/03/05. Dockeling & Services Branch. 1p. 46197 015-46197 045.
- 8807200252 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Economic development w/ a strategy w/ a facility  
TAYLOR, M.A. Affiliation Not Assigned. 53FR16435 01261. 88/06/22. Dockeling & Services Branch. 2pp. 46194 037-46194 036.
- 8807200253 Comments supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SMITH, C.K. Affiliation Not Assigned. 52FR6980 00085. 87/02/19. ZECHLW. Commissioners. 2pp. 46197 046-46197 022.
- 8807200256 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
CORTESE, A.S. Affiliation Not Assigned. 52FR6980 00167. 87/03/06. NRC. No Detailed Affiliation Given. 1p. 46197 046-46197 046.
- 8807200257 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations Risk to public  
CARSON, R.A. Affiliation Not Assigned. 53FR16435 01273. 88/06/22. Dockeling & Services Branch. 1p. 46194 036-46194 036.
- 8807200263 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
BYRON, B.B. Affiliation Not Assigned. 52FR6980 00031. 87/02/24. NRC. No Detailed Affiliation Given. 3pp. 46208 025-46208 025.
- 8807200266 Comment supporting proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DELVINS, A. Affiliation Not Assigned. 53FR16435 01671. 88/06/01. Dockeling & Services Branch. 1p. 46193 360-46193 360.
- 8807200267 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
\* Affiliation Not Assigned. 52FR6980 00168. 87/03/10. Dockeling & Services Branch. 2pp. 46195 222-46195 223.
- 8807200270 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
KRAMER, F. Affiliation Not Assigned. 53FR16435 01672. 88/06/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46194 039-46194 039.
- 8807200272 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HICKEY, J.K. Affiliation Not Assigned. 53FR16435 01673. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46194 040-46194 040.
- 8807200274 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
PASHAYAN, C. California, State of. 52FR6980 00092. 87/02/24. Commissioners. 7pp. 46207 353-46207 359.
- 8807200275 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
LILIENTHAL, D.E. Affiliation Not Assigned. 52FR6980 00169. 87/03/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46197 075-46197 075.
- 8807200276 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
DANIALS, L.M. Affiliation Not Assigned. 53FR16435 01674. 88/06/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46194 042-46194 042.
- 8807200281 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
ROBERTS, W.D. Affiliation Not Assigned. 52FR6980 00170. 87/03/07. ZECHLW. BERNTHAL, F.M., CARR, K.M. NRC. No Detailed Affiliation Given. 1p. 46197 076-46197 076.
- 8807200282 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
MCCAIN, J. Affiliation Not Assigned. 52FR6980 00093. 87/02/24. NRC. No Detailed Affiliation Given. 2pp. 46208 001-46208 002.
- 8807200284 Comment opposing proposed rule 10CFR50 re emergency planning & preparedness requirements for nuclear power plant fuel loading & initial low power operations  
HICKEY, R. Affiliation Not Assigned. 53FR16435 01675. 88/06/08. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46194 041-46194 041.
- 8807200287 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
FRANK, B. Affiliation Not Assigned. 52FR6980 00094. 87/02/24. NRC. No Detailed Affiliation Given. 1p. 46207 360-46207 360.
- plants where state &/or local govts decline to cooperate in offsite emergency planning  
DUKAKIS, M.S. Massachusetts, Commonwealth of. 52FR6980 00095. 87/02/24. 1p. No Detailed Affiliation Given. 6pp. 46208 026-46208 031.
- 8807200297 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
HOWLAND, A. Affiliation Not Assigned. 52FR6980 00172. 87/02/26. ZECHLW. Commissioners. 1p. 46197 078-46197 070.
- 8807200302 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
HALPIN, P.G. New York, State of. 52FR6980 00096. 87/02/23. NRC. No Detailed Affiliation Given. 6pp. 46208 032-46208 038.
- 8807200304 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
KRAUSE, S. Affiliation Not Assigned. 52FR6980 00173. 87/03/01. NRC. No Detailed Affiliation Given. 2pp. 46197 080-46197 080.
- 8807200307 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
BABBITT, B. Affiliation Not Assigned. 52FR6980 00097. 87/02/24. ZECHLW. Commissioners. 2pp. 46197 081-46197 083.
- 8807200315 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
\* Affiliation Not Assigned. 52FR6980 00175. 87/03/02. NRC. No Detailed Affiliation Given. 1p. 46197 084-46197 084.
- 8807200317 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SMITH, R.C. House of Rep. 52FR6980 00098. 87/02/24. NRC. No Detailed Affiliation Given. 4pp. 46208 040-46208 043.
- 8807200323 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SNELLING, C.D. Affiliation Not Assigned. 52FR6980 00176. 87/03/03. NRC. No Detailed Affiliation Given. 1p. 46197 085-46197 085.
- 8807200326 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
MARKEY, E.J. Affiliation Not Assigned. 52FR6980 00099. 87/02/24. NRC. No Detailed Affiliation Given. 5pp. 46208 044-46208 048.
- 8807200331 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
COFFEY, P.H. Affiliation Not Assigned. 52FR6980 00177. 87/03/03. NRC. No Detailed Affiliation Given. 2pp. 46197 086-46197 087.
- 8807200337 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
SUSPENSKI, A.J. Affiliation Not Assigned. 52FR6980 00178. 87/03/04. NRC. No Detailed Affiliation Given. 1p. 46197 088-46197 088.
- 8807200338 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
BIDEN, J.R. Affiliation Not Assigned. 52FR6980 00180. 87/02/24. NRC. No Detailed Affiliation Given. 2pp. 46208 049-46208 050.
- 8807200345 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
MERCIER, A. Affiliation Not Assigned. 52FR6980 00179. 87/03/04. ZECHLW. Commissioners. 1p. 46197 089-46197 089.
- 8807200349 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
FELDMAN, E. Affiliation Not Assigned. 52FR6980 00180. 87/03/04. NRC. No Detailed Affiliation Given. 1p. 46197 090-46197 090.
- 8807200358 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
HART, G. Affiliation Not Assigned. 52FR6980 00102. 87/02/24. MOYNIHAN Senate. 1p. 46208 051-46208 051.
- 8807200363 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
\* Affiliation Not Assigned. 52FR6980 00181. 87/03/04. ZECHLW. NRC. No Detailed Affiliation Given. 1p. 46197 091-46197 091.
- 8807200364 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning  
BOSSONG, K. Affiliation Not Assigned. 52FR6980 00103. 87/02/24. ZECHLW. Commissioners. 4pp. 46208 052-46208 056.

**8807200371** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
HOGAN, L. HOGAN, J. Affiliation Not Assigned. 52FR6980 00105. 87/02/27. NRC - No Dated Affiliation Given. 1p. 46208.057-46208.057.

**8807200375** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
EDEN, A.E. EDEN, A.M. Affiliation Not Assigned. 52FR6980 00182. 87/03/05. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46197.092-46197.092.

**8807200376** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CUNNINGHAM, P.L. Affiliation Not Assigned. 52FR6980 00106. 87/03/02. ZECH, L.W. NRC - No Dated Affiliation Given. 1p. 46197.093-46197.093.

**8807200379** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
AUSLANDER, R. Affiliation Not Assigned. 52FR6980 00107. 87/03/02. ZECH, L.W. NRC - No Dated Affiliation Given. 1p. 46208.058-46208.058.

**8807200383** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
DEERINWATER Native Americans for a Clean Environment. 52FR6980 00183. 87/03/05. CHILK, S.J. NRC - No Dated Affiliation Given. 1p. 46197.094-46197.094.

**8807200389** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
PAMUCK, D.M.K. Affiliation Not Assigned. 52FR6980 00184. 87/03/05. Commissioners. 1p. 46197.095-46197.095.

**8807200392** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
HUTCHESON, M.R. Affiliation Not Assigned. 52FR6980 00185. 87/03/05. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46197.096-46197.096.

**8807200394** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
SULECKI, J. Affiliation Not Assigned. 52FR6980 00187. 87/03/11. NRC - No Dated Affiliation Given. 1p. 46197.097-46197.097.

**8807200395** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BILLINGTON, S.T. Affiliation Not Assigned. 52FR6980 00188. 87/03/06. Docketing & Services Branch. 1p. 46197.098-46197.098.

**8807210001** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
NATHAN, B.M. Affiliation Not Assigned. 52FR6980 00235. 87/03/05. ZECH, L.W. Commissioners. 1p. 46277.003-46277.003.

**8807210002** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BROWNE, A.E. Affiliation Not Assigned. 52FR6980 00236. 87/02/08. President of U.S. & Executive Offices. 1p. 46277.004-46277.004.

**8807210004** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
LANCIELLOTTI, J. Affiliation Not Assigned. 52FR6980 00237. 87/02/08. REAGAN, R. President of U.S. & Executive Offices. 1p. 46277.005-46277.005.

**8807210008** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
KEATING, T.H. Affiliation Not Assigned. 52FR6980 00238. 87/03/24. REAGAN, R. President of U.S. & Executive Offices. 1p. 46277.008-46277.008.

**8807210010** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
SLATKIN, M. Affiliation Not Assigned. 52FR6980 00239. 87/03/01. REAGAN, R. President of U.S. & Executive Offices. 1p. 46208.066-46208.066.

**8807210011** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
WITTYER, M. Affiliation Not Assigned. 52FR6980 00240. 87/03/21. NRC - No Dated Affiliation Given. 1p. 46208.067-46208.067.

**8807210014** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
LEFNER, M.H. Affiliation Not Assigned. 52FR6980 00241. 87/03/22. NRC - No Dated Affiliation Given. 1p. 46208.068-46208.068.

**8807210018** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
JOHNSRUD, J.H. Environmental Coalition on Nuclear Power. 52FR6980 00164. 87/03/01. Office of the Secretary of the Commission. 2pp. 46208.069-46208.070.

**8807210022** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
PERHAULT, C. Affiliation Not Assigned. 52FR6980 00189. 87/03/06. ZECH, L. Commissioners. 1p. 46208.069-46208.069.

**8807210035** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
PASKAVITCH, J. Affiliation Not Assigned. 52FR6980 00190. 87/03/06. ZECH, L.W. Commissioners. 2pp. 46208.072-46208.073.

**8807210040** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
CONNOLLY, J.M. Affiliation Not Assigned. 52FR6980 00242. 87/03/02. NRC - No Dated Affiliation Given. 2pp. 46208.074-46208.075.

**8807210041** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
LAMENDOLA, C. Affiliation Not Assigned. 52FR6980 00191. 87/03/05. Office of the Secretary of the Commission. 1p. 46208.076-46208.076.

**8807210045** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
JOHNSON, R.H. Affiliation Not Assigned. 52FR6980 00192. 87/03/06. CHILK, S.J. NRC - No Dated Affiliation Given. 1p. 46208.077-46208.077.

**8807210047** Provides comments on add. application of 'back-before-break' technology. Supports NRC efforts in broadening scope of application & providing basis for modifying functional & performance requirements of ECCS.  
GRD, E.V. Tennessee Valley Authority. 88/07/14. Docketing & Services Branch. 3pp. 46233.355-46233.360.

**8807210049** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
MAUSER, A. Affiliation Not Assigned. 52FR6980 00243. 87/02/27. Region 1. Office of the Director. 1p. 46208.078-46208.078.

**8807210057** Forwards comments re NRC proposed rule 10CFR61, "Disposal of Radioactive Waste." Commission should include substance of specific objections to discussion of rule in proposed rule in preparing supplementary info for final rule.  
KOCHEK, D.C. CROFF, A.G. Oak Ridge National Laboratory. 88/07/14. Docketing & Services Branch. 6pp. 46235.282-46235.348.

**8807210058** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
SORCE, J. SORCE, R. MCCOY, D. Affiliation Not Assigned. 52FR6980 00193. 87/03/06. NRC - No Dated Affiliation Given. 2pp. 46208.079-46208.080.

**8807210076** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
SELD, N.M. Affiliation Not Assigned. 52FR6980 00194. 87/03/06. NRC - No Dated Affiliation Given. 2pp. 46208.081-46208.082.

**8807210077** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
\* Affiliation Not Assigned. 52FR6980 00195. 87/03/06. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46208.083-46208.083.

**8807210081** Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
DASCHER, G.H. Affiliation Not Assigned. 52FR6980 00244. 87/02/17. REAGAN, R. President of U.S. & Executive Offices. 1p. 46208.084-46208.084.

**8807210085** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
DREWES, E. Affiliation Not Assigned. 52FR6980 00196. 87/03/06. Commissioners. 2pp. 46208.085-46208.086.

**8807210092** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BARTHEL, R.K. Affiliation Not Assigned. 52FR6980 00197. 87/03/11. Commissioners. 1p. 46208.087-46208.087.

**8807210101** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
JOHNSON, C. Affiliation Not Assigned. 52FR6980 00245. 87/02/26. REAGAN, R. President of U.S. & Executive Offices. 1p. 46208.088-46208.088.

**8807210102** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BEYER, N.A. Affiliation Not Assigned. 52FR6980 00198. 87/03/06. Office of the Secretary of the Commission. 4pp. 46208.089-46208.092.

**8807210103** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
BUCH, J. BUCH, H. Affiliation Not Assigned. 52FR6980 00246. 87/03/01. REAGAN, R. President of U.S. & Executive Offices. 1p. 46208.093-46208.093.

**8807210104** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
LEVINE, G.R. Affiliation Not Assigned. 52FR6980 00199. 87/03/07. Docketing & Services Branch. 1p. 46208.094-46208.094.

**8807210118** Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning.  
\* Affiliation Not Assigned. 52FR6980 00200. 87/03/07. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46208.095-46208.095.

8807210129 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CANCELLIERE,B. Affiliation Not Assigned. 52FR6980 00201. 87/03/07. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46208 035-46208 098.

8807210132 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HOELZER,C. HOELZER,I Affiliation Not Assigned. 52FR6980 00202. 87/03/07. NRC - No Detailed Affiliation Given. 1p. 46208 097-46208 037.

8807210137 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. WHEELER,C. Affiliation Not Assigned. 52FR6980 00203. 87/03/07. Commissioners. 1p. 46208 088-46208 088.

8807210143 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 52FR6980 00204. 87/03/07. Office of the Secretary of the Commission. 1p. 46208 039-46208 089.

8807210148 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CURRAN,D. WEISS,E. Harmon & Weiss. CURRAN,D. Union of Concerned Scientists. 52FR6980 00249. 87/02/20. ZECH,L.W. Commissioners. ROBERTS,T.M., ASSELTINE,J.K. NRC - No Detailed Affiliation Given. 4pp. 46208 100-46208 103.

8807210149 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BARNES,J.P., BARNES,M., BARNES,J. Affiliation Not Assigned. 52FR6980 00205. 87/03/07. NRC - No Detailed Affiliation Given. 3pp. 46208 104-46208 106.

8807210155 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. JELLIFF,F. Affiliation Not Assigned. 52FR6980 00206. 87/03/07. NRC - No Detailed Affiliation Given. 1p. 46208 107-46208 107.

8807210159 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 52FR6980 00207. 87/03/07. NRC - No Detailed Affiliation Given. 1p. 46208 108-46208 108.

8807210163 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 52FR6980 00208. 87/03/11. NRC - No Detailed Affiliation Given. 1p. 46208 109-46208 109.

8807210169 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. RHODES,J. Affiliation Not Assigned. 52FR6980 00210. 87/03/07. NRC - No Detailed Affiliation Given. 2pp. 46208 110-46208 111.

8807210179 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DELBONDO,T. Affiliation Not Assigned. 52FR6980 00212. 87/03/11. Office of the Secretary of the Commission. 1p. 46208 112-46208 112.

8807210187 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 52FR6980 00213. 87/03/08. ZECH Commissioners. 2pp. 46208 113-46208 114.

8807210190 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BRODSKY,J. Affiliation Not Assigned. 52FR6980 00214. 87/03/11. NRC - No Detailed Affiliation Given. 2pp. 46208 116-46208 116.

8807210192 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HALSEY,C.B. Affiliation Not Assigned. 52FR6980 00215. 87/03/08. ZECH,L. Commissioners. 1p. 46208 117-46208 117.

8807210199 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. STOKES,T.F. Affiliation Not Assigned. 52FR6980 00216. 87/03/08. ZECH,L.W. Commissioners. 1p. 46208 118-46208 118.

8807220001 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PASSER,H.C. Affiliation Not Assigned. 52FR6980 00115. 87/02/25. ZECH NRC - No Detailed Affiliation Given. 2pp. 46241 202-46241 203.

8807220002 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MABY,E.C. Affiliation Not Assigned. 52FR6980 00118. 87/02/28. ZECH,L. Commissioners. 1p. 46241 204-46241 204.

8807220003 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MATTHIS,L.J. Affiliation Not Assigned. 52FR6980 00117. 87/02/26. NRC - No Detailed Affiliation Given. 1p. 46230 245-46230 245.

8807220004 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BOLAND,B. Affiliation Not Assigned. 52FR6980 00118. 87/02/28. ZECH,L. NRC - No Detailed Affiliation Given. 1p. 46241 205-46241 205.

8807220005 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. GCMO'SKI,S. Affiliation Not Assigned. 52FR6980 00119. 87/02/26. ZECH Commissioners. 1p. 46230 246-46230 246.

8807220006 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MITCHELL,D. Residents Against A Polluted Environment, Inc. 52FR6980 00120. 87/02/26. ZECH,L. NRC - No Detailed Affiliation Given. 2pp. 46241 206-46241 207.

8807220007 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BLOCK,R.L. Affiliation Not Assigned. 52FR6980 00115. 87/02/06. FOUCIARD,J. NRC - No Detailed Affiliation Given. 1p. 46230 247-46230 247.

8807220011 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MAHIOTTE,M. Nuclear Information & Resource Service. 52FR6980 00014. 87/02/28. ZECH,L. Commissioners. 1p. 46230 248-46230 248.

8807220015 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. HOLT,J. Public Interest Research Group, New York. 52FR6980 00013. 87/02/18. Commissioners. 5pp. 46230 249-46230 253.

8807220017 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. ANDERSON,L.S., ANDERSON,K.P. Affiliation Not Assigned. 52FR6980 00217. 87/03/08. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46220 319-46220 319.

8807220022 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BIGELOW,S.W. Affiliation Not Assigned. 52FR6980 00218. 87/03/08. CHILK,S.J. Office of the Secretary of the Commission. 1p. 46220 318-46220 318.

8807220038 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. ATKINS,V. Affiliation Not Assigned. 52FR6980 00219. 87/03/08. Office of the Secretary of the Commission. 2pp. 46220 316-46220 317.

8807220041 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. DOWNING,D.W. Affiliation Not Assigned. 52FR6980 00220. 87/03/08. NRC - No Detailed Affiliation Given. 1p. 46220 315-46220 315.

8807220081 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. JOHNSTONE,J., JOHNSTONE,N. Affiliation Not Assigned. 52FR6980 00221. 87/03/11. ZECH,L. Commissioners. 1p. 46220 314-46220 314.

8807220108 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. JOHNSTONE,D.L., KELLEY,D.J. Affiliation Not Assigned. 52FR6980 00222. 87/03/03. ASSELTINE,J. Commissioners. 1p. 46220 313-46220 313.

8807220123 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MANIX,E.A., MANIX,G.C. Affiliation Not Assigned. 52FR6980 00225. 87/03/03. NRC - No Detailed Affiliation Given. 1p. 46220 312-46220 312.

8807220134 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. CRONAN,A.M. Affiliation Not Assigned. 52FR6980 00223. 87/03/11. Office of the Secretary of the Commission. 1p. 46220 311-46220 311.

8807220150 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MECHEN,E.J. Affiliation Not Assigned. 52FR6980 00224. 87/02/26. NRC - No Detailed Affiliation Given. 2pp. 46220 308-46220 310.

8807220159 Comments on proposed rule 10CFR50 re cooperative efforts between state & NRC w/ respect to commercial nuclear power plants & other nuclear production or utilization facilities. WALSH,G.F. New York, State of. 53FR21981 03005. 88/07/08. Decketing & Services Branch. 3pp. 46220 320-46220 322.

8807220185 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. SLATKIN,M. Affiliation Not Assigned. 52FR6980 00226. 87/03/01. ZECH,L. NRC - No Detailed Affiliation Given. 1p. 46220 308-46220 308.

8807220189 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MOYNIHAN,D.P. Senate, Environment & Public Works. 52FR6980 00086. 87/02/23. NRC - No Detailed Affiliation Given. 11pp. 46230 257-46230 267.



8807220221 Comments supporting proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste. Comments on impact of vcl of greater than Class C waste on current planning & schedules. WILLIAMS, M.C. Union Electric Co. 53FR17709 00014. 88/07/14. Docking & Services Branch. 2pp. 46220.304-46220.305

8807220230 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. EOSALL, J.S. Affiliation Not Assigned. 52FR6980 00227. 87/03/05. Commissioners. 2pp. 46230.265-46230.269

8807220234 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. MARSHALL, S. Affiliation Not Assigned. 52FR6980 00228. 87/03/05. ZECH, L. Commissioners. 1p. 46230.270-46230.270

8807220235 Comment opposing proposed rule 10CFR61 re disposal of greater than Class C waste by facilities other than NRC. Requester NRC include requirement for any waste hazardous for 100 yrs be federal responsibility. POWELL, W.J. Affiliation Not Assigned. 53FR17709 00011. 88/07/08. Docking & Services Branch. 1p. 46220.307-46220.307

8807220238 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BECKER, M. Affiliation Not Assigned. 52FR6980 00229. 87/03/05. NRC - No Detailed Affiliation Given. 1p. 46230.271-46230.271

8807220243 Comments on proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste. Urges going beyond proposed rule & including other components of low level waste stream in gov't area of responsibility. LASH, J. Vermont, State of. 53FR17709 00012. 87/07/06. Docking & Services Branch. 2pp. 46220.323-46220.324

8807220246 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. PEPPERCORN, M. Affiliation Not Assigned. 52FR6980 00230. 87/03/05. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46230.272-46230.272

8807220247 Comments on proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste. Suggests deleting the option for state responsibility & include requirement that federal govt be responsible. DRAKE, G.A. Affiliation Not Assigned. 53FR17709 00009. 88/07/02. Docking & Services Branch. 1p. 46259.094-46259.094

8807220299 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. KAGAN, A. Affiliation Not Assigned. 52FR6980 00231. 87/03/05. Region 1, Office of the Director. 1p. 46230.273-46230.273

8807220308 Comments on proposed rule 10CFR61 re disposal of low level radioactive waste. Requests that NRC take further action as outlined by enclosed attachments. CHOFF, A.G. Oak Ridge National Laboratory. 53FR17709 00013. 88/07/14. Docking & Services Branch. 6pp. 46220.325-46221.031

8807220311 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. EISUGER, M. Affiliation Not Assigned. 52FR6980 00232. 87/03/06. Commissioners. 1p. 46221.047-46221.047

8807220328 Comment supporting proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste. SORESEN, G.C. Washington Public Power Supply System. 53FR17709 00021. 88/07/14. CHILK, S.J. Office of the Secretary of the Commission. 1p. 46221.032-46221.032

8807220329 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. KRAFT, M., TARVERS, B.T., PETERS, M.N. Truro, MA. 52FR6980 00233. 87/03/03. NRC - No Detailed Affiliation Given. 1p. 46220.303-46220.303

8807220338 Comments on proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste & the current definition for high level waste. Urges Commission to reconsider defining high level waste on basis of physical characteristics. BORYS, S.S. Affiliation Not Assigned. 53FR17709 00020. 88/07/15. Docking & Services Branch. 2pp. 46221.033-46221.034

8807220358 Comments on proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste in deep geologic repository. BISHOP, W.A. Washington, State of. 53FR17709 00010. 88/07/14. Docking & Services Branch. 6pp. 46221.035-46221.040

8807220361 Comment opposing proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste outside of deep geologic repository. ZELLER, L. Affiliation Not Assigned. 53FR17709 00018. 88/07/08. NRC - No Detailed Affiliation Given. 1p. 46221.041-46221.041

8807220367 Comment opposing proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste. BERG, C. Affiliation Not Assigned. 53FR17709 00017. 88/07/18. NRC - No Detailed Affiliation Given. 1p. 46221.042-46221.042

8807220375 Comments on proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste outside of deep geologic repository. CLEARY, J.F. Michigan, State of. 53FR17709 00016. 88/07/13. CHILK, S.J. Office of the Secretary of the Commission. 2pp. 46221.043-46221.044

8807220384 Comments on the proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste outside of deep geologic repository. MOGHISSI, A.A. American Society of Mechanical Engineers. 53FR17709 00015. 88/07/15. Docking & Services Branch. 2pp. 46221.045-46221.046

8807220390 Comment supporting proposed rule 10CFR50 re proposed policy statement on cooperation w/states at commercial nuclear power plants & other nuclear production or utilization facilities as published in FR on 8/8/83. ESCHELS, C. Washington, State of. 53FR1981 00007. 88/07/12. Docking & Services Branch. 2pp. 46210.324-46210.325

8807250122 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 52FR6980 00154. 87/02/26. ZECH, L. Commissioners. 1p. 46246.102-46246.102

8807250134 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. GUARIGLIA, M.A., GUARIGLIA, A.M. Affiliation Not Assigned. 52FR6980 00174. 87/03/01. ZECH, L. W. NRC - No Detailed Affiliation Given. 2pp. 46246.103-46246.101

8807250146 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. BERKOWITZ, K. Affiliation Not Assigned. 52FR6980 00135. 87/03/03. NewsData Corp., Seattle, WA. 1p. 46246.103-46246.103

8807250180 Comment supporting proposed rule 10CFR50 concerning policy statement on cooperation w/states at commercial nuclear power plants or utilization facilities. BURSKI, R.F. Louisiana Power & Light Co. 53FR1981 00015. 88/07/13. Docking & Services Branch. 2pp. 46246.098-46246.099

8807250207 Comment on proposed rule 10CFR50 concerning policy statement re cooperation w/states delegating some responsibilities to state can only lead to ineffective utilization of taxpayer resources. SORESEN, G.C. Washington Public Power Supply System. 53FR1981 00014. 88/07/11. Docking & Services Branch. 2pp. 46230.274-46230.275

8807250266 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. TREPAL, C. Cuyahoga County Concerned Citizens. ANGEL, J.H. Citizens for Land & Water Use. SECEK, D. Northern Ohio Citizens Against Pury & Davis-Besse. 52FR6980 00234. 87/02/16. NRC - No Detailed Affiliation Given. 2pp. 46246.095-46246.096

8807250282 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning. Affiliation Not Assigned. 52FR6980 00021. 87/03/11. NRC - No Detailed Affiliation Given. 1p. 46230.276-46230.276

8807250350 Comment on proposed rule 10CFR50 re policy statement on cooperation w/states at commercial nuclear power plants. Policy statement ambiguous re listed requirements NRC should not permit independent state resp programs or reviews. LEONARD, J.D. Long Island Lighting Co. 53FR1981 00011. 88/07/14. Docking & Services Branch. 2pp. 46230.277-46230.278

8807250437 Comment supporting proposed rule 10CFR50 re policy statement on NRC cooperation w/states at commercial nuclear power plants & other nuclear production or utilization facilities. FAY, C.W. Wisconsin Electric Power Co. 53FR1981 00008. 88/07/11. CHILK, S.J. Docking & Services Branch. 1p. 46246.097-46246.097

8807270151 Forwards regulatory history for NEPA review procedures for geologic repositories for high level waste in response to 880512 memo. WO, F.J. Office of the General Counsel. AC04-1 01. 88/07/15. MEYER, D. NRC - No Detailed Affiliation Given. 5pp. 46245.100-46246.091

--8801080208 Responds to Zech 851106 memo concerning rulemaking schedule published in Regulatory Agenda. Rulemaking would address Commission NEPA review responsibilities for high level waste repository. Revised schedule encl. CIRKS, W. Office of the Executive Director for Operations. AC04-1 03. 88/01/02. PALLADINO, ROBERTS, ASSELSTINE. Commissioners. 2pp. 46245.107-46245.108

--8801080073 Comments on schedule for rulemaking to amend 10CFR51 & provide procedures for NRC on/rat review responsibility on application for high level waste repository license. Time allowed for Commission vote & review questioned. ZECH, L.W. Commissioners. AC04-1 02. 85/11/00. PALLADINO, ROBERTS, ASSELSTINE. Commissioners. 2pp. 46245.105-46245.108

--8803200064 SECY-88-051 Recommends approval of Alternative 2 for rulemaking to establish criteria to be used in adopting EIS prepared by DOE for geologic repositories for high level waste. STELLO, V. Office of the Executive Director for Operations. AC04-1 05. 86/02/12. 11pp. 46245.110-46245.122

--8807090527 Draft Commission paper providing add'l info re rulemaking approach recommended in SECY-86-051 for establishing criteria for adoption of EIS prepared by DOE per Nuclear Waste Policy Act of 1982. STELLO, V. Office of the Executive Director for Operations. AC04-1 09. 86/06/27. 6pp. 46245.264-46245.269

--8803240364 SECY-88-060 Recommends Commission approve encl. amends to 10CFR51.60 & 2, establishing procedures for NEPA review of geologic repositories for high level waste for FR publication. PARKER, W.C. Office of the General Counsel. AC04-1 11. 88/03/02. 83pp. 46245.287-46245.349

--8805180036 Advises that Commission voted to approve encl. proposed amends to rules in 10CFR21.51 & 60. Proposed rules would address Commission role under NEPA in connection w/licenses application submitted by DOE. PARKER, W.C. Office of the General Counsel. AC04-1 16. 88/05/02. SHARP, P.R. House of Rep., Energy & Commerce. UDALL, M.K. House of Rep., Interior & Insular Affairs. 2pp. 46246.089-46246.094

- 8805160043 Advises that Commission voted to approve and proposed amendments to rules 10CFR2.51 & 60 Proposed rules address Commission role under NEPA in connection with license application submitted by DOE  
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle AC04-1 17 88/05/03. SWARTZ,L. Council on Environmental Quality. 1p. 46246 091-46246 094
- 8807270186 Staff requirements memo re rulemaking to amend 10CFR51 to provide procedures for NRC environ review responsibilities under Nuclear Waste Policy Act & to inform Commission if unable to meet date & why not able to do so  
CHILK,S.J. Office of the Secretary of the Commission. AC04-1 04 88/01/03. DIRCKS,W.J. Ofc of the Executive Director for Operations. 1p. 46245 109-46245 109
- 8807270222 SECY-86-051A Transmits to Commission for consideration of SECY-86-051, documents setting forth differing prof opinion re NEPA review procedures for high level waste geologic repositories  
STELLO,V. Ofc of the Executive Director for Operations AC04-1 07. 88/04/22 116pp. 46245 123-46245 238.
- 8807270228 Forwards, per J Curtiss request, SECY-86-051A & Deputy General Counsel 880414 memo to Commission re NEPA review procedures for geologic repositories for high level waste Requests to preserve confidentiality of sub documents  
KAMMERER,C. Office of Congressional Affairs (pre 870413). AC04-1 09 88/05/08 SIMPSON,A.K. Senate, Environment & Public Works. 1p. 46245 239-46245 253.
- 8807270247 Advises that Commission approved preparation of proposed rule establishing procedures for NEPA review of geologic repositories for high level waste  
CHILK,S.J. Office of the Secretary of the Commission. AC04-1 10 88/11/12 STELLO,V. Ofc of the Executive Director for Operations. 7pp. 46245 260-46245 268.
- 8807270251 Advises that Commission approved proposed rule SECY-86-60, establishing procedures for NEPA review of geologic repositories for high level waste  
CHILK,S.J. Office of the Secretary of the Commission. AC04-1 12 88/04/07 STELLO,V. Ofc of the Executive Director for Operations. 6pp. 46245 350-46245 355
- 8807270257 Forwards congressional ltrs prepared for FR Notice, Proposed Rule, "NEPA Review Procedures for Geologic Repositories for High Level Waste" Notice forwarded to Ofc of Secretary on 880428 W/o encl  
MEYER,D.L. Rules & Procedures Branch AC04-1 13 88/04/26 KENT,S. Congressional Affairs. 1p. 46245 356-46245 356
- 8807270275 Forwards Proposed Rule 10CFR2.51 & 60, "NEPA Review Procedures for High Level Waste," for photoprinting  
SHOWMAN,S. NRC - No Detached Affiliation Given AC04-1 14 88/04/26 Ofc of the Federal Register. 1p. 46245 357-46246 068
- 8807270280 Informs that Commission voted to approve & sent to Ofc of FR for publication proposed amendments to Commission rules in 10CFR2.51 & 60  
PARLER,W.C. Office of the General Counsel. AC04-1 15 88/05/02 BREAU,X.J.B. Senate, Environment & Public Works. 28pp. 46246 069-46246 088
- 8801080206 Responds to Zech 851106 memo concerning rulemaking schedule published in Regulatory Agenda Rulemaking would address Commission NEPA review responsibilities for high level waste repository Revised schedule encl.  
DIRCKS,W.J. Ofc of the Executive Director for Operations AC04-1 03 88/01/02 PALLADINO, ROBERTS, ASSELSTINE Commissioners. 2pp. 46245 107-46245 135
- 8801090073 Comments on schedule for rulemaking to amend 10CFR51 & provide procedures for NRC environ review responsibility on application for high level waste repository license. Time allowed for Commission vote & review questioned.  
ZECH,L.W. Commissioners AC04-1 02 85/11/06 PALLADINO, ROBERTS, ASSELSTINE Commissioners. 2pp. 46245 105-46245 108
- 8803200064 SECY-86-051 Recommends approval of Alternative 2 for rulemaking to establish criteria to be used in adopting EIS prepared by DOE for geologic repositories for high level waste  
STELLO,V. Ofc of the Executive Director for Operations. AC04-1 05 88/02/12 11pp. 46245 110-46245 122.
- 8807090527 Draft Commission paper providing add info re rulemaking approach recommended in SECY-86-051 for establishing criteria for adoption of EIS prepared by DOE per Nuclear Waste Policy Act of 1982  
STELLO,V. Ofc of the Executive Director for Operations AC04-1 09 88/03/27 6pp. 46245 254-46245 259.
- 8803240384 SECY-88-060 Recommends Commission approve and amend to 10CFR51.60 & 2, establishing procedures for NEPA review of geologic repositories for high level waste for FR publication  
PARLER,W.C. Office of the General Counsel. AC04-1 11 88/03/02 83pp. 46245 267-46245 349.
- 8805160038 Advises that Commission voted to approve and proposed amendments to rules in 10CFR2.51 & 60 Proposed rules would address Commission role under NEPA in connection with license application submitted by DOE  
PARLER,W.C. Office of the General Counsel. AC04-1 16 88/05/02 SHARP,P.R. House of Rep., Energy & Commerce. UDALL,M.K. House of Rep., Interior & Insular Affairs. 2pp. 46246 089-46246 094
- 8805160043 Advises that Commission voted to approve and proposed amendments to rules 10CFR2.51 & 60 Proposed rules address Commission role under NEPA in connection with license application submitted by DOE  
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. AC04-1 17 88/05/03. SWARTZ,L. Council on Environmental Quality. 1p. 46246 091-46246 094
- 8807270186 Staff requirements memo re rulemaking to amend 10CFR51 to provide procedures for NRC environ review responsibilities under Nuclear Waste Policy Act & to inform Commission if unable to meet date & why not able to do so  
CHILK,S.J. Office of the Secretary of the Commission. AC04-1 04 88/01/03. DIRCKS,W.J. Ofc of the Executive Director for Operations. 1p. 46245 109-46245 109
- 8807270222 SECY-86-051A Transmits to Commission for consideration of SECY-86-051, documents setting forth differing prof opinion re NEPA review procedures for high level waste geologic repositories  
STELLO,V. Ofc of the Executive Director for Operations. AC04-1 07. 88/04/22 116pp. 46245 123-46245 238.
- 8807270228 Forwards, per J Curtiss request, SECY-86-051A & Deputy General Counsel 880414 memo to Commission re NEPA review procedures for geologic repositories for high level waste Requests to preserve confidentiality of sub documents  
KAMMERER,C. Office of Congressional Affairs (pre 870413). AC04-1 09 88/05/08 SIMPSON,A.K. Senate, Environment & Public Works. 1p. 46245 239-46245 253.
- 8807270247 Advises that Commission approved preparation of proposed rule establishing procedures for NEPA review of geologic repositories for high level waste  
CHILK,S.J. Office of the Secretary of the Commission. AC04-1 10 88/11/12 STELLO,V. Ofc of the Executive Director for Operations. 7pp. 46245 260-46245 268
- 8807270251 Advises that Commission approved proposed rule SECY-86-60, establishing procedures for NEPA review of geologic repositories for high level waste  
CHILK,S.J. Office of the Secretary of the Commission. AC04-1 12 88/04/07 STELLO,V. Ofc of the Executive Director for Operations. 6pp. 46245 350-46245 355
- 8807270257 Forwards congressional ltrs prepared for FR Notice, Proposed Rule, "NEPA Review Procedures for Geologic Repositories for High Level Waste" Notice forwarded to Ofc of Secretary on 880428 W/o encl  
MEYER,D.L. Rules & Procedures Branch AC04-1 13 88/04/26 KENT,S. Congressional Affairs. 1p. 46245 356-46245 356
- 8807270275 Forwards Proposed Rule 10CFR2.51 & 60, "NEPA Review Procedures for High Level Waste," for photoprinting  
SHOWMAN,S. NRC - No Detached Affiliation Given AC04-1 14 88/04/26 Ofc of the Federal Register. 1p. 46245 357-46246 068
- 8807270280 Informs that Commission voted to approve & sent to Ofc of FR for publication proposed amendments to Commission rules in 10CFR2.51 & 60  
PARLER,W.C. Office of the General Counsel. AC04-1 15 88/05/02 BREAU,X.J.B. Senate, Environment & Public Works. 28pp. 46246 069-46246 088
- 8801080206 Responds to Zech 851106 memo concerning rulemaking schedule published in Regulatory Agenda Rulemaking would address Commission NEPA review responsibilities for high level waste repository Revised schedule encl.  
DIRCKS,W.J. Ofc of the Executive Director for Operations AC04-1 03 88/01/02 PALLADINO, ROBERTS, ASSELSTINE Commissioners. 2pp. 46245 107-46245 135
- 8801090073 Comments on schedule for rulemaking to amend 10CFR51 & provide procedures for NRC environ review responsibility on application for high level waste repository license. Time allowed for Commission vote & review questioned.  
ZECH,L.W. Commissioners AC04-1 02 85/11/06 PALLADINO, ROBERTS, ASSELSTINE Commissioners. 2pp. 46245 105-46245 108
- 8803200064 SECY-86-051 Recommends approval of Alternative 2 for rulemaking to establish criteria to be used in adopting EIS prepared by DOE for geologic repositories for high level waste  
STELLO,V. Ofc of the Executive Director for Operations. AC04-1 05 88/02/12 11pp. 46245 110-46245 122.
- 8807090527 Draft Commission paper providing add info re rulemaking approach recommended in SECY-86-051 for establishing criteria for adoption of EIS prepared by DOE per Nuclear Waste Policy Act of 1982  
STELLO,V. Ofc of the Executive Director for Operations AC04-1 09 88/03/27 6pp. 46245 254-46245 259.
- 8803240384 SECY-88-060 Recommends Commission approve and amend to 10CFR51.60 & 2, establishing procedures for NEPA review of geologic repositories for high level waste for FR publication  
PARLER,W.C. Office of the General Counsel. AC04-1 11 88/03/02 83pp. 46245 267-46245 349.
- 8805160038 Advises that Commission voted to approve and proposed amendments to rules in 10CFR2.51 & 60 Proposed rules would address Commission role under NEPA in connection with license application submitted by DOE  
PARLER,W.C. Office of the General Counsel. AC04-1 16 88/05/02 SHARP,P.R. House of Rep., Energy & Commerce. UDALL,M.K. House of Rep., Interior & Insular Affairs. 2pp. 46246 089-46246 094
- 8805160043 Advises that Commission voted to approve and proposed amendments to rules 10CFR2.51 & 60 Proposed rules address Commission role under NEPA in connection with license application submitted by DOE  
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. AC04-1 17 88/05/03. SWARTZ,L. Council on Environmental Quality. 1p. 46246 091-46246 094
- 8807270186 Staff requirements memo re rulemaking to amend 10CFR51 to provide procedures for NRC environ review responsibilities under Nuclear Waste Policy Act & to inform Commission if unable to meet date & why not able to do so  
CHILK,S.J. Office of the Secretary of the Commission. AC04-1 04 88/01/03. DIRCKS,W.J. Ofc of the Executive Director for Operations. 1p. 46245 109-46245 109
- 8807270222 SECY-86-051A Transmits to Commission for consideration of SECY-86-051, documents setting forth differing prof opinion re NEPA review procedures for high level waste geologic repositories  
STELLO,V. Ofc of the Executive Director for Operations. AC04-1 07. 88/04/22 116pp. 46245 123-46245 238.
- 8807270228 Forwards, per J Curtiss request, SECY-86-051A & Deputy General Counsel 880414 memo to Commission re NEPA review procedures for geologic repositories for high level waste Requests to preserve confidentiality of sub documents  
KAMMERER,C. Office of Congressional Affairs (pre 870413). AC04-1 09 88/05/08 SIMPSON,A.K. Senate, Environment & Public Works. 1p. 46245 239-46245 253.
- 8807270247 Advises that Commission approved preparation of proposed rule establishing procedures for NEPA review of geologic repositories for high level waste  
CHILK,S.J. Office of the Secretary of the Commission. AC04-1 10 88/11/12 STELLO,V. Ofc of the Executive Director for Operations. 7pp. 46245 260-46245 268
- 8807270251 Advises that Commission approved proposed rule SECY-86-60, establishing procedures for NEPA review of geologic repositories for high level waste  
CHILK,S.J. Office of the Secretary of the Commission. AC04-1 12 88/04/07 STELLO,V. Ofc of the Executive Director for Operations. 6pp. 46245 350-46245 355

forwarded to Oic of Secretary on 8/24/26 W/o end  
MEYER D. Rules & Procedures Branch AC04-1 13. 88/04/26 KENT, S. Congress-  
son's Affairs 1p. 46245 356-46245 356

--8807270275 Forwarding Proposed Rule 10CFR2.51 & 60. "NEPA Review Procedures for  
High Level Waste" for photographing  
SIOGHANIAN, S. NRC - No Detailed Affidavit Given AC04-1 14. 88/04/26 Office of  
the Federal Register 1p. 46245 357-46246 088

--8807270280 Informs that Commission voted to approve & sent to Oic of FR for  
publication proposed amendments to Commission rules in 10CFR2.51 & 60.  
PAULLEY, W.C. Office of the General Counsel AC04-1 15. 88/05/02. BREAU, J.B.  
Science, Environment & Public Works 20pp. 46246 069-46246 088

8807270272 Comment on proposed rule 10CFR35 re training for technologists & des-  
igners  
RECFAR, D.M. Bon Secours Hosp., Methuen, MA. 53FR18845 00011. 88/07/21.  
Docking & Services Branch 1p. 46245 097-46245 397

8807270276 Comment on proposed rule 10CFR35 re training & experience criteria for  
technologists using byproduct mat  
MCGOWAN, R.C. American Registry of Radiologic Technologists. 53FR18845 00012  
58/07/13. Docking & Services Branch 24pp. 46259 068-46259 091

8807270297 Comment supporting proposed rule 10CFR50 allowing state to accompany  
NRC personnel on regular insp of facilities  
WOMLDOGH, D. California, State of 53FR21981 00020. 88/07/10. Docking &  
Services Branch 2pp. 46245 098-46245 059

8807280056 Comment opposing proposed rule 10CFR61 re disposal of greater than  
Class C waste or facilities not regulated by NRC. Deloit on option for states to take  
greater than Class C wastes suggested  
POWELL, W.J. Affiliation Not Assigned 53FR47578 00022. 88/07/06. Office of the  
Secretary of the Commission 2pp. 46253 122-46253 123

8807280059 Comment on proposed rule 10CFR61 Asks to delimit option for states to  
take greater than Class C waste & to require waste that takes more than 100 yrs to  
decay to be continuing federal responsibility  
MUNFORD, D. Affiliation Not Assigned 53FR11768 00031. 88/07/16. NRC - No Detailed  
Affidavit Given 1p. 46253 132-46253 132

8807280062 Comment supporting proposed rule 10CFR61 re requirement for burial of  
greater than Class C low level radioactive waste in deep geologic repository unless disposal  
elsewhere approved by Commission  
DANIELSON, S. Indiana, State of 53FR17709 00005. 88/07/11. Docking & Ser-  
vices Branch 2pp. 46253 130-46253 139.

8807280070 Comment supporting policy statement re cooperation w/ states at commer-  
cial nuclear power plants & other production or utilization facilities. Statement preclud-  
ing duplication of federal health & safety activities at plants urged  
DEVINCENTIS, J. Yankee Atomic Electric Co. 53FR21081 00008. 88/07/12. Docking  
& Services Branch. 2pp. 46253 140-46253 141.

8807280071 Comment supporting proposed rule 10CFR50 re cooperation w/ states at  
commercial nuclear power plants & other nuclear production or utilization fac-  
ilities. Addition of sentence to implementation section recommended.  
LASH, F.H. Illinois, State of 53FR21081 00010. 88/07/11. Docking & Services  
Branch 2pp. 46253 142-46253 143

8807280074 Comment on proposed rule 10CFR50 re cooperation w/ states at commer-  
cial nuclear power plants & other facilities. Suggests rev to policy to grant same rights  
& responsibilities to all states with n 10 miles of plant.  
MAGETTE, T. Maryland, State of 53FR21981 00019. 88/07/19. CHILK, S.J. Office of  
the Secretary of the Commission 2pp. 46253 130-46253 131

8807280087 Comment opposing proposed rule 10CFR50 re cooperation w/ state govts  
at nuclear plants. Delegation of NRC authority to states to conduct insps disturbing.  
REYNOLDS, N.S. Bishop, Cook, Purcell & Reynolds REYNOLDS, N.S. Arkansas Power &  
Light Co. REYNOLDS, N.S. Consolidated Edison Co. of New York, Inc. 53FR21081  
00033. 88/07/13. CHILK, S.J. Office of the Secretary of the Commission. 8pp.  
46253 144-46253 151

8807280091 Comment opposing proposed rule 10CFR61 re disposal of  
radioactive waste. Alleges that rule gives Commission power to endanger state prerogatives &  
fails to provide that greater than Class C wastes will not endanger public health.  
LEWIS, M. Affiliation Not Assigned 53FR17709 00029. 88/07/17. Office of the Sec-  
retary of the Commission 1p. 46253 136-46253 136

8807280142 Comment concerning proposed rule 10CFR61 re delimitation of high level  
radioactive waste & disposition of greater than Class C (GTCC) wastes. Urges Commission to  
take no action which will shift burden of GTCC mgmt & disposal to state govts  
JOHNSON, J.H. Environmental Coalition on Nuclear Power. 53FR17709 00030. 88/  
07/18. Docking & Services Branch. 3pp. 46253 133-46253 135.

8807280148 Comment opposing proposed rule 10CFR50 re cooperation w/ states at  
commercial nuclear power plants & other nuclear production or utilization  
facilities. Regulation of radiological aspects of plant operations cannot be delegated  
COLVIN, J.F. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear  
Utility Manage 53FR21981 00004. 88/07/13. CHILK, S.J. Office of the Secretary of  
the Commission 3pp. 46253 158-46253 160

8807280158 Comment opposing proposed rule 10CFR50 re cooperation w/ states at  
commercial nuclear power plants & other nuclear production or utilization  
facilities. State participation in routine insp activities unnecessary.  
BERRY, K.W. Consumers Power Co. 53FR21981 00012. 88/07/11. Docking & Ser-  
vices Branch. 2pp. 46253 152-46253 153.

8807280164 Comment opposing proposed rule 10CFR61 re disposal of greater than  
Class C low level radioactive waste in deep geologic repositories. Rule could complicate geo-  
logic repository capacity requirements  
TUCKER, H.B. Duke Power Co. 53FR17709 00028. 88/07/18. Docking & Services  
Branch 1p. 46253 137-46253 137.

comment; makes objection to instrument of instrument of cooperation difficult  
SEIKER, M.A. Ohio, State of 53FR21981 00013. 88/07/14. Docking & Services  
Branch 4pp. 46253 154-46253 157

8807280188 Comment re proposed rule 10CFR61 concerning disposal of greater than  
Class C waste in geologic repository. Proposal has potential for increasing complexity  
& cost of geologic repository program by requiring disposal in repositories  
MILLS, L.E. Edison Electric Institute 53FR17709 00023. 88/07/18. CHILK, S.J. Office  
of the Secretary of the Commission 3pp. 46253 161-46253 163

8807280209 Comment re proposed rule 10CFR61 concerning disposal of  
radioactive waste. Current Class C limits not supported as appropriate threshold for sub-  
classification  
DEVINCENTIS, J. Yankee Atomic Electric Co. 53FR17709 00024. 88/07/14. Docking  
& Services Branch. 2pp. 46253 172-46253 173

8807280217 Comment on proposed rule 10CFR61 concerning greater than Class C low  
level waste. Phrases including "in sufficient concentrations" & "commercially-generated  
or greater than Class C" must be defined  
MOBLEY, M.H. Tennessee, State of 53FR17709 00025. 88/07/14. Docking & Ser-  
vices Branch. 1p. 46253 174-46253 174.

8807280308 Comment concerning proposed rule 10CFR34 re safety requirements for  
industrial radiographic equipment. Rate of 550 m/r/h too high to trigger alarm for Air  
Force needs  
JIRELE, D.J. Air Force, Dept. of 53FR4465 00053. 88/07/20. Docking & Services  
Branch. 16pp. 46253 092-46253 107

8807280332 Comment on proposed rule 10CFR76 re regulation of U enrichment  
facilities. NRC regulatory regime applicable to U enrichment plants of substantial im-  
portance to the industry  
MILLS, L.E. Edison Electric Institute 53FR13276 00010. 88/07/21. CHILK, S.J. Office  
of the Secretary of the Commission 2pp. 46253 074-46253 075

8807280335 Comment on proposed rule 10CFR34 re radiographic alarm dosimeter set-  
point of 500 m/r/h. Determination of background radiation not operating nuclear facili-  
ties at location to be radiographed w/insight between 100 & 200 m/r/h suggested  
KERCH, H.W. Region 1, Oic of the Director. 53FR1860 00058. 88/07/22. Docking &  
Services Branch 1p. 46253 108-46253 108

8807280342 Comment on proposed rule 10CFR76 re regulation of U enrichment  
facilities. Rule similar to backfit rule for commercial nuclear power plants should be de-  
veloped to insure necessary regulatory stability  
SIEGEL, J.R. US Council for Energy Awareness. 53FR13276 00011. 88/07/21. Dock-  
ing & Services Branch. 2pp. 46253 076-46253 077

8807280350 Comment on proposed rule 10CFR76 re U enrichment facilities. Bellovas no  
immediate need exists for proposed rulemaking & efforts should be postponed until  
rule is better clarified  
BRENNAN, J.L. Fluor Engineering Inc. 53FR13276 00008. 88/07/18. Docking &  
Services Branch. 8pp. 46253 078-46253 085

8807280358 Comment on proposed rule 10CFR76 re regulation of U enrichment  
facilities. Supports NRC intention to proceed w/ review & issuance of appropriate li-  
censes on basis of current regulations  
DISEFANO, J. Ureco, Inc. 53FR13276 00008. 88/07/21. CHILK, S.J. Office of the  
Secretary of the Commission 13pp. 46253 100-46253 121

8807280363 Comment on proposed rule 10CFR76 re regulation of U enrichment  
facilities. Regulators contained in 10CFR50 & applicable NRC guidance re specific ap-  
plication should be sufficient for licensing at this time.  
RECKMAN, B.J. WasteChem Corp. 53FR13276 00007. 88/07/18. Docking & Ser-  
vices Branch. 5pp. 46253 124-46253 128

8807280369 Comment on proposed rule 10CFR76 re regulation of U enrichment  
facilities. U enrichment program could result in better securitization & debarbarization  
of process providing NRC stringency to side  
Ecology/Air. 53FR13276 00008. 88/07/17. Docking & Services Branch. 2pp.  
46252 358-46252 359

8807280375 Comment on proposed rule 10CFR76 re regulation of U enrichment  
facilities. Util interested in any licensing regulations that would govern const & oper-  
ation of U enrichment facilities  
GOE, W.E. Florida Power & Light Co. 53FR13276 00005. 88/07/21. CHILK, S.J. Office of  
the Secretary of the Commission 2pp. 46252 360-46252 361.

8807280378 Comment opposing proposed rule 10CFR50 re emergency planning & pre-  
paredness requirements for nuclear power plant fuel loading & initial low power oper-  
ations  
JORDAN, H.E. Affiliation Not Assigned. 53FR16435 01677. 88/06/06. CHILK, S.J.  
Office of the Secretary of the Commission 1p. 46253 129-46253 129

8807280380 Comment opposing proposed rule 10CFR50 re emergency planning & pre-  
paredness requirements for nuclear power plant fuel loading & initial low power oper-  
ations  
DRAKE, M. Affiliation Not Assigned. 53FR16435 01678. 88/07/16. CHILK, S.J. Office  
of the Secretary of the Commission 1p. 46253 087-46253 087.

8807280384 Comment on proposed rules 10CFR170 & 171 re rev of fees, published in  
FR Vol 53, on 8/8/87. Vendor strongly objects to proposed elimination of max insp fee  
quency  
KOBIRICK, T.E. Bethlehem Steel Corp 53FR24071 00002. 88/07/19. Docking &  
Services Branch 1p. 46253 086-46253 086

8807280389 Comment on proposed rule 10CFR35 re training & experience criteria  
BRADLEY, F.J. New York, State of 53FR18845 00013. 88/07/18. MCELROY, N.L.  
Office of Nuclear Material Safety & Safeguards, Director. 1p. 46253 088-46253 088.

8807280396 Comment on proposed rule 10CFR76 re regulation of U enrichment  
facilities. Util questions whether rulemaking contemplated by advance notice is neces-  
sary  
WYKE, T.F. Duke Power Co. 53FR13276 00013. 88/07/21. Docking & Services  
Branch. 1p. 46263 089-46263 089

8807230187 Comment on proposed rule 10CFR76 re U enrichment facilities. Recommendation is that NRC defer making decision to initiate rulemaking. NRC current regulations provide framework for review of application to construct & operate such plant. M.L.S.L.E. Edison Electric Institute 53FR13276 06012 88/07/21. CHILKS, J. Office of the Secretary of the Commission 2pp 46299 056-46299 057

8807260205 Comment on proposed rule 10CFR34 re safety requirements for industrial radiographic equipment. Regulations do not ensure safe radiographic operations. TIFTON, J.A. Linton Industries, Inc. 53FR469 03059 88/07/20 Docking & Services Branch 3pp 46299 059-46299 060

8807280204 Survey on proposed rule 10CFR34 re safety requirements for industrial radiographic equipment. \* Rife, Gerald 53FR469 03058 88/07/25 NRC - No Detailed Affiliation Given 2pp 46299 059-46299 062

8807290210 Comments opposing proposed rule 10CFR34 re safety requirements for industrial radiographic equipment. Requirement that certified industrial radiographer need only know gamma ray safety rules inadequate. CONLEY, G.M. Affiliation Not Assigned 53FR469 03057 88/07/20 STRAWN, American Society for Nondestructive Testing 5pp 46299 063-46299 067

PRM PETITION FOR RULEMAKING

8807180328 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govts decline to cooperate in offsite emergency planning & supporting petition for rulemaking PRM-50-01 to expand EPZ to 20 miles. YOUNG, F. Affiliation Not Assigned 52FR6860 60032 87/02/22 CHILKS, NRC - No Detailed Affiliation Given 1p 46191 064-46191 064

PROJ PROJECTS - PREDOCKET LICENSING

8806220250 Forwards Rev 2A to "Topical SAR for NAC Storage/Transport Cask for Use at ISFSI." Vols 1 & 2 & proprietary section to rect. WELLS, A.H. Nuclear Assurance Corp. 24422 88/06/09 ROBERTS, J. Office of Nuclear Material Safety & Safeguards, Director 2pp 45888 238-45892 071

-8806220266 Requests withholding of proprietary info in Rev 2A of "Topical SAR for NAC Storage/Transport Cask for Use at ISFSI." (rel 10CFR2 780). STUBBS, J.J. Nuclear Assurance Corp. JJS/88/37/CORP 88/08/08 ROBERTS, J. Office of Nuclear Material Safety & Safeguards, Director 5pp 45888 238-45888 242

-8806220277 Rev 2A to "Topical SAR for NAC Storage/Transport Cask for Use at ISFSI." Vols 1 & 2. \* Nuclear Assurance Corp 88/06/30 1 269pp. 45886 243-45892 071.

8809280869 Responds to 880516 ltr re testing of formulation for solidifying decontaminated supernatant waste at West Valley site & proposed three step approach to final waste qualification. BAHGART, R.L. Division of Low Level Waste Management & Decommissioning (Post 870413) 88/06/16 BIXBY, W.W. Energy, Dept. of Idaho Operations Office 3pp 45974 326-45974 328

8807080059 Forwards listing of NRC/West Valley Demonstration Project documents to be sent to Buffalo & Erie County Library. BOENBERGER, D. West Valley Nuclear Services Co., Inc. 24461 88/06/17. BIXBY, W.W. Energy, Dept. of 3pp 46139 338-46139 340

8807120374 Summary of 880519 meeting w/CE in Rockville, MD re human factors program in control room design for CESSAR-DC Sys 80-. Viewgraphs encl. VISSING, G.S. Division of Reactor Projects - III, IV, V & Special Projects (Post 870411) 88/06/20 Division of Reactor Projects - III, IV, V & Special Projects (Post 870411) 112pp. 46113 179-46113 299

8807120628 Forwards status report on std plant design technical reviews. HUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate 88/07/01. SHAO, L. Division of Engineering & Systems Technology (Post 870411) PARTLOW, J. Division of Reactor Inspection & Safeguards (Post 870411). CONGEL, F. Division of Radiation Protection & Emergency Preparedness (Post 870411). 14pp 46148 054-46148 057.

8807120716 Forwards request for addl info re Amend B of Chapters 4 & 5 of CESSAR-DC Sys 80+, transmitted by 880411 ltr. Receipt of info within 90 days of ltr date requested. VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/06/28. SCHERER, A.E. Combustion Engineering, Inc. 4pp. 46120 200-46120 203.

8807120720 Requests addl info re Amend B of Chapters 5 & 9 of CESSAR-DC Sys 80+ for review completion. VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/06/28. SCHERER, A.E. Combustion Engineering, Inc. 5pp. 46113 358-46113 360.

8807140097 Summary of 880628 meeting w/CE in Rockville, MD re QA program plan for CESSAR-DC Sys 80+ request for addl info re review of Chapter 17 of Amend 12 & engineering plans for revising QA program plan. Attendance list encl. VISSING, G.S. Standardization & Non-Power Reactor Project Directorate. 88/07/01. Standardization & Non-Power Reactor Project Directorate. 18pp. 46184 063-46184 061.

8807220173 Summary of 880712 meeting w/DOE in Washington, DC re pre-licensing agreement preparation List of meeting attendees encl. CLARK, A.T. Fuel Cycle Safety Branch 88/07/14. TERRY, G.A. Fuel Cycle Safety Branch 2pp. 46249 077-46249 078.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

8807070573 Provides summary of responses to NRC Bulletin 87-017, "The NRC of Pipe Welds in Nuclear Power Plants." Points made re valve design addressed. MILLER, H.L. Control Components, Inc. IEB 87-017. 88/06/21. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 2pp. 46125 254-46125 255

8807130135 LER 88-0C-00 since Jul 1987, five failures of Brown Boveri ITE 51 overcurrent relays experienced. Caused by short circuiting of output silicon control rectifier due to impurities. Problem also reportable per 10CFR21.1W/880705 ltr. NOONAN, T.P. Duquesne Light Co. NO3SPM.0261 88/07/05. 8pp 46183 247-46183 254

8807130417 Deficiency report re position indication switch lead wires used in Target Rock soldered valves. Recommendations that position indication switch be replaced. Inspection cracking noted. See bulletin & list of affected plants encl. CROWLEY, T.D. Target Rock Corp. TRC 8369 88/06/28 JACOBSON, J. NRC - No Detailed Affiliation Given 10pp. 46166 029-46166 038

8807140215 LER 88-001-00 on 880605 breakers connecting diesel generators 3A, 3C & 3D to a 4V shutdown boards opened just after closing & would not reclose. Caused by open signal seeded in logic. Also reportable per Part 21 W/880705 ltr. JONES, S.B., WALKER, J.G. Tennessee Valley Authority 88/07/01 5pp 46173 026-46173 033

8807260350 Part 21 report re 960CD series of microprocessor controller. Caused by defective battery backed up RAM Controller family to be re-designed. SMITH, J.A., STAFFORD, K.E. Victoreen, Inc. (subs. of Sheller-Globe Corp) 88/07/09 DEYATTE, R. Region 3, Office of the Director 3pp 46344 001-46344 003

QA999 QUALITY ASSURANCE INSPECTIONS

8807010047 Responds to NRC 880415 ltr re violations noted in Insp 89000235/67-01. Corrective actions mail replaced by SBF on Shop Order 4319. All QA programs constructed on ASME mail upgrade rules. GOIN, T.A. Southern Bell & Fastener Corp. 88/05/20. STONE, J.C. Vendor Inspection Branch. 4pp 46025 001-46025 004

8807050405 Requests Insp Rept 89901018/85-01 re Nuclear Energy Services Collaborators of TM-2 fuel debris canisters. DREY, K. Drey, K. 88/06/16 PETROSINO, J.J. Division of Operations & Events Assessment (Post 870411) 1p. 46073 281-46073 281.

8807030369 Requests addl info re training & customer notification in order to correct notice of nonconformance per 880520 response to NRC 880421 ltr. Info requested within 30 days. BRACHE, E.W. Vendor Inspection Branch 88/06/24. TVERBERG, J.C. Crucible Materials Corp. 1p 46139 007-46139 007.

8807080288 Ack receipt of 880223 & 0421 ltrs informing NRC of steps taken to correct noncompliance in noted in Insp 89000770/87-01. Hardware testing deviations noted in 880516-17 telcons may necessitate potential 10CFR21 evaluation. BRACHE, E.W. Vendor Inspection Branch 88/06/27. HINSON, L. Nuthorn International, Inc. 3pp. 46139 269-46139 261

8807130417 Deficiency report re position indication switch lead wires used in Target Rock soldered valves. Recommendations that position indication switch be replaced. Inspection cracking noted. See bulletin & list of affected plants encl. CROWLEY, T.D. Target Rock Corp. TRC 8369 88/06/28 JACOBSON, J. NRC - No Detailed Affiliation Given 10pp. 46166 029-46166 038

8807180310 Notices of 880718-20 Insp of facility re loose parts recently found by tests in Westinghouse-mfg steam generators. BRACHE, E.W. Vendor Inspection Branch. 88/07/06. MARTINEZ, J.M. Westinghouse Electric Corp. 3pp. 46184 265-46184 267.

8807190180 Requests 60-day extension in order to do more thorough investigation re response to Insp Rept 89900871/88-01. REEVES, S. Elgort Corp 88/07/11. GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411) 1p 46214 058-46214 058.

8807200328 Advises that company considers nonconformance noted in Insp Rept 89900779/87-01 closed, per encl NRC 880627 ltr. ECKERT, W.J., HINSON, L. Nuthorn International, Inc. 88/07/09. NRC - No Detailed Affiliation Given 1p. 46221 131-46221 132

8807210237 Responds to 880513 ltr re suppliers of fasteners at nuclear facilities Sargent & Lundy not OI or const permit holder for nuclear power reactor. CHITTENDEN, W.A. Sargent & Lundy, Inc. 88/07/06. GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411) 1p. 46233 179-46233 178.

REGO REGULATORY GUIDES

8807010005 Rev 25 to Reg Guide 1.85 "Malicious Case Acceptability ASME Section III Div 1." \* Office of Nuclear Regulatory Research, Director (Post 880720) 88/05/31 16pp 45999 153-45999 168.

8807010042 Confirms 880413 & 14 agreement to submit updated report that data compliance w/Rev 3 of Reg Guide 1.07. Submittal on 881001 will be prepared based on assumption that deviations from reg guide recommendations will be approved. ALEXICH, M.P. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.) AEP NRC 07734c. 88/06/20. MURLEY, T.E. Document Control Branch (Document Control Desk) 2pp. 46009 051-46009 052.

8807010629 Application for amendments to Licenses DPR-19 & DPR-25, reflecting instrument enhancements for post-accident monitoring per Reg Guide 1.97 & Suppl 1 to NUREG-0737. Fee paid. SILADY, J.A. Commonwealth Edison Co. 88/06/20. MURLEY, T.E. Office of Nuclear Reactor Regulation, Director (Post 870411) 2pp. 46018 280-46018 303

-8807010835 Proposed Tech Specs reflecting instrument enhancements for post-accident monitoring per Reg Guide 1.97 & Suppl 1 to NUREG 0737. \* Commonwealth Edison Co. 88/06/20. 22pp 46018 282-46018 303.

8807050513 Requests exemption from requirements of Reg Guide 1.97, Rev 2 re establishing sys accuracy requirements for high-range primary containment area radiation monitoring. KEISER, H.W. Pennsylvania Power & Light Co. PLA-3039 88/06/28. BUTLER, W.P. Project Directorate I-2. 3pp. 46074 048-46074 050.

8807060579 Informs that brief review of final rules to Reg Guides 1.83 & 1.71 completed. General concurrence w/positions expressed. NOVAK, T.M. Division of Safety Programs (Post 870413) 88/06/23. ARLOTTO, G.A. Division of Engineering (Post 870413) 1p. 46002 282-46002 292.



8807080360 NUREG/CR-3509 POWER SPECTRAL DENSITY FUNCTIONS COMPATIBLE WITH NRC REGULATORY GUIDE 1.60 RESPONSE SPECTRA  
SH NOZUKA,M. MOCHIO,T., SAMARAS,E.F. Columbia Univ., New York, NY. 88/06/30. Division of Reactor Accident Analysis (870413-880716). 71pp. 46077.033-46077.106

8807110275 Informs of initiation of new Multi-Plant Action A-22, "Implementation of Station B account Rule 10CFR50.63," to be effective on 880721. Encl FR notice to be forwarded to licensee  
TAM P S Project Directorate II-4. 88/06/23. Office of Nuclear Reactor Regulation, Director (Post 870411). 19pp. 46110.290-46110.308.

8807110305 Application for amend to License NPF-29, requesting extension of implementation date for neutron flux monitoring until fourth refueling outage for installation of in-core sys to meet Reg Guide 1.97 Fee paid  
KINGSLEY,O.D. System Energy Resources, Inc. AECM-88/0110. 88/07/01. Document Control Branch (Document Control Desk). 14pp. 46141.023-46141.038.

-8807110306 Proposal Tech Specs changing util License Condition 2 C(38).  
\* System Energy Resources, Inc. GL-82-33. 88/07/01. 2pp. 46141.037-46141.038.

8807110318 Forwards Amend 73 to License NPF-12 & safety evaluation Amend changes Tech Specs to reflect appropriate calibr for source range & intermediate range fission detectors installed as result of mods of Reg Guide 1.97, Rev 3.  
HAYES,J.J. Project Directorate II-1. TAC 51074. 88/06/27. NAUMAN,D.A. South Carolina Electric & Gas Co. 3pp. 46100.088-46100.088.

-8807110326 Amend 73 to License NPF-12, revising Tech Specs to reflect appropriate channel calibr for source range & intermediate range fission detectors installed as result of mods to Reg Guide 1.97, Rev 3.  
ADENSAME,E.G. Project Directorate II-1. 88/06/27. 6pp. 46100.091-46100.096.

8807110427 Forwards safety evaluation accepting stated responses to Generic LR 82-33 re post-accident monitoring instrumentation & associated Reg Guide 1.97 as applied to emergency response facilities.  
BLACKS,O. Of Special Projects. TAC 51074. 88/06/23. WHITE,S.A. Tennessee Valley Authority. 3pp. 46100.139-46100.144.

-8807110447 Safety evaluation accepting post-accident monitoring instrumentation design conformance w/Reg Guide 1.97.  
\* Office of Nuclear Reactor Regulation, Director (Post 870411). GL-82-33. 88/06/23. 3pp. 46100.142-46100.144.

-8803250380 EGG-FA-8873 "Conformance to Reg Guide 1.97, Browns Ferry Nuclear Plant, Units 1, 2 & 3."  
UDY,A.C. EG&G Idaho, Inc. (subs. of EG&G, Inc.). FIN A-6483. TAC 51073. 88/06/13. Division of Systems Integration (811005-851124). 27pp. 46100.145-46100.171.

8807120466 Requests updated data responses for each licensee to question B.1 & all subsections of Reg Guide 9.3. Response should begin where 880224 response ended & be submitted within 60 days of ltr date.  
MATTHEWS,DB. Project Directorate II-3. 88/06/23. HAIRSTON,W.G. Georgia Power Co. 2pp. 46111.247-46111.250.

8807130218 Confirms 880211 telcon w/NRC re guidance on metals & explosives detectors & X-ray units. Understands that Reg Guide 6.7 being updated which will result in add guidance for install on & use of sub j detectors & X-ray units.  
GIGLIOTTI,J. United Nuclear Corp. (subs. of UNC Resources, Inc.). 24457. 88/02/19. BRACH,W. Licensing Branch. 2pp. 46166.148-46166.149.

8807130454 Generic Ltr 88-11 to all licensees of operating reactors & holders of CPs re NRC position on radiation embrittlement of reactor vessel metals & impact on plant operations. Svc list & Rev 2 to Reg Guide 1.99 encl.  
MIRAGLIA,F.J. Associate Director for Projects (Post 870411). 88/07/12. Consolidated Edison Co. of New York, Inc. 51pp. 46257.207-46257.257.

8807140076 Comment opposing Rev 2 to Reg Guide 8.13 re ionizing radiation risks. Concern that sub j guide may inadvertently cause unfounded fear of uranium expressed.  
QUINN,D. Affiliation Not Assigned. 53FR17620 00002. 88/06/27. NRC - No Detailed Affiliation Given. 1p. 46175.258-46175.258.

8807180163 Forwards Insp Rept 50-418/88-11 on 880606-10. No violations or deviations noted.  
HERDT,A.R. Region 2, Ofc of the Director. 88/07/05. KINGSLEY,O.D. System Energy Resources, Inc. 2pp. 46205.082-46205.081.

-8807190189 Insp Rept 50-418/88-11 on 880606-10. No violations or deviations noted. Unresolved item noted instrumentation for drywell pressure. Major areas inspected instrumentation per Reg Guide 1.97 & open items re electrical equipment.  
HUNT,M. CONLON,T. Region 2, Ofc of the Director. 88/06/30. 8pp. 46205.084-46205.081.

8807200007 Responds to violations noted in Insp Rept 50-302/88-14. Corrective actions valve repositioned as required by operating procedure.  
WILSON,K.R. Florida Power Corp. (subs. of Florida Progress Corp.). 3F0768-07. 88/07/11. Document Control Branch (Document Control Desk). 4pp. 46222.062-46222.065.

8807210005 LER 88-023-00 on 880615, DHR capability of standby gas treatment sys did not meet single failure criteria of Reg Guide 1.52. Caused by procedural deficiency Engineering analysis & equipment mods accomplished w/880715 ltr.  
JENKINS,R.E. WILLIS,J.L. Niagara Mohawk Power Corp. NMP37804. 88/07/15. 8pp. 46236.054-46236.061.

8807210302 Application for amendments to Licenses NPF-35 & NPF-52, changing channel requirements for auxiliary feedwater flow rate, PORV position indicator & PORV block valve position indicator, per Reg Guide 1.97. Fee paid.  
TUCKER,H.B. Duke Power Co. 88/07/11. Document Control Branch (Document Control Desk). 4pp. 46235.138-46235.148.

addl info requested on 870511 by 811030.  
GRIDLEY,R. Tennessee Valley Authority. 88/07/15. Document Control Branch (Document Control Desk). 3pp. 46269.237-46269.239.

8807250256 Proposes action plan that counters decision re upgrade of neutron monitoring sys until completion of NRC review of BWR Owners Group study requesting exceptions to Reg Guide 1.97, Rev 3.  
GALLAGHER,J.W. Philadelphia Electric Co. 88/07/18. BUTLER,W.R. Project Director. 1-2 5pp. 46285.158-46285.162

8807250357 Concurs w/ull 871210 justification that parameters meet intent of Reg Guide 1.97. Based on review of and Rev 2 to Technical Evaluation Rept EGG-NTA-7079, concludes that util design for pressurizer level & heater status acceptable.  
HERNAN,R.W. Project Directorate 1-4. TAC 51361. 88/07/15. HUKILL,H.D. General Public Utilities Corp. - GPU Service Corp. 3pp. 46254.327-46254.327

-8807250365 EGG-NTA-7079 R02 Rev 2 to "Conformance to Reg Guide 1.97, TMI-1," technical overview of report.  
STOFFEL,J.W. EG&G Idaho, Inc. (subs. of EG&G, Inc.). STOFFEL,J.W. Idaho National Engineering Laboratory. FIN A-6483. TAC 51361. 88/05/31. NRC - No Detailed Affiliation Given. 24pp. 46254.300-46254.373

## REVIEW GRP NRC RESEARCH REVIEW GROUPS

8807070517 Summary of 690602 meeting w/NUMARC & EPRI to discuss external events issues NRC formed External Events Steering Group to establish methods suitable for examining plants for severe accidents within context of external hazards w/anal.  
SHAO,L.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 88/06/24. ARLOTTO,G.A. SHERON,B. Office of Nuclear Regulatory Research, Director (Post 880720). NOVAK,T.A. Office for Analysis & Evaluation of Operational Data. Director 16pp. 46019.001-46019.016.

8807070580 Notification of 880705 meeting w/NUMARC in Rockville, MD to discuss license oversight & audit of vendors.  
BRACH,E.W. Vendor Inspection Branch. 88/06/28. MURLEY,T. SNIEZEK,J. MIRAGLIA,F. NRC - No Detailed Affiliation Given. 2pp. 46123.360-46123.361

8807110251 Notification of CRGR Meeting 141 on 880714 in Bethesda, MD to review proposed generic ltr on instrument air problems & for RES presentation on proposed resolution of USI A-45 on DHR.  
JORDAN,E.L. Committee to Review Generic Requirements. 88/07/05. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards, Director. PAPERIELLO,C.J. Region 3, Ofc of the Director. ROSS,D.F. Office of Nuclear Regulatory Research, Director (Post 880720). 2pp. 46138.348-46138.349.

8807110252 Summary of 880620 meeting w/NUMARC, EPRI & INPO in Washington, DC for coordination of human factors program. List of meeting attendees, agenda & presentation overheads encl.  
RYAN,T.G. Reliability & Human Factors Branch. 88/06/28. COFFMAN,F.D. Reliability & Human Factors Branch. 18pp. 46103.340-46103.357.

8807110420 Summary of 880623 meeting w/NUMARC re info on status of NMSS & NUMARC activities. Attendees list encl.  
FUNCHES,J.L. Office of Nuclear Material Safety & Safeguards, Director. 88/06/27. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46002.058-46002.058.

8807110457 Summary of 880602 meeting w/NUMARC & EPRI re external event issues. List of attendees, meeting agenda & mails presented by various speakers encl.  
SHAO,L.C. External Events Steering Group. 88/06/24. ARLOTTO,G.A. NOVAK,T.A. SHERON,B. External Events Steering Group. 16pp. 46120.184-46120.189.

8807120347 Summary of 880613 meeting w/NUMARC re status of NUMARC activities & organization re primary interface w/NRC on generic operational & technical regulation issues.  
HELTMESS,C.J. NRC - No Detailed Affiliation Given. 88/06/29. JORDAN,E.L. NRC - No Detailed Affiliation Given. 1p. 46148.351-46148.351.

8807120504 Advises that council shares Commission desire to see full benefits of nuclear plant standardization realized & endorses actions which Commission has taken in furtherance of objective.  
LEE,B. Nuclear Management & Resources Council (NUMARC) (formerly Nuclear Utility Manage). 88/06/21. ZECH,L.W. Commissioners. 1p. 46113.342-46113.342.

8807120677 Summary of CRGR Meeting 137 on 880608 re proposed draft rule 10CFR52 concerning site permits, design certifications & combined licenses & proposed NRC bulletin regarding thermal stresses in piping. List of attendees encl. w/o stated encl.  
JORDAN,E.L. Committee to Review Generic Requirements. 88/06/17. STELLO,V. Ofc of the Executive Director for Operations. 2pp. 46121.178-46121.179.

8807130413 Trip rept of 880408 observation of NUMARC workshops re development of guidance for industry preparation for NRC requalification exam process. Agenda encl.  
HANNON,J.N. WIEN,L.A. SPILBERG,S. Division of Licensee Performance & Quality Evaluation (Post 870411). 88/06/13. ROE,J.W. Division of Licensee Performance & Quality Evaluation (Post 870411). 17pp. 46122.060-46122.068.

8807140135 Notification of 880706 meeting w/NUMARC in Rockville, MD to discuss justification for operation & testing for NRC Bulletin 85-005.  
BRACH,E.W. Vendor Inspection Branch. IEB-85-005. 88/07/05. MURLEY,T. SNIEZEK,J. MIRAGLIA,F. NRC - No Detailed Affiliation Given. 2pp. 46104.052-46104.053.

8807140143 Forwards date request package by NUMARC in response to IE Bulletin 88-005 w/o encl.  
GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). IEB-88-005. 88/07/06. SHAO,L.C. Division of Engineering & Systems Technology (Post 870411). ROSS,C.E. Division of Operational Events Assessment (Post 870411). HOLAHAN,G.M. Assistant Director for Region III & Region V Reactors. 2pp. 46176.098-46176.099.



8807140258 Summary of 880705 meeting w/NUMARC re licensee oversight and audit of vendors List of attendees encl.  
BRACHE W. Special Inspection Branch 88/07/06 GRIMES B.K. Division of Reactor Inspection & Safeguards (Post 870411) 4pp. 46177 278-46177 261

8807180085 Summary of 880705 meeting w/NUMARC re licensee oversight and audit of vendors List of attendees encl.  
BRACHE W. Vendor Inspection Branch 88/07/06 GRIMES B.K. Division of Reactor Inspection & Safeguards (Post 870411) 3pp. 46184 159-46184 161.

8807190092 Submits revised agenda for CRGR Meeting 141 on 880714 in Bethesda, MD  
JORDAN E.L. Committee to Review General Requirements 88/07/09.  
BERNERO R.M. Office of Nuclear Material Safety & Safeguards, Director  
PAPER ELLO, C.J. Region 3, Ofc of the Director ROSS, D.F. Ofc of Nuclear Regulatory Research, Director (Post 880720) 2pp. 46228 103-46228 110.

8807190203 Forwards summary of NRR 880712 mtg meeting w/NUMARC re possible use of defective refurbished electrical equipment in nuclear power plants & use of electrical equipment supplied by Planned Maint Sys. List of attendees also encl.  
STONE J.C. Project Directorate 113 IEN-88-019. 88/07/13. LAINAS, G.C. Assistant Director for Region II Reactors 10pp. 46228 111-46228 120

8807220321 Summary of 880714 meeting w/NUMARC in Washington, DC for overview briefing of NUMARC organization Re: related info encl.  
HUTCHISON, W.D. Office of Investigations 88/07/18. MCKINIGHT, J.C. Document Control Branch (Document Control Desk) 30pp. 46250:244-46250:282.

8807250240 Notification of 880712 meeting w/NUMARC in Rockville, MD to discuss use of refurbished electrical components in nuclear power plants.  
BRACHE W. Vendor Inspection Branch 88/07/11. MURLEY, T. SNIEZEK, J. M'RAGLIA, F. NRC - No Detailed Affiliation Given. 2pp. 46276:329-46276 330

8807250424 Notification of 880728 meeting w/NUMARC in Rockville, MD to discuss progress of work on Tech Specs improvement program.  
BUTCHER, E.J. Technical Specifications Branch 88/07/12. ROSSI, C.E. Division of Operational Events Assessment (Post 870411) 2pp. 46255 241-46255 242.

## SECY POSITION PAPERS BEFORE THE COMMISSION

8805190301 SECY-88-129 Requests Commission approval to publish proposed rule re fitness for duty programs Approval of publication of proposed rule as set forth in FR notice adding Part 26 recommended  
STELLO, V. Ofc of the Executive Director for Operations 88/05/10 130pp. 46077 348-46076 118.

8807080136 SECY-88-180 Recommends Commission approve publication of advanced notice of proposed rulemaking requesting comments on NUREG-1317, "Regulatory Options for Nuclear Plant License Renewal"  
STELLO, V. Ofc of the Executive Director for Operations 88/06/27. 74pp. 46253 031-46253 073.

8807120285 SECY-88-169 Informs Commissioners re current rulemaking efforts on standardization of nuclear power plant designs & institution of one-stop licensing  
PARLER, W.C. Office of the General Counsel 88/06/20 83pp. 46154:059-46154 141.

8807120312 SECY-88-129 ERR Corrected pages to SECY-88-129. "Proposed Rulemaking - Fitness for Duty Program (Commissioner Action Item)."  
\* Office of the Secretary of the Commission 88/07/16 7pp. 46148 344-46148 350.

8807120489 SECY-88-171 Forwards memoirs of VA Legasov, dictated prior to Legasov's suicide on second anniversary of Chernobyl accident  
DENTON, H.H. Office of Governmental & Public Affairs (Post 870413) 88/06/22 18pp. 46156 285-46156 302

8807150057 Forwards SECY-88-171, "Soviet Academician Legasov's Memoirs," for placement in PDR  
BATES, A. Operations Branch 88/07/08. SHELBURNE, B. Public Document Branch. 1p. 46182 269-46182 287.

8807190239 Final response to FOIA request. Forwards App B documents Apps A & B documents available in PDR. App C documents withheld in whole or in part (ref FOIA Exemption 5).  
GRIMSLEY, D.H. NRC - No Detailed Affiliation Given 88/08/29. PHILLIS, M.T. B shop, Cook, Purcell & Reynolds. 5pp. 46180 041-46181 124.

8807190277 SECY-87-309 Partially withheld version of Commission paper obtaining Commission approval to publish final rule amending 10CFR30, 40.50, 51.70 & 72 by setting forth technical & financial requirements for decommissioning nuclear facilities.  
STELLO, V. Ofc of the Executive Director for Operations 87/12/17. 10pp. 46181:114-46181:124.

8807270151 Forwards regulatory history for NEPA review procedures for geologic repositories for high level waste in response to 880512 memo.  
WOLF, J. Office of the General Counsel AC04-1 01 88/07/15. MEYER, D. NRC - No Detailed Affiliation Given. 5pp. 46245:100-46246 034.

8803200064 SECY-88-051 Recommends approval of Alternative 2 for rulemaking to establish criteria to be used in adopting EIS prepared by DOE for geologic repositories for high level waste  
STELLO, V. Ofc of the Executive Director for Operations AC04-1 05. 86/02/12 11pp. 46245 110-46245 122

8807270222 SECY-88-051A Transmits to Commission, for consideration of SECY-88-051, documents setting forth differing professional opinion re NEPA review procedures for high level waste geologic repositories  
STELLO, V. Ofc of the Executive Director for Operations. AC04-1 07. 86/04/22. 118pp. 46245 123-46245 238

8807080527 Draft Commission paper providing additional info re rulemaking approach recommended in SECY-86-051 for establishing criteria for adoption of EIS prepared by DOE per Nuclear Waste Policy Act of 1982  
STELLO, V. Ofc of the Executive Director for Operations. AC04-1 09. 86/06/27. 6pp. 46245 254-46245 259.

8803240364 SECY-88-060 Recommends Commission approve and amend to 10CFR51.60 & 2, establishing procedures for NEPA review of geologic repositories for high level waste for FR publication  
PARLER, W.C. Office of the General Counsel AC04-1 11 88/03/02. 83pp. 46245 267-46245 349

## STATE PROG STATE PROGRAMS

8806280382 Requests that date for submission of low enriched U converters on application be extended to 880306 Extension required to do remaining work for selection & validation of low enriched core for facility  
D'AMICO, A.F. Rhode Island, State of. 88/06/23. MICHAELS, T. Standardization & Non-Power Reactor Project Directorate 1p. 45972 324-45972 324.

8806300034 Forwards Rev D to Vol 1 of "QA Manual," for review & comment.  
ZIMMERMAN, S.W. Nevada, State of. 88/06/28. KENNEDY, J. Division of High Level Waste Management (Post 870413) 1p. 45985 019-45985 208

8806300048 Rev D to Vol 1 of "QA Manual."  
\* Nevada, State of. 88/06/10 19pp. 45985 020-45985 208

8807010102 Forwards State of CO comments on "Grand Junction Final Remedial Action Plan Site Design Document," dated Mar 1988  
ROITMAN, H. Colorado, State of. 88/06/24. ARTHUR, W.J. Energy, Dept of. 8pp. 45997 295-45998 016

8807010597 Forwards ref file for NUREG-1311, "Funding NRC Training Program for States," for placement in PDR  
LUBENAU, J.O. Assistant Director for State Agreements Program 88/06/07. HRC - No Detailed Affiliation Given. 2pp. 45990 003-45991 126

8807010641 Forwards summary of 871008 25th anniversary Agreement State meeting in Louisville, KY. Motions discussed & passed included request for NRC to make available guidelines for mixed waste & to continue work on bonding & surety  
BRADLEY, F.J. Labor, Dept of. 87/11/16. NUSSBAUMER, D.A. Assistant Director for State Agreements Program 4pp. 45990 069-45990 072.

8807010851 Provides summary of eight Agreement State responses to 880314 solicitation for views on NRC funding of travel & per diem costs incurred by state personnel attending NRC sponsored training courses  
LUBENAU, J.O. Assistant Director for State Agreements Program 88/05/13. Assistant Director for State Agreements Program 2pp. 45990 073-45990 074.

8807010858 Provides list of individuals contacted re various policies of paying for state training travel & per diem costs  
CORLEY, J.H. State, Local & Indian Tribal Programs. 88/05/16. State, Local & Indian Tribal Programs 1p. 45990 075-45991 073.

8807010899 Informs of 880300 Agreement States have expended approx \$224.4 on 3M static eliminator case. Regional state agreement representatives (approx 576) expended. Breakdown encl.

GOLLING, L. Assistant Director for State Agreements Program 88/03/25. Assistant Director for State Agreements Program. 2pp. 45991 124-45991 125.

8807010708 Discusses info re Gross 880308 info re HHS/DHEW training for states in radiological health. DHEW did not pay travel & per diem costs for state & local government personnel attending DHEW courses in radiation protection.  
LUBENAU, J.O. Assistant Director for State Agreements Program 88/03/25. Assistant Director for State Agreements Program. 1p. 45991 126-45991 128

8807070594 Forwards requested 811015 memo re rev to FR notice on low power reactors (SECY-81-570) for placement in PDR.  
NORDLINGER, M.S. Assistant General Counsel for Legislation & Governmental Relations. 88/06/22. PICKARD, N. Massachusetts, Commonwealth of. 1p. 46019 017-46019 028

8807070800 Forwards Encl 1 to SECY-81-570 re rev to FR notice concerning proposed rule defining requirement of offsite emergency preparedness review for plants authorized to operate at no more than 5% of rated power.  
MALSCH, M.G. Deputy General Counsel for Licensing & Regulation 81/10/15. PALADINO, GILINSKY, BRADFORD Commissioners. 11pp. 46019 018-46019 029

8807120502 Forwards minutes of 880801-02 meeting of Host State Tech Coordinating Committee in Rockville, MD re nuclear energy low level waste mgmt program.  
RUTZ, A.C. Idaho National Engineering Laboratory. 88/07/06. SUMMEYER, J.J. Technical Branch. 31pp. 46156 305-46157 014.

8807120591 Speech entitled "Safety Issues re Disposal of C-14 in Low Level Radioactive Repository," presented to DOE ninth annual low level radioactive mgmt conference in Denver, CO on 870827.  
BHATTACHARYA, JANATI, R. Pennsylvania, Commonwealth of. SHEARER, T. Children's Hosp. of Philadelphia, Philadelphia, PA. 87/08/27. 14pp. 46157 001-46157 014.

8807120628 Speech entitled "Safety Issues re Disposal of C-14 in Low Level Radioactive Repository - State Perspective," presented to CRCPD 20th annual meeting in Nashville, TN on 880515-19.  
BHATTACHARYA, JANATI, R., NEY, D.E. Pennsylvania, Commonwealth of. 88/05/15. 17pp. 46157 015-46157 031.

8807140118 Recommends that contents of NFS proposal be incorporated into license per 880629 telcon.  
HAWKINS, D.S. Tennessee, State of. 24471. 88/06/29. SOONG, S. NRC - No Detailed Affiliation Given. 2pp. 46184 083-46184 084.

8807150297 Comment supporting proposed rule 10CFR17709 re disposal of greater than Class C radioactive in geologic repository unless elsewhere approved  
DUNKLEBERGER, J. New York, State of. 53FR17709 00007. 88/07/08. Dockeling & Services Branch 2pp. 46135 339-46135 340.

8807150301 Comment supporting proposed rule 10CFR61 re disposal of greater than Class C radioactive.  
SHEALY, J.G. South Carolina, State of. 53FR17709 00008 88/07/05. Dockeling & Services Branch. 1p. 46135 342-46135 342.

8807160040 Comment opposing proposed rule 10CFR35 re training & experience criteria for individuals using byproduct mill for clinical procedures. JEFFS,V.D. Kentucky, Commonwealth of. 53FR18845 00038. 88/07/07. NRC - No Dated Affiliation Given. 1p. 46165-288-46165-288

8807180111 Comment supporting proposed rule 10CFR50 re statement outlining cooperation w/ state govt to participate in Insp under NRC oversight. FALTER,D.A. Iowa, State of. 53FR21981 00033. 88/06/29. Docketing & Services Branch. 1p. 46191-063-46191-063.

8807180274 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. SAIDER,C.S. Massachusetts, Commonwealth of. 52FR6980 00021. 87/02/23. NRC - No Dated Affiliation Given. 8pp. 46191-081-46191-142

8807200030 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. GAFFNEY,R.J. New York, State of. 52FR6980 00052. 87/02/11. ZECH,L. Commissioners. 1p. 46207-330-46207-330.

8807200238 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. CLIMO,M.M. New York, State of. 52FR6980 00088. 87/02/23. ZECH,L. Commissioners. 5pp. 46207-345-46207-349.

8807200274 Comment supporting proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. PASHAYAN,C. California, State of. 52FR6980 00092. 87/02/24. Commissioners. 7pp. 46207-353-46207-359.

8807200279 Advises that 880623 ltr re extension to 880306 of submis on did 880705 on high low enriched U acceptable. MCHAEIST,S. Standardization & Non-Power Reactor Project Directorate. 89/07/11. DIMEGIO,A.F. Rhode Island, State of. 3pp. 46240-116-46240-118

8807200294 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. DJAKIS,M.S. Massachusetts, Commonwealth of. 01. 87/02/24. NRC - No Dated Affiliation Given. 6pp. 46208-026-46208-031.

8807200302 Comment opposing proposed rule 10CFR50 re licensing of nuclear power plants where state &/or local govt decline to cooperate in offsite emergency planning. PALP,N.P.Q. New York, State of. 52FR6980 00096. 87/02/23. NRC - No Dated Affiliation Given. 6pp. 46208-032-46208-039.

8807200365 Forwards Commonwealth of PA comments on revised plan for restart of plant & list of issues to which NRC will respond. RUSSELL,W.T. Region 1. Ofc of the Director. 88/07/12. MCNEILL,C.A. Philadelphia Electric Co. 3pp. 46228-149-46228-181.

8807200367 Submits detailed comments on revised plan for restart of plant in response to governor of Commonwealth of PA request. MYERS,M.M. Pennsylvania, Commonwealth of. 88/06/16. RUSSELL,W.T. Region 1, Ofc of the Director. 30pp. 46228-152-46228-181.

8807210254 Advises that State of NV finds DOE program for characterization for site unacceptable for listed reasons. LOUX,R.N. Nevada, State of. 88/07/18. ZECH,L. NRC - No Dated Affiliation Given. 2pp. 46233-208-46233-209.

8807220159 Comments on proposed rule 10CFR50 re cooperative efforts between state & NRC w/ respect to commercial nuclear power plants & other nuclear production or utilization facilities. WALSH,G.F. New York, State of. 53FR21081 00005. 88/07/08. Docketing & Services Branch. 3pp. 46220-320-46220-322.

8807220243 Comments on proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste going beyond proposed rule & including other components of low level waste stream in govt area of responsibility. LASH,J.J. Vermont, State of. 53FR17709 00012. 87/07/06. Docketing & Services Branch. 2pp. 46220-323-46220-324.

8807220356 Comments on proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste in deep geologic repository. BISHOP,W.A. Washington, State of. 53FR17709 00019. 88/07/14. Docketing & Services Branch. 6pp. 46221-035-46221-040.

8807220376 Comments on proposed rule 10CFR61 re disposal of greater than Class C low level radioactive waste outside of deep geologic repository. CLARY,J.F. Michigan, State of. 53FR17709 00016. 88/07/13. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 46221-043-46221-044.

8807260429 Forwards addl data re Conoco Conquest closure plan, per State of TX 880321 request for addl info. LACKER,D.K. Texas, State of. 88/06/01. SMITH,R.D. Uranium Recovery Field Ofc, R4. 76pp. 46285-025-46285-100.

# TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

8806280368 Forwards TDI diesel generator vibration rept describing mods performed on generators to reduce component vibration. Refs & calculation discussed in rept available from TDI. FALIT,J.F. Sacramento Municipal Utility District. CEO 88-001. 88/08/22. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 45995-318-45995-342.

8806290469 Forwards comments on BNL final draft NUREG/CR-4948, "Technical Findings Re Generic Issue 23/Reactor Coolant Pump Seal Failure," for incorporation into final rept. NEWTON,R.A. Westinghouse Operating Plants Owners Group. OG-88-28. 88/08/22. HODGES,M.W. Reactor Systems Branch. JACKSON,J.E. Engineering Issues Branch. 88/04/12. 88/07/18. 2pp. 46173-181-46173-182.

8806300012 Responds to NRC Compliance Bulletin 87-002, Suppl 1 re r/r/g of fasteners by providing list of vendors from whom author has purchased fastener type products over past 10 yrs. SOKOL,L.D. United Engineers & Constructors, Inc. (subs. of Raytheon Co.) IEB-87-002. 88/06/22. GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). 2pp. 45989-139-45989-140.

8807010465 Notification of 880628 meeting w/Westinghouse in Rockville, MD to discuss status of review of WCAP-1044A Addendum 2 & environ impact statement re requirements for high burnup fuels. COLLINS,T.E. Reactor Systems Branch. 88/08/21. HODGES,M.W. Reactor Systems Branch. 2pp. 45989-151-45989-152.

8807010594 Forwards listing of vendors supplying safety & consistency fasteners over past 10 yrs, per NRC 880513 request. SEAY,C.M. Babcock & Wilcox Co. CMS-88-630. 88/06/27. GRIMES,B.K. Division of Reactor Inspection & Safeguards (Post 870411). 3pp. 46017-216-46017-218.

8807080117 Notification of 880627 meeting w/Westinghouse & Westinghouse Owners Group (WOG) in Rockville, MD re WOG plans to evaluate steam generator tube rupture top rupture w/rupture uncovered list of NRC participants incl CUNNINGHAM,L.J. Radiation Protection Branch. 88/06/28. LYNCH,O.D. SPICKLER,I. HODGES,M.W. NRC - No Dated Affiliation Given. 2pp. 46003-013-46003-014.

8807070244 Forwards proprietary ANF-84-93(P), Suppl 1, "Steamline Break Methodology for PWRs." Rept provides description of subj methodology using RELAP5/MC2D computer code. Fee paid Rept withheld. COPELAND,R.A. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.) RAC-87-08. 88/06/20. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 46138-278-46138-282.

8807070376 Forwards proprietary WCAP-10266-P.A. Rev 2, Addendum 2 & nonproprietary WCAP-11524-A Rev 2, Addendum 2 re BASH code. Proprietary rept withheld. JOHNSON,W.J. Westinghouse Electric Corp. NIS-NRC-88-3334. 88/05/12. HODGES,M.W. Reactor Systems Branch. 2pp. 46136-251-46136-277.

8807070416 Requests that proprietary WCAP-10266-P.A. Rev 2, Addendum 2 be withheld from public disclosure per 10CFR2790. WEISSMAN,R.A. Westinghouse Electric Corp. AW-88-059. 88/05/12. MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 9pp. 46138-253-46138-281.

8807070430 WCAP-11524-A ADD02R2 "1981 Version of Westinghouse ECCS Evaluation Model Using BASH Code, Add 2 BASH Methodology Improvements & Reliability Enhancements," nonproprietary rept. \* Westinghouse Electric Corp. 88/05/31. 17pp. 46136-262-46136-277.

8807070403 Forwards Rev 7 to Topical Rept SL-TR-1A, "QA Program." TAYLOR,H.S. Sargent & Lundy, Inc. 88/08/17. WEISS, Quality Assurance Branch. 1p. 46122-106-46122-174.

8807070412 SL-TR-1A R07 Rev 7 to "QA Program." TAYLOR,H.S., KUHLMAN,G.C. Sargent & Lundy, Inc. 88/06/24. 6pp. 46122-107-46122-174.

8807070553 Submits response to NRC Bulletin 88-004, "Potential Safety-Related Piping Loss." Continued operation justified because potential for piping damage due to min low operation on or dead head being negligible. GRACE,D.N. BWR Owners Group. BWRQG-8836. 88/06/29. Document Control Branch (Document Control Desk). 6pp. 46118-270-46118-278.

8807080011 Notification of 880714 meeting w/Westinghouse, Westinghouse Owners Group & util in Rockville, MD to discuss PRA modeling, ESFAS operation & testing & ESFAS Tech Specs. EMCH,R.L. Technical Specifications Branch. 88/08/23. BUTCHER,E.J. Technical Specifications Branch. 2pp. 46134-191-46134-192.

8807080019 Forwards proprietary & nonproprietary WasteChem Rept VRS-002A, "10CFR61 Waste Form Performance Program." Proprietary rept withheld. KLEIN,W.J. WasteChem Corp. 88/06/30. TOKAR,M. Technical Branch. 1p. 46140-070-46140-074.

8807080027 VRS-002A Nonproprietary "10CFR61 Waste Form Performance Program." WasteChem Corp. 88/05/31. 125pp. 46140-080-46140-204.

8807080308 Notification of 880629 meeting w/Westinghouse & Westinghouse Owners Group (WOG) in Rockville, MD to discuss WOG plans to evaluate steam generator tube rupture-top rupture w/rupture uncovered CUNNINGHAM,L.J. Radiation Protection Branch. 88/06/21. LYNCH,O.D. SPICKLER,I. HODGES,M.W. NRC - No Dated Affiliation Given. 2pp. 46100-261-46100-262.

8807110289 Notification of 880628 meeting w/Westinghouse in Rockville, MD to discuss prioritization of upcoming submittals & forthcoming 10CFR50.59 in final ver. COLLINS,T.E. Reactor Systems Branch. 88/06/21. HODGES,M.W. Reactor Systems Branch. 2pp. 46081-263-46081-264.

8807120707 Notification of 880624 meeting w/BWR Owners Group in Rockville, MD to discuss analyses & actions needed to resolve outstanding stability concerns. Meeting relocated. PHILLIPS,L.E. Reactor Systems Branch. 88/08/22. HODGES,M.W. Reactor Systems Branch. 2pp. 46154-279-46154-280.

8807130108 Notification of 880708 meeting w/C/E Owners Group in Rockville, MD to discuss operations during DHR Agenda incl LYON,W. Reactor Systems Branch. 88/06/30. HODGES,M.W. Reactor Systems Branch. 3pp. 46164-254-46164-258.

8807130288 Forwards Amend 11 to Topical Rept SCE-1A, "QA Program." MEDFORD,M.O. Southern California Edison Co. 88/07/07. Document Control Branch (Document Control Desk). 2pp. 46173-181-46173-182.

8807130319 Forwards proprietary Topical Rept BAW-10172P, "Mark-BW Mechanical Design Rept." Rept describes methods that licensee will use to perform mechanical design calculations for Westinghouse Rept withheld (ref 10CFR2 790) Fee paid TAYLOR, J.H. Babcock & Wilcox Co. JHT/88-124 88/06/30. NORBERG, J.A. Division of Engineering & Systems Technology (Post 870411). 10pp. 46165.001-46165.010

8807130460 Notices that 1988 financial info submitted in 880405 is satisfies requirements of 10CFR140.21 to maintain approved guarantee of payment of deferred premiums NASH, D.A. Policy Development & Technical Support Branch (Post 870411) 88/06/27. BARRHAM, C.D. Carolina Power & Light Co. 1p. 46122.079-46122.079.

8807140044 Application for amend to license NPF-23, changing reactor protection system instrumental on surveillance test intervals & allowable outage times. Proprietary MDE-80-0495 encl. Rept withheld (ref 10CFR2 790) Fee paid KINGSLLEY, D.D. System Energy Resources Inc. AECM-88/0118 88/05/30. Document Control Branch (Document Control Desk) 6pp. 46184.116-46184.127.

8807140097 Summary of 880628 meeting w/C-E in Rockville, MD re OA program plan for CEASAR-OC Sys 80.1 request for add info re review of Chapter 17 of Amend 12 & engineering plans for revising OA program plan. Attendance list encl. VISSING, G.S. Standardization & Non-Power Reactor Project Directorate 88/07/01. Standardization & Non-Power Reactor Project Directorate 19pp. 46184.063-46184.081

8807140157 Forwards preliminary results of survey of plant data to support NRC Mark I Containment Enhancement Program. VARGAS, S.A. Division of Reactor Projects - I/II (Post 870411). CRUTCHFIELD, D. Division of Reactor Projects - III, IV, V & Special Projects (Pcs: 870411) 88/07/07. MARTIN, T.T. Associate Director for Inspection & Technical Assessment (Post 870411) 26pp. 46184.024-46184.051

8807140244 Responds to 880505 ltr re constituent concern over safety of BWRs w/ Mark I pressure suppression containment design. NRC related Mark I containment performance improvement program. STELLOV, G. Office of the Executive Director for Operations 88/09/28. GALLO, D. House of Rep. 5pp. 46175.249-46175.257.

-8807140245 Forwards constituent H. Gluckstein 880412 ltr re dangerous Mark I containment design. Urges Congress to carefully monitor NRC activities. GALLO, D.A. House of Rep. 88/05/06. JORDAN, E. Office for Analysis & Evaluation of Operational Data, Director. 4pp. 46175.254-46175.257.

8807150059 Forwards proprietary presentation mail from Westinghouse/NRC 880628 meeting (ref 10CFR2 5(4)) Viewgraphs withheld (ref 10CFR2 790) JOHNSON, M.W. Westinghouse Electric Corp. NS-NRC-60-3353. 88/06/29. HODGES, M.W. Reactor Systems Branch. 1p. 46185.125-46185.126

-8807150081 Requests that encl presentation mail from Westinghouse/NRC 880628 meeting be withheld as proprietary per 10CFR2 5(4) WISEMANN, R.A. Westinghouse Electric Corp. AW-88-068 88/06/20. RUBENSTEIN, L.S. Standardization & Non-Power Reactor Project Directorate 1p. 46185.126-46185.126

8807150081 Notification of 880714 meeting w/B&W Owners Group in Rockville, MD to discuss plant operation in decay heat removal modes. Meeting agenda encl. TRAMMELL, C.M. Project Directorate V. 88/07/07. KNIGHTON, G.W. Project Directorate V. 3pp. 46183.315-46183.317

8807150252 Notification of 880713 meeting w/C-E & C-E Owners Group in Rockville, MD re PRA modeling, reactor protection sys & ESFAS operation & testing & ESFAS Tech Specs. EMCH, R.L. Technical Specifications Branch 88/07/06. BUTCHER, E.J. Technical Specifications Branch 2pp. 46252.306-46252.307

8807160205 Notification of 880712-13 meetings w/BWR Owners Group/Util NDE Steering Committee in Raleigh, NC to discuss IGSCC of BWR piping & inspection of reactor vessel welds. CHENG, C.Y. Materials Engineering Branch 88/07/06. RICHARDSON, J.E. Division of Engineering & Systems Technology (Post 870411). 1p. 46194.219-46194.219

8807160219 Forwards proprietary info, including resolutions to NRC upon items, Rev 3 to Mark III combustible gas control emergency procedure guide, App. B, C & D to provide example calculations & appendices withheld (ref 10CFR2 790) LANGLEY, J.R. Hydrogen Control Owners Group HGN-122 88/07/08. Document Control Branch (Document Control Desk) 2pp. 46204.312-46204.313

8807180317 Summary of 880706 meeting w/B&W Fuel Co in Rockville, MD re concrete dry spent fuel storage cask design topical rept. Attendance list, agenda & licensee presentation encl. ROBERTS, J.P. Fuel Cycle Safety Branch 88/07/12. ROUSE, L.C. Fuel Cycle Safety Branch. 5pp. 46204.012-46204.068.

8807180336 Forwards vendor list for suppliers/mfg of fasteners per 880513 request. GAY, J.S. General Electric Co. MFN-57-88. 88/07/08. GRIMES, B.K. Division of Reactor Inspection & Safeguards (Post 870411) 9pp. 46199.250-46199.258.

8807190233 Notification of 880720 meeting w/BWR Owners Group in Rockville, MD re MSIV leak rate limits, estimation of MSIV leakage control sys & how results of Generic Issue C-8 will be used in proposed approach. KUDRICK, J.L. Plant Systems Branch 88/07/07. CRAIG, J.W. Plant Systems Branch. 3pp. 46208.142-46208.144

8807200230 Forwards proprietary Rev 1 to BAW-1485P, "Pressure Vessel Fluence Analysis for 177-FA Reactors." J.H. Taylor affidavit also encl. Fee paid. TAYLOR, J.H. Babcock & Wilcox Co. ESC-534. 88/06/21. SHAO, L.C. Division of Engineering & Systems Technology (Post 870411). 9pp. 46221.236-46221.244

8807200391 Expresses appreciation for special assistance provided by E. Murphy on 880711 re safety issue on TDI diesel generator. TRAMMELL, C.M. Project Directorate V. 88/07/13. CHENG, C.Y. Materials Engineering Branch 2pp. 46222.121-46222.122.

8807260264 Forwards minutes of 880211 & 12 Technical Advisory Group Meetings 4 in Orlando, FL. PALJUG, J.R. Babcock & Wilcox Co. 88/03/16. LEE, R. Office of Nuclear Regulatory Research, Director (Post 860720). LYON, W.C. Office of Nuclear Reactor Regulation, Director (Post 870411). 50pp. 46268.266-46268.315

8807250421 Forwards minutes for Technical Assignment Group 3 meetings on 871215, 16 in Palo Alto, CA. PALJUG, J.R. Babcock & Wilcox Co. ESC-133. 88/02/15. LEE, R. NRC - No Data Given Affiliation Given 46pp. 46269.125-46269.171

## WASTE MGT NUCLEAR WASTE MANAGEMENT

8712100028 Forwards draft Study BNL 52085, "Assumptions, Uncertainties, & Limitations in Predictive Capabilities of Models for Sensitization in 304 Stainless Steels." SOOP, P. Brookhaven National Laboratory 1502 87/08/31. WICK, E. Office of Nuclear Material Safety & Safeguards, Director 1p. 43667.316-43667.326

8804120024 Forwards "Selected NRC Products - High Level Waste Program," dated Nov 1987. Necessary mails should be ordered. Comments on "Preliminary Draft Coactors Plan for Geologic Setting for Yrs 1 & 2" transmitted under separate cover. JUSTUS, P.S. Technical Review Branch 87/11/24. RUSSELL, J. Southwest Research Institute. 3pp. 46067.193-46067.221

-8804120028 Forwards "Selected NRC Products - High Level Waste Program" dated Nov 1987. TANA, E.T. Operations Branch 87/11/16. Affiliation Not Assigned 26pp. 46067.165-46067.221

8806270304 Forwards NNWSI project master list of controlled documents, current as of 880602. SPAETH, M.E. Science Applications International Corp. (formerly Science Applications Inc.). L88-RMD-MDC-039 88/06/14. STABLEIN, K. NRC - No Detailed Affiliation Given KAISER, D. BLANCHARD, M.B. Energy, Dept. of 17pp. 45972.250-45972.274

8806280008 Comments on "Evaluation, Verification and Documentation of MPALIS ERC Computer Code," monthly rept for Apr 1989. GLENN, C.J. Regulatory Branch FIN A-1763. 88/06/08. CRANWELL, R.M. San Joaquin National Laboratories 1p. 45973.190-45973.190

8806280255 Advises that NRC has received Mod M036 to Cooperative Agreement L'E-FC04-83L10454 between DOE & State of WY. NRC concurs on oral mod w/understanding that agreed upon changes will be made prior to implementation. LOHAUS, P.H. Operations Branch 88/06/10. MEYERS, W.C. Energy, Dept. of 1p. 45985.275-45985.282.

8806280289 Advises of desire to amplify further on rationale for NRC disapproval of program architecture terminology noted in recipient 880614 ltr. Evaluation of proposed goal & strategy & preparation to discuss views during meetings requested. ALTOMARE, P.M. Systems Engineering & Evaluation Branch 88/06/16. WHITING, A. Center for Nuclear Waste Regulatory Analyses 2pp. 45972.288-45972.290.

8806280292 Offers no objections to terminology & definitions recipient submitted in 880616 ltr re program architecture terminology & usage. Advises that a separate 880614 submittal based on change to concepts as agreed in on 880610. ALTOMARE, P.M. Systems Engineering & Evaluation Branch 88/06/16. WHITING, A. Center for Nuclear Waste Regulatory Analyses 1p. 45972.290-45972.290

8806280307 Recommends approval for CNWRA proposed use of Sys Support, Inc. as subcontractor. FORTUNA, S.L. Systems Engineering & Evaluation Branch 88/06/24. MACE, M. NRC - No Detailed Affiliation Given 1p. 45972.302-45972.302

8806280322 Discusses actions to resolve NRC concerns on DOE consultation on draft re characterization plan. NRC identified listed steps considered necessary for NRC to independently confirm that DOE program qualified per 880608 meeting. THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 88/06/24. KAY, C.E. Energy, Dept. of 2pp. 45972.292-45972.297

8806280343 Forwards final glossary of terms for program architecture, related concepts & associated logic diagram that depicts interrelationships. Purpose of glossary was to provide clear & consistent terminology for use in development of program. BUNTING, J.O. Systems Engineering & Evaluation Branch 88/06/16. CAMELION, F.V. BORDEN, C.K. B.M. Office of the General Counsel 6pp. 45972.303-45972.308

8806280355 Comments on draft ADP plan for CNWRA. Technical requirements for engineering & scientific analyses & modeling have not been identified & developed as set in Section 2.2.5. CHERY, D.L. Technical Review Branch 88/06/24. BUNTING, J.O. Systems Engineering & Evaluation Branch 1p. 45972.360-45972.360.

8806280357 Comments on rept entitled, "Living With Landfills." Rept fails to provide public w/source of accurate & objective info & to clearly put into perspective that c/site releases from closed facilities below 10CFR20 & 61 re releases. BANGART, R.L. Division of Low Level Waste Management & Decommissioning (Post 870413) 88/06/23. RESNIKOFF, M. Affiliation Not Assigned. 12pp. 45972.309-45972.320

8806280382 Extends invitation to attend colloquium on OA for underground radioactive repositories on 880802-03 in Washington, DC. Tentative agenda encl. CRAMER, L.F. National Research Council 88/06/27. YOUNGBLOOD, B.J. Operations Branch 3pp. 46277.016-46277.018.

8806280397 Comments on monthly progress rept for Apr 1988 dated 880505 under contract NRC-02-85-008. Overall progress to date satisfactory. No changes to costs or delivery of contracted products authorized. POHLE, A. Technical Review Branch. FIN D-1020. NRC 02-85-008 88/06/28. WILLIAMS, R.E. Williams & Associates 2pp. 45972.325-45972.326.

8806290211 Advises that Apr monthly progress rept for FIN A-1158 reviewed & found fully satisfactory & forwards marked-up NUREG rept entitled, "Thermal Modeling of Groundwater Flow Sys in Vicinity of Ref Repository..." including comments. COLEMAN, N.M. Technical Review Branch. FIN A-1158. 88/06/28. ORTIZ, N.R. Sandia National Laboratories 298pp. 45986.001-45986.298.

8806300034 Forwards Rev 0 to Vol 1 of "QA Manual," for review & comment. ZIMMERMAN, S.W. Nevada, State of. 88/06/28. KENNEDY, J. Division of High Level Waste Management (Post 870413) 1p. 45985.018-45985.208

-8806300046 Rev 0 to Vol 1 of "QA Manual" Nevada, State of. 88/06/10. 194pp. 45985.020-45985.208.

8806300108 Rev 1 to Technical Operating Procedure TOP-001, "Program Architecture Development & Maint." W/880627 ltr  
WHITING, A.R., PATRICK, W. Center for Nuclear Waste Regulatory Analyses 88/06/27 ALTCMARE, P.M. NRC - No Detailed Affiliation Given. 8pp. 45988 394-45988-311.

8806300121 Rev 14 to UMTRAP remedial action contractor health physics procedures, including table of contents & detail of RAC-005, "Respiratory Protection Program"  
\* Chem Nuclear Systems, Inc 88/06/22 8pp. 45995 268-45995 275.

8806300141 Forwards comments & suggestions re Bureau of Mines "Effects of Selected Earthquakes in Western North American Intermontane Region, 1852-1983, on Underground Workings & Local & Regional Hydrology Summary," per 880606 task ltr.  
CHUNG, D.H. Lawrence Livermore National Laboratory. FIN A-0297. L-198 88/06/29. BACKFORD, M.E. Technical Review Branch. 5pp. 46008 167-46008-171.

8806300301 Responds to 880505 ltr re info on BWIP & SALT sites not in NRC list. Concurs w/assessment  
WINTER, G.V. Williams & Associates. FIN D-1020 NRC-02-85-008 88/06/14. POHLE, J. NRC - No Detailed Affiliation Given. 1p. 45995 284-45995-284.

8806300318 Revised Section II to table of contents for "T&MSS QA Program Plan & Supporting Documents"  
\* Science Applications International Corp. (formerly Science Applications, Inc.) 88/06/10 4pp. 45997-194-45997-197

8807010063 Rept of svcs rendered on high level waste repository performance assessment development for 880611-27 Encl proprietary vouchers for professional svcs withheld.  
MOLER, R.B. Affiliation Not Assigned. FIN A-1165. 88/06/27. CHIANG, K.C. NRC - No Detailed Affiliation Given. 3pp. 46020 027-46020-029.

8807010102 Forwards State of CO comments on "Grand Junction Final Remedial Action Plan Site Design Document," dtd Mar 1988  
ROTMAN, H. Colorado, State of. 88/06/24. ARTHUR, W.J. Energy, Dept. of. 81pp. 45997-295-45998 016

8807010156 Forwards vicinity properties data mgt sys site summary rpt for May 1988.  
MOORE, C. Jacobs Engineering Group, Inc. 88/06/21. SOLLENBERGER, D. I-EVER, R. NRC - No Detailed Affiliation Given. GARCIA, J. Energy, Dept. of. 73pp. 46003-665-46003 137.

8807010323 Forwards Salt Repository Project Oic weekly highlights for period 880613-17.  
NEFF, J.O. Energy, Dept. of. 88/06/17. ROUSSO, S. Energy, Dept. of. 3pp. 46008 072-46008 074

8807010586 Announces that MK-Ferguson Co established oic in Grand Junction, CO for tailings cleanup  
MCCARTY, B.E. HOOPES, J. Energy, Dept. of. 88/06/26. 2pp. 46017 039-46017 040.

8807010653 Requests no-cost 3-month extension on project for completion of continuing work consisting of finalizing NUREG rept, "Numerical Modeling of Ground-Water Flow Sys in Vicinity of Hanford Site, WA"  
COLEMAN, N.M. Technical Review Branch. FIN A-1165. 88/06/29. DAVIS, E. Program Management, Policy Development & Analysis Staff (Post 870413). 2pp. 46016 338-46016 339.

8807010673 Forwards notice of upcoming NRC/DOE technical/programmatic meetings p. 880627 NRC FF notice.  
LINEHAN, J.J. Operations Branch. 88/07/05. NRC - No Detailed Affiliation Given. 2pp. 46118 335-46118 331.

8807010710 Forwards comments on draft rept "Ground Water Testing Methodologies Applicable to Unsaturated Rock at Yucca Mountain." Each method should have recommendation re Yucca Mountain applicability & short glossary should be added.  
POHLE, J.A. Technical Review Branch. FIN D-1020. NRC-02-85-008. 88/06/30. WILLIAMS, R.E. Williams & Associates. 1p. 46020 089-46020-153.

8807060023 Forwards meeting notes from first on-board review for Belfield/Bowman site held on 880602 in San Francisco, CA.  
ARTHUR, W.J. Energy, Dept. of. 88/06/27. LOHAUS, P. Division of Low Level Waste Management & Decommissioning (Post 870413). 14pp. 46021 001-46021-014.

8807060034 Forwards UMTRAP Interface Document 07-S-00, reflecting Class III change.  
MANN, D.E. Energy, Dept. of. 88/06/27. FLIEGEL, M. NRC - No Detailed Affiliation Given. 4pp. 46026 118-46026 121.

8807060139 Forwards composite listing of key site contacts for UMTRAP.  
CHAPMAN, P. Energy, Dept. of. 88/06/20. Energy, Dept. of. 2pp. 46110 021-46110 023.

8807060152 Forwards Salt Repository Project Oic weekly highlights rept for 880620-24.  
NEFF, J.O. Energy, Dept. of. 88/06/24. ROUSSO, S. Energy, Dept. of. 3pp. 46103 132-46103 134.

8807060161 Forwards draft Technical Operating Procedure TOP-001-01, "...Program Architecture Review Committee Review & Rev of WSE&I Major Milestones 12," for review & comment. Current schedule calls for implementing procedure on 880712.  
WHITING, A.R. Center for Nuclear Waste Regulatory Analyses. 88/07/01. ALTCMARE, P.M. NRC - No Detailed Affiliation Given. 1p. 46088 001-46088-011.

8807060168 Draft Rev 0 to TOP-001-01, "Guidance to Program Architecture Review Committee Review & Rev of WSE&I Major Milestones 12."  
\* Center for Nuclear Waste Regulatory Analyses. 88/07/01. 10pp. 46098 002-46098 011.

8807080211 Forwards draft "Project Plan for Geochemistry Project," per Research

8807060241 Advises that current version of modeling strategy document being updated & revised Rev will be completed in Third Quarter FY89. Staff should follow existing strategy in planning future modeling activities.  
BROWNING, R.E. Division of High Level Waste Management (Post 870413). FIN A-1165. 88/07/05. Division of High Level Waste Management (Post 870413). 1p. 46088 131-46088 131.

8807060247 Forwards agenda for DOE/NRC meeting scheduled for 880718-19 re proposed exploratory shaft facility.  
LINEHAN, J.J. Operations Branch. 88/07/01. STEIN, R. Energy, Dept. of. 4pp. 46102 250-46102-253.

8807060257 Comments on May 1988 monthly rept for FIN A-1165 & discussions with E. Bonano on 880827 Bonano will prepare adjusted baseline & format for tracking resource expenditures by deliverable to be presented on 880722.  
GALSON, D.A. Operations Branch. FIN A-1165. 88/07/01. ORTIZ, N.R. Sandia National Laboratories. 2pp. 46074 069-46074-070.

8807060284 Forwards agenda for DOE/NRC meeting scheduled for 880718-19 to discuss NRC concerns re proposed exploratory shaft facility & method/schedule for resolution.  
LINEHAN, J.J. Operations Branch. 88/07/01. LCUX, R. Nevada, State of. 4pp. 46116 300-46116-303.

8807060356 Forwards comments re review of CNWRA QA manual, per 880617 meeting.  
BALLARD, R.L. Technical Review Branch. 88/07/01. BUNTING, J.O. Systems Engineering & Evaluation Branch. 3pp. 46114-323-46115-031.

8807060372 Forwards CNWRA QA manual, for review per 880614 memo. Review period extended to 880701 for providing recommended mandatory changes.  
BUNTING, J.O. Systems Engineering & Evaluation Branch. 88/06/17. BALLARD, R.L. Technical Review Branch. 1p. 46114 326-46115 081.

8807060458 Draft 1 to QA manual.  
\* Center for Nuclear Waste Regulatory Analyses. 88/06/30. 11pp. 46114 327-46115 081.

8807060442 Comments on monthly progress rept for May 1988 Overall progress to date satisfactory.  
POHLE, J.A. Technical Review Branch. FIN D-1021. NRC-02-85-009 88/07/05. LOGSDON, M.J. Nuclear Waste Consultants, Inc. 2pp. 46184 001-46184 002.

8807060448 Requests that paperwork needed to request change in FY88-89 statement of work for NMSS Project FIN A-1165 be prepared. Revised statement of work encl.  
LINEHAN, J.J. Operations Branch. FIN A-1165. 88/07/05. BEVERIDGE, G.G. Program Implementation Branch (Post 870728). 20pp. 46106 213-46106-232.

8807060457 Forwards revised statement of work for FIN A-1165. Revs consist primarily of extension to most due dates on deliverables & modest restructuring of Subtask 2.6.  
GALSON, D.A. Operations Branch. FIN A-1165. 88/07/05. ORTIZ, N.R. Sandia National Laboratories. 20pp. 46114 303-46114 322.

8807060534 Forwards comments on draft remedial action plan & draft EA for Belfield & Bowman sites. DOE has not demonstrated compliance w/proposed EPA groundwater protection sites due to deficiencies in hydrogeologic characterization for sites.  
LOHAUS, P.H. Operations Branch. 88/06/27. ARTHUR, W.J. Energy, Dept. of. 18pp. 46185 005-46185 023.

8807060564 Advises that encl revised notes for 880608 meeting on disposal of Hanford defense wastes will be transmitted to DOE for signature. Meeting notes incorporate changes proposed by NRC & DOE.  
GLENN, C.J. Regulatory Branch. 88/06/22. BANGART, R.L. BELL, M.J. Low-Level Waste & Uranium Recovery Projects Branch. 3pp. 46117 350-46117-352.

8807060583 Summary of 880524 meeting between NRC & DOE in Rockville, MD re issues concerning Title I program.  
LOHAUS, P. Operations Branch. 88/06/23. BANGART, R. Division of Low Level Waste Management & Decommissioning (Post 870413). 6pp. 46115 102-46116 108.

8807060601 Advises that May monthly rept for FIN A-1781 reviewed & progress found satisfactory.  
BYKOSKI, L. Regulatory Branch. FIN A-1781. 88/06/28. CRANWELL, R.M. Sandia National Laboratories. 1p. 46103 311-46103-311.

8807060614 Provides comments on May 1988 monthly progress rept & pathways identification rept. Conclusions & assertions presented in rept need to be supported by appropriate refs. Description of pathways should be reviewed for completeness.  
WEBER, M.F. Technical Branch. FIN A-1764. 88/06/28. ORTIZ, N.R. Sandia National Laboratories. 3pp. 46117 357-46117-358.

8807070108 Forwards notice of availability & request for public comments on draft technical position on alternate concentration limits for U mills for FR publication.  
PETTINGILL, H.J. Technical Branch. 88/06/23. MEYER, D.L. Rules & Procedures Branch. 1p. 46123 020-46123 024.

8807140181 Notice of availability & request for public comment on draft technical position on alternate concentration limits for U mills.  
PETTINGILL, H.J. Division of Low Level Waste Management & Decommissioning (Post 870413). 88/06/23. 4pp. 46123 021-46123 024.

8807070173 Forwards minutes of Waste Mgt 89 Program Advisory Committee 880613 meeting in San Diego, CA for review. Expansion of topic coordinator duties listed.  
WACKS, M. Affiliation Not Assigned. 88/06/27. BROWNING, R.E. NRC - No Detailed Affiliation Given. 10pp. 46277 019-46277-028.

8807070222 Forwards "Rept to Director NMSS Re Current Status & Proposed Action for Regulation of Low Level Waste Stability."  
BANGART, R.L. Division of Low Level Waste Management & Decommissioning (Post 870413). 88/06/23. 6pp. 46123 021-46123 024.



880702088 Forwards responses to survey of geographic info sys use in federal govt prepared by Federal Interagency Coordinating Committee on Digital Cartography. NMSS needs such info sys & similar capabilities to accomplish licensing functions. CHERY, D.L. Technical Review Branch 88/07/06 LAROCHE, G.E. Division of Fuel Cycle, Med Cal, Academic & Commercial Use Safety 870413 870728. 7pp 46126 026-46128 034.

-8807140295 Enlists assistance in helping Federal Interagency Coordinating Committee on Digital Cartography identify scope of geographic info sys (GIS) use in Federal community. GIS defined as computer sys designed to collect & display data. STARR, L.E. Interior, Dept. of Geological Survey 88/06/08. ZECH, L.W. Communications. 2pp 46126 033-46126 034.

880708007 Monthly rpt for May 1988 for FIN A-1158. ORTIZ, N.R. Sandia National Laboratories FIN A-1158. 88/06/28. COLEMAN, N.M. Division of High Level Waste Management (Post 870413). 12pp 46140 048-46140 059.

8807080019 Forwards proprietary & nonproprietary WasteChem Rept VRS-002A, "10CFR61 Waste Form Confirmation Program." Proprietary rept w/inhold. KLEIN, W.J. WasteChem Corp 88/06/30. TCKAR, M. Technical Branch. 1p. 46140 079-46140 204.

-8807080027 VRS-002A Nonproprietary "10CFR61 Waste Form Confirmation Program." WasteChem Corp. 88/05/31. 125pp. 46140 080-46140 204.

8807080073 Discusses observations on seventh probabilistic safety assessment codes users group meeting on 860620-22 in Federal Republic of Germany. Recommendations & summary of suggestions provided. BONANO, F.J. Sandia National Laboratories FIN A-1165. 88/07/01. BROOKS, P. Operations Branch. 6pp. 46134 111-46134 116.

8807080261 Advises that P Brooks assigned as lead technical contact for Contract FAN A-1165 in response to receipt 880630 memo. BROWN, N.G.R. Division of High Level Waste Management (Post 870413). FIN A-1165. 88/07/08. FUNCHES, J.L. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 46134 207-46134 207.

8807080278 Requests authorization for add'l funding for Research Project Plan 4, "Semi-Mock Rock Mechanisms." Direction for revs to project plan for FIN B-6663, "Integrated Waste Package Experiments" encl. BUNTING, J.O. Systems Engineering & Evaluation Branch FIN B-6663. 88/07/05. MACE, M. Office of Administration & Resources Management, Director (Post 870413). 4pp. 46139 248-46139 251.

8807080281 Forwards work description for technical assistance needs at CNWRA in performance assessment. COPLAN, S. Operations Branch. 88/07/07. ALTOMARE, P.S. Systems Engineering & Evaluation Branch. 8pp 46136 054-46136 061.

8807110110 "NRC Technical Assistance for Design Reviews," Progress Rept 34 for May 1988. HART, R.D. ITASCA Consulting Group, Inc. FIN D-1016. NRC-02-85-002. 88/06/20. TANIGUCHI, N. NRC - No Detailed Affiliation Given. 6pp 46138 350-46138 355.

8807110133 Forwards SALT Repository Project Ofc weekly highlights rpt for period 880606-10. NEFF, J.B. Energy, Dept. of. 88/06/10. ROUSSO, S. Energy, Dept. of. 3pp. 46141 191-46141 193.

8807110143 Forwards Project Interface Documents FID 07-S 02, 07-S 03, 07-S 04, 07-S 05, per RAP Section 8.11. MANN, D.E. Energy, Dept. of. 88/06/14. FLIEGEL, M. NRC - No Detailed Affiliation Given. 88pp 46137 001-46137 008.

8807110145 Forwards documents re pit (trench) disposal of demolition debris at Ambrosia Lake U mill tailings remedial action site for review & approval. ARTHUR, W.J. Energy, Dept. of. UMT/NRC/0688-70. 88/06/21. HAWKINS, E.F. Uranium Recovery Field Ofc, R4. 2pp. 46141 189-46141 190.

8807110158 Forwards corrected invoice for "NRC Technical Assistance for Design Reviews" Progress Rept 34 for May 1988. HART, R.D. ITASCA Consulting Group, Inc. FIN D-1016. NRC-02-85-002. 88/06/21. TANIGUCHI, N. NRC - No Detailed Affiliation Given. 1p. 46147 105-46147 195.

8807110164 Forwards NNWSI project master list of controlled documents as of 880602 list should be used to verify current status of documents. SPAETH, M.E. Science Applications International Corp. (formerly Science Applications, Inc.). 88/06/14. KENNEDY, J. NRC - No Detailed Affiliation Given. 19pp. 46140 288-46140 287.

8807110416 Responds to request for technical assistance under Task 4 of FIN A-4171-7, "NBS Comments on Preliminary SAR/Vitrification Sys. Rev III, West Valley Demonstration Project, Vol III." INTERRANTE, C.G. Commerce, Dept. of, National Bureau of Standards. FIN A-4171-7. 88/06/27. PETERSON, C. Technical Review Branch. 1p. 46141 088-46141 088.

8807110430 Responds to request for technical assistance under Task 4 of FIN A-4171-7, "Waste Compliance Plan for West Valley Demonstration Project High Level Waste Form." INTERRANTE, C.G. Commerce, Dept. of, National Bureau of Standards. FIN A-4171-7. 88/07/07. PETERSON, C. Technical Review Branch. 3pp. 46141 085-46141 087.

8807110439 Responds to request for technical assistance under Task 4 of FIN A-4171-7, "NBS Comments on Waste Acceptance Preliminary Spec for Defense Waste Processing Facility High Level Waste Form." INTERRANTE, C.G. Commerce, Dept. of, National Bureau of Standards. FIN A-4171-7. 88/08/27. PETERSON, C. Technical Review Branch. 1p. 46141 235-46141 235.

8807110456 Rev 0 to QA Program Plan Technical Procedure 033-NNWSI-P 3A.3, "Establishment of Criteria for Metal Barrier Selection." HALSEY, W.G., MCCRIGHT, D., SHORT, D. Lawrence Livermore National Laboratory. 88/06/08. 7pp. 46141 228-46141 234.

8807110488 Rev 1 to QA program plan App A, "Requirements for Qualifications & Certification of Insp & Test Personnel." Holmes & Narver, Inc. 88/07/08. KENNEDY, J. NRC - No Detailed Affiliation Given. 8pp. 46141 220-46141 227.

8807110502 Forwards for review revised draft of matrix diffus on rept, "Matrix Diffusion of Radionuclides in Rock/Groundwater Sys." KELVERS, A.D. Oak Ridge National Laboratory. FIN B-0287. 88/07/07. BROCK, S.D. Technical Review Branch. 1p. 46142 225-46142 345.

-8807110515 "Matrix Diffusion of Radionuclides in Rock/Groundwater Sys." BLENCOE, J.G. Oak Ridge National Laboratory. GRISAK, G.E., REEVES, M.P. NTERA Technologies, Inc. FIN B-0287. 88/07/07. Office of Nuclear Material Safety & Safeguards, Director. 120pp. 46142 226-46142 345.

8807110518 Discusses establishment of program architecture review committees for review & rev of WSE&I Major Mission 12 inputs to Program Architecture (PA) per Section 4.6 Rev 1 to TOP-001, "PA Development Matrix." WHITING, A.R. Center for Nuclear Waste Regulatory Analyses. 88/07/05. Center for Nuclear Waste Regulatory Analyses. 3pp. 46147 255-46147 257.

8807110532 Errata to Rev 1 to "Technical Approach Document." Energy, Dept. of. 88/04/30. 224pp. 46142 001-46142 224.

8807110546 "Technical Assistance in Identification & Evaluation of Seismic-Tectonic Issues re Repository Site Characterization Plans," Monthly Mgt Ltr Rept 23 for July 1988. CHUNG, D.H., CUMMINGS, G.E. Lawrence Livermore National Laboratory. FIN A-0257. L-196. 88/07/07. BLACKFORD, M.E. Technical Review Branch. 3pp. 46141 356-46141 360.

8807120113 Forwards manuscript package for "Hydrogeologic Evaluation of Radioactive Contamination in Deep Wells at Hanford." COLEMAN, N.M. Technical Review Branch. 88/07/08. COOPER, S. Interior, Dept. of, Geological Survey. 1p. 46143 206-46143 353.

-8807120403 "Hydrogeologic Evaluation of Radioactive Contamination in Deep Wells at Hanford." COLEMAN, N.M., CHERY, D.L. Office of Nuclear Material Safety & Safeguards, Director. 88/07/08. 57pp. 46143 287-46143 353.

8807120127 Forwards notice of upcoming technical & programmatic meetings re NRC high level waste mgt program. LINEHAN, J.J. Operations Branch. 88/07/11. Affiliation Not Assigned. 2pp. 46141 261-46141 264.

8807120139 Discusses response to Commissioner Rogers 880526 memo to Chairman Zech re agency schedule for Yucca Mountain site characterization plan approval & licensing. THOMPSON, J.L. Office of Nuclear Material Safety & Safeguards, Director. 88/07/08. REHM, T.A. Ofc of the Executive Director for Operations. 2pp. 46153 335-46153 311.

-8807120153 Expresses concerns re apparent number of substantive agency actions that must be accomplished if current DOE project decision schedule milestones for Yucca Mountain site characterization plan approval & licensing are to be met. ROGERS, K.C. Commissioners. 88/05/26. ZECH, L.W. Commissioners. 2pp. 46153 337-46153 340.

8807120148 Submits comments re NCIG-08, "Guidelines for Content of Records to Support Nuclear Power Plant Operation, Maint & Mod." Guidelines for record retention times in Sect on 3.3 inconsistent w/Rog Guide 1.28, Rev 3. BROWNING, R.E. Division of High Level Waste Management (Post 870413). 88/07/08. ARLOTTO, G.A. Division of Engineering (Post 870413). 2pp. 46145 154-46145 155.

8807120186 Advises that monthly progress rpt for May 1988 for FIN B-0263, "Evaluation of DOE Radionuclide Solubility Data & Selected Radiochemical Parameters, Experimental Strategies, Lab Techniques..." reviewed Progress status. BRAOBURY, J.W. Technical Review Branch. FIN B-0260. 88/07/06. MEYER, R.E. Carlsbad National Laboratory. 2pp. 46149 359-46149 360.

8807120502 Forwards minutes of 880601-02 meeting of Host State Tech Coordinating Committee in Rockville, MD re nuclear energy low level waste mgt program. RUTZ, A.C. Idaho National Engineering Laboratory. 88/07/06. SURMEIER, J.J. Technical Branch. 31pp. 46156 305-46157 014.

-8807120547 "Rept of Attendance as Observer of EPRI-Sponsored Workshop on L-129." GROELSEMA, D.H. NJG Co. 87/11/09. 24pp. 46156 336-46156 350.

-8807120591 Speech entitled "Safety Issues re Disposal of L-129 in Low Level Rad waste Repository," presented to DOE ninth annual low level radwaste mgt conference in Denver, CO on 870827. BHATTACHARYA, JANATI, R. Pennsylvania, Commonwealth of. SHEARER, T. Children's Hosp. of Philadelphia, Philadelphia, PA. 87/08/27. 14pp. 46157 001-46157 004.

-8807120626 Speech entitled "Safety Issues re Disposal of C-14 in Low Level Rad waste (LLRW) Repository - State Perspective," presented to CRCPD 20th annual meeting in Nashville, TN on 880515-18. BHATTACHARYA, JANATI, R., NEY, D.E. Pennsylvania, Commonwealth of. 88/05/15. 17pp. 46157 016-46157 031.

-8807130011 Forwards summary of Coordinating Committee for Low Level Waste Disposal Technology working session of mixed waste regulation. PAUKERT, J. Southern States Energy Board. 87/03/10. COSTANZI, F.A. NRC - No Detailed Affiliation Given. 164pp. 46157 032-46157 195.

8807120577 Forwards T Sniff of Water, Waste & Land 880621 ltr responding to project officer questions on DOE-NRC state workshop on alternative conceptual mode's. LOGSDON, M.J. Nuclear Waste Consultants, Inc. FIN D-1021. RMS-NMS 65 003 637/07/07. POILE, J. Technical Review Branch. 8pp. 46156 259-46156 268.

8807130035 Confirms withdrawal of Topical Rept STD-R-05-008, "Topical Rept 55: Solidified Boric Acid to Meet Stability Requirements of 10CFR61," per 880610-1. TOKAR, M. Technical Branch. 88/06/28. BORIS, G.F. Hittman Nuclear & Development Corp. (subs. of Hittman Corp.). 1p. 46169 178-46169 178.



8807130086 Closes out Afeqation NISS-88-A-001 from Lowenberg Assoc, Inc re NUPAC marketing of Chichibu HICs for nonapproved use in compaction of low level waste NRC assured by NUPAC during 880120 meeting that no improper use or marketing occurred  
SURVEIER, J.J. Technical Branch 88/06/29 LOWENBERG, H. Lowenberg Associates Inc. 1p. 46186 140-46186-144

8807130127 Ack receipt of May 1989 ltr describing GE02 & offer to provide program to NRC  
BALLARD, R.L. Technical Review Branch 88/07/09 STEWART, C.W. Battelle Memorial Institute, Pacific Northwest Laboratory 2pp. 46164 050-46164-051

8807130212 Forwards latest draft of Interagency Advisory Committee on Water Data Subcommittee on Groundwater terms of ref Agenda for next meeting listed  
OEEN Environmental Protection Agency 88/07/07 Environmental Protection Agency 18pp. 46170 030-46170-047

8807130235 Informs of 880937-08 panel meetings in Washington, DC re disposal of wastes stored in single shell tanks at Hanford, WA. Urges organizations that will join panels to provide policy & technically oriented representation  
MYERS, P.B. National Research Council 88/07/08 BELL, M.J. NRC - No Detailed Affidavit Given 8pp. 46167 322-46167-329

8807130253 Forwards marked-up copy of Section 3.2 of NUREG-0965, "NRC Inventory of Cams," & corrected pages for App C & App E  
FLIEGEL, M. Division of Low Level Waste Management & Decommissioning (Post 370413). 88/06/24 BAGCHI, G. NRC - No Detailed Affidavit Given 21pp. 46166 153-46166-173

8807130264 Forwards agenda for NRC/DOE 880718-19 meetings in Rockville, MD to discuss exploratory shaft facility  
TANAKA, E.T. Division of High Level Waste Management (Post 870413). 88/07/08 SECHTEL, D. Nevada State of. 4pp. 46170 313-46170-316

8807130347 Forwards comments on draft remedial action plan & environmental assessment per request. Review of geology & geomorphology aspects of site related activities in DOE characterization of site geology & assessment of stability  
STARMER, J.R. Technical Branch 88/07/01 FLIEGEL, M. Operations Branch 13pp. 46172 133-46172-145

8807130369 Forwards schedule report to 1 yr window of all NRC review activities on UMTAP marked up to reflect current status  
ARTHUR, W.J. Energy, Dept. of 88/07/05 SMITH, D. Uranium Recovery Field Ofc, R4 27pp. 46170 058-46170-084

8807130427 Forwards engineering drawings, "Submerged Demineralizer Sys Universal Vessel," 2D-950-20-012. Sheets 1 & 2, per request. Drawings should be treated as proprietary in nature.  
MCDANIEL, K.K. Technical Branch 88/04/25 SISKIND, B. Brookhaven National Laboratory 1p. 46166 322-46166-322

8807140001 Advises that OA level assignments for design & const of ESF added to 880718-19 proposed meeting agenda.  
LINEHAN, J.J. Operations Branch 88/07/11 STEIN, R. Energy, Dept. of. 1p. 46175 050-46175-059

8807140003 Informs of review of CNWRA program managers Periodic Report 88-8 for period 880514-0610 & provides no comments for sub reporting period. Concerns re cover/under expenditures & mods addressed in separate correspondence  
FORTUNA, S.L. Systems Engineering & Evaluation Branch 88/07/12 LATZ, J. Center for Nuclear Waste Regulatory Analyses 1p. 46175 058-46175-058

8807140008 Informs that "Outline of Approach to Development of Cx Technology Transfer Plan" found appropriate but offers two suggestions. Requests opportunity for further review & comment when plan developed.  
BUNTING, J.O. Systems Engineering & Evaluation Branch 88/07/12 LATZ, J. Center for Nuclear Waste Regulatory Analyses 1p. 46175 037-46175-037

8807140067 Documents several actions re B&W ECOSAFE HIC-55 topical report review. Portions of review will be conducted by contractors to NRC. Schedule will be established & transmitted by 880527.  
WIDMAYER, D.A. Technical Branch 88/05/12 BLACK, W.D. Babcock & Wilcox Co. 2pp. 46178 264-46178-265

8807140075 Comments on Mar 1988 monthly ltr status report for FIN A-1763, "Evaluation, Validation, Verification & Documentation of IMPACTS-BRC Computer Code" Contracting documents for obligation of FY88 funds reviewed & accepted by NRC  
WIDMAYER, D.A. Technical Branch FIN A-1763. 88/05/13 CRANWELL, R.M. Sandia National Laboratories 4pp. 46175 353-46175-356

8807140141 Forwards revs to BNL review of LN Technologies topical report for compos to high integrity container (HIC) in response to NRC comments on BNL earlier HIC review telefaxed to NRC on 880429. Proprietary comments withheld  
SISKIND, B. Brookhaven National Laboratory 5374. 88/07/12 MCDANIEL, K. Technical Branch 3pp. 46191 140-46192-169

8807140178 HW-54341 "Some Aspects of Corrosion of Buried Stainless Steel Pipe at Hanford Works"  
PLOTT, R.F. General Electric Co. 88/07/12 127pp. 46191 152-46192-018

8807140187 WM-3291-631 "Low Level Waste Package & Engineered Barrier Study," quarterly progress report for Oct-Dec 1987.  
SOOP, P. BOWERMAN, B.S. CLINTON, J.H. Brookhaven National Laboratory 88/04/30. Office of Nuclear Regulatory Research, Director (Post 860720). 63pp. 46192 019-46192-169

8807140206 Revised Monthly Mgt Ltr 23 for June 1988, correcting three typos.  
CHUNG, D.H. Lawrence Livermore National Laboratory. FIN A-0297. L-196. 88/07/08. BLACKFORD, M.E. Technical Review Branch 2pp. 46177 012-46177-013

8807140210 Summary of 880412 meeting w/DOE, UNC-Geotech & State of CO Dept of Health to discuss vicinity properties & supplemental aids.  
HEYER, R.S. Uranium Recovery Field Ofc, R4 88/05/05. Uranium Recovery Field Ofc, R4 3pp. 46199 006-46199-008

8807150004 Notices of preliminary schedule for review of Bondco Nuclear topical report BNL will assist in review. SAIC will perform structural analysis.  
WICK, E. Technical Branch 88/05/12 STOCK, A.J. Bondco Nuclear 2pp. 46183 266-46183-267

8807150013 Forwards comments on Feb 1986 draft surveillance & maint plan for Durango, CO. Document not current w/EPA proposed aids for groundwater monitoring  
HAWKINS, E. Uranium Recovery Field Ofc, R4 88/06/23. ARTHUR, W.J. Energy, Dept. of. 3pp. 46181 359-46181-360

8807150023 Concurs w/880406 radiological & engineering assessment for property in Edgemont, SD. Remedial action acceptable.  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/06/09 GRANCBOJCHE, G. Energy, Dept. of. 1p. 46184 275-46184-277

8807150025 Recommends concurrence be granted for application of supplemental aids for Property ED-00708-OT.  
HEYER, R.S., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4 88/06/09. Uranium Recovery Field Ofc, R4 2pp. 46184 276-46184-277

8807150027 Advises that NRC cannot concur w/880504 radiological & engineering assessment for commercial vicinity property designated as GJ-90072-SC, Pomona Elementary School in Grand Junction, CO.  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/08/09 VIRGONA, J.E. Energy, Dept. of. 1p. 46182 263-46182-268

8807150029 Recommends that concurrence not be granted for application of supplemental aids for property designated as GJ-90072-SC, based on review of DOE 880504 radiological & engineering assessment re sub; property & per 40CFR 192.21 & 192.22  
HEYER, R.S., PETTINGILL, H.J. Uranium Recovery Field Ofc, R4 88/06/09. Uranium Recovery Field Ofc, R4 3pp. 46182 284-46182-286

8807150046 Forwards Lakeview UMTAP report re 880519 onsite const insp. Listed items evident that NRC has serious concerns re project & continuing active recommendations issues resolved as soon as possible.  
HAWKINS, E. Uranium Recovery Field Ofc, R4 88/06/14. ARTHUR, W.J. Energy, Dept. of. 2pp. 46183 074-46183-080

8807150049 Summarizes Lakeview onsite const review conducted on 880519 re const activities at Lakeview UMTAP re assessment of whether CC program functioning in manner that assures compliance w/EPA aids  
GONZALES, R.O., OLSEN, T.T., HAWKINS, E. Uranium Recovery Field Ofc, R4 88/06/14. Uranium Recovery Field Ofc, R4 5pp. 46183 076-46183-090

8807150052 Concurs w/vicinity property completion report received on 880229 for stated address  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/05/26. ARTHUR, W.J. Energy, Dept. of. 1p. 46184 288-46184-288

8807150056 Concurs w/vicinity property completion report received on 880229.  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/05/26. ARTHUR, W.J. Energy, Dept. of. 1p. 46184 357-46184-357

8807150058 Concurs w/vicinity property completion report received on 880401 for property in Location CA-0725 in Canonsburg, PA, based on review of sub report & per EPA Regulations 40CFR 192.12 & 192.20-23.  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/05/26. ARTHUR, W.J. Energy, Dept. of. 1p. 46182 357-46182-357

8807150069 Concurs w/vicinity property completion report received on 880229 for property at Location CA-4003 in Canonsburg, PA.  
SMITH, R.D. Uranium Recovery Field Ofc, R4 88/05/26. ARTHUR, W.J. Energy, Dept. of. 1p. 46182 360-46182-360

8807180080 Provides details of colloquium on OA underground radwaste repositories in Washington, DC on 880802-03  
CRAMER, L.F. National Research Council 88/07/15 National Research Council 2pp. 46199 380-46199-381

8807180086 Forwards "Critical Peer Review of Program Architecture Support Sys" Attention called to portions, including "Outlook for Follow on Development."  
LATZ, J.E. Center for Nuclear Waste Regulatory Analyses 88/07/11. BUNTING, J.O. Systems Engineering & Evaluation Branch 1p. 46199 288-46199-310

8807180126 "Critical Peer Review of Program Architecture Support Sys"  
ACREE, C.L. Acree, C.L. 88/07/08 22pp. 46199 289-46199-310

8807180107 Forwards DOE weekly reports for wks ending 880624, 0701 & 08  
PRESTHOLT, P.T. NRC - No Detailed Affidavit Given 88/07/13. LINEHAN, J. Operations Branch 14pp. 46200 217-46200-230

8807180111 Forwards "Review of SAND87-2073, 'Add: Underground Test Data Required for Yucca Mountain Repository Characterization'"  
CHUNG, D.H. Lawrence Livermore National Laboratory. FIN A-0297. 88/07/14. BLACKFORD, M.E. Technical Review Branch 1p. 46184 316-46184-321

8807180173 "Review of Sandia Rept, SAND87-2073, 'Add: Underground Test Data Required for Yucca Mountain Repository Characterization'"  
Lawrence Livermore National Laboratory. FIN A-0297. 88/07/14 5pp. 46194 317-46194-321

8807180115 "Performance Assessment of Low Level Radwaste Sites," monthly progress report for June 1988  
BERGERON, M.P. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2485. 88/07/14. DEERING, L. Office of Nuclear Material Safety & Safeguards, Director. 7pp. 46204 238-46204-244

8807180136 Forwards T Sniff ltr report re clarifications to Technical Rept 3, "Estimates of Cumulative Radioactive Flux at Yucca Mountain Nevada." Ltr report elegantly clarifies computational process that was implicit in Technical Rept 3  
LOGSDON, M.J. Nuclear Waste Consultants, Inc. FIN D-1021 268. 88/07/07. POHLE, J. Technical Review Branch 3pp. 46200 211-46200-218

8807180141 Forwards task description summary for Subtask 1.5 investigation to be entitled, "General Relationship Between Recharge & Age Stratification in Saturated Water at Well."  
LOGSDON, M.J. Nuclear Waste Consultants, Inc. FIN D-1021 269. 88/07/07. POHLE, J. Technical Review Branch 7pp. 46200 204-46200-210

8807180207 Concurs w/vicinity property completion rept for Location RT-034 S in Rverton WY, per 880328 request for concurrence encl  
SMITH R.D. Uranium Recovery Field Ofc. R4. 88/06/06. ARTHUR, W.J. Energy, Dept. of. 2pp. 46184.356 46184.357.

8807180257 Submits comments re "Redox State of Cedar Mountain Formation Aquifer, Green River UMTA Site, UT." Techniques used to determine redox couple concentration appropriate but more data is necessary.  
ARTHUR, W.J. Battelle Memorial Institute, Pacific Northwest Laboratory. 88/07/08. DEERING, L. Office of Nuclear Material Safety & Safeguards, Director. 14pp. 46188.248 46188.250.

8807180262 Forwards summary of 880603 meeting w/DOE in Rockville, MD re disposal plans for double shell tank wastes NRC gained better understanding of classification of wastes in 28 double-shell tanks.  
THOMPSON, H.L. Office of Nuclear Material Safety & Safeguards, Director. 88/07/11. LAWRENCE, M.J. Energy, Dept. of. 45pp. 46189.311 46189.355.

8807180266 Forwards NNWSI QA manual revs for NNWSI  
RUMES, H.P. Los Alamos National Laboratory. TWS-N5/08-88-60. 88/06/30. KENNEDY, J. NRC - No Detailed Affiliation Given. BLAYLOCK, J. Energy, Dept. of. KALIA, H. Lawrence Livermore National Laboratory. 1p. 46202.287 46202.342.

-8807180268 QA manual revs for NNWSI  
\* Los Alamos National Laboratory. 88/06/30. 75pp. 46202.268 46202.342.

8807180273 Forwards paper entitled, "Application of GEOTHER/VTA to Assess Groundwater Transients in High Level Radwaste Repository," presented at Intl Conference on Groundwater Contamination in Amsterdam in Oct 1987.  
BIAN, S.H. Battelle Memorial Institute, Pacific Northwest Laboratory. 88/07/14. SHEARRY, D. Division of High Level Waste Management (Post 870413). 1p. 46277.007 46277.015.

-8807180332 Paper entitled, "Application of GEOTHER/VTA to Assess Groundwater Transients in a High Level Radwaste Repository."  
BIAN, S.H. BUDDEN, M.J. Battelle Memorial Institute, Pacific Northwest Laboratory. YUNG, S.C. Westinghouse Hanford Co. 87/10/31. 8pp. 46277.008 46277.015.

8807180293 Forwards summary of Waste Mgt Advisory Committee 880615 meeting in Oak Ridge, TN re proposed NRC criterion for regulating disposal of low level radwaste & implementation activities at Y-12 Handouts also encl.  
SLEEMAN, R.C. Energy, Dept. of. 88/07/05. STARNER, J. NRC - No Detailed Affiliation Given. ADAMS, B. BERGSTROM, C.M. Energy, Dept. of. 137pp. 46187.089 46187.234.

8807180298 Forwards weekly highlights rept for 880627-0701.  
NEFF, J.O. Energy, Dept. of. 88/07/01. ROUSSO, S. Energy, Dept. of. 2pp. 46203.288 46203.289.

8807180307 Forwards weekly highlights rept for 880705-08.  
NEFF, J.O. Energy, Dept. of. 88/07/08. ROUSSO, S. Energy, Dept. of. 3pp. 46203.285 46203.267.

8807180312 Forwards NNWSI project master list of controlled documents.  
SPAETH, M.E. Science Applications International Corp. (formerly Science Applications, Inc.). L88-RMD-MDC-044. 88/07/11. KENNEDY, J. NRC - No Detailed Affiliation Given. 22pp. 46194.115 46194.136.

8807180318 Rev 0 to Technical Operating Procedure TOP-001-01, "Guidance to Program Architecture Review Committee Review & Rev of WSE&I Major Milestones 12."  
WHITING, A.R. Center for Nuclear Waste Regulatory Analyses. 88/07/12. 11pp. 46195.011 46195.021.

8807190002 "NRC Technical Assistance for Design Reviews," Monthly Progress Rept 35 for June 1988.  
HART, R.D. ITASCA Consulting Group, Inc. FIN D-1016. NRC-02-85-002. 88/07/14. TANIUS, N. NRC - No Detailed Affiliation Given. 14pp. 46209.227 46209.240.

8807190005 Forwards newspaper articles re HLW dump in Nevada & effects of tourism.  
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/07/14. LINEHAUS, J.J. Operations Branch. 3pp. 46209.235 46209.287.

8807190010 Forwards tentative agenda & participation form for seventh BIOMOV5 Coordinating Group meeting in Japan on 881107-11.  
JOHANSSON, G. National Institute of Radiation Protection, Sweden. 88/07/07. Affiliation Not Assigned. 8pp. 46210.289 46210.296.

8807190020 Summarizes actions to be taken re Canonsburg erosion protection, per 880502 meeting individual pieces of large rock of poor quality will be replaced w/suitable rock meeting spec requirements w/two oversize drawings.  
ARTHUR, W.J. Energy, Dept. of. 88/07/15. LOHAUS, P. Division of Low Level Waste Management & Decommissioning (Post 870413). 14pp. 46220.030 46220.044.

8807190028 Forwards comments on specific sections of "Draft 1988 Mission Plan Amend." DOE/RW-0187, per 880706 request "Sys" defined narrowly instead of broadly.  
LATZ, J.E. Center for Nuclear Waste Regulatory Analyses. 88/07/11. DELLIGATTI, M. Division of High Level Waste Management (Post 870413). 3pp. 46217.038 46217.040.

8807190031 Forwards table to be used to present info on resources expended vs percent completion for FIN A-1165.  
BONANO, E.J. Sandia National Laboratories. FIN A-1165. 88/07/01. BROOKS, P. Division of High Level Waste Management (Post 870413). 2pp. 46209.087 46209.088.

8807190038 Forwards monthly activity schedules for UMTAP sites, reflecting 1-yr window of all key project activities re site characterization & surveillance & maint.  
ARTHUR, W.J. Energy, Dept. of. 88/07/05. Energy, Dept. of. 22pp. 46209.273 46209.294.

8807190146 Forwards disk containing updated program for Sheffield site data base sys re FIN B-2405, "Performance Assessment of Low Level Radwaste Sites."  
BERGERON, M.P. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2405.7. 88/07/13. DEERING, L. Office of Nuclear Material Safety & Safeguards, Director. 2pp. 46205.135 46205.136.

8807190151 "Evaluation, Validation, Verification & Documentation of IMPACTS-BRC Computer Code," monthly rept for June 1989. Financial info withheld.  
CRANWELL, R.M. Sandia National Laboratories. FIN A-1763. 88/07/14. GLENN, C. Regulatory Branch. 3pp. 46220.016 46220.017.

8807190186 "Lab Evaluation of DOE Radiocesium Solubility Data & Selected Release Parameters," monthly rept for June 1988.  
MEYER, R.E. Oak Ridge National Laboratory. FIN B-0230. 88/07/11. BRADBURY, J.W. Office of Nuclear Material Safety & Safeguards, Director. 6pp. 46209.216 46209.226.

8807190182 "Coupled Thermal-Hydrological-Mechanical Assessments & Site Characterization Activities for Geologic Repositories," monthly rept for June 1988. Cost also withheld.  
ORTIZ, N.R. Sandia National Laboratories. FIN A-1755. 88/07/15. PESHEL, J. Division of High Level Waste Management (Post 870413). 11pp. 46209.216 46209.226.

8807200244 "Evaluation & Compilation of DOE Waste Package Test Data," monthly progress rept for June 1988.  
INTERANTE, C.G. Commerce, Dept. of, National Bureau of Standards. FIN A-4171.7. 88/07/16. PETERSON, C. Technical Review Branch. 19pp. 46238.326 46238.344.

8807200251 "Geochemical Sensitivity Analysis," monthly rept for June 1988.  
ORTIZ, N.R. Sandia National Laboratories. FIN A-1756. 88/07/15. MO, T. Division of High Level Waste Management (Post 870413). 15pp. 46238.345 46238.350.

8807200332 Forwards BIOMOV5 Progress Rept 6 & Newsletter 11 re suggested consensus list for BIOMOV5 final rept comments requested by 880915.  
JOHANSSON, G. National Institute of Radiation Protection, Sweden. 88/06/25. Affiliation Not Assigned. 8pp. 46240.143 46240.221.

-8807200348 "BIOMOV5 Progress Rept 6."  
\* National Institute of Radiation Protection, Sweden. 88/06/30. 72pp. 46240.152 46240.221.

8807210008 Forwards proposed specs for Durango, Lakewood & Tuba City & Rev 0 to Work Procedure 4, "Erosion Protection Testing & Insp." Approach patterned after agreed corrective actions for Canonsburg erosion protection.  
ARTHUR, W.J. Energy, Dept. of. 88/07/12. HAWKINS, E.F. Uranium Recovery Field Ofc. R4. 21pp. 46234.092 46234.131.

-8807210009 Rev 0 to "Erosion Protection Testing & Insp."  
\* Morrison-Knudsen Engineers, Inc. 88/08/08. 17pp. 46234.115 46234.131.

8807210018 Requests investigation & corrective measure to ensure all future shipments comply w/applicable state & federal regulations by 880808.  
SHEALY, H.G. South Carolina, State of. 88/07/11. EMSWILER, T.R. Battelle Memorial Institute. 2pp. 46234.132 46234.133.

8807210023 Discusses proposed design mode & support documentation to Lakewood design submitted on 880609 for formal Oregon & NRC concurrence Proposed design mod detailing soil matrix/vegetation cover from Lakewood design has been rejected.  
MIERA, F.R. Oregon, State of. 88/08/28. ARTHUR, W.J. Energy, Dept. of. 2pp. 46236.180 46236.161.

8807210028 Forwards NNWSI project Waste Mgt Project Ofc verification & closure of std deficiency resulting from QA Audit 87-10 of Reynolds Electrical & Engineering Co., Inc.  
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/07/12. KENNEDY, J.F. NRC - No Detailed Affiliation Given. 17pp. 46237.313 46237.329.

8807210031 Forwards WMPO release of QA Std Deficiency Repts 8 & 11 (WMPO Action Item 88-2242).  
PRESTHOLT, P.T. NRC - No Detailed Affiliation Given. 88/07/13. KENNEDY, J.E. NRC - No Detailed Affiliation Given. 18pp. 46237.006 46237.023.

8807210057 Forwards comments re NRC proposed rule 10CFR61, "Disposal of Radwaste." Commission should include substance of specific objections to discussion of rept in proposed rule in preparing supplementary info for final rule.  
KOCHEK, D.C. CROFFA, G. Oak Ridge National Laboratory. 88/07/14. Docketing & Services Branch. 6pp. 46235.282 46235.348.

8807210067 Forwards Radiological & Engineering Assessment GJ-87003-OT for 490 block of Main St for review & approval. Justification checklist, property condition description & cost breakdowns included w/o encl.  
VIRGONA, J.E. Energy, Dept. of. 88/06/08. HEYER, R. Uranium Recovery Field Ofc. R4. 2pp. 46235.265 46235.266.

8807210071 Authorizes R Cummings to participate in 880718-19 meetings re Rockwell, MD re design & const specs for ESF, per stated contract.  
BUCKLEY, J.T. Technical Review Branch. FIN D-1004. NRC-02-84-002. 88/07/19. SINGH, M.M. Engineers International, Inc. 1p. 46234.247 46234.247.

8807210074 Forwards outline of proposed cover design mod for Lakewood, OR site. Expresses confidence that disposal cell design & proposed radon/moisture mitigation cover will meet EPA std.  
ARTHUR, W.J. Energy, Dept. of. DOE/NRC/O588-57. 88/05/20. HAWKINS, E.F. Uranium Recovery Field Ofc. R4. 5pp. 46236.062 46236.086.

8807210124 Forwards Radiological & Engineering Assessments for 600 block of Main St for review & approval w/o encl.  
VIRGONA, J.E. Energy, Dept. of. 88/07/05. HEYER, R. Uranium Recovery Field Ofc. R4. 2pp. 46237.111 46237.112.

8807210170 Forwards Project Interface Document 03-S-06.13 S-11, Rev 1 on Lakewood, OR. Class III change concerns temporary features which have no impact on design for stabilization of tailings pile.  
ARTHUR, W.J. Energy, Dept. of. 88/05/23. HAWKINS, E.F. Uranium Recovery Field Ofc. R4. 2pp. 46233.133 46233.134.

8807210204 Provides DOE UMTAP ofc interim status responses to NRC URFO Late view Const Audit conducted in May 1988. Final response to any open issues will be provided to NRC by 880714.  
ARTHUR, W.J. Energy, Dept. of. 88/07/11. HAWKINS, E.F. Uranium Recovery Field Ofc. R4. 6pp. 46238.318 46238.322.

8807210205 Provides final resolution to issues re tailings placement at Green River UMTAP site & formal justification as to why other issues can be deferred for final resolution.  
ARTHUR, W.J. Energy, Dept. of. 88/07/20. LOHAUS, P. Division of Low Level Waste Management & Decommissioning (Post 870413). 60pp. 46236.266 46236.325.

8807210254 Advises that State of NV finds DOE program for characterization of site unacceptable for listed reasons  
LIGUX,R.R. Nevada, State of. 88/07/18 ZECHL,NRC - No Data/No Affiliation Given. 2pp. 46233-208-46233-209

8807210278 Forwards technical assessment needs from CNWRA in area of performance assessment  
ALTMARE,P.M. Systems Engineering & Evaluation Branch. 88/07/18  
BUNTING,J.O. Systems Engineering & Evaluation Branch. 1p. 46234:159-46234:167

8807210300 Requests ITASCA perform listed work under contract entitled, "Technical Assistance for Design Reviews"  
TANOUS,N.S. Technical Review Branch FIN D-1016 NRC-02-85-002. 88/07/12  
HART,R. ITASCA Consulting Group, Inc. 2pp. 46235-206-46235-207.

8807210317 Comments on monthly progress report for May 1988 under Contract NRC-02-84-002 Rept. fulfills requirements of contract  
BUCKLEY,J.T. Technical Review Branch FIN D-1004 NRC-02-84-002 88/07/08.  
SINGH,M.M. Engineers International, Inc. 2pp. 46234:179-46234:180

8807210330 "Technical Assistance for In Situ Testing," monthly progress report for Apr 1988  
SINGH,M.M. Engineers International, Inc. FIN D-1004 122 88/06/10 BUCKLEY,J.T. NRC - No Data/No Affiliation Given. 3pp. 46234:178-46234:178.

8807220008 Forwards summary of 880708 meeting in Rockville, MD re NNWSI QA Plan 88-9 & associated DOE response to NRC requests for add'l info  
LINEHAN,J. Operations Branch 88/07/15. STEIN,R. Energy, Dept. of 1p. 46247-231-46247-233.

8807220035 Summary of 880708 meeting w/DOE in Rockville, MD re NNWSI QA plan Related documentation oncl.  
KENNEDY,J.E. Division of High Level Waste Management (Post 870413). 88/07/12  
Division of High Level Waste Management (Post 870413). 109pp. 46247-233-46247-238.

8807220010 Forwards summary of 880707 meeting in Rockville, MD re NRC/DOE schedule for review of DOE QA program  
LINEHAN,J. Operations Branch. 88/07/15. STEIN,R. Energy, Dept. of. 1p. 46249-161-46249-186

8807220032 Summary of 880707 meeting w/DOE re schedule for review of DOE QA program Agrees that listed open items represent total list of QA items requiring closure to achieve objective of establishing qualified QA program.  
KENNEDY,J.E. Division of High Level Waste Management (Post 870413). APPELG, E. Energy, Dept. of. 88/07/12. Division of High Level Waste Management (Post 870413) 25pp. 46249:162-46249:180.

8807220013 Forwards procedural agreement between EPA & NRC establishing interface council for approval & signature before scheduled interface council 880728 meeting.  
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards, Director. 88/07/08.  
MAKRIS,J. Environmental Protection Agency. 4pp. 46249:284-46249:288.

8807220018 Approves Technical Operating Procedure TOP-001-01 received on 880712. Consideration of NRC comments & fast turn-around time appreciated.  
BUNTING,J.O. Systems Engineering & Evaluation Branch. 88/07/12. WHITING,A. Center for Nuclear Waste Regulatory Analyses. 2pp. 46249-237-46249:238.

8807220074 Forwards marked-up pages of technical report, "Redox State of Cedar Mountain Formation Aquifer, Green River UTRAP Site, UT." List of questions asked by M Young of contractors at PNL was appropriate & list complete  
BALLARD,R.L. Technical Review Branch 88/07/07. SUMMEIER,J.J. Technical Branch. 2pp. 46247:180-46247:205.

8807220083 Forwards briefing charts used in meeting presentation & Milestone 18 report per request w/o oncl.  
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. 88/07/01.  
SILBERBERG,M. Accident Evaluation Branch 1p. 46249:187-46249:187

8807220092 Forwards summary of DOE/NRC 880609 meeting re DOE plans re disposal of double-shell tank wastes & NRC concurs re classification on waste in tank. Meeting minutes oncl.  
THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards, Director. 88/07/11.  
LAWRENCE,M.J. Energy, Dept. of. 4pp. 46249-210-46249-225.

8807220248 Summary of 880809 meeting w/DOE in Rockville, MD re disposal plans for Hartford double-shell tank waste. Meeting objectives listed.  
BOYLE,R.R. NRC - No Data/No Affiliation Given. 88/06/28. NRC - No Data/No Affiliation Given. 3pp. 46249:223-46249:225.

8807220102 Forwards comments re review of Rev 4 to DOE/RW-006 concerning draft integrated data base report for 1988. Little confidence expressed in citing report as representing commercial disposal of low level waste or U mill tailings.  
JOHNSON,T.C. Regulatory Branch. 88/07/14. ALTMERE,P.A. Systems Engineering & Evaluation Branch. 6pp. 46250-283-46250-288

8807220183 Nonproprietary "Technical Assistance for In Situ Testing," monthly progress report for June 1988. Proprietary portion of report withheld.  
SINGH,M.M., HUCK,P.J. Engineers International, Inc. FIN D-1004. 1148-07-16. 88/07/19. BUCKLEY,J.T. NRC - No Data/No Affiliation Given. 3pp. 46246:164-46246:166.

8807220168 "Technical Assistance in Geochemistry," progress report for June 1988.  
KELMERS,A.D. Oak Ridge National Laboratory. FIN B-0287. NRC-50-19-03-01. 88/07/15. BROOKS,D.J. Technical Review Branch. 14pp. 46247:208-46247:219.

8807220177 Expresses appreciation for participation at DOE/States/Tribes UTRAP coordination meeting on 880806. List of attendees oncl.  
ARTHUR,W.J. Energy, Dept. of. 88/07/22. GILLEN,D. NRC - No Data/No Affiliation Given. 8pp. 46249-068-46249-075.

PRESTHOLT,P.T. NRC - No Data/No Affiliation Given. 88/07/12. LINEHAN,J. Operations Branch. 2pp. 46244:164-46245:088

8807220288 Forwards "CNWRA Program Manager Periodic Report on Activities of CNWRA" for 880514-0610.  
LATZ,J.E. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. 88/06/24.  
BUNTING,J.O. Division of High Level Waste Management (Post 870413). 1p. 46250-049-46250-094

8807220271 88-9 "CNWRA Program Manager Periodic Report on Activities of CNWRA," for fiscal period 880514-0610  
LATZ,J.E. Center for Nuclear Waste Regulatory Analyses. 88/06/24. Division of High Level Waste Management (Post 870413). 45pp. 46250-059-46250-094

8807220272 Forwards "CNWRA Program Manager Periodic Report on Activities of CNWRA" for 880611-0708  
LATZ,J.E. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. 88/07/20.  
BUNTING,J.O. Division of High Level Waste Management (Post 870413). 1p. 46250-068-46250-048

8807220274 "CNWRA Program Manager Periodic Report on Activities of CNWRA," for 880611-0708. SWRI costs withheld  
LATZ,J.E. Center for Nuclear Waste Regulatory Analyses. 88/07/20. Division of High Level Waste Management (Post 870413). 40pp. 46250-009-46250-048

8807220276 Request for initiation of purchase & exam of aerial photography recently flown under auspices of State of NV. Submission of topical report after photography exam anticipated.  
BLACKFORD,M.E. Technical Review Branch. FIN A-0297. 88/07/19. CHUNG,D. Lawrence Livermore National Laboratory. 2pp. 46250-231-46250-232.

8807220318 Agrees on occupancy of new space in response to 880616 IIR  
DELLIGATTI,M.S. Systems Engineering & Evaluation Branch. 88/07/14. GARCIA,H. Center for Nuclear Waste Regulatory Analyses. 1p. 46248-350-46249-350

8807220327 Record of 880715 monthly mtg phone call w/Road re Interagency Agreement NRC-02-85-004 Methodologies report w/ editorial comments returned for completion to USDM during reporting period  
ABRAMS,C. Technical Review Branch FIN D-1018 NRC-02-85-004. 88/07/15. 2pp. 46250-002-46250-003

8807220341 Discusses TOP-001-01 re 880701 IIR from A. Whiting to P. Altomare. No objection to preserving info & performing crosscheck outlined in Section 4.2 but changing title to "Elements of Proof" objected  
BUNTING,J.O. Systems Engineering & Evaluation Branch. 88/07/11. LATZ,J.E. Center for Nuclear Waste Regulatory Analyses. 2pp. 46249:115-46249:116.

8807220354 Forwards draft of QA Manual for Div of Low Level Waste Mgt & Documentation for review & requests comments on both approach & QA criteria. Meeting w/branch chiefs & section leaders planned after incorporation of comments  
PITTILO,L. Regulatory Branch. 88/07/05. GREEVES,M.J. Office of Nuclear Material Safety & Safeguards, Director. DELL,M.J., JOHNSON,T. Regulatory Branch. 22p. 46265:327-46265:340.

8807250034 Responds to ACRS report on NRC comments re consultation draft site characterization plan for Yucca Mountain site  
STELLO,V. Office of the Executive Director for Operations. 88/06/15. FRALEY,R.F. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 46273:008-46273:129.

8808060078 Forwards list of requests made at 337th ACRS meeting on 880505/07, based on discussions re methods for improved implementation & followup of ACRS recommendations  
FRALEY,R.F. ACRS - Advisory Committee on Reactor Safeguards. 88/05/26.  
STELLO,V. Office of the Executive Director for Operations. 7pp. 46273-098-46273-129

8805230033 Concurs w/Rev 2 to Reg Guide 1.100, "Seismic Qualification of Electric & Mechanical Equipment for Nuclear Power Plants," during 880505-07 337th ACRS meeting.  
KERR,W. ACRS - Advisory Committee on Reactor Safeguards. 88/05/10. STELLO,V. Commissioners. 1p. 46273:129-46273:129.

8807250254 Discusses 880809 visit to Clive, UT to review construction activities at disposal site for Salt Lake City UTRAP to determine if QC program functioning in manner that assures compliance w/remedial action plan.  
OLSEN,T.T., HAWKINS,E.F. Uranium Recovery Field Office, R4. 88/06/29. Uranium Recovery Field Office, R4. 8pp. 46269-106-46269-113.

8807250258 Forwards report of findings re disposal site at Clive, UT for Salt Lake City UTRAP w/o oncl.  
HAWKINS,E.F. Uranium Recovery Field Office, R4. 88/06/29. ARTHUR,W.J. Energy, Dept. of. 2pp. 46255-246-46255-247.

8807250316 Discusses review of justification for application of supply standards at Vicinity Property GJ-97001-OT. DOE has satisfied criteria to apply supply standards.  
HEYER,R.S., PETTINGILL,H.J. Uranium Recovery Field Office, R4. 88/07/11. Uranium Recovery Field Office, R4. 3pp. 46259-127-46259-129.

8807250429 Forwards add'l data re Conoco Conquista closure plan, per State of TX. 880321 request for add'l info.  
LACKER,D.K. Texas, State of. 88/06/01. SMITH,R.D. Uranium Recovery Field Office, R4. 78pp. 46285:026-46285:100

8807250432 Concurs w/proposed remedial action of no removal of contaminated soils for commercial vicinity property GJ-97001-OT, Grand Junction, CO, per 880413 IIR.  
SMITH,R.D. Uranium Recovery Field Office, R4. 88/07/11. VIRGONA,J.E. Energy, Dept. of. 1p. 46285:147-46285:147.

# WASTE RES WASTE MANAGEMENT RESEARCH REPORTS

8806280006 Comments on "Evaluation, Verification & Documentation of IMPACTS-BRC Computer Code." monthly rept for Apr 1988  
GLENN, C.J. Regulatory Branch FIN A-1763. 88/06/03. CRANWELL, R.M. Sandia National Laboratories. 1p. 45973.190-45973.190.

8806280379 Comments on monthly progress rept for Apr 1988 and 880505 under contract NRC-02-85-008 Overall progress to date satisfactory No changes to costs or delivery of contracted products authorized  
POHLE, J.A. Technical Review Branch, FIN D-1020 NRC-02-85-008 88/06/28. WILLIAMS, R.E. Williams & Associates. 2pp. 45972.325-45972.326

8806290211 Advises that Apr monthly progress rept for FIN A-1158 reviewed & found fully satisfactory & forwards marked-up NUREG rept entitled, "Numerical Modeling of Groundwater Flow Sys in Vicinity of Ref Repository..." including comments  
COLEMAN, N.M. Technical Review Branch FIN A-1158 88/06/28. ORTIZ, N.R. Sandia National Laboratories. 28pp. 45986.001-45986.296

8806300141 Forwards comments & suggestions re Bureau of Mines "Effects of Selected Earthquakes in Western North American Intramontane Reg on 1852-1983 on Underground Workings & Local & Regional Hydrology Summary." per 880606 task ltr  
CHUNG, D.H. Lawrence Livermore National Laboratory FIN A-0297. L-198 88/06/29. BLACKFORD, M.E. Technical Review Branch. 5pp. 46006.167-46006.171.

8806300301 Responds to 880505 ltr re info on BWIP & SALT sites not in NRC files Concur w/assessment.  
WINTER, G.V. Williams & Associates, FIN D-1020. NRC-02-85-008. 88/06/14. POHLE, J. NRC - No Detailed Affiliation Given. 1p. 45995.284-45995.284

8807010083 Rept of svcs rendered on high level waste repository performance assessment development for 880611-27 Encl proprietary vouchers for professional svcs with hold  
MCLEER, B. Affiliation Not Assigned FIN A-1165. 88/06/27. CHANG, K.C. NRC - No Detailed Affiliation Given. 3pp. 46020.027-46020.029

8807010653 Requests no-cost 3-month extns on of project for completion of continuing work consisting of finalizing NUREG rept, "Numerical Modeling of Groundwater Flow Sys in Vicinity of Hanford Site WA"  
COLEMAN, N.M. Technical Review Branch, FIN A-1158. 88/06/29. DAVIS, E. Program Management, Policy Development & Analysis Staff (Post 870413). 2pp. 46018.338-46018.339.

8807010710 Forwards comments on draft rept "Ground Water Testing Methodologies Applicable to Unsaturated Rock at Yucca Mountain." Each method should have recommendation re Yucca Mountain applicability & short glossary should be added  
POHLE, J.A. Technical Review Branch, FIN D-1020 NRC-02-85-008 88/06/30. WILLIAMS, R.E. Williams & Associates. 1p. 46020.089-46020.153

8807060241 Advises that current version of model strategy document being updated & revised Rev will be completed in Third Quarter FY89 Staff should follow existing strategy in planning future modeling activities  
BROWNING, R.E. Division of High Level Waste Management (Post 870413) FIN A-1165. 88/07/05. Division of High Level Waste Management (Post 870413). 1p. 46068.131-46068.131.

8807060257 Comments on May 1988 monthly rept for FIN A-1165 & discussions with E Bonano on 880627. Bonano will prepare adjusted baseline & format for tracking resource expenditures by deliverable to be presented on 880722  
GALSON, D.A. Operations Branch, FIN A-1165. 88/07/01. ORTIZ, N.R. Sandia National Laboratories. 2pp. 46074.089-46074.070.

8807060442 Comments on monthly progress rept for May 1988 Overall progress to date satisfactory  
POHLE, J.A. Technical Review Branch FIN D-1021 NRC-02-85-009 88/07/05. LOGSDON, M.J. Nuclear Waste Consultants, Inc. 2pp. 46184.001-46184.002

8807060448 Requests that paperwork needed to request change in FY88-89 statement of work for NMSS Project FIN A-1165 be prepared Revised statement of work encl.  
LINEHAN, J.J. Operations Branch, FIN A-1165. 88/07/05. BEVERIDGE, G.G. Program Implementation Branch (post 870729). 20pp. 46106.213-46106.232

8807060457 Forwards revised statement of work for FIN A-1165 Revs consist primarily of extns on to most due dates on deliverables & modest restructuring of Subtask 2.6  
GALSON, D.A. Operations Branch, FIN A-1165. 88/07/05. ORTIZ, N.R. Sandia National Laboratories. 20pp. 46114.303-46114.322.

8807060555 Advises that May monthly ltr status rept for FIN A-1763 reviewed & provides reasonable account of work & costs expended  
GLENN, C.J. Regulatory Branch, FIN A-1763. 88/06/23. CRANWELL, R.M. Sandia National Laboratories. 1p. 46106.107-46106.107.

8807060601 Advises that May monthly rept for FIN A-1761 reviewed & progress found satisfactory  
BYKOSKIL, L. Regulatory Branch, FIN A-1761. 88/06/28. CRANWELL, R.M. Sandia National Laboratories. 1p. 46103.311-46103.311.

8807060614 Provides comments on May 1988 monthly progress rept & pathways identification rept. Conclusions & assertions presented in rept need to be supported by appropriate refs. Description of pathways should be reviewed for completeness.  
WEBER, M.F. Technical Branch, FIN A-1764. 88/06/28. ORTIZ, N.R. Sandia National Laboratories. 3pp. 46117.357-46117.358.

8807080007 Monthly rept for May 1988 for FIN A-1158.  
ORTIZ, N.R. Sandia National Laboratories, FIN A-1158. 88/06/28. COLEMAN, N.M. Division of High Level Waste Management (Post 870413). 12pp. 46140.048-46140.059.

8807080073 Discusses observations on seventh probabilistic safety assessment codes users group meeting on 880620.22 in Federal Republic of Germany. Recommendations & summary of suggestions provided  
BONANO, E.J. Sandia National Laboratories, FIN A-1165. 88/07/01. BROOKS, P. Operations Branch. 6pp. 46134.111-46134.116.

8807080261 Advises that P Brooks assigned as lead technical contact for Contract FIN A-1165, in response to recipient 880630 memo.  
BROWNING, R.E. Division of High Level Waste Management (Post 870413), FIN A-1165. 88/07/08. FUNCHES, J.L. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 46134.207-46134.207.

8807110110 "NRC Technical Assistance for Design Reviews." Progress Rept 34 for May 1988  
HART, R.D. ITASCA Consulting Group, Inc. FIN D-1016 NRC-02-85-002 88/06/20. TANI, OUS, N. NRC - No Detailed Affiliation Given. 6pp. 46139.350-46139.355

8807110156 Forwards corrected invoice for "NRC Technical Assistance for Design Reviews." Progress Rept 34 for May 1988  
HART, R.D. ITASCA Consulting Group, Inc. FIN D-1016 NRC-02-85-002 88/06/21. TANI, OUS, N. NRC - No Detailed Affiliation Given. 1p. 46147.195-46147.195

8807110416 Responds to request for technical assistance under Task 4 of FIN A-4171-7, "NBS Comments on Preliminary SAR, Vitrification Sys, Rev III, West Valley Demonstration Project, Vol III."  
INTERANTE, C.G. Commerce, Dept. of National Bureau of Standards, FIN A-4171-7 88/05/27. PETERSON, C. Technical Review Branch. 1p. 46141.080-46141.088

8807110430 Responds to request for technical assistance under Task 4 of FIN A-4171-7, "Waste Compliance Plan for West Valley Demonstration Project High Level Waste Form."  
INTERANTE, C.G. Commerce, Dept. of National Bureau of Standards, FIN A-4171-7 88/07/07. PETERSON, C. Technical Review Branch. 3pp. 46141.085-46141.087.

8807110439 Responds to request for technical assistance under Task 4 of FIN A-4171-7 "NBS Comments on Waste Acceptance Preliminary Spec for Defense Waste Process Inc Facility High Level Waste Form."  
INTERANTE, C.G. Commerce, Dept. of National Bureau of Standards, FIN A-4171-7 88/06/27. PETERSON, C. Technical Review Branch. 1p. 46141.235-46141.235.

8807110502 Forwards for review revised draft of matrix diffusion rept, "Matrix Diffusion of Radionuclides in Rock/Groundwater Sys."  
KELMERS, D. Oak Ridge National Laboratory, FIN B-0287. 88/07/07. BROOKS, D.J. Technical Review Branch. 1p. 46142.225-46142.345

8807110515 "Matrix Diffusion of Radionuclides in Rock/Groundwater Sys."  
BLENCOE, J.G. Oak Ridge National Laboratory, GRISAK, G.E., REEVES, M.F. NITEL Technologies, Inc. FIN B-0287. 88/07/07. Office of Nuclear Material Safety & Safeguards, Director. 120pp. 46142.226-46142.345.

8807110546 "Technical Assistance in Identification & Evaluation of Seismic-Related Issues re Repository Site Characterization Plans." Monthly Mgt Ltr Rept 23 for Jan 1988  
CHUNG, D.H., CUMMINGS, G.E. Lawrence Livermore National Laboratory, FIN A-0297. L-198. 88/07/07. BLACKFORD, M.E. Technical Review Branch. 3pp. 46141.353-46141.380.

8807120186 Advises that monthly progress rept for May 1988 for FIN B-0200, "Lab Evaluation of DOE Radionuclide Solubility Data & Selected Retardation Parameters, Experimental Strategies, Lab Techniques..." forwarded Progress satisfactory  
BRADBURY, J.W. Technical Review Branch, FIN B-0200 88/07/06. MEYER, R.E. Oak Ridge National Laboratory. 2pp. 46149.359-46149.360

8807120577 Forwards T Sniff of Water, Waste & Land 880621 ltr responding to project officer questions on DOE-NRC-state workshop on alternative conceptual models  
LOGSDON, M.J. Nuclear Waste Consultants, Inc. FIN D-1021 RMS NMS-85-009 88/07/07. POHLE, J. Technical Review Branch. 8pp. 46150.259-46150.260

8807140075 Comments on Mar 1988 monthly ltr status rept for FIN A-1763 "Evaluation, Verification & Documentation of IMPACTS-BRC Computer Code." Contracting documents for obligation of FY88 funds reviewed & accepted by NRC  
WIDMAYER, D.A. Technical Branch, FIN A-1763. 88/05/13. CRANWELL, R.M. Sandia National Laboratories. 4pp. 46176.353-46176.356

8807140198 Forwards proprietary June 1988 monthly rept for FIN A-1764. Encl w/hold.  
ORTIZ, N.R. Sandia National Laboratories, FIN A-1764 88/07/15. DERRING, L. Technical Branch. 1p. 46175.259-46175.259.

8807140206 Revised Monthly Mgt Ltr 23 for June 1988, correcting three typos.  
CHUNG, D.H. Lawrence Livermore National Laboratory, FIN A-0297. L-198. 88/07/05. BLACKFORD, M.E. Technical Review Branch. 2pp. 46177.012-46177.013.

8807140217 Forwards final draft NUREG/CFR-3084, "Techniques for Determining Probabilities of Events & Processes Affecting Performance of Geologic Repositories Vol. I: Literature Review," dtd May 1988.  
BONANO, E.J. Sandia National Laboratories, FIN A-1165 88/07/13. BROOKS, P. Operations Branch. 25pp. 46178.292-46178.187.

8807140256 Forwards format for monthly ltr status rept for Contract NRC-02-87-004.  
STOKLEY, J.R. Science Applications International Corp. (formerly Science Applications, Inc.) FIN D-1082. NRC-02-87-004. 88/07/11. WIDMAYER, D. Division of Low Level Waste Management & Decommissioning (Post 870413). 1p. 46175.301-46175.304.

8807140259 Monthly progress rept for Contract NRC-02-87-004 for 880416-880515. Encl withheld.  
WIMPEY, J.F. Science Applications International Corp. (formerly Science Applications, Inc.) FIN D-1082. NRC-02-87-004. 88/05/20. LOYSEN, P. Office of Nuclear Material Safety & Safeguards, Director. 3pp. 46175.302-46176.304.

8807140282 Comments on "Definition of Solute Transport Mechanisms at Low Level Waste Disposal Sites." monthly progress rept for May 1988 Progress to date satisfactory.  
YOUNG, M.H. Technical Branch, FIN B-2483. 88/07/06. KRUPKA, K. Battelle Memorial Institute, Pacific Northwest Laboratory. 2pp. 46177.249-46177.250.

8807180111 Forwards "Review of SAND87-2073, 'Addl Underground Test Data Required for Yucca Mountain Repository Characterization'"  
CHUNG, D.H. Lawrence Livermore National Laboratory, FIN A-0297. 88/07/14. BLACKFORD, M.E. Technical Review Branch. 1p. 46184.316-46184.321.

8807180173 "Review of Sandia Rept SAND87-2073, 'Addl Underground Test Data Required for Yucca Mountain Repository Characterization'"  
Lawrence Livermore National Laboratory, FIN A-0297. 88/07/14. 5pp. 46184.317-46184.321.



8807201016 Performance Assessment of Low Level Radwaste Sites," monthly progress report for June 1988  
BERGERON,M.P. Battelle Memorial Institute, Pacific Northwest Laboratory, FIN B-2485 68/07/14 DEERING,L. Office of Nuclear Material Safety & Safeguards, Director 7pp 46204 238-46204 244.

8807201016 Forwards Table to be used to present info on resources expended vs percent completion for FIN A-1165  
BERGERON,M.P. Battelle Memorial Institute, Pacific Northwest Laboratory, FIN B-2485-7, 68/07/13 DEERING,L. Office of Nuclear Material Safety & Safeguards, Director 7pp 46200 211-46200 216.

8807201014 Forwards task description summary for Subtask 1.5 investigation to be entitled, "General Relationship Between Recharge & Age Stratification in Saturated Water at Well."  
LOGSDON,M.J. Nuclear Waste Consultants, Inc. FIN D-1021 269, 88/07/07 POHLE,J. Technical Review Branch 7pp 46200 204-46200 210

8807201002 "NRC Technical Assistance for Design Reviews," Monthly Progress Report 35 for June 1988  
HART,H.D. ITASCA Consulting Group, Inc. FIN D-1016, NRC-02-85-002 88/07/14, TARDUS,N. NRC - No Detailed Affiliation Given 14pp 46200 227-46200 240

88072010031 Forwards table to be used to present info on resources expended vs percent completion for FIN A-1165  
BONANO,E.J. Sandia National Laboratories, FIN A-1165 88/07/01, BROOKS,P. Division of High Level Waste Management (Post 870413) 2pp 46208 087-46208 088

8807201016 Forwards disk containing updated program for Shallow Site data base system FIN B-2485, "Performance Assessment of Low Level Radwaste Sites"  
BERGERON,M.P. Battelle Memorial Institute, Pacific Northwest Laboratory, FIN B-2485-7, 68/07/13 DEERING,L. Office of Nuclear Material Safety & Safeguards, Director 2pp 46205 135-46205 136.

8807201015 "Evaluation, Validation, Verification & Documentation of IMPACTS-BRC Computer Code," monthly report for June 1988, Financial info withheld.  
CHAMBERLAIN,R.M. Sandia National Laboratories, FIN A-1763, 88/07/14, GLEN,Y.C. Regulatory Branch 3pp 46220 015-46220 017.

8807201016 "Lab Evaluation of DOE Radionuclide Solubility Data & Selected Retardation Parameters," monthly report for June 1988  
MEYER,H.E. Oak Ridge National Laboratory, FIN B-0200 88/07/11, BRADBURY,J.W. Office of Nuclear Material Safety & Safeguards, Director 6pp 46208 147-46208 152.

88072010182 "Coupled Thermal-Hydrological-Mechanical Assessment & Site Characterization Activities for Geologic Respositories," monthly report for June 1988 Cost info withheld  
ORTIZ,N.R. Sandia National Laboratories, FIN A-1755, 88/07/15, PESHEL,J. Division of High Level Waste Management (Post 870413) 11pp 46209 210-46209 228

8807200244 "Evaluation & Compilation of DOE Waste Package Test Data," monthly progress report for June 1988  
TERRANTE,C.G. Commerce, Dept. of, National Bureau of Standards, FIN A-4171-7, 88/07/15, PETERSON,C. Technical Review Branch 19pp 46238 326-46238 344.

8807200251 "Geochemical Sensitivity Analysis," monthly report for June 1988  
ORTIZ,N.R. Sandia National Laboratories, FIN A-1756 88/07/15, MOTT, Division of High Level Waste Management (Post 870413) 15pp 46238 345-46238 359.

8807200288 "Analyses of Special Waste Problems," monthly report for June 1988 Financial status withheld  
BARI,R.A. Brookhaven National Laboratory, FIN A-3175, 88/07/19, WIDMAYER,D. Technical Branch 6pp 46240 137-46240 142

8807200305 "Development of Low Level Waste Form Criteria - License Fees," monthly report for June 1988  
BARI,R.A. Brookhaven National Laboratory, FIN A-3174, 88/07/19, MCDANIEL,K. Technical Branch 5pp 46221 075-46221 079

8807200320 "Development of Criteria for Metals Used in Engineered Components & Waste Forms at Near-Surface LLW Facilities," monthly report for June 1988, Financial status withheld.  
BARI,R.A. Brookhaven National Laboratory, 88/07/19, MCDANIEL,K. Technical Branch 5pp 46240 132-46240 138

8807210071 Authorizes R. Cummings to participate in 880718-19 meetings in Rockville, MD re design & cost specs for ESF, per stated contract.  
BUCKLEY,J.T. Technical Review Branch, FIN D-1004, NRC-02-84-002, 88/07/10, SINGH,M.M. Engineers International, Inc. 1p 46234 247-46234 247.

8807210300 Requests ITASCA perform listed work under contract entitled, "Technical Assistance for Design Reviews"  
TARDUS,N.S. Technical Review Branch, FIN D-1016, NRC-02-85-002, 88/07/12, HART,H. ITASCA Consulting Group, Inc. 2pp 46235 206-46235 207.

8807210317 Comments on monthly progress report for May 1988 under Contract NRC-02-84-002, Report JLT's requirements of contract  
BUCKLEY,J.T. Technical Review Branch, FIN D-1004, NRC-02-84-002, 88/07/08, SINGH,M.M. Engineers International, Inc. 2pp 46234 179-46234 180.

8807210330 "Technical Assistance for In Situ Testing," monthly progress report for April 1988  
SINGH,M.M. Engineers International, Inc. FIN D-1004, 122, 88/08/16, BUCKLEY,J.T. NRC - No Detailed Affiliation Given 3pp 46234 176-46234 178.

8807220163 Nonproprietary "Technical Assistance for In Situ Testing," monthly progress report for June 1988, Proprietary portion of report withheld.  
SINGH,M.M., HUCK,P.J. Engineers International, Inc. FIN D-1004, 1148-07-18, 88/07/19, BUCKLEY,J.T. NRC - No Detailed Affiliation Given 3pp 46246 164-46246 166.

8807220168 "Technical Assistance in Geochemistry," progress report for June 1988  
KELMERS,A.D. Oak Ridge National Laboratory, FIN B-0287, NRC-50-19-03-01, 88/07/15, BROOKS,D.J. Technical Review Branch 14pp 46247 206-46247 219.

8807220184 Comments on "Analyses of Special Waste Problems," monthly report status report for May 1988, Resolution of discrepancy of funds from Mar 1988 monthly report satisfactory.  
WIDMAYER,D.A. Technical Branch, FIN A-3175, 88/07/12, BARI,R.A. Brookhaven National Laboratory, 1p 46249 076-46249 078.

8807220187 Thirty-third monthly progress report for June 1988 under Contract NRC-02-85 008 individual hours & charges withheld.  
WILLIAMS,R.E. Williams & Associates, FIN D-1020, 189, 88/07/13, POHLE,J. NRC - No Detailed Affiliation Given 3pp 46240 100-46240 101

8807220178 Comments on "Analyses of Special Waste Problems," monthly report status report for May 1988  
WIDMAYER,D.A. Technical Branch, FIN A-3175, 88/07/11, BARI,R.A. Brookhaven National Laboratory 1p 46249 235-46249 235

8807220203 "Analyses of Special Waste Problems," monthly report for May 1988  
BARI,R.A. Brookhaven National Laboratory, FIN A-3175, 88/06/18, WIDMAYER,D. Technical Branch 6pp 46240 228-46240 235.

8807220276 Requests location of purchase & exam of aerial photography recently taken under auspices of State of NV Submission of topical report after photography exam anticipated.  
BLACKFORD,M.E. Technical Review Branch, FIN A-0297, 88/07/19, CHUNG,D. Lawrence Livermore National Laboratory 2pp 46250 231-46250 232

8807220327 Record of 880715 monthly report phone call w/ R. Read re Interagency Agreement NRC-02-85-004, Methodologies report w/ editorial comments returned for completion to USBM during reporting period.  
ABRAMS,C. Technical Review Branch, FIN D-1016, NRC-02-85-004, 88/07/15, 2pp 46250 002-46250 003

8807220332 Comments on monthly report for May 1988 for FIN A-1755, Report still currently addresses details necessary to effectively monitor contract.  
PESHEL,J.J. Technical Review Branch, FIN A-1755, 88/07/15, CRUZ,N.R. Sandia National Laboratories 1p 46249 348-46249 340

## XPORTLIC EXPORT AND IMPORT LICENSES

8806200028 Forwards application for export license for natural U to Canada for conversion to Lir of assurance required w/o encl.  
PETERSON,M.R. Assistant Director for International Security, 88/06/03, ROONEY,J. Energy, Dept. of, 1p 45985 200-45985 211.

8806200040 Application for license to export natural U to Canada for conversion from U3O8 to UF6 & return to US  
GLASIER,G.E. Energy Fuels Nuclear, Inc. 88/06/08, 1p 45985 210-45985 210

8806200043 Forwards application for license to export nuclear material Lir of assurance required w/o encl.  
GLASIER,G.E. Energy Fuels Nuclear, Inc. 88/06/08, WRIGHT,B.L. NRC - No Detailed Affiliation Given, 1p 45985 211-45985 211.

8806200049 Forwards application for amend to increase quantity of U & Pu to be exported Lir of assurance required w/o encl.  
PETERSON,M.R. Assistant Director for International Security, 88/06/08, ROONEY,J. Energy, Dept. of, 1p 46005 001-46005 002.

8806200054 Application for amend, reducing listed quantity of fuels  
LARUE,M.J. General Electric Co. 88/06/03, MOORE,N. International Programs 1p 46005 002-46005 002

8806300074 Requests views on whether encl. Transactar, Inc. application to export 12.6 kg U to West Germany for use in GER-11 Research Reactor meets criteria in Atomic Energy Act of 1954 as amended by Nuclear Nonproliferation Act of 1978  
PETERSON,M.R. Assistant Director for International Security, 88/06/24, THORNE,C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs 1p 45980 243-45980 258.

8806300084 Conclaves that Joint Research Ctr of Poland/Netherlands authorized to receive & possess licensed materials under agreement for cooperation dated 6/8/75  
FLINGOU,C. European Communities Commission, 88/06/22, ROONEY,J.M. Energy, Dept. of, 1p 45980 273-45980 273

8806300143 Amend 5 to license XSM-145B, authorizing export of 12,700 kg U-235, contained in 305,283 kg U to Korea.  
PETERSON,M.R. Assistant Director for International Security, 88/06/24, 1p 46068 032-46068 032.

8807050389 Requests Executive Branch position re application for license to export 4-way direction valve assembly  
PETERSON,M.R. Assistant Director for International Security, 88/06/21, THORNE,C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs 1p 46025 043-46025 049

8807050401 Forwards application for license to export nuclear equipment to Romania.  
TILLOTSON,C.P. Marotta Scientific Controls, Inc. 88/06/17, NRC - No Detailed Affiliation Given, 1p 46025 044-46025 049

8807050409 Application for license to export 81 lb Manifold Model: SPVSIC Part Number 281419-0001 to Argentina.  
TILLOTSON,C.P. Marotta Scientific Controls, Inc. 73400, 88/06/16, 1p 46025 046-46025 049.

8807050446 Forwards Poco Graphite, Inc. 880620 Lir re Amend 2 to Export License XMAT-0326 concerning export of graphite to Singapore.  
PETERSON,M.R. Assistant Director for International Security, 88/06/26, THORNE,C.E. State, Dept. of, Bureau of Oceans & Intl. Environ. & Scientific Affairs 1p 46073 257-46073 259.

8807050452 Forwards Control of Import & Export Certificate IDVC/4028/88 issued by Republic of Singapore in support of 870601 application for license to export nuclear material to Singapore & requests to expedite issuance of license.  
DODSON,H.H. Poco Graphite, Inc. (subs of Union Oil Co. of California), PGI 893-125 SS, 88/06/20, PETERSON,M.R. NRC - No Detailed Affiliation Given 2pp 46073 258-46073 259

8807140316 License for Aerogel Ordnance Tennessee to export 120,025 kg depleted U to United Kingdom  
PETERSON,M.R. Assistant Director for International Security, 88/07/07, 2pp 46175 345-46175 348



8807150170 Requests Executive Branch position re Hitachi Transport Sys (America). L13 application for license to export plutonium to Japan  
PETERSON,M.R. Assistant Director for International Security 88/07/06  
THORNE,C.E. State, Dept. of Bureau of Oceanic & Atl. Environ. & Scientific Affairs  
Ip 46188.100-46188.101

--8807150173 Application for license to export 30 grams Pu-239 & 6.8 grams Pu-239 to Japan.  
SEKIS Hitachi Co., Ltd. 88/06/29 Ip 46189.101-46189.101.

8807150293 Application for license to export 30 g Pu-239, chemical form Pu-A1 alloy, to Japan.  
SEKIS Hitachi Co., Ltd. S-JA-376. 88/06/29. Ip 46182.356-46182.358

8807220386 Final response to FOIA request Forwards App A documents App A documents also available in PCR no records subj to Category 1 of request located  
GRIMSLEY,D.H. NRC - No Detailed Action Given 88/07/12 Alliation Not Assigned 3pp. 46252.311-46252.357.

--8807220381 License for American Machine & Foundry Co to export 1,000 kW pool-type research reactor to Israel  
PRICE,H.L. Atomic Energy Commission 58/06/12 5pp 46252.314-46252.318

--8807250035 Amends License XR-0021 for American Machine & Foundry Co, extending expiration date from 590630 to 600630. License authorizes export of 1,000 kW pool type research reactor to Israel.  
IFFE,F.C. NRC - No Detailed Action Given 59/07/07. PITRELLLO,J.A. American Machine & Foundry Co. Ip 46252.319-46252.319

--8807250042 Amends License XR-0021 for American Machine & Foundry Co, authorizing to export 1,000 kW pool-type research reactor to Israel to export to 610630.  
KIRK,H.L. Atomic Energy Commission 60/06/24. PITRELLLO,J.A. American Machine & Foundry Co. Ip 46252.320-46252.320

--8807250059 Advises that AMF Atomic does not desire to renew License XR-0021 which expires 610630, in response to NRC 610414 ltr  
PITRELLLO,J.A. American Machine & Foundry Co 61/04/17. FLEURY,E.R. Atomic Energy Commission. Ip 46252.321-46252.321.

--8807250072 Notice of pending expiration of Licenses XR-0021, XR-0023 & XR-0029.  
FLEURY,E.R. Atomic Energy Commission 61/04/14 PITRELLLO,J.A. American Machine & Foundry Co. Ip 46252.322-46252.323.

--8807250080 Application for amend to License XR-0021, extending expiration date from 600630 to 610630  
PITRELLLO,J.A. American Machine & Foundry Co 60/05/26 Ip 46252.324-46252.324

--8807250084 Application for amend to License XR-0021, extending expiration date from 590630 to 600630  
PITRELLLO,J.A. American Machine & Foundry Co 59/05/16 JOHNSON,L. Atomic Energy Commission. Ip 46252.325-46252.325

--8807250088 Notices of expiration of license XR-0021 on 590630  
JOHNSON,L. Atomic Energy Commission 59/06/10 CHAMBERLAIN,N.W. American Machine & Foundry Co. Ip 46252.326-46252.326

--8807250093 Forwards license XR-0021 for American Machine & Foundry Co, authorizing export of 1,000 kW pool-type research reactor to Israel  
PRICE,H.L. Atomic Energy Commission 58/06/12 CHAMBERLAIN,N.W. American Machine & Foundry Co. Ip 46252.327-46252.328

--8807250221 Informs Joint Committee on Atomic Energy that AEC issued license XR-0021 to American Machine & Foundry Co, authorizing export of the 1,000 kW pool-type research reactor to Israel  
PRICE,H.L. Atomic Energy Commission 58/06/12 RAMEY,J.T. Congress, Joint Committee on Atomic Energy. Ip 46252.350-46252.353

--8807250072 Notice of pending expiration of Licenses XR-0021, XR-0023 & XR-0029.  
FLEURY,E.R. Atomic Energy Commission 61/04/14 PITRELLLO,J.A. American Machine & Foundry Co. Ip 46252.322-46252.323.

8807250014 Forwards application for amend to export license, authorizing shipment of Canadian origin mail to West Germany for use in KRB I-C reactor  
PETERSON,M.R. Assistant Director for International Security 88/07/13. H. Energy, Dept. of Ip 46259.066-46259.067

--8807250020 Supplemental application for amend to export license, authorizing shipment of Canadian origin mail, consisting of U-235 to West Germany  
MALODY,C.W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co. Inc.) 60/30 PETERSON,M.R. Assistant Director for International Security. Ip 46259.057-46259.057

8807250029 Supplemental application for amend to export license, replacing the application to authorize use of a Canadian origin mail for Reload A-1F J.  
MALODY,C.W. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co. Inc.) 60/30 PETERSON,M.R. Assistant Director for International Security. Ip 46259.058-46259.059

8807250274 Forwards application for amend to export license to add ABB Atom Intermediate components for conversion & fabrication  
PETERSON,M.R. Assistant Director for International Security 88/07/11. H. Energy, Dept. of Ip 46259.056-46259.065

--8807250278 Application for amend to export license, including listed address and moderate components for conversion & fabrication  
QUAIN,P.B. Transnuclear, Inc. 88/07/06. WRIGHT,B. NRC - No Detailed Action Given. Ip 46259.057-46259.065

8807250336 FOIA request for documents in processing of listed applications for Licenses of U from South Africa  
MOKOENA,K. Fund for Peace (National Security Archive) 87/05/26. NACHA State, Dept. of 6pp 46255.340-46255.354.

# PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABDOLRAHIM, M.	0807010147	PR	ANDERSON, L. S.	0807220017	PR	AYALA, C. A.	0807210073	50-498 S
ABEL, J. S.	0807210270*	50-237 Q	ANDERSON, P. L.	0807010089	PR	AYALA, C. A.	0807250435	50-498 S
ABELY, D. J.	0807010894	50-443 H	ANDERSON, R. F.	0807050316	50-443 H	AZUAR, V.	0806300045*	50-288 O
ABRAMS, C.	0807220327	WASTE RES	ANDERSON, W.	0807070393	PR	AZZOPARDI, J. O.	0807070199	50-443 H
ABUSAMRA, L.	0807010308	50-443 H	ANDOGNI, N. G. C.	0806280138	50-312 P	BABBITT, B.	0807180348	50-320 H
ACHERIN, M. P.	0807050238	PR	ANDOGNI, N. G. C.	0807060189	50-312 F	BABBITT, B.	0807260307	50-322 H
ACREE, C. L.	0807180128*	WASTE MGT	ANDOGNI, N. G. C.	0807260228	50-312 F	BACHMANN, R. G.	0807200053	50-322 G
ADAMOVITZ, S. S.	0807060088*	50-335 O	ANDREWS, R.	0807120479*	50-482 F	BACHMANN, R. G.	0807200070	50-322 G
ADAMS, A.	0807110095	ORG	ANDREWS, R. L.	0807010054	50-285 S	BACKUS, R. A.	0807200080	50-443 G
ADAMS, A.	0807120647	50-224 P	ANDREWS, R. L.	0807060433	50-285 P	BACKUS, R. A.	0807200080	50-443 G
ADAMS, A.	0807210209	50-160 P	ANDREWS, R. L.	0807060545	50-285 K	BACKUS, W. H.	0807020142	50-244 S
ADAMS, A.	0807250318	50-188 P	ANDREWS, R. L.	0807070229	50-285 P	BADRO, O.	0807110476	NUREG
ADENSAM, E. G.	0807110328*	50-395 P	ANDREWS, R. L.	0807070532	50-285 P	BADRO, O.	0807110401	NUREG
ADENSAM, E. G.	0807110479*	50-400 P	ANG, W. P.	0807110216*	50-344 O	BADRO, O.	0807110524	NUREG
ADENSAM, E. G.	0807120336	50-261 P	ANG, W. P.	0807110519*	50-312 O	BADRO, O.	0807110530	NUREG
ADENSAM, E. G.	0807120407*	50-261 P	ANGEL, J. H.	0807250286	50-346 H	BAER, R. E.	0807070071*	50-498 O
ADENSAM, E. G.	0807120621*	50-400 P	ANTHONY, P.	0807060088	50-341 S	BAER, R. E.	0807110416*	50-285 O
ADENSAM, E. G.	0807130245	50-324 P	ANTHONUCI, G. J.	0807190039	71-8073	BAER, R. E.	0807120084*	50-313 O
ADENSAM, E. G.	0807140059*	50-348 P	APPEL, G.	0807220032*	WASTE MGT	BAGEL, L.	0807200183	PR
ADENSAM, E. G.	0807220377*	50-340 P	APPEGATE, R.	0807010729	50-443 H	BAILEY, J. A.	0807050025	50-482 P
ADIGGO	0807210070	40-8714	AQUIZAR, D.	0807050053	50-443 H	BAILEY, J. A.	0807050027	50-482 P
ADIGGO	0807210162	40-8714	ARBUCKLE, J. D.	0807080451	50-307 S	BAILEY, J. A.	0807110386	50-424 P
AELLO, K. M.	0807050079	50-443 H	ARBUCKLE, J. D.	0807070004	50-387 S	BAILEY, J. A.	0807120183	50-424 P
ANGER, K. A.	0807130200	50-464 P	ARMERDING, I. T.	0807200002	50-443 H	BAILEY, J. A.	0807200009	50-482 O
ALBERTI, J. D.	0807010588	50-443 H	ARMS, J.	0807010391	PR	BAILEY, J. N.	0806300080	50-430 P
ALBERT, K. M.	0807250068	50-346 M	ARMSTRONG, C. S.	0807050146	50-443 H	BAILEY, J. N.	0807120212	50-489 A
ALBERT, K. M.	0807250068	50-346 M	ARSENAULT-PETTI	0807070052	50-443 H	BAILEY, J. N.	0807250412	50-489 O
ALBRECHT, K. J.	0807190068*	50-283 K	ARTHUR, R. C.	0807180257	WASTE MGT	BAKER, D. E.	0807180294	50-382 S
ALBRECHT, C. L.	0807010348	PR	ARTHUR, W. J.	0807050023	WASTE MGT	BAKER, J.	0807060437	50-397 F
ALDEN, W. M.	0807000489	50-277 R	ARTHUR, W. J.	0807110146	WASTE MGT	BAKER, L. J.	0807080007*	CONTRACT
ALDEN, W. M.	0807200206	50-352 R	ARTHUR, W. J.	0807130389	WASTE MGT	BAKER, R. L.	0807060517	50-260 S
ALDEN, W. M.	0807210301	50-277 R	ARTHUR, W. J.	0807180020	WASTE MGT	BAKER, R. L.	0807080207	50-286 S
ALF, C. H. M. P.	0807010042	50-315 P	ARTHUR, W. J.	0807180038	WASTE MGT	BAKER, R. L.	0807130103	50-250 S
ALEX, C. H. M. P.	0807070374	50-315 O	ARTHUR, W. J.	0807210008	WASTE MGT	BAKER, S. J.	0807210217	40-1162
ALEXICH, M. P.	0807070374	50-315 O	ARTHUR, W. J.	0807210074	WASTE MGT	BALFOUR, J.	0807180357	PR
ALEXICH, M. P.	0807130169	50-315 Q	ARTHUR, W. J.	0807210170	WASTE MGT	BALL, J.	0807180163*	50-528 O
ALEXICH, M. P.	0807180214	50-315 P	ARTHUR, W. J.	0807210204	WASTE MGT	BALL, M. J.	0807010294	50-443 H
ALEXION, T. W.	0807080372	50-483 P	ARTHUR, W. J.	0807210205	WASTE MGT	BALLARD, R. L.	0807060358	WASTE MGT
ALEXION, T. W.	0807210150	50-483 P	ARTHUR, W. J.	0807220177	WASTE MGT	BALLARD, R. L.	0807130127	WASTE MGT
ALEXION, T. W.	0807050474	50-443 H	ASCANIO, R.	0807050052	50-443 H	BALLARD, R. L.	0807220074	WASTE MGT
ALLAN, J.	0806280470	I&E	ASH, S.	0807050509	50-443 H	BAMFORD, M. S.	0807010266	50-443 H
ALLAN, J.	0807010008	50-244 S	ATKINS, V.	0807220038	50-443 H	BANGART, R. L.	0806280357	WASTE MGT
ALLAN, J.	0807070188	I&E	AULUCK, R.	0807050418	50-390 A	BANGART, R. L.	0806290068	PROJ
ALLEN, C. M.	0807100188	50-374 S	AULUCK, R.	0807080325	50-390 A	BANGART, R. L.	0807070222	WASTE MGT
ALLEN, C. M.	0807210098	50-373 P	AUNE, J. E.	0807070499	50-443 H	BARAN, R.	0807080110*	50-219 H
ALLEN, J. F.	0807010388	PR	AUSLANDER, R. J.	0807200378	PR	BARBETTA, N. L.	0807010158	PR
ALLEN, K. D.	0807010288	50-443 H	AUSLAUDER, N. B.	0807180123	PR	BARRETT, R. L.	0807200288	WASTE RES
ALLEY, D.	0807050460	50-443 H	AXELRAD, J.	0807150241*	FOIA	BARI, R. A.	0807200305	WASTE RES
ALLISON, M. M.	0807010281	PR	AXELSON, W.	0807050017*	NUREG	BARI, R. A.	0807200320	WASTE RES
ALMEIDA, G.	0807180028	50-443 H	AXELSON, W. L.	0807060354	50-155 S	BARI, R. A.	0807220203*	WASTE RES
ALTMARE, P. M.	0806280292	WASTE MGT	AXELSON, W. L.	0807060381	50-316 O	BARICELLI, D.	0807200240	50-322 H
ALTMARE, P. M.	0807210276	WASTE MGT	AXELSON, W. L.	0807060362*	50-316 O	BARNES, I.	0807200025*	50-498 O
ALTMARE, P. S.	0806280289	WASTE MGT	AXELSON, W. L.	0807060383	50-263 O	BARNES, J. P.	0807210149	50-288 H
AMARAL, M. R.	0807010838	PR	AXELSON, W. L.	0807060385*	50-263 O	BARNES, R. J.	0807010429	50-443 H
AMARO, C. R.	0807120572*	50-354 P	AXELSON, W. L.	0807120044	50-155 O	BARN, D. P.	0807010182	50-443 H
AMATO, C. G.	0807200108*	50-333 Q	AXELSON, W. L.	0807180001	50-331 O	BARR, R. C.	0807050108*	50-344 O
AMATO, C. G.	0807200134*	50-219 Q	AXELSON, W. L.	0807180105*	50-331 O	BARRROW, J. H.	0807130084	50-335 F
ANDERSON, C.	0807010038*	50-271 O	AXELSON, W. L.	0807190344	50-440 O	BARRY, D. M.	0807080371*	50-335 O
ANDERSON, C. J.	0807150010	50-423 O	AXELSON, W. L.	0807210354	50-282 O	BARSUK, T. S.	0807210109	50-328 F
ANDERSON, C. J.	0807200160*	50-410 Q	AYALA, C. A.	0807060438	50-488 S	BARTHC, A.	0807200079	50-322 G
ANDERSON, G. E.	0806300387*	50-443 I	AYALA, C. A.	0807150165	50-498 S	BARTHEL, R. K.	0807210092	PR
ANDERSON, J. D.	0807200120	50-440 F	AYALA, C. A.	0807200385	50-498 S	BARTLETT, C. L.	0807120507	50-443 H

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
BASCOM, H.	8807010135	50-443	H	BELLAMY, R. R.	8807070577	50-272	F	BETOW, R.	8807220052	71-9159
BASHLINE, K. G.	8807070242	50-443	H	BELLAMY, R. R.	8807130111	70-135		BETOW, R.	8807250054*	71-9073
BASKIN, K. P.	8807130281*	50-206	P	BELLAMY, R. R.	8807130202	50-277	Q	BETOW, R. C.	8807260258	71-9073
BASKIN, K. P.	8807140081	50-206	P	BELLAMY, R. R.	8807200102	50-333	Q	BETTENHAUSEN, L.	8807010023	50-289
BASKIN, K. P.	8807140084*	50-206	P	BELLAMY, R. R.	8807200124	50-277	Q	BETTENHAUSEN, L.	8807050226	50-320
BASKIN, K. P.	8807190139	50-206	O	BELLAMY, R. R.	8807200133	50-219	Q	BETTENHAUSEN, L.	8807060266	50-244
BASS, S.	8807050547	50-443	H	BELLAMY, R. R.	8807200153	50-334	Q	BETTENHAUSEN, L.	8807110300	50-336
BASSETT, C. H.	8807120359*	50-280	O	BELLAMY, R. R.	8807200185	50-333	Q	BETTENHAUSEN, L.	8807200217	50-245
BASSETT, C. H.	8807130120*	50-400	O	BELLAMY, R. R.	8807200214	50-289	Q	BETTENHAUSEN, L.	8807210363	50-193
BASTABLE, D. V.	8807120174	50-443	H	BELLAMY, R. R.	8807200270	50-293	H	BETTENHAUSEN, L.	8807290231	50-213
BATES, A.	8807150057	SECY		BELLAMY, R. R.	8807200318	50-443	Q	BEUCHEL, B. E.	8807010510	PR
BATES, A. L.	8807200069	50-443	G	BELLAMY, R. R.	8807200382	50-146	Q	BEUCHEL, B. E.	8807290201*	50-443
BATES, J. W.	8806303033*	70-27		BELLAMY, R. R.	8807210207	50-443	O	BEVAN, R.	8807110619	CRG
BAUER, T. L.	8807180231	50-192	O	BELLAMY, R. R.	8807210282	50-245	Q	BEYEA, J.	8807110011*	50-443
BAUMAN, L.	8807180393	50-334	O	BELLAMY, R. R.	8807250185	50-277	Q	BEYER, N. A.	8807210102	50-322
BAUMAN, L.	8807210344	FOIA		BELLAMY, R. R.	8807260234	50-272	Q	BHATTACHARYYA	8807120591*	WASTE MGT
BAUSER, D. B.	8807050214*	50-590	A	BELLAMY, R. R.	8807260243	50-219	O	BHATTACHARYYA	8807120626*	WASTE MGT
BAX, R. L.	8806290319	50-265	S	BELLAMY, R. R.	8807260392	50-271	O	BIAN, S. H.	8807180273	WASTE MGT
BAX, R. L.	8806290374	50-265	S	BELLAMY, R. R.	8807260386*	50-271	Q	BIAN, S. H.	8807180332*	WASTE MGT
BAX, R. L.	8806290385	50-265	S	BELLAMY, R. R.	8807010221	PR		BIBB, H. E.	8806290102*	50-335
BAX, R. L.	8807070137	50-265	S	BENEDICT, R. A.	8807080203	50-220	P	BICEHOUSE, H.	8807010402*	50-354
BAX, R. L.	8807070144	50-265	S	BENEDICT, R. A.	8807080206*	50-220	P	BICH, R. C.	8807010552	50-443
BAX, R. L.	8807120639	50-265	S	BENNETT, C. M.	8807050254	PR		BICKNELL, L. I.	8807050163	50-443
BAX, R. L.	8807120644	50-265	S	BENNETT, M. A.	8807070489	50-443	H	BIDEN, J. R.	8807200338	50-322
BAX, R. L.	8807150108	50-265	S	BENNETT, W. R.	8806300273*	50-298	Q	BIDINGER, G. H.	8807110317*	70-1113
BAX, R. L.	8807150274	50-265	S	BENSON, J. D.	8806300242	50-72	H	BIDINGER, G. H.	8807120994*	70-371
BAX, R. L.	8807050283	50-254	S	BENNETT, D. M.	8807010410	PR		BIDINGER, G. H.	8807130308	70-1100
BAXTER, F. D.	8807010086	PR		BENSON, D. L.	8807010450	50-281	S	BIGELOW, S. W.	8807220022	PR
BAXTER, T. A.	8807296003	50-320	G	BENSON, D. L.	8807130329	50-280	S	BIGGS, C.	8807110493*	50-498
BAXTER, T. A.	8807296003	50-320	G	BERATTA, J. P.	8807150278	50-410	F	BIHLMAN, L.	8807130456	50-249
BAZIN, J.	8807250148	CONTRACT		BERATTA, J. P.	8807180314	50-220	F	BILLINGTON, S. T.	8807010246	50-443
BEARD, R. M.	8807190338	50-321	II	BERATTA, J. P.	8807180322	50-220	F	BILLINGTON, S. T.	8807200395	50-443
BEARD, T. N.	8807010229	50-443	II	BERG, C.	8807220367	PR		BINGHAM, V. S.	8807010326	50-443
BEARDSLEY, H.	8807010210	50-443	H	BERGERON, M. P.	8807180115	WASTE RES		BINKOWSKI, J. A.	8807200305	50-332
BEASLEY, B.	8807070267	50-443	II	BERGERON, M. P.	8807180146	WASTE RES		BIRD, F. J.	8807010526	50-443
BEAUDON, R.	8807110115	50-280	H	BERGERON, P. A.	8807180045*	50-309	P	BIRD, R. G.	8807010365	50-293
BEAUPRE, G.	8807010390	PR		BERGERON, R.	8807050199	50-443	H	BIRD, R. G.	8807070060	50-293
BEAVER, D. C.	8807010353	50-443	H	BERGERON, R.	8807080092*	50-443	G	BIRD, R. G.	8807070541	50-233
BECHHOEFER, C.	8807150026	50-271	G	BERGERON, R.	8807080092*	50-443	G	BIRD, R. G.	8807080011	50-293
BECHHOEFER, C.	8807220027	50-271	G	BERGERON, R.	8807290197*	50-443	G	BIRD, R. G.	8807080255	50-293
BECK, J. W.	8807060419	50-445	S	BERGERON, R. C.	8807010644	50-443	H	BIRD, R. G.	8807120274	50-293
BECKER, M.	8807220239	PR		BERGMANN, J. W.	8807130045	50-305	S	BIRD, R. G.	8807120295*	50-293
BECKJORD, E. S.	8807130237*	PR		BERGQUIST, S. A.	8807110038	50-443	G	BIRD, R. G.	8807130041	50-293
BECKJORD, E. S.	8807150254*	PR		BERGQUIST, S. A.	8807200056	50-443	G	BIRD, R. G.	8807150075	50-293
BECKJORD, E. S.	8807150283*	PR		BERKOW, H. N.	8807050117	50-389	P	BIRD, R. G.	8807150103	50-293
BECKJORD, E. S.	8807150277*	PR		BERKOW, H. N.	8807050138	50-280	P	BIRD, R. G.	8807150168	50-293
BECKJORD, E. S.	8807150298*	PR		BERKOW, H. N.	8807080108*	50-335	P	BIRD, R. G.	8807200044	50-293
BECKLES, O. C.	8807010386	PR		BERKOW, H. N.	8807080355*	50-250	P	BIRD, R. G.	8807250038	50-233
BECKLEY, B. P.	8807070401	50-443	H	BERKOW, H. N.	8807120248	50-302	P	BIRD, R. G.	8807250200	50-293
BECKMAN, D. A.	8807130410*	50-440	O	BERKOW, H. N.	8807140046	50-335	P	BIRD, R. G.	8807260273	50-293
BEHANSKI, R.	8807070101	50-213	S	BERKOW, H. N.	8807180382	50-280	P	BIRELY, W. C.	8806300173	50-277
BEHARR, R.	8807070419	PR		BERKOWITZ, K.	8807180109	50-322	H	BIRELY, W. C.	8807060223	50-277
BEILMAN, T. P.	8806300032	50-315	S	BERKOWITZ, K.	8807250146	50-322	H	BIRELY, W. C.	8807070042	50-277
BEILMAN, T. P.	8807150060	50-315	S	BERLINGER, C. H.	8806290133	ORG		BIRELY, W. C.	8807120454	50-277
BELAIR, R. R.	8807220131	50-322	F	BERLINGER, C. H.	8807140208	ORG		BIRELY, W. C.	8807120817	50-278
BELANGER, D. J.	8807120482	50-443	H	BERLINGER, C. H.	8807250016	ORG		BIRELY, W. C.	8807210118	50-277
BELISLE, G. A.	8807120081*	50-425	O	BERMUDEZ, H.	8806290031*	70-1201		BIRNIE, P.	8807110085	60-280
BELISLE, G. A.	8807120180*	50-338	O	BERMUDEZ, H.	8807120438*	50-400	O	BISHOP, W. A.	8807220356	PR
BELISLE, G. A.	8807220140*	50-425	O	BERMUDEZ, H.	8807130118*	70-824		BISSET, S.	8807010080	50-443
BELLS	8807010311	CONTRACT		BERNERO, R. M.	8802260030*	NUREG		BITTER, S. D.	8807080030*	50-445
BELLS	8807070686	CONTRACT		BERNERO, R. M.	8802260040*	NUREG		BIZZUD, D. J.	8807010570	PR
BELLS	8807080022	CONTRACT		BERNERO, R. M.	8807220013	WASTE MGT		BJORNSTROM, R.	8807010680	50-443
BELLS	8807080035	CONTRACT		BERNHARD, R.	8807120451*	50-324	Q	BLACK, D. B.	8806290050*	50-324
BELLS	8807080068	CONTRACT		BERNHOF, S. L.	8807060162	50-305	S	BLACK, S.	8807010023	50-327
BELLS	8807120350	CONTRACT		BERNHOF, S. L.	8807010172	PR		BLACK, S.	8807050001	50-259
BELLS	8807180315	CONTRACT		BERNSTEIN, A.	8807180119	FOIA		BLACK, S.	8807070555*	50-327
BELLAMACINA, G.	8807010112	PR		BERQUIST, S. A.	8807110053*	50-443	G	BLACK, S.	8807110427	50-258
BELLAMY, R. R.	8807130252	70-1100		BERQUIST, S. A.	8807110040	50-443	G	BLACK, S.	8807110485	50-327
BELLAMY, R. R.	8807010029	50-309	O	BERRY, G. A.	8807060023	50-443	G	BLACK, S.	8807120484	50-327
BELLAMY, R. R.	8807010041	50-286	O	BERRY, G. A.	8807060051	50-443	G	BLACK, S.	8807120510	50-258
BELLAMY, R. R.	8807010251	50-3	Q	BERRY, G. A.	8807110113	50-443	G	BLACK, S.	8807120528*	50-258
BELLAMY, R. R.	8807010308	50-286	O	BERRY, G. A.	8807220033	50-443	G	BLACK, S.	8807120669	50-259
BELLAMY, R. R.	8807010380	50-244	O	BERRY, G. A.	8807290017	50-443	G	BLACK, S.	8807130371	50-259
BELLAMY, R. R.	8807010300	50-334	O	BERRY, G. A.	8807290056	50-443	G	BLACK, S.	8807130332*	50-259
BELLAMY, R. R.	8807010398	50-354	O	BERRY, G. A.	8807290203	50-443	G	BLACK, S.	8807130442	50-327
BELLAMY, R. R.	8807010458	50-317	Q	BERRY, G. A.	8807200208	50-443	G	BLACK, S.	8807130444*	50-327
BELLAMY, R. R.	8807010619	50-220	O	BERRY, G. A.	8807290216	50-443	G	BLACK, S.	8807140291*	50-327
BELLAMY, R. R.	8807050070	50-213	O	BERRY, G. A.	8807290226	50-443	G	BLACK, S.	8807140294*	50-327
BELLAMY, R. R.	8807050162	50-3	O	BERRY, G. A.	8807290271	50-443	G	BLACK, S.	8807200219	50-327
BELLAMY, R. R.	8807050220	50-293	O	BERRY, K. W.	8807130104	50-155	O	BLACK, S.	8807200231	50-327
BELLAMY, R. R.	8807050241	50-388	Q	BERRY, K. W.	8807130130	50-165	P	BLACK, S.	8807210107	50-263
BELLAMY, R. R.	8807050250	50-245	Q	BERRY, K. W.	8807130181	50-255	Q	BLACK, S.	8807220333	50-327
BELLAMY, R. R.	8807050282	50-223	O	BERRY, K. W.	8807190324	50-265	F	BLACK, S. C.	8807120342	50-259
BELLAMY, R. R.	8807060458	70-820	Q	BERRY, K. W.	8807280156	PR		BLACK, S. C.	8807120558	50-327
BELLAMY, R. R.	8807070077	50-334	O	BERRY, R. L.	8807050273	PR		BLACK, S. C.	8807150040	50-328
BELLAMY, R. R.	8807070111	50-352	Q	BERTHUNE, W. J.	8807200362*	71-9103		BLACK, S. C.	8807210178	50-327
BELLAMY, R. R.	8807070140	50-5	O	BERTHUNE, W. J.	8807010335	50-443	H	BLACK, S. C.	8807210180*	50-327
BELLAMY, R. R.	8807070277	50-322	O	BERTRAND, F. C.	8807010177	50-443	H	BLACKFORD, M. E.	8807220275	WASTE RES

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
BLAKE, J.J.	8836290038*	50-280	O	BOYD, R.S.	8807180003*	50-275	P	BROCK, S.S.D.	8807070147	50-443
BLAKE, J.J.	8807060042*	50-280	O	BOYD, R.S.	8807180005*	50-275	P	BROTHERTON, R.	8807060608	50-443
BLAKE, J.J.	8807120032*	50-369	O	BOYO, R.S.	8807180036*	50-275	P	BROWN, A.T.	8807010578	50-443
BLAKE, J.J.	8807130225*	50-335	O	BOYO, R.S.	8807180008*	50-275	P	BROWN, B.E.	8807010518	50-443
BLAKE, J.J.	8807190015*	50-424	O	BOYO, R.S.	8807180012*	50-275	P	BROWN, C.	8807050056	50-443
BLAKE, J.J.	8807190021*	50-259	O	BOYO, R.S.	8807180086*	50-275	P	BROWN, G.A.	8807200049*	50-528
BLAKE, J.J.	8807250315*	50-338	O	BOYLE, M.L.	8807060024	50-245	P	BROWN, J.J.	8807010136	50-443
BLAKE, J.J.	8807250322*	50-261	O	BOYLE, M.L.	8807080107	50-245	P	BROWN, L.L.	8807010300	PR
BLANCHARD, B.J.	8807180018	50-443	H	BOYLE, M.L.	8807250085	50-213	O	BROWN, M.L.	8807180034	PR
BLANCHARD, L.A.	8807050258	50-443	H	BOYLE, M.P.	8807050078	PR		BROWN, N.D.	8807180050	50-289
BLANCHOE, J.G.	8807110515*	WASTE RES		BOYLE, R.F.	8807010316	PR		BROWN, P.E.	8807010588	PR
BLISS, H.E.	88062600158	50-237	K	BOYLE, R.R.	8807220248*	WASTE MGT		BROWN, R.	8807050571	IRE
BLISS, H.E.	8807060286	50-295	O	BRACH, E.W.	8807070369	QA999		BROWN, R.E.	8807070521	50-213
BLISS, H.E.	8807070596	50-295	F	BRACH, E.W.	8807070513	REVIEW GR P		BROWN, R.S.	8807220107*	CONTRACT
BLISS, H.E.	8807110437	50-373	O	BRACH, E.W.	8807080288	QA999		BROWNE, A.E.	8807210002	PR
BLISS, H.E.	8807120090*	50-245	O	BRACH, E.W.	8807140135	REVIEW GR P		BROWNING, R.E.	8807060241	WASTE RES
BLISS, H.E.	8807120387	50-295	K	BRACH, E.W.	8807140258	REVIEW GR P		BROWNING, R.E.	8807080261	WASTE RES
BLISS, H.E.	8807130288	50-237	O	BRACH, E.W.	8807180385	REVIEW GR P		BROWNING, R.E.	8807120140	WASTE MG
BLISS, H.E.	8807190337	50-454	F	BRACH, E.W.	8807180310	QA999		BROWNLEE, V.L.	8806280221	50-369
BLOCH, H.G.	8807260143	50-322	H	BRACH, E.W.	8807250240	REVIEW GR P		BROWNLEE, V.L.	88062803345	50-413
BLOCH, P.B.	8807140091	50-445	G	BRADBURN, J.C.	8807150253*	50-327	P	BROWNLEE, V.L.	8806290350*	50-413
BLOCH, P.B.	8807200085	50-445	G	BRADBU, J.W.	8807120180	WASTE RES		BROWNLEE, V.L.	8807060052	50-424
BLOCH, P.B.	8807220037	PR		BRADFORD, P.A.	8807180151*	FOIA		BROWNLEE, V.L.	8807120456	50-425
BLOCH, S.	8807200330*	50-206	O	BRADFORD, P.A.	8807180188*	FOIA		BROWNLEE, V.L.	8807130037	50-424
BLOCH, S.	8807101022	PH		BRADFORD, W.H.	8807250192*	50-340	O	BROWNLEE, V.L.	8807180144	50-321
BLOCH, S.	8807140260	50-483	S	BRADHAM, O.S.	8807070013	50-395	S	BRUGER, R.M.	8807123543	50-186
BLOCH, S.	8807010328*	50-387	O	BRADHAM, O.S.	8807120029	50-395	S	BRUNET, J.R.	8806280309	50-255
BLOCH, S.	8807050067	50-293	H	BRADHAM, O.S.	8807120544	50-395	P	BRUNET, J.R.	8807060303	50-255
BLOCH, S.	8807130243*	50-293	O	BRADHAM, O.S.	8807120571	50-395	S	BRUNET, J.R.	8807250021	50-255
BLOCH, S.	8807150336*	50-293	O	BRADHAM, O.S.	8807130384	50-395	H	BRUNET, J.R.	8807250384	50-255
BLOCH, S.	8807200207	50-203	R	BRADHAM, O.S.	8807140090	50-395	F	BRUNTON, J.P.N.	8807130206	71-6717
BLOCH, S.	8807010130	50-443	H	BRADHAM, O.S.	8807140094	50-395	P	BUCH, J.	8807210103	PR
BLOCH, S.	8807010322	40-3453		BRADHAM, O.S.	8807180146	50-395	O	BUCHWALD, S.P.	8807070338	50-443
BLOCH, S.	8807010271	40-3453		BRADHAM, O.S.	8807200262	50-395	F	BUCKLEY, B.C.	8807110472	50-400
BLOCH, S.	8807210056	40-3453		BRADHAM, O.S.	8807210281	71-479		BUCKLEY, B.C.	8807120573	50-400
BLOCH, S.	8807250438	40-3453		BRADHAM, O.S.	8807250003	60-395	R	BUCKLEY, B.C.	8807150127	50-400
BLOCH, S.	8807180364	PR		BRADHAM, O.S.	8807250381	60-395	F	BUCKLEY, B.C.	8807180149	50-400
BLOCH, S.	8807010015*	50-209	O	BRADHAM, O.S.	8807250227	60-395	P	BUCKLEY, B.C.	8807190280	50-324
BLOCH, S.	8807010474*	50-354	O	BRADLEY, E.J.	8807060171	50-352	P	BUCKLEY, B.C.	8807210224	50-400
BLOCH, S.	8807200160*	50-352	O	BRADLEY, E.J.	8807060187*	50-352	P	BUCKLEY, B.C.	8807120287	50-324
BLOCH, S.	8807200165*	50-210	O	BRADLEY, E.J.	8807150221	50-278	P	BUCKLEY, J.T.	8807210071	WASTE RES
BLOCH, S.	8807210186*	50-388	O	BRADLEY, E.J.	8807150227*	50-278	P	BUCKLEY, J.T.	8807210317	WASTE RES
BLOCH, S.	8807100209*	40-7604		BRADLEY, E.J.	8807180115	50-362	P	BUDDEN, M.J.	8807180332*	WASTE MG
BLOCH, S.	8806290033*	50-456	O	BRADLEY, F.J.	8807010041*	NUREG		BUNCH, D.F.	8807070365	PR
BLOCH, S.	8807070504	50-443	H	BRADLEY, F.J.	8807280389	PR		BUNTING, A.R.	8807070425	50-443
BLOCH, S.	8807010407	50-443	H	BRADSHAW, G.B.	8807010187	50-443	H	BUNTING, J.O.	8806280343	WASTE MG
BLOCH, S.	8806300308*	50-443	I	BRAGEL, R.C.	8807050221	PR		BUNTING, J.O.	8807060372*	WASTE MG
BLOCH, S.	8807220004	PR		BRAM, S.B.	8806300199	50-247	K	BUNTING, J.O.	8807080278	WASTE MG
BLOCH, S.	8807110200	50-280	II	BRAM, S.B.	8806300341	50-247	R	BUNTING, J.O.	8807140008	WASTE MG
BLOCH, S.	8807180074	FOIA		BRAM, S.B.	8807070119	50-247	O	BUNTING, J.O.	8807220018	WASTE MG
BLOCH, S.	8807180077	FOIA		BRAM, S.B.	8807120102	50-247	O	BUNTING, J.O.	8807220341	WASTE MG
BLOCH, S.	8807280021	FOIA		BRAM, S.B.	8807140249	50-247	V	BURDETTE, T.E.	8807200312*	50-259
BLOCH, S.	8807280026*	FOIA		BRAM, S.H.	8807250371	50-247	S	BURDICK, T.M.	8806280087*	50-340
BLOCH, S.	8807010698*	NUREG		BRAMBILLA, M.A.	8807070280	50-443	II	BURGER, C.W.	8807060055*	50-424
BLOCH, S.	8807080073	WASTE RES		BRAMBILLA, S.	8807010183	50-443	H	BURGER, C.W.	8807120481*	50-425
BLOCH, S.	8807140217	WASTE RES		BRAMILL, J.	8807010517	50-443	H	BURGESS, D.L.	8807060384*	50-315
BLOCH, S.	8807190031	WASTE RES		BRANCH, M.	8806280182*	50-327	O	BURGESS, D.L.	8807210357*	50-282
BLOCH, S.	8807080059	PROJ		BRANDON, L.	8807200088	50-322	H	BURLING, T.	8807200086	60-440
BLOCH, S.	8807050181	50-443	H	BRANDYBART, M.	8807180117	50-322	H	BURNETT, P.T.	8807120321*	50-348
BLOCH, S.	8807200084	60-322	H	BRAX, J.	8807110408*	50-458	H	BURNS, K.J.	8807250327*	50-271
BLOCH, S.	8807010050	50-458	S	BRISSETH, S.	8807010286	50-443	H	BURNS, W.E.	8807200130	50-424
BLOCH, S.	8807080144	50-458	S	BRENNAN, J.L.	8807280350	PR		BURR, B.	8807180071	50-322
BLOCH, S.	8807130200	50-458	O	BRENNEN, J.	8807010646	50-443	H	BURRIS, S.P.	8807080030*	50-445
BLOCH, S.	8807150142	50-458	P	BRESNAHAN, D.J.	8807010142	50-443	H	BURROWS, A.S.	8807220347	FOIA
BLOCH, S.	8807180110	50-458	S	BRINDLE, D.	8806300205	50-455	S	BURSKI, M.	8807120807	50-382
BLOCH, S.	8807250102	50-458	S	BRINDLE, D.	8807080213	50-455	S	BURSKI, R.F.	8806300288	50-382
BLOCH, S.	8807050170	PR		BRITTON, W.E.	8807120133	50-443	H	BURSKI, R.F.	8807010535	50-382
BLOCH, S.	8807010125	50-311	S	BRITZ, D.J.	8807070137	50-285	S	BURSKI, R.F.	8807010831	50-382
BLOCH, S.	8807060078	50-445	G	BRITZ, D.J.	8807070144	50-285	S	BURSKI, R.F.	8807080080	50-382
BLOCH, S.	8807060080	50-603	G	BROCK, B.L.	8806280182*	70-25		BURSKI, R.F.	8807190001	50-382
BLOCH, S.	8807280219	50-603	G	BROCK, M.T.	8807010393	50-443	H	BURSKI, R.F.	8807190273	50-382
BLOCH, S.	8807180022	50-155	F	BROCK, M.T.	8807010393	50-443	H	BURSKI, R.F.	8807210220	50-382
BLOCH, S.	8807010133	PR		BROCKMAN, K.E.	8807050521*	50-400	V	BURSKI, R.F.	8807250180	PR
BLOCH, S.	8807010087	50-443	H	BROCKMAN, K.E.	8807080053*	50-281	V	BURSKI, R.F.	8807250358	50-382
BLOCH, S.	8807140253	50-346	F	BROCKMAN, K.E.	8807250398*	50-418	V	BURSON, J.E.	8807050514	50-443
BLOCH, S.	8807010520	PR		BRODSKY, J.	8807210180	50-322	H	BURT, D.T.	8807130377*	CONTRACT
BLOCH, S.	8807220339	PR		BROMFIELD, R.	8807120179	50-443	H	BURTON, W.	8807130457*	ORG
BLOCH, S.	8807110240	CONTRACT		BROWN, J.C.	8806300132	50-333	R	BUSH, B.S.	8807280381*	50-528
BLOCH, S.	8807150308*	PR		BROWN, J.C.	8807060095	50-280	P	BUSH, F.	8807250073*	71-9073
BLOCH, S.	8807200364	50-322	II	BROWN, J.C.	8807250224	50-286	P	BUSH, S.H.	8807120690	ACRS
BLOCH, S.	8807050118*	50-312	O	BROWN, J.C.	8807250230	50-333	P	BUTCHER, E.J.	8807250424	REVIEW GR
BLOCH, S.	8807050317*	50-397	O	BROOKINGS, W.J.	8807070490	50-443	H	BUTLER, D.	8807200057	50-322
BLOCH, S.	8807050360	50-443	H	BROOKMIRE, T.A.	8807070439*	50-280	P	BUTLER, D.	8807200131	PR
BLOCH, S.	8807050182	50-443	H	BROOKS, R.H.	8807050473	50-259	S	BUTLER, D.S.	8807010372*	50-341
BLOCH, S.	8807010342	50-443	II	BROOKS, R.H.	8807070356	50-327	R	BUTLER, W.R.	8807070399*	50-272
BLOCH, S.	8807140187*	WASTE MGT		BROOKS, R.H.	8807080200	50-390	A	BUTLER, W.R.	8807110331*	50-277
BLOCH, S.	8807190131*	50-327	P	BROOKS, R.H.	8807080202	50-259	R	BUTLER, W.R.	8807110347*	50-277
BLOCH, S.	8807110458	70-27		BROOKS, R.H.	8807080207	50-327	O	BUTLER, W.R.	8807120645*	50-272

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
BUTLER, W.R.	8807160280	50-272	P	CANTRELL, F.	8807120433*	50-338	Q	CHICHESTER, G.	8807010411	50-443	H
BUTLER, W.R.	8807250173	50-272	P	CANTRELL, F.	8607180334*	50-280	Q	CHIDRESS, C.	8807080212*	CONTRACT	
BYE, W.	8807110058	FR		CAPFON, D.	8807210188*	50-388	O	CHILDS, A.	8807190037	50-322	H
BYKOSKI, L.	8807050601	WASTE RES		CAPRA, R. A.	8807120031*	50-3	P	CHILDS, W.V.	8807070397	50-333	S
BYRAM, R.G.	8806300210	50-388	S	CAPRA, R. A.	8807120405*	50-288	P	CHILK, S.J.	8807010182	FR	
BYRAM, R.G.	8807070414	50-387	S	CAPRA, R. A.	8807120585*	50-247	P	CHILK, S.J.	8807010432	10CFR	
BYRAM, R.G.	8807080165	50-387	S	CAPRA, R. A.	8807150180*	50-220	P	CHILK, S.J.	8807010672*	NUREG	
BYRD, R.	8807060164	50-416	S	CAPRA, R. A.	8807130288*	50-3	P	CHILK, S.J.	8807060029	50-443	G
BYRON, B.B.	8807200263	PR		CAPRA, B.	8807070262	50-443	H	CHILK, S.J.	8807060076	50-443	G
CACCIAPOUTI, R.	8807180045*	50-309	P	CAPSTICK, R.W.	8807120034	50-271	P	CHILK, S.J.	8807060563	50-293	P
CAIN, D.L.	8807080519*	CONTRACT		CAPSTICK, R.W.	8807200529	50-271	P	CHILK, S.J.	8807080245	50-293	P
CALANCA, A.	8807205076	50-322	H	CARFAGNO, S.P.	8808280089*	50-370	S	CHILK, S.J.	8807110002	50-293	G
CALCHIERA, J.	8807010076	PR		CARLUCCI, D.W.	8807080535	50-443	H	CHILK, S.J.	8807120146	10CFR	
CALDERONE, B.	8807110055	50-322	H	CARLSEN, L.	8807010681	PR		CHILK, S.J.	8807120462	10CFR	
CALDERONE, J.W.	8807070550	50-213	S	CARLSON, L.G.	8807010406	PR		CHILK, S.J.	8807120710	50-327	P
CALDWELL, C.W.	8807130396*	50-397	Q	CARLSON, R.A.	8807200257	PR		CHILK, S.J.	8807130172	10CFR	
CALDWELL, C.W.	8807130441*	50-397	Q	CARNS, N.S.	8806300058	50-382	S	CHILK, S.J.	8807160008	50-443	G
CALDWELL, J.L.	8807120429*	50-338	O	CARNS, N.S.	8806300067	50-382	S	CHILK, S.J.	8807150028	10CFR	
CALDWELL, R.A.	8807120702*	50-382	O	CARNS, N.S.	8806300078	50-382	S	CHILK, S.J.	8807200021	50-322	G
CALDWELL, R.A.	8807190320*	50-445	O	CARNS, N.S.	8806300087	50-382	S	CHILK, S.J.	8807220020	50-498	G
CALLAGHAN, J.H.	8807010556	PR		CARNS, N.S.	8807180294	50-382	S	CHILK, S.J.	8807220025	50-528	G
CALLAGHER, V.C.	8807070283	50-443	H	CARNS, N.S.	8807210133	50-382	S	CHILK, S.J.	8807220036	50-462	G
CALLAN, L.J.	8806290459	50-288	Q	CARNS, N.S.	8807210218	50-382	S	CHILK, S.J.	8807270166*	PR	
CALLAN, L.J.	8806290476	50-288	Q	CARNS, N.S.	8807210219	50-382	S	CHILK, S.J.	8807270247*	PR	
CALLAN, L.J.	8806290482	50-285	Q	CARNS, N.S.	8807210230	50-382	S	CHILK, S.J.	8807270251*	PR	
CALLAN, L.J.	8806300039	50-288	Q	CARNS, N.S.	8807250246	50-382	S	CHILK, S.J.	8807290005	50-335	G
CALLAN, L.J.	8806300201	50-288	Q	CARON, D.A.	8807070328	50-443	H	CHILK, S.J.	8807290019	50-443	G
CALLAN, L.J.	8806300222	50-498	O	CARPENIT, F.L.	8807050277	PR		CHILK, S.J.	8807290026	50-440	G
CALLAN, L.J.	8806300266	50-288	Q	CARPENTER, J.	8807180318	50-322	H	CHITTENDEN, W.A.	8807210237	QAL608	
CALLAN, L.J.	8807010340	50-313	Q	CARR, K.M.	8807110401	50-293	P	CHIU, C.	8807190158*	50-361	O
CALLAN, L.J.	8807050384	50-288	Q	CARR, K.M.	8807180159*	FOIA		CHIU, C.	8807190174*	50-361	O
CALLAN, L.J.	8807050485	50-285	Q	CARRION, R.P.	8807180021*	50-259	Q	CHORMAN, N.	8807180250	50-440	H
CALLAN, L.J.	8807060350	50-313	Q	CARROLL, K.J.	8807010458	PR		CHOU, R.C.	8807190021*	50-259	O
CALLAN, L.J.	8807060557	50-313	Q	CARTER, R.G.	8807010121	PR		CHRISTEN, F.	8807180038	FOIA	
CALLAN, L.J.	8807070087	50-498	Q	CARTER, P.	8807010438	50-443	H	CHRISTMAN, J.N.	8807140023	50-322	G
CALLAN, L.J.	8807070096	50-458	Q	CARTLEDGE, I.	8807010378	50-443	H	CHRISTMAN, J.N.	8807140023	50-322	G
CALLAN, L.J.	8807070365	50-498	Q	CARUSO, S.N.	8807010730	50-443	H	CHRISTMAN, J.N.	8807200015	50-322	G
CALLAN, L.J.	8807070434	50-285	Q	CASARANO, R.N.	8807190036	50-295	P	CHRISTMAN, J.N.	8807200015	50-322	G
CALLAN, L.J.	8807070449	50-498	Q	CASE, D.	8807250205*	50-322	F	CHRISTMAN, J.N.	8807290074	50-322	G
CALLAN, L.J.	8807070493	50-313	Q	CASE, E.G.	8807150299*	50-275	P	CHRISTMAN, J.N.	8807290074	50-322	G
CALLAN, L.J.	8807070557	50-498	V	CASE, E.G.	8807150303*	50-275	P	CHRISTOFFER, G.	8807250019*	50-123	Q
CALLAN, L.J.	8807070571	50-313	Q	CASE, E.G.	8807150305*	50-275	P	CHIRZANOWSKI, R.	8807180170	50-454	P
CALLAN, L.J.	8807110411	50-285	O	CASEY, D.	8807010512	50-443	H	CHIRZANOWSKI, R.	8807210083	50-454	P
CALLAN, L.J.	8807110506	50-498	Q	CASEY, T.J.	8807050212	50-443	H	CHUNG, D.H.	8806300141	WASTE RES	
CALLAN, L.J.	8807120079	50-313	Q	CASH, W.	8807070023	50-443	H	CHUNG, D.H.	8807110546	WASTE RES	
CALLAN, L.J.	8807120106	50-285	O	CASS, G.L.	8807130334	40-8724	H	CHUNG, D.H.	8807140026	WASTE RES	
CALLAN, L.J.	8807120123	50-285	O	CASSIDY, T.C.	8807070261	50-443	H	CHUNG, D.H.	8807180111	WASTE RES	
CALLAN, L.J.	8807120151	50-313	P	CASSTLEMAN, P.L.	8807130410*	50-440	Q	CHUYER, J.	8807010171	PR	
CALLAN, L.J.	8807120255	50-313	Q	CASO, C.	8807120451*	50-324	Q	CIANCI, J.	8807050472	50-443	H
CALLAN, L.J.	8807120356	50-267	O	CASTRO, B.	8807150274	50-265	S	CICOTTE, G.R.	8807100165*	50-397	O
CALLAN, L.J.	8807120465	50-362	Q	CATTONI, I.	8807120624	ACRS		CICOTTE, G.R.	8807200205*	50-528	Q
CALLAN, L.J.	8807130289	50-458	F	CAUCHON, L.	8807070278	50-443	H	CILLIS, M.	8807140121*	50-312	Q
CALLAN, L.J.	8807180153	50-313	Q	CAVANAUGH, W.	8807140042*	50-418	I	CILLIS, M.	8807200205*	50-528	Q
CALLAN, L.J.	8807180287	50-498	Q	CAVATORTA, E.A.	8807010424	50-443	H	CILLIS, M.	8807200300*	50-298	Q
CALLAN, L.J.	8807190325	50-498	Q	CHABOT, B.R.	8807050184	PR		CIPRIANI, J.	8807260047	50-340	R
CALLAN, L.J.	8807180334	50-267	Q	CHAFFEE, A.E.	8807110216*	50-344	Q	CIZAKAS, T.M.	8807010678	PR	
CALLAN, L.J.	8807150336	50-482	Q	CHAMBERLAIN, D.	8807060577*	50-313	Q	CLARK, A.T.	8807120381	50-604	A
CALLAN, L.J.	8807180341	50-456	O	CHAMBERLAIN, D.	8807200295*	50-482	Q	CLARK, A.T.	8807220173	PROJ	
CALLAN, L.J.	8807190350	50-602	Q	CHAMBERLAIN, D.	8807250423*	50-382	Q	CLARK, D.F.	8807070004	PR	
CALLAN, L.J.	8807200016	50-382	P	CHAMBERLAIN, W.	8807260131*	50-102	P	CLARK, C.	8807140082*	50-362	O
CALLAN, L.J.	8807200022	50-498	Q	CHAMPAGNEY, P.E.	8807070246	50-443	H	CLARK, C.	8807180137*	50-528	Q
CALLAN, L.J.	8807200290	50-482	Q	CHAN, E.I.	8807220009	50-443	G	CLARK, C.A.	8807050108*	50-344	Q
CALLAN, L.J.	8807210128	50-298	F	CHAN, E.I.	8807290247	50-443	G	CLARK, J.J.	8807200059	PR	
CALLAN, L.J.	8807210141	50-482	F	CHAN, T.L.	8807010101	50-344	P	CLARK, L.B.	8807080049	50-322	G
CALLAN, L.J.	8807250089	50-298	Q	CHAN, T.L.	8807050345	50-344	P	CLARK, N.C.	8807010225	50-443	H
CALLAN, L.J.	8807250312	50-313	Q	CHAN, T.L.	8807050388	50-344	P	CLARK, P.	8807180143	PR	
CALLAN, L.J.	8807260330	50-313	Q	CHAN, T.L.	8807070279	50-344	P	CLEAR, J.F.	8807220375	PR	
CALLAN, L.J.	8807260418	50-382	Q	CHAN, T.L.	8807070290	50-344	P	CLEMENCE, J.B.	8807070305	50-443	H
CALLARD, T.	8807180354	PR		CHAN, T.L.	8807070300	50-344	P	CLEMENCE, P.P.	8807010209	50-443	H
CALVERT, P.	8807190117	50-322	H	CHAN, T.L.	8807080184	50-344	P	CLEMENT, B.	8807070366	50-443	H
CALVO, J.A.	8807060365	50-285	H	CHANDLER, L.J.	8807120672*	50-440	G	CLEMENT, C.H.	8807160077	50-336	S
CALVO, J.A.	8807110197*	50-285	P	CHANEY, H.D.	8807120084*	50-313	Q	CLEMENT, C.H.	8807150077	60-336	S
CALVO, J.A.	8807110212*	50-458	P	CHAP, J.R.	8807050276	PR		CLEMENTE, C.H.	8807140306	50-423	S
CALVO, J.A.	8807110414	50-285	P	CHAPIN, R.C.	8807180150	50-322	H	CLINE, W.	8807050571	18E	
CALVO, J.A.	8807140300*	50-313	P	CHAPMAN, P.	8807060139	WASTE MGT		CLINE, W.E.	8806300031	70-27	
CALVO, J.A.	8807150176*	50-298	P	CHARNLEY, J.S.	8807150238*	50-278	P	CLINE, W.E.	8806300119	50-335	Q
CALVO, J.A.	8807180051*	50-368	P	CHASE, J.C.	8807010128	50-443	H	CLINE, W.E.	8806300138	70-143	Q
CALVO, J.A.	8807200191*	50-267	P	CHEN, J.C.	8807110478	NUREG		CLINE, W.E.	8807060295	60-413	Q
CALVO, J.A.	8807250106	50-368	P	CHEN, J.C.	8807110494	NUREG		CLINE, W.E.	8807060425	60-369	Q
CAMPBELL, M.	8807070003	PR		CHEN, J.C.	8807110524	NUREG		CLINE, W.E.	8807080528	60-338	Q
CAMPBELL, T.G.	8807110190	50-313	P	CHEN, J.C.	8807110530	NUREG		CLINE, W.E.	8807070017	50-280	C
CAMPBELL, T.G.	8807120275	50-313	P	CHENG, C.Y.	8807180205	TOPREP		CLINE, W.E.	8807130146	50-261	C
CAMPBELL, T.G.	8807120388	50-313	P	CHENG, E.	8807050064	50-443	H	CLINE, W.E.	8807130158	50-324	C
CAMPO, R.G.	8807050459	50-443	H	CHENG, S.T.M.	8807070392*	50-327	Q	CLINE, W.E.	8807190232	70-1151	
CANCELLIERE, B.	8807210128	PR		CHERY, D.L.	8806280355	WASTE MGT		CLINE, W.E.	8807210247	50-335	F
CANN, J.D.	8807010632	PR		CHERY, D.L.	8807070288	WASTE MGT		CLINE, W.E.	8807210255	60-335	F
CANNING, H.F.	8807010483	50-443	H	CHERY, D.L.	8807120403*	WASTE MGT</					



CUNNE, W.E.	8807210304	50-261	Q	CONNELL, B.N.	8807010158	50-443	H	CONNSIL, W.G.	8807160274	50-445
CUNNE, W.E.	8807250271	50-389	Q	CONNELLY, S.D.	8807220161*	50-324	O	CONULRE, T.E.	8807070418	50-443
CUNNE, W.E.	8807250300	70-1151	Q	CONNOLLY, J.G.	8807010572	50-443	H	COWILL, D.L.	8807060308	50-443
CUNTON, J.H.	8807140187*	WASTE MGT		CONNOLLY, J.M.	8807210040	50-322	H	COWGILL, C.	8807010034*	50-269
CLOSE, S.L.	8807180020	50-443	H	CONNOLLY, R.	8807070346	PR		COWGILL, C.J.	8807050237*	50-320
CLOUTMAN, S.J.	8807050071	50-443	H	CONNOR, L.	8807150201	FOIA		COWGILL, C.J.	8807060271*	50-244
COOKFIELD, D.W.	8806280102	50-344	P	CONNOR, L.	8807280007	FOIA		COXR, R.	8807010507	50-443
COOKFIELD, D.W.	8806280248	50-344	F	CONNORS, T.K.	8807010533	PR		COYLE, J.P.	8807250249	50-346
COOKFIELD, D.W.	8807050045	50-344	P	CONSTABLE, G.L.	8807250277	50-298	S	COYLE, J.P.	8807250249	50-346
COOKFIELD, D.W.	8807050049*	50-344	P	CONTE, R.J.	8807050118*	50-312	O	COYLE, J.P.	8807250427*	50-346
COOKFIELD, D.W.	8807070015	50-344	K	CONTI, K.	8807010313	PR		COYLE, J.P.	8807250427*	50-346
COOKFIELD, D.W.	8807090076	50-344	S	CONVERSE, R.J.	8807070397	50-333	S	COZZUOL, J.M.	8807110521	NUREG
COOKFIELD, D.W.	8807190210	50-344	P	CONVERSE, R.J.	8807130421	50-333	F	CRAFTON, S.P.	8807010272	PR
COOKFIELD, D.W.	8807190212*	50-344	P	CONWAY, G.R.	8807070410	50-443	H	CRAMER, L.F.	8806280362	WASTE MGT
COOKFIELD, D.W.	8807210037	50-344	O	CONWAY, R.D.	8806300051	50-423	S	CRAMER, L.F.	8807190080	WASTE MGT
COOKFIELD, D.W.	8807210051	50-344	Q	CONWAY, R.D.	8807140306	50-423	S	CRAWFORD, J.O.	8807190151	WASTE RES
COCKRANK	8807010537	PR		CONWAY, W.F.	8806280268	50-250	P	CRAWFORD, J.O.	8807250065*	50-259
COCO, R.A.	8807070280	50-443	H	CONWAY, W.F.	8807010140	50-335	P	CREED, J.	8807190326	50-305
COE, D.	8807180322*	50-361	V	CONWAY, W.F.	8807010149	50-250	S	CREED, J.R.	8807060138*	50-483
COE, W.E.	8807280375	50-250	H	CONWAY, W.F.	8807010442	50-250	S	CREED, J.R.	8807000176*	50-295
COFFEY, P.H.	8807200331	50-443	H	CONWAY, W.F.	8807010589	50-250	F	CREED, J.R.	8807060328*	50-456
COGOBEL, S.A.	8807010542	PR		CONWAY, W.F.	8807010657	50-335	P	CREED, J.R.	8807120070*	50-450
COGILL, T.C.	8807010089	PR		CONWAY, W.F.	8807010691	50-335	P	CREED, J.R.	8807120065*	50-263
COGILL, C.	8807200115	50-218	S	CONWAY, W.F.	8807050088	50-250	S	CREED, J.R.	8807250319*	50-123
COLAPINTO, D.K.	8807140027	50-445	G	CONWAY, W.F.	8807050355	50-335	H	CREIGHTON, P.	8807010507	50-443
COLAPINTO, D.K.	8807140027	50-445	G	CONWAY, W.F.	8807050484	50-250	R	CREWS, J.L.	8807050118*	50-312
COLAPINTO, D.K.	8807140033*	50-445	G	CONWAY, W.F.	8807050545	50-250	R	CRLENJAK, R.	8806300197*	50-302
COLAPINTO, D.K.	8807140033*	50-445	G	CONWAY, W.F.	8807050082	50-250	R	CRLENJAK, R.	8807250301*	50-302
COLAPINTO, D.K.	8807140041*	50-445	G	CONWAY, W.F.	8807070410	50-250	P	CRLENJAK, R.V.	8806280102*	50-335
COLAPINTO, D.K.	8807150067	50-445	G	CONWAY, W.F.	8807070188	50-250	S	CRLENJAK, R.V.	8807160376*	50-260
COLAPINTO, D.K.	8807200054	50-445	G	CONWAY, W.F.	8807120057	50-251	S	CROCKER, D.M.	8807220168*	50-322
COLBURN, T.G.	8807110412	50-440	P	CONWAY, W.F.	8807120360	50-250	R	CROCKER, D.M.	8807220168*	50-322
COLBURN, T.G.	8807110434*	50-440	P	CONWAY, W.F.	8807120613	50-250	S	CROCKER, L.P.	8807070492	50-321
COLBURN, T.G.	8807130008	50-440	P	CONWAY, W.F.	8807130064	50-335	F	CROCKER, L.P.	8807070507	50-321
COLBURN, T.G.	8807130328	50-440	P	CONWAY, W.F.	8807180054	50-335	F	CROCKER, L.P.	8807070523	50-321
COLBURN, T.G.	8807210330	50-440	P	CONWAY, W.F.	8807190057	50-250	R	CROCKER, L.P.	8807080228	50-321
COLBURN, T.G.	8807250095*	50-346	P	CONWAY, W.F.	8807180121	50-335	O	CROCKER, L.P.	8807120682	50-321
COLBURN, T.G.	8807250337	50-440	P	CONWAY, W.F.	8807100180	50-335	P	CROCKER, L.P.	8807140226	50-321
COLE, L.	8807010224	50-443	H	CONWAY, W.F.	8807190331	50-250	F	CROCKER, L.P.	8807180118	50-321
COLE, R.F.	8807070454	50-443	H	CONWAY, W.F.	8807210118	50-335	K	CROCKER, L.P.	8807180124*	50-321
COLEMAN, N.M.	8806280211	WASTE RES		CONWAY, W.F.	8807250034	50-250	R	CROCKER, L.P.	8807180180	50-321
COLEMAN, N.M.	8807010853	WASTE RES		CONWAY, W.F.	8807250053	50-250	O	CROFF, A.G.	8807120057	PR
COLEMAN, N.M.	8807120113	WASTE MGT		CONWAY, W.F.	8807250226	50-250	S	CROFF, A.G.	8807220309	PR
COLEMAN, N.M.	8807120403*	WASTE MGT		CONWAY, W.F.	8807250250	50-250	K	CRONAN, A.M.	8807220134	50-322
COLLINGS, S.P.	8807210153	40-8028		COOK, G.	880710223	50-275	S	CRONIN, J.B.	8807110452	50-456
COLLINS, B.L.	8807130057*	50-302	P	COOK, J.	8807130421	50-333	R	CRONIN, J.T.	8807010473	PR
COLLINS, B.L.	8807130057*	50-302	P	COOK, M.	8807180350	PR		CROWLEY, B.R.	8807130225*	50-335
COLLINS, B.L.	8807130326	50-280	P	COOK, W.	8807010107	50-410	S	CROWLEY, T.D.	8807130417	QAG99
COLLINS, D.M.	8806280029	70-1201		COOPER, J.	8807130070	50-302	S	CRUDEN, D.S.	8803030218	50-280
COLLINS, D.M.	8806280483	50-418	F	COOPER, J.W.	8807110234	40-2081		CRUDEN, D.S.	8807010664	50-338
COLLINS, D.M.	8807050133	50-395	Q	COOPER, H.W.	8807060320	50-440	S	CRUDEN, D.S.	8807050186	50-338
COLLINS, D.M.	8807050141*	50-395	Q	COPELAND, J.A.	8807010252	PR		CRUDEN, D.S.	8807050417	50-339
COLLINS, D.M.	8807060090	50-335	Q	COPELAND, R.A.	8807070244	TOPREP		CRUDEN, D.S.	8807050560	50-330
COLLINS, D.M.	8807120147	50-250	O	COPLAN, S.	8807060281	WASTE MGT		CRUDEN, D.S.	8807070422	50-280
COLLINS, D.M.	8807120436	50-400	O	CORLEY, J.H.	8807010658*	NUREG		CRUDEN, D.S.	8807120120	50-280
COLLINS, D.M.	8807120603	50-413	Q	CORLEY, J.H.	8807070455	NUREG		CRUDEN, D.S.	8807120660	50-280
COLLINS, D.M.	8807130080	70-824		CORMEY, M.C.	8807070354	50-443	H	CRUDEN, D.S.	8807130058	50-338
COLLINS, D.M.	8807130074	70-27		CORNEY, G.M.	8807280210	PR		CRUDEN, D.S.	8807180228	50-280
COLLINS, D.M.	8807130077*	70-27		CORRADO, G.	8807200173	PR		CRUDEN, D.S.	8807190077	50-280
COLLINS, D.M.	8807130097	50-400	Q	CORSON, C.	8807010082	50-443	H	CRUDEN, D.S.	8807190089	50-280
COLLINS, D.M.	8807130113*	70-824		CORTES, M.A.	8807110168	50-277	P	CRUDEN, D.S.	8807190226	50-280
COLLINS, D.M.	8807130128	50-289	O	CORTESE, A.S.	8807200258	50-322	H	CRUDEN, D.S.	8807190231	50-338
COLLINS, L.S.	8807200157*	CONTRACT		CORTON, J.E.	8807060807	50-443	H	CRUDEN, D.S.	8807190262	50-280
COLLINS, S.J.	8807130240	50-283	Q	COSGROVE, W.A.	8807110175*	CONTRACT		CRUDEN, D.S.	8807200386	50-280
COLLINS, S.J.	8807150304	50-293	Q	COSTELLO, F.	8806290479	I&E		CRUDEN, D.S.	8807250060	50-338
COLLINS, S.J.	8807210024	50-293	Q	COSTELLO, F.	8807010008	50-244	S	CRUDEN, D.S.	8807250420	50-338
COLLINS, T.B.	8807130078*	70-27		COULHAN, V.R.	8807180137	50-286	S	CRUNK, S.L.	8807110345	50-312
COLLINS, T.E.	8807010466	TOPREP		COUNSIL, W.G.	8806280313	50-445	A	CRUTCHFIELD, D.D.	8807110365	50-240
COLLINS, T.E.	8807110289	TOPREP		COUNSIL, W.G.	8806300353	50-445	I	CRUTCHFIELD, D.D.	8807110422	50-312
COLLINS, T.R.	8807120310*	50-280	Q	COUNSIL, W.G.	8807010078	50-445	S	CRUTCHFIELD, D.D.	8807110609	50-312
COLUMBIA, G.	8807010518	PR		COUNSIL, W.G.	8807010091	50-445	O	CRUTCHFIELD, D.D.	8807120540	I&E
COLVIN, J.F.	8807120188	PR		COUNSIL, W.G.	8807010127	50-445	S	CRUTCHFIELD, D.D.	8807130405	50-440
COLVIN, J.F.	8807280148	PR		COUNSIL, W.G.	8807050358	50-445	K	CRUTCHFIELD, D.D.	8807140157	TOPREP
COMBS, T.	8807150246*	50-327	Q	COUNSIL, W.G.	8807050549	50-445	O	CULBERSON, D.G.	8807110483	70-364
COMITA, M.	8807070032	50-443	H	COUNSIL, W.G.	8807060254	50-445	S	CUMMINGS, G.E.	8807110546	WASTE RES
COMLEY, S.B.	8807180342	PR		COUNSIL, W.G.	8807060282	50-445	S	CUMMINS, J.E.	8807130410*	50-440
CONGEL, F.J.	8807050491*	50-250	P	COUNSIL, W.G.	8807060321	50-445	O	CUNNINGHAM, A.L.	8807120270*	50-424
CONKLIN, C.	8807070282*	50-322	S	COUNSIL, W.G.	8807060331	50-445	O	CUNNINGHAM, G.E.	8807120530	70-754
CONKLIN, C.	8807120209	50-443	S	COUNSIL, W.G.	8807060420	50-445	S	CUNNINGHAM, L.J.	8807080117	TOPREP
CONKLIN, C.	8807200141*	50-277	Q	COUNSIL, W.G.	8807060500	50-445	A	CUNNINGHAM, L.J.	8807080300	TOPREP
CONKLIN, C.	8807200321*	50-443	Q	COUNSIL, W.G.	8807060518	50-445	A	CUNNINGHAM, L.J.	8807110282	50-327
CONKLIN, C.	8807250373*	50-322	F	COUNSIL, W.G.	8807060530	50-445	S	CUNNINGHAM, P.L.	8807190134	50-280
CONLON, T.	8807050576*	50-269	Q	COUNSIL, W.G.	8807070126	50-445	A	CUNNINGHAM, P.L.	8807200378	50-322
CONLON, T.	8807190189*	50-416	Q	COUNSIL, W.G.	8807070362	50-445	A	CUNNINGHAM, P.L.	8807200238	PR
CONLON, T.	8807220098*	50-261	Q	COUNSIL, W.G.	8807110134*	50-445	G	CURRAN, D.	8807080058	50-443
CONLON, T.E.	8806280152*	50-413	Q	COUNSIL, W.G.	8807180052	50-445	O	CURRAN, D.	8807080058	50-443
CONLON, T.E.	8807190045*	50-424	Q	COUNSIL, W.G.	8807180238	50-445	O	CURRAN, D.	8807070395	50-322
CONLON, T.E.	8807220126*	50-425	Q	COUNSIL, W.G.	8807180278	50-445	O	CURRAN, D.	8807070395	50-444

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	NUMBER	CATEGORY	NUMBER	CATEGORY				
CURRAN,D	663711C0317	50-443	G	DEAN,W	8807180322*	50-361	V	DIGNAN,T.G	8837060354	50-443	G
CURRAN,D	663711C0317	50-443	G	DEAN,W.M	8807050521*	50-400	V	DIGNAN,T.G	8837060064	50-443	G
CURRAN,D	663711C0317	50-443	G	DECASTO,F.A.R.O.D	8807120125	50-443	H	DIGNAN,T.G.	8807110005	50-443	G
CURRAN,D	663711C0317	50-443	G	DECKER,T.R.	8807050145*	50-395	O	DIGNAN,T.G	8807110005	50-443	G
CURRAN,D	6637200639	50-443	G	DECKER,T.R.	6837120154*	50-250	O	DIGNAN,T.G	8807110023	50-443	G
CLARRAN,D	6607200039	50-443	G	DECKER,T.H	8807120270*	50-424	O	DIGNAN,T.G	880711C029	50-443	G
CURRAN,D	8837200039	50-443	G	DECKER,T.R.	8807120605*	50-413	O	DIGNAN,T.G	880711C043	50-443	G
CURRAN,D	8807200039	50-443	G	DECOOMAN,R.K	8807060057	PR		DIGNAN,T.G	880711C043	50-443	G
CURRAN,D	8807200039	50-443	G	DECOLEAN,E.J	8807050279	PR		DIGNAN,T.G	8807140C05	50-443	G
CURRAN,D	8807200039	50-443	G	DECRISTOFARO,M	8807120222	50-443	H	DIGNAN,T.G	8807140C05	50-443	G
CURRAN,D	8807200039	50-443	G	DEEDENS,J.C	8807010623	50-458	P	DIGNAN,T.G.	8807140009*	50-443	G
CURRAN,D	8807200040	50-443	G	DEEDENS,J.C	8807050344	50-458	P	DIGNAN,T.G.	8807140039*	50-443	G
CURRAN,D	8807200040	50-443	G	DEEDENS,J.C	8807120061	50-458	Q	DIGNAN,T.G.	8807200037	50-443	G
CURRAN,D	8807200051*	50-443	G	DEEDENS,J.C	8807210120	50-458	Q	DIGNAN,T.G.	8837200072	50-443	G
CURRAN,D	8807200051*	50-443	G	DEEN	8807130212	WASTE MGT		DIGNAN,T.G.	8837200074	50-443	G
CURRAN,D	8807200062	50-443	G	DEELS,NYDER,L.	8807180352*	50-254	R	DIGNAN,T.G.	8807200074	50-443	G
CURRAN,D	8807200062	50-443	G	DEELS,NYDER,L.	8807280327*	50-254	R	DIGNAN,T.G.	8807200082	50-443	G
CURRAN,D	8807200071*	50-443	G	DEELS,NYDER,L.	8807280328*	50-254	R	DIGNAN,T.G.	8807200082	50-443	G
CURRAN,D	8807200071*	50-443	G	DEER,N.WATER	8807200383	PR		DIGNAN,T.G.	8807200089	50-443	G
CURRAN,D	6807210146	50-322	H	DEER,N.WATER,J	8807110148	PR		DIGNAN,T.G	880720C039	50-443	G
CURRAN,D	6807210146	50-322	H	DEFANSKI,L.M	8807120205	50-443	H	DIGNAN,T.G	8807293018	50-443	G
CURRAN,D	8807210146	50-444	H	DEFAYETTE,R	8807200293*	50-266	O	DIGNAN,T.G	8807203018	50-443	G
CURRAN,D	8807290009	50-443	G	DEFAYETTE,R	8807220281*	50-305	O	DIGNAN,T.G	8807293033	50-443	G
CURRAN,D	8807290009	50-443	G	DEHANE,W	8807050085	50-443	H	DIGNAN,T.G	8807293033	50-443	G
CURRAN,D	8807290012*	50-443	G	DEKEON,G	8807070105	50-443	H	DIGNAN,T.G	8807290038	50-443	G
CURRAN,D	8807290012*	50-443	G	DEL PERCIO,J.G	8807250371	50-247	S	DIGNAN,T.G.	8807290038	50-443	G
CURRAN,D	8807290039	50-443	G	DELBONDO,T.	8807210178	PR		DIGNAN,T.G.	8837280192	50-443	G
CURRAN,D	8807290076*	50-361	P	DELGEOGE,L.O	8807070310	50-295	Q	DIGNAN,T.G	8807290102	50-443	G
CURRY,D	8807050343	50-443	H	DELGEOGE,L.O	8807210271*	50-237	O	DIANNI,D.C	8807050546	50-282	P
CURTIS,C	8807060541	50-443	H	DELL,F	8807200289	50-322	H	DIANNI,D.C	8807140022	50-282	Q
CYR,P.R	8807070405	50-443	H	DELLA RATT,A	8807070143*	50-5	O	DIANNI,D.C	8807220253	50-282	O
CZUBAKOWSKI,T	8807130402*	50-260	P	DELLA RATT,A	8807130116*	70-135	O	DILIGARD,E.L	8807200096	50-322	H
CZUBAKOWSKI,T	8807140065*	50-260	P	DELLIGATTI,M.S	8807220319	WASTE MGT		DILISQ,D.A	8807010317	50-443	H
D'ANGELO,A.J	8807140214*	50-312	O	DELVIN,S.A	8807200266	PR		DILLARD	8807050260	PR	
DAGOSTINO,P	8807010508	50-443	H	DEMARCO,D	8807050176	50-320	P	DILWORTH,S.C	8807200393	50-424	R
DAL MOLINA	8807190025	50-322	H	DEMNIE,N.W.	8807070287	50-443	H	DIMEGLIO,A.F.	88062800382	50-193	P
DALY,M.M	8807010267	50-443	H	DENY,S.E.A	8807010426	50-443	H	DIMENTO,W.J.	8807010551	50-443	H
DALY,W.J.	8807010670	50-443	H	DENK,S.S.	8807250103*	50-102	P	DINEEN,J	8807050428	50-443	H
DALY,L.A	8807150232	FOIA		DENTON,H.R	8807120489	SECY		DINEEN-TOMASINI	8807050216	50-443	H
DAM,S	8807070130	50-443	H	DENTON,H.R	8807180203*	FOIA		DINSMORE,J.	8807050539	50-443	H
DANCE,H.C	8806290376*	50-395	O	DENTON,H.R	8807180208	PR		DIPROFIO,W.A	8807050356	50-443	H
DANCE,H.C	8807250192*	50-348	O	DENTON,H.R	8807180210*	FOIA		DIFCKS,W.J.	8801080208*	PR	
DANESE,F.L	8807200561	71-9103		DENTON,H.R	8807180215*	FOIA		DISTEFANO,J	8807010355	PR	
DANIALS,L.M	8807200276	50-443	H	DENTON,H.R	8807180218*	FOIA		DISTEFANO,J	8807280358	PR	
DANIELL,P.M	6807200181	PR		DERBYSHIRE,L.A	8807010257	50-443	H	DIXON,B	8807100202	50-344	P
DANIELS,H.E	8807130231*	50-353	A	DESFOSSES,W.J	8807010722	50-443	H	DOBSON,B.A.	8807050229	50-443	H
DANIELSON,B.R	8807060565	50-213	S	DESLANDES,K.D	8807150077	50-338	S	DOLAN,J	8807130148	18E	
DANIELSON,D.H	8807050430*	50-249	O	DESMOND,J.C	8807070145	50-443	H	DODGE,S.L	8807070344	50-443	H
DANIELSON,D.H	8807060210*	50-237	O	DESORBO,J	8807050397	50-443	H	DOODSON,D.H	8807050452*	XPORTRUC	
DANIELSON,D.H	8807060278*	50-282	O	DEV,M.	8807200160*	50-352	O	DOERFLEIN,L.T	8807160306*	50-283	Q
DANIELSON,D.H	8807120C08*	50-155	O	DEV,M.	8807200165*	50-219	Q	DOERGE,D.H	8807110554	50-320	P
DANIELSON,D.H	8807120046*	50-266	O	DEVINCENTIS,J.	8807280070	PR		DOLAN,J	8807050227	PR	
DANIELSON,T.S	8807280062	PR		DEVINCENTIS,J.	8807280209	PR		DOLLARD,S	8807050040	50-293	H
DAROISE	8807070174	50-443	H	DEVLAMINCK,T.	8807050318	50-443	H	DOMAHUE,C.	8807200280*	50-293	H
DASCHER,G.H	8807210081	50-322	H	DEWEASE,J.G.	8807120083	50-382	P	DONALD,R.H.	8807070020	PR	
DAVID,M.R	8807050311	PR		DEWEASE,J.G.	8807210253	50-382	P	DONOHUEW,J.N	8807120592	50-328	P
DAVIDSON,B.S	8807200155*	50-334	Q	DEWEASE,J.G.	8807250229	50-382	P	DONOHUEW,J.N.	8807210335	50-327	P
DAVIDSON,D.R	8807070505	71-4986		DEWITT,C.J.	8807010285	50-443	H	DONOVAN,F.D.	8807203052	PR	
DAVIS,A.B	8807060340	50-304	P	DICHARRY,R.D	8807200283	71-9038	P	DONOVAN,J.L	8807010218	50-443	H
DAVIS,A.B	8807110336	50-331	F	DICK,G.F.	8807180341	60-498	P	DORSEY,M.	8807080031	CONTRACT	
DAVIS,A.B	8807120033	50-10	O	DIEDERICH,G.J	8807050084	50-374	S	DORSEY,M.	8807080160	CONTRACT	
DAVIS,A.B	8807130022	50-237	O	DIEDERICH,G.J	8807050368	50-373	S	DORSEY,M.	8807080180	CONTRACT	
DAVIS,A.B	8807190058	50-341	O	DIEDERICH,G.J	8807050407	50-373	S	DORSEY,M.	8807220095	CONTRACT	
DAVIS,A.B	8807200281	50-304	P	DIEDERICH,G.J	8807070010	50-373	S	DORSEY,M.	8807220095	50-443	H
DAVIS,A.B	8807200346	50-341	O	DIEDERICH,G.J	8807120210	50-373	S	DOUGHTY,J	8807180284	50-322	H
DAVIS,D.R	8807070289	50-443	H	DIEDERICH,G.J	8807150084	50-374	S	DOWNING,D.W.	8807220041	50-322	H
DAVIS,M.J	8807050392	50-528	P	DIEDERICH,G.J	8807180297	50-373	R	DOWNING,W.F.	8807050164	50-443	H
DAVIS,M.J	8807070322	50-528	P	DIEDERICH,G.J	8807200203	71-8222		DOYLE,A.E.	8807010321	PR	
DAVIS,M.J	8807110075	50-528	P	DIEDERICH,G.J	8807210036	50-374	S	DOYLE,W.	8807010583	50-443	H
DAVIS,M.J	8807220380	50-530	P	DIESING,P.	8807010100	50-443	H	DRAGOUN,T.	8837050224*	50-283	O
DAVIS,R.E	8807070448	NUREG		DIETCH,R.	8807050019	50-206	P	DRAGOUN,T.	8807070116*	50-352	O
DAVIS,R.K	8807080089*	50-369	P	DIETCH,R.	8807050020*	50-206	P	DRAIN,B.J	8807210157*	50-443	P
DAVIS,R.T	8807130072*	50-244	O	DIETZ,C.R.	8807010534	50-325	S	DRAKE,G.A.	8807180147	50-280	H
DAVISON,W.S	8807010046	50-397	S	DIETZ,C.R.	8807070018	50-325	S	DRAKE,G.A.	8807220247	PR	
DAVISON,W.S.	8807050035	50-397	S	DIETZ,C.R.	8807070025	50-325	S	DRAKE,H.	8807120686*	CONTRACT	
DAWSON,M	8806280287	50-255	F	DIETZ,C.R.	8807070345	50-325	S	DRAKE,M.	8807280380	PR	
DAWSON,M	8806280305	50-255	F	DIETZ,C.R.	8807080171	50-325	S	DRAWBRIDGE,B.L	8807050197	50-29	K
DAWSON,M	8806290308	50-255	F	DIETZ,C.R.	8807120665	50-325	S	DRAWBRIDGE,B.L	8807060328	50-29	O
DAY,J	8807010692	50-443	H	DIETZ,C.R.	8807140305	50-324	R	DRAWBRIDGE,B.L	8807080349	50-29	P
DAY,S.M.	8807190184*	50-508	A	DIETZ,C.R.	8807150168	50-325	S	DRAWBRIDGE,B.L	8807060514	50-29	P
DE AGAZIO,A.W.	8807180030	50-346	P	DIETZ,C.R.	8807180085	50-325	S	DRAWBRIDGE,B.L	8807070091	50-29	P
DE AGAZIO,A.W.	8807250090	50-346	P	DIETZ,C.R.	8807180102	50-325	S	DRAWBRIDGE,B.L	8807110225	50-29	O
DE AGAZIO,A.W.	8807250380	50-346	P	DIETZ,C.R.	8807180188	50-324	F	DRAWBRIDGE,B.L	8807180028	50-29	O
DE AGAZIO,A.W.	8807250407	50-348	F	DIETZ,C.R.	8807190073	50-324	F	DREWES,E.	8807010241	50-443	H
DE COSTA,E.J.	8807050393	50-443	H	DIGACOMO,R	8807070363	50-443	H	DREWEK,K.	8807210085	50-322	H
DE MAISON,B.P	8807180276	50-346	F	DIGONE,S	8807010259	PR		DROMERICK,A	8807050405	QA999	
DEAN,R.S	8807050312	NUREG		DIGNAN,T.G.	8807010259	PR		DROMERICK,A	8807120280	50-218	P
DEAN,R.S	8807070109	CONTRACT		DIGNAN,T.G.	8807080045	50-443	G	DROMERICK,A.W.	8807080567	50-218	P
				DIGNAN,T.G.	8807060045	50-443	G	DROMERICK,A.W.	8807110274	50-218	P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BROMER, C. A. W.	8807110487	50-219	Q	EICHORN, J. F.	8807230080*	50-443	G	FENN, K. W.	8807080396	50-326
BROMER, C. A. W.	8807140117	50-219	P	EICK, S. D.	8807010087*	50-155	Q	FENN, K. W.	8807060422	50-326
BROMER, C. A. W.	8807250331	50-219	P	EISENHUT, D.	8807150225*	50-300	A	FENN, K. W.	8807110428	50-326
BROMER, C. A. W.	8807250345	50-219	P	EISUGER, M.	8807220311	PR		FENNESSY, S.	8807010236	50-443
BROSSEL, S. P.	8807050233	PR		ELIN, J.	8807180322*	50-381	V	FERGUSON, R.	8807150293	PR
BROCLIN, B.	8807080326*	50-456	Q	ELIN, J. O.	8807140154*	50-208	V	FERGUSON, R. L.	8807080170	50-423
BROGA, R. J.	8807080153	50-334	R	ELKIN, S.	8807120204	50-443	H	FERGUSON, R. L.	8807110269	50-423
BRUM, D. E.	8807200300	50-443	H	ELLMAN, T. S.	8807160246	50-287	Q	FERGUSON, R. L.	8807120422	50-423
BUCCHIS, B.	8807050105	50-443	H	ELLIOT, J. P.	8807010320	PR		FERRY, D. B.	8807200397	50-322
BUCSE, S. W.	8807120572*	50-354	P	ELMS, D.	8807110240	CONTRACT		FERRI, CIRILLO	8807210358	FOIA
BUDLEY, N.	8807070212*	50-225	V	ELLIS, D. W.	8807250036	50-283	S	FERSTER, A.	8807140007	50-443
BUSTAD, O.	8807210320	50-282	R	ELLIS, J.	8807110119*	50-446	G	FERSTER, A.	8807140007	50-443
BUKAKIS, M. S.	8807200284	50-443	H	ELLIS, J.	8807110134*	50-446	G	FERSTER, A.	8807140007	50-271
BULLE, A. P. M.	8807050498	PR		ELLIS, W. B.	8807030390*	50-443	I	FERSTER, A.	8807140007	50-271
BUNLEBERGER, J.	8807150297	PR		ELMS, A. I.	8807220068	50-423	N	FERSTER, A.	8807140007	50-271
BUNY, G. A.	8807080160*	50-440	S	ELROD, J.	8807120232*	50-438	Q	FERSTER, A.	8807220021	50-271
BUNY, G. A.	8807080466*	50-440	S	ELROD, S. A.	8807250268*	50-350	Q	FERSTER, A.	8807220021	50-271
BUNY, G. A.	8807120229	50-440	S	ELWARD, T. W.	8807190102	50-155	R	FERSTER, A.	8807290009	50-443
BUNY, G. A.	8807120236*	50-440	S	ELMCH, R. L.	8807080011	TOPREP		FERSTER, A.	8807290009	50-443
BUNY, G. A.	8807210070*	50-440	S	ELMCH, R. L.	8807150252	TOPREP		FERSTER, A. C.	8807070395	50-322
BUNY, G. A.	8807210080*	50-440	S	EMERY, J.	8807120463	50-443	H	FERSTER, A. C.	8807070395	50-322
BUNY, G. A.	8807210082*	50-440	S	ENGBERG, B.	8807050168	50-443	H	FERSTER, A. C.	8807070395	50-322
BUNY, G. A.	8807210083*	50-440	S	ENGLAND, L. A.	8807010660	50-450	S	FEY, F. L.	8807050380	50-282
BUNY, G. A.	8807210084*	50-440	S	ENGLAND, L. A.	8807180110	50-450	S	FEY, F. L.	8807210096	50-282
BUNY, G. A.	8807050188	50-443	H	ENNIS, J. D.	8807060414*	50-327	Q	FIELDS, J. A.	8807200142	CONTRACT
BURKE, P.	8807050109	PR		EPSON, J. B.	8807050319	50-443	H	FIELDS, J. A.	8807210072	CONTRACT
BURKE, J. P.	8807010105	50-354	Q	EPSTEIN, E.	8807180175	50-289	H	FIELDS, J. A.	8807210072	CONTRACT
BURKE, J. P.	8807130083	50-219	Q	EPSTEIN, E.	8807180292	50-400	H	FIELDS, J. A.	8807180172	CRG
BURKE, J. P.	8807200243	50-317	Q	ERICKSON, P. B.	8807130446	50-400	P	FILLION, P.	8807050576*	50-269
BURKE, G.	8807200024	50-322	H	ERICKSON, P. B.	8807140216	50-10	F	FILLION, P.	8807120451*	50-324
DYER, J. E.	8807110510*	50-312	Q	ERVIN, A. M.	8807010162	50-354	S	FINAL, L. A.	8807180335	PR
DYKES, A. T.	8807250327*	50-271	Q	ESCHIELS, C.	8807220393	PR		FINEMAN, C. P.	8807015040*	50-309
EAPEN, P. K.	8807200245*	50-317	Q	ESLGROTH, P. W.	8807050368*	50-5	V	FINEMAN, C. P.	8807015040*	50-309
EARNEST, A. B.	8807190208*	50-408	Q	ESLGROTH, P. W.	8807070212*	50-226	V	FINKEL, A.	8807010015*	50-280
EASTMAN	8807190370*	50-361	Q	EURY, L. W.	8807060349	50-324	P	FINKEL, A.	8807010474*	50-354
EASTMAN	8807190372*	50-361	P	EURY, L. W.	8807010058	50-261	Q	FINNIGAN, J.	8807050041	50-443
EASTMAN	8807190373*	50-361	P	EURY, L. W.	8807060544	50-325	P	FIORILLI, G.	8807180153*	50-528
EASTMAN, L. A.	8807200075*	50-361	P	EURY, L. W.	8807210337	50-324	P	FIRLIT, J. F.	8806280368	50-312
EATON, L.	8807190368*	50-361	P	EURY, L. W.	8807220043	50-324	P	FIRLIT, J. F.	8806280490	50-312
EATON, L.	8807050298	50-443	H	EURY, L. W.	8807220205	50-325	P	FIRLIT, J. F.	8807010055	50-312
ECKERT, W. J.	8807200328	OA999		EURY, L. W.	8807250010	50-324	P	FIRLIT, J. F.	8807010058	50-312
ECONOMOS, N.	8807080042*	50-280	Q	EVANGELISTA, J.	8807230034	50-322	H	FIRLIT, J. F.	8807010058	50-312
ECONOMOS, N.	8807250315*	50-338	Q	EVANS, S. B.	8807070155	PR		FIRLIT, J. F.	8807060149	50-312
EDDLEMAN, W.	8807120003	PR		EVERETT, R. J.	8805290467*	50-280	Q	FIRLIT, J. F.	8807110327	50-312
EDER, E.	8807200375	50-203	H	EVERETT, R. J.	8807120702*	50-382	Q	FIRLIT, J. F.	8807140210	50-312
EDGAR, G. L.	8807110119*	50-445	G	EVERETT, R. J.	8807190288*	50-400	Q	FIRLIT, J. F.	8807250361	50-312
EDGAR, G. L.	8807110134*	50-445	G	EVERETT, R. J.	8807190320*	50-445	D	FISCHER, D. C.	8807050103	50-272
EDGAR, G. L.	8807150014	50-445	G	EVOL, A. J. H.	8806280124	50-213	S	FISCHER, D. C.	8807070398	50-272
EDGAR, G. L.	8807150014	50-445	G	EWING, J. S.	8807010128	PR		FISCHER, D. C.	8807110105	50-272
EDGEWORTH, P. J.	8807010016*	CONTRACT		EWING, J. S.	8807110130	PR		FISCHER, D. C.	8807110201	50-272
EDGEWORTH, P. J.	8807010181*	CONTRACT		FAHLEN, W. N.	8807010564	PR		FISCHER, D. C.	8807120478	50-311
EDGEWORTH, P. J.	8807010280*	CONTRACT		FAIR, J. D.	8807070392*	50-327	Q	FISCHER, D. C.	8807120440	50-272
EDGEWORTH, P. J.	8807060588*	CONTRACT		FAIRCHILD, J.	8807010111	50-443	H	FISH, R. F.	8807110108	50-275
EDGEWORTH, P. J.	8807070072*	CONTRACT		FAIRFIELD, M. B.	8807180078	50-28	P	FISH, R. F.	8807200049*	50-528
EDGEWORTH, P. J.	8807070607*	CONTRACT		FAIRFIELD, M. B.	8807050112	50-28	Q	FISH, R. F.	8807250215	50-275
EDGEWORTH, P. J.	8807080028*	CONTRACT		FAIRFIELD, M. B.	8807080547	50-29	P	FISHER, T.	8807180029	71-5080
EDGEWORTH, P. J.	8807080149*	CONTRACT		FAIRFIELD, M. B.	8807120637	50-28	P	FISHER, W. L.	8806300188	40-8027
EDGEWORTH, P. J.	8807110150*	CONTRACT		FALEWITS, Z.	8807080360*	50-373	Q	FISHMAN, H. M.	8806280089*	50-370
EDGEWORTH, P. J.	8807110175*	CONTRACT		FALMAN, P.	8807050483	50-322	H	FISK, C. J.	8807010423	50-443
EDGEWORTH, P. J.	8807120320*	CONTRACT		FANNING, R. K.	8807070124	50-443	H	FITTI, C. J.	8807180175*	FOIA
EDGEWORTH, P. J.	8807120580*	CONTRACT		FARLEY, M. K.	8807070439*	50-280	P	FITTI, C. J.	8807180184*	FOIA
EDGEWORTH, P. J.	8807120688*	CONTRACT		FARRELL, J. T.	8807050225	50-443	H	FITZPATRICK, E.	8807010001	50-219
EDGEWORTH, P. J.	8807130184*	CONTRACT		FARRELL, J. T.	8806300273*	50-280	Q	FITZPATRICK, E.	8807010001	50-219
EDGEWORTH, P. J.	8807130284*	CONTRACT		FARRELL, J. T.	8807120380*	50-287	Q	FITZPATRICK, E.	8807010001	50-219
EDGEWORTH, P. J.	8807130314*	CONTRACT		FARRINGTON, J.	8806300358*	50-445	I	FITZPATRICK, E.	8807060471	50-210
EDGEWORTH, P. J.	8807180180*	CONTRACT		FATEMI, A.	8807010077	PR		FITZPATRICK, E.	8807080214	50-218
EDGEWORTH, P. J.	8807180300*	CONTRACT		FAULKINGHAM, C.	8807010875	50-443	H	FITZPATRICK, E.	8807210210	50-218
EDGEWORTH, P. J.	8807200147*	CONTRACT		FAY, C. W.	8807050332	50-286	Q	FITZPATRICK, E.	8807210269	50-218
EDGEWORTH, P. J.	8807210093*	CONTRACT		FAY, C. W.	8807070411	50-286	Q	FITZPATRICK, E.	8807180320	50-218
EDGEWORTH, P. J.	8807210161*	CONTRACT		FAY, C. W.	8807180192	50-286	P	FITZPATRICK, E.	8807210117	50-218
EDGEWORTH, P. J.	8807210266*	CONTRACT		FAY, C. W.	8807190106	50-266	Q	FITZPATRICK, E.	8807210184	50-218
EDSON, G. E.	8807050455	50-250	P	FAY, C. W.	8807250099	50-266	Q	FITZPATRICK, E.	8807250044	50-218
EDSON, G. E.	8807080352	50-250	P	FAY, C. W.	8807220388	50-266	R	FITZPATRICK, J.	8807010461	PR
EDSON, G. E.	8807180087	50-250	Q	FAY, C. W.	8807250132	50-266	P	FLACK, E.	8807010075	18E
EDSON, G. E.	8807250325	50-250	P	FAY, C. W.	8807250437	PR		FLACK, E.	8807210017	18E
EDSALL, J. S.	8807220230	50-322	H	FEARNLEY, E. A.	8807010521	50-443	H	FLAHARDY, C.	8807070005	50-443
EDSON, D. V.	8807120187	50-443	H	FEARLEY, M. S.	8807010501	50-443	H	FLAHARDY, D.	8807070014	50-443
EDWARDS, D. L.	8806101002	40-3453		FEIGENBAUM, J.	8807010247	50-443	H	FLATER, D. A.	8807180191	PR
EDWARDS, G. W.	8806300381*	50-443	I	FEIGENBAUM, T. C.	8807140026*	50-443	G	FLEENOR, C. M.	8807050087	CONTRACT
EENIGENBURG, E.	8806280159*	50-237	K	FEIGENBAUM, T. C.	8807210164	50-443	P	FLEENOR, C. M.	8807120683	CONTRACT
EENIGENBURG, E.	8807050334	50-249	S	FEINGOLD, D. B.	8807200002	50-443	H	FLEMING, E. B.	8807130231*	50-353
EENIGENBURG, E.	8807130285	50-249	S	FELDMAN, E.	88072500340	PR		FLEURY, E. R.	8807250072*	FOIA
EENIGENBURG, E.	8807130456	50-249	S	FELGATE, G.	8807180154*	FOIA		FLIEGEL, M.	8807130253	WASTE MGMT
EENIGENBURG, E.	8807250147	50-249	S	FELTON, J. M.	8807190055	FOIA		FLINGOU, C.	8806300384	EXPORTIC
EENIGENBURG, E.	8807250428	50-249	S	FELTON, J. M.	8807210294	FOIA		FLOREK, D. J.	8806280464*	50-410
EGLAND, C.	8807070388	50-443	H	FELTON, J. M.	8807250260	FOIA		FLOREK, D. J.	8807200195*	50-220
EICHORN, J. F.	8806300385*	50-443	I	FELTON, J. M.	8807220290	FOIA		FLOREK, D. J.	8807210250*	50-321
EICHORN, J. F.	8807290060*	50-443	G	FELTON, J. M.	8807290007	FOIA		FLYNN, B. D.	8807120511	50-443

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
FLYNN,M.J.	8807050350	CONTRACT	GALANTO,J.	8807060471	50-219	S	GLENN,J.E.	8810070492*	FO.A	
FLYNN,M.J.	8807080194	CONTRACT	GALLAGHER,J.W.	8807080116	50-277	P	GLOWACKY,T.W	8807010242	PR	
FLYNN,M.J.	8807200151	CONTRACT	GALLAGHER,J.W.	8807080299	50-277	F	GLOWACKY,T.W	8807290206*	50-443	
FLYNN,S.W.	8807010588	PR	GALLAGHER,J.W.	8807150133	50-277	O	GLYNN,B.M.	8807010689	50-443	
FLYNN,S.W.	8807010205	PR	GALLAGHER,J.W.	8807150178	50-352	O	GLYNN,M	8807200122	PR	
FOGARTY,E.P.	8806300177	50-277	P	GALLAGHER,J.W.	8807190126*	50-352	P	GOBLE,R.L	8807110311*	50-443
FOGARTY,E.P.	8807070219	50-352	S	GALLAGHER,J.W.	8807220079	50-277	F	GODBOUT,R.J.	8807070381	50-443
FOGARTY,E.P.	8807120260	50-352	S	GALLAGHER,J.W.	8807250256	50-277	P	GOINT,A	8807010047	QA939
FOGARTY,E.P.	8807120454	50-277	S	GALLANT,D.	8807120236	50-443	H	GOLDBERG,J.H.	8806290122	50-498
FOGARTY,E.P.	8807120617	50-278	S	GALLANT,D.	8807120239	50-443	H	GOLDBERG,J.H.	8807060359	50-499
FOGARTY,E.P.	8807180177	50-352	S	GALLO,D.A.	8807140245*	TOPREP		GOLDBERG,J.H.	8807060424	50-488
FOGARTY,E.P.	8807200359	50-352	S	GALLO,J.B.	8807010204	PR		GOLDBERG,J.H.	8807190270	50-488
FOGARTY,E.P.	8807210119	50-277	S	GALLO,R.M.	8806200454*	50-416	Q	GOLDBERG,J.H.	8807210652	50-488
FOLECK,R.H.	8807130234*	71-9019	S	GALLO,R.M.	8807010012	50-289	O	GOLDBERG,J.H.	8807210656	50-499
FORD,C.A.	8807070439*	50-280	P	GALLO,R.M.	8807010471	50-354	Q	GOLDBERG,J.H.	8807210109	50-499
FORD,J.E.	8807010538	50-443	H	GALLO,R.M.	8807050361	50-5	V	GOLDSTEIN,D.M.	8807010297	50-443
FORST,J.	8807200060	FR		GALLO,R.M.	8807070131	50-247	O	GOLLA,J.A.	8807200245*	50-317
FORT,P.	8807080450	50-335	P	GALLO,R.M.	8807070208	50-225	V	GOMOLSKI,S.	8807220005	PR
FORTE,D.	8807180361	PR		GALLO,R.M.	8807200158	50-352	O	GONZALES,R.O.	8807150049*	WASTE MGT
FORTUNA,S.L.	8806260307	WASTE MGT		GALLO,R.M.	8807200184	50-219	Q	GOODEN,A.	8807050145*	50-395
FORTUNA,S.L.	8807140003	WASTE MGT		GALLO,R.M.	8807200195*	50-220	Q	GOODRIDGE,R.H.	8807010711	50-443
FOSTER,J.	8806280218*	50-440	O	GALLO,R.M.	8807210181	50-388	Q	GOODWIN,S.P.	8807010179	PR
FOSTER,J.E.	8807210341*	50-282	Q	GALLO,R.M.	8807210250*	50-321	Q	GOPALSKI,G.	8807150119	50-255
FOWLE,A.L.	8807180305	50-443	H	GALONSKY,A.	8807090224*	71-655		GORDON,C.E.	8807150278	50-410
FOWLER,T.K.	8807080239	50-224	F	GALSON,D.A.	8807080257	WASTE RES		GORDON,C.S.	8807130274	50-346
FOWLER,T.K.	8807130076	50-224	P	GALSON,D.A.	8807080457	WASTE RES		GORDON,C.S.	8807190085	50-346
FOWLER,T.K.	8807200128	50-224	P	GANDT,H.F.	8807180340	50-322	H	GORDON,I.M.	8807180078	PR
FOWLER,T.K.	8807250238	60-224	F	GANGBI	8807070293	50-443	H	GORDON,T.	8807120470	50-443
FOX,E.	8807200188*	50-333	Q	GARCIA,E.M.	8807250393	50-141	P	GORRIE,P.	8807120485	50-443
FOX,E.	8807210208*	50-443	Q	GARCIA,P.J.	8807250399	40-8905		GOULD,G.W.	8807070080	50-443
FOX,H.S.	8807010417	50-443	H	GARDE,B.P.	8807110119*	50-445	G	GRACE,D.N.	8807070553	TOPREP*
FOYE,D.H.	8807070508	50-443	H	GARDE,B.P.	8807110119*	50-445	G	GRACE,J.N.	8806290085	50-160
FRALEY,R.F.	8806060078*	WASTE MGT		GARDE,B.P.	8807110134*	50-445	G	GRACE,J.N.	8806290073	50-324
FRAILICK,A.G.	8807050092	PR		GARDNER,M.	8807050200*	50-320	P	GRACE,J.N.	8806290118	50-280
FRAILICK,J.	8807070134	PR		GARDNER,R.N.	8807010372*	50-341	Q	GRACE,J.N.	8806290123	50-338
FRANCO,F.F.	8807130388*	50-285	F	GARDNER,R.N.	8807060360*	50-373	Q	GRACE,J.N.	8806290144	50-321
FRANCOIS,M.P.	8807010200	PR		GARDNER,W.S.	8807200247	50-322	H	GRACE,J.N.	8806290151*	50-321
FRANK,B.	8807200287	50-443	H	GARNER,B.	8807250420	50-338	R	GRACE,J.N.	8806290304	50-424
FRANK,L.	8807110505	NUREG		GARNER,L.W.	8807120493*	50-261	Q	GRACE,J.N.	8806290366	50-395
FRANTZ,S.P.	8807200014	50-250	Q	GARROW,C.	8807010288	PR		GRACE,J.N.	8806290373	50-395
FRANTZ,S.P.	8807200014	50-250	G	GARSKI,J.P.	8807070112	50-443	H	GRACE,J.N.	8806290389	50-261
FRASIER,T.	8807070513	50-341	F	GARVEY,J.R.	8807070165	50-322	H	GRACE,J.N.	8806300149	50-160
FRAZER,W.	8807250073*	71-9073		GASNEPAIN,S.J.	8807050132	50-443	H	GRACE,J.N.	8806300155	50-281
FRAZER,W.H.	8807220175	71-9145		GASPER,J.K.	8807180156	PR		GRACE,J.N.	8806300158*	50-261
FRAZER,W.H.	8807250062*	71-9073		GASS,W.A.	8807050251	50-443	H	GRACE,J.N.	8807010044	50-424
FRAZER,W.H.	8807250079*	71-9073		GAUDETTE,M.M.	8807010290	PR		GRACE,J.N.	8807010801	50-341
FRECHETTE,R.	8807010684	50-443	H	GAUTHIER,E.P.	8807010170	50-443	H	GRACE,J.N.	8807080072	50-424
FREDERICK,R.J.	8807250127*	50-102	P	GAUTHIER,E.P.	8807050247	50-443	H	GRACE,J.N.	8807120105	50-269
FREDERICK,R.J.	8807250158*	50-102	P	GAUTHIER,E.P.	8807060210*	50-237	Q	GRACE,J.N.	8807120124	50-250
FREDRICKSON,P.	8806300151*	50-160	Q	GAVULA,J.A.	8807060278*	50-282	Q	GRACE,J.N.	8807120129*	50-250
FREDRICKSON,P.	8807120493*	50-261	Q	GAVULA,J.A.	8807120048*	50-266	Q	GRACE,J.N.	8807120138	50-424
FREDRICKSON,P.	8807120512*	50-400	Q	GAY,J.S.	8807050003	50-605	K	GRACE,J.N.	8807120243	50-250
FREDRICKSON,P.	8807130322*	50-400	Q	GAY,J.S.	8807140283	50-605	K	GRACE,J.N.	8807120254	50-269
FREDRICKSON,P.	8807190302*	50-324	Q	GAY,J.S.	8807180338	TOPREP		GRACE,J.N.	8807120284	50-424
FREEMAN,M.D.	8807210194	40-6864		GAYNE,J.R.	8807050323	50-443	H	GRACE,J.N.	8807120308	50-280
FREY,R.	8807050155	50-443	H	GEAGHAN,D.F.	8807120159	50-443	H	GRACE,J.N.	8807120355	50-289
FREYSINGER,R.C.	8807120214	50-443	H	GEARS,G.E.	8807120687	50-280	Q	GRACE,J.N.	8807120426	50-338
FRIEDBERG,M.	8807180351	PR		GEARS,G.E.	8807200309	50-259	Q	GRACE,J.N.	8807120446	50-324
FRINK,M.S.	8807050489	50-443	H	GEHRKE,L.	8807080600	50-443	H	GRACE,J.N.	8807120473	50-425
FRISCH,R.R.	8806280129	50-155	Q	GENTILE,C.A.	8807180108	FOIA		GRACE,J.N.	8807120714	50-280
FRISCH,R.R.	8807210122	50-155	P	GERMAINE,D.F.	8807050325	PR		GRACE,J.N.	8807120717	50-424
FRITZ,L.H.	8807050144	PR		GERRISH,D.R.	8807050088	50-443	H	GRACE,J.N.	8807130049	50-269
FROLO,C.	8807050102	50-443	H	GIANSIRACUSA,P.	8807010162	PR		GRACE,J.N.	8807130095	50-324
FROLO,T.R.	8807070327	50-443	H	GIBBONS,A.M.	8807220384	50-346	M	GRACE,J.N.	8807130317	50-400
FROST,R.E.	8807070413	50-443	H	GIBSON,A.	8806290161*	50-321	Q	GRACE,J.N.	8807130321*	50-400
FRYBERG,T.B.	8807010277	50-443	H	GIBSON,A.F.	8807180008	50-400	Q	GRACE,J.N.	8807180270	50-250
FRYE,C.H.	8807120167*	70-824		GIGLIOTTI,R.J.	8807130208	70-371		GRACE,J.N.	8807190043	50-424
FUCITO,D.J.	8807010479	PR		GIGLIOTTI,R.J.	8807130218	70-371		GRACE,J.N.	8807190299	50-324
FUJITA,N.	8807010574	PR		GILBERT,J.E.	8807120189	50-318	S	GRACE,J.N.	8807190301*	50-324
FULLER,A.M.	8807050495*	50-267	F	GILBERT,J.E.	8807070481	50-443	H	GRACE,J.N.	8807190374	50-389
FULLER,C.H.	8807010543	50-267	R	GILBERT,L.D.	8807200025*	50-498	Q	GRACE,J.N.	8807210246	50-321
FULLER,C.H.	8807150005	50-267	F	GILBERTO,D.G.	8807050060	50-443	H*	GRACE,J.N.	8807220112	50-369
FULLER,C.H.	8807150200	50-267	F	GILL,A.	8807290234*	50-443	Q	GRACE,J.N.	8807220115*	50-369
FULLER,C.H.	8807190316	50-267	F	GILL,K.S.	8807210126	71-9039		GRACE,J.N.	8807220158	50-324
FULLER,C.H.	8807210007	50-267	Q	GILLESPIE,F.P.	8807070407	50-348	M	GRACE,J.N.	8807220201	50-250
FULLER,C.H.	8807220287	50-267	P	GILLESPIE,F.P.	8807070442	50-348	P	GRACE,J.N.	8807250334	50-416
FULLER,C.H.	8807250181	50-267	S	GILPIN,H.E.	8807070447	NUREG		GRACE,J.N.	8807250363	50-348
FUNCHES,J.L.	8807110420	REVIEW GR P		GINN,R.M.	8807140212	50-346	H	GRACE,S.	8807010845*	40-8769
FUNK,D.E.	8807080176*	50-295	Q	GIRARD,E.	8807120451*	50-324	Q	GRACE,S.	8807140315	40-8904
GAD,R.K.	8807150017	50-271	G	GLASIER,G.E.	8806200040*	XPORTLIC		GRACE,S.R.	8807120202*	40-8957
GAD,R.K.	8807150017	50-271	G	GLASIER,G.E.	8806200043*	XPORTLIC		GRACE,S.R.	8807140223	40-8904
GAFFNEY,R.J.	8807200030	PR		GLASS,D.R.	8807080610	50-443	H	GRACE,S.R.	8807150039*	40-8904
GAGLIARDO,J.E.	8806290485*	50-285	Q	GLEASON,J.P.	8807110014	50-322	G	GRAHAM,B.	8807200018	PR
GAGLIARDO,J.E.	8807070453*	50-498	Q	GLEASON,J.P.	8807110019	50-322	G	GRANDJEAN,A.M.	8807010477	PR
GAGLIARDO,J.E.	8807250314*	50-313	Q	GLENN	8807210274	I&E		GRANDONI,R.	8807070247	50-443
GAGNAR,R.	8807070309	50-443		GLENN,C.J.	8806280006	WASTE RES		GRANT,N.W.	8807250004	50-250
GAGNE,J.A.	8807050101	50-443		GLENN,C.J.	8807080555	WASTE RES		GRAY,R.	8807010315	50-443

GREEN,D.C.	0807070276	50-443	H	GRIME,C.I.	8807110545	50-445	Q	HAGEY,H.	8807210158	CONTRACT
GREENMAN,E.G.	0806320348	50-457	P	GRIMES,B.K.	8807140143	REVIEW GR P		HAIRSTON,W.G.	8806290017	50-424
GREENMAN,E.G.	0807010160	50-237	P	GRIMES,C.I.	8807110540*	50-445	O	HAIRSTON,W.G.	8806290022	50-424
GREENMAN,E.G.	0807060182	50-440	P	GRIMES,C.I.	8807110552*	50-445	O	HAIRSTON,W.G.	8806290025	50-424
GREENMAN,E.G.	0807060327	50-295	Q	GRIMSLEY,D.	8807180016	FOIA		HAIRSTON,W.G.	8805230003	50-321
GREENMAN,E.G.	8807060329*	50-295	Q	GRIMSLEY,D.	8807180004	FOIA		HAIRSTON,W.G.	8806230205	50-424
GREENMAN,E.G.	8807120010	50-217	Q	GRIMSLEY,D.	8807180104	FOIA		HAIRSTON,W.G.	8806250030	50-366
GREENMAN,E.G.	8807120023*	50-237	Q	GRIMSLEY,D.	8807180113	FOIA		HAIRSTON,W.G.	8806300035	50-366
GREENMAN,E.G.	8807120032	50-373	Q	GRIMSLEY,D.	8807180120	FOIA		HAIRSTON,W.G.	8807010052	50-321
GREENMAN,E.G.	8807120273	50-456	P	GRIMSLEY,D.	8807180139	FOIA		HAIRSTON,W.G.	8807010075	50-348
GREENMAN,E.G.	8807190185	50-341	Q	GRIMSLEY,D.	8807250255	FOIA		HAIRSTON,W.G.	8807010262	50-348
GREENMAN,E.G.	0807210212	50-456	Q	GRIMSLEY,D.	8807250264	50-322	F	HAIRSTON,W.G.	8807010582	50-366
GREENMAN,E.G.	0807220277	50-10	P	GRIMSLEY,D.H.	8806270108	FOIA		HAIRSTON,W.G.	8807010530	50-366
GREENMAN,E.G.	0807220293	50-155	Q	GRIMSLEY,D.H.	8807070604	FOIA		HAIRSTON,W.G.	8807050159	50-366
GREENMAN,E.G.	0807220326	50-285	Q	GRIMSLEY,D.H.	8807150198	FOIA		HAIRSTON,W.G.	8807060466	50-321
GREENMAN,E.G.	0807250015	50-454	Q	GRIMSLEY,D.H.	8807150204	50-327	Q	HAIRSTON,W.G.	8807060595	50-348
GREENMAN,E.G.	0807250400	50-440	Q	GRIMSLEY,D.H.	8807150269	FOIA		HAIRSTON,W.G.	8807070121	50-321
GREENMAN,E.G.	0807010049	50-461	S	GRIMSLEY,D.H.	8807150295	50-275	P	HAIRSTON,W.G.	8807070149	50-321
GREENMAN,E.G.	0807190185*	50-346	Q	GRIMSLEY,D.H.	8807150310*	PR		HAIRSTON,W.G.	8807070548	50-424
GREENMAN,E.G.	0807010466*	50-317	Q	GRIMSLEY,D.H.	8807100041	FOIA		HAIRSTON,W.G.	8807030103	50-424
GREENMAN,E.G.	08072003216*	50-289	Q	GRIMSLEY,D.H.	8807180359	FOIA		HAIRSTON,W.G.	8807080105	50-424
GREENMAN,E.G.	0807010043*	50-286	Q	GRIMSLEY,D.H.	8807180389	FOIA		HAIRSTON,W.G.	8807080111	50-424
GRIDLEY,R.	0806200370	50-259	F	GRIMSLEY,D.H.	8807180160	FOIA		HAIRSTON,W.G.	8807080260	50-424
GRIDLEY,R.	0806290510	50-127	P	GRIMSLEY,D.H.	8807180218	FOIA		HAIRSTON,W.G.	8807110204	50-424
GRIDLEY,R.	0807010030	50-390	S	GRIMSLEY,D.H.	8807190239	FOIA		HAIRSTON,W.G.	8807120160	50-321
GRIDLEY,R.	0807010036	50-259	Q	GRIMSLEY,D.H.	8807210303	FOIA		HAIRSTON,W.G.	8807120643	50-348
GRIDLEY,R.	0807010650	50-250	P	GRIMSLEY,D.H.	8807210346	FOIA		HAIRSTON,W.G.	8807130283	50-348
GRIDLEY,R.	0807050120	50-260	P	GRIMSLEY,D.H.	8807210360	FOIA		HAIRSTON,W.G.	8807140310	50-321
GRIDLEY,R.	0807050139	50-259	Q	GRIMSLEY,D.H.	8807220111	50-322	F	HAIRSTON,W.G.	8807150063	50-321
GRIDLEY,R.	0807050157	50-327	P	GRIMSLEY,D.H.	8807220206	FOIA		HAIRSTON,W.G.	8807150117	50-348
GRIDLEY,R.	0807050185	50-327	Q	GRIMSLEY,D.H.	8807220256	50-440	P	HAIRSTON,W.G.	8807150120	50-321
GRIDLEY,R.	0807050207	50-260	Q	GRIMSLEY,D.H.	8807220324	FOIA		HAIRSTON,W.G.	8807150123	50-321
GRIDLEY,R.	0807050316	50-390	Q	GRIMSLEY,D.H.	8807220366	FOIA		HAIRSTON,W.G.	8807150134	50-321
GRIDLEY,R.	0807050530	50-250	P	GRIMSLEY,D.H.	8807250263	FOIA		HAIRSTON,W.G.	8807150136	50-424
GRIDLEY,R.	0807050563	50-253	Q	GRIMSLEY,D.H.	8807250323	FOIA		HAIRSTON,W.G.	8807150145	50-321
GRIDLEY,R.	0807050560	50-327	P	GRIMSLEY,D.H.	8807250344	FOIA		HAIRSTON,W.G.	8807190130	50-321
GRIDLEY,R.	0807060044	50-327	Q	GRIMSLEY,D.H.	8807270298	FOIA		HAIRSTON,W.G.	8807190242	50-448
GRIDLEY,R.	0807060069	50-327	Q	GRIMSLEY,D.H.	8807270303	FOIA		HAIRSTON,W.G.	8807190245	50-366
GRIDLEY,R.	0807060173	50-250	P	GRIMSLEY,D.H.	8807270305	FOIA		HAIRSTON,W.G.	8807190338	50-321
GRIDLEY,R.	0807060210	50-327	P	GRIMSLEY,D.H.	8807280013	FOIA		HAIRSTON,W.G.	8807200123	50-321
GRIDLEY,R.	0807060263	50-390	A	GRIMSLEY,D.H.	8807280349	FOIA		HAIRSTON,W.G.	8807200126	50-366
GRIDLEY,R.	0807060492	50-327	Q	GRINNELL,D.	0807280118	50-443	H	HAIRSTON,W.G.	8807200128	50-424
GRIDLEY,R.	0807060470	50-250	F	GRISAK,G.E.	0807110515*	WASTE RES		HAIRSTON,W.G.	8807200130	50-424
GRIDLEY,R.	0807060562	50-390	Q	GRISAK,G.E.	0807260275	40-8904		HAIRSTON,W.G.	8807200135	50-424
GRIDLEY,R.	0807060611	50-327	Q	GRISAK,G.E.	0807260280	40-8904		HAIRSTON,W.G.	8807200140	50-421
GRIDLEY,R.	0807070083	50-250	P	GROELSEMAD,H.	8807120547*	WASTE MGT		HAIRSTON,W.G.	8807200370	50-348
GRIDLEY,R.	0807070390	50-250	P	GROPP,R.W.	0807200236	50-352	R	HAIRSTON,W.G.	8807200393	50-424
GRIDLEY,R.	0807070110	50-250	P	GROSS,K.W.	0807250226	50-250	S	HAIRSTON,W.G.	8807210314	50-321
GRIDLEY,R.	0807070249	50-327	Q	GROSSO,C.M.	0807010208	50-443	H	HAIRSTON,W.G.	8807220354	50-424
GRIDLEY,R.	0807080016	50-328	Q	GROVES,D.E.	0807050271	PR		HAIRSTON,W.G.	0807220180	50-321
GRIDLEY,R.	0807090049	50-327	Q	GRULES,R.M.	0807050283	PR		HAIRSTON,W.G.	8807220303	50-424
GRIDLEY,R.	0807090060	50-327	F	GRUNSEICH,R.W.	0807080157	50-322	S	HAIRSTON,W.G.	8807250070	50-348
GRIDLEY,R.	0807090065	50-327	Q	GRUNSEICH,R.W.	0807140275*	50-322	S	HAIRSTON,W.G.	8807250203*	50-424
GRIDLEY,R.	0807110040	50-327	P	GRUNSEICH,R.W.	0807140277*	50-322	S	HAIRSTON,W.G.	0807110040	NAREG
GRIDLEY,R.	0807120021	50-250	Q	GUARIGLIA,M.A.	0807250134	50-322	H	HAIRSTON,W.G.	8807180372	50-400
GRIDLEY,R.	8807120152	50-259	F	GUILBERT,N.E.	8807050069	50-443	H	HALL,D.P.	8806280160*	50-461
GRIDLEY,R.	8807120225	50-327	F	QUILLETTE,A.	8807010282	50-443	H	HALL,D.P.	8807010131	50-461
GRIDLEY,R.	8807120330	50-327	P	GURNEY,P.V.	8807050383	50-443	H	HALL,D.P.	8807060594	50-461
GRIDLEY,R.	8807120675	50-250	P	GUTHRIE,S.C.	8807130410*	50-440	O	HALL,D.P.	8807210106	50-461
GRIDLEY,R.	8807130031	50-390	S	HAGG,R.C.	8807060577*	50-313	Q	HALL,D.P.	8807250032	50-461
GRIDLEY,R.	8807130348	50-390	A	HAGG,R.C.	8807110504	50-320	P	HALL,D.P.	8807250071	50-461
GRIDLEY,R.	8807130395	50-260	P	HAGAN,T.F.	8807010331*	CONTRACT		HALL,J.A.	8807250150*	50-102
GRIDLEY,R.	8807130445	50-250	Q	HAGAN,T.F.	8807050338*	CONTRACT		HALL,J.R.	8807080137	50-331
GRIDLEY,R.	8807140071	50-250	Q	HAGAN,T.F.	8807080037*	CONTRACT		HALL,J.R.	8807220340	50-331
GRIDLEY,R.	8807180224	50-260	P	HAGAN,T.F.	8807080042*	CONTRACT		HALL,J.R.	8807250033	50-331
GRIDLEY,R.	8807180235	50-260	P	HAGAN,T.F.	8807080050*	CONTRACT		HALL,R.	8807190304*	50-327
GRIDLEY,R.	8807180243	50-260	P	HAGAN,T.F.	8807060077*	CONTRACT		HALL,W.J.	8807010154	PR
GRIDLEY,R.	8807190027	50-327	P	HAGAN,T.F.	8807060113*	CONTRACT		HALL,W.J.	8807010397	50-443
GRIDLEY,R.	8807190080	50-327	P	HAGAN,T.F.	8807060172*	CONTRACT		HALLSTROM,G.A.	8807160316*	50-424
GRIDLEY,R.	8807190127	50-327	P	HAGAN,T.F.	8807080197*	CONTRACT		HALL,P.N.G.	8807200302	50-327
GRIDLEY,R.	8807190130	50-390	Q	HAGAN,T.F.	8807080250*	CONTRACT		HALSEY,C.B.	8807210182	PR
GRIDLEY,R.	8807190182	50-250	P	HAGAN,T.F.	8807110240	CONTRACT		HALSEY,W.G.	8807110456	WASTE MG
GRIDLEY,R.	8807190217	50-327	Q	HAGAN,T.F.	8807120286*	CONTRACT		HALTZWANGER,J.	8807250003	50-305
GRIDLEY,R.	8807190300	50-327	O	HAGAN,T.F.	8807120340*	CONTRACT		HAM,H.	8807050116	50-443
GRIDLEY,R.	8807200333	50-390	S	HAGAN,T.F.	8807120353*	CONTRACT		HAM,S.	8807050116	50-443
GRIDLEY,R.	8807200344	50-250	K	HAGAN,T.F.	8807180310*	CONTRACT		HAM,S.R.	8807050376	50-443
GRIDLEY,R.	8807210047	PR		HAGAN,T.F.	8807210195*	CONTRACT		HAMAW,J.	8807010382	PR
GRIDLEY,R.	8807210059	50-390	S	HAGAN,T.F.	8807220087*	CONTRACT		HAMILTON,P.	8807250290	50-283
GRIDLEY,R.	8807250013	50-327	F	HAGAN,T.F.	8807220107*	CONTRACT		HAMMOND,M.K.	8807200389	PR
GRIDLEY,R.	8807250218	50-250	Q	HAGEY,H.	8807010013	CONTRACT		HANFFY,F.	8807070568	50-443
GRIDLEY,R.	8807250235	50-327	Q	HAGEY,H.	8807010274	CONTRACT		HANLEY,A.R.	8807050211	PR
GRIDLEY,R.	8807250251	50-327	P	HAGEY,H.	8807080482	CONTRACT		HANLEY,M.A.	8807050035	50-443
GRIDLEY,R.	8807250410	50-250	F	HAGEY,H.	8807080582	CONTRACT		HANLEY,R.J.	8807050088	PR
GRIDLEY,R.	8807260008	50-250	F	HAGEY,H.	8807110138	CONTRACT		HANNEN,R.L.	8807050485	50-331
GRIDLEY,R.	8807070552	50-250	F	HAGEY,H.	8807130210	CONTRACT		HANNEN,R.L.	8807190176	50-331
GRIDLEY,R.	8807180358	50-322	H	HAGEY,H.	8807130285	CONTRACT		HANNEN,R.L.	8807180275	50-331
GRIDLEY,R.	8807010305	50-443	H	HAGEY,H.	8807130308	CONTRACT		HANNON,J.N.	8807130413	REVIEW GR
GRIDLEY,R.	8807050128	50-443	H	HAGEY,H.	8807180377	CONTRACT		HANSEN,D.A.	8807010296	PR



AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	CATEGORY	AUTHOR	ACCESSION NUMBER	CATEGORY		
HANSEN, L.	8807070138	50-443	H	HAYES, J. J.	6807250037	50-395	P	HILDEBRAND, P.	8807210147	-10-8857
HARBOUR, J.	8807290304	50-443	G	HAYES, K.	6807250239	50-295	S	HILDEBRANDT, T.	8807080456	50-116
HARBUCK, C.C.	8807140298	50-313	P	HAYNER, G.O.	8807120167	70-824		HILDT, B.A.	8807010497	50-443
HARBUCK, C.C.	8807180047	50-368	P	HAYNES, J.G.	8806290116	50-528	S	HILL, G.F.	8807010665	50-443
HARBUCK, C.C.	8807180195	50-313	P	HAYNES, J.G.	8806290126	50-528	S	HILL, J.W.	8807010193	50-443
HARBUCK, C.C.	8807190187	50-313	P	HAYNES, J.G.	8807080304	50-528	S	HILL, K.J.	8807150283	50-254
HARDEN, S.M.	8807010425	50-443	H	HAYNES, J.G.	8807050418	50-528	S	HILLER, I.	8807120215	PH
HARDGROVE, T.W.	8807250259	40-2259		HAYNES, J.G.	8807120562	50-528	S	HILLS, D.E.	8807120137	50-443
HARM, S.	8807120503	50-443	H	HAYNES, J.G.	8807180242	50-528	S	HIND, J.	8807050017	NJHF6
HARNER, K.L.	8807290069	50-320	G	HAYNES, J.G.	8807210946	50-528	S	HINDS, J.M.	8807060332	50-295
HARNESS, J.L.	8806280254	50-400	F	HAYNES, L.S.	6807050355	CONTRACT		HINKLE, W.D.	8807010199	PR
HARNESS, J.L.	8807010137	50-400	F	HAYNES, WORTH, V.	6807140200	50-261	R	HINSON, L.	8806300213	50-344
HARNESS, J.L.	8807250087	50-400	F	HECKLER, G.	6807050325	PR		HINSON, L.	8807050031	50-344
HARPSTER, T.L.	8807010364	PR		HEIBEL, R.P.	8807120189	50-318	S	HINSON, L.	8807110211	50-344
HARPSTER, T.L.	8807070190	50-333	F	HEIDT, J.D.	8807200126	50-366	S	HINSON, L.	8807150168	50-344
HARRELL, P.H.	8807120108	50-285	Q	HEITNER, K.L.	8807120380	50-267	Q	HINSON, L.	8807200326	QA939
HARRINGTON, J.J.	8807010151	FR		HEITNER, K.L.	8807120423	50-267	P	HINSON, L.	8807250362	50-344
HARRINGTON, M.	8807010567	PR		HEITNER, K.L.	8807200189	50-267	P	HINTON, W.D.	8807070383	50-443
HARRIS, J.R.	8806290152	50-413	Q	HELMUTH, V.L.	6807010138	PR		HINTZ, D.C.	8807060102	50-305
HARRIS, J.R.	8807220398	50-261	Q	HELMES, C.J.	8807120347	REVIEW GR P		HINTZ, D.C.	8807140309	50-305
HARRIS, K.N.	8807160054	50-335	F	HENDERSON, A.W.	8807010654	50-213	H	HIPSHER, W.	8807220062	71-9159
HARRISON, D.F.	8807250051	50-368	R	HENDRICKS, C.	8807130222	CONTRACT		HIRT, J.A.	8807250441	50-387
HARRISON, F.	8807270284	50-324	R	HENDRIX, S.	8807070085	50-443	H	HOBBS, D.	8807010117	50-443
HARRISON, J.J.	8807010064	50-155	Q	HENIMATAS, L.J.	8807010524	PR		HOBBS, M.A.	8807110183	50-155
HARRISON, J.J.	8807010066	50-155	Q	HENRIKSON, P.	8807200078	50-361	P	HOBSON, E.	8807120523	50-443
HARRISON, J.J.	8807010354	50-341	Q	HENRY, G.R.	8807070436	50-443	H	HODGDON, A.D.	8807070457	50-443
HARRISON, J.J.	8807010364	50-341	Q	HENSLEY, K.D.	8807120434	70-143	Q	HODGDON, A.P.	8807200041	50-271
HARRISON, J.J.	8807050421	50-249	Q	HENSLEY, K.D.	8807130081	70-143	Q	HODGSON, B.	8807150211	FCIA
HARRISON, J.J.	8807060059	50-254	Q	HENSLEY, K.D.	8807130188	70-143	Q	HOELZER, C.	8807210132	50-322
HARRISON, J.J.	8807060202	50-237	Q	HERDT, A.R.	8806290305	50-280	Q	HOFFMAN, C.F.	8807070488	PH
HARRISON, J.J.	8807060273	50-282	Q	HERDT, A.R.	8806290107	50-400	Q	HOFFMAN, D.P.	8807130143	50-155
HARRISON, J.J.	8807120041	50-266	Q	HERDT, A.R.	8806290149	50-413	Q	HOGAN, L.	8807200371	50-443
HARRISON, J.J.	8807120134	50-346	Q	HERDT, A.R.	8807050575	50-268	Q	HOLAHAN, G.	8807130284	50-275
HARSH, A.R.	8807200358	PR		HERDT, A.R.	8807060041	50-280	Q	HOLAHAN, G.M.	8807140127	50-312
HART, G.	8807200237	50-329	H	HERDT, A.R.	8807120056	50-369	Q	HOLAHAN, G.M.	8807250342	50-440
HART, G.	8807200358	PR		HEROT, A.R.	8807120297	50-280	Q	HOLDER, A.L.	8806330078	50-382
HART, R.D.	8807010149	50-250	S	HEROT, A.R.	8807120316	50-348	Q	HOLDER, A.L.	8807250246	50-382
HART, R.D.	8807010442	50-250	S	HEROT, A.R.	8807120317	50-348	Q	HOLLAND, B.Y.	8807010138	PH
HART, R.D.	8807050086	50-250	S	HEROT, A.R.	8807120451	50-324	Q	HOLLER, E.J.	8806300273	50-298
HART, R.D.	8807110110	WASTE RES		HEROT, A.R.	8807130223	50-335	Q	HOLLOWAY, C.J.	8807130463	PR
HART, R.D.	8807110156	WASTE RES		HERDT, A.R.	8807130313	50-348	Q	HOLLOWAY, J.L.	8807010581	50-443
HART, R.O.	8807190002	WASTE RES		HERDT, A.R.	8807190013	50-424	Q	HOLT, J.	8807220015	50-3
HARTMAN, P.J.	8807070181	50-443	H	HERDT, A.R.	8807190163	50-416	Q	HOLTZMAN, R.B.	8807060316	50-255
HARVEY, P.J.	8807050502	50-443	H	HERDT, A.R.	8807220097	50-261	Q	HON, A.L.	8807140222	50-208
HARVEY, R.B.	8807010365	PR		HERDT, A.R.	8807220120	50-425	Q	HOOD, D.	8807050076	50-369
HARVEY, R.C.	8807010478	PR		HERDT, A.R.	8807220124	50-425	Q	HOOD, D.	8807060465	50-369
HASFURTH, D.	8807180259	PR		HERDT, A.R.	8807250024	50-324	Q	HOOD, D.	8807120609	50-370
HASKELL, S.	8807010141	50-443	H	HERDT, A.R.	8807250308	50-338	Q	HOOD, D.	8807130250	50-369
HASSELL, D.F.	8807190197	FOIA		HERDT, A.R.	8807250319	50-261	Q	HOOD, D.	8807130455	50-468
HATFIELD, K.	8807060508	50-443	H	HERMANN, R.A.	8807070392	50-327	Q	HOOD, D.	8807220340	50-369
HAUGHEY, M.F.	8807120401	50-410	P	HERNAN, R.W.	8807180099	50-289	P	HOOD, D.S.	8807060540	50-369
HAUGHEY, M.F.	8807150179	50-220	P	HERNAN, R.W.	8807250074	50-289	P	HOOD, D.S.	8807130259	50-369
HAUGHEY, M.F.	8807250117	50-410	P	HERNAN, R.W.	8807250357	50-289	P	HOOD, D.S.	8807150126	50-369
HAUGHEY, C.J.	8807110399	50-249	Q	HERSCHTHAL, M.A.	8807180158	50-381	Q	HOOD, D.S.	8807200125	50-269
HAVERKAMP, D.R.	8807010327	50-29	Q	HERSCHTHAL, M.A.	8807180174	50-381	Q	HOOD, M.C.	8807250439	40-3453
HAVERKAMP, D.R.	8807190074	50-271	Q	HESAM, H.T.	6807010258	PR		HOOKER, C.A.	8806280244	50-344
HAVERKAMP, D.R.	8807200177	50-223	Q	HESS, J.E.	8807050326	71-9208		HOOKER, C.A.	8807050118	50-312
HAWKES, C.L.	8807010562	50-443	H	HEWARD, R.W.	6807200184	50-146	Q	HOOKER, C.A.	8807140234	50-312
HAWKINS, D.S.	8807140116	70-143		HEWARD, R.W.	8807250413	50-146	Q	HOOPS, J.	8807100580	WASTE M
HAWKINS, E.F.	8807010640	40-8768		HEYER, R.S.	8807010652	40-2259		HOOPS, K.A.	8807060162	50-365
HAWKINS, E.F.	8807010643	40-8768		HEYER, R.S.	8807140098	40-2259		HOPKINS, J.B.	8807120367	50-425
HAWKINS, E.F.	8807120185	40-8857		HEYER, R.S.	8807140189	40-6822		HOPKINS, J.	8807150198	50-424
HAWKINS, E.F.	8807120202	40-8857		HEYER, R.S.	8807140210	WASTE MGT		HOPKINS, J.	8807190356	50-344
HAWKINS, E.F.	8807130458	40-8452		HEYER, R.S.	8807150025	WASTE MGT		HOPKINS, J.B.	8807050143	50-424
HAWKINS, E.F.	8807140085	40-1341		HEYER, R.S.	8807150029	WASTE MGT		HOPKINS, J.B.	8807070569	50-424
HAWKINS, E.F.	8807140109	40-8968		HEYER, R.S.	8807180201	40-1182		HOPKINS, J.B.	8807150280	50-424
HAWKINS, E.F.	8807140223	40-8904		HEYER, R.S.	8807210114	40-4492		HOPKINS, J.B.	8807180370	50-424
HAWKINS, E.F.	8807140230	40-8452		HEYER, R.S.	8807250316	WASTE MGT		HOPKINS, J.B.	8807180375	50-424
HAWKINS, E.F.	8807150013	WASTE MGT		HIATT, S.L.	8807010455	50-443	H	HOPKINS, J.B.	8807250335	50-426
HAWKINS, E.F.	8807150039	40-8904		HIATT, S.L.	8807080242	50-346	M	HOPKINS, P.C.	8806290376	50-385
HAWKINS, E.F.	8807150041	40-8102		HIATT, S.L.	8807110153	PR		HOPKINS, R.J.	8807250333	40-6822
HAWKINS, E.F.	8807150046	WASTE MGT		HIATT, S.L.	8807110159	PR		HORN, G.R.	8807010051	50-288
HAWKINS, E.F.	8807160049	WASTE MGT		HIATT, S.L.	8807180188	PR		HORN, G.R.	8807070498	50-288
HAWKINS, E.F.	8807150217	40-8904		HIATT, S.L.	8807180309	PR		HORN, G.R.	8807070587	50-288
HAWKINS, E.F.	8807150236	40-8907		HICKEY, J.K.	8807200272	50-443	H	HORN, G.R.	8807140224	50-288
HAWKINS, E.F.	8807180033	40-299		HICKEY, R.	8807200284	50-443	H	HORN, M.	8807080326	70-3055
HAWKINS, E.F.	8807180063	40-8894		HICKMAN, D.E.	8807110321	50-361	P	HORN, M.	8807210060	70-3055
HAWKINS, E.F.	8807180070	40-8904		HICKMAN, D.E.	8807110507	50-361	P	HOROWITZ, A.	8807180278	PR
HAWKINS, E.F.	8807180082	40-8084		HICKMAN, D.E.	8807130283	50-361	P	HORSEY, C.M.	8807130079	70-27
HAWKINS, E.F.	8807180090	40-8905		HICKMAN, D.E.	8807210322	50-361	P	HORSEY, C.M.	8807060071	50-259
HAWKINS, E.F.	8807180095	40-8771		HICKMAN, D.E.	8807220371	50-361	P	HORSEY, C.M.	8807120310	50-280
HAWKINS, E.F.	8807250254	WASTE MGT		HICKOK, R.E.	8807070082	50-443	H	HOSEY, C.M.	8807120359	50-280
HAWKINS, E.F.	8807250258	WASTE MGT		HICKS, R.	8807120514	50-443	H	HOSEY, C.M.	8807130120	50-400
HAWKINS, E.F.	8807250406	40-8868		HIGGINS, D.	8807010094	50-443	H	HOSPIDOR, J.	8807050464	50-443
HAWKINS, E.F.	8807250416	40-8859		HIGGINS, E.	8807050082	50-443	H	HOSTAGE, B.	8807120816	NUREG
HAYDEN, R.F.	8807060598	50-322	H	HIGGINS, W.R.	8807070013	50-395	S	HOUE, K.F.	8807070037	50-443
HAYES, J.J.	8807110250	50-395	P	HIGGINS, W.R.	8807120029	50-395	S	HOULE, M.J.	8807050456	50-443
HAYES, J.J.	8807110318	50-395	P	HILDEBRAND, P.	8807210086	40-8857		HOUSE, J.E.	8807060316	50-255

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	
HOWARD,C.E	8807120156	50-443	H	JACOBY,D.L.	8807180033	50-299	JONAS,S.A.	8807230024	50-443
HOWARD,D.H	8807060275	50-368	P	JAFFE,O	8807050073	50-336	JONAS,S.A.	8807230079	50-443
HOWARD,D.H	8807080135	50-313	P	JAFFE,O.H	8807120150	50-336	JONAS,S.A.	8807230152	50-443
HOWARD,D.R	8807120131	50-313	P	JAFFE,D.H	8807180378	50-336	JONES,C.R.	8807180025	FOIA
HOWARD,D.R	8807120227	50-368	P	JAMISON,J.D.	8807220153	50-322	JONES,D.W	8806300125	50-435
HOWARD,D.R	8807120480	50-313	P	JAMISON,R.C	8807050204	50-443	JONES,D.E	8807070342	50-443
HOWARD,D.R	8807130054	50-313	O	JAMISON,R.C	8807290211	50-443	JONES,S.B.	8807140215	50-290
HOWARD,D.H	8807190060	50-313	P	JANATI,R	8807120561	WASTE MGT	JORDAN,D.D	8807110465	50-499
HOWARD,D.R	8807210191	50-313	F	JANATI,R.R	8807120626	WASTE MGT	JORDAN,E.L	8804150311	PR
HOWARD,D.R	8807250051	50-368	R	JANG,J.C	8807050072	50-213	JORDAN,E.L	8807080085	50-290
HOWARD,D.R	8807250056	50-313	H	JANSEN,D.M	8807070141	50-443	JORDAN,E.L	8807080086	50-250
HOWARD,S.A	8807050039	50-443	H	JANUARY,R.G	8807180026	PR	JORDAN,E.L	8807120571	REVIEW GR
O'WELL,A.T.	8807110518	50-312	O	JANUSKA,A.G.	8806290033	50-458	JORDAN,E.L	8807120577	REVIEW GR
OWLAND,A	8807200207	50-443	H	JAPE,F.	8805280112	50-403	JORDAN,E.L	8807180092	50-443
O'YLE,J.C	8807200194	50-322	H	JAPE,F.	8807120500	50-280	JORDAN,H.E.	8807260378	50-443
OSTA,H.F	8807110007	50-271	G	JAPE,F.	8807120321	50-348	JORDAN,P.S	8807210215	GEN REC I
OSLA,A	8807250436	50-317	F	JAPE,F.	8807120451	50-324	JOSEPH,M.A.	8807250191	50-261
OSBROPE,L.A	8807010325	50-443	H	JAPE,F.	8807250326	50-324	JOSEGER,W.A.	8807120039	50-285
OSBER,M.P.	8807120090	50-155	O	JASINSKI,G.L	8807070313	50-443	JOSEGER,W.A.	8807180137	50-280
HUCK,P.J	8807220163	WASTE RES		JASINSKI,M.	8807050122	50-443	JOSEGER,W.A.	8807210172	50-286
HUEY,F.R.	8807140222	50-206	Q	JEFFS,V.D.	8807180040	PR	JOUSEBT,RK	8807060570	50-443
HUEY,R.	8807130393	50-362	S	JELLIFF,F.	8807210155	50-322	JOUSTRA	8807210274	ISE
HUGHES,C.A	8807080090	50-335	O	JENIKSON,H.E	8805230192	50-327	JOVELLANOS,H	8807050666	50-443
HUGHES,C.A	8807120438	50-400	Q	JENKINS,K.E	8807050110	50-443	JOYCE,J.A	8807110516	REVIEW GR
HUK,C.H.O	8807010103	50-280	Q	JENKINS,R.E.	8807080159	50-410	JOYCE,I	8807140226	50-455
HUKILL,H.D.	8807120052	50-289	F	JENKINS,R.E	8807110103	50-410	JOYNER,J	8807070066	ISE
HUKILL,H.D.	8807250417	50-289	P	JENKINS,R.E	8807200220	50-410	S	8807250161	50-321
HUGHES,G.J.	8807120486	50-443	H	JENKINS,R.E.	8807210305	50-410	S	8807200451	50-416
HUGHES,G.J.	8807130423	50-443	U	JENSEN,H.	8807180380	50-354	R	8807050152	50-327
HUNSAKER,S.C	8807120395	50-456	P	JENSEN,R.J	8807190068	50-263	K	8807050161	50-348
HUNSAKER,S.C	8807120371	50-456	P	JENSEN,W.L	8807050118	50-312	O	8807050510	50-400
HUNT,M.	8807180169	50-416	O	JENSEN,W.M	8807010022	40-3453		8807080052	50-261
HUNTER,D	8807120080	50-382	P	JIRELE,D.J.	8807280306	PR		8807120072	50-425
HUNTER,STON,S	8806300366	50-443	I	JO,J.H	8807110333	50-361	P	8807120706	50-425
HURLEY,J	8807080456	50-416	F	JOHANSEN,J.M.	8810070468	FOIA		8807120141	50-416
HUTCHESON,M.H	8807180287	PR		JOHANSSON,G.	8807190010	WASTE MGT	JULIAN,C.A.	8807120177	50-338
HUTCHESON,M.H	8807200392	PR		JOHANSSON,G.	8807200332	WASTE MGT	JULIAN,C.A.	8807120187	50-280
HUTCHESON,C.E	8807050287	50-443	H	JOHNSON,A.D	8807050118	50-312	O	8807120257	50-280
HUTCHESON,L	8807130415	50-397	R	JOHNSON,C	8807210101	50-322	H	8807120710	50-348
HUTCHESON,W.D	8807220321	REVIEW GR P		JOHNSON,C.E	8808300045	50-298	O	8807130061	50-261
HYDER-FRAT,S	8807070308	50-443	H	JOHNSON,C.E.	8807190351	50-602	Q	88071130201	50-250
HYLAND,G	8807070299	50-443	H	JOHNSON,I.M.	8807120245	50-254	P	8807220137	50-425
INGEBRETSON,C	8807200127	50-322	G	JOHNSON,I.M	8807120442	50-254	P	8807250383	50-410
INGEBRETSON,C	8807200127	50-322	G	JOHNSON,I.M.	8807180230	50-254	P	8807070355	50-443
INGEBRETSON,C	8807200189	50-322	G	JOHNSON,I.M.	8807210087	60-265	P	8807220202	FOIA
INGEBRETSON,C	8807200189	50-322	G	JOHNSON,I.M.	8807210087	60-265	P	8807220202	FOIA
INTERANTE,C.G	8807110416	WASTE RES		JOHNSON,J.	8807010107	50-410	Q	8807070528	50-443
INTERANTE,C.G	8807110430	WASTE RES		JOHNSON,J.	8807010356	50-443	H	8807010287	PR
INTERANTE,C.G	8807110439	WASTE RES		JOHNSON,J.	8807190174	50-361	O	8807070281	PR
INTERANTE,C.G	8807200244	WASTE RES		JOHNSON,J.R.	8807010620	50-286	Q	8807220299	PR
IRELAND,R.E	8807190351	50-602	O	JOHNSON,J.R.	8807110379	50-286	O	8806210331	70-1201
IRWIN,D.P.	8807060026	50-322	G	JOHNSON,J.R.	8807130682	50-400	Q	8807060038	50-335
IRWIN,D.P.	8807060026	50-322	G	JOHNSON,J.R.	8807250257	50-333	O	8807120438	50-400
IRWIN,D.P.	8807060033	50-322	G	JOHNSON,L.	8807260089	50-102	P	8807120593	50-327
IRWIN,D.P.	8807060033	50-322	G	JOHNSON,L.	8807250170	50-102	P	8807130110	70-824
IRWIN,D.P.	8807060043	50-322	G	JOHNSON,P.	8807130393	50-362	S	8807070461	50-443
IRWIN,D.P.	8807060043	50-322	G	JOHNSON,P.	8807180172	50-362	S	8807010405	50-443
IRWIN,D.P.	8807200020	50-322	G	JOHNSON,P.H	8807050317	50-307	O	8807070455	NUREG
IRWIN,D.P.	8807290020	50-322	G	JOHNSON,P.H	8807130395	50-337	Q	8807270229	PR
IRWIN,D.P.	8807290061	50-322	G	JOHNSON,P.H.	8807130441	50-337	Q	8807250261	50-338
IRWIN,D.P.	8807290061	50-322	G	JOHNSON,P.H.	8807140222	50-206	Q	8808280380	50-215
IRWIN,D.P.	8807290061	50-322	G	JOHNSON,R.	8807060058	50-201	F	8807050213	50-213
IRWIN,D.P.	8807290061	50-322	G	JOHNSON,R.H.	8807210045	PR		8807060311	50-354
IRWIN,D.P.	8807290258	50-322	G	JOHNSON,R.L	8807150122	50-261	F	8807130100	50-272
IRWIN,D.P.	8807290258	50-322	G	JOHNSON,R.L.	8807150259	50-261	F	8807200174	50-223
IVORY,B.J	8807180374	CONTRACT		JOHNSON,R.L.	8807150266	50-261	F	8807200176	50-223
JABBOUR,K.N	8807010443	50-413	P	JOHNSON,T.C.	8807220102	WASTE MGT		8807070092	50-443
JABBOUR,K.N	8807110538	50-413	P	JOHNSON,W.D.	8807060677	50-313	O	8807110512	NUREG
JABBOUR,K.N	8807120074	50-413	P	JOHNSON,W.J.	8807070376	TOPREP		8807000440	50-440
JABBOUR,K.N	8807120375	50-413	P	JOHNSON,W.J.	8807130205	50-601	K	8807060454	50-440
JABBOUR,K.N	8807190381	50-413	P	JOHNSON,W.J.	8807150059	TOPREP		8807120430	50-440
JABBOUR,K.N	8807200056	50-413	P	JOHNSON,W.J.	8807180323	50-601	A	8807190330	50-440
JACKSON,K.F.	8807010087	50-165	O	JOHNSRUD,J.H	8807210018	PR		8807200120	50-440
JACKSON,W.I.N	8807060364	50-155	S	JOHNSRUD,J.H.	8807280142	PR		8807210020	50-440
JACKSON,W.I.N	8807060386	50-263	O	JOHNSON,G	8807180322	50-361	V	8807210033	50-440
JACKSON,W.I.N	8807120048	50-165	O	JOHNSTON,J.R.	8807190102	50-155	R	8807220085	50-440
JACKSON,W.I.N	8807190108	50-331	O	JOHNSTON,K.E.	8807010434	50-275	O	8807220209	50-440
JACKSON,W.I.N	8807190348	50-440	O	JOHNSTON,W.V.	8807010037	50-271	O	8807140200	50-528
JACKSON,G.	8807190211	40-7604		JOHNSTON,W.V.	8807150007	50-423	O	8807200177	50-223
JACKSON,K	8807010485	50-443	H	JOHNSTON,W.V.	8807200148	50-410	O	8806300471	70-371
JACKSON,K.A	8807010273	PR		JOHNSTON,W.V.	8807200171	50-352	O	8807210307	70-371
JACKSON,R	8807130385	50-249	S	JOHNSTON,W.V.	8807200192	50-220	O	8807070392	50-443
JACKSON,R	8807250428	50-249	S	JOHNSTONE,D.L.	8807220109	50-443	H	8807210036	50-410
JACOBS,D	8807180347	PR		JOHNSTONE,J	8807220681	50-443	H	8807060371	50-285
JACOBSON,B.A.	8807010328	50-443	H	JOLLEY,J.B.	8807190304	50-327	O	8807210214	50-245
JACOBSON,P.L.	8807070432	PR		JONAS,S.A.	8807070113	50-443	H	8807250128	50-336
JACOBY,D.L.	8807130458	40-8452		JONAS,S.A.	8807200020	50-443	G	8807250128	50-336
JACOBY,D.L.	8807140230	40-8452		JONAS,S.A.	8807290013	50-443	G	8807070143	50-5

KEIMIG,R.R.	8807210285	50-245	Q	KIRSCH,D.F.	8807050114	60-312	Q	KRONICH,C.L.	8806290319	50-265	S
KEISER,H.W.	8806300016	50-387	I	KIRSCH,D.F.	8807110214	60-344	O	KRONICH,C.L.	8806290074	50-265	S
KEISER,H.W.	8807050513	50-387	P	KIRSCH,C.L.	88070200116	50-322	H	KUBAN,T.A.	8807120634	50-265	S
KEISER,H.W.	8807070216	50-387	F	KLEIN,S.M.	8807080382	NUREG		KUDRICK,J.	8807180233	TOPREP	
KEISER,H.W.	8807110298	50-307	F	KLEIN,W.J.	8807080019	WASTE MGT		KUEMIN,J.L.	8807050289	50-255	P
KEISER,H.W.	8807200335	50-387	Q	KLEINSORGE,W.P.	8807250322*	50-281	Q	KUEMIN,J.L.	8807050308	50-255	P
KEISER,H.W.	8807250405	50-387	O	KLINE,C.	8807200086	50-440	M	KUHLMAN,G.C.	8807070412*	TOPREP	
KEISER,H.W.	8807250441	50-387	R	KLINE,G.	8807070159	PR		KUHN,H.	8807180035	50-443	H
KEISER,R.	8807060531	50-443	H	KLINE,R.P.	8807220258	71-658		KUKENE,G.A.	8807010322	50-443	H
KELLEHER,A.B.	8807050159	50-443	H	KLINE,R.P.	8807220278*	71-658		KUNCL,L.G.	8807080038	50-298	P
KELLEY,D.J.	8807220108	50-443	H	KNIGHT,B.E.	8807180135	70-143		KUNIHIO,D.	8807110223	50-275	S
KELLY,J.A.	8806280487*	50-288	O	KNIGHTON,G.W.	8807010014*	60-344	P	KUNOWSKI,M.A.	8807180195	50-346	Q
KELLY,J.L.	8807010721	50-289	P	KNIGHTON,G.W.	8807050359*	60-344	P	KUSELY,H.E.	8807050300	50-443	H
KELLY,J.L.	8807070519	50-289	P	KNIGHTON,G.W.	8807050398*	60-344	P	KUZO,G.B.	8807130079*	70-27	
KELLY,J.L.	8807070535	50-289	R	KNIGHTON,G.W.	8807110258	50-528	Q	KWASNIK,J.M.	8807070424	PR	
KELLY,J.L.	8807080018	50-289	P	KNIGHTON,G.W.	8807190312	50-312	P	KYTE,J.R.	8807120172	50-443	H
KELLY,J.L.	8807120193	50-327	R	KNIGHTON,G.W.	8807220382*	50-530	P	LABRUNA,S.	8807010162	50-354	S
KELLY,W.J.	8807220090	50-275	S	KNOP,R.C.	8807080320	50-440	S	LABRUNA,S.	8807180366	50-354	R
KELMERS,A.D.	8807110502	WASTE RES		KNOP,R.C.	8807200291	60-288	Q	LACEY,A.C.	8807120513	50-443	H
KELMERS,A.D.	8807220198	WASTE RES		KNOP,R.C.	8807220257	60-305	Q	LACKER,D.K.	8807250429	WASTE MGT	
KELSER,B.	8807060590	50-443	H	KNOP,R.C.	8807220259*	50-305	Q	LAFAMME,N.H.	8807070540	PR	
KEMPLE,S.	8807010198	PR		KNOX,E.	8807050178	50-320	P	LAFONTAINE,T.	8807010401	PR	
KEMPER,J.S.	8806280281	50-353	A	KNOX,E.	8807080121	CONTRACT		LAGRANGE,R.G.	8807210273*	50-237	O
KEMPER,J.S.	8807080182	50-353	O	KNOX,E.	8807080139	CONTRACT		LAIRD,D.J.	8807010557	PR	
KEMPER,J.S.	8807130221	50-353	A	KNOX,E.	8807080241	CONTRACT		LAMBERT,D.C.	8807060612	50-443	H
KEMPER,J.S.	8807220359	50-353	O	KNOX,E.	8807210183	CONTRACT		LAMBERT,J.	8807010166	50-443	H
KEMPER,J.S.	8807250028	50-353	Q	KNOX,E.	8807220088	CONTRACT		LAMBERT,P.A.	8807150238*	50-278	P
KENDRICK,J.D.	8807010178	PR		KNUTH,D.F.	8807120118	PR		LAMENDOLA,C.	8807210041	PR	
KENNEDY,J.E.	8807220032*	WASTE MGT		KOBERICK,T.E.	8807280384	PR		LAMIE,D.M.	8807010709	50-443	H
KENNEDY,J.E.	8807220035*	WASTE MGT		KOCHER,D.C.	8807210057	PR		LANCE,J.J.	8807010261	PR	
KENNEY,S.J.	8807050138	PR		KOCHMAN,D.J.	8807070033	PR		LANCELLOTTI,J.	8807210004	50-322	H
KENNY,R.	8807120477	50-443	H	KOHN,M.D.	8807110035	50-445	G	LANDIS,M.R.	8807120392	40-7604	
KENRICK,S.A.	8807050173	50-443	H	KOHN,M.D.	8807110039*	50-445	G	LANDIS,M.H.	8807120592	40-7604	
KENT,C.	8807050097	50-443	H	KOHN,M.D.	8807110042*	50-445	G	LANE,R.	8807050426	50-443	H
KEPPLER,J.G.	8807020176*	NUREG		KOHN,M.D.	8807110050*	60-445	G	LANE,S.J.	8807070241	50-443	H
KEPPLER,J.G.	8807150309*	PR		KOHN,M.D.	8807140032	50-445	G	LANGLEY,J.R.	8807180219	TOPREP	
KERR,C.H.W.	8807280335	PR		KOHN,M.D.	8807140035*	50-445	G	LANGLOIS,S.B.	8807010205	50-443	H
KERR,W.	8805230033*	WASTE MGT		KOHN,M.D.	8807140038	60-445	G	LANKES,J.B.	8807200113	50-322	H
KERR,W.	8807110517	ACRS		KOHN,M.D.	8807140047*	50-445	G	LANNING,W.	8806300148	50-203	S
KERR,W.	8807110523	ACRS		KOHN,M.D.	8807140054*	50-445	G	LANNING,W.	8807120888	50-247	S
KERRY,J.	8807110540	ACRS		KOHN,M.D.	8807140055*	50-445	G	LANNING,W.	8807140114	50-302	S
KERSHAW,W.V.	8807070378	50-444	H	KOHN,M.D.	8807150031	50-445	G	LANPHER,H.H.	8807140018*	60-322	G
KESHNER,C.	8807070476	50-444	H	KOHN,M.D.	8807150032	50-445	G	LANPHER,H.H.	8807140016*	50-322	G
KETCHEL,S.	8807010503	50-443	H	KOHN,M.D.	8807150034	50-445	G	LANPHER,L.C.	8807110023	50-322	G
	8807050230	50-443	H	KOHN,M.D.	8807150067	50-445	G	LANPHER,L.C.	8807110021	50-322	G
KHATIB-RAHBAR	8807070446	NUREG		KOHN,M.D.	8807150085	50-445	G	LANPHER,L.C.	8807140010	50-322	G
KIDD,D.G.	8807080132	PR		KOHN,M.D.	8807200054	50-446	G	LANPHER,L.C.	8807140010	50-322	G
KIDD,D.G.	8807190170*	FOIA		KOHN,M.D.	8807200083*	50-445	G	LANPHER,L.C.	8807140053	50-322	G
KILCOYNE,M.R.	8807070228	50-443	H	KOLONOSKI,D.E.	8807070337	50-443	H	LANPHER,L.C.	8807140053	50-322	G
KILEY,G.J.	8807050174	50-443	H	KOLTA,P.S.	8807110079*	50-288	Q	LANPHER,L.C.	8807220010	50-322	G
KILEY,M.	8807050400	50-293	H	KONKLIN,J.E.	8807110399*	50-249	Q	LANPHER,L.C.	8807293078	50-322	G
KILGORE,B.E.	8807060439	50-327	S	KONOPKA,D.	8807120541	PR		LANPHER,L.C.	8807290708	50-322	G
KILGORE,B.E.	8807120218	50-327	S	KONOPKA,F.	8807120529	PR		LANPHER,L.C.	8807140040	50-322	G
KILMARTINS,M.F.	8807200236	PR		KONOPKA,K.	8807120528	PR		LANPHER,L.C.	8807140040	50-322	G
KIMBALL,H.S.	8807070258	50-443	H	KONOPKA,M.	8807120538	PR		LARKINS,J.T.	8807180114*	FOIA	
KING,C.A.	8807010184	PR		KONOPKA,P.	8807120522	PR		LAROCHE,A.P.	8807010605	50-443	H
KING,L.P.	8807120429*	50-338	O	KONWINSKI,G.R.	8807150041	40-8102		LAROCHE,G.	8807190059	70-824	
KING,M.	8807120433*	50-338	Q	KONWINSKI,G.R.	8807150184*	40-299		LAROCHE,G.	8807220290	70-824	
KING,P.	8806290087*	50-346	V	KONWINSKI,G.R.	8807180060	40-8911		LARSEN,L.	8807010223	50-443	H
	8807070273	50-443	H	KONWINSKI,G.R.	8807180063	40-8884		LARSON,C.E.	8807180245	50-283	Q
KING,T.L.	8807070437	NUREG		KONWINSKI,G.R.	8807250416	40-8859		LARSON,C.E.	8807180260	50-282	Q
KINGSLEY,O.D.	8806280164	50-416	P	KORSTAD,D.C.	8807060081	50-344	J	LARSON,W.G.	8807010204	50-443	H
KINGSLEY,O.D.	8807060074	50-416	F	KOSAREK,L.J.	8807220018	50-320	G	LARUE,M.J.	8806200054*	XPORTLIC	
KINGSLEY,O.D.	8807060344	50-416	H	KOTKOWSKI,E.J.	8807050183	50-443	H	LASCELLE,K.E.	8807200046	PR	
KINGSLEY,O.D.	8807060456	50-416	F	KOTKOWSKI,G.A.	8807010143	50-443	H	LASH,J.	8807220243	PR	
KINGSLEY,O.D.	8807080484	50-416	S	KOTTAN,J.J.	8807200148*	50-309	Q	LASH,T.R.	8807280371	PR	
KINGSLEY,O.D.	8807070379	50-416	P	KOWALSKI,S.J.	8807120673	50-277	Q	LATHAM,S.B.	8807110066	50-322	G
KINGSLEY,O.D.	8807070386	50-282	P	KOZUP,C.S.	8806280309	50-255	F	LATHAM,S.B.	8807110066	50-322	G
KINGSLEY,O.D.	8807110305	50-416	P	KOZUP,C.S.	8807250021	50-256	F	LATHAM,S.B.	8807200045	50-322	G
KINGSLEY,O.D.	8807120298*	60-313	P	KRAFT,M.	8807220329	PR		LATHAM,S.B.	8807200045	50-322	G
KINGSLEY,O.D.	8807120574	60-416	Q	KRAMER,F.	8807200270	50-443	H	LATHAM,S.B.	8807220072	50-322	G
KINGSLEY,O.D.	8807130019	50-416	P	KRAUSE,C.W.	8807190086*	50-266	R	LATHAM,S.B.	8807220372	50-322	G
KINGSLEY,O.D.	8807130044	50-416	O	KRAUSE,C.W.	8807220374*	50-266	R	LATIMORE,K.	8807010384	PR	
KINGSLEY,O.D.	8807140039	50-416	I	KRAUSE,R.W.	8807210070	50-298	S	LATTA,R.M.	8807120493*	50-261	O
KINGSLEY,O.D.	8807140044	50-416	P	KRAUSE,S.	8807200304	50-322	H	LATZ,J.E.	8807060211	WASTE MGT	
KINGSLEY,O.D.	8807190067	50-416	Q	KRAUSKOPF,K.B.	8807120386	ACRS		LATZ,J.E.	8807180096	WASTE MGT	
KINGSLEY,O.D.	8807200314	50-416	S	KRAUSKOPF,K.B.	8807120443	ACRS		LATZ,J.E.	8807190028	WASTE MGT	
KINGSLEY,O.D.	8807220180	50-416	P	KRAUSKOPF,K.B.	8807120517	ACRS		LATZ,J.E.	8807220268	WASTE MGT	
KINSTON,G.	8807050107	50-443	H	KRAUSKOPF,K.B.	8807120711	ACRS		LATZ,J.E.	8807220272	WASTE MGT	
KINTNER,L.L.	8807200388	50-416	P	KRAUSKOPF,K.B.	8807120718	ACRS		LAUER,E.	8807200091	50-443	H
KIRBY,J.	8807010045*	50-424	Q	KREH,J.L.	8807120154*	60-250	Q	LAVERDURE,C.	8807120130	50-443	H
KIRCHHOFF,S.A.	8807050431	50-443	P	KREH,T.L.	8807120605*	50-413	P	LAW,J.	8807180046	PR	
KIRK,R.L.	8807250042*	50-102	H	KRIEGER	8807250149*	50-361	P	LAWRENCE,E.H.	8807203111	50-443	H
KIRKWOOD,A.	8807010031*	50-309	Q	KRIEGER,K.	8806300341	50-247	R	LAWYER,L.	8807120257*	50-269	Q
KIRKWOOD,A.	8807050252*	50-245	Q	KRIEGER,R.S.	8807120014	50-315	F	LAZARUS,W.J.	8807070282*	50-322	Q
KIRSCH,D.F.	8806280184	50-275	P	KRIMM,R.W.	8807050022	50-287	F	LAZARUS,W.J.	8807200109*	50-333	Q
KIRSCH,D.F.	8807050039	50-344	Q	KRIMM,R.W.	8807050044	50-440	F	LAZARUS,W.J.	8807200134*	50-219	Q
KIRSCH,D.F.	8807050104*	50-344	Q	KRIMM,R.W.	8807200373	50-219	F	LAZARUS,W.J.	8807200141*	50-277	Q

LAZARUS, W.J.	8807200188*	50-333	O	LINEHAN, J.J.	8807140001	WASTE MGT	MACDONALD, C.E.	8807110534	71-9036
LAZARUS, W.J.	8807210208*	50-443	F	LINEBEHGER, G.	8807290004	50-443	MACDONALD, C.E.	8807180296	71-9102
LAZARUS, W.J.	8807220174*	50-322	F	LINVILLE, J.C.	8807010011	50-277	MACDONALD, C.E.	8807180382	71-9036
LAZZARA, A.M.	8807050250	50-443	H	LINVILLE, J.C.	8807110300	50-277	MACDONALD, C.E.	8807200187	71-3002
LEARY, G.E.	8806300402*	50-443	I	LINVILLE, J.C.	8807200269	50-277	MACDONALD, C.E.	8807200301	71-210
LEARY, P.	8807050046	50-443	H	LIPMAN, M.	8807050372	50-443	MACDONALD, C.E.	8807200306	71-642
LEAVITT, M.E.	8807210255	50-443	H	UPPOLD, W.J.	8807060181	50-317	MACDONALD, C.E.	8807200339	71-488
LEE, B.	8807120504	REVIEW GR P		LITTLEFIELD, P.	8807200106	PR	MACDONALD, C.E.	8807200343	71-488
LEE, D.E.	8807080777*	CONTRACT		LITTLEFIELD, G.	8807010374	PR	MACDONALD, C.E.	8807210131	71-9182
LEE, F.C.	8807250035*	50-102	P	LITTLEFIELD, P.	8807263213*	50-443	MACDONALD, C.E.	8807210134*	71-9162
LEE, J.D.	8807180164*	FOIA		LIVERMORE	8807250145*	50-445	MACDONALD, D.G.	8807210166	50-283
LEE, J.D.	8807180170*	FOIA		LIVERMORE, H.H.	8807060014*	50-445	MACDONALD, J.A.	8806293400	50-443
LEE, P.T.	8807050253	PR		LIVERMORE, H.H.	8807250125*	50-445	MACDONALD, J.A.	8807010314	50-443
LEET, D.	8806300140*	70-143		LIVERMORE, H.H.	8807250164*	50-445	MACE, M.	8807180145	CONTRACT
LEEMING, A.A.	8807050261	50-443	H	LIVERMORE, H.H.	8807250203*	50-445	MACE, M.H.	8807180132	CONTRACT
LEGENORE, A.L.	8807010261	50-443	H	LIZOTTE, R.G.	8807070352	50-443	MACE, M.H.	8807180139*	CONTRACT
LEITHFAD, W.C.	8807010528	50-443	H	LO, K.	8807200362*	71-9103	MACE, M.H.	8807180150*	CONTRACT
LEIMAN, L.W.	8807080214	50-219	S	LO, R.H.	8807060504	50-261	MACE, M.H.	8807210088	CONTRACT
LEMONS, J.R.	8807250438	50-317	F	LO, R.H.	8807120476	50-261	MACE, M.H.	8807210084*	CONTRACT
LEMAN, J.J.	8807250026*	50-324	Q	LO, R.H.	8807120552	50-261	MACFARLANE, E.	8807010132	50-443
LENNARTZ, J.	8807190356*	50-344	Q	LO, R.H.	8807250368	50-261	MACFARLANE, W.A.	8807180015	50-443
LENO, H.W.	8807010153	50-443	H	LODER, J.E.	8807120144	50-443	MACKIE, B.A.	8807190048	50-322
LENT, N.E.F.G.	8807120092*	50-285	O	LOESCH, R.	8807050686*	50-223	MACMILLAN, S.	8807250153	CONTRACT
LENT, N.E.F.G.	8807120545	50-295	O	LOESCH, R.	8807200216*	50-289	MACDEAR, P.M.	8807180046*	50-424
LENT, N.E.F.G.	8807210019	50-304	P	LOFLIN, L.I.	8806280508	50-324	MADEAR, W.	8807120023	60-443
LENTINE, F.G.	8807250338	50-455	P	LOFLIN, L.I.	8806300011	50-281	MADEDA, T.J.	8807060326*	50-458
LENTINE, S.	8807070082	50-443	H	LOFLIN, L.I.	8807050374	50-281	MADEDA, T.J.	8807120070*	50-456
LEONARD, J.D.	8806160180	50-322	P	LOFLIN, L.I.	8807070537	50-324	MADEDA, T.J.	8807120005*	50-283
LEONARD, J.D.	8807070054	50-322	P	LOFLIN, L.I.	8807070559	50-324	MADEJEY, V.	8807050147	50-443
LEONARD, J.D.	8807130090	50-322	O	LOFLIN, L.I.	8807220057	50-324	MAGETTE, T.	8807280074	50-171
LEONARD, J.D.	8807200139	71-9168		LOFLIN, L.I.	8807250392	50-324	MAGG, D.L.	8807010081	PR
LEONARD, J.D.	8807250105	50-322	F	LOFLIN, L.I.	8807120558	50-400	MAHAN, W.F.	8807050203	50-443
LEONARD, J.D.	8807250188	50-322	P	LOGSDON, M.J.	8807120577	WASTE RES	MAHR, T.A.	8807180254	PR
LEONARD, J.D.	8807250206*	50-322	P	LOGSDON, M.J.	8807180138	WASTE RES	MAILHOT, T.	8807070349	50-443
LEONARD, J.D.	8807250216	50-322	P	LOGSDON, M.J.	8807180141	WASTE RES	MAKOWICZ, J.L.	8807050515	PR
LEONARD, J.D.	8807250220*	50-322	P	LOGUE, K.A.	8807070152	50-443	MAKOWICZ, M.J.	8807070160	50-443
LEONARD, J.D.	8807250350	PR		LOGUE, R.	8807070001	50-443	MALDEN, J.L.	8807120296*	50-313
LEONE, P.A.	8807010611	50-443	H	LOGUE, R.H.	8806300173	50-277	MALONIK, S.	8807120532	50-443
LENNER, M.H.	8807210014	50-322	H	LOGUE, R.H.	8807060223	50-277	MALLET, B.	8807010389	18E
LEHOY, S.E.	8807130291	50-368	S	LOGUE, R.H.	8807070042	50-277	MALLET, B.	8807120025	18E
LEROY, S.E.	8807130379	50-368	S	LOGUE, R.H.	8807070157	50-352	MALLET, B.	8807190191	18E
LEROY, S.E.	8807130400	50-368	S	LOHAUS, P.	8807060583	WASTE MGT	MALLET, B.	8807190326	50-305
LEROY, S.E.	8807130436	50-368	S	LOHAUS, P.H.	8804280265	WASTE MGT	MALLET, B.	8807200366	18E
LEROY, S.E.	8807130452	50-370	S	LOHAUS, P.H.	8807060534	WASTE MGT	MALLET, B.	8807220225*	FOIA
LEROY, S.E.	8807250106	50-370	S	LONG, A.R.	8806290192*	50-327	MALLET, B.S.	8807060120	50-483
LEROY, S.E.	8807250204	50-370	S	LONG, J.L.	8807060280	50-327	MALLET, B.S.	8807060174	50-285
LESSER, M.S.	8806280361*	50-413	Q	LONG, J.L.	8807120132	50-327	MALLET, B.S.	8807080325	50-456
LETOURNEAU, L.J.	8807050348	50-443	H	LONG, J.L.	8807120176	50-328	MALLET, B.S.	8807120070*	50-456
LETSCH, E.K.J.	8807060014	50-322	G	LONG, R.L.	8807120070	50-219	MALLET, B.S.	8807120005*	50-283
LETSCH, E.K.J.	8807080014	50-322	G	LONG, W.O.	8807120630	50-288	MALLET, B.S.	8807190162	50-10
LETSCH, K.J.	8807200217	50-322	G	LONG, W.O.	8807150172	50-288	MALLET, B.S.	8807250017	50-123
LETSCH, K.J.	8807200217	50-322	G	LONG, W.O.	8807150174*	50-288	MALLOY, M.	8807180363	50-445
LEVESQUE, N.T.	8807080587	50-443	H	LONG, W.O.	8807150175	50-288	MALODY, C.W.	8807250020*	EXPORTLIC
LEVINE, G.R.	8807210104	PR		LOMKEMAN, P.	8807130457*	OHG	MALODY, C.W.	8807250028	EXPORTLIC
LEVINE, J.M.	8807070563	50-313	O	LOOMIS, G.	8807110521	NUREG	MALONE, D.D.	8807070184	50-323
LEVINE, J.M.	8807130176	50-368	S	LORD, M.	8807050183	50-443	MALONEY, W.M.	8807070057*	50-322
LEVINE, J.M.	8807180149	50-313	O	LORD, W.S.	8807070518	50-443	MALSCH, M.G.	8807070050*	STATE PROG
LEVINE, R.C.	8807200234	PR		LORION, J.	8807200081	50-250	MANDELL, S.	8807200187	PR
LEVINSKY, A.	8807200101	PR		LOSS, F.J.	8807120353*	CONTRACT	MANGAN, C.V.	8807060506	50-220
LEVIS, W.	8807190302*	50-324	O	LOUX, R.R.	8807210243	WASTE MGT	MANIX, E.A.	8807220123	50-443
LEWALLEN, J.T.	8807010723	50-443	H	LOUX, R.R.	8807210254	WASTE MGT	MANLEY, W.K.	8807200233	PR
LEWIS, J.	8807200012	PR		LOVE, R.S.	8807070133*	50-247	MANN, D.E.	8807050034	WASTE MGT
LEWIS, M.	8807280091	PR		LOVE, R.S.	8807190356*	50-344	MANN, D.E.	8807110143	WASTE MGT
LEWIS, W.I.	8807010312	50-320	H	LOVETT, P.	8807070204	PR	MANN, D.E.	8807220191	WASTE MGT
LEWIS, S.H.	8807060030	50-320	G	LUBENAU, J.O.	8807010597	NUREG	MANN, M.A.	8807010421	50-443
LEWIS, S.H.	8807060053*	50-320	G	LUBENAU, J.O.	8807010651*	NUREG	MANN, R.G.	8807010413	50-443
LEWIS, S.H.	8807080067	50-320	G	LUBENAU, J.O.	8807070708*	NUREG	MANNING, K.A.	8807180369	PR
LEWIS, S.H.	8807110092	50-320	G	LUBENAU, J.O.	8807070465	NUREG	MARABITO, P.	8807190191	18E
LEWIS, S.H.	8807200081	50-320	G	LUCAS, W.	8807010119	PR	MARBLE, R.E.	8807070497	50-443
LEWIS, S.H.	8807220037	50-320	G	LUEHAY, J.	8807120262	50-72	MARCHI, J.L.	8807060618	PR
LEWIS, S.H.	8807220050	50-320	G	LUKE, J.H.	8807010088	PR	MARGULIES, M.B.	8807110012	50-603
LIBERMAN, J.	8806280027	50-528	G	LUKSDEN, L.	8807010504	50-443	MARGULIES, M.B.	8807290330	50-603
LIBERMAN, J.	8807010021	ORG		LUPTON, J.E.	8807180266	PR	MARIAN, M.J.	8807010183	PR
LIBERMAN, J.	8807060109	50-498	O	LUSSIER, R.	8807070368	50-443	MARIE, R.F.	8807010400	PR
LIBERMAN, J.	8807070484	50-295	O	LUTKEN, D.C.	8807140043*	50-418	MARIOTTE, M.	8807220011	PR
LIBERMAN, J.	8807090304	50-348	O	LYNCH, M.D.	8807090155*	50-331	MARK, J.C.	8807120701	ACRS
LIBERMAN, J.	8807120075	18E		LYNCH, S.	8807010519	PR	MARKEY, E.J.	8807060130	COMMISSION
LIBERMAN, J.	8807210282	50-72	Q	LYON, D.M.	8807210036	50-374	MARKEY, E.J.	8807070335	50-443
LIBERMAN, J.	8807210017	18E		LYON, W.	8807130108	TOPREP	MARKEY, E.J.	8807200325	50-322
LIESS, R.H.	8807070510	50-443	H	LYONS, D.C.	8807160251	PR	MARKLEY, M.	8807050248*	50-388
LIENTHAL, D.E.	8807200275	50-293	H	LYONS, E.	8807070188	50-250	MARONCELLI, F.	8807010201	50-443
LIENTHAL, J.	8807220008	WASTE MGT		MABY, E.C.	8807220002	50-443	MARRS, K.F.	8807050280	PR
LIENTHAL, J.	8807220010	WASTE MGT		MACDONALD, C.E.	8807010039	71-9029	MARSH, C.P.	8807010637	50-443
LIENTHAL, J.	8807010673	WASTE MGT		MACDONALD, C.E.	8807070108	70-2478	MARSH, S.	8807010238	50-443
LIENTHAL, J.J.	8807060247	WASTE MGT		MACDONALD, C.E.	8807060302	71-9032	MARSHALL, B.M.	8807070520	50-280
LIENTHAL, J.J.	8807060294	WASTE MGT		MACDONALD, C.E.	8807110282	71-6813	MARSHALL, F.R.	8807070324	50-443
LIENTHAL, J.J.	8807060448	WASTE RES		MACDONALD, C.E.	8807110522	71-9108	MARSHALL, J.S.	8806300363	50-445
LIENTHAL, J.J.	8807120127	WASTE MGT		MACDONALD, C.E.	8807110529	71-8574	MARSHALL, S.	8807220234	PR

AUTHOR	ACCOUNT NUMBER	CATEGORY	ACCOUNT NUMBER	CATEGORY	ACCOUNT NUMBER	CATEGORY	ACCOUNT NUMBER	CATEGORY			
MARSHALL, W.J.	8807180050	50-289	F	MCCOY, F.R.	8807060068	50-259	Q	MEDFORD, M.O.	8807190155	50-361	Q
MARSON, B.D.	8807140253	50-346	F	MCCOY, F.R.	8807060413	50-327	Q	MEDFORD, M.O.	8807190268	50-361	Q
MARSTON, R.	8805290331*	70-1201		MCCOY, F.R.	8807120228	50-438	Q	MEDFORD, M.O.	8807200320	50-206	P
MARSTON, R.R.	8807120438*	50-400	Q	MCCOY, F.R.	8807120550	50-327	Q	MEDFORD, M.O.	8807200331	50-206	P
MARSTON, R.R.	8807130118*	70-824		MCCOY, F.R.	8807250262	50-390	Q	MEDFORD, M.O.	8807210398	50-206	P
MARSTON, W.	8807010286	50-443	H	MCCOY, F.R.	8807250265*	50-390	Q	MEDFORD, M.O.	8807220345	50-206	P
MARTEL, R.E.	8807010570	50-443	H	MCCOY, S.B.	8807220376	71-9210		MEDFORD, M.O.	8807220103	50-206	Q
MARTIN, J.	8807140095*	50-269	P	MCCRATH, D.M.	8807010106	PR		MEDFORD, M.O.	8807250276	50-206	P
MARTIN, J.B.	8807050113	50-528	Q	MCCRATH, J.	8807070188	1&E		MEDLOCK, R.L.	8807010235	40-452	
MARTIN, J.B.	8807130430	50-397	Q	MCCRIGHT, O.	8807110456	WASTE MGT		MEEHAN, B.	8807050330	CONTRACT	
MARTIN, R.D.	8807010227	50-482	Q	MCCRORY, S.L.	8807070560*	50-498	V	MEEHAN, B.	8807080051	CONTRACT	
MARTIN, R.D.	8807150141*	FOIA		MCCUBBER, J.T.	8807010212	PR		MEEHAN, B.	8807120315	CONTRACT	
MARTIN, R.D.	8807210121	50-285	Q	MCDANIEL, D.	8807120182	50-443	H	MEEHAN, B.	8807120336	CONTRACT	
MARTIN, R.E.	8807050497	50-277	P	MCDANIEL, K.K.	8807130427	WASTE MGT		MEEHAN, B.	8807130184	CONTRACT	
MARTIN, R.E.	8807110315	50-277	P	MCDANIEL, D.F.	8807010352	PR		MELAS, KYRIAZI	8807010098	50-443	H
MARTIN, R.L.	8807010384	PR		MCDONALD, D.	8807210308	50-293	F	MELCHIORRE, A.A.	8807050248	50-443	H
MARTIN, R.R.	8807060507*	CONTRACT		MCDONALD, D.G.	8807120557	50-293	P	MELFI, J.	8807140214*	50-312	Q
MARTIN, W.G.	8807210285*	50-245	Q	MCDONALD, D.G.	8807180160	50-293	P	MELZER, G.M.	8807190286	50-322	H
MASCHKA, P.R.	8807220307	70-1359		MCDONALD, D.G.	8807220323	50-293	P	MENDEZ, R.	8807120224*	50-254	Q
MASNIK, M.T.	8807070539	50-320	P	MCDONALD, D.G.	8807250408	50-293	P	MENDEZ, R.	8807200386*	50-237	Q
MASNIK, M.T.	8807070574	50-320	P	MCDONALD, G.F.	8807010395	PR		MENDONCA, M.M.	8807010434*	50-275	Q
MASNYK, O.M.	8807210239*	50-340	Q	MCDONALD, R.P.	8806290288	50-424	P	MENDONCA, M.M.	8807050108*	50-344	Q
MATCHETT, S.D.	8807150033	50-322	G	MCDONALD, R.P.	8807060184	50-348	F	MENGE, R.C.	8807010054	50-315	S
MATCHETT, S.D.	8807150033	50-322	G	MCDONALD, W.G.	8807080152*	PR		MENGE, R.C.	8807070157	50-352	S
MATTHEWS, R.	8807120458	50-443	H	MCDONALD, W.G.	8807080176*	PR		MENGE, R.C.	8807070219	50-352	S
MATTHEWS, D.B.	8807130409*	50-269	Y	MCDONALD, W.G.	8807140240	PR		MENGE, R.C.	8807120260	50-352	S
MATTHEWS, D.B.	8807050295	50-443	H	MCDONALD, W.G.	8807150101	ORG		MENGE, R.C.	8807180177	50-352	S
MATRISOTTO, J.	8807120638	50-285	S	MCDONALD, W.G.	8807150149*	PR		MENGE, R.C.	8807200359	50-352	S
MATTHEWS, D.B.	8807060516*	50-369	P	MCDONALD, W.G.	8807150212	ORG		MERCER, D.C.	8807010167	PR	
MATTHEWS, D.B.	8807070572*	50-424	P	MCDONALD, W.G.	8807150302*	PR		MERCHANT, D.B.	8807280382	50-443	H
MATTHEWS, D.B.	8807110291*	50-269	P	MCDONALD, D.P.	8807060048	50-309	S	MERCIER, A.	8807200345	PR	
MATTHEWS, D.B.	8807110541*	50-413	P	MCDUFFIE, M.A.	8807140248	50-400	Q	MERRILL, C.	8807060240	50-238	F
MATTHEWS, D.B.	8807120460	50-425	M	MCDUFFIE, M.A.	8807190136	50-281	Q	MERRILL, C.	8807130089	50-238	F
MATTHEWS, D.B.	8807130255*	50-369	Y	MCELROY, N.L.	8807150143*	PR		MESSER, S.	8807010727	60-443	H
MATTHEWS, D.B.	8807130404	50-269	Y	MCELROY, N.L.	8807150151*	PR		METCALF, E.T.	8807070301	50-443	H
MATTHEWS, D.B.	8807180122*	50-321	P	MCGAUGHEY, M.E.	8807010489	50-443	H	MEYER, D.L.	8807080158*	PR	
MATTHEWS, D.B.	8807180371*	50-424	P	MCGEE, B.L.	8807190346*	50-381	P	MEYER, D.L.	8807270257*	PR	
MATTHEWS, D.B.	8807190206	50-369	P	MCGEE, B.L.	8807190355*	50-381	P	MEYER, R.E.	8807190166	WASTE RES	
MATTHEWS, D.B.	8807190382*	50-413	P	MCGEE, B.L.	8807190357*	50-381	P	MICHAEL, P.B.	8807270302	FOIA	
MATTHEWS, L.J.	8807220303	PR		MCGEE, B.L.	8807250118*	50-361	P	MICHAELS, T.S.	8807200279	50-193	P
MAUCK, C.J.	8807070530	71-5552		MCGEE, B.L.	8807250149*	50-381	P	MICHAUD, P.W.	8807070402	50-267	P
MAUCK, C.J.	8807190318	71-6878		MCGILL, P.L.	8807210345	70-1100		MICHAUD, P.W.	8807070404	50-267	Q
MAURA, F.A.	8807120224*	50-254	Q	MCGINN, P.	8807200002	50-443	H	MICHAUD, P.W.	8807120380*	50-267	Q
MAUSE, R.A.	8807210540	50-322	H	MCGINN, R.J.	8807070303	50-443	H	MICHELI, M.	8807180036*	50-275	P
MAVROJLES, N.	8807120584*	COMM/SSION		MCGONIGLE, D.J.	8807010403	50-443	H	MIDDLETON, L.L.	8807210301	50-277	P
MAVROJLES, N.	8807180370	50-443	H	MCGOWAN, R.C.	8807270276	PR		MIDDLETON, W.T.	8807050493	50-443	H
MAVROJLES, N.	8807200238	PR		MCGRATH, J.	8807140314	1&E		MIERA, F.R.	8807210257*	WASTE MGT	
MAXWELL, G.F.	8807120512*	50-400	Q	MCGUIRE, D.R.	8807010045	50-424	Q	MIKOS, G.P.	8807010716	50-443	H
MAXWELL, G.F.	8807130322*	50-400	Q	MCGUIRE, D.R.	8807060299*	50-413	Q	MILANO, P.D.	8807110101	50-285	P
MAYER, R.	8807220367*	71-9159		MCGUIRE, D.R.	8807060414*	50-327	Q	MILANO, P.D.	8807110405	50-285	P
MAYS, R.J.	8807250326	50-320	P	MCGUIRE, D.R.	8807070020*	50-280	Q	MILANO, P.D.	8807120460	50-285	F
MCCALISTER, S.A.	8806330036	50-300	S	MCGUIRE, D.R.	8807070196*	50-392	Q	MILHOAN, J.L.	8807070593	50-392	Q
MCCALPINE, E.J.	8806330033*	70-27	P	MCGUIRE, D.R.	8807210299*	50-348	Q	MILLER, D.B.	8807070550	50-213	S
MCCALPINE, E.J.	8806330123*	50-335	Q	MCGUIRE, D.R.	8807210309*	50-261	Q	MILLER, D.B.	8806290124	50-213	S
MCCALPINE, E.J.	8807130148*	50-264	Q	MCGUIRE, D.R.	8807250272*	50-369	Q	MILLER, D.B.	8807060565	50-213	S
MCCALPINE, E.J.	8807130161*	50-324	Q	MCKAMY, W.C.	8807140049*	50-418	I	MILLER, D.B.	8807070101	50-213	S
MCCALPINE, E.J.	8807190235*	70-1151		MCKAY, L.	8807280391*	50-528	G	MILLER, D.B.	8807250129	50-213	H
MCCARTHUR, M.W.	8807050039	50-443	H	MCKEE, J.P.	8807070318	60-443	H	MILLER, D.E.	8807190195*	50-346	Q
MCBURNETT, M.A.	8807110233	50-498	F	MCKENNA, T.J.	8807060018*	60-443	G	MILLER, G.	8807190273	50-302	R
MCBURNETT, M.A.	8807112481	50-490	I	MCKEON, R.	8807130402*	50-260	P	MILLER, H.J.	8806280132	50-401	Q
MCBURNETT, M.A.	8807120256	50-498	J	MCKIBBEN, J.C.	8807120543	60-188	P	MILLER, H.J.	8807060347	50-373	Q
MCBURNETT, M.A.	8807220369	50-490	F	MCLAIN, D.G.	8807050192	50-443	H	MILLER, H.J.	8807060357*	50-373	Q
MCCABE, E.C.	8807050214*	50-213	Q	MCLAUGHLIN, A.J.	8807050407	60-373	S	MILLER, H.J.	8807120005	60-155	Q
MCCABE, E.C.	8807110397*	50-330	Q	MCLAUGHLIN, J.	8807010088	71-3003		MILLER, H.J.	8807120016	50-237	Q
MCCABE, E.C.	8807200218*	50-245	Q	MCLEAN, J.N.	8807010513	50-443	H	MILLER, H.J.	8807120037*	60-10	Q
MCCABE, P.D.	8807070069	50-443	H	MCMORE, J.	8807140005*	60-260	P	MILLER, H.J.	8807120087	50-295	Q
MCCAIN, J.	8807200282	PR		MCMICKLE, R.H.	8807070081	50-443	H	MILLER, H.J.	8807120217	50-254	Q
MCCARTHY, C.B.	8807070114	50-381	Q	MCMANARA, M.D.	8807010706	50-443	H	MILLER, H.J.	8807120221*	50-254	Q
MCCARTHY, M.	8807070283	50-443	H	MCMANARA, N.	8807110535	NUREG		MILLER, H.L.	8807070573	PT21	
MCCARTHY, M.P.	8807070097	50-443	H	MCMANARA, W.E.	8807050369	50-443	H	MILLER, L.	8807190276	60-331	R
MCCARTINE, E.	8807010332	PR		MCMONAGHAN, J.	8807070417	50-277	P	MILLER, L.F.	8807140214*	50-312	Q
MCCARTY, B.E.	8807010586	WASTE MGT		MCMONAGHAN, J.	8807150105	50-277	R	MILLER, L.F.	8807130410*	50-440	Q
MCCARTY, M.R.	8807010724	50-443	H	MCMONAGHAN, J.	8807250403	50-277	P	MILLER, M.S.	8807200045	50-322	G
MCCAUGHEY, D.	8807210039*	70-3055		MCMONAGHAN, J.	8807200025*	50-498	Q	MILLER, M.S.	8807200045	50-322	G
MCCAULEY, J.	8807010554*	50-267	R	MCMONAGHAN, J.	8807070195	PR		MILLER, T.	8807220062*	71-9159	
MCCCLUNG, C.	8807010180	PR		MCMONAGHAN, J.	8807120181	50-443	H	MILLER, V.L.	8807150140*	PR	
MCCOMAS, J.D.	8807220210*	FOIA		MEACHAM, J.	8807060240	50-298	F	MILLER, V.L.	8807270301*	FOIA	
MCCONNELL, J.W.	8807070421	NUREG		MEACHAM, J.M.	8807210070	50-298	S	MILLER, W.H.	8807250102*	50-348	Q
MCCONNELL, T.L.	8807250242	50-369	P	MEADE, K.E.	8807120045	60-328	S	MILLMAN, G.C.	8807150193	PR	
MCCORMACK, G.M.	8807050278	PR		MEADOWS, T.R.	8807140154*	50-288	V	MILLS, L.E.	8807280198	PR	
MCCORMACK, R.B.	8807010685	50-443	H	MEARSE, S.D.	8807180270	CONTRACT		MILLS, L.E.	8807280332	PR	
MCCORMICK-BARGE	8807130410*	50-440	Q	MECHEN, E.J.	8807220110	PR		MILLS, L.E.	8807290187	PR	
MCCOY, D.	8807210058	50-322	H	MEDFORD, M.O.	8807070058	50-381	P	MILTENBERGER, S.	8807010591	60-272	P
MCCOY, F.	8807190018	50-250	Q	MEDFORD, M.O.	8807120071	60-206	P	MILTENBERGER, S.	8807050378	50-272	F
MCCOY, F.R.	8806280309	50-258	Q	MEDFORD, M.O.	8807130258	50-208	P	MILTENBERGER, S.	8807060447	50-354	Q
MCCOY, F.R.	8806280181	50-327	Q	MEDFORD, M.O.	8807140139	60-206	P	MILTENBERGER, S.	8807190181	60-354	Q



AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
M. TEYBERGER, S	8807250328	50-272	K	MORRIS, K. J.	8807120611	50-265	O	MURPHY, M. C.	8607070301	50-443
M. TEYBERGER, S	8807280336	50-272	O	MORRIS, K. J.	8807130366	50-265	O	MURPHY, W. P.	8607150021*	50-271
M. NIKLEVIC, V	8807010577	PR		MORRIS, K. J.	8807130382	50-265	F	MURPHY, W. P.	8607150071	50-271
M. RAGLIA, F. J.	8807130454	50-3	P	MORRIS, K. J.	8807140304	50-265	O	MURPHY, W. P.	8607180170	50-271
M. RAGLIA, F. J.	8807200170	ORG		MORRIS, K. J.	8807250178	50-285	P	MURPHY, W. P.	8607210220	50-271
M. SRENER, J. M.	8807180020	PR		MORRIS, L. A.	8807250181*	50-285	P	MURRAY, J. E.	8607250431*	50-422
M. SSA, M. J.	8807220072	50-322	G	MORRIS, L. J.	8807070316	50-443	H	MURRAY, N. P.	8606300402*	50-323
M. SSA, M. J.	8807220072	50-322	G	MORRIS, R.	8807050166	50-443	H	MUSOLF, D.	8806290383	50-282
M. TCHILL, D.	8807200159	50-373	H	MORRISON, B.	8807010367	50-443	H	MUSOLF, D.	8607140270	50-283
M. TCHILL, D.	8807220006	50-373	H	MORRISON, R.	8807010202	50-443	H	MUSOLF, D.	8607140286	50-283
M. TCHILL, D. E.	8807050249	PR		MORRISSEY, S. A.	8807070146	50-443	H	MUSOLF, D.	8807140292*	50-283
M. TCHILL, G. J.	8807180267*	50-309	U	MORROW, M. C.	8807150122	50-261	F	MUSOLF, D.	8807130235	50-282
M. TCHILL, K.	8807010187	PR		MORROW, M. C.	8807150259	50-261	F	MUSOLF, D.	8807180204*	50-282
M. TCHILL, M. W.	8807080224*	71-655		MORROW, M. C.	8807150266	50-281	F	MUSOLF, D.	8807100060	50-283
M. TCHILL, T. R.	8807220030	40-8968		MORSE, G.	8807120277	50-443	H	MUSOLF, D.	8807200300	50-283
M. ZNER, J. H.	8807200136	50-443	G	MOTL, G. P.	8807220062*	71-9159		MUSOLF, D.	8807210328	50-282
M. ZNER, J. H.	8807280217	PR		MUGHAN, T. F.	8807070126	53-443	H	MYERS, C. J.	8807050118*	50-312
M. ZNER, J. H.	8807000300	NUREG		MOYNIHAN, D. P.	8807220189	FR		MYERS, C. J.	8807140214*	50-312
M. ZNER, J. H.	8807130091	ADVCN		MROCK, K. E. J.	8607050012	50-423	P	MYERS, G.	8807010625	50-443
M. ZNER, J. H.	8807130130	ADVCN		MROCK, K. E. J.	8607050012	50-423	P	MYERS, J. H.	8807150135	PR
M. ZNER, J. H.	8807060537	50-332	S	MROCK, K. E. J.	8607050030	50-423	K	MYERS, M. M.	8807200387*	50-277
M. ZNER, J. H.	8807070372	50-332	S	MROCK, K. E. J.	8607050030	50-423	K	MYERS, P. B.	8807130235	WASTE MG
M. ZNER, J. H.	8807190360	50-332	S	MROCK, K. E. J.	8807060203	50-336	P	MYRAGO, A. L.	8807200390	50-283
M. ZNER, J. H.	8807220384	PR		MROCK, K. E. J.	8807060203	50-336	P	NALEZNY, C. L.	8710150408*	50-309
M. ZNER, J. H.	8807250336	FOIA		MROCK, K. E. J.	8807060365	50-245	P	NALEZNY, C. L.	8807130457*	ORG
M. ZNER, J. B.	8807010063	WASTE RES		MROCK, K. E. J.	8607080365	50-245	P	NAHBU, P.	8607110283	50-275
M. ZNER, K. J.	8807120479*	50-482	F	MROCK, K. E. J.	8807060387	50-336	P	NAHBU, P. P.	8607010434*	50-275
M. ZNER, J. F.	8807070433	50-443	H	MROCK, K. E. J.	8807060387	50-336	P	NAHBU, A. J.	8607130226	70-1151
M. ZNER, J. L.	8806280170	70-25		MROCK, K. E. J.	8807060484	50-213	P	NAHBU, A. J.	8807130228	70-1151
M. ZNER, J. L.	8806280180*	70-25		MROCK, K. E. J.	8807060484	50-213	P	NAHBU, P. P.	8807180358	50-443
M. ZNER, J. L.	8807060542	70-734		MROCK, K. E. J.	8807070053	50-213	Q	NASH, D. A.	8807110319	50-387
M. ZNER, J. L.	8807200286	50-344	F	MROCK, K. E. J.	8807070053	50-213	Q	NASH, D. A.	8807130165	50-267
M. ZNER, J. L.	8807180211*	50-282	P	MROCK, K. E. J.	8807070139	50-213	Q	NASH, D. A.	8807130460	TOPREP
M. ZNER, J. L.	8807050269	50-443	H	MROCK, K. E. J.	8807070139	50-213	Q	NASH, D. A.	8807210297	50-283
M. ZNER, J. L.	8807010269	50-443	H	MROCK, K. E. J.	8807070139	50-213	Q	NATHAN, R. M.	8807210001	50-322
M. ZNER, P.	8807120509	50-443	H	MROCK, K. E. J.	8807070311	50-213	F	NAUMAND, A.	8807050234	50-395
M. ZNER, R. R.	8807050442	50-443	H	MROCK, K. E. J.	8807070311	50-213	F	NAUMAND, A.	8807050439	50-395
M. ZNER, J. J.	8807250073*	71-0073		MROCK, K. E. J.	8807070420	50-336	P	NAUMAND, A.	8807050525	50-395
M. ZNER, C.	8807010156	WASTE MGT		MROCK, K. E. J.	8807070420	50-336	P	NAUMAND, A.	8807080536	50-395
M. ZNER, E. M.	8807070441	50-443	H	MROCK, K. E. J.	8807130075	50-213	Q	NAVE, E. D.	8807070171	50-280
M. ZNER, J.	8807110134*	50-445	G	MROCK, K. E. J.	8807130075	50-213	Q	NAY, J. F.	8807050339	50-443
M. ZNER, J. E.	8807110119*	50-445	G	MROCK, K. E. J.	8807140101	50-213	Q	NEARSE, S. O.	8807110316	CONTRACT
M. ZNER, L. R.	8807220140*	50-425	Q	MROCK, K. E. J.	8807140101	50-213	Q	NEAULT, P.	8807010278	50-443
M. ZNER, V. B.	8807200100	50-322	H	MROCK, K. E. J.	8807150110	50-213	Q	NEEL, Y. B. D.	8807100226*	50-280
M. ZNER, D. H.	8807070515	50-260	P	MROCK, K. E. J.	8807150110	50-213	Q	NEFF, J. O.	8607010323	WASTE MG
M. ZNER, D. H.	8807070551*	50-327	P	MROCK, K. E. J.	8807150110	50-213	Q	NEFF, J. O.	8807060162	WASTE MG
M. ZNER, D. H.	8807080128	50-327	P	MROCK, K. E. J.	8807150115	50-336	Q	NEFF, J. O.	8807110133	WASTE MG
M. ZNER, D. H.	8807210139	50-280	P	MROCK, K. E. J.	8807150115	50-336	Q	NEFF, J. O.	8807180288	WASTE MG
M. ZNER, D. H.	8807250391	50-280	P	MROCK, K. E. J.	8807200001	50-213	F	NEFF, J. O.	8807100307	WASTE MG
M. ZNER, K. A. E. J.	8807130075	50-213	Q	MROCK, K. E. J.	8807200001	50-213	F	NEIGHBORS, J. D.	8807120402	50-280
M. ZNER, L. G.	8807010237	PR		MROCK, K. A. E. J.	8807200003	50-336	P	NEISES, G. J.	8807070132	50-482
M. ZNER, D. N.	8807010075	50-348	S	MROCK, K. A. E. J.	8807200003	50-336	P	NELSON, G. W.	8807250001	50-113
M. ZNER, D. N.	8807190242	50-348	R	MROCK, K. A. E. J.	8807200038	50-213	Q	NELSON, P. C.	8807080584	50-443
M. ZNER, D. N.	8807180245	50-384	R	MROCK, K. A. E. J.	8807200038	50-213	Q	NERON, G.	8807250128	50-336
M. ZNER, D. N.	8807250070	50-348	S	MROCK, K. A. E. J.	8807200038	50-213	Q	NERSES, V.	8807110346	50-443
M. ZNER, H. E.	8807010148	50-206	S	MROCK, K. A. E. J.	8807220035	50-336	Q	NERSES, V.	8807200241*	50-482
M. ZNER, H. E.	8807060168	50-206	S	MROCK, K. A. E. J.	8807220035	50-336	Q	NETI, S.	8807110476	NUREG
M. ZNER, H. E.	8807070589	50-206	F	MROCK, K. A. E. J.	8807220040	50-336	P	NETI, S.	8807110484	NUREG
M. ZNER, H. E.	8807070803	50-206	F	MROCK, K. A. E. J.	8807220040	50-336	P	NETI, S.	8807110524	NUREG
M. ZNER, H. E.	8807080298	50-206	F	MROCK, K. A. E. J.	8807250081	50-423	P	NETI, S.	8807110530	NUREG
M. ZNER, H. E.	8807120053	50-381	S	MROCK, K. A. E. J.	8807250081	50-423	P	NEWBURN, G. H.	8807210214	50-245
M. ZNER, H. E.	8807130107	50-206	R	MULLER, D. H.	8807070429	50-443	H	NEWBY, C. T.	8807070072*	CONTRACT
M. ZNER, H. E.	8807150070	50-381	S	MULHREAD, D. M.	8807110376*	50-293	H	NEWMAN, J. B.	8807120263	PR
M. ZNER, H. E.	8807160300	50-381	S	MULCAHY, M.	8807010488	50-443	H	NEWMAN, J. R.	8807150024*	50-445
M. ZNER, H. E.	8807180268	50-382	S	MULLAUER, J.	8807220225*	FOIA		NEWMAN, J. R.	8807150024*	50-445
M. ZNER, H. E.	8807180269	50-206	R	MULLER, O.	8807180026	50-249	P	NEWSOME, R. W.	8806290038*	50-280
M. ZNER, H. E.	8807180278	50-381	R	MULLER, O. R.	8807080235*	50-341	P	NEWSOME, R. W.	8807120062*	50-369
M. ZNER, H. E.	8807260187	50-361	Q	MULLER, D. R.	8807110270	ORG		NEWSOM, C. T.	8807250108*	50-322
M. ZNER, H. E.	8807260190	50-361	S	MULLER, D. R.	8807130155*	50-237	P	NEWSOM, C. T.	8807250111*	50-322
M. ZNER, R.	8807050175	50-443	H	MULLER, D. R.	8807140231*	50-341	P	NEWSOM, C. T.	8807250123*	50-322
M. ZNER, R. E.	8807060558	50-281	F	MULLER, K. J.	8807010538	PR		NEWSOM, C. T.	8807250141*	50-322
M. ZNER, R. E.	8807080589	50-281	S	MULLER, R.	8807200068	50-322	H	NEWSOM, C. T.	8807250144*	50-322
M. ZNER, R. E.	8807140200	50-281	R	MULLER, R.	8807200163	50-322	H	NEWSOM, C. T.	8807250157*	50-322
M. ZNER, R. E.	8807150286	50-281	F	MULLETT, D.	8807200028*	50-271	G	NEWSOM, C. T.	8807250161*	50-322
M. ZNER, R. E.	8807210044	50-281	S	MULLETT, D. J.	8807200114	50-271	G	NEWSOM, C. T.	8807250189*	50-322
M. ZNER, W. E.	8807120100	50-10	P	MULLINS, L. E.	8807010260	PR		NEWSOM, C. T.	8807250172*	50-322
M. ZNER, W. E.	8807060113	50-295	Q	MUNROD.	8807280058	PR		NEWSOM, C. T.	8807250174*	50-322
M. ZNER, W. E.	8807120114	50-454	Q	MUNRO, J. F.	8807250388*	50-418	V	NEWTON, R. A.	8806280469	NUREG
M. ZNER, W. E.	8807200106	50-237	Q	MUNTZING, L. M.	8806300048	50-498	P	NEWTON, T. H.	8807010600	60-134
M. ZNER, W. E.	8807180291	40-7102	Q	MUNTZING, L. M.	8806300048	50-498	P	NEY, D. E.	8807120826*	WASTE MG
M. ZNER, W. E.	8807200154	40-7102	Q	MURLEY, T. E.	8807070527	ORG		NICHOLAS, J. B.	8807070071*	50-498
M. ZNER, W. E.	8807070500	50-443	H	MURLEY, T. E.	8807120804	50-440	G	NICHOLAS, J. B.	8807110418	50-285
M. ZNER, W. E.	8807180322*	50-361	V	MURLEY, T. E.	8807120650*	50-440	G	NICHOLS, W. W.	8807070462	50-443
M. ZNER, K. J.	8807080371	50-285	S	MURLEY, T. E.	8807120662*	50-440	G	NICHOLSON, L. L.	8807120451*	50-324
M. ZNER, K. J.	8807070166	50-285	H	MURLEY, T. E.	8807130330	ORG		NIMITZ, R. L.	8807010387*	50-334
M. ZNER, K. J.	8807070169	50-285	P	MURLEY, T. E.	8807180017	50-289	P	NIMITZ, R. L.	8807050224*	50-293
M. ZNER, K. J.	8807070205	50-285	Q	MURLEY, T. E.	8807180213	ORG		NOBLE, T.	8807080060	50-327
M. ZNER, K. J.	8807120292	50-285	P	MURLEY, T. E.	8807180263	ORG		NOONAN, J.	8807010523	PR

[illegible]

PHILLIPS,M.P.	8807060234*	50-331	Q	PRICE,H.L.	8807260139*	50-102	P	REYNOLDS,N.S.	8807280087	PR
PHILLIPS,M.P.	8807060287*	50-266	Q	PRICE,H.L.	8807260143*	50-102	P	RHODES,J.	8807210169	50-322
PHILLIPS,M.P.	8807120224*	50-254	Q	PRICE,H.L.	8807260186*	FOIA		RICCIO,J.P.	8807070360	50-443
PHILLIPS,M.P.	8807200386*	50-237	Q	PRICE,H.L.	8807250197*	FOIA		RICE,D.A.	8807010072	PR
PHILLIPS,S.L.	8807110498	NUREG		PRICE,H.L.	8807250221*	50-102	P	RICE,P.O.	8807010057	50-425
PHILLIPS,T.	8807010599	PR		PRICE,H.L.	8807250232*	50-102	P	RICE,P.O.	8807050555	50-425
PHILLIPS,W.C.	8807010054	50-285	S	PRICE,K.E.	8807070485	50-443	H	RICE,P.O.	8807070522	50-425
PHILLIPS,M.T.	8807180234	FOIA		PRICE,S.	8807070254	50-443	H	RICE,P.O.	8807080122	50-424
PICKARD,T.M.	8807010211	50-443	H	PRICHARD,C.	8807130219	PR		RICE,P.D.	8807200117	50-425
PICK,G.A.	8806280405*	50-285	Q	RICHARD,C.	8807130247*	PR		RICE,P.D.	8807250082	50-425
PICK,G.A.	8807070453*	50-488	Q	RIEDEL,R.E.	8807180150*	CONTRACT		RICHARDS,B.M.	8807070358	50-443
PICK,G.A.	8807250314*	50-313	Q	PRIVIDY,L.	8807210186*	50-388	Q	RICHARDS,S.	8807140082*	50-362
PICKER,B.	8806280087*	50-346	V	PROBST,J.R.	8807190178	50-331	H	RICHARDS,S.	8807150100	50-528
PICKER,L.H.D.	8806300156	50-305	J	PRODL,A.G.	8807180252	50-322	H	RICHARDS,S.	8807180051	50-528
PIETZAK,L.S.	8807070187	50-443	H	PROLL,A.	8807070236	50-443	H	RICHARDS,S.	8807190137*	50-528
PIGFORD,T.H.	8807250113	50-224	P	PROVENCER,C.	8807050378	PR		RICHARDS,S.	8807190153*	50-528
PICKER,R.W.	8807150163*	CONTRACT		PUDOLIK,L.E.	8807140278	50-263	S	RICHARDS,S.A.	8807050119*	50-528
PLATE,E.	8807050226	PR		PULSIPHER,J.C.	8807010434*	50-275	Q	RICHARDSON,D.E.	8807110259	50-443
PLLSBURY,N.A.	8807010309	50-443	H	PUTNAM,K.S.	8807050465	50-331	S	RICHARDSON,P.	8807050189	50-443
PINSAGLE,R.P.	8807070315	50-443	H	QUAIN,P.B.	8807250278*	XPORTLIC		RICHARDSON,S.D.	8807070391	50-327
PITLAGE,L.	8807060138*	50-483	Q	QUALLS,P.M.	8807140214*	50-312	Q	RICHARDSON,S.D.	8807110379	50-380
PITFELLO,J.A.	8807250059*	50-102	P	QUAY,T.R.	8807030232	50-341	P	RICHFIELD,S.J.	8806280283*	50-320
PITFELLO,J.A.	8807250080*	50-102	P	QUAY,T.R.	8807130051	50-341	P	RICKETT,J.	8807050243	PR
PITFELLO,J.A.	8807250084*	50-102	P	QUAY,T.R.	8807140227	50-341	P	RIDER,M.	8807010141	PR
PITTILO,I.	8807220354	WASTE MGT		QUAY,T.R.	8807140236*	50-341	P	RITCHER,R.J.	8807200077	50-322
PITTS,H.	8807070333	PR		QUAY,T.R.	8807200285	50-341	P	RILEY,S.M.	8807050047	50-443
PLATT,R.	8807200089	50-322	H	QUERIO,R.E.	8807080251	50-467	S	RING,M.A.	8807120022*	50-237
PLAZESKIP.	8807070184	50-443	H	QUERIO,R.E.	8807080527	50-457	S	RING,M.A.	8807120038*	50-373
PLENEWICZ,R.	8806300205	50-455	S	QUERIO,R.E.	8807070503	50-456	R	RITTSER,J.A.	8807200027	50-271
PLENEWICZ,R.	8807080084	50-464	R	QUERIO,R.E.	8807110452	50-456	R	RITTSER,J.A.	8807200027	50-271
PLENEWICZ,R.	88070800213	50-455	S	QUERIO,R.E.	8807120308	50-457	S	RITTSER,J.A.	8807200029*	50-271
PLENEWICZ,R.	8807140226	50-455	S	QUIGLEY,N.	8807190158	50-361	Q	RIVARD,D.A.	8807200189	50-309
PLESSET,M.S.	8807120363	ACRS		QUILLETTE,I.	8807010282	50-443	H	RIVENBARK,G.	8807010338	50-364
PLETTNER,E.A.	8806300273*	50-298	Q	QUINN,D.	8807140078	REGGD		RIVENBARK,G.W.	8807120587	50-354
PLIML,G.J.	8807260230	50-295	S	QUINN,F.X.	8807050272	PR		ROBB,A.	8807180313	50-443
PLOSKI,T.	8807060201*	50-373	Q	QUINN,G.J.	8807080188	71-8218		ROBERTS,C.W.	8807050346	50-443
PLOTT,R.F.	8807140178	WASTE MGT		QUINTANA,R.L.	8807250168	50-428	I	ROBERTS,J.M.	8807070367*	50-327
POHLE,J.A.	8806280379	WASTE RES		QUIROLA,A.	8807180042	50-322	H	ROBERTS,J.P.	8807110386	50-268
POHLE,J.A.	8807010710	WASTE RES		RADER,R.M.	8807070576	50-363	M	ROBERTS,J.P.	8807180317	TOPREP
POHLE,J.A.	8807060442	WASTE RES		RAFALOWSKI,J.J.	8807070357	50-322	H	ROBERTS,W.D.	8807200281	50-322
POLICHT,T.	8807150100	50-528	S	RANDAZZA,J.B.	8807180043	50-309	P	ROBERTSON,V.S.	8807050160	50-443
POLICHT,T.	8807180051	50-528	S	RANDAZZA,J.B.	8807180272	50-309	Q	ROBEY,R.A.	8807210262	50-254
POLICHT,T.	8807180163*	50-528	Q	RANDAZZA,J.B.	8807180301	50-309	P	ROBEY,R.A.	8807280324	50-254
POLIST.	8807190321	50-322	R	RANDAZZA,J.B.	8807220149	50-309	K	ROBICHAUD,J.D.	8807010278	PR
POLIST.	8807200319	50-322	R	RANDOLPH,G.L.	8806280284	50-483	P	ROBINSON,D.A.	8807010676	50-443
POLLACK,M.J.	8807070078	50-311	S	RANO,T.L.	8807070503	50-443	H	ROBINSON,J.G.	8807010359	PR
POLLACK,M.J.	8807070102	50-272	S	RAPPOPORT,B.A.	8810070805*	FOIA		ROBISON,D.L.	8807060251	50-457
POLLACK,M.J.	8807190056	50-311	S	RASH,J.L.	8807150238*	50-278	P	ROBITAILLE,L.	8807070401	50-443
POLLACK,M.J.	8807190085	50-311	S	RAU,L.W.	8807010568	PR		ROCHE,M.B.	8807280328	50-219
POLLARD,D.	8807010363	50-443	H	RAY,M.J.	8807180081	50-328	P	ROCHEMAN,T.J.	8807120340*	CONTRACT
POLLOCK,R.J.	8807010514	50-443	H	REAL,D.	8807250262	50-287	P	RODENBECK,A.	8807110323*	CONTRACT
PONCE,L.	8807150202	FOIA		REARDON,D.A.	8807050245	PR		RODGERS,P.	8807180189*	FOIA
PONCE,L.	8807150284	FOIA		HEAVIS,J.A.	8807250310	50-289	R	ROGERS,D.P.	8807070188	50-443
POOLE,G.B.	8807180289*	CONTRACT		HEAVIS,J.A.	8807250397	50-369	R	ROGERS,H.R.	8807250425	50-328
PORT,R.B.	8807070371	50-443	H	REBELOWSKI,T.	8807010474*	50-354	Q	ROGERS,K.C.	8807120163*	COMMISSION
PORTER,J.J.	8807070208	PR		REBELOWSKI,T.	8807210186*	50-388	Q	ROGERS,R.O.	8807070421	NUREG
POSTELLE,P.N.	8807200087	CONTRACT		RECKMAN,B.J.	8807200363	PR		ROGGE,J.F.	8807080055*	50-424
POSTLEWAIT,T.K.	88070600119	50-318	S	REED,C.	8807130027*	50-237	Q	ROISMAN,A.Z.	8807080040	50-446
POSTLEWAIT,T.K.	8807250418	50-318	S	REED,G.A.	8807120380	ACRS		ROISMAN,A.Z.	8807080040	50-445
POTTS,W.E.	8807180060	50-289	F	REED,W.H.	8807010816	50-443	H	ROITMAN,H.	8807010102	WASTE MGT
POULK,R.M.	8807150168	50-325	S	REEVES,D.L.	8807010051	50-298	S	ROKES,C.B.	8807010713	PR
POWELL,R.F.	8807070428	PR		REEVES,D.L.	8807070406*	50-298	S	ROMAN,T.	8807200085	50-220
POWELL,T.B.	8807250268*	50-390	Q	REEVES,D.L.	8807070409*	50-298	S	ROMANO,F.R.	8807220028	50-352
POWELL,W.J.	8807220236	PR		REEVES,E.A.	8807110394	50-348	M	ROMBERG,W.D.	8807250081	50-423
POWELL,W.J.	8807280058	PR		REEVES,E.A.	8807140058	50-348	P	ROMER,R.W.	8807010339	PR
POWER,M.	8807010401	50-443	H	REEVES,E.A.	8807220214	50-348	P	ROOD,H.	8807080262*	50-208
POWERS,C.M.	8807010046	50-387	S	REEVES,E.A.	8807220373	50-348	P	ROOD,H.	8807130265*	50-361
POWERS,C.M.	8807050035	50-387	S	REEVES,M.R.	8807110516*	WASTE RES		ROOD,S.	8807120260	50-443
POWERS,C.M.	8807080461	50-387	S	REEVES,S.	8807180180	OA999		ROONEY,G.F.	8807070261	50-443
POWERS,C.M.	8807070064	50-387	S	REGAN,E.	8807220087*	71-9159		ROONEY,V.L.	8808300019	50-271
POWERS,C.M.	8807110182	50-397	S	REHM,T.A.	8807110239	COMMISSION		ROSE,H.D.	8807010818*	40-8698
POWERS,C.M.	8807130415	50-397	R	REHM,T.A.	8807150060	COMMISSION		ROSE,H.D.	8807120313*	40-3453
POWERS,C.M.	8807210003	50-397	S	REHM,T.A.	8807180286	COMMISSION		ROSE,H.D.	8807120546	40-8084
POWERS,D.A.	8806300195*	40-8027		REIDINGER,T.D.	8806280087*	50-346	V	ROSE,H.D.	8807140166	40-8102
POWERS,D.A.	8807180143	I&E		REILLY,D.O.	8807070473	50-443	H	ROSENBERG,S.A.	8807010449	PR
PRANTIS,J.P.	8807070122	50-443	H	REILLY-SULLIVAN	8807120216	50-443	H	ROSENE,M.	8807120244	50-443
PRATT,C.	8807190100	50-443	H	REIS,E.J.	8807250398*	50-322	F	ROSENTHAL,J.E.	8807050517	50-456
PRATT,C.	8807200043	50-443	H	REIS,T.	8807120108*	50-285	Q	ROSS,T.	8807110404	50-254
PRENDERGAST,K.	8806280182*	70-25		REMLEY,M.E.	8807220226	70-25		ROSS,T.	8807130385	50-254
PRESTHOLT,P.T.	8807180107	WASTE MGT		RENAUD,B.	8807200019	PR		ROSS,T.	8807190023	50-237
PRESTHOLT,P.T.	8807190005	WASTE MGT		RESSLER,W.C.	8807060134	50-289	R	ROSS,T.	8807250006	50-266
PRESTHOLT,P.T.	8807210028	WASTE MGT		REYES,L.A.	8807080059	50-413	P	ROSS,T.M.	8807080224	50-266
PRESTHOLT,P.T.	8807210031	WASTE MGT		REYES,L.A.	8807110358	50-324	Q	ROSS,T.M.	8807120383	50-264
PRESTHOLT,P.T.	8807220252	WASTE MGT		REYNOLDS,N.S.	8807130185	50-260	P	ROSS,T.M.	8807120407	50-237
PREVATTE,R.L.	8806280378*	50-395	Q	REYNOLDS,N.S.	8807110010	50-480	G	ROSSI,C.E.	8806130168	50-3
PRICE,H.L.	8807220381*	50-102	P	REYNOLDS,N.S.	8807110010	50-480	G	ROSSI,C.E.	8806180340	50-3
PRICE,H.L.	8807250093*	50-102	P	REYNOLDS,N.S.	8807280087	PR		ROSSI,C.E.	8806170033	50-3
PRICE,H.L.	8807250110*	50-102	P	REYNOLDS,N.S.	8807280087	PR		ROSSI,C.E.	8806170291	50-3

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
ROSSI,C.E	88C6210038	50-3	Q	SAXTON,C.H	8807010071	50-387	P	SEARS,P.M.	8807140128	50-309	P
ROSSI,C.E	88C6240139	50-3	Q	SAXTON,C.H	8807210095	50-387	P	SEAY,C.M.	8807010594	50-219	R
ROSSI,C.E	88C6300347	50-3	Q	SAXTON,C.H	8807250291	50-387	P	SEAR,J.H	8807250044	50-346	H
ROSSI,C.E	8807080606	50-3	Q	SAXTON,C.H	8807250355	50-387	R	SEFCEK,D.	8807250288	50-298	C
ROSSI,C.E	8807080602	50-245	O	SEAYNE,D.	8807060569	50-261	S	SEIDLE,W.C.	8806300045	50-443	P
ROSSI,C.E	8807080366	50-3	Q	SCACE,S.E.	8806280380	50-245	S	SEITZ,K.W.	8807070079	50-443	P
ROSSI,C.E	8807120291	50-3	Q	SCACE,S.E.	8806280380	50-245	S	SEKLS	8807150173	50-443	P
ROSSI,C.E	8807120550	50-3	Q	SCACE,S.E.	8806300305	50-423	S	SEKLS	8807150290	50-443	P
ROSSI,C.E	8807120553	50-3	Q	SCACE,S.E.	8808300051	50-423	S	SELBY,N.M.	8807100390	50-322	P
ROSSI,C.E	8807180101	50-3	Q	SCACE,S.E.	8807140306	50-423	S	SELBY,N.M.	8807210075	50-443	P
ROTH,J.	8807060525	70-620		SCACE,S.E.	8807210214	50-245	R	SELKER,M.A.	8807010477	50-443	P
ROTH,J.	8807130252	70-1100		SCACE,S.E.	8807220068	50-423	R	SELKER,M.A.	8807280171	50-443	P
ROTHBERG,O.	8807110511	NUREG		SCACE,S.E.	8807220068	50-423	R	SELLECK,K.A.	8807140018	50-443	P
ROTHERT,W.C.	8807300012	50-331	K	SCALETTO,D.C.	8807120634	50-605	A	SELLECK,K.A.	8807140018	50-443	P
ROTHERT,W.C.	8807130052	50-331	Q	SCARANO,R.A.	8807060253	50-312	O	SELLECK,K.A.	8807140019	50-443	P
ROTHERT,W.C.	8807180183	50-331	Q	SCARANO,R.A.	8807110206	50-312	O	SELLECK,K.A.	8807140019	50-443	P
ROUDENKO,A.V.	8807010249	PR		SCARANO,R.A.	8807110391	50-224	P	SELLECK,K.A.	8807150017	50-271	G
ROUSE,L.C.	8807110256	70-1113		SCARANO,R.A.	8807140119	50-312	O	SELLECK,K.A.	8807150017	50-271	G
ROUSE,L.C.	8807110260	70-1113		SCARANO,R.A.	8807140228	50-312	O	SELLECK,K.A.	8807220012	50-443	P
ROUSE,L.C.	8807110324	70-1113		SCARANO,R.A.	8807140232	50-312	O	SELLECK,K.A.	8807220012	50-443	P
ROUSE,L.C.	8807120284	70-371		SCARANO,R.A.	8807190157	50-397	Q	SELLECK,K.A.	8807290014	50-443	P
ROUSE,L.C.	8807120298	70-371		SCARANO,R.A.	8807190161	50-397	Q	SELLECK,K.A.	8807290014	50-443	P
ROUSE,L.C.	8807130404	50-269	Y	SCARANO,R.A.	8807200047	50-528	Q	SELLECK,K.A.	8807290021	50-443	P
ROUSE,L.C.	8807130409	50-269	Y	SCARANO,R.A.	8807200200	50-528	Q	SELLECK,K.A.	8807290021	50-443	P
ROUSE,L.C.	8807140287	70-1151		SCARANO,R.A.	8807200202	50-528	Q	SELLECK,K.A.	8807290042	50-443	P
ROUSE,L.C.	8807190038	70-1358		SCARANO,R.A.	8807200286	50-288	Q	SELLECK,K.A.	8807290042	50-443	P
ROUSE,L.C.	8807190011	70-1358		SCARANO,R.A.	8807200324	50-206	O	SELLECK,K.A.	8807290047	50-443	P
ROUSE,L.C.	8807190064	70-824		SCAPLOTT,J.	8807200083	PR		SELLECK,K.A.	8807290047	50-443	P
ROUSE,L.C.	8807210027	70-3055		SCAVUZZO,H.J.	8807120674	50-275	P	SELZ,A.	8807010181	50-443	P
ROUSE,L.C.	8807210032	70-3055		SCAVUZZO,R.J.	8807120595	50-275	P	SEMINO,G.P.	8807010292	50-443	P
HOUSE,L.C.	8807210053	70-3055		SCHALLER,R.F.	8806290182	50-461	S	SERONEN,M.A.	8807010207	50-272	P
ROUX,D.P.	8807070306	50-443	H	SCHAPKAR,J.F.	8807050430	50-429	O	SERRANO,W.	8806210325	50-272	P
ROWE,T.J.	8807070479	PR		SCHAPKAR,J.F.	8807120461	50-425	O	SERRANO,W.	8806210325	50-272	P
ROWELL,D.T.	8807050305	50-443	H	SCHERER,A.E.	8807110139	PR		SERRANO,W.	8807120572	50-354	P
ROWEN,M.J.	8807200009	50-443	H	SCHERER,A.E.	8807120188	50-470	K	SESSLER,G.F.	8807070150	50-443	P
ROY,B.A.	8807070564	71-0586		SCHERER,A.E.	8807140271	50-470	A	SEWELL,H.M.	8807080042	50-443	P
ROYACK,M.	8807180522	50-361	V	SCHERER,A.E.	8807150268	50-470	A	SEWELL,H.M.	8807130204	50-443	P
RUBENSTEIN,I.	8806280172	50-142	P	SCHERER,A.E.	8807180182	PR		SEWELL,H.M.	8807130314	50-443	P
RUBENSTEIN,I.S.	8807120628	50-601	A	SCHERERMAN,J.T.	8807140224	50-288	R	SEXTON,J.Q.	8807200087	50-443	P
RUBENSTEIN,I.S.	8807120654	50-224	P	SCH-N.R.	8807120461	50-324	O	SEYMOUR,B.R.	8807070448	50-443	P
RUBENSTEIN,I.S.	8807140110	50-408	F	SCHMALTZ,G.	8807050485	50-267	F	SEYMOUR,D.A.	8807190235	70-1151	P
RUBENSTEIN,I.S.	8807180215	ORG		SEYMOUR,M.E.	8807050201	PR		SEYMOUR,M.E.	8807070440	50-443	P
RUBENSTEIN,I.S.	8807210211	50-160	P	SCHMIDT,T.	8807010216	PR		SEYMOUR,M.E.	8807050180	50-443	P
RUDOLPH	8807200032	50-322	H	SCHMIDT,M.	8807210145	50-390	H	SHAFER,W.	8807010049	50-481	S
RUTER,G.H.	8807210076	50-305	R	SCHMITT,M.E.	8807010698	50-443	H	SHAFER,W.	8807120086	50-331	P
RULAND,W.H.	8807100302	50-324	Q	SCHMUTZ,T.A.	8807110104	50-445	G	SHAFER,W.	8807190083	50-331	P
RUNKLE,J.	8807110046	PR		SCHMUTZ,T.A.	8807110104	50-445	G	SHAFER,W.D.	8806230217	50-440	P
RUNYAN,M.F.	8807250145	50-445	O	SCHMUTZ,T.A.	8807150018	50-445	G	SHAFER,W.D.	8806290019	50-450	P
RUSSELL,J.E.	8807200330	50-206	WASTE MGT	SCHMUTZ,T.A.	8807150018	50-445	G	SHAFER,W.D.	8806290027	50-450	P
RUSSELL,J.L.	8807060225	WASTE MGT		SCHMUTZ,T.A.	8807160054	50-445	G	SHAFER,W.D.	8806290027	50-450	P
RUSSELL,L.B.	8807200298	50-317	S	SCHMUTZ,T.A.	8807150054	50-445	G	SHAFER,W.D.	8807010059	50-255	P
RUSSELL,L.B.	8807210127	50-317	S	SCHNEIDER,H.A.	8807210427	70-1257	P	SHAFER,W.D.	8807060190	50-373	P
RUSSELL,W.T.	8807070259	50-29	O	SCHNEIDER,H.A.	8807200170	50-322	H	SHAFER,W.D.	8807060305	50-311	P
RUSSELL,W.T.	8807110484	50-352	O	SCHNELL,D.F.	8807010677	50-483	P	SHAFER,W.D.	8807060314	50-255	P
RUSSELL,W.T.	8807150150	50-333	O	SCHNELL,D.F.	8807050036	50-483	Q	SHAFER,W.D.	8807060402	50-341	P
RUSSELL,W.T.	8807160057	50-220	Q	SCHNELL,D.F.	8807110245	50-483	P	SHAFER,W.D.	8807060408	50-440	P
RUSSELL,W.T.	8807200144	50-308	O	SCHNELL,D.F.	8807150191	50-483	O	SHAFER,W.D.	8807060411	50-155	P
RUSSELL,W.T.	8807200145	50-309	O	SCHNELL,D.F.	8807200416	50-483	P	SHAFER,W.D.	8807060415	50-348	P
RUSSELL,W.T.	8807200365	50-277	P	SCHONE,M.G.	8807010240	50-443	H	SHAFER,W.D.	8807110445	50-315	P
RUSSELL,W.T.	8807210195	CONTRACT		SCHNEIDER,H.A.	8807010661	50-443	H	SHAFER,W.D.	8807120009	50-255	P
RUTZ,A.C.	8807120502	WASTE MGT		SCHREIBER,R.M.	8807070343	50-443	H	SHAFER,W.D.	8807120288	50-155	P
RYAN,P.L.	8807070463	50-443	H	SCHREIBER,R.M.	8807060550	50-443	H	SHAFER,W.D.	8807190147	50-255	P
RYAN,P.L.	8807060431	50-320	P	SCHROCK,V.E.	8807120377	ACRS		SHAFER,W.D.	8807190193	50-348	P
RYAN,T.G.	8807110252	REVIEW GR		SCHROEDER,B.A.	8806280169	50-237	K	SHAFER,W.D.	8807210320	50-232	P
RYDER,T.S.	8806300210	50-388	S	SCHIRUM,D.L.	8807190348	50-440	O	SHAFER,W.D.	8807070414	50-337	P
SAIZ,N.J.	8807200059	PR		SCHUMACHER,M.C.	8806290033	50-456	O	SHAKERDGE,G.	8807200083	50-322	P
SALAMON,G.	8807120057	50-251	S	SCHUMACHER,M.C.	8807060316	50-315	O	SHANBACH,M.	8807010466	50-317	P
SALES,I.J.	8807010720	50-443	H	SCHUMANN,D.	8807010058	50-312	S	SHANBACH,M.	8807050246	50-388	P
SALOMON,E.H.	8807010358	PR		SCHWAB,C.D.	8807180042	PR		SHANBACH,M.	8807070116	50-352	P
SALT,B.J.	8807010189	50-443	H	SCINTO,J.F.	8807250368	50-322	F	SHANBACH,M.	8807200384	50-146	P
SALUJA,J.	8807210161	CONTRACT		SCOTT,M.	8807280381	50-528	G	SHANBACH,M.M.	8807010043	50-286	P
SAMARAS,F.F.	8807080360	NUREG		SCOTT,M.W.	8807010243	PR		SHANBACH,M.M.	8807010387	50-334	P
SAMMARO,H.D.	8807010238	PR		SCOTT,M.W.	8807180046	50-309	P	SHANBACH,M.M.	8807050165	50-3	P
SAMOLINSKI,S.J.	8807070595	50-373	R	SCOTT,U.M.	8807180056	PR		SHANBACH,M.M.	8807050224	50-233	P
SAMOLINSKI,S.J.	8807160297	50-373	R	SCOVILL,V.	8807010846	40-0768		SHANBACH,M.M.	8807050286	50-223	P
SAMPSON,P.S.	8807070010	50-373	S	SCOVILL,V.R.	8807010618	40-8688		SHANBACH,M.M.	8807200216	50-289	P
SAMSTAG,S.S.	8807070104	50-443	H	SCOVILL,V.R.	8807120202	40-8857		SHANBACH,M.M.	8712020338	PR	
SAMUELS,I.D.	8807180072	PR		SCOVILL,V.R.	8807120313	40-3453		SHAO,L.C.	8807070517	REVIEW GR	
SAMWORTH,R.B.	8807120631	50-397	Q	SCOVILL,V.R.	8807140034	40-8084		SHAO,L.C.	8807110457	REVIEW GR	
SANBORN,G.	8807010284	50-443	H	SCOVILL,V.R.	8807140037	40-8881		SHAPIRO,L.M.	8807010186	50-443	P
SANBORN,J.M.	8807010343	50-443	H	SCOVILL,V.R.	8807150030	40-3453		SHARKEY,J.M.	8807130410	50-440	P
SANCHEZ,V.W.	8807010095	PR		SCOVILL,V.R.	8807150045	40-8881		SHEA,K.H.	8807250212	50-102	P
SANNAL	8807150162	50-424	J	SCOVILL,V.R.	8807150072	40-3453		SHEA,K.H.	8807250236	50-102	P
SANNA,L.J.	8807160094	50-259	J	SCOVILL,V.R.	8807250394	40-3453		SHEALY,H.G.	8807150301	PR	
SAPONTE,E.	8807010409	PR		SEARS,C.F.	8807050012	50-423	P	SHEALY,H.G.	8807210016	WASTE MGT	
SATTERFIELD,M.	8807050054	50-443	H	SEARS,P.M.	8807070340	50-309	P	SHEARER,T.	8807120581	WASTE MGT	
SAVAGE,R.W.	8807060604	50-443	H	SEARS,P.M.	8807120566	50-309	P	SHEEHAN,A.V.	8807010255	50-443	P
SAVRE,A.	8807010310	50-443	H	SEARS,P.M.	8807120668	50-309	P	SHELLEHAMER,H.	8807050208	PR	

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SHELTON,B.J	8807080166*	PR		SILADY,J.A	8807010628	50-237	P	SMITH,R.D.	8807150023	WASTE MG
SHELTON,D.C	8807050301	50-346	P	SILADY,J.A	8807210348	50-237	P	SMITH,R.D.	8807150027	WASTE MG
SHELTON,D.C	8807050055*	50-346	P	SILBERG,J.E	8807120180	50-440	P	SMITH,R.D.	8807150035	40-8904
SHELTON,D.C	8807050517	50-346	P	SILBERG,J.E	8807120180	50-440	P	SMITH,R.D.	8807150038*	40-8904
SHELTON,D.C	8807120456	50-346	H	SILK,D.M	8807050366*	50-5	V	SMITH,R.D.	8807150052	WASTE MG
SHELTON,D.C	8807150011	50-346	P	SILLOWAY,B.E.	8807010193	50-443	H	SMITH,R.D.	8807150058	WASTE MG
SHELTON,D.C	8807190082	50-346	Q	SILVER,J.I.	8807070546	50-302	P	SMITH,R.D.	8807150065	WASTE MG
SHELTON,D.C	8807210065	50-346	P	SILVER,H.	8807126652	50-302	Q	SMITH,R.D.	8807150069	WASTE MG
SHELTON,D.C	8807250118	50-346	Q	SILVER,H.	8807130475	50-332	P	SMITH,R.D.	8807150141	40-299
SHELTON,D.C	8807250201	50-346	V	SILVER,H.	8807220065	50-332	P	SMITH,R.D.	8807150160*	40-299
SHELTON,D.C	8807250367	50-346	K	SILVESTER,L.F.	8807110498	NUREG		SMITH,R.D.	8807150171	40-8902
SHEMANSKI,P.	8807070472	50-373	P	SIMONS,S.J.	8807100201	40-7804		SMITH,R.D.	8807150184	40-4482
SHEPARD,A.M.	8807010392	PR		SIMPSON,S.C	8807070085	50-443	H	SMITH,R.D.	8807150185*	40-4482
SHEPARD,A.M.	8807080223	50-28	P	SIMPSON,A.K	8807110343*	COMMISSION		SMITH,R.D.	8807150192	40-3453
SHEPARD,S.E.	8807010303	50-443	H	SINGH,A	8806300015*	50-299	Q	SMITH,R.D.	8807150194*	40-3453
SHEPHERD,J.K	8807070494	50-443	H	SINGH,A	8807080019*	50-445	Q	SMITH,R.D.	8807150186	40-8502
SHERA,R.A	8807070027	50-443	H	SINGH,A	8807193343*	50-458	Q	SMITH,R.D.	8807150187*	40-8502
SHERMAN,K.O.H.G	8807040105	60-387	S	SINGHAM,A	8807210330	WASTE RES		SMITH,R.D.	8807150190	40-8695
SHERMAN,S	8807050165*	50-3	Q	SINGH,M.M	8807220163	WASTE RES		SMITH,R.D.	8807150203*	40-8695
SHERMAN,S	8807200216*	50-289	Q	SINGH,R.	8807130451	WASTE RES		SMITH,R.D.	8807150205	40-8697
SHERIDEN,P.	8807010209	PH		SINKULE,M.V	8807060055*	50-424	Q	SMITH,R.D.	8807150206	40-4402
SHERMAN,M.J	8807010275	50-443	H	SINKULE,M.V.	8807120461*	50-425	Q	SMITH,R.D.	8807150209*	40-4452
SHERPICK,H.	8807050487	50-443	H	SISKA,D.	8807120175	50-328	S	SMITH,R.D.	8807150242	40-8102
SHEARY,D.	8807180321	50-322	H	SISKA,D.	8807253425	50-328	S	SMITH,R.D.	8807150260*	40-8102
SHELLER,J.R.	8807080568	50-312	H	SISKIND,B.	8807141914	WASTE MGT		SMITH,R.D.	8807150275	40-200
SHEWISKI,W.J	8807100205*	50-10	P	SJOBLOM,G.L	8807200225	50-272	F	SMITH,R.D.	8807150276*	40-290
SHELDS,J.C	8807180346*	50-361	P	SKEFFEY,P.	8807200070	50-322	H	SMITH,R.D.	8807180131*	40-8902
SHELDS,J.C	8807190355*	50-361	P	SKOLNICK,F.	8807140082	50-320	G	SMITH,R.D.	8807180167	40-8681
SHELDS,J.C	8807250110*	50-361	P	SKOLNICK,F.	8807140082	50-320	G	SMITH,R.D.	8807180189*	40-8681
SHELDS,J.C	8807250149*	50-361	P	SLATKIN,M	8807210010	50-322	H	SMITH,R.D.	8807180207	WASTE MGT
SHEFER,B.C.	8807010232	PR		SLATKIN,M.	8807220165	50-322	H	SMITH,R.D.	8807250366	40-4482
SHEFER,J.D	8807070194	50-323	S	SLEEMAN,R.C.	8807180283	WASTE MGT		SMITH,R.D.	8807250432	WASTE MGT
SHEFER,J.D	8807120680	50-323	S	SLEMP,P.W.	8807070260	50-443	H	SMITH,R.E	8807150068	50-244
SHEFER,J.D	8807130058	50-275	P	SLOAN,M.C	8807050223	PR		SMITH,R.E	8807010050	PR
SHEFER,J.D	8807130134	50-275	P	SLOSSON,M.M.	8807110356	60-3	P	SMITH,S	8807010188	PR
SHEFFER,J.D	8807130387	50-275	Q	SLOSSON,M.M.	8807110362*	60-3	P	SMITH,S.J.	8807060289	50-327
SHEFFER,J.D	8807220090	50-275	S	SLOSSON,M.M.	8807120026	60-3	P	SMITH,S.J.	8807060396	50-328
SHEFFER,J.D	8807250217*	50-275	F	SLOSSON,M.M.	8807120578	50-247	P	SMITH,S.J.	8807060422	50-328
SHENOL,K.A.M	8807080360	NUREG		SLOSSON,M.M.	8807130018	50-247	P	SMITH,S.J.	8807060439	50-327
SHOCKLEY,T.V	8807110480*	60-408	I	SLOSSON,M.M.	8807130993	50-286	P	SMITH,S.J.	8807060444	50-327
SHOFMAKER,C.J.	8806300265	50-322	G	SLOSSON,M.M.	8807130206	50-3	P	SMITH,S.J.	8807110428	60-328
SHOFMAKER,C.J.	8807080047	50-250	G	SLOSSON,M.M.	8807180108	50-247	P	SMITH,S.J.	8807120045	50-328
SHOFMAKER,C.J.	8807080066	50-443	G	SLOSSON,M.M.	8807200208	50-247	P	SMITH,S.J.	8807120132	60-327
SHOFMAKER,C.J.	8807110060	50-443	G	SLYVIA,B.R.	8807060310	50-341	Q	SMITH,S.J.	8807120175	50-328
SHOFMAKER,C.J.	8807200033	50-443	G	SMALL,P.	8807270304	FOA		SMITH,S.J.	8807120218	50-327
SHOFMAKER,C.J.	8807220044	50-352	G	SMART,L.P.	88070120476	50-443	H	SMITH,S.J.	8807250425	50-328
SHOFMAKER,C.J.	8807290221	60-260	G	SMART,R.A.	8807120211	50-443	H	SMITH,S.L.	8807070471	50-443
SHORT,D.	8807110456	WASTE MGT		SMELSER,J.H	8807180167	50-603	H	SMITH,W.F.	8807250423*	60-382
SHOUMAN,S	8807270275*	PR		SMIRLOCK,M.E.	8807200253	50-443	H	SMITH,W.G.	8806300632	60-315
SHOVER,T.D	8806280126	50-529	S	SMITH,D.M.	8807070074	50-277	S	SMITH,W.G.	8807060110	50-316
SHOVER,T.D	8807080304	50-528	S	SMITH,D.M.	8807070592	50-277	F	SMITH,W.G.	8807060110	50-310
SHOVER,T.D	8807060418	50-529	S	SMITH,W.	8807290004	50-443	G	SMITH,W.G.	8807060142	60-315
SHOVER,T.D	8807120562	50-528	S	SMITH,W.	8807290016	50-443	G	SMITH,W.G.	8807060142	50-315
SHOVER,T.D	8807210046	50-528	S	SMITH,J.A	8807260350	50-247	S	SMITH,W.G.	8807150000	50-315
SHYMLOCK,M.	8806280161*	50-321	Q	SMITH,J.B.	8807140004	60-443	G	SMITH,W.G.	8807250418	50-316
SHACOR,E.R.	8807100260	50-206	R	SMITH,J.B.	8807140004	50-443	G	SMYTH,C.W.	8807250417	50-289
SHACOR,E.R.	8807080283*	50-361	R	SMITH,J.D.	8807050118*	60-312	Q	SNEIDER,C.S	8807110038	50-443
SHACOR,J.D.	8807010060	60-412	P	SMITH,J.D.	8807110518*	50-312	Q	SNEIDER,C.S	8807180274	50-322
SHACOR,J.D.	8807050244	60-412	P	SMITH,J.D.	8807070043	50-443	H	SNELL,W	8806280218*	50-440
SHACOR,J.D.	8807050254*	50-412	P	SMITH,J.F.	8807120008*	60-155	Q	SNELL,W.	8807060201*	50-373
SIEBER,J.D.	8807060474	50-334	P	SMITH,J.H.	8807130072*	50-244	Q	SNELL,W.	8807000306*	50-331
SIEBER,J.D.	8807060478*	50-334	P	SMITH,J.S.	8807250193*	50-322	F	SNELL,W.	8807120096	50-331
SIEBER,J.D.	8807060493	50-334	P	SMITH,J.S.	8807260193*	50-322	F	SNELL,W.	8807190083	50-331
SIEBER,J.D.	8807080495*	50-334	P	SMITH,M.A	8807280333	50-445	K	SNELL,W.G	8807210341*	50-282
SIEBER,J.D.	8807060548	50-412	P	SMITH,M.D.	8807070012*	50-320	P	SNELLING,C.D	8807200323	PR
SIEBER,J.D.	8807060552*	60-412	P	SMITH,M.J.	8807210341*	50-282	Q	SNOW,B.A.	8806300083	50-244
SIEBER,J.D.	8807080573	50-334	P	SMITH,P.	8807150167	CONTRACT		SNOW,B.A.	8807010370*	50-244
SIEBER,J.D.	8807080580*	50-334	P	SMITH,P.	8807150163*	CONTRACT		SNOW,B.A.	8807060267	50-244
SIEBER,J.D.	8807080609	50-334	R	SMITH,P.A.	8807060490	CONTRACT		SNOW,B.A.	8807070047	50-244
SIEBER,J.D.	8807120054	50-334	Q	SMITH,P.A.	8807060507*	CONTRACT		SNOW,B.A.	8807070389	50-244
SIEBER,J.D.	8807130163	50-334	Q	SMITH,P.A.	8807110323*	CONTRACT		SNOW,B.A.	8807080142	50-244
SIEBER,J.D.	8807140122	50-412	P	SMITH,P.A.	8807180289*	CONTRACT		SNOW,B.A.	8807130187	50-244
SIEBER,J.D.	8807140124*	60-412	P	SMITH,P.A.	8807250153*	CONTRACT		SNOW,B.A.	8807100048	50-244
SIEBER,J.D.	8807210081	50-412	P	SMITH,P.M.	8807080037*	CONTRACT		SNOW,B.A.	8807190156	50-244
SIEBER,J.D.	8807210292	50-334	R	SMITH,R	8807150147*	PR		SNYDER,E.M	8807050444	PR
SIEGEL,B.	8807070456	50-237	P	SMITH,R.C.	8807200317	50-443	H	SOKOLL,D.	8806300012	TOPREP
SIEGEL,B.	8807080140	50-249	P	SMITH,R.D.	8807130242	40-8084		SOLLINGER,C.A.	8807050460	50-443
SIEGEL,B.	8807120378	60-237	P	SMITH,R.D.	8807130246*	40-8084		SOO,P.	88071200026	WASTE MG
SIEGEL,B.	8807120639	60-249	Q	SMITH,R.D.	8807140057*	40-8902		SOO,P.	8807140187*	WASTE MG
SIEGEL,B.	8807130145	50-237	P	SMITH,R.D.	8807140066*	40-8902		SORCE,J.	8807210058	50-322
SIEGEL,J.J.	8807110543	NUREG		SMITH,R.D.	8807140072	40-8452		SORENSEN,G.C.	8807010053	60-397
SIEGEL,J.J.	8807190246*	FOIA		SMITH,R.D.	8807140074*	40-8452		SORENSEN,G.C.	8807010061	60-509
SIEGEL,J.J.	8807190251*	FOIA		SMITH,R.D.	8807140087*	40-1341		SORENSEN,G.C.	8807080148	60-460
SIEGEL,J.R.	8807280342	PR		SMITH,R.D.	8807140089*	40-1341		SORENSEN,G.C.	8807080291	60-397
SIEGEL,M.D.	8807110498	NUREG		SMITH,R.D.	8807140178	40-6622		SORENSEN,G.C.	8807180324	50-397
SIEGFRIED,R.E	8806300387*	50-443	I	SMITH,R.D.	8807140183*	40-6622		SORENSEN,G.C.	8807190188	50-508
SIEKIEWICZ,F.	8807050337	50-443	H	SMITH,R.D.	8807140201	40-8084		SORENSEN,G.C.	8807210280	50-397
SILADY,J.A.	8806280152	50-237	P	SMITH,R.D.	8807140204*	40-8084		SORENSEN,G.C.	8807220328	PR



	NUMBER	CATEGORY		NUMBER	CATEGORY		NUMBER	CATEGORY			
SCREENSEN,G.C.	8807205267	PR	STEINHARDT,C.R.	8807130045	50-335	S	SULLIVAN,T.J.	8807C80074	50-352	F	
SCREENSEN,R.C.	8807050317*	50-337	Q	8807150121	50-335	F	SURMEIER,J.J.	8807130086	WASTE MGT		
SOUTHALL,T.	8807010391	50-443	H	8807210076	50-335	R	SUSPENSKI,A.J.	8807200137	50-322	H	
SOUTHW.C.L.	8807190006	50-322	H	8807250372	50-335	K	SUTPHIN,R.N.	8807C80234*	50-331	Q	
SOVETSKY,E.J.	8807070373	PR	STELLO,V.	8803200084*	PR		SWARTZWELDER,J.	8807C80105	50-424	S	
SPADER,E.A.	8807050445	50-443	H	STELLO,V.	8807090527*	PR	SWARTZWELDER,J.	8807C80111	50-424	S	
SPAETH,M.E.	8806270304	WASTE MGT		STELLO,V.	8805190301	SECY	SWARTZWELDER,J.	8807C80260	50-424	S	
SPAETH,M.E.	8807110164	WASTE MGT		STELLO,V.	8807070584	50-361	Q	SWARTZWELDER,J.	8807150136	50-424	S
SPAETH,M.E.	8807180312	WASTE MGT		STELLO,V.	8807070589*	50-361	G	SWEENEY,J.M.	8807010573	50-443	H
SPANGENBERG,F.	8806280182	50-461	S	STELLO,V.	8807080135	SECY		SWEENEY,J.P.	8807010219	PR	
SPANGENBERG,F.	8807080078*	50-461	S	STELLO,V.	8807080146*	PR		SWET,M.	8807200167	PR	
SPANGENBERG,F.	8807180356	50-461	P	STELLO,V.	8807080168*	PR		SWETLAND,P.	8807010125	50-311	S
SPANGENBERG,F.	8807190114	50-461	P	STELLO,V.	8807110371	50-443	H	SWETLAND,P.	8807050187*	50-247	O
SPANGENBERG,F.	8807180327	50-461	F	STELLO,V.	8807110389	50-458	P	SWETLAND,P.D.	8807010109	50-247	O
SPANGENBERG,F.	8807200374*	50-461	F	STELLO,V.	8807120551	COMMISSION		SWETLAND,P.D.	8807C60317*	50-354	Q
SPARLING,D.K.	8807210110	40-8581		STELLO,V.	8807140205	50-312	P	SWETLAND,P.D.	8807130102	50-272	Q
SPESSARD,L.L.	8807080088*	50-250	P	STELLO,V.	8807140221	50-293	O	SWETLAND,P.D.	8807200169*	50-354	Q
SPKERN,D.L.	8807010554*	50-267	R	STELLO,V.	8807140244	TOPREP		SWETLAND,P.D.	8807200723*	50-272	Q
SPUNBERG,S.	8807130413	REVIEW GR P		STELLO,V.	8807140269	50-259	P	SWIFT,J.J.	8807110317*	70-1113	
SPUNNEY,K.B.	8807010469	PH		STELLO,V.	8807140299	50-287	P	SWIFT,J.J.	8807120294*	70-371	
SPINNEY,S.A.	8807010540	50-443	H	STELLO,V.	8807140307	50-285	P	SWIFT,J.J.	8807190014*	70-1359	
SPINNEY,W.A.	8807010448	50-443	H	STELLO,V.	8807140308	50-250	P	SWIFT,J.J.	8807190059	70-824	
SPITZBERG,D.B.	8806300195*	40-8027		STELLO,V.	8807140312	50-10	P	SWIFT,J.J.	8807220290	70-824	
SPITZER,D.J.	8807080084	50-454	R	STELLO,V.	8807150096	50-171	P	SWINTON,C.W.	8807050063	50-443	H
SPRUNGER,C.K.	8807120210	50-373	S	STELLO,V.	8807150038	50-220	O	SYLVIA,B.R.	8807050215	50-341	P
ST DENIS,G.M.	8807010124	FR		STELLO,V.	8807150129	50-341	P	SYLVIA,B.R.	8807060279	50-341	P
ST GERMAINE,R.	8807070172	50-443	H	STELLO,V.	8807150287*	PR		SYLVIA,B.R.	8807130142	50-341	P
ST JOHN,K.E.	8807010134	PR		STELLO,V.	8807180301	FOIA		SYLVIA,B.R.	8807190282	50-341	Q
ST LAURENT,J.	8807010202	50-443	H	STELLO,V.	8807180190	MISC		SYLVIA,B.R.	8807220255	50-341	Q
ST MERRITT,G.	8807050353	PR		STELLO,V.	8807180265	50-309	U	SYLVIA,B.R.	8807250135	50-341	Q
STACEY,J.W.	8807010502	PR		STELLO,V.	8807190241*	FOIA		SZCZESUL,T.P.	8807010157	PR	
STACHEW,J.C.	8807200198*	50-267	P	STELLO,V.	8807190277*	FOIA		SZYMCAZAK,W.J.	8807010506	PR	
STACHEW,J.C.	8807200198*	50-267	P	STELLO,V.	8807250034	WASTE MGT		TAM,P.S.	8807050283	50-334	P
STACK,E.	8807050169	50-443	H	STELLO,V.	8807250136	50-287	P	TAM,P.S.	8807080118	50-334	P
STAFFORD,K.E.	8807260350	50-247	S	STELLO,V.	8807270222*	PR		TAM,P.S.	8807110275	PR	
STAHL,E.C.	8807060002	50-309	P	STEPHENSON,J.D.	8807130368	50-302	F	TAM,P.S.	8807130209	50-334	P
STAHL,E.C.	8807080123	50-244	P	STEPTOE,P.P.	8807060485	50-237	O	TAM,P.S.	8807180345	50-412	P
STAHL,E.C.	8807120351	50-244	P	STEP*OE,P.P.	8807210268	50-237	O	TAM,P.S.	8807190317	50-334	Q
STAHL,E.C.	8807120437	50-244	P	STEPTOE,P.P.	8807210272*	50-237	O	TAM,P.S.	8807250043	50-334	P
STAHL,E.C.	8807250273	50-244	P	STEPTOE,P.P.	8807210272*	50-237	O	TANA,E.T.	8804120028*	WASTE MGT	
STAHL,E.C.	8807060005*	50-309	P	STERRIT,T.R.C.	8807070606	PR		TANA,E.T.	8807130264	WASTE MGT	
STAKER,T.R.	8807250423*	50-382	O	STETKA,T.	8806300187*	60-302	O	TANAKA,J.	8807200362*	71-0103	
STANDERFER,F.R.	8806280292	50-320	P	STETKA,T.	8807250301*	60-302	Q	TANOUS,N.S.	8807210300	WASTE RES	
STANDERFER,F.R.	8807060431	50-320	P	STEVENS,J.A.	8807130050	50-461	P	TARDIF,L.	8807050140	50-443	H
STANDERFER,F.R.	8807070008	50-320	P	STEVENS,J.A.	8807130275	50-461	P	TARDIFF,B.	8807061605	50-443	H
STANDERFER,F.R.	8807130069	50-320	V	STEWART,R.	8807210161*	CONTRACT		TARMY,E.A.	8807050093	50-443	H
STANDERFER,F.R.	8807140257	50-320	P	STEWSAN,W.J.	8807180300	PR		TARVERSB.T.	8807220329	60-443	
STANDERFER,F.R.	8807180263	50-320	P	STOBBES,J.J.	8806220266*	PROJ		TARZIA,J.	8807070178	50-443	H
STANDERFER,F.R.	8807220362	50-320	O	STOETZEL,G.A.	8807220153*	50-322	F	TATE,M.	8806300364*	50-445	S
STANG,J.F.	8807120685	50-315	P	STOFFEL,J.W.	8807250365*	50-289	P	TATUM,J.	8807180172	50-362	S
STANG,J.F.	8807130103	50-315	Q	STOFFEL,J.W.	8807250385*	50-289	P	TATUM,J.E.	8807140222*	50-206	Q
STANG,J.F.	8807150291	50-315	P	STOKES,T.F.	8807210199	50-322	H	TAYLOR,H.S.	8807050115*	50-390	A
STANG,J.F.	8807180346	50-315	P	STOCKLEY,J.	8807110505	NUREG		TAYLOR,H.S.	8807070403	TOPREP	
STANG,J.F.	8807180378	50-315	P	STOCKLEY,J.R.	8807140258	WASTE RES		TAYLOR,H.S.	8807070412*	TOPREP	
STANG,J.P.	8807200228	50-315	P	STOLZ,J.F.	8807050304*	50-334	P	TAYLOR,J.H.	8807130310	TOPREP	
STANLEY,J.A.	8807070338	50-443	H	STOLZ,J.F.	8807C80572*	60-219	P	TAYLOR,J.H.	8807200230	TOPREP	
STANSBERRY,W.W.	8807210309*	50-261	O	STOLZ,J.F.	8807080112*	50-245	P	TAYLOR,J.L.	8807110066	50-322	G
STARKEY,P.W.	8807050085	50-443	H	STOLZ,J.F.	8807080182*	50-423	P	TAYLOR,J.L.	8807110066	50-322	G
STARKEY,R.S.	8806300056	50-382	S	STOLZ,J.F.	8807110176*	50-213	P	TAYLOR,J.M.	8807190177	50-324	C
STARKEY,R.S.	8806300067	50-382	S	STOLZ,J.F.	8807110248	50-334	P	TAYLOR,J.T.	8807010333	PR	
STARKEY,R.S.	8806300087	50-382	S	STOLZ,J.F.	8807110272*	50-423	P	TAYLOR,J.W.	8807060105	50-409	C
STARKEY,R.S.	8807210133	50-382	S	STOLZ,J.F.	8807130217*	50-334	P	TAYLOR,J.W.	8807060330	50-409	C
STARKEY,R.S.	8807210219	50-382	S	STOLZ,J.F.	8807130325	50-289	P	TAYLOR,J.W.	8807060346	50-409	C
STARMEIR,R.J.	8807130347	WASTE MGT		STOLZ,J.F.	8807140120*	50-218	P	TAYLOR,J.W.	8807250108	50-409	C
STARR,L.E.	8807140295*	WASTE MGT		STOLZ,J.F.	8807180106*	50-289	P	TAYLOR,K.C.	8807010412	50-443	H
STAUTER,J.C.	8807080040	40-8027		STOLZ,J.F.	8807190081*	50-336	P	TAYLOR,L.A.	8807130176	50-368	S
STAUTER,J.C.	8807120242	70-925		STOLZ,J.F.	8807250048*	60-334	P	TAYLOR,M.A.	8807200252	50-443	H
STAUTER,J.C.	8807140131	40-8027		STOLZ,J.F.	8807250050*	50-334	P	TAYLOR,M.M.	8807050302	50-443	H
STAUTER,J.C.	8807220023	40-8905		STOLZ,J.F.	8807250078*	50-289	P	TEATES,C.D.	8807180049	PR	
STEELE,M.	8807010558	FR		STONE,J.C.	8807190203	REVIEW GR P		TEDROW,J.	8806300197*	50-302	C
STEENLAND,D.S.	8807060073*	50-443	G	STORY,J.	8807070348	50-443	H	TEDROW,J.	8807250301*	50-302	C
STEENLAND,D.S.	8807060082*	50-443	G	STORZ,L.F.	8807130274	50-348	S	TEFFT,J.G.	8807050075	50-443	H
STEENLAND,D.S.	8807060082*	50-443	G	STORZ,L.F.	8807180085	50-346	S	TERRY,C.D.	8807050040*	50-220	H
STEENLAND,D.S.	8807060089*	50-443	G	STORZ,L.F.	8807200329*	50-348	F	TERRY,C.D.	8807050063	50-220	H
STEENLAND,D.S.	8807060089*	50-443	G	STORZ,L.F.	8807250047	60-346	R	TERRY,C.D.	8807050415	50-220	H
STEENLAND,D.S.	8807110048	50-443	G	STOUT,J.L.	8807010594	PR		TERRY,C.D.	8807080213	50-220	H
STEENLAND,D.S.	8807110048	50-443	G	STRANGE,R.J.	8807050582	50-443	H	TERRY,C.D.	8807060284	50-220	H
STEEVES,G.N.	8807010362	50-443	H	STRICKLAND,R.G.	8807050518	50-443	H	TERRY,C.D.	8807070035	50-220	H
STEIGER,W.E.	8807070057*	50-322	P	STRUCKMEYER,R.	8807010268*	50-3	Q	TERRY,C.D.	8807070030	50-220	H
STEIGER,W.E.	8807080157	50-322	S	STRUCKMEYER,R.	8807110535	NUREG		TERRY,C.D.	8807120406	50-220	H
STEIGER,W.E.	8807140274	50-322	S	STRUM,M.S.	8807010379	PR		TERRY,C.D.	8807150278	50-410	F
STEIGER,W.E.	8807180321	50-322	R	STUCKINSKI,V.L.	8807070270	50-443	H	TERRY,C.D.	8807180290	50-220	H
STEIGER,W.E.	8807200319	50-322	R	SUFFERING,S.M.	8807060062	50-443	H	TERRY,C.D.	8807210052	50-220	H
STEIN,S.R.	8807110399*	50-249	O	SUH,G.	8807180356*	50-344	O	TERRY,C.D.	8807250045	50-220	H
STEINBERGER,A.	8807200094	50-322	H	SUH,G.Y.	8807050108*	50-344	O	TETRAULT,R.E.	8807250099	70-27	
STEINHARDT,C.R.	8807060162	50-305	S	SUECKI,J.	8807200394	50-440	H	THOMAS,B.	8807180178*	FOIA	
STEINHARDT,C.R.	8807070564	50-305	F	SULLIVAN,J.	8807180331	50-443	H	THOMAS,C.O.	8807210048*	70-3055	
STEINHARDT,C.R.	8807080164	50-305	P	SULLIVAN,M.	8807010531	50-443	H	THOMAS,E.A.	8807110103	50-443	G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY		
THOMAS,G.S.	8806290400	50-443	F	TRAMMELL,C.M.	8807150091	50-289	P	TUCKMAN,M.S.	8807050287	50-260
THOMAS,G.S.	8806300315	50-443	F	TRAMMELL,C.M.	8807200391	50-206	P	TUCKMAN,M.S.	8807060585*	50-260
THOMAS,G.S.	8806300374	50-443	I	TREBY,S.A.	8805160043*		PR	TUCKMAN,M.S.	8807130191*	50-269
THOMAS,G.S.	8807070384	PR		TREPAL,C.	8807200286	50-440	M	TURBAK,M.S.	8807210275*	50-237
THOMAS,G.S.	8807120231	PR		TREPAL,C.	8807250286	50-346	H	TURK,S.E.	8807060015	50-443
THOMAS,G.S.	8807140019	50-443	Q	TREVORS,G.A.	8807050475	50-288	Q	TURK,S.E.	8807110021	50-443
THOMAS,G.S.	8807150015	50-443	Q	TREVORS,G.A.	8807080240	50-288	F	TURK,S.E.	8807200067	50-443
THOMAS,G.S.	8807150020	50-443	P	TREVORS,G.A.	8807130024	50-288	F	TURK,S.E.	8807200073	50-443
THOMAS,G.S.	8807150062	50-443	P	TREVORS,G.A.	8807133009	50-298	F	TUSHILL,N.M.	8807040146	50-443
THOMAS,G.S.	8807180275	50-443	P	TREVORS,G.A.	8807140025	50-298	Q	TUTINAS,P.J.	8807050190	50-443
THOMAS,G.S.	8807180356	50-443	R	TREVORS,G.A.	8807190284	50-298	Q	TUZLA,K.	8807110476	NUREG
THOMAS,G.S.	8807220186	50-443	P	TRIFUNAC,M.D.	8807120435	ACRS		TUZLA,K.	8807110494	NUREG
THOMAS,G.S.	8807250030	50-443	Q	TRINGALI-GAGNE	8807010347	50-443	H	TUZLA,K.	8807110524	NUREG
THOMAS,H.L.	8807140049*	60-416	I	TRIPP,L.E.	8807010349*	50-334	Q	TUZLA,K.	8807110530	NUREG
THOMAS,M.	8807120081*	60-425	Q	TRIPP,L.E.	8807250288*	50-309	Q	UDY,A.C.	8803250380*	50-259
THOMAS,M.	8807120180*	50-338	Q	TRQBAUGH,T.W.	8807070086	PR		ULMER,E.J.	8807250203	50-341
THOMAS,M.	8807120451*	50-324	Q	TRQJANOWSKI,R.	8806210153	I&E		ULFREY,R.L.	8807070360	50-443
THOMAS,R.D.	8806280182*	70-25		TROUT,J.P.	8807060012	50-443	G	UNAL,C.	8807110476	NUREG
THOMAS,S.L.	8807070209	50-443	H	TROUT,J.P.	8807060012	50-443	G	UNAL,C.	8807110491	NUREG
THOMAS,V.D.	8807130326*	50-289	P	TROUT,J.P.	8807060075	50-443	G	UNAL,C.	8807110524	NUREG
THOMPSON,D.	8807010045*	50-424	Q	TROUT,J.P.	8807060076	50-443	G	UNAL,C.	8807110530	NUREG
THOMPSON,D.	8807070196*	50-338	Q	TROUT,J.P.	8807200055	50-443	G	UPSON,L.	8807060320	50-443
THOMPSON,G.	8807110011*	50-443	G	TROUT,J.P.	8807230055	50-443	G	URBAN,P.	8807110208	PR
THOMPSON,H.L.	8806280322	WASTE MGT		TROUT,J.P.	8807280041	50-443	G	URBANOWSKI,S.	8807010097	PR
THOMPSON,H.L.	8807120139	COMMISSION		TROUT,J.P.	8807290041	50-443	G	UTLEY,E.E.	8807190177	50-324
THOMPSON,H.L.	8807150146*	PR		TRZYNA,G.E.	8807190038	50-295	P	UTNAGE,W.L.	8807250360	40-0027
THOMPSON,H.L.	8807180262	WASTE MGT		TRZYNA,G.E.	8807210089	50-295	Q	VAN BRUNT,E.E.	8807050032	50-528
THOMPSON,H.L.	8807220092	WASTE MGT		TUBIN,P.E.	8807200034	50-322	H	VAN BRUNT,E.E.	8807060382	50-528
THOMPSON,L.W.	8807010381	50-443	H	TUCKER,H.B.	8806280246	50-369	F	VAN BRUNT,E.E.	8807060169	50-528
THOMPSON,R.D.	8807050200*	50-320	P	TUCKER,H.B.	8806290093	50-369	P	VAN BRUNT,E.E.	8807120444	50-528
THOMPSON,T.M.	8807010734	50-443	H	TUCKER,H.B.	8806290119	50-369	S	VAN BRUNT,E.E.	8807130046	50-530
THUFLER,K.M.	8807010649	50-443	H	TUCKER,H.B.	8806280169	50-289	S	VAN BRUNT,E.E.	8807150156	50-628
TIEMANN,J.A.	8807190036	50-205	P	TUCKER,H.B.	8806280174	50-289	S	VAN BRUNT,E.E.	8807210055	50-628
TIERNAN,J.A.	8807060158	50-317	P	TUCKER,H.B.	8806290389	50-270	Q	VAN DER HEIJDE	8807010336	50-443
TIERNAN,J.A.	8807070314	50-317	P	TUCKER,H.B.	8806290409	50-413	S	VAN DER HEIJDE	8807200108	PR
TIERNAN,J.A.	8807110237	50-317	P	TUCKER,H.B.	8806290419	50-269	S	VAN DOORN,P.	8806290391*	50-413
TIERNAN,J.A.	8807110242	50-317	Q	TUCKER,H.B.	8806280438	50-289	Q	VAN DENBURGH,C.	8807110519*	50-312
TIERNAN,J.A.	8807180271	50-317	Q	TUCKER,H.B.	8807050028	50-413	K	VANDER WEYDEN	8807250207*	50-102
TIERNAN,J.A.	8807250116	50-317	Q	TUCKER,H.B.	8807050081	50-269	K	VARGA,S.A.	8807080360	50-335
TIERNAN,J.A.	8807250347	50-317	Q	TUCKER,H.B.	8807050237	50-269	F	VARGA,S.A.	8807120540	I&E
TIERNAY,P.A.	8807070031	50-443	H	TUCKER,H.B.	8807050239	50-369	S	VARGA,S.A.	8807130034	50-302
TILDEN,R.C.	8807070160	50-443	H	TUCKER,H.B.	8807060180	50-269	F	VARGA,S.A.	8807130216	50-302
TILLEY,J.A.	8807010719	50-443	H	TUCKER,H.B.	8807060403	50-369	P	VARGA,S.A.	8807140077	50-29
TILLMAN,A.	8807010045*	50-424	Q	TUCKER,H.B.	8807070221	50-269	F	VARGA,S.A.	8807140157	TOPREP
TILLMAN,A.	8807060299*	50-413	Q	TUCKER,H.B.	8807070544	50-369	P	VARGA,S.A.	8807140246*	50-400
TILLMAN,A.	8807260272*	50-369	Q	TUCKER,H.B.	8807070575	50-369	P	VARGA,S.A.	8807200241*	50-293
TILLOTSON,C.P.	8807050399*	XPORTLIC		TUCKER,H.B.	8807120038	50-287	Q	VARGA,S.J.	8807120348*	50-261
TILLOTSON,C.P.	8807050401*	XPORTLIC		TUCKER,H.B.	8807120117	50-414	S	VARGAS,J.M.	8807010505	50-443
TILTON,D.R.	8807070007	50-443	H	TUCKER,H.B.	8807120143	50-413	P	VARGAS,J.M.	8807200055	50-443
TINEL,P.L.	8807070295	50-443	H	TUCKER,H.B.	8807120686	50-389	F	VAUGHN,E.G.	8807200385	50-498
TINGEN,S.	8806290112*	50-400	Q	TUCKER,H.B.	8807130177	50-413	P	VAUGHN,E.G.	8807060438	50-498
TIPPS,S.B.	8806290083	50-321	S	TUCKER,H.B.	8807130183	50-269	F	VAUGHN,E.G.	8807060488	50-498
TIPPS,S.B.	8806290300	50-366	S	TUCKER,H.B.	8807130186	50-269	F	VAUGHN,E.G.	8807150165	50-498
TIPPS,S.B.	8807010582	50-366	S	TUCKER,H.B.	8807130291	50-369	S	VAUGHN,E.G.	8807190097	50-498
TIPPS,S.B.	8807060159	50-366	S	TUCKER,H.B.	8807130299	50-370	P	VAUGHN,E.G.	8807210073	50-498
TIPPS,S.B.	8807070149	50-321	S	TUCKER,H.B.	8807130305	50-269	K	VAUGHN,E.G.	8807250435	50-498
TIPPS,S.B.	8807150117	50-366	S	TUCKER,H.B.	8807130323	50-269	P	VECCIONE,T.	8807070478	50-443
TIPTON,J.A.	8807280200	PR		TUCKER,H.B.	8807130327	50-269	S	VELASQUEZ,J.R.	8807210231	40-8907
TOBIN,W.J.	8807010045*	50-424	Q	TUCKER,H.B.	8807130379	50-389	S	VELASQUEZ,J.R.	8807210249	40-8907
TOBIN,W.J.	8807070020*	50-280	Q	TUCKER,H.B.	8807130400	50-389	S	VELASQUEZ,J.R.	8807260113	40-8907
TODD,G.A.	8807130146*	50-261	Q	TUCKER,H.B.	8807130436	50-369	S	VELEZ,P.	8807010115	CONTRACT
TODD,G.A.	8807130161*	50-324	Q	TUCKER,H.B.	8807130452	50-370	S	VELEZ,P.	0007060087	CONTRACT
TOKAR,M.	8807130035	WASTE MGT		TUCKER,H.B.	8807140105	50-413	P	VELEZ,P.	8807110161	CONTRACT
TOMAN,G.J.	8806280080*	50-370	S	TUCKER,H.B.	8807140267	50-414	S	VELEZ,P.	8807120521	CONTRACT
TOMLINSON,E.	8807250222*	60-410	R	TUCKER,H.B.	8807140270	50-414	S	VELEZ,P.	8807120897	CONTRACT
TOMLINSON,E.	8807250225*	60-410	R	TUCKER,H.B.	8807140276	50-269	P	VELEZ,P.	8807180162	CONTRACT
TONER,J.A.	8807010499	50-443	H	TUCKER,H.B.	8807140280	50-413	P	VELEZ,P.	8807180359	CONTRACT
TOOLE,M.F.	8807070468	50-443	H	TUCKER,H.B.	8807140302	50-414	P	VERNESTON,W.G.	8806300022	50-83
TORRE,J.G.	8806290409	50-413	S	TUCKER,H.B.	8807150187	50-369	Q	VERNETSON,W.G.	8807110407	50-83
TORRE,J.G.	8807120117	50-414	S	TUCKER,H.B.	8807180098	50-370	Q	VERNETSON,W.G.	8807120120	50-83
TORRE,J.G.	8807140267	50-414	S	TUCKER,H.B.	8807180194	50-389	Q	VERRELLI,D.M.	8806300151*	50-180
TORRE,J.G.	8807140270	50-414	S	TUCKER,H.B.	8807180281	50-389	Q	VERRELLI,D.M.	8807120483	50-261
TORRES,J.L.	8807180286	71-6677		TUCKER,H.B.	8807180262	50-389	P	VERRELLI,D.M.	8807120480*	50-261
TOURIGNY,E.G.	8807050123*	50-389	P	TUCKER,H.B.	8807180314	50-370	Q	VERRELLI,D.M.	8807120506	50-400
TOURIGNY,E.G.	8807050456	50-250	P	TUCKER,H.B.	8807200190	50-270	S	VERRELLI,D.M.	8807250163	50-348
TOURIGNY,E.G.	8807080184	50-335	P	TUCKER,H.B.	8807200327	50-370	S	VERRELLI,D.M.	8807250187*	50-348
TOURIGNY,E.G.	8807140052*	50-335	P	TUCKER,H.B.	8807210302	50-413	Q	VESCOLO,D.	8807010079	PR
TOUSLEY,D.R.	8807200051*	50-443	G	TUCKER,H.B.	8807220180	50-413	P	VICKREY,R.B.	8807070453*	50-498
TOUSLEY,D.R.	8807200071*	50-443	G	TUCKER,H.B.	8807250164	50-389	P	VICKREY,R.B.	8807250314*	50-313
TOUSLEY,D.R.	8807200071*	50-443	G	TUCKER,H.B.	8807250182	50-269	Q	VIEBROCK,J.M.	8807080069	71-9310
TOWNSEND,J.D.	8807010068	50-275	R	TUCKER,H.B.	8807250188	50-370	S	VIELB,G.J.D.	8807180367	50-322
TOWNSEND,J.D.	8807060207	50-275	S	TUCKER,H.B.	8807250204	50-370	S	VIERIMA,T.	8807180327	PR
TRACY,A.P.	8807010494	PR		TUCKER,H.B.	8807250213	50-369	P	VINCENT,C.	8807010812	50-443
TRAF,CONTE,J.	8807140015	50-443	G	TUCKER,H.B.	8807250310	50-269	R	VINCENT,C.J.	8807050177	50-443
TRAMMELL,C.M.	8807080244	50-206	P	TUCKER,H.B.	8807250397	50-369	R	VINCENT,N.R.	8807180087	PR
TRAMMELL,C.M.	8807110285	50-206	P	TUCKER,H.B.	8807280289	50-269	Q	VINKOVICH,N.	8807200042	PR
TRAMMELL,C.M.	8807110266*	50-208	P	TUCKER,H.B.	8807260316	50-269	Q	VINYARD,H.T.	8807050084	50-374
TRAMMELL,C.M.	8807110312	50-206	P	TUCKER,H.B.	8807280164	PR		VIRGILIO,M.J.	8807070538*	50-255

	NUMBER	CATEGORY		NUMBER	CATEGORY		NUMBER	CATEGORY			
VIRGIL O.M.J	8807130559	50-341	P	WEADOCK,A	8807010466	50-317	O	WIDELL,R.C	8807065291	50-302	O
VIRGIL O.M.J	8807130141	50-255	P	WEADOCK,A	8807200384	50-146	O	WIDELL,R.C	8807060345	50-302	S
VIRGIL O.M.J	8807152394	50-315	P	WEAVER,J.D	8807080307	50-461	S	WIDELL,R.C	8807060453	50-302	O
VIRGONA,J.E	8807210667	WASTE MGT		WEAVERS	8807050239	PR		WIDELL,R.C	8807060461	50-302	P
VIRGONA,J.E	8807210124	WASTE MGT		WEBER,M.F	8807060614	WASTE RES		WIDELL,R.C	8807060537	50-302	S
VISSING,G.S	8807060476	50-508	A	WECHSELBERGER	8807060426	50-219	P	WIDELL,R.C	8807070372	50-302	S
VISSING,G.S	8807110334	50-470	A	WEDDINGTON,R.E.	8807060371	50-250	O	WIDELL,H.C	8807070392	50-302	O
VISSING,G.S	8807120374	50-470	A	WFOEG,S.R.A.	8807070415	FR		WIDELL,R.C	8807150125	50-302	P
VISSING,G.S	8807120716	50-470	A	WEED,D.E.	8807050240	50-443	H	WIDGER,J	8807070098	50-443	K
VISSING,G.S	8807120720	50-470	A	WEEKS,D.	8807010702	50-443	H	WIDMAYER,D.A	8807140067	WASTE MGT	
VISSING,G.S	8807140097	50-470	A	WEGNER,M.S	8807050528	50-456	P	WIDMAYER,D.A	8807140075	WASTE RES	
VIZVARY,K	8807070485	50-443	H	WEIL,C.H	8807220241	FCIA		WIDMAYER,D.A	8807220184	WASTE RES	
VOGEL,L.J	8807010547	50-443	H	WEINTRAUB,J	8807220317	FOIA		WIDMAYER,D.A	8807280178	WASTE RES	
VOGLER,B.H	8807220050	50-250	G	WEISMAN,R.M	8807220042	50-271	G	WIEBOLD,T.L	8807060617	PR	
VOGLER	8807220067	71-9150		WEISMAN,R.M	8807220046	50-271	G	WIEDEMAN,D	8807010388	I&E	
VOLK,M.A	8807010150	PR		WEISMANTLE,J	8807290036	50-322	G	WIEDEMAN,D	8807050017	NUREG	
VOLLMEYER,R.H	8807150230	50-399	A	WEISS,E	8807210146	50-322	H	WIEDEMAN,D	8807120025	I&E	
VOSS,C	8807010561	50-443	H	WEISS,E	8807210146	50-444	H	WIEDEMAN,D	8807200366	I&E	
WACKS,V	8807070173	WASTE MGT		WELCH,J	8807250147	50-240	S	WIEGAND,C.M	8807060527	50-457	S
WADLEIGH,B	8807070319	50-443	H	WELCH,R.H.	8807010573	50-443	H	WIEN,L.A	8807130413	REVIEW GR P	
WAECHTER,T.M	8807070094	50-443	H	WELLS,A.H	8806220250	PROJ		WIESEMANN,R.A	8807070418	TOPREP	
WAECHTER,O.H	8807150305	50-286	P	WELLS,A.H	8807110108	71-9225		WIESEMANN,R.A	8807130207	50-601	K
WAECHTER,O.H	8807140078	50-286	P	WELLS,J.J.	8807050321	50-443	H	WIESEMANN,R.A	8807140142	50-206	P
WAGNER,P.C	8807250125	50-445	Q	WELSH,P.	8807180356	50-286	F	WIESEMANN,R.A	8807150061	TOPREP	
WALENSKI,S.J	8807010467	PR		WENSLAWSKI,F.A.	8806280240	50-344	Q	WIESEMANN,R.A	8807180353	50-601	A
WALKER,H	8807290236	50-443	G	WENSLAWSKI,F.A.	8806280241	50-344	Q	WIGGINS,E.	8807080212	CONTRACT	
WALKER,H	8807290273	50-443	G	WENTWORTH,R	8807070302	50-443	H	WIGGINS,E.J	8807050355	CONTRACT	
WALKER,J.G	8807060517	50-260	S	WENZEL,N.A	8807041014	PR		WIGGINS,E.J	8807080097	CONTRACT	
WALKER,J.G	8807070171	50-260	S	WENZINGER,E.C.	8807010018	50-286	O	WIGGINS,E.J	8807080127	CONTRACT	
WALKER,J.G	8807070394	50-259	S	WENZINGER,E.C.	8807050179	50-247	Q	WIGGINS,E.J	8807120686	CONTRACT	
WALKER,J.G	8807080207	50-286	S	WENZINGER,E.C.	8807050231	50-286	Q	WIGGINS,E.J	8807130377	CONTRACT	
WALKER,J.G	8807080226	50-259	S	WENZINGER,E.C.	8807200368	50-354	Q	WIGGINS,E.J	8807180374	CONTRACT	
WALKER,J.G	8807120011	50-259	S	WENZINGER,E.C.	8807200227	50-272	Q	WIGGINS,E.J	8807200157	CONTRACT	
WALKER,J.G	8807130193	50-259	S	WENZINGER,E.C.	8807250255	50-333	O	WIGGINS,J.T	8807010027	50-367	O
WALKER,J.G	8807140215	50-286	S	WESSMAN,R.H.	8807060003	50-309	P	WIGGINS,J.T	8807010318	50-29	O
WALKER,J.G	8807250081	50-259	R	WESSMAN,R.H.	8807060551	50-29	P	WIGGINS,J.T	8807010341	50-334	O
WALKER,J.G	8807250065	50-259	R	WESSMAN,R.H.	8807120447	50-244	P	WIGGINS,J.T	8807060313	60-29	F
WALKER,R.D.	8807180234	50-445	A	WESSMAN,R.H.	8807180163	50-293	P	WIGGINS,J.T	8807190072	50-271	O
WALKER,R.D.	8807180230	50-445	S	WESSMAN,R.H.	8807210312	50-293	F	WIGGINS,J.T	8807250285	60-309	O
WALL,K.C	8807250129	50-213	R	WESSMAN,R.H.	8807210351	50-20	P	WIGGINTON,D.L	8807140285	50-313	P
WALLACE,C	8807050265	50-443	H	WEST,D.B	8807070447	NUREG		WIGGINTON,D.L	8807180068	50-302	P
WALLACE,D.G.	8807070321	50-443	H	WESTERMAN,T.F	8807110383	50-267	S	WILGUS,W.S	8807070546	50-302	K
WALLIN,G.A	8807210229	50-271	R	WESTERMAN,T.F	8807120108	50-285	Q	WILGUS,W.S	8807140284	50-302	K
WALSH,G.F	8807220159	50-220	H	WETZEL,B.A	8807060287	50-266	Q	WILJANEN,C.B.	8807180083	50-443	H
WALSH,L.A	8807050264	50-443	H	WEYMOUTH,J.P.	8807010656	50-443	H	WILKINSON,B.W.	8807050427	71-5057	
WALTER,C.E	8807180002	50-443	H	WHALEN,R.J	8807050331	50-249	S	WILKINSON,B.W.	8807080224	71-855	
WALTHER,A.E	8807130430	71-9032		WHALEY,P.M	8807120120	50-83	S	WILKINSON,R.E.	8807080215	71-655	
WALTON,G.A	8807250268	50-390	Q	WHARTON,M.A	8807050394	50-206	F	WILLARD,S.C	8807070394	50-256	S
WALTON,J	8807200254	50-346	F	WHEELER,C.	8807210137	50-322	H	WILLARD,S.C	8807080226	60-269	S
WAMBACH,T.V	8807070536	50-255	P	WHEELER,J.I	8807050172	PR		WILLARD,S.C	8807120011	50-256	S
WAMBACH,T.V	8807250078	50-255	P	WHEELER,L.R.	8807080172	CONTRACT		WILLIAMS,C.	8807010185	50-443	H
WANG,A.B	8807110174	60-213	P	WHEELER,T.P.	8807050440	PR		WILLIAMS,C.C	8807110552	50-445	O
WANGLER,M.E.	8807120373	71-3003		WHEELER,BEAN,D.	8807050235	PR		WILLIAMS,C.M.	8807010110	50-443	H
WARAKOMSKI,C.E	8807050331	PR		WHIPPLE,S.L.	8807010283	50-443	H	WILLIAMS,G.W	8807120580	CONTRACT	
WARD,D	8807060111	50-264	O	WHITCOMB,C.	8807010234	PR		WILLIAMS,M.C	8807220221	PR	
WARNICK,R.F.	8807070458	50-446	O	WHITCOMB,C.	8807070331	50-443	H	WILLIAMS,M.G	8806290286	50-482	S
WARNICK,R.F.	8807080009	50-446	O	WHITE,B.J.	8807010299	PR		WILLIAMS,M.G.	8807150074	60-482	S
WARNICK,R.F.	8807080034	50-446	O	WHITE,J.	8807070066	I&E		WILLIAMS,M.G.	8807180376	60-482	R
WARNICK,R.F.	8807080151	50-446	O	WHITE,P.	8807180365	50-272	R	WILLIAMS,N	8807070482	50-443	H
WARNICK,R.F.	8807140297	50-446	O	WHITE,P.	8807180368	50-311	R	WILLIAMS,N.H.	8807100222	60-445	A
WARNICK,R.F.	8807150159	50-445	O	WHITE,P.	8807070036	50-443	H	WILLIAMS,P.M.	8807070437	NUREG	
WARNICK,R.F.	8807180319	50-445	O	WHITE,P.E.	8807010733	50-443	H	WILLIAMS,R.	8807060100	PR	
WARNICK,R.F.	8807200304	50-445	A	WHITE,S.A.	8807050111	50-390	A	WILLIAMS,R.E.	8807220197	WASTE RES	
WARNICK,R.F.	8807250101	50-445	O	WHITE,S.A.	8807280388	60-259	H	WILLIAMS,R.O	8806290026	50-267	O
WARNICK,R.F.	8807250140	50-445	O	WHITE,S.C.	8807010388	PR		WILLIAMS,R.O.	8806290058	50-267	P
WARNICK,R.F.	8807250155	50-445	O	WHITENER,H.L.	8807120503	50-280	Q	WILLIAMS,R.O	8807050480	50-267	F
WARNICK,R.F.	8807250194	50-445	O	WHITING,A.R.	8806300108	WASTE MGT		WILLIAMS,R.O	8807070041	50-267	Q
WARNICK,R.F.	8807250210	50-445	O	WHITING,A.R.	8807060161	WASTE MGT		WILLIAMS,R.O	8807070050	50-267	R
WARNOCK,J	8807070021	50-443	H	WHITING,A.R.	8807060225	WASTE MGT		WILLIAMS,R.O	8807070529	50-267	P
WARREN,L.	8807180228	50-260	P	WHITING,A.R.	8807110518	WASTE MGT		WILLIAMS,R.O	8807120827	50-267	O
WASHINGTON,S.L.	8807210033	50-397	S	WHITING,A.R.	8807180318	WASTE MGT		WILLIAMS,R.O.	8807180187	60-267	O
WASHILK,J.S.	8807140253	50-346	F	WHITT,M.S.	8807250056	50-313	R	WILLIAMS,R.O.	8807250231	50-267	O
WASHILK,J.S.	8807200259	50-346	F	WHITTIER,G.D.	8807060048	50-303	S	WILLIE,D.J.	8807130231	50-353	A
WASHILK,J.S.	8807200264	50-346	F	WHITTIER,G.D.	8806300336	50-300	S	WILLIS,J.L	8806280376	50-410	O
WATFORD,P.S	8807050368	50-373	S	WHITTIER,G.D.	8807200199	50-309	R	WILLIS,J.L.	8807080159	60-410	S
WATFORD,P.S	8807150084	50-374	S	WHITTLES,K.O.	8807210157	50-443	P	WILLIS,J.L.	8807110100	50-410	S
WATSON,C.A	8807050512	50-443	H	WICHERS,D.L.	8807010208	40-8502		WILLIS,J.L.	8807130087	50-220	S
WATSON,R.A	8806280254	50-400	F	WICHERS,D.L.	8807210034	40-8502		WILLIS,J.L.	8807200095	50-220	H
WATSON,R.A	8807010137	50-400	F	WICHERS,D.L.	8807210042	40-8502		WILLIS,J.L.	8807200220	50-410	S
WATSON,R.A	8807050529	50-400	V	WICHERS,D.L.	8807210176	40-8502		WILLIS,J.L.	8807210005	50-410	S
WATSON,R.A	8807120112	50-400	P	WICHERS,D.L.	8807210185	40-8502		WILLIS,J.L.	8807250219	50-410	R
WATSON,R.A	8807180372	50-400	R	WICHERS,D.L.	8807210260	40-8502		WILLIS,P.M.	8807070329	50-443	H
WATSON,R.A	8807250087	50-400	F	WICHERS,D.L.	8807250346	40-8502		WILLSEY,W.B.	8807010669	50-352	P
WATSON,S.N	8807190041	71-6717		WICHERS,D.L.	8807250411	40-8502		WILTSON,D.	8807010732	60-443	H
WATTERS,J.P.	8807140148	70-1201		WICK,E.	8807250426	40-8884		WILSON,B.A.	8806290100	50-335	O
WATTERS,J.P.	8807190040	70-1201		WIDELL,R.C.	8807150004	WASTE MGT		WILSON,B.A.	8806300185	50-250	O
WATTS,J.C	8807070435	50-443	H	WIDELL,R.C.	8806290008	50-302	P	WILSON,B.A.	8806300187	50-302	O
				WIDELL,R.C.	8807010520	50-302	F	WILSON,B.A.	8806300194	50-302	O

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY			
CON, B.A.	8806300196*	50-302	O	WOODHEAD, C.P.	8807062053*	50-320	G	YOUNG, M.A.	8807060063	50-322	G
CON, B.A.	8807120431	50-338	O	WOODLAN, D.R.	8607060254	50-445	S	YOUNG, M.A.	8807110028	50-322	G
CON, B.A.	8807130203	50-250	O	WOODLAN, D.R.	8807060262	50-445	S	YOUNG, M.A.	8807110034	50-322	G
CON, B.A.	8807250282	50-302	O	WOODLAN, D.R.	8807060331	50-445	O	YOUNG, M.A.	8807200384	50-322	G
CON, B.A.	8807250293	50-302	O	WOODLAN, D.R.	8807060331	50-445	O	YOUNG, M.A.	8807290190	50-322	G
CON, B.A.	8807250298*	50-302	O	WOODLAN, D.R.	8807060420	50-445	S	YOUNG, M.H.	8807140262	WASTE RES	
CON, J.H.	8807080113*	CONTRACT		WOODLAN, D.R.	8807060429	50-445	A	YOUNG, T.E.	8806210325*	50-272	P
CON, K.	8807050523	50-443	H	WOODLAN, D.R.	8807060510	50-445	A	YOUNG, T.P.	8807200028	50-443	H
CON, K.R.	8807180360	50-302	S	WOODLAN, D.R.	8807060530	50-445	S	YUHAS, G.P.	8806280244*	50-344	Q
CON, K.R.	8807200005	50-302	R	WOODWARD, N.K.	8807290037*	50-443	G	YUHAS, G.P.	8807110218	50-70	S
CON, K.R.	8807200007	50-302	O	WOODWARD, N.K.	8807290037*	50-443	G	YUHAS, G.P.	8807110227	50-206	S
CON, K.R.	8807210068	50-302	P	WORKMAN, M.K.	8807050051	50-443	H	YUHAS, G.P.	8807140121*	50-312	O
CON, K.R.	8807250237	50-302	O	WORTH, S.	8807050403	50-443	H	YUHAS, G.P.	8807140234*	50-312	O
CON, K.R.	8807250375	50-302	F	WRIGHT, G.C.	8807070133*	50-247	Q	YUHAS, G.P.	8807190185*	50-387	O
CON, R.F.	8806290048	50-210	P	WRIGHT, G.C.	8806230074	50-316	V	YUHAS, G.P.	8807200205*	50-528	Q
CON, S.D.	8807120680	50-323	S	WRIGHT, G.C.	8807060233	50-331	Q	YUHAS, G.P.	8807200300*	50-288	Q
CON, J.F.	8807140250*	WASTE RES		WRIGHT, G.C.	8807060285	50-266	Q	YUHAS, G.C.	8807200330*	50-208	Q
CON, F.R.	8806290477	50-456	F	WRIGHT, G.C.	8807060297	50-341	P	ZAHNER, R.E.	8807180332*	WASTE MGT	
CON, F.R.	8807060258	50-456	F	WRIGHT, G.C.	8807120073	50-440	V	ZAHNER, R.E.	8807130434	50-440	P
CON, M.A.	8807080020	50-334	R	WRIGHT, G.C.	8807120092	50-463	V	ZAHNER, R.E.	8807200025	50-322	G
CON, M.A.	8807210202	50-334	R	WRIGHT, G.C.	8807120095	50-454	V	ZAHNER, R.E.	8807090014	50-322	G
CON, T.P.	8807130232	71-9019		WRIGHT, G.C.	8807120103	50-295	V	ZAHNER, R.E.	8807140031	50-322	G
CON, T.P.	8807220340	70-1113		WRIGHT, G.C.	8807120109	50-254	V	ZAHNER, R.E.	8807290217	50-322	G
CON, G.V.	8806300301	WASTE RES		WRIGHT, G.C.	8807120115	50-282	V	ZAPINSKI, S.M.	8807120309	50-457	S
CON, S.C.	8807010419	50-443	H	WRIGHT, G.C.	8807120122	50-266	V	ZAPINSKI, S.M.	8807010270	50-443	H
CON, S.C.	8807010250	50-443	H	WRIGHT, G.C.	8807120135	50-255	V	ZACH, L.W.	8801093073*	PR	
CON, T.A.	8807110418*	50-285	O	WRIGHT, G.C.	8807120140	50-263	V	ZACH, L.W.	8807110193	PR	
CON, G.R.	8807050280	PH		WRIGHT, G.C.	8807120181	50-373	V	ZACH, L.W.	8807110335	COMMISSION	
CON, B.D.	8807220126*	50-425	O	WRIGHT, G.C.	8807120200	50-409	V	ZACH, L.W.	8807110368	50-293	P
CON, B.D.	8806280158	50-482	O	WRIGHT, G.C.	8807120206	50-305	V	ZACH, L.W.	8807120563	50-348	P
CON, B.D.	8806290286	50-482	S	WRIGHT, G.C.	8807120226	50-341	V	ZACH, L.W.	8807120578	COMMISSION	
CON, B.D.	8807070132	50-482	P	WRIGHT, G.C.	8807120230	50-331	V	ZACH, L.W.	8807130418	50-443	U
CON, B.D.	8807070183	50-482	P	WRIGHT, G.C.	8807120237	50-10	V	ZACH, L.W.	8807180198*	FOIA	
CON, B.D.	8807120471	50-482	F	WRIGHT, G.C.	8807120246	50-315	V	ZELLE, L.	8807220381	PR	
CON, B.D.	8807120479*	50-482	F	WRIGHT, G.C.	8807120251	50-348	V	ZIMMERMAN, R.	8806280108	50-276	Q
CON, B.D.	8807120678	50-482	O	WRIGHT, G.C.	8807120271	50-461	V	ZIMMERMAN, R.	8807120253	50-312	Q
CON, B.D.	8807150074	50-482	S	WRIGHT, G.C.	8807120278	50-155	V	ZIMMERMAN, R.	8807140213	50-312	Q
CON, B.D.	8807180222	50-482	P	WRIGHT, G.C.	8807120280	50-457	V	ZIMMERMAN, R.P.	8807210135	50-312	Q
CON, B.D.	8807180239	50-482	P	WRIGHT, G.C.	8807190358*	50-344	Q	ZIMMERMAN, R.P.	0007010428	50-276	Q
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8807010430*	50-276	Q
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8807050297	50-387	Q
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8807130381	50-387	Q
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8807130382*	50-387	Q
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8807140220	50-208	O
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50-237	O	ZIMMERMAN, R.P.	8806300034	WASTE MGT	
CON, B.D.	8807180376	50-482	R	WRIGHT, G.C.	8807200213	50					

# CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Ages, C.L. Advanced Nuclear Fuels Corp. (formerly Exxon Nuclear Co., Inc.)	8807100126*	WASTE MGT		8807210045	50-528 S
	8807070244	TOPREP		8807210055	50-528 O
	8807120427	70-1257		8807210109	50-528 F
	8807250020*	XPORTLIC		8807210109	50-528 F
Agriculture, Dept. of Agriculture, Dept. of, Graduate School, Washington, DC	8807250029	XPORTLIC	Arizona, Univ. of, Tucson, AZ	8807060172*	CONTRACT
	8807250328	50-320 P		8807250001	50-113 O
	8807180289*	CONTRACT		8806290461	50-313 F
	8807280308	PR		8807060275	50-368 F
Air and Water Pollution Patrol Alabama Power Co.	8807220028	50-352 G	Arkansas Power & Light Co.	8807070559	50-313 F
	8806300351	50-348 O		8807070562	50-313 F
	8806300351	50-348 Q		8807070583	50-313 O
	8807010075	50-348 S		8807060135	50-313 P
	8807010262	50-348 P		8807110150	50-313 P
	8807010830	50-364 P		8807110194*	50-313 P
	8807060184	50-348 F		8807120131	50-313 P
	8807060595	50-348 K		8807120227	50-368 P
	8807120643	50-348 Q		8807120275	50-313 P
	8807120643	50-348 Q		8807120275	50-313 P
	8807130283	50-348 Q		8807120296*	50-313 P
	8807130283	50-348 Q		8807120333*	50-313 P
	8807180242	50-348 R		8807120303*	50-313 P
	8807180245	50-364 R		8807120398	50-313 P
	8807200370	50-348 Q		8807120400*	50-313 P
	8807250070	50-348 S		8807120480	50-313 P
AI Chemical Isotope Enrichment, Inc. Allegheny Electric Cooperative, Inc. American Coach Lines American Electric Power Co., Inc.	8807180157	50-603 H		8807130054	50-313 O
	8806300320*	50-367 I		8807130054	50-313 O
	8807050338*	CONTRACT		8807130176	50-368 S
	8807060119	50-316 S		8807180149	50-313 O
	8807060142	50-315 S		8807190080	50-313 P
	8807070374	50-315 Q		8807190080	50-313 P
	8807070374	50-315 Q		8807200340	50-313 F
	8807250059*	50-102 P		8807210191	50-313 F
American Machine & Foundry Co.	8807250080*	50-102 P		8807210191	50-313 F
	8807250084*	50-102 P	Atlantic City Medical Center, Atlantic City, NJ	8807250051	50-368 R
	8807250103*	50-102 P		8807250058	50-313 R
	8807250115*	50-102 P		8807280087	PR
American Nuclear Society American Public Power Association	8807050200*	50-320 P		8807180048	PR
	8807220364	50-348 M	Atlas Corp.	8807010022	40-3453
	8807270278	PR		8807010271	40-3453
	8807110160*	CONTRACT		8807210056	40-3453
American Society of Mechanical Engineers	8807220384	PR		8807250438	40-3453
	8807070518	50-443 H	Austin, TX	8806300048	40-498 P
	8807200039	50-443 G		8807220087*	CONTRACT
	8806280116	50-528 Q		8807190201	40-7604
Amesbury, MA	8807050032	50-529 S		8807190209*	40-7604
	8807050032	50-528 J	Automatic Management Consultants, Inc. BP America, Inc.	8807070553	TOPREP
	8807060304	50-528 S		8807010594	TOPREP
	8807060382	50-528 R		8807110458	70-27
	8807060382	50-528 R		8807110488	70-364
	8807060382	50-528 R	BWR Owners Group Babcock & Wilcox Co.	8807120157	70-824
	8807060418	50-528 S		8807120167*	70-824
	8807060489	50-528 P		8807130319	TOPREP
	8807060489	50-528 P		8807140149	70-1201
	8807060460	50-528 P	Backus, Meyer & Solomon Baltimore Gas & Electric Co.	8807190040	70-1201
	8807120444	50-528 P		8807200230	TOPREP
	8807120444	50-528 P		8807250099	70-27
	8807120444	50-528 P		8807250264	TOPREP
	8807120444	50-528 P		8807250421	TOPREP
	8807120562	50-528 S		8807200080	50-443 G
	8807130046	50-530 P		8806300060	50-317 F
	8807130108*	50-530 P		8807060158	50-317 P
	8807140209	50-528 Q		8807060158	50-317 P
	8807150158	50-528 J		8807060160*	50-317 P
	8807150158	50-528 J		8807060180*	50-317 P
	8807180242	50-528 S		8807070314	50-317 P



	8807070314	50-317			8806290494	50-324	
	8807070320*	50-317	P		8806230494	50-324	P
	8807070320*	50-317	P		8806290496*	50-324	P
	8807080161	50-317	Q		8806290498*	50-324	P
	8807080161	50-317	Q		8806290508	50-324	P
	8807110237	50-317	P		8806290509*	50-324	P
	8807110237	50-317	P		8806300011	50-261	Q
	8807110242	50-317	Q		8807010058	50-261	Q
	8807110242	50-317	Q		8807010058	50-261	Q
	8807120189	50-318	S		8807010137	50-403	F
	8807180271	50-317	Q		8807010534	50-325	S
	8807200298	50-317	S		8807050374	50-261	S
	8807210127	50-317	S		8807050529*	50-400	V
	8807250339	50-317	F		8807060544	50-325	P
	8807250030	50-317	F		8807060548*	50-325	P
	8807250116	50-317	Q		8807060558	50-261	F
	8807250347	50-317	O		8807060569	50-261	F
	8807250436	50-317	F		8807070018	50-325	S
	8807250436	50-317	F		8807070025	50-325	S
Battelle Memorial Institute, Columbus	8807080942*	CONTRACT			8807070745	60-325	S
Laboratories					8807070537	60-324	Q
	8807130294*	CONTRACT			8807070537	60-324	Q
	8807130314*	CONTRACT			8807070558	60-324	V
Battelle Memorial Institute, Pacific	8807180380*	CONTRACT			8807070558	60-324	V
	8807120580	ACRS					
Northwest Laboratory					8807080171	60-325	S
	8807160115	WASTE RES			8807120112	50-400	P
	8807180257	WASTE MGT			8807120558	50-400	S
	8807180273	WASTE MGT			8807120665	60-325	S
	8807180332*	WASTE MGT			8807130082	60-400	S
	8807190146	WASTE RES			8807140200	50-281	R
Bethlehem Steel Corp.	8807220153*	50-322	F		8807140248	50-400	Q
Bishop, Cook, Purcell & Reynolds	8807280384	PR			8807140305	50-324	R
	8807110010	50-460	G		8807140305	50-324	R
	8807190234	FOIA			8807150122	50-281	F
	8807280087	PR			8807150160	50-325	S
Bon Secours Hosp., Melhuon, MA	8807270272	PR			8807150259	50-281	F
Boston Edison Co.	8807010065	50-293	H		8807150266	50-261	F
	8807070060	50-293	Q		8807180085	50-325	S
	8807070541	50-293	F		8807180102	50-325	S
	8807080101	50-293	Q		8807180188	60-324	F
	8807080255	50-293	P		8807180188	60-324	F
	8807080258*	50-293	P		8807180372	50-400	R
	8807120274	50-293	P		8807190073	50-324	P
	8807120285*	50-293	P		8807190136	50-261	Q
	8807120287*	50-293	P		8807190177	50-324	C
	8807130041	50-293	F		8807210044	50-261	S
	8807150075	50-293	P		8807210337	60-324	P
	8807150103	50-293	O		8807210337	60-324	P
	8807150168	50-293	O		8807210340*	50-324	P
	8807200044	50-293	Q		8807210340*	60-324	F
	8807250038	50-293	S		8807220043	60-324	F
	8807250290	50-293	R		8807220043	60-324	F
	8807260273	50-293	K		8807220047*	50-324	J
Brazos Electric Power Cooperative, Inc	8806300360*	50-445	I		8807220047*	50-324	J
Brookhaven National Laboratory	8712100026	WASTE MGT			8807220067	50-324	C
	8807070448	NUREG			8807220161*	50-324	Q
	8807110333*	50-361	P		8807220205	60-325	P
	8807140141	WASTE MGT			8807220207*	50-325	P
	8807140187*	WASTE MGT			8807250010	50-324	F
	8807200288	WASTE RES			8807250087	50-400	F
	8807200305	WASTE RES			8807250392	50-324	F
	8807200320	WASTE RES			8807260392	50-324	F
	8807220203*	WASTE RES			8807260395*	50-324	F
Buchanan, Ingersoll, Rodawald, Kyle &	8807130334	40-8724			8807260395*	50-324	F
Burger					8807270281*	60-324	F
C.E. Operating Plants Owners Group	8807180168	PR			8807270284*	60-324	R
CTI, Inc. (formerly Alaska Welding	8807190041	71-6717			8807270284*	60-324	R
Center)					8807200061	50-250	C
CYGN Energy Services	8807190222	50-445	A	Center for Nuclear Response	8806300108	WASTE MGT	
				Center for Nuclear Waste Regulatory			
California Institute of Technology,	8807120363	ACRS		Analyses			
Pasadena, CA					8807080181	WASTE MGT	
California, State of	8807200274	PR			8807080188*	WASTE MGT	
	8807270297	PR			8807080211	WASTE MGT	
California, State of, Public Utilities	8807150282	FOIA			8807060225*	WASTE MGT	
Commission					8807060458*	WASTE MGT	
California, Univ. of, Berkeley, CA	8807080239	50-224	F		8807110518	WASTE MGT	
	8807120377	ACRS			8807180098	WASTE MGT	
	8807130076	50-224	P		8807180318	WASTE MGT	
	8807200129	50-224	P		8807190028	WASTE MGT	
	8807250113	50-224	P		8807220083	WASTE MGT	
	8807250238	50-224	F		8807220288	WASTE MGT	
California, Univ. of, Santa Barbara, CA	8807250153*	CONTRACT			8807220271*	WASTE MGT	
Calspan Corp. (subs. Arvin Industries/Fr	8806280080*	50-370	S		8807220272	WASTE MGT	
anklin Research Center)					8807220274*	WASTE MGT	
	8807040289*	CONTRACT		Center for Energy	8807140212	50-346	t
	8807210083*	CONTRACT		Central Power & Light Co.	8807110480*	50-498	
	8807210268*	CONTRACT		Chem-Nuclear Systems, Inc	8806300121*	WASTE MGT	
Carolina Power & Light Co.	8806280254	50-400	F	Children's Hosp. of Philadelphia	8807120581*	WASTE MGT	

Philadelphia, PA Energy Association for Sound Energy	8807060040	50-445	G	8607060527	50-457	S
	8807110119*	50-445	G	8607070010	50-373	S
	8807110119*	50-445	G	8807070137	50-265	S
	8807110134*	50-445	G	8807070144	50-266	S
				8807070310	50-295	Q
Energy Urging Responsible Energy Within the Ten Mile Radius for Fair Utility Regulation	8807110134*	50-445	G	8807070593	50-456	R
	8807110375*	50-283	P	8807070595	50-373	R
	8807070126	50-443	H	8807070598	50-295	F
	8807140027	50-445	G	8907070598	50-235	F
	8807140027	50-445	G	8807080084	50-454	R
Energy for Land & Water Use and Electric Illuminating Co	8807140033*	50-445	G	8807080213	50-455	S
	8807140033*	50-445	G	8807110437	50-373	Q
	8807250208	50-346	H	8807110437	50-373	Q
	8807060440	50-440	Q	8807110452	50-456	S
	8807060454	50-440	S	8807120090*	50-295	Q
	8807060460*	50-440	S	8807120092*	50-235	Q
	8807060466*	50-440	S	8807120100	50-10	P
	8807120190	50-440	P	8807120100	50-10	P
	8807120220*	50-440	S	8807120100	50-10	P
	8807120236*	50-440	S	8807120100	50-10	P
	8807120430	50-440	S	8807120100	50-10	P
	8807180330	50-440	S	8807120100	50-10	P
	8807200120	50-440	F	8807120100	50-10	P
	8807200120	50-440	F	8807120100	50-10	P
	8807210020	50-440	P	8807120100	50-10	P
	8807210030*	50-440	P	8807120100	50-10	P
	8807210033	50-440	S	8807120100	50-10	P
	8807210078*	50-440	S	8807120100	50-10	P
	8807210080*	50-440	S	8807120100	50-10	P
	8807210082*	50-440	S	8807120114	50-454	Q
	8807210083*	50-440	S	8807120114	50-454	Q
	8807210084*	50-440	S	8807120210	50-373	S
	8807220085	50-440	O	8807120245	50-251	P
	8807220200	50-440	P	8807120309	50-457	S
	8807220260*	50-440	P	8807120365*	50-450	P
Land, OH and Cliffs Iron Co and Cliffs, Inc. OH	8807250086	50-346	M	8807120365*	50-456	P
	8807210162	40-8714		8807120371*	50-456	P
	8807210079	40-8714		8807120387	50-295	K
	8807250248	50-346	M	8807120387	50-295	K
	8807250248	50-346	M	8807120442	50-254	P
	8807250249	50-346	M	8807120442	50-254	P
	8807250427*	50-346	M	8807120545	50-295	Q
	8807250427*	50-346	M	8807120638	50-265	S
	8807250427*	50-346	M	8807120644	50-266	S
	8807050318	50-443	H	8807130027*	50-237	Q
Energy for Responsible Energy Allison in Mistein & Hausfeld ado, State of mba Univ., New York, NY	8807280391*	50-528	G	8807130027*	50-237	Q
	8807060040	50-445	G	8807130290	50-454	P
	8807010102	WASTE MGT		8807130290	50-454	P
	8807080360	NUREG		8807130292*	50-454	P
Houston Engineering, Inc	8807060388*	50-336	P	8807130298	50-237	Q
	8807110139	PR		8807130385	50-249	S
	8807120188	50-470	K	8807130458	50-249	S
	8807120189*	50-470	K	8807140226	50-455	S
	8807140271	50-470	A	8807150078	50-10	F
	8807160208	50-470	A	8807150084	50-374	S
	8807180001*	50-470	A	8807150108	50-285	S
	8807180182	PR		8807150274	50-265	S
	8807210345	70-1100		8807150283	50-254	S
	8807070451	50-443	H	8807160178	50-454	P
merco, Dept. of ards	8807110416	WASTE RES		8807160179	50-454	P
	8807110430	WASTE RES		8807160179	50-454	P
	8807110439	WASTE RES		8807160230	50-254	P
	8807200244	WASTE RES		8807160230	50-254	P
Monwaalth Edison Co.	8806280152	50-237	P	8807160232*	50-254	P
	8806280158	50-237	K	8807160297	50-373	R
	8806280159*	50-237	K	8807160352*	50-254	R
	8806280150*	50-237	K	8807160036	50-295	P
	8806290319	50-265	S	8807160168	50-374	S
	8806290374	50-265	S	8807190205*	50-10	P
	8806290385	50-265	S	8807190205*	50-10	P
	8806290477	50-458	F	8807190205*	50-10	P
	8806300205	50-455	S	8807190205*	50-10	P
	8807010629	50-237	P	8807190205*	50-10	P
	8807010629	50-237	P	8807190205*	50-10	P
	8807010635*	50-237	P	8807190205*	50-10	P
	8807010635*	50-237	P	8807190205*	50-10	P
	8807050084	50-374	S	8807190205*	50-10	P
	8807050334	50-249	S	8807190205*	50-10	P
	8807050368	50-373	S	8807190205*	50-10	P
	8807050407	50-373	S	8807190205*	50-10	P
	8807060113	50-295	O	8807190205*	50-10	P
	8807060124	50-254	F	8807190337	50-454	F
	8807060172	50-456	F	8807200196	50-237	Q
	8807060251	50-457	S	8807200196	50-237	Q
	8807060258	50-450	F	8807200196	50-237	Q
	8807060258	50-456	F	8807200196	50-237	Q
	8807060286	50-295	Q	8807200196	50-237	Q

	8807200196	50-237	Q	Consumers Power Co	8807120102	50-247	Q
	8807200203	50-237	F		8807140249	50-247	V
	8807200351	50-373	P		8807250371	50-247	S
	8807210019	50-304	P		8807280087	PR	
	8807210036	50-374	S		8806280129	50-155	Q
	8807210063	50-454	P		8806290297	50-255	F
	8807210063	50-454	P		8806290301	50-255	F
	8807210063	50-454	P		8806290305	50-255	F
	8807210063	50-454	P		8806290309	50-255	F
	8807210063	50-454	P		8806290484	50-155	F
	8807210069*	50-454	P		8807050289	50-255	P
	8807210069*	50-454	P		8807050306	50-255	P
	8807210069*	50-454	P		8807060303	50-255	P
	8807210069*	50-454	P		8807110183	50-155	F
	8807210069*	50-454	P		8807110188	50-255	F
	8807210067	50-265	P		8807130104	50-155	O
	8807210089	50-295	O		8807130139	50-155	P
	8807210093*	50-265	P		8807130143*	50-155	P
	8807210098	50-373	P		8807130147*	50-155	P
	8807210098	50-373	P		8807130181	50-255	Q
	8807210100*	50-373	P		8807150119	50-255	R
	8807210100*	50-373	P		8807180022	50-155	F
	8807210262	50-254	R		8807180102	50-155	R
	8807210262	50-254	R		8807190324	50-255	F
	8807210270*	50-237	Q		8807210122	50-155	P
	8807210270*	50-237	O		8807250021	50-255	F
	8807210271*	50-237	O		8807250384	50-255	F
	8807210271*	50-237	O		8807280158	PR	
	8807210272*	50-237	O		8807070573	PT21	
	8807210272*	50-237	O		8807250286	50-346	H
	8807210275*	50-237	O	Dairyland Power Cooperative	8807060105	50-409	O
	8807210275*	50-237	O		8807060330	50-409	O
	8807210275*	50-237	O		8807060346	50-409	O
	8807210278*	50-237	O		8807250108	50-409	O
	8807210278*	50-237	O		8807250262	50-267	P
	8807210278*	50-237	O		8807110518	NUREG	
	8807210278*	50-237	O		8807050216	50-341	P
	8807210278*	50-237	O		8807050219*	60-341	P
	8807210348	50-237	P		8807060088	50-341	S
	8807250008	50-10	F		8807060279	50-341	P
	8807250008	50-10	F	Doc-Search Associates	8807060282*	60-341	P
	8807250133	50-10	F		8807060319	50-341	Q
	8807250133	50-10	F		8807070513	60-341	F
	8807250133	50-10	F		8807130142	60-341	P
	8807250147	50-249	S		8807180281	50-341	S
	8807250177	50-10	F		8807190282	60-341	Q
	8807250177	50-10	F		8807220265	60-341	V
	8807250177	50-10	F		8807250005	60-341	S
	8807250239	50-295	S		8807250135	50-341	S
	8807250339	50-455	P		8807250415	50-341	R
	8807250349	50-10	F	Doub, Muntzing & Glasgow (formerly Doub Muntzing)	8807150201	FOIA	
	8807250349	50-10	F		8807280007	FOIA	
	8807250349	50-10	F		8806300048	60-488	P
	8807250401	50-10	F		8807050405	QA999	
	8807250401	50-10	F		8806280246	50-369	F
	8807250428	50-249	S		8806280246	50-369	F
	8807280324	50-264	R		8806290093	60-369	P
	8807280324	50-254	R		8806290119	50-369	S
	8807280327*	50-264	R		8806290169	50-269	S
	8807280329*	50-264	R		8806290174	50-369	S
Commonwealth Energy System Concept Communications, Inc. Concerned Citizens of Ashtabula County	8806300397*	50-443	I	Dray, K. Duke Power Co	8806290389	60-270	O
	8807050355*	CONTRACT			8806290409	50-413	S
	8807250286	50-441	H		8806290419	50-269	S
	8807200086	50-440	M		8806290438	50-369	Q
	8806290124	50-213	S		8807050028	60-413	K
	8807060484	50-213	P		8807050028	50-413	K
	8807060565	50-213	S		8807050081	60-269	K
	8807070101	50-213	S		8807050287	50-269	F
	8807070139	50-213	O		8807050287	50-289	F
	8807070139	50-213	O		8807050287	50-289	F
	8807070311	50-213	F		8807050299	50-369	S
	8807070521	60-213	F		8807060189	50-289	F
	8807070550	50-213	S		8807060403	50-369	P
	8807130075	50-213	O		8807060404*	50-369	P
	8807130075	50-213	O		8807060404*	60-369	P
	8807140101	50-213	P		8807060585*	60-269	F
	8807140103*	50-213	P		8807060685*	50-269	F
	8807150110	50-213	O		8807060585*	50-289	F
	8807200001	50-213	F		8807060588*	50-269	F
	8807200038	50-213	O		8807060588*	50-269	F
Canner & Welterhahn	8807250129	60-213	O		8807060588*	50-269	F
	8807070576	50-353	M		8807070221	50-269	F
	8807110046	PR			8807070544	60-369	P
	8806300199	50-247	K		8807070544	50-369	P
	8806300341	50-247	R		8807070549*	60-369	P
	8807070119	50-247	O		8807070549*	50-369	P
	8807110046	PR			8807070549*	50-369	P
	8806300199	50-247	K		8807070549*	50-369	P
	8806300341	50-247	R		8807070549*	50-369	P
	8807070119	50-247	O		8807070549*	50-369	P
Conservation Council of North Carolina Consolidated Edison Co. of New York, Inc.	8807110046	PR			8807070544	60-369	P
	8806300199	50-247	K		8807070544	50-369	P
	8806300341	50-247	R		8807070549*	60-369	P
	8807070119	50-247	O		8807070549*	50-369	P
	8807110046	PR			8807070549*	50-369	P
	8806300199	50-247	K		8807070549*	50-369	P
	8806300341	50-247	R		8807070549*	50-369	P
	8807070119	50-247	O		8807070549*	50-369	P
	8807110046	PR			8807070549*	50-369	P
	8806300199	50-247	K		8807070549*	50-369	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY		AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8807070575	50-368	P		8807250427*	50-346	M
	8807080070*	50-369	P		8807250427*	50-348	M
	8807080070*	50-369	P		8807250427*	50-346	M
	8807080089*	50-369	P		8807010080	50-412	P
	8807120086	50-287	Q	Duquesne Light Co	8807050244	50-412	P
	8807120117	50-414	S		8807050254*	50-412	P
	8807120143	50-413	P		8807050255*	50-412	P
	8807120686	50-369	F		8807060474	50-334	P
	8807120686	50-369	F		8807060474	50-334	P
	8807130177	50-413	P		8807060478*	50-334	P
	8807130177	50-413	P		8807060478*	50-334	P
	8807130183	50-269	F		8807060481*	50-334	P
	8807130183	50-269	F		8807060481*	50-334	P
	8807130186	50-269	F		8807060493	50-334	P
	8807130186	50-269	F		8807060493	50-334	P
	8807130186	50-269	F		8807060495*	50-334	P
	8807130181*	50-269	F		8807060495*	50-334	P
	8807130181*	50-269	F		8807060497*	50-334	P
	8807130191*	50-269	F		8807060497*	50-334	P
	8807130201	50-369	S		8807060549	50-412	P
	8807130230	50-370	P		8807060552*	50-412	P
	8807130235	50-369	K		8807060562*	50-412	P
	8807130305	50-369	K		8807060573	50-334	P
	8807130323	50-269	P		8807060573	50-334	P
	8807130323	50-269	P		8807060580*	50-334	P
	8807130323	50-269	P		8807060580*	50-334	P
	8807130327	50-269	S		8807060581*	50-334	P
	8807130370	50-369	S		8807060581*	50-334	P
	8807130400	50-369	S		8807070234	50-334	S
	8807130436	50-369	S		8807070511	50-334	S
	8807130452	50-370	S		8807070525	50-334	S
	8807140105	50-413	P		8807080020	50-334	R
	8807140105	50-413	P		8807080020	50-334	R
	8807140108*	50-413	P		8807080153	50-334	R
	8807140108*	50-413	P		8807120012	50-334	S
	8807140267	50-414	S		8807120054	50-334	O
	8807140270	50-414	R		8807120054	50-334	O
	8807140276	50-269	R		8807120110	50-334	S
	8807140293	50-413	P		8807120135	50-412	S
	8807140290	50-413	P		8807130163	50-334	O
	8807140302	50-414	P		8807130163	50-334	O
	8807150187	50-369	Q		8807140122	50-412	P
	8807150187	50-369	Q		8807140124*	50-412	P
	8807180086	50-370	Q		8807140125*	50-412	P
	8807180194	50-369	Q		8807160088	50-334	S
	8807180194	50-369	Q		8807210081	50-412	P
	8807180201	50-369	S		8807210292	50-334	R
	8807180282	50-369	P		8807210292	50-334	R
	8807180282	50-369	P	EG&G Idaho, Inc (subs of EG&G, Inc.)	8803260385*	50-250	P
	8807180314	50-370	Q		8810160408*	50-309	P
	8807200180	50-270	S		8806210325*	50-272	P
	8807200327	50-370	S		8807070421	NUREG	
	8807210302	50-413	P		8807110521	NUREG	
	8807210302	50-413	P		8807120572*	50-354	P
	8807210305*	50-413	P		8807130357*	50-302	P
	8807210305*	50-413	P		8807260193*	50-267	P
	8807220160	50-413	Q		8807260385*	50-289	P
	8807220351*	50-369	P	ERC International, Inc	8807080382	NUREG	
	8807220351*	50-369	P	Eastern Utilities Associates	8806300385*	50-443	I
	8807250154	50-369	P		8807280360*	50-443	G
	8807250154	50-369	P	Ebasco Services, Inc (subs of Ersorch Corp.)	8807010016*	CONTRACT	
	8807250180*	50-369	P		8807050487*	50-250	P
	8807250180*	50-369	P		8807050487*	50-250	P
	8807250182	50-269	Q		8807050487*	50-250	P
	8807250182	50-269	Q		8807050487*	50-250	P
	8807250182	50-269	Q		8807050478*	50-250	P
	8807250182	50-269	Q		8807050478*	50-250	P
	8807250186	50-370	S		8807050478*	50-250	P
	8807250204	50-370	S		8807050478*	50-250	P
	8807250213	50-369	P		8807050478*	50-250	P
	8807250213	50-369	P	Ecology/Alerit	8807280369	PR	
	8807250214*	50-369	P	Edison Electric Institute	8807070382	50-443	H
	8807250214*	50-369	P		8807280198	PR	
	8807250242	50-369	P		8807280332	PR	
	8807250242	50-369	P		8807290187	PR	
	8807260310	50-269	R	Elgar Corp.	8807180180	QA900	
	8807250310	50-269	R	Employee's Legal Project	8807110259	50-443	H
	8807250310	50-269	R	Enecotech, Inc.	8807250440*	40-3453	
	8807250397	50-369	R	Energy Fuels Nuclear, Inc.	8806200040*	XPORTLIC	
	8807260269	50-269	Q		8806200043*	XPORTLIC	
	8807260316	50-269	Q	Energy, Dept. of	8807010323	WASTE MGT	
	8807260316	50-269	Q		8807010586	WASTE MGT	
	8807260316	50-269	Q		8807050023	WASTE MGT	
	8807280184	PR			8807050034	WASTE MGT	
	8807280386	PR			8807060139	WASTE MGT	
	8807250249	50-346	M		8807060152	WASTE MGT	
	8807250249	50-346	M		8807070385	PR	
	8807250249	50-346	M		8807070530	71-5552	

	NUMBER	CATEGORY		NUMBER	CATEGORY	
	8807110143	WASTE MGT		8807250226	60-250 S	
	8807110146	WASTE MGT		8807250250	60-250 K	
	8807110532	WASTE MGT		8807250250	50-250 H	
	8807130389	WASTE MGT		8807280375	50-250 K	
	8807180263	WASTE MGT	Florida Power Corp (subs of Florida	8806290008	50-302 P	
	8807180285	71-6677	Progress Corp.)			
	8807180298	WASTE MGT		8807010520	50-302 F	
	8807180307	WASTE MGT		8807060291	50-302 Q	
	8807190018	71-6678		8807060345	50-302 S	
	8807190020	WASTE MGT		8807060453	50-302 Q	
	8807190038	WASTE MGT		8807060461	50-302 P	
	8807190202	50-344	P	8807060537	50-302 S	
	8807210008	WASTE MGT		8807070372	50-302 S	
	8807210067	WASTE MGT		8807070548	50-302 K	
	8807210074	WASTE MGT		8807130070	50-302 S	
	8807210124	WASTE MGT		8807130092	50-302 Q	
	8807210170	WASTE MGT		8807130368	50-302 F	
	8807210204	WASTE MGT		8807140264	50-302 K	
	8807210205	WASTE MGT		8807150125	50-302 P	
	8807220032	WASTE MGT		8807190360	60-302 S	
	8807220177	WASTE MGT		8807200005	50-302 R	
	8807220191	WASTE MGT		8807200007	50-302 O	
Engineering & Economics Research, Inc	8807110543	NUREG		8807210068	50-302 P	
Engineering Design & Testing Corp	8807220383	71-9210		8807250237	60-302 O	
Engineers International, Inc	8807210330	WASTE RES		8807250375	60-302 F	
	8807220183	WASTE RES		8807250378	50-302 F	
Environmental Coalition on Nuclear Power	8807210018	PR	Florida, Univ of, Gainesville, FL	8806300022	50-83 S	
Environmental Protection Agency	8807280142	PR		8807110407	50-83 K	
	8807120616	NUREG		8807110410	50-83 K	
	8807130212	WASTE MGT		8807120120	50-83 S	
European Communities, Commission of	8806300094	XPORTLIC		8807120128	50-83 S	
Everest Minerals Corp	8807210088	40-6857	Fluor Engineering, Inc.	8807280350	PR	
	8807210147	40-6857	Food & Drug Administration	8807080149	CONTRACT	
FOI Services	8807270304	FOIA	Franklin Institute	8807070375	50-315 Q	
Failure Analysis Associates	8807210112	50-206	P	Fund for Peace (National Security	8807250336	FOIA
Federal Emergency Management Agency	8807050022	50-267	F	Archive)		
	8807050024	50-267	F	Galion, Kalniz & Lorio	8807220202	FOIA
	8807050044	50-440	F	Garde, B P.	8807110119	60-445 Q
	8807110103	50-443	G	General Electric Co.	8807210344	FOIA
	8807180258	ORG		8806200054	XPORTLIC	
	8807190261	CRG		8807050003	50-605 K	
	8807200373	50-219	F	8807050004	50-605 X	
Federal Management Associates	8807200377	50-219	F	8807050005	60-605 K	
Ferret Exploration Company of Nebraska,	8807270302	FOIA		8807050006	60-605 K	
Inc	8807210153	40-8828		8807050007	50-605 K	
Florida Power & Light Co.	8806280296	50-250	P	8807050008	50-605 K	
	8806280297	50-250	P	8807050009	50-605 K	
	8806280297	50-250	P	8807050010	50-605 X	
	8807010140	50-335	P	8807050011	60-605 K	
	8807010140	50-335	P	8807050013	60-605 K	
	8807010149	50-250	S	8807050014	50-605 K	
	8807010442	50-250	S	8807120530	70-754	
	8807010589	50-250	F	8807130222	CONTRACT	
	8807010589	50-250	F	8807130232	71-9019	
	8807010657	50-335	P	8807130234	71-9019	
	8807010857	50-335	P	8807140142	50-206 P	
	8807010860	50-335	P	8807140178	WASTE MGT	
	8807010860	50-335	P	8807140283	50-605 K	
	8807010860	50-335	P	8807150232	60-278 P	
	8807010691	50-335	P	8807160238	60-278 P	
	8807010691	50-335	P			
	8807050085	50-250	P	8807180336	TOPREP	
	8807050085	50-250	S	8807220040	70-1113	
	8807050395	50-335	R	8806290048	50-219 P	
	8807050484	50-250	R			
	8807050545	50-250	Q	8806290292	60-320 P	
	8807050545	50-250	Q			
	8807060062	50-250	R	8806290293	50-320 P	
	8807070018	50-250	P	8807010001	50-219 R	
	8807070018	50-250	P	8807010103	50-289 Q	
	8807070188	50-250	S	8807010608	50-219 P	
	8807070188	50-250	S	8807010610	50-219 P	
	8807120057	60-251	S	8807010815	50-219 P	
	8807120366	50-250	R	8807050326	71-9208	
	8807120813	50-250	S	8807080134	50-289 R	
	8807130084	50-335	F	8807080180	50-289 F	
	8807130084	60-335	F	8807060431	60-320 P	
	8807190054	50-335	F	8807060434	50-320 P	
	8807190054	50-335	F	8807080471	50-219 S	
	8807190057	50-250	R	8807070008	60-320 P	
	8807190057	50-250	R	8807070012	50-320 P	
	8807190121	50-335	Q	8807080110	60-219 R	
	8807190189	50-335	R			
	8807190331	50-250	F	8807080114	50-219 R	
	8807200014	50-250	G	8807080214	50-219 S	
	8807210118	50-335	K	8807120052	50-289 F	
	8807250004	50-250	R	8807120104	50-219 F	
	8807250004	50-250	R	8807120694	50-219 P	
	8807250004	50-250	R			
	8807250053	50-250	Q	8807120700	50-219 P	
	8807250053	50-250	Q	8807130069	50-320 V	
	8807250053	50-250	Q	8807140257	60-320 Q	
	8807250053	50-250	Q	8807160285	50-289 F	



	8807180050	50-288	F	Government Technology Services, Inc Gulf States Utilities Co	8807120583*	CONTRACT	
	8807180263	50-320	P		8807610059	50-458	S
	8807180329	50-219	O		8807010673	50-458	P
	8807210117	50-219	O		8807010624*	50-458	P
	8807210164	50-219	O		8807650344	50-458	P
	8807220362	50-320	O		8807650349*	50-458	P
	8807250044	50-219	R		8807680144	50-458	S
	8807250417	50-288	R		8807120661	50-458	O
Scientific Corp Power Co.	8807280328	50-219	F		8807130200	50-458	O
	8807280328	50-219	F		8807150142	50-458	P
	8807290003	50-320	G		8807180110	50-458	S
	8807290068*	50-320	G		8807210120	50-458	O
	8807110175*	CONTRACT		Hampton R/H	8807250102	50-458	S
	8808290017	50-424	O		8807010393	50-443	H
	8808290017	50-424	O		8807230039	50-443	G
	8808290022	50-424	O		8807680058	50-443	G
	8808290025	50-424	P	Harmon & Weiss	8807070369	50-322	H
	8808290025	50-424	P		8807110017	50-443	O
	8808290083	50-321	S		8807110017	50-443	G
	8808290265	50-424	F		8807110031	50-443	G
	8808290365	50-424	F		8807110031	50-443	G
	8808290388	50-424	P		8807143087	50-443	G
	8808290390	50-368	S		8807143087	50-443	G
	8807010052	50-321	S		8807143063	50-271	C
	8807010352	50-321	S		8807203039	50-443	G
	8807010057	50-425	S		8807263040	50-443	G
	8807010502	50-366	S		8807203040	50-443	G
	8807050555	50-425	O		8807260051*	50-443	G
	8807060158	50-366	O		8807260051*	50-443	G
	8807060468	50-321	P		8807203062	50-443	G
	8807060468	50-321	P		8807200062	50-443	G
	8807070121	50-321	O		8807200071*	50-443	G
	8807070121	50-321	O		8807200071*	50-443	G
	8807070149	50-321	S		8807210118	50-322	H
	8807070522	50-425	S		8807220021	50-271	G
	8807070548	50-424	F		8807280009	50-443	G
	8807070548	50-424	F		8807280009	50-443	G
	8807080103	50-425	O		8807280012*	50-443	G
	8807080105	50-424	S		8807280012*	50-443	G
	8807080111	50-424	S	Favorit L MA	8807070105	50-443	H
	8807080122	50-424	K		8807070105	50-443	H
	8807080122	50-424	K		8807070118	50-443	H
	8807080260	50-424	S		8807070118	50-443	H
	8807110204	50-424	F	Fracht Co., Ltd	8807160173*	XPORTLIC	
	8807110386	50-424	P		8807160290	XPORTLIC	
	8807110386	50-424	P		8807070584	71-8088	
	8807120160	50-321	P		8807070588*	71-8088	
	8807120160	50-321	P	Hitman Nuclear & Development Corp (subs. of Hitman Corp.)	8807110488	WASTE MGT	
	8807120183	50-424	P		8807070335	50-443	H
	8807120183	50-424	P		8807120584*	COMMISSIO	N
	8807140310	50-321	P		8807140245*	TOPREP	
	8807140310	50-321	O	House of Rep., Armed Services House of Rep., Energy & Commerce	8807200317	50-443	H
	8807160063	50-321	O		8807160379	50-443	H
	8807160063	50-321	S		8703060130	COMMISS/O	N
	8807160117	50-366	S		8807160119	FCIA	
	8807160120	50-321	P	Houston Chronicle Houston Industries, Inc. Houston Lighting & Power Co	8807110488*	50-488	I
	8807160120	50-321	P		8806290122	50-488	P
	8807160123	50-321	F		8806300099	50-488	P
	8807160123	50-321	O		8806300099	50-488	P
	8807160134	50-321	O		8807060359	50-488	O
	8807160136	50-424	O		8807060424	50-488	S
	8807160145	50-321	O		8807060424	50-488	S
	8807160145	50-321	O		8807060438	50-488	S
	8807190130	50-321	P		8807060488	50-488	P
	8807190130	50-321	P		8807060488*	50-488	P
	8807190338	50-321	P		8807060488*	50-488	P
	8807190338	50-321	P		8807110233	50-488	F
	8807200117	50-425	S		8807110233	50-488	F
	8807200123	50-321	O		8807110481	50-488	I
	8807200123	50-321	O		8807120212	50-488	A
	8807200126	50-360	F		8807120258	50-488	J
	8807200128	50-424	F		8807150165	50-488	S
	8807200128	50-424	F		8807190037	50-488	S
	8807200130	50-424	S		8807190270	50-488	O
	8807200135	50-424	O		8807200385	50-488	S
	8807200140	50-424	O		8807210062	50-488	O
	8807200140	50-424	O		8807210052	50-488	O
	8807200383	50-424	P		8807210056	50-488	O
	8807210314	50-321	P		8807210073	50-488	O
	8807210318*	50-321	P		8807210108	50-488	S
	8807220054	50-424	O		8807220308	50-488	F
	8807220188	50-321	P		8807250412	50-488	O
	8807220188	50-321	F		8807250435	50-488	S
	8807220303	50-424	F	Hunton & Williams	8807060026	50-322	G
	8807260082	50-425	M		8807060033	50-322	G
	8807260066	50-340	M		8807060043*	50-322	G
	8807180093	50-334	O		8807140023	50-322	G

	8807110143	WASTE MGT		8807250226	50-250	
	8807110145	WASTE MGT		8807250250	60-250	K
	8807110532	WASTE MGT		8807250250	50-250	K
	8807130789	WASTE MGT		8807280375	60-250	H
	8807180283	WASTE MGT		8806290008	50-302	P
	8807180285	71-6677				
	8807180298	WASTE MGT		8807010520	50-302	F
	8807180307	WASTE MGT		8807060281	50-302	O
	8807190018	71-6678		8807060345	50-302	S
	8807190020	WASTE MGT		8807060453	50-302	O
	8807190038	WASTE MGT		8807060461	50-302	P
	8807190202	50-344	P	8807060537	50-302	S
	8807210008	WASTE MGT		8807070372	50-302	S
	8807210067	WASTE MGT		8807070546	50-302	K
	8807210074	WASTE MGT		8807130070	50-302	S
	8807210124	WASTE MGT		8807130092	50-302	O
	8807210170	WASTE MGT		8807130368	50-302	F
	8807210204	WASTE MGT		8807140264	50-302	K
	8807210205	WASTE MGT		8807150125	50-302	P
	8807220032*	WASTE MGT		8807190360	50-302	S
	8807220177	WASTE MGT		8807200005	50-302	R
	8807220181	WASTE MGT		8807200007	50-302	O
	8807110543	NUREG		8807210068	50-302	P
	8807220383*	71-9210		8807250237	50-302	O
	8807210330	WASTE RES		8807250375	50-302	F
	8807220163	WASTE RES		8807250378*	50-302	F
	8807210018	PR		8806300022	50-83	S
	8807280142	PR		8807110407	50-83	K
	8807120616	NUREG		8807110410*	50-83	K
	8807130212	WASTE MGT		8807120120	50-83	S
	8806300091	XPORTLIC		8807120128*	50-83	S
	8807210066	40-8857		8807280350	PR	
	8807210147	40-8857		8807080148*	CONTRACT	
	8807270304	FOIA		8807070375*	50-315	O
	8807210112*	50-206	P	8807250336	FOIA	
	8807050022	50-267	F			
	8807050024*	50-267	F			
	8807050044	50-440	F	8807220202	FOIA	O
	8807110103	50-443	G	8807210118*	50-445	
	8807190258	ORG		8807210344	FOIA	
				8806200054*	XPORTLIC	
	8807190281*	ORG		8807050003	50-605	K
	8807200373	50-219	F	8807050004*	50-605	K
	8807200377*	50-219	F	8807050005*	50-605	K
	8807270302	FOIA		8807050006*	50-605	K
	8807210153	40-6828		8807050007*	50-605	K
				8807050008*	50-605	K
				8807050009*	50-605	K
				8807050010*	50-605	K
				8807050011*	50-605	K
				8807050013*	50-605	X
	8807010140	60-335	P	8807050014*	50-605	K
	8807010149	50-250	S	8807120530	70-754	
	8807010442	60-250	S	8807130222*	CONTRACT	
	8807010589	50-250	F	8807130232	71-9019	
	8807010589	60-250	F	8807130234*	71-9019	
	8807010657	50-335	P	8807140142*	50-206	P
	8807010657	50-335	P	8807140176*	WASTE MGT	
	8807010660*	50-335	P	8807140283	60-605	K
	8807010660*	50-335	P	8807160232*	50-278	P
	8807010691	50-335	P	8807150238*	50-278	P
	8807010691	60-335	P	8807180336	TOPREP	
	8807050086	50-250	S	8807220040	70-1113	
	8807050385	50-335	R	8806280048	50-218	P
	8807050484	50-250	R			
	8807050545	50-250	O	8806290282	50-320	P
	8807050545	50-250	O	8806290283*	50-320	P
	8807080062	50-250	R	8807010001	50-218	R
	8807070019	50-250	P	8807010103	60-288	O
	8807070019	50-250	P	8807010608	60-218	P
	8807070188	50-250	S	8807010610*	50-218	P
	8807120057	50-251	S	8807010615*	50-218	P
	8807120388	50-250	S	8807050326	71-0208	
	8807120613	50-250	R	8807060134	60-288	R
	8807130084	50-335	F	8807080180	60-288	F
	8807130084	50-335	F	8807060431	50-320	P
	8807190054	50-335	F	8807060434*	50-320	P
	8807190054	50-335	F	8807060471	50-218	S
	8807190057	50-250	R	8807070008	50-320	P
	8807190057	50-250	R	8807070012*	50-320	P
	8807190121	50-335	O	8807080110*	50-218	R
	8807190189	50-335	R	8807080114*	50-218	R
	8807190331	50-250	G	8807080214	50-218	S
	8807200014	50-250	G	8807120052	60-288	F
	8807210118	60-335	K	8807120104	50-218	F
	8807250004	50-250	R	8807120694	50-218	P
	8807250004	50-250	R	8807120700	50-218	P
	8807250004	50-250	R	8807130069	60-320	V
	8807250053	50-250	O	8807140257	60-320	O
	8807250053	60-250	O	8807150285	50-288	F

	NUMBER	CATEGORY	NOTATION AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Seon' L Corp Power Co.	8807180050	50-289	Government Technology Services, Inc Gulf States Utilities Co	8807123561*	COMPTON
	8807180263	50-320		8807123561*	COMPTON
	8807180329	50-218		8807123561*	COMPTON
	8807210117	50-218		8807123561*	COMPTON
	8807210184	50-219		8807123561*	COMPTON
	8807220362	50-320		8807220362	COMPTON
	8807250044	50-219		8807250044	COMPTON
	8807250417	50-289		8807250417	COMPTON
	8807260328	50-218		8807260328	COMPTON
	8807260328	50-218		8807260328	COMPTON
	8807290003	50-320	Hampton, NH	8807290003	COMPTON
	8807290069*	50-320		8807290069*	COMPTON
	8807110175*	CONTRACT		8807110175*	COMPTON
	8806290017	50-424		8806290017	COMPTON
	8806290017	50-424		8806290017	COMPTON
	8806290022	50-424	Hammon & Weiss	8806290022	COMPTON
	8806290025	50-424		8806290025	COMPTON
	8806290025	50-424		8806290025	COMPTON
	8806290083	50-321		8806290083	COMPTON
	8806290205	50-424		8806290205	COMPTON
	8806290285	50-424		8806290285	COMPTON
	8806290288	50-424		8806290288	COMPTON
	8806290303	50-366		8806290303	COMPTON
	8807010052	50-321		8807010052	COMPTON
	8807010052	50-321		8807010052	COMPTON
	8807010057	50-425		8807010057	COMPTON
	8807010582	50-366		8807010582	COMPTON
	8807050555	50-425		8807050555	COMPTON
	8807060159	50-366		8807060159	COMPTON
	8807060468	50-321		8807060468	COMPTON
	8807060468	50-321		8807060468	COMPTON
	8807070121	50-321		8807070121	COMPTON
	8807070121	50-321		8807070121	COMPTON
	8807070149	50-321		8807070149	COMPTON
	8807070522	50-425		8807070522	COMPTON
	8807070548	50-424		8807070548	COMPTON
	8807070548	50-424		8807070548	COMPTON
	8807080103	50-425		8807080103	COMPTON
	8807080105	50-424		8807080105	COMPTON
	8807080111	50-424	Haverhill, MA	8807080111	COMPTON
	8807080122	50-424		8807080122	COMPTON
	8807080122	50-424		8807080122	COMPTON
	8807080260	50-424		8807080260	COMPTON
	8807110204	50-424	Hrachi Co., Ltd	8807110204	COMPTON
	8807110396	50-424		8807110396	COMPTON
	8807110396	50-424		8807110396	COMPTON
	8807110396	50-424		8807110396	COMPTON
	8807110396	50-424	Hutman Nuclear & Development Corp (subs. of Hutman Corp.)	8807110396	COMPTON
	8807120160	50-321		8807120160	COMPTON
	8807120160	50-321		8807120160	COMPTON
	8807120183	50-424		8807120183	COMPTON
	8807120183	50-424	Holmes & Narver, Inc House of Rep	8807120183	COMPTON
	8807140310	50-321		8807140310	COMPTON
	8807140310	50-321		8807140310	COMPTON
	8807150063	50-321		8807150063	COMPTON
	8807150063	50-321	House of Rep., Armed Services House of Rep., Energy & Commerce	8807150063	COMPTON
	8807150117	50-386		8807150117	COMPTON
	8807150120	50-321		8807150120	COMPTON
	8807150120	50-321		8807150120	COMPTON
	8807150123	50-321	Houston Chronicle Houston Industries, Inc. Houston Lighting & Power Co	8807150123	COMPTON
	8807160123	50-321		8807160123	COMPTON
	8807160123	50-321		8807160123	COMPTON
	8807160134	50-321		8807160134	COMPTON
	8807160134	50-321		8807160134	COMPTON
	8807160138	50-424		8807160138	COMPTON
	8807160145	50-321		8807160145	COMPTON
	8807160145	50-321		8807160145	COMPTON
	8807190130	50-321		8807190130	COMPTON
	8807190130	50-321		8807190130	COMPTON
	8807190338	50-321		8807190338	COMPTON
	8807190338	50-321		8807190338	COMPTON
	8807200117	50-425		8807200117	COMPTON
	8807200123	50-321		8807200123	COMPTON
	8807200123	50-321		8807200123	COMPTON
	8807200126	50-366		8807200126	COMPTON
	8807200126	50-424		8807200126	COMPTON
	8807200128	50-424		8807200128	COMPTON
	8807200128	50-424		8807200128	COMPTON
	8807200130	50-424		8807200130	COMPTON
	8807200135	50-424		8807200135	COMPTON
	8807200140	50-424		8807200140	COMPTON
	8807200140	50-424		8807200140	COMPTON
	8807200393	50-424		8807200393	COMPTON
	8807210314	50-321		8807210314	COMPTON
	8807210318*	50-321		8807210318*	COMPTON
	8807220054	50-424		8807220054	COMPTON
	8807220188	50-321		8807220188	COMPTON
	8807220188	50-321		8807220188	COMPTON
	8807220303	50-424		8807220303	COMPTON
	8807220303	50-424		8807220303	COMPTON
	8807220303	50-424		8807220303	COMPTON
	8807220303	50-425	Huntton & Williams	8807220303	COMPTON
	8807250082	50-425		8807250082	COMPTON
	8807250086	50-346		8807250086	COMPTON
	8807180093	50-334		8807180093	COMPTON
berg, Feldman & Lethem, P.C. Government Accountability Project					

	8807290328 8807290361	50-322 50-322	G G		8807220072	50-322
	8807290364 8807290374 8807290380 8807290325 8807050450	50-322 50-322 50-322 50-322 50-335	G G G G P	Kohn & Associates	8807220131 8807280078 8807280217 8807110035 8807110035	50-322 50-322 50-322 50-445 50-445
Hutchinson Island Home Owner's Associa					8807110039*	50-445
Hydrogen Control Owners Group	8807160219	TOPREP			8807110039*	50-445
ICF, Inc.	8807210195*	CONTRACT			8807110042*	50-445
INTERA Technologies, Inc.	8807110515*	WASTE RES			8807110042*	50-445
	8807250275	40-6904			8807110050*	50-445
	8807250260	40-6904			8807110050*	50-445
ITASCA Consulting Group, Inc.	8807060259*	CONTRACT			8807140032*	50-445
	8807110110	WASTE RES			8807140032*	50-445
	8807110156	WASTE RES			8807140032*	50-445
	8807190602	WASTE RES			8807140032*	50-445
Idaho National Engineering Laboratory	8710150408*	50-303	P		8807140033*	50-445
	8806210325*	50-272	P		8807140033*	50-445
	8807110521	NUREG			8807140035*	50-445
	8807120502	WASTE MGT			8807140035*	50-445
	8807130357*	50-302	P		8807140036*	50-445
	8807130326*	50-289	P		8807140036*	50-445
	8807200198*	50-267	P		8807140041*	50-445
	8807250365*	50-289	P		8807140041*	50-445
Illinois Bell Telephone Co	8807080212*	CONTRACT			8807140047*	50-445
Illinois Power Co.	88060280163*	50-461	O		8807140047*	50-445
	8806230182	50-461	S		8807140054*	50-445
	8807010131	50-461	H		8807140054*	50-445
	8807060594	50-461	O		8807140055*	50-445
	8807080071	50-461	O		8807140055*	50-445
	8807080078*	50-461	S		8807150031	50-445
	8807180056	50-461	P		8807150032	50-445
	8807190114	50-481	P		8807150032	50-445
	8807190327	50-461	F		8807150034	50-445
	8807200374*	50-461	F		8807150067	50-445
	8807210106	50-461	P		8807150067	50-445
	8807210115*	50-461	P		8807160085	50-445
	8807250002	50-461	O		8807160085	50-445
	8807250371	50-461	O		8807200054	50-445
Illinois, State of	8807110234	40-2061			8807200054	50-445
	8807280371	PR			8807200063*	50-445
Indiana Michigan Power Co (formerly Indiana & Michigan Electric Co.)	8806300032	50-315	S		8807200083*	50-445
	8807010042	50-315	P		8807190039	71-9073
	8807060119	50-316	S		8807200258	71-9073
	8807060142	50-315	S		8807200258	71-9073
	8807070374	50-315	O		8807220052	71-9159
	8807070374	50-315	O		8807220062*	71-9159
	8807120014	50-315	F		8807220067*	71-9159
	8807130169	50-315	O		8807220071*	71-9159
	8807130169	50-315	O		8807220175	71-9145
	8807150060	50-315	S		8807220182*	71-9145
	8807150132	50-315	F		8807220186*	71-9145
	8807180214	50-315	P		8807220376	71-9210
	8807180214	50-315	P		8807220383*	71-9210
	8807190154	50-315	S		8807250054*	71-8073
	8807250418	50-316	S		8807250062*	71-9073
Indiana, State of	8807260062	PR			8807250073*	71-9073
Institute of Nuclear Power Operations	8807060074	50-352	F		8807250079*	71-9073
Interior, Dept. of, Geological Survey	8807140295*	WASTE MGT			8807010841*	NUREG
Interwest, Inc.	8807060586*	CONTRACT		Labor, Dept. of Law Engineering Testing Co.	8807220107*	CONTRACT
	8807070072*	CONTRACT			8807110498	NUREG
International Atomic Energy Agency	8807180178*	FOIA		Lawrence Berkeley Laboratory	8806300141	WASTE RES
International Research & Technology Corp	8807220307	70-1359		Lawrence Livermore National Laboratory	8807110458	WASTE MGT
International Telephone & Telegraph Corp	8807210157*	50-443	P		8807110546	WASTE RES
Iowa Electric Light & Power Co.	8806300120	50-331	K		8807140206	WASTE RES
	8807050465	50-331	S		8807180111	WASTE RES
	8807070100	50-331	F		8807180173*	WASTE RES
	8807130062	50-331	O		8807110476	NUREG
	8807180183	50-331	O	Lehigh Univ., Bethlehem, PA	8807110494	NUREG
	8807180176	50-331	S		8807110524	NUREG
	8807190275	50-331	R		8807110530	NUREG
Iowa, State of	8807180101	PR			8807010312	50-320
Jacobs Engineering Group, Inc.	8807010156	WASTE MGT			8807280200	PR
Johnson & Higgins Insurance	8807060031	50-344	J	Lewis, M.	8806160180	50-322
Jomar Systems	8807070505	71-4986		Liton Industries, Inc.	8807080028	50-322
	8807120118	PR			8807080033	50-322
KMC, Inc.	8807250168	50-528	I		8807080043*	50-322
Kolchak & McLeod	8807200039	50-443	G		8807070054	50-322
Kensington, NH	8807180040	PR			8807070057*	50-322
Kentucky, Commonwealth of	8807060014	50-322	G		8807080157	50-322
Kirkpatrick & Lockhart					8807130080	50-322
	8807110023	50-322	G		8807140023	50-322
	8807110066	50-322	G		8807140274	50-322
	8807140010	50-322	G		8807140275*	50-322
	8807140018*	50-322	G			

	0007149277*	50-322	S		0007250411*	40-6502	
	0007150333	50-322	S		0007250426	40-6684	
	0007190321	50-322	G		0007250431*	40-6684	
	0007200315	50-322	R		0007250433*	40-6684	
	0007200327	50-322	G	Marcella Scientific Controls, Inc.	0007050509*	XPORTLIC	
	0007200330	71-916A			0007050401*	XPORTLIC	
	0007200319	50-322	R	Marsh & McLennan, Inc.	0006300156	50-325	J
	0007220166*	50-322	F		0007110187	50-322	J
	0007220169*	50-322	F		0007140252	50-3	J
	0007250105	50-322	F		0007150594	50-250	J
	0007250109*	50-322	F		0007150162	50-424	J
	0007250111*	50-322	F	Maryland Nuclear Safety Coalition	0007110085	50-280	H
	0007250123*	50-322	F	Maryland Sound Incidents, Inc.	0007120266*	CONTRACT	
	0007250141*	50-322	F	Maryland, State of	0007280374	50-171	H
	0007250144*	50-322	F	Massachusetts Municipal Wholesale Co.	0006300402*	50-443	I
	0007250157*	50-322	F	Massachusetts, Commonwealth of	0007070113	50-443	H
	0007250161*	50-322	F		0007110038	50-443	G
	0007250163*	50-322	F		0007110011*	50-443	G
	0007250169*	50-322	F		0007140016	50-443	G
	0007250172*	50-322	F		0007140033	50-271	G
	0007250174*	50-322	F		0007150079	50-271	G
	0007250176*	50-322	F		0007180274	50-322	H
	0007250178*	50-322	F		0007200020	50-443	G
	0007250184*	50-322	F		0007200039	50-443	G
	0007250189*	50-322	F		0007200234	50-443	H
	0007250193*	50-322	F		0007230013	50-443	G
	0007250198	50-322	F		0007230013	50-443	G
	0007250199*	50-322	F		0007230024	50-443	G
	0007250205*	50-322	F		0007230024	50-443	G
	0007250206*	50-322	F		0007230079	50-443	G
	0007250209*	50-322	P		0007250079	50-443	G
	0007250210	50-322	P		0007290152	50-322	G
	0007250220*	50-322	P		0007290152	50-322	G
	0007250223*	50-322	F	Materials Engineering Associates, Inc	0007120359*	CONTRACT	
	0007250350	PR	P	Mathech, Inc	0007120699*	CONTRACT	
	00072003020	50-322	G	Maxima Corp	0007180011	FOIA	
	00072003035*	50-322	G	Medi-Physics, Inc	0007210350	FOIA	
	00072003031	50-322	G	Merkman Research, Inc	0007220317	FOIA	
	0007200304	50-322	G	Moln'g, Inc	0007180291	40-7102	
	0007200374	50-322	G		0007200154	40-7102	
	0007200169	50-322	G	Michigan State Univ., East Lansing, MI	0007050427	71-5957	
	0007200258	50-322	G		0007000215	71-655	
	0007180266	WASTE MGT			0007050224*	71-055	
	0007180268*	WASTE MGT		Michigan, State of	0007220376	PR	
	0006300056	50-382	S	Midwest Interstate Low-Level Radioactive	0007180027	PR	
	0006300067	50-382	S	Waste Commission			
	0006300078	50-382	S	Mississippi Power & Light Co.	0007140043*	50-416	I
	0006300087	50-382	S	Missouri, Univ. of Columbia, MO	0007120513	50-186	P
	0006300268	50-382	Q	Morrison-Knudsen Engineers, Inc	0007210009*	WASTE MGT	
	0007010535	50-382	Q	NJCI Co.	0007120517*	WASTE MGT	
	0007010831	50-382	F	NJS Corp.	0007150226*	50-390	A
	0007080010	50-382	P		0007210215	GEN TEC I	S
	0007120083	50-382	P		0007210273*	50-237	O
	0007120088*	50-382	P	National Academy of Sciences	0007060037*	CONTRACT	
	0007120097	50-382	Q	National Association of Manufacturers	0007070451	50-443	H
	0007180284	50-382	S	National Association of Regulatory	0007180151*	FOIA	
	0007180001	50-382	P	Utility Commissions			
	0007180273	50-382	R		0007160189*	FOIA	
	0007210133	50-382	S		0007100198*	FOIA	
	0007210210	50-382	S	National Institute of Radiation	0007190010	WASTE MGT	
	0007210219	50-382	S	Protection, Sweden			
	0007210220	50-382	S		0007200332	WASTE MGT	
	0007210230	50-382	P		0007200348*	WASTE MGT	
	0007210253	50-382	P	National Research Council	0006260362	WASTE MGT	
	0007210256*	50-382	P		0007130235	WASTE MGT	
	0007250100	PR			0007160060	WASTE MGT	
	0007250229	50-382	P	Native Americans for a Clean Environment	0007110146	PR	
	0007260233*	50-382	P		0007200583	PR	
	0007250246	50-382	S	Navy, Dept. of	0007130430	71-9032	
	0007260358	50-382	Q	Nebaska Public Power District	0007010051	50-298	S
	0007150163*	CONTRACT			0007050475	50-298	Q
	0006300336	50-309	P		0007060240	50-298	F
	0007060048	50-309	P		0007070106*	50-298	S
	0007180043	50-309	P		0007070100*	50-298	S
	0007180044*	50-309	P		0007070498	50-298	S
	0007180045*	50-309	P		0007070567	50-298	Q
	0007180272	50-309	P		0007080008	50-298	P
	0007180301	50-309	P		0007080012*	50-298	P
	0007180303*	50-309	P		0007130024	50-298	P
	0007200109	50-309	P		0007130099	50-298	F
	0007220149	50-309	K		0007140025	50-298	O
	0007010203	40-8502			0007140224	50-298	P
	0007010222*	40-8502			0007160264	50-298	O
	0007210034	40-8502			0007210370	50-298	S
	0007210042	40-8502		Nevada, State of	0006300034	WASTE MGT	
	0007210176	40-8502			0006300346*	WASTE MGT	
	0007210185	40-8502			0007210243	WASTE MGT	
	0007210260	40-8502			0007210254	WASTE MGT	
	0007250346	40-8502		New England Coalition on Nuclear	0007060056	50-443	G



	8807070395	50-444	H		8807190322	50-220	F
	8807110017	50-443	G		8807200085	50-220	S
	8807110031	50-443	G		8807200220	50-410	S
					8807210035	50-410	S
					8807210052	50-220	Q
	8807110031	50-443	G				
	88071140307	50-443	G		8807250045	50-220	Q
	8807140007	50-443	G		8807250210	50-410	R
	8807140063	60-271	G		8807250222*	50-410	R
	8807150079	50-271	G	North Carolina State Univ., Raleigh, NC	8807250225*	50-410	R
	8807200039	50-443	G		8807180246	50-297	Q
	8807200039	50-443	G	Northeast Nuclear Energy Co. (subs. of			
	8807200040	50-443	G	Northeast Utilities)	8806280380	50-245	S
	8807200040	50-443	G		8806300051	50-423	S
	8807200051*	50-443	G		8807050012	50-423	P
					8807050015*	50-423	P
	8807200051*	50-443	G				
	8807200062	50-443	G		8807050030	50-423	K
	8807200062	50-443	G		8807060203	50-336	P
	8807200071*	50-443	G		8807060365	50-245	P
	8807200071*	50-443	G		8807060366*	50-245	P
					8807060368*	50-245	P
	8807210146	50-444	H				
	8807290039	50-443	G		8807060387	50-336	P
	8807290039	50-443	G		8807070053	50-213	Q
	8807290012*	50-443	G		8807070053	50-213	Q
	8807290012*	50-443	G		8807070053	50-213	Q
	8807120263	PR			8807070139	50-213	Q
	8806300386*	50-443	I		8807070420	50-336	P
New England Council, Inc. New England Electric System New Hampshire, State of	8807060032*	50-443	G		8807130075	50-213	S
	8807200055	50-443	G		8807140308	60-423	S
	8807280382	50-443	H		8807150077	50-336	S
	8807220030	40-8960					
	8806300132	50-333	R		8807150110	50-213	Q
					8807150115	50-336	P
	8807060098	50-286	P		8807200003	60-336	P
	8807070397	50-333	S		8807200038	50-213	R
					8807210214	50-245	R
	8807120006	50-286	S				
	8807130421	50-333	R		8807220068	50-423	R
	8807160137	50-286	S		8807220305	60-336	P
	8807180250	50-286	F		8807250040	50-336	P
	8807210172	50-286	Q		8807250081	50-423	R
					8807250128	50-336	R
	8807250224	50-286	P	Northeast Utilities	8806280380	50-245	S
	8807250230	50-333	P		8806300051	50-423	I
	8807060014	50-322	G		8806300380*	50-443	K
New York, State of	8807110066	50-322	G		8807050012	50-423	
	8807140031	50-322	G		8807050030	50-423	
	8807150297	PR			8807060203	50-336	P
	8807200030	PR			8807060365	50-245	P
	8807200045	50-322	G		8807060387	50-336	P
	8807200238	PR			8807060484	50-213	Q
	8807200302	50-322	H		8807070053	60-213	Q
	8807220072	50-322	G				
	8807220159	50-220	H		8807070139	50-213	Q
	8807280380	PR			8807070139	50-213	F
	8807290025	50-322	G		8807070311	50-213	Q
	8807290217	50-322	G		8807070420	50-336	P
					8807130075	50-213	Q
	8807110104	50-445	G		8807130075	50-213	Q
	8807110104	50-445	G		8807140101	50-213	S
	8807110134*	50-445	G		8807150077	50-336	Q
	8807150014	50-445	G		8807150110	50-213	Q
	8807150014	50-445	G		8807150115	60-336	Q
	8807150018*	50-445	G				
	8807150018*	50-445	G		8807200001	60-213	F
	8807150024*	60-445	G		8807200003	50-336	Q
	8807150024*	50-445	G		8807200038	50-213	Q
	8807150054	50-445	G		8807220068	50-423	Q
					8807220305	50-336	Q
	8807150054	50-445	G				
Niagara Mohawk Power Corp.	8807200014	50-250	G		8807260040	50-336	P
	8806280376	50-410	Q		8807250081	60-423	P
	8807050040*	50-220	P	Northern Ohio Citizens Against Perry & Davis-Besse	8807250128	50-336	H
	8807050042*	50-220	P		8807250286	50-346	A
	8807050083	50-220	P	Northern States Power Co.	8806290383	60-282	P
	8807050415	50-220	P		8807050380	50-282	F
	8807060213	50-220	K		8807140279	50-263	S
	8807060238*	50-220	K		8807140286	50-263	P
	8807060264	50-220	F		8807140292*	50-263	P
	8807060560	50-220	Q				
	8807070035	50-220	Q		8807140283*	50-263	P
	8807070039	50-220	P		8807180202	50-282	P
	8807080156	50-220	Q		8807180202	50-282	P
	8807080156	50-220	Q		8807180204*	50-282	P
					8807180204*	50-282	P
	8807080159	50-410	S				
	8807110100	50-410	S		8807180206*	50-282	P
	8807120408	50-220	P		8807180211*	50-282	P
	8807130087	50-220	S		8807180211*	50-282	P
	8807150278	50-410	F		8807180245	50-263	Q
	8807190290	50-220	Q				
	8807190314	50-220	F		8807180260	60-282	Q
	8807190314	50-220	F		8807190060	60-263	K
	8807190322	50-220	F		8807190086*	50-263	K
					8807190088*	50-263	K

	8807200390	50-263	R		8807130056	50-275
	8807210096	50-263	F		8807130056	50-275
	8807210328	50-282	R		8807130134	50-275
	8807210328	50-282	R		8807130387	50-275
	8807210347	50-282	Q		8807180024	50-275
	8807210347	50-282	Q		8807180338	50-275
	8807210350	50-282	Q		8807220030	50-275
	8807210350	50-282	Q		8807250217	50-275
Nuclear Assurance Corp.	8808020250	PROJ		Parametec, Inc	8807050312	NUREG
	8806220268	PROJ			8807070109	CONTRACT
	8806220277	PROJ			8807080054	CONTRACT
	8807080069	71-0010			8807130184	CONTRACT
	8807110109	71-8225		Parsons Brinckerhoff Construction Services, Inc	8807080113	CONTRACT
	8807200361	71-8103		Pathfinder Motors Corp.	8807250259	40-2259
	8807200362	71-8103				
Nuclear Energy Consultants, Inc.	8807150231	50-380	A		8807250333	40-6622
Nuclear Fuel Services, Inc. (subs of Getty Oil Co.)	8807120434	70-143		Pennsylvania Power & Light Co.	8807000164	50-387
	8807130091	70-143			8807000210	50-388
	8807130188	70-143			8807010071	50-387
					8807050206	50-387
Nuclear Information & Resource Service	8807180135	70-143			8807050513	50-387
	8807070360	50-443	H		8807050513	50-387
	8807110115	50-283	H		8807070218	50-387
Nuclear Licensing Reports	8807220011	PR			8807070218	50-387
	8807180055	FOIA				
	8807210284	FOIA			8807070414	50-387
	8807250260	FOIA			8807080164	50-387
	8807270208	FOIA			8807110298	50-387
	8807280007	FOIA			8807110298	50-387
Nuclear Management & Resources Council	8807120188	PR			8807200335	50-387
(NUMARC) (formerly Nuclear Utility Manag						
	8807120504	REVIEW GR	P		8807210005	50-387
	8807280148	PR			8807210095	50-387
Nuclear Packaging, Inc.	8807080169	71-9218			8807250291	50-387
Nuclear Waste Consultants, Inc.	8807120577	WASTE RES			8807250355	50-387
					8807250355	50-387
	8807180136	WASTE RES			8807250405	50-387
	8807180141	WASTE RES			8807250411	50-387
Nuclerm International, Inc.	8807200320	QAUS99			8807250411	50-387
Oak Ridge Associated Univs	8807120392	40-7604		Pennsylvania, Commonwealth of	8807120591	WASTE MGT
	8807120582	40-7604			8807120626	WASTE MGT
Oak Ridge National Laboratory	8807110502	WASTE RES			8807200367	50-277
	8807110514	NUREG		Petroleum Co. (formerly Getty/Petroleum Co.)	8807200212	40-6659
	8807110515	WASTE RES				
	8807190108	WASTE RES			8807250205	40-6659
	8807210057	PR		Philadelphia Electric Co	8806200281	50-353
	8807220168	WASTE RES				
Ohio Citizens for Responsible Energy	8807220308	PR			8806360173	50-277
	8807010455	50-443	H		8806360177	50-277
	8807080242	50-348	M		8807010659	50-352
	8807110153	PR			8807060116	50-277
					8807060116	50-277
	8807110159	PR			8807080125	50-277
	8807100186	PR			8807080125	50-277
Ohio, State of	8807180309	PR			8807080171	50-352
	8807010477	PR			8807080171	50-352
	8807280171	PR			8807080187	50-352
Oil, Chemical & Atomic Workers International Union	8807180200	PR			8807080187	50-352
Omaha Public Power District	8807010054	50-285	S		8807080180	50-352
	8807050433	50-285	P		8807080180	50-352
	8807050463	50-285	P		8807060223	50-277
					8807060489	50-277
	8807060371	50-285	S		8807060469	50-277
	8807060645	50-285	K		8807060488	50-277
	8807060554	50-285	K		8807070042	50-277
	8807070158	50-285	H		8807070074	50-277
	8807070169	50-285	P		8807070157	50-352
	8807070205	50-285	Q		8807070219	50-352
	8807070229	50-285	P		8807070417	50-277
	8807070474	50-285	Q		8807070592	50-277
	8807070480	50-285	Q		8807070592	50-277
	8807070483	50-285	Q		8807080162	50-353
	8807070532	50-285	P			
	8807120292	50-285	P		8807080299	50-277
	8807120811	50-285	Q		8807120260	50-352
	8807130066	50-285	Q		8807120454	50-277
	8807130382	50-285	F		8807120617	50-278
					8807120673	50-277
	8807130388	50-285	F		8807120673	50-277
	8807140304	50-285	Q		8807120673	50-277
	8807250179	50-285	P		8807120673	50-277
	8807250181	50-285	P		8807120673	50-277
	8807250185	50-285	P		8807130221	50-353
Oregon, State of	8807210023	WASTE MGT			8807150105	50-277
Orlando Corp.	8807080197	CONTRACT			8807150133	50-277
Our Lady of Lourdes Medical Center, Camden, NJ	8810070505	FOIA			8807150178	50-352
Pacific Gas & Electric Co.	8807010068	50-275	R		8807150221	50-278
					8807150227	50-278
	8807010070	50-275	R		8807150229	50-278
	8807080207	50-275	S		8807180177	50-352
	8807070194	50-323	S		8807190115	50-352
	8807120680	50-323	S		8807190126	50-352

	NUMBER	CATEGORY	NUMBER	CATEGORY
	88071903129*	50-352	P	
	8807200266	50-352	R	
	8807200359	50-352	S	
	8807210119	50-277	S	
	8807210301	50-277	R	
	8807210301	50-277	R	
	8807220079	50-277	F	
	8807220369	50-353	Q	
	8807250328	50-353	Q	
	8807250256	50-277	P	
	8807250403	50-277	P	
	8807250433	50-277	P	
	8807250327*	50-271	P	
Pickard, Lowe & Garlick, Inc. Poco Graphite, Inc. (subs. of Litchfield Oil	8807050452*	XPORTLIC		
Co. of California) Portland General Electric Co.	8806280192	50-344	P	
	8806280245	50-344	F	
	8806300213	50-344	S	
	8807050311	50-344	S	
	8807050045	50-344	P	
	8807050049*	50-344	P	
	8807050050*	50-344	P	
	8807070016	50-344	K	
	8807140211	50-344	S	
	8807150168	50-344	S	
	8807150075	50-344	S	
	8807150210	50-344	P	
	8807190212*	50-344	P	
	8807150213*	50-344	P	
	8807210037	50-344	Q	
	8807210051	50-344	Q	
	8807250050	50-344	R	
	8807250382	50-344	S	
Power Safety International*	8807080077*	CONTRACT		
Princeton Univ., Princeton, NJ Production House, Inc. Professional Examination Service Professional Writing Associates, Inc.	88071801C9 8807130377* 8807070607* 8807220269 8807220276*	FOIA CONTRACT CONTRACT 71-656 71-656		
	8807220230*	71-656		
Public Citizen's Critical Mass Energy Project	8807110200	50-280	H	
	8807180074	FOIA		
	8807180077	FOIA		
	8807280021	FOIA		
	8807280026*	FOIA		
Public Interest Research Group, New York Public Policy Research Inst. Inc. Public Service Co. of Colorado	8807220015 8807080371* 8806290026	50-3 50-335 50-267	H Q	
	8806290358	50-267	P	
	8807010003*	50-267	R	
	8807010543	50-267	R	
	8807010554*	50-267	R	
	8807050480	50-267	F	
	8807050485*	50-267	F	
	8807070041	50-267	Q	
	8807070050	50-267	R	
	8807070529	50-267	P	
	8807120627	50-267	Q	
	8807140239	50-267	P	
	8807150005	50-267	F	
	8807150200	50-267	F	
	8807180197	50-267	Q	
	8807190316	50-267	F	
	8807210007	50-267	Q	
	8807220287	50-267	P	
	8807250191	50-267	S	
	8807250231	50-267	Q	
Public Service Co. of New Hampshire	8806290400	50-443	F	
	8806300315	50-443	F	
	8806300374	50-443	I	
	8807080012	50-443	G	
	8807080012	50-443	G	
	8807080045	50-443	G	
	8807080045	50-443	G	
	8807080064	50-443	G	
	8807080084	50-443	G	
	8807080073*	50-443	G	
	8807080075	50-443	G	
	8807080075	50-443	G	
	8807080082*	50-443	G	
	8807080082*	50-443	G	
	8807080089*	50-443	G	
	8807080089*	50-443	G	
	8807080092*	50-443	G	
	8807070384	50-443	G	
	8807110005	50-443	G	
	8807110005	50-443	G	
	8807110029	50-443	G	
	8807110043	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443	G	
	8807110048	50-443		



NAME	ADDRESS	PHONE	CITY	STATE	ZIP	TYPE	STATUS
8807120029	50-395	S	8807200075*	50-361	P		
	8807120544	50-395		50-361	P		
	8807120548*	50-395		50-206	P		
	8807120671	50-395		50-206	P		
	8807130384	50-395		50-206	P		
8807140090	50-395	F	8807220100	50-206	O		
	8807140094	50-395		50-361	P		
	8807180146	50-395		50-361	P		
	8807200262	50-395		50-361	P		
	8807210281	71-478		50-361	O		
8807250003	50-395	R	8807250190	50-361	S		
	8807250031	50-395		50-361	S		
	8807250227	50-395		50-206	P		
	8807150301	PR		8807250276	ACRS		
	8807210016	WASTE MGT		8807120435	ACRS		
California, State of			Southern California, Univ. of, Los Angeles, CA				
Mississippi Electric Power	8807140049*	50-416	I	Southern States Energy Board			
Western Press Publishing Co., Inc.	8807200384	50-322	H	Southwest Research Institute			
Gen, NY	8807110366	50-322	G				
	8807200045	50-322	G				
Citic & Fawcett Corp	8807220072	50-322	G	Sowega Testing Service, Inc.	8807130011*	WASTE MGT	
	8807010047	QA999		Space Qualified Systems Corp.	8807110512	NUREG	
	8807010148	50-206	S	St. Vincent's Medical Center, Bridgeport, CT	8807180138*	CONTRACT	
	8807050018	50-206	P	Stanford Univ., Stanford, CA	8807180150*	CONTRACT	
	8807050020*	50-206	P		8807210094*	CONTRACT	
8807050021*	50-206	F	8807120443	ACRS			
	8807050394	50-206		8807120517			
	8807050394	50-206		8807120711			
	8807050394	50-206		8807120718			
	8807060166	50-206		8807110240			
8807070056	50-361	P	8807130231*	50-353	A		
	8807070058	50-361		8807060014	50-322		
	8807070114	50-361		8807110023	50-322		
	8807070114	50-361		8807110068	50-322		
	8807070599	50-206		8807140010	50-322		
8807070599	50-206	F	8807140016*	50-322	G		
	8807070599	50-206		8807140040	50-322		
	8807070603	50-206		8807140053	50-322		
	8807070603	50-206		8807200045	50-322		
	8807070603	50-206		8807220072	50-322		
8807080208	50-206	F	8807200078	50-322	G		
	8807120071	50-206		8807200217	50-322		
	8807120653	50-361		8807140082	50-320		
	8807130107	50-206					
	8807130268	50-206		8807220016	50-320		
8807130268	50-206	P	8807080028*	CONTRACT			
	8807130281*	50-206		8806280164	50-416		
	8807140081	50-206		8807050074	50-416		
	8807140084*	50-206		8807050077*	50-416		
	8807140086*	50-206		8807080344	50-416		
8807140139	50-206	P	8807060344	50-416	H		
	8807150070	50-361		8807060456	50-416		
	8807150224	50-206		8807080464	50-416		
	8807150303	50-361		8807070379	50-416		
	8807190371	50-361		8807070386	50-282		
8807190071	50-361	P	8807110305	50-416	P		
	8807190139	50-206		8807110308*	50-416		
	8807190155	50-361		8807120296*	50-313		
	8807190155	50-361		8807120574	50-416		
	8807190158*	50-361		8807130019	50-416		
8807190174*	50-361	O	8807130020*	50-416	P		
	8807190266	50-362		8807130044	50-416		
	8807190288	50-361		8807140039	50-416		
	8807190288	50-361		8807140042*	50-416		
	8807190269	50-206		8807140044	50-416		
8807190279	50-361	R	8807140048*	50-416	P		
	8807190279	50-361		8807190067	50-416		
	8807190283*	50-361		8807200314	50-416		
	8807190283*	50-361		8807220180	50-416		
	8807190284*	50-361		8807220181*	50-416		
8807190340*	50-361	P	8807150239*	50-380	A		
	8807190346*	50-361		8807290037*	50-443		
	8807190347*	50-361		8806280131	50-445		
	8807190355*	50-361					
	8807190355*	50-361		8806300353	50-445		
8807190357*	50-361	P	8806300353	50-445	I		
	8807190381*	50-361		8807010078	50-445		
	8807190384*	50-361		8807010078	50-445		
	8807190386*	50-361		8807010091	50-445		
	8807190386*	50-361		8807010091	50-445		
8807190370*	50-361	P	8807010127	50-445	S		
	8807190370*	50-361		8807010127	50-445		
	8807190372*	50-361		8807050058	50-445		
	8807190372*	50-361		8807050058	50-445		
	8807190373*	50-361		8807050549	50-445		
8807190373*	50-361	P	8807050549	50-445	Q		
	8807200028	50-206		8807060254	50-445		
	8807200031	50-206		8807080254	50-445		
	8807200075*	50-361		8807060262	50-445		



DESCRIPTION	QUANTITY	UNIT	PRICE	TOTAL	DATE	STATUS
8807060262	50.445	S	8907060444	50.327	S	O
8807060321	50.445	S	8807060462	50.327	S	O
8807060321	50.445	Q	8807060462	50.327	O	O
8807060331	50.445	Q	8807060470	50.259	S	F
8807060331	50.445	Q	8907060470	50.259	F	F
8807060419	50.445	S	8807060470	50.259	F	S
8807060420	50.445	A	8807060517	50.260	S	O
8807060500	50.445	A	8807060632	50.390	O	O
8807060500	50.445	A	8807060602	50.390	O	O
8807060518	50.445	A	8907060611	50.327	O	O
8807060518	50.445	A	8807060611	50.327	O	P
8807060530	50.445	S	8807070093	50.250	P	P
8807060530	50.445	A	8807070283	50.250	P	P
8807070125	50.445	A	8807070383	50.250	P	P
8807070125	50.445	A	8807070083	50.259	P	P
8807070362	50.445	A	8807070083	50.259	P	P
8807070362	50.445	Q	8807070303	50.259	P	P
8807110104	50.445	Q	8807070093	50.250	P	P
8807110104	50.445	Q	8807070093	50.259	P	P
8807110118	50.445	Q	8807070093	50.250	P	P
8807110134	50.445	Q	8807070093	50.259	P	P
8807110134	50.445	Q	8807070093	50.259	P	P
8807150014	50.445	Q	8807070110	50.259	P	P
8807150014	50.445	Q	8807070110	50.259	P	P
8807150018	50.445	Q	8807070110	50.259	P	P
8807150018	50.445	Q	8807070110	50.259	P	P
8807150024	50.445	Q	8807070110	50.259	P	P
8807150024	50.445	Q	8807070110	50.259	P	P
8807150054	50.445	Q	8807070110	50.259	P	P
8807150054	50.445	Q	8807070110	50.259	P	P
8807180052	50.445	Q	8807070356	50.327	R	H
8807180234	50.445	A	8807070367	50.327	S	S
8807180233	50.445	S	8807070394	50.259	F	F
8807180238	50.445	S	8807070552	50.259	F	F
8807180278	50.445	Q	8807070552	50.259	F	F
8807180278	50.445	T	8807080016	50.327	O	O
8807180271	50.445	K	8807080049	50.327	O	O
8807280333	50.445	K	8807080049	50.327	O	O
8807120686	CONTRACT		8807080060	50.327	F	F
8807130417	50.443	I	8807080060	50.327	F	F
8806303395	50.259	P	8807080065	50.327	O	O
8806200370	50.327	P	8807080305	50.327	O	O
8806200510	50.327	S	8807080200	50.390	A	A
8807010030	50.390	S	8807080200	50.390	A	A
8807010036	50.259	Q	8807080207	50.296	S	S
8807010050	50.259	P	8807080226	50.259	S	S
8807010050	50.259	P	8807080282	50.259	R	R
8807010050	50.259	P	8807080282	50.259	R	R
8807050111	50.390	A	8807080282	50.259	R	R
8807050120	50.260	P	8807080287	50.327	O	O
8807050139	50.259	Q	8807110400	50.327	P	P
8807050139	50.259	Q	8807110400	50.327	P	P
8807050139	50.259	Q	8807110428	50.328	S	S
8807050157	50.327	P	8807120011	50.259	S	S
8807050185	50.327	Q	8807120021	50.259	O	O
8807050185	50.327	Q	8807120021	50.259	O	O
8807050207	50.260	Q	8807120021	50.259	O	O
8807050316	50.390	Q	8807120021	50.259	O	O
8807050473	50.259	S	8807120021	50.259	O	O
8807050473	50.259	S	8807120021	50.259	O	O
8807050473	50.259	S	8807120021	50.259	O	O
8807050530	50.250	P	8807120021	50.259	O	O
8807050530	50.250	P	8807120021	50.259	O	O
8807050530	50.259	P	8807120045	50.328	S	S
8807050531	50.259	P	8807120132	50.327	S	S
8807050531	50.259	P	8807120152	50.259	F	F
8807050531	50.259	P	8807120175	50.328	S	S
8807050563	50.259	Q	8807120218	50.327	S	S
8807050563	50.250	Q	8807120225	50.327	Q	Q
8807050563	50.250	Q	8807120225	50.327	O	O
8807050586	50.327	P	8807120330	50.327	P	P
8807050586	50.327	P	8807120330	50.327	P	P
8807060044	50.327	Q	8807120676	50.259	P	P
8807060044	50.327	Q	8807120676	50.259	P	P
8807060069	50.327	O	8807120676	50.259	P	P
8807060069	50.327	O	8807130031	50.390	S	S
8807060173	50.259	P	8807130048	50.259	P	P
8807060173	50.259	P	8807130048	50.259	P	P
8807060173	50.259	P	8807130048	50.259	P	P
8807060210	50.327	P	8807130048	50.259	P	P
8807060210	50.327	P	8807130048	50.259	P	P
8807060263	50.390	A	8807130048	50.259	P	P
8807060289	50.327	S	8807130048	50.259	P	P
8807060396	50.328	S	8807130402	50.260	P	P
8807060422	50.328	S	8807130445	50.259	Q	Q
8807060439	50.327	S	8807130445	50.259	Q	Q
8807060444	50.327	S	8807130445	50.259	Q	Q

	8807140065*	50-260	P		8807190285	50-346	S
	8807140071	50-259	O		8807190263	50-346	T
	8807140071	50-259	O		8807190276	50-346	F
	8807140071	50-259	O		8807200254	50-346	F
	8807140071	50-259	Q		8807200259*	50-346	F
	8807140071	50-259	O		8807200264*	50-346	F
	8807140071	50-259	O		8807200329*	50-346	F
	8807140071	50-259	O		8807210065	50-346	P
	8807140071	50-259	O		8807250047	50-346	P
	8807140071	50-259	Q		8807250118	50-346	Q
	8807140071	50-259	Q		8807250201	50-346	V
	8807140215	50-296	P	Transnuclear, Inc	8807250387	50-346	K
	8807180224	50-260	P		8807010098	71-3003	
	8807180228*	50-260	P	Transportation, Dept of	8807250278*	XPORTLIC	
	8807180235	50-260			8807120373	71-3003	
	8807180236*	50-260	P	Truro, MA	8807220329	PR	
	8807180243	50-260	P	Twomey, Latham & Shea	8807110058	50-322	G
	8807180244*	50-260	P		8807200045	50-322	G
	8807190027	50-327	P		8807220072	60-322	G
	8807190061	50-328	P	UMETCO Minerals Corp (subs. of Union	8807210110	40-8881	
	8807190093	50-327	P	Carbide Corp.)			
	8807190093	50-327	P	US Council for Energy Awareness	8807280342	PR	
	8807190127	50-327	P	Union Electric Co	8806280284	50-483	P
	8807190127	50-327	P		8807010877	50-483	P
	8807190131*	50-327	P		8807050036	50-483	Q
	8807190138	50-350	Q		8807110245	50-483	P
	8807190138	50-350	O		8807110246*	50-483	P
	8807190192	50-258	P		8807140250	50-483	S
	8807190217	50-327	Q		8807150191	50-483	Q
	8807190217	50-327	Q		8807220221	PR	
	8807190330	50-327	Q		8807280418	50-483	P
	8807190334*	50-327	O	Union Pacific Corp.	8807010235	40-8452	
	88072003312*	50-259	O	Union of Concerned Scientists	8807070305	50-322	H
	8807200333	50-390	S		8807210146	50-322	H
	8807200344	50-258	K	United Engineers & Constructors, Inc.	8806300012	TOPREP	
	8807210047	PR		(subs. of Raytheon Co.)			
	8807210059	50-390	S	United Illuminating Co.	8806300381*	50-443	I
	8807210145	50-390	H	United Nuclear Corp (subs. of UNC	8806290471	70-371	
	8807210279*	50-390	F	Resources, Inc.)			
	8807250013	50-327	F		8807130208	70-371	
	8807250013	50-327	F		8807130218	70-371	
	8807250061	50-259	R		8807210231	40-8907	
	8807250061	50-259	R		8807210249	40-8907	
	8807250081	50-259	R		8807210307	70-371	
	8807250085*	50-259	R		8807260113	40-8907	
	8807250085*	50-259	R	Universal Data Systems	8807080507*	CONTRACT	
	8807250085*	50-259	R	Urenco, Inc.	8807280358	PR	
	8807250087*	50-259	R	Utah, Univ. of, Salt Lake City, UT	8806300242	50-72	H
	8807250087*	50-259	R	Vermont Yankee Nuclear Power Corp.	8807120034	50-271	P
	8807250087*	50-259	R		8807150017	50-271	Q
	8807250089*	50-259	R		8807160021*	50-271	Q
	8807250218	50-259	O		8807150071	60-271	F
	8807250218	50-259	O		8807180180	50-271	Q
	8807250218	50-259	O		8807200027	50-271	Q
	8807250218	50-259	Q		8807200029*	50-271	G
	8807250235	50-327	Q		8807210220	50-271	R
	8807250235	50-327	Q		8807220021	50-271	G
	8807250251	50-327	P		8807250289	50-271	P
	8807250410	50-259	F		8807250327*	50-271	P
	8807250410	50-259	F	Vermont, State of	8807200029*	60-271	Q
	8807250410	50-259	F		8807200114	60-271	G
	8807250425	50-328	S		8807220243	PR	
	8807260008	50-259	F	Victoreen, Inc. (subs. of Sheller-Globe	8807260350	50-247	S
	8807260008	50-259	F	Corp.)			
	8807260008	50-259	F	Viking Systems International	8807210161*	CONTRACT	
	8807260008	50-259	F				
	8807260008	50-259	F	Virginia Power (Virginia Electric & Power	8806300218	60-280	Q
	8807260008	50-259	F	Co.)			
	8807260388	50-259	H		8807010450	50-281	S
	8807140116	70-143			8807010884	50-338	P
					8807050106	50-338	K
	8807280217	PR			8807050417	50-338	Q
	8807290063	50-603	G		8807050560	50-338	Q
	8806300364*	50-445	I		8807070422	50-280	P
	8806300359*	50-445	I		8807070439*	50-280	P
	8807260429	WASTE MG1			8807070520	60-280	S
	8807180231	50-192	Q		8807120126	60-280	F
	8807220210*	FOIA			8807120860	50-280	P
	8807070270	50-443	H		8807120860	50-280	P
	8807140062	50-320	G		8807130058	50-338	F
	8807180175	50-289	H		8807130329	50-280	S
	8807050001	50-346	P		8807180226	50-280	P
	8807050002*	50-346	P		8807180226	60-280	P
	8807050055*	50-346	P		8807180229*	50-280	P
	8807050537	50-346	P		8807180229*	50-280	P
	8807120458	50-346	H		8807190077	50-280	Q
	8807130274	50-346	S		8807190077	50-280	Q
	8807140253	50-346	F		8807190089	50-280	Q
	8807150011	50-346	P		8807190226	50-280	Q
	8807190062	50-346	Q		8807190231	50-338	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8807180262	50-280	O	8807180193*	50-268
	8807180262	50-280	O	8807180193*	50-268
	8807200396	50-280	O	8807180386*	50-268
	8807200396	50-280	O	8807180386*	50-268
	8807250060	50-338	P	8807180106	50-268
	8807250261	50-338	S	8807200093	50-266
	8807250420	50-338	R	8807220368	50-266
Washington Public Power Supply System	8807010046	50-397	S	8807220374*	50-266
	8807010053	50-397	P	8807250132	50-266
	8807010061	50-508	O	8807250132	50-266
	8807050035	50-397	S	8807250137*	50-266
	8807060437	50-397	F	8807250137*	50-266
	8807060451	50-397	S	8807250437	PR
	8807070064	50-397	S	8807060102	50-305
	8807080148	50-460	A	8807060102	50-305
	8807060291	50-397	H	8807070554	50-305
	8807110010	50-460	G	8807080154	50-305
	8807110182	50-397	S	88071130045	50-305
	8807130415	50-397	R	88071140303	50-305
	8807180324	50-397	O	8807160121	50-305
	8807190188	50-508	A	8807210376	50-305
	8807190196*	50-508	A	8807260372	50-305
	8807210033	50-397	S	8806290158	50-482
	8807210280	50-397	O	8806290286	50-482
	8807220328	PR		8807050325	50-482
Washington, State of	8807250267	PR		8807050026*	50-482
	8807220358	PR		8807050327	50-482
WestChem Corp.	8807220390	PR		8807050029*	50-482
	8807080019	WASTE MGT		8807070132	50-482
	8807080027*	WASTE MGT		8807070163	50-482
West Newbury, MA	8807280363	PR		8807120471	50-482
West Valley Nuclear Services Co., Inc.	8807200136	50-443	G	8807120479*	50-482
Western Nuclear, Inc. (subs. of Phelps Dodge Corp.)	8807080059	PROJ		8807120510*	50-482
	8807210217	40-1182		8807120678	50-482
				8807150074	50-482
Westinghouse Electric Corp.	8807070376	TOPREP		8807180222	50-482
	8807070416*	TOPREP		8807180223*	50-482
	8807070430*	TOPREP		8807180230	50-482
	8807130205	50-601	K	8807180240*	50-482
	8807130207*	50-601	K	8807180376	50-482
	8807130226	70-1151		8807200009	50-482
	8807130228	70-1151		8807010803	50-134
	8807150059	TOPREP			
	8807150061*	TOPREP		8807210126	71-8039
	8807180212*	50-282	P	8807210210	40-4492
	8807180323	50-601	A	8807050107	50-29
	8807180353*	50-601	A	8807063328	50-29
	8807250284*	50-206	P	8807060349	50-29
Westinghouse Hanford Co	8807110504	50-320	P	8807060352*	50-29
	8807180332*	WASTE MGT		8807060514	50-29
Westinghouse Operating Plants Owners Group	8806290469	NUREG		8807060523*	50-29
Weston Geophysical Corp.	8807120196*	50-440	P	8807070091	50-29
Williams & Associates	8806300301	WASTE RES		8807070095*	50-29
	8807220197	WASTE RES		8807080223	50-29
				8807110226	50-29
Wilson Hewitt & Associates, Inc.	8807200157*	CONTRACT		8807110229*	50-29
Wisconsin Electric Power Co.	8807050332	50-280	O	8807130378	50-29
	8807070411	50-266	O	8807140289	50-29
	8807070411	50-266	O	8807180028	50-29
	8807160182	50-286	P	8807210206	50-29
				8807280070	PR
				8807280309	PR
	8807180192	50-266	P	8807080127*	CONTRACT

# REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
23A5889 R00	8807150238*	50-278	P	NUREG/CR-4315 V08 R1	8807110534	50-323	P
83-13	8807250284*	50-208	P	NUREG/CR-4684 V01	8807110498	NUREG	LRL-22860
88-9	8807220271*	WASTE MGT		NUREG/CR-4881	8807070446	NUREG	RNL-NUREG-5205
CE-1-A R51	8807180205*	50-10	P	NUREG/CR-5072	8807110521	NUREG	EGG-2526
CEN-342(N)	8807060388*	50-338	P	NUREG/CR-5095 V01	8807110494	NUREG	
EGG-EA-6873	8803250380*	50-259	P TAC 51073	NUREG/CR-5095 V02	8807110524	NUREG	
EGG-NTA-7079 R02	8807250365*	50-280	P TAC 51361	NUREG/CR-5095 V03	8807110530	NUREG	
EGG-NTA-7289	8807200198*	50-287	P	NUREG/CR-5095 V04	8807110476	NUREG	
EGG-NTA-7681	8710150408*	50-309	P	NUREG/CR-5106	8807070447	NUREG	SAIC-88/3023
EGG-PHY-7630	8806210326*	50-272	P TAC 07050	NUREG/CR-5137	8807070421	NUREG	EGG-2540
EGG-PHY-7897	8807120572*	50-354	P	NUREG/CR-5142	8807110516	NUREG	
EP-3-030 R06	8807010831	50-382	F W3P88-1232	NUREG/CR-5147	8807080362	NUREG	
F-6177-5	8808280088*	50-370	S	NUREG/CR-5150	8807110505	NUREG	SAIC-87/3014
F-C5120-2	8807070375*	50-315	Q	SCE-3-A A 11	8807130201*	50-206	P
HW-54341	8807140178*	WASTE MGT		SD 3525 014 R06	8807070012*	50-320	P
MA2-78-1	8807180228*	50-260	P	SD 3526-004 R06	8806290293*	EG-320	P
NEDO-24082 R07 ERR	8807150232*	50-278	P	SECY-88-051	8803200064*	PR	AC04-1 05
NSPNAD-8705 R01	8807180211*	50-282	P	SECY-88-051A	8807270222*	PR	AC04-1 07
NUREG-0304 V13 N01	8807110503	NUREG		SECY-87-330	8807190277*	FOA	
NUREG-0540 V10 N04	8807070428	NUREG		SECY-88-060	8803240364*	PR	AC04-1 11
NUREG-0750 V27 I01	8807080350	NUREG		SECY-88-120	8805180301	SECY	
NUREG-0837 V08 N01	8807110535	NUREG		SECY-88-129 EHR	8807120312	SECY	
NUREG-0840 V07 N01	8807070438	NUREG		SECY-88-168	8807120235	SECY	
NUREG-0875 V08	8807110520	NUREG		SECY-88-171	8807120489	SECY	
NUREG-1002 S08	8807080087	50-468	E	SECY-88-180	8807080136	SECY	
NUREG-1221	8807060104	NUREG		SL-TA-1A R07	8807070412*	TOPREP	
NUREG-1228	8807070437	NUREG		SON CSS 024 R00	8807190301*	50-327	Q
NUREG-1296	8807110511	NUREG		SSS-R-87-8831	8807190194*	50-508	A
NUREG-1311	8807070455	NUREG		STD-H-02-006 R04	8807070583*	71-9886	
NUREG-1325	8807080093	NUREG		VP-NOS-33	8807070439*	50-280	P
NUREG/CP-0076	8807110512	NUREG	CSN 97	VRS-032A	8807080027*	WASTE MGT	
NUREG/CR-2000 V07 N5	8807110514	NUREG	ORNL/NSIC-200	WCAP-11524-A ADD02R2	8807070430*	TOPREP	
NUREG/CR-3509	8807080360	NUREG		WM-3291-631	8807140187*	WASTE MGT	
NUREG/CR-3889 S01	8807110543	NUREG		YARC-1848	8807180045*	50-339	P

# CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix A and listed in the Contents.

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
6407020176	8807010587	88/06/07	NUREG	8806290486	8806290484	88/06/22	50-324
6601082006	8807270151	88/07/15	PR	8806290509	8806290508	88/06/24	50-324
6601090073	8807270151	88/07/15	PR	8806300020	8806300016	88/06/24	50-367
8803200064	8807270151	88/07/15	PR	8806300033	8806300031	88/06/15	70-27
6603250380	8807110427	88/06/23	50-259 P	8806300044	8806300039	88/06/23	50-298
66037000527	8807270151	88/07/15	PR	8806300045	8806300039	88/06/23	50-298
6610070488	8807270360	88/06/30	FOIA	8806300048	8806300034	88/06/28	WASTE MGT
6610070492	8807270360	88/06/30	FOIA	8806300123	8806300119	88/06/14	50-335
6610070505	8807270360	88/06/30	FOIA	8806300140	8806300138	88/06/15	70-143
8710150408	8807120566	88/07/01	50-309 P	8806300161	8806300149	88/06/15	50-160
8711180105	8807150183	88/07/08	PR	8806300158	8806300155	88/06/15	50-281
8712020339	8807150183	88/07/08	PR	8806300184	8806300187	88/06/14	50-302
8802260030	8807010587	88/06/07	NUREG	8806300185	8806300186	88/06/24	40-8027
8802260040	8807010587	88/06/07	NUREG	8806300186	8806300187	88/06/14	50-302
8803240364	8807270151	88/07/15	PR	8806300197	8806300187	88/06/14	60-302
88041120028	8804120024	87/11/24	WASTE MGT	8806300289	8806300288	88/06/24	50-208
8804150031	8807150183	88/07/08	PR	8806300273	8806300268	88/06/24	50-208
8804270029	8807220206	88/06/30	FOIA	8806300358	8806300353	88/06/22	60-446
8805160036	8807270151	88/07/15	PR	8806300360	8806300353	88/06/22	60-446
8805160043	8807270151	88/07/15	PR	8806300364	8806300353	88/06/22	60-446
8805230033	8807250034	88/06/15	WASTE MGT	8806300380	8806300374	88/06/23	50-443
8806060078	8807250034	88/06/15	WASTE MGT	8806300381	8806300374	88/06/23	50-443
8806200040	8806200029	88/06/09	XPORTLIC	8806300386	8806300374	88/06/23	50-443
8806200043	8806200029	88/06/09	XPORTLIC	8806300388	8806300374	88/06/23	50-443
8806200054	8806200049	88/06/08	XPORTLIC	8806300387	8806300374	88/06/23	50-443
8806200454	8806200451	88/06/07	50-416 Q	8806300385	8806300374	88/06/23	60-443
8806210325	8807110185	88/06/24	50-272 P	8806300402	8806300374	88/06/23	60-443
8806220266	8806220250	88/06/08	PROJ	8807010003	8807010543	88/06/16	60-267
8806220277	8806220250	88/06/08	PROJ	8807010014	8807010010	88/06/22	60-344
8806280088	8807120608	88/06/28	50-370 S	8807010015	8807010012	88/06/20	60-260
8806280154	8806280162	88/06/21	50-237 P	8807010016	8807010013	88/06/16	CONTRACT
8806280159	8806280168	88/06/17	50-237 K	8807010017	8807010010	88/06/22	50-344
8806280163	8806280132	88/06/22	60-481 Q	8807010019	8807010019	88/06/17	50-288
8806280160	8806280179	88/06/23	70-25	8807010020	8807010018	88/06/17	50-288
8806280182	8806280179	88/06/23	70-25	8807010025	8807010023	88/06/22	50-327
8806230218	8806280217	88/06/22	50-440 Q	8807010028	8807010027	88/06/20	50-387
8806280241	8806280240	88/06/14	60-344 Q	8807010031	8807010029	88/06/20	50-309
8806280244	8806280240	88/06/14	60-344 Q	8807010034	8807010033	88/06/20	50-289
8806280297	8806280298	88/06/23	50-250 P	8807010038	8807010037	88/06/21	50-271
8806290027	8806290019	88/06/22	50-458 Q	8807010043	8807010041	88/06/20	50-286
8806290031	8806290029	88/06/18	70-1201	8807010045	8807010044	88/06/21	50-424
8806290033	8806290019	88/06/22	50-458 Q	8807010068	8807010064	88/06/27	50-165
8806290038	8806290035	88/06/18	50-280 Q	8807010067	8807010064	88/06/27	50-165
8806290067	8806290074	88/06/20	60-348 Q	8807010070	8807010068	88/06/20	50-276
8806290102	8806290100	88/06/17	60-335 Q	8807010181	8807010115	88/06/17	CONTRACT
8806290112	8806290107	88/06/17	50-400 Q	8807010222	8807010206	88/04/20	40-8502
8806290142	8806290138	88/06/10	50-312 Q	8807010253	8807010227	88/06/23	50-482
8806290151	8806290144	88/06/17	60-321 Q	8807010268	8807010261	88/06/21	60-3
8806290152	8806290149	88/06/17	60-413 Q	8807010288	8807010274	88/06/15	CONTRACT
8806290181	8806290144	88/06/17	60-321 Q	8807010324	8807010318	88/06/21	50-29
8806290189	8806290181	88/06/17	50-327 Q	8807010327	8807010318	88/06/21	60-29
8806290192	8806290181	88/06/17	50-327 Q	8807010331	8807010311	88/05/31	CONTRACT
8806290293	8806290292	88/06/22	50-320 Q	8807010349	8807010341	88/06/21	50-334
8806290350	8806290345	88/06/17	50-413 Q	8807010364	8807010354	88/06/28	50-341
8806290381	8806290345	88/06/17	50-413 Q	8807010370	8807010360	88/06/20	50-244
8806290378	8806290373	88/06/18	50-395 Q	8807010372	8807010354	88/06/28	50-341
8806290487	8806290459	88/06/23	50-288 Q	8807010385	8807010380	88/06/21	50-334
8806290491	8806290482	88/06/23	50-285 Q	8807010387	8807010380	88/06/21	50-334
8806290492	8806290482	88/06/21	50-312 Q	8807010402	8807010398	88/06/21	50-354
8806290495	8806290482	88/06/23	50-285 Q	8807010430	8807010428	88/06/17	50-275



ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8807010434	8807010428	88/06/17	50-275	Q	8807050470	8807050455	88/06/16	50-250
8807010462	8807010458	88/06/21	50-317	Q	8807050491	8807050455	88/06/16	50-250
8807010466	8807010458	88/06/21	50-317	Q	8807050495	8807050480	88/06/27	50-287
8807010474	8807010471	88/06/21	50-354	Q	8807050521	8807050516	88/06/27	50-100
8807010554	8807010543	88/06/18	50-267	R	8807050528	8807050517	88/06/23	50-456
8807010602	8807010591	88/06/23	50-272	P	8807050529	8807050516	88/06/27	50-400
8807010610	8807010608	88/06/21	50-219	P	8807050531	8807050530	88/06/24	50-269
8807010615	8807010608	88/06/21	50-219	P	8807050550	8807050517	88/06/23	50-156
8807010618	8807010614	88/06/27	40-8698	P	8807050576	8807050575	88/06/20	50-269
8807010624	8807010623	88/06/21	50-459	P	8807060003	8807060002	88/06/23	50-309
8807010635	8807010629	88/06/20	50-237	P	8807060004	8807060002	88/06/23	50-309
8807010641	8807010597	88/06/07	NUREG		8807060005	8807060002	88/06/23	50-309
8807010643	8807010640	88/06/28	40-8768		8807060016	8807060015	88/06/24	50-443
8807010645	8807010640	88/06/28	40-8768		8807060042	8807060041	88/06/20	50-280
8807010651	8807010597	88/06/07	NUREG		8807060043	8807060033	88/06/28	50-322
8807010652	8807010648	88/06/27	40-2259		8807060053	8807060033	88/06/23	50-320
8807010658	8807010597	88/06/07	NUREG		8807060055	8807060052	88/06/20	50-424
8807010660	8807010657	88/06/23	50-375	P	8807060071	8807060068	88/06/20	50-250
8807010672	8807010597	88/06/07	NUREG		8807060073	8807060064	88/06/28	50-443
8807010699	8807010597	88/06/07	NUREG		8807060082	8807060064	88/06/28	50-443
8807010708	8807010587	88/06/07	NUREG		8807060089	8807060064	88/06/28	50-443
8807050002	8807050001	88/06/20	50-346	P	8807060092	8807060084	88/06/28	50-443
8807050004	8807050003	88/06/29	50-605	K	8807060098	8807060097	88/06/18	50-335
8807050005	8807050003	88/06/29	50-605	K	8807060111	8807060099	88/06/28	50-254
8807050006	8807050003	88/06/29	50-605	K	8807060125	8807060116	88/06/29	50-277
8807050007	8807050003	88/06/29	50-605	K	8807060138	8807060129	88/06/17	50-483
8807050008	8807050003	88/06/29	50-605	K	8807060160	8807060156	88/06/28	50-317
8807050009	8807050003	88/06/28	50-605	K	8807060168	8807060161	88/07/01	WASTE MGT
8807050010	8807050003	88/06/28	50-605	K	8807060176	8807060174	88/06/24	50-205
8807050011	8807050003	88/06/28	50-605	K	8807060187	8807060171	88/07/01	50-352
8807050013	8807050003	88/06/29	50-605	K	8807060190	8807060171	88/07/01	50-352
8807050014	8807050002	88/06/29	50-605	K	8807060201	8807060186	88/06/24	50-373
8807050015	8807050012	88/06/21	50-423	P	8807060210	8807060202	88/06/28	50-237
8807050017	8807010597	88/06/07	NUREG		8807060225	8807060211	88/06/23	WASTE MGT
8807050018	8806300083	88/06/21	50-244	P	8807060234	8807060230	88/06/24	50-331
8807050020	8807050018	88/06/22	50-206	P	8807060238	8807060213	88/06/24	50-220
8807050021	8807050018	88/06/22	50-206	F	8807060242	8807060134	88/06/27	50-289
8807050024	8807050022	88/06/14	50-267	F	8807060271	8807060266	88/06/27	50-244
8807050026	8807050025	88/06/20	50-462	P	8807060278	8807060273	88/06/30	50-282
8807050029	8807050027	88/06/24	50-462	P	8807060282	8807060278	88/06/29	50-341
8807050040	8807050063	88/06/20	50-220	P	8807060287	8807060285	88/06/29	50-266
8807050042	8807050063	88/06/20	50-220	P	8807060299	8807060295	88/06/23	50-413
8807050048	8807050045	88/06/27	50-344	P	8807060306	8807060305	88/06/24	50-331
8807050050	8807050045	88/06/27	50-344	P	8807060316	8807060314	88/06/23	50-255
8807050055	8807050001	88/06/20	50-346	P	8807060317	8807060311	88/06/23	50-354
8807050072	8807050070	88/06/24	50-213	Q	8807060320	8807060325	88/06/29	50-456
8807050077	8807050074	88/06/21	50-416	Q	8807060329	8807060327	88/06/24	50-285
8807050104	8807050099	88/06/17	50-344	Q	8807060332	8807060327	88/06/24	50-285
8807050108	8807060099	88/06/17	50-344	Q	8807060352	8807060349	88/06/27	50-29
8807050115	8807050111	88/08/24	50-390	A	8807060357	8807060347	88/06/28	50-373
8807050118	8807050114	88/06/15	50-312	Q	8807060360	8807060347	88/06/28	50-373
8807050119	8807050113	88/06/21	50-526	Q	8807060362	8807060361	88/06/22	50-315
8807050123	8807050117	88/06/22	50-389	P	8807060364	8807060361	88/06/22	50-315
8807050141	8807050133	88/06/15	50-395	Q	8807060366	8807060365	88/06/24	50-245
8807050142	8807050136	88/06/17	50-280	P	8807060368	8807060365	88/06/24	50-245
8807060145	8807050133	88/06/15	50-395	Q	8807060372	8807060356	88/07/01	WASTE MGT
8807050185	8807050182	88/06/24	50-3	Q	8807060385	8807060383	88/06/21	50-263
8807050181	8807050179	88/06/24	50-247	Q	8807060386	8807060383	88/06/21	50-263
8807050187	8807050179	88/06/24	50-247	Q	8807060388	8807060387	88/06/24	50-336
8807050200	8807050176	88/06/23	50-320	P	8807060404	8807060403	88/06/24	50-369
8807050214	8807050213	88/06/24	50-213	Q	8807060414	8807060413	88/06/24	50-327
8807050219	8807050215	88/06/24	50-341	P	8807060434	8807060431	88/06/27	50-320
8807050224	8807050220	88/06/24	50-293	Q	8807060458	8807060356	88/07/01	WASTE MGT
8807050237	8807050236	88/06/23	50-320	Q	8807060460	8807060454	88/07/01	50-440
8807050246	8807050241	88/06/23	50-388	Q	8807060468	8807060454	88/07/01	50-440
8807050252	8807050250	88/06/23	50-245	Q	8807060478	8807060474	88/06/27	50-334
8807050254	8807050244	88/06/22	50-412	P	8807060481	8807060474	88/06/27	50-334
8807050255	8807050244	88/06/22	50-412	P	8807060488	8807060486	88/06/22	50-490
8807050283	8807050282	88/06/24	50-223	Q	8807060495	8807060493	88/06/22	50-334
8807050286	8807050282	88/06/24	50-223	Q	8807060497	8807060493	88/06/22	50-334
8807050304	8807050293	88/06/22	50-334	P	8807060498	8807060489	88/06/30	50-277
8807050310	8807050293	88/06/22	50-334	P	8807060507	8807060493	88/06/24	CONTRACT
8807050317	8807050297	88/06/17	50-397	Q	8807060516	8807060465	88/06/21	50-369
8807050338	8807050330	88/06/07	CONTRACT		8807060522	8807060465	88/06/21	50-369
8807050349	8807050344	88/06/21	50-458	P	8807060523	8807060514	88/06/27	50-20
8807050355	8807050350	88/05/31	CONTRACT		8807060525	8807060459	88/06/27	70-820
8807050359	8807050345	88/06/16	50-344	P	8807060540	8807060465	88/06/21	50-369
8807050365	8807050345	88/06/16	50-344	P	8807060548	8807060544	88/06/27	50-325
8807050366	8807050361	88/06/22	50-5	V	8807060551	8807060547	88/06/28	50-29
8807050396	8807050386	88/06/23	50-344	P	8807060552	8807060549	88/06/27	50-412
8807050399	8807050389	88/06/27	XPORTLIC		8807060554	8807060545	88/06/30	50-285
8807050401	8807050389	88/06/27	XPORTLIC		8807060559	8807060547	88/06/28	50-29
8807050402	8807050386	88/06/23	50-344	P	8807060662	8807060549	88/06/27	50-412
8807050430	8807050421	88/06/28	50-249	Q	8807060672	8807060567	88/06/28	50-219
8807050452	8807050446	88/06/28	XPORTLIC		8807060575	8807060567	88/06/28	50-219
8807050463	8807050433	88/06/27	50-285	P	8807060577	8807060557	88/06/27	50-313
8807050487	8807050455	88/06/18	50-250	P	8807060580	8807060573	88/06/22	50-334

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
6807060581	8807060573	88/06/22	50-334	P	8807080187	8807080184	88/04/04	CONTRACT	
6807060585	8807060189	88/06/27	50-289	F	8807080206	8807080203	88/08/22	50-220	
6807060586	8807060582	88/06/28	CONTRACT		8807080312	8807080189	88/07/01	CONTRACT	
6807060588	8807060189	88/06/27	50-289	F	8807080224	8807080215	88/06/16	71-655	
6807060598	8807060557	88/06/27	50-313	Q	8807080235	8807080232	88/06/23	50-341	
8807070012	8807070008	88/06/28	50-320	P	8807080237	8807080232	88/06/23	50-341	
8807070020	8807070017	88/06/23	50-280	Q	8807080252	8807080244	88/06/29	50-206	
8807070057	8807070054	88/06/28	50-322	P	8807080258	8807080255	88/06/30	50-283	
8807070071	8807070067	88/06/27	50-493	Q	8807080259	8807080241	88/06/30	CONTRACT	
8807070072	8807060492	88/06/23	CONTRACT		8807080355	8807080352	88/07/05	50-250	
8807070095	8807070091	88/06/27	50-29	P	8807080357	8807060352	88/07/05	50-260	
8807070099	8807070093	88/06/24	50-259	P	8807060371	8807060369	88/06/28	50-335	
8807070116	8807070111	88/06/28	50-352	Q	8807080373	8807080372	88/06/21	50-483	
8807070133	8807070131	88/06/28	50-247	Q	8807080374	8807080372	88/06/21	50-483	
8807070143	8807070140	88/06/28	50-5	Q	8807110011	8807110008	88/07/08	50-443	
8807070186	8807060526	88/06/27	50-338	Q	8807110039	8807110035	88/07/08	50-445	
8807070212	8807070208	88/06/28	50-225	V	8807110042	8807110035	88/07/08	50-445	
8807070240	8807070222	88/06/24	WASTE MGT		8807110059	8807110053	88/07/06	50-445	
8807070265	8807070259	88/06/23	50-29	Q	8807110053	8807110040	88/07/01	50-443	
8807070282	8807070277	88/06/24	50-322	Q	8807110079	8807050231	88/06/24	50-286	
8807070320	8807070314	88/06/30	50-317	P	8807110119	8807110104	88/07/01	50-445	
8807070367	8807070356	88/06/30	50-327	R	8807110134	8807110134	88/07/01	50-445	
8807070375	8807070374	88/06/24	50-315	Q	8807110150	8807110138	88/06/23	CONTRACT	
8807070382	8807070391	88/06/24	50-327	Q	8807110175	8807110181	88/06/21	CONTRACT	
8807070399	8807070398	88/06/27	50-272	P	8807110176	8807110174	88/07/01	50-213	
8807070400	8807070398	88/06/27	50-272	P	8807110179	8807110174	88/07/01	50-213	
8807070406	8807070408	88/06/30	50-208	S	8807110194	8807110190	88/06/30	50-313	
8807070409	8807070408	88/06/30	50-208	S	8807110197	8807110191	88/07/01	50-285	
8807070412	8807070403	88/06/17	TOPREP		8807110198	8807110191	88/07/01	50-285	
8807070416	8807070376	88/05/12	TOPREP		8807110212	8807110210	88/06/29	50-458	
8807070430	8807070376	88/05/12	TOPREP		8807110216	8807110214	88/06/17	50-344	
8807070439	8807070422	88/06/28	50-280		8807110221	8807110210	88/06/29	50-458	
8807070453	8807070448	88/07/01	50-498	Q	8807110228	8807110225	88/06/27	50-29	
8807070459	8807070458	88/06/28	50-237	P	8807110240	8807110245	88/06/28	50-463	
8807070474	8807070205	88/07/01	50-285		8807110249	8807110244	88/06/23	50-458	
8807070477	8807070472	88/06/21	50-373	P	8807110260	8807110258	88/06/27	70-1113	
8807070480	8807070205	88/07/01	50-285	Q	8807110263	8807110258	88/06/10	50-206	
8807070483	8807070205	88/07/01	50-285	P	8807110272	8807110269	88/06/22	50-423	
8807070538	8807070538	88/06/28	50-258	P	8807110280	8807110269	88/06/22	50-423	
8807070543	8807070544	88/05/19	50-360	P	8807110291	8807110283	88/06/23	50-268	
8807070555	8807070551	88/06/24	50-327	P	8807110303	8807110283	88/06/23	50-268	
8807070558	8807070561	88/06/24	50-327	P	8807110306	8807110305	88/07/01	50-415	
8807070560	8807070557	88/06/30	50-408	V	8807110308	8807110283	88/06/23	50-289	
8807070568	8807070584	88/06/23	71-9086		8807110317	8807110286	88/06/27	70-1113	
8807070572	8807070569	88/06/30	50-424	P	8807110323	8807110316	88/06/24	CONTRACT	
8807070589	8807070584	88/06/15	50-361	G	8807110324	8807110256	88/06/27	70-1113	
8807070600	8807070584	88/06/22	STATE PRO	G	8807110326	8807110310	88/06/27	50-395	
8807070607	8807070608	88/06/20	CONTRACT		8807110331	8807110315	88/06/22	50-277	
8807080012	8807080008	88/07/05	50-288	P	8807110332	8807110318	88/06/27	50-305	
8807080014	8807080009	88/06/24	50-445	Q	8807110333	8807110321	88/06/23	50-361	
8807080027	8807080019	88/06/30	WASTE MGT		8807110339	8807110315	88/06/22	50-277	
8807080028	8807080022	88/06/29	CONTRACT		8807110343	8807110335	88/06/09	COMMUNISSIO	
8807080037	8807080031	88/06/21	CONTRACT		8807110347	8807110315	88/06/22	50-277	
8807080039	8807080034	88/06/24	50-445	Q	8807110362	8807110356	88/06/23	50-3	
8807080042	8807080035	88/06/21	CONTRACT		8807110375	8807110366	88/06/21	50-203	
8807080044	8807080040	88/05/17	40-8027		8807110397	8807110380	88/07/07	50-338	
8807080053	8807080052	88/06/27	50-281	V	8807110399	8807110365	88/06/23	50-240	
8807080059	8807080051	88/07/05	CONTRACT		8807110408	8807110380	88/06/27	50-458	
8807080066	8807080063	88/06/23	PR		8807110410	8807110407	88/06/30	50-83	
8807080077	8807080068	88/06/29	CONTRACT		8807110414	8807110405	88/06/28	50-285	
8807080078	8807080071	88/06/30	50-461	S	8807110417	8807110404	88/06/23	50-254	
8807080079	8807070575	88/06/01	50-369	P	8807110418	8807110411	88/07/07	50-285	
8807080088	8807080085	88/06/24	50-250	P	8807110424	8807110404	88/06/23	50-254	
8807080099	8807070575	88/06/01	50-369	P	8807110431	8807110405	88/06/28	50-285	
8807080097	8807080067	88/05/09	CONTRACT		8807110434	8807110412	88/06/10	50-440	
8807080110	8807070001	88/06/15	50-219	R	8807110447	8807110427	88/06/23	50-258	
8807080112	8807080107	88/06/27	50-245	P	8807110470	8807110484	88/07/07	50-352	
8807080113	8807080106	88/07/01	CONTRACT		8807110478	8807110485	88/06/23	50-327	
8807080114	8807070001	88/06/16	50-219	R	8807110479	8807110472	88/06/23	50-400	
8807080127	8807080121	88/05/18	CONTRACT		8807110486	8807110481	88/06/30	50-498	
8807080129	8807080107	88/06/27	50-245	P	8807110493	8807110481	88/06/30	50-498	
8807080144	8807080140	88/06/20	50-249	P	8807110493	8807110481	88/06/30	50-498	
8807080145	8807080137	88/06/23	50-331	P	8807110510	8807110510	88/06/24	50-361	
8807080148	8807080132	88/06/22	PR		8807110515	8807110502	88/07/07	WASTE RES	
8807080149	8807080138	88/07/05	CONTRACT		8807110519	8807110509	88/06/16	50-312	
8807080150	8807080137	88/06/23	50-331	P	8807110541	8807110538	88/06/24	50-413	
8807080152	8807080132	88/06/22	PR		8807110548	8807110545	88/06/23	50-445	
8807080155	8807080137	88/06/23	50-331	P	8807110552	8807110545	88/06/23	50-445	
8807080163	8807080132	88/06/22	PR		8807120008	8807120005	88/06/28	50-155	
8807080186	8807080132	88/06/22	PR		8807120022	8807120018	88/06/30	50-237	
8807080188	8807080132	88/06/22	PR		8807120023	8807120018	88/06/30	50-237	
8807080172	8807080160	88/06/27	CONTRACT		8807120031	8807120026	88/06/21	50-3	
8807080178	8807080162	88/06/22	PR		8807120036	8807120032	88/07/01	50-373	
8807080182	8807080170	88/06/28	50-423	P	8807120037	8807120033	88/07/05	50-10	
8807080187	8807080170	88/06/20	50-423	P	8807120039	8807120026	88/06/21	50-3	
8807080188	8807080184	88/07/05	50-335	P	8807120046	8807120041	88/07/07	50-286	

ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8807120062	8807120056	88/07/01	50-289	Q	8807120645	8807120640	88/08/27
8807120070	8807120084	88/07/01	50-456	Q	8807120649	8807120640	88/08/27
8807120076	8807120072	88/06/24	50-425	Q	8807120650	8807120604	88/08/22
8807120081	8807120072	88/06/24	50-425	Q	8807120654	8807120647	88/07/05
8807120084	8807120078	88/07/05	60-313	Q	8807120659	8807120647	88/07/05
8807120085	8807120077	88/07/01	50-263	Q	8807120662	8807120604	88/06/22
8807120088	8807120083	88/07/01	50-382	P	8807120670	8807120668	88/06/28
8807120090	8807120087	88/07/08	50-295	Q	8807120672	8807120604	88/06/22
8807120092	8807120087	88/07/08	50-295	Q	8807120686	8807120683	88/07/08
8807120108	8807120108	88/07/05	50-285	Q	8807120695	8807120674	88/04/19
8807120128	8807120120	88/06/23	50-83	S	8807120888	8807120697	88/06/09
8807120129	8807120124	88/06/27	50-250	Q	8807120702	8807120465	88/07/05
8807120153	8807120139	88/07/06	COMMISSIO	N	8807130002	8807130001	88/07/01
8807120164	8807120147	88/07/01	50-250	Q	8807130004	8807130001	88/07/01
8807120167	8807120157	88/06/20	70-824		8807130008	8807130006	88/06/30
8807120180	8807120177	88/06/27	50-338	Q	8807130009	8807130006	88/06/30
8807120166	8807120190	88/06/08	60-440	P	8807130011	8807120502	88/07/06
8807120189	8807120188	88/06/30	50-470	K	8807130020	8807130019	88/07/08
8807120202	8807120185	88/07/05	40-8657		8807130025	8807130022	88/06/30
8807120221	8807120217	88/07/01	50-254	Q	8807130027	8807130022	88/06/30
8807120224	8807120217	88/07/01	50-254	Q	8807130039	8807130033	88/06/17
8807120228	8807120430	88/07/07	50-440	S	8807130043	8807130033	88/06/17
8807120232	8807120228	88/06/28	50-438	Q	8807130048	8807120675	88/07/07
8807120236	8807120430	88/07/07	50-440	S	8807130055	8807130050	88/06/21
8807120249	8807120242	88/06/29	70-925		8807130057	8807130034	88/06/30
8807120257	8807120254	88/06/28	50-269	Q	8807130059	8807130051	88/06/28
8807120266	8807120252	88/06/08	CONTRACT		8807130072	8807130068	88/07/08
8807120270	8807120284	88/06/28	50-424	Q	8807130077	8807130074	88/06/22
8807120285	8807120274	88/05/26	50-293	P	8807130079	8807130074	88/06/22
8807120287	8807120274	88/05/26	50-293	P	8807130085	8807130083	88/07/01
8807120294	8807120284	88/06/27	70-371		8807130088	8807130083	88/07/01
8807120296	8807120275	88/07/01	50-313	P	8807130094	8807130083	88/07/01
8807120298	8807120284	88/06/27	70-371		8807130102	8807130100	88/06/29
8807120299	8807120289	88/06/23	50-457	V	8807130108	8807130046	88/07/01
8807120306	8807120297	88/07/01	50-280	Q	8807130112	8807120630	88/06/23
8807120303	8807120275	88/07/01	50-313	P	8807130113	8807130060	88/06/30
8807120307	8807120302	88/06/30	40-3453		8807130115	8807130111	88/06/27
8807120310	8807120308	88/06/28	50-280	Q	8807130116	8807130111	88/06/27
8807120311	8807120302	88/06/30	40-3453		8807130118	8807130080	88/06/30
8807120313	8807120302	88/06/30	40-3453		8807130120	8807130097	88/06/22
8807120317	8807120316	88/06/28	50-348	Q	8807130143	8807130139	88/07/05
8807120320	8807120315	88/06/28	CONTRACT		8807130147	8807130139	88/07/05
8807120321	8807120316	88/06/28	50-348	Q	8807130148	8807130146	88/06/29
8807120322	8807120305	88/06/21	50-266	P	8807130155	8807130145	88/07/06
8807120340	8807120338	88/06/29	CONTRACT		8807130181	8807130159	88/06/28
8807120348	8807120335	88/06/30	50-281	P	8807130181	8807130186	88/06/28
8807120353	8807120350	88/06/24	CONTRACT		8807130184	8807130184	88/06/08
8807120359	8807120355	88/06/28	60-280	Q	8807130207	8807130205	88/06/23
8807120365	8807120273	88/07/05	60-456	P	8807130217	8807130209	88/07/06
8807120371	8807120273	88/07/05	60-456	P	8807130222	8807130210	88/05/31
8807120372	8807120356	88/07/08	50-267	Q	8807130225	8807130223	88/06/24
8807120380	8807120356	88/07/08	50-267	Q	8807130231	8807130221	88/07/07
8807120382	8807120375	88/06/28	50-413	P	8807130234	8807130232	88/06/20
8807120388	8807120375	88/06/28	50-413	P	8807130237	8807130219	88/07/05
8807120400	8807120398	88/06/16	50-313	P	8807130243	8807130240	88/06/29
8807120403	8807120113	88/07/08	WASTE MGT		8807130248	8807130242	88/06/15
8807120404	8807120101	88/06/29	50-410	P	8807130247	8807130218	88/07/05
8807120405	8807120402	88/06/23	50-288	P	8807130255	8807130250	88/07/05
8807120429	8807120426	88/06/30	60-338	Q	8807130258	8807130250	88/07/05
8807120433	8807120431	88/06/30	60-338	Q	8807130259	8807130250	88/07/05
8807120438	8807120436	88/06/30	50-400	Q	8807130285	8807130283	88/06/29
8807120447	8807120437	88/06/29	50-244	P	8807130278	8807130276	88/07/07
8807120449	8807120437	88/06/23	60-244	P	8807130281	8807130288	88/07/07
8807120451	8807120446	88/06/23	60-324	Q	8807130288	8807130286	88/07/06
8807120461	8807120455	88/06/22	50-425	Q	8807130292	8807130290	88/06/22
8807120479	8807120471	88/07/07	50-482	F	8807130294	8807130285	88/06/24
8807120485	8807120478	88/06/29	60-311	P	8807130295	8807130286	88/07/06
8807120480	8807120483	88/06/23	50-281	Q	8807130314	8807130308	88/06/24
8807120483	8807120483	88/06/23	50-281	Q	8807130321	8807130317	88/06/22
8807120497	8807120476	88/06/29	50-281	P	8807130322	8807130317	88/06/22
8807120510	8807120471	88/07/07	50-482	F	8807130326	8807130326	88/07/07
8807120512	8807120506	88/06/23	50-400	Q	8807130332	8807130331	88/06/30
8807120528	8807120519	88/07/05	50-259	P	8807130333	8807130333	88/06/30
8807120534	8807120519	88/07/05	50-259	P	8807130369	8807130365	88/06/30
8807120547	8807120502	88/07/06	WASTE MGT		8807130371	8807130365	88/06/30
8807120548	8807120544	88/07/08	50-385	P	8807130377	8807130374	88/05/18
8807120572	8807120587	88/06/28	50-354	P	8807130383	8807130382	88/07/07
8807120680	8807120521	88/06/28	CONTRACT		8807130382	8807130391	88/06/23
8807120584	8807120578	88/06/10	COMMISSIO	N	8807130386	8807130381	88/06/23
8807120585	8807120578	88/06/29	60-247	P	8807130402	8807130395	88/07/06
8807120591	8807120602	88/07/06	WASTE MGT		8807130408	8807130404	88/06/30
8807120593	8807120690	88/06/23	50-327	Q	8807130410	8807130405	88/06/30
8807120598	8807120676	88/06/29	50-247	P	8807130423	8807130418	88/07/01
8807120605	8807120603	88/06/23	50-413	Q	8807130441	8807130439	88/06/24
8807120621	8807120573	88/07/08	50-400	P	8807130444	8807130442	88/06/30
8807120626	8807120502	88/07/06	WASTE MGT		8807130447	8807130442	88/06/30
8807120842	8807120637	88/06/29	60-29	P	8807130457	8807130451	88/07/05

ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8807140009	8807140005	88/07/07	50-443	G	8807150177	8807150175	88/07/06
8807140016	8807140010	88/07/06	50-322	G	8807150180	8807150178	88/07/05
8807140026	8807140018	88/07/05	50-443	G	8807150182	8807150179	88/07/05
8807140033	8807140027	88/07/08	50-445	G	8807150185	8807150184	88/06/07
8807140035	8807140032	88/07/07	50-445	G	8807150184	8807150182	88/06/15
8807140041	8807140027	88/07/08	50-445	G	8807150197	8807150195	88/06/07
8807140042	8807140039	88/07/05	50-416	I	8807150203	8807150188	88/06/07
8807140043	8807140039	88/07/05	50-416	I	8807150209	8807150209	88/06/09
8807140047	8807140032	88/07/07	50-445	G	8807150211	8807150199	88/06/23
8807140048	8807140044	88/06/30	50-416	P	8807150214	8807150204	88/06/24
8807140049	8807140039	88/07/05	50-416	I	8807150225	8807150204	88/06/24
8807140052	8807140046	88/07/07	50-335	P	8807150227	8807150221	88/07/07
8807140054	8807140032	88/07/07	50-445	G	8807150229	8807150221	88/07/07
8807140055	8807140038	88/07/06	50-445	G	8807150231	8807150204	88/06/24
8807140057	8807140045	88/06/15	40-8802		8807150232	8807150221	88/07/07
8807140059	8807140058	88/07/08	50-348	P	8807150238	8807150221	88/07/07
8807140061	8807140058	88/07/08	50-348	P	8807150239	8807150204	88/06/24
8807140065	8807140385	88/07/06	50-260	P	8807150241	8807150204	88/06/24
8807140068	8807140045	88/06/15	40-8802		8807150246	8807150204	88/06/24
8807140070	8807140068	88/06/20	50-249	P	8807150250	8807150242	88/06/15
8807140073	8807140068	88/06/20	50-249	P	8807150253	8807150204	88/06/24
8807140074	8807140072	88/05/27	40-8452		8807150254	8807150183	88/07/08
8807140082	8807140079	88/06/24	50-362	Q	8807150263	8807150183	88/07/08
8807140084	8807140081	88/07/01	50-206	P	8807150276	8807150275	88/06/03
8807140096	8807140081	88/07/01	50-206	P	8807150277	8807150183	88/07/08
8807140087	8807140085	88/06/10	40-1341		8807150287	8807150183	88/07/08
8807140089	8807140085	88/06/10	40-1341		8807150294	8807150291	88/07/11
8807140103	8807140101	88/07/01	50-213	P	8807150290	8807150183	88/07/08
8807140108	8807140105	88/07/01	50-413	P	8807150299	8807150299	88/06/20
8807140111	8807140110	88/07/08	50-409	F	8807150302	8807150183	88/07/08
8807140120	8807140117	88/07/08	50-219	P	8807150303	8807150285	88/06/20
8807140121	8807140119	88/06/23	50-312	Q	8807150305	8807150295	88/06/20
8807140124	8807140122	88/06/30	50-412	P	8807150330	8807150304	88/07/01
8807140125	8807140122	88/06/30	50-412	P	8807150307	8807150183	88/07/08
8807140130	8807140128	88/07/07	50-303	P	8807150308	8807150183	88/07/08
8807140142	8807140139	88/07/08	50-206	P	8807150309	8807150183	88/07/08
8807140154	8807140161	88/06/23	50-206	V	8807150310	0007150183	88/07/08
8807140176	8807140141	88/07/12	WASTE MGT		8807180001	8807180268	88/07/01
8807140181	8807070106	88/06/23	WASTE MGT		8807180003	8807150285	88/06/20
8807140183	8807140178	88/05/27	40-6822		8807180005	8807150285	88/06/20
8807140187	8807140141	88/07/12	WASTE MGT		8807180006	8807150285	88/06/20
8807140204	8807140201	88/05/05	40-8084		8807180009	8807150295	88/06/20
8807140214	8807140213	88/06/28	50-312	Q	8807180012	8807150285	88/06/20
8807140222	8807140220	88/06/22	50-206	Q	8807180024	8807150285	88/06/20
8807140231	8807140227	88/07/08	50-341	P	8807180036	8807150285	88/06/20
8807140232	8807140228	88/06/24	50-312	Q	8807180044	8807180043	88/06/30
8807140233	8807140227	88/07/06	50-341	P	8807180045	8807180043	88/06/30
8807140234	8807140228	88/06/24	50-312	Q	8807180051	8807180047	88/07/06
8807140236	8807140227	88/07/08	50-341	P	8807180084	8807180059	88/06/27
8807140245	8807140244	88/06/28	TOPREP		8807180086	8807150285	88/06/20
8807140246	8807150127	88/07/08	50-400	P	8807180087	8807180057	88/07/01
8807140269	8807140256	88/07/11	WASTE RES		8807180106	8807180009	88/07/11
8807140275	8807140274	88/07/07	50-322	S	8807180122	8807180118	88/07/12
8807140277	8807140274	88/07/07	50-322	S	8807180123	8807180118	88/07/12
8807140292	8807140286	88/07/05	50-283	P	8807180124	8807180118	88/07/12
8807140293	8807140286	88/07/05	50-283	P	8807180126	8807180086	88/07/11
8807140294	8807140291	88/07/06	50-327	P	8807180131	8807150171	88/06/01
8807140295	8807070288	88/07/06	WASTE MGT		8807180134	8807150171	88/06/01
8807140296	8807140291	88/07/06	50-327	P	8807180138	8807180132	88/06/29
8807140300	8807140298	88/06/24	50-313	P	8807180144	8807180139	88/06/29
8807140303	8807140298	88/06/24	50-313	P	8807180150	8807180145	88/06/27
8807150008	8807150007	88/07/06	50-423	Q	8807180151	8807180139	88/06/29
8807150010	8807150037	88/07/06	50-423	Q	8807180154	8807180139	88/06/29
8807150018	8807150014	88/07/12	50-445	G	8807180169	8807180139	88/06/29
8807150021	8807150017	88/07/07	50-271	G	8807180163	8807180160	88/07/08
8807150024	8807150014	88/07/12	50-445	G	8807180164	8807180139	88/06/29
8807150025	8807150023	88/08/09	WASTE MGT		8807180166	8807180180	88/07/08
8807150029	8807150027	88/06/09	WASTE MGT		8807180168	8807180162	88/07/01
8807150036	8807150035	88/05/06	40-8904		8807180169	8807180167	88/05/25
8807150039	8807150035	88/05/06	40-8904		8807180170	8807180139	88/06/29
8807150048	8807150040	88/06/21	50-320	P	8807180173	8807180111	88/07/14
8807150049	8807150046	88/06/14	WASTE MGT		8807180178	8807180130	88/06/29
8807150061	8807150059	88/06/29	TOPREP		8807180189	8807180139	88/06/29
8807150090	8807150210	88/06/29	50-450	P	8807180193	8807180192	88/07/06
8807150140	8807150135	88/06/29	PR		8807180196	8807180139	88/06/29
8807150143	8807150135	88/06/29	PR		8807180198	8807180139	88/06/29
8807150146	8807150135	88/06/29	PR		8807180203	8807180139	88/06/29
8807150147	8807150135	88/06/29	PR		8807180204	8807180202	88/07/05
8807150149	8807150135	88/06/29	PR		8807180206	8807180202	88/07/05
8807150161	8807150135	88/06/28	PR		8807180210	8807180139	88/06/29
8807150154	8807150150	88/07/07	50-333	Q	8807180211	8807180202	88/07/05
8807150160	8807150141	88/06/07	40-289		8807180212	8807180202	88/07/05
8807150163	8807150157	88/07/12	CONTRACT		8807180215	8807180139	88/06/29
8807150164	8807150141	88/06/07	40-289		8807180218	8807180139	88/06/29
8807150173	8807150170	88/07/06	XPORTLIC		8807180221	8807180179	88/07/06
8807150174	8807150172	88/07/08	50-298	P	8807180223	8807180222	88/07/06
8807150176	8807150175	88/07/05	50-288	P	8807180228	8807180224	88/05/26

ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8807180229	8807180226	88/07/01	50-280	P	8807190348	8807190344	88/07/07	50-440
8807180232	8807180230	88/07/05	50-254	P	8807190351	8807190350	88/07/11	50-602
8807180236	8807180235	88/05/26	50-260	P	8807190355	8807190268	88/07/15	50-361
8807180240	8807180239	88/07/06	50-482	P	8807190356	8807190345	88/06/30	50-344
8807180244	8807180243	88/05/26	50-260	P	8807190357	8807190268	88/07/15	50-361
8807180267	8807180265	88/07/05	50-309	U	8807190361	8807190269	88/07/16	50-361
8807180268	8807180266	88/08/30	WASTE MGT		8807190364	8807190268	88/07/15	50-361
8807180276	8807180275	88/07/08	50-443	P	8807190366	8807190268	88/07/15	50-361
8807180289	8807180279	88/08/17	CONTRACT		8807190370	8807190268	88/07/15	50-361
8807180303	8807180301	88/06/29	50-309	P	8807190372	8807190268	88/07/15	50-361
8807180319	8807180315	88/07/06	CONTRACT		8807190373	8807190268	88/07/15	50-361
8807180322	8807180320	88/07/11	50-361	V	8807190379	8807190378	88/07/13	50-315
8807180332	8807180273	88/07/14	WASTE MGT		8807190382	8807190381	88/07/12	50-413
8807180334	8807120714	88/06/28	50-280	Q	8807190383	8807190381	88/07/12	50-413
8807180352	8807260324	88/06/27	50-254	R	8807200023	8807200022	88/07/08	50-498
8807180353	8807180323	88/07/06	50-601	A	8807200025	8807200022	88/07/08	50-498
8807180366	8807180363	88/07/07	50-445	T	8807200029	8807200027	88/07/15	50-271
8807180371	8807180370	88/07/11	50-424	P	8807200047	8807200047	88/07/01	50-528
8807180373	8807180370	88/07/11	60-424	P	8807200051	8807200040	88/07/13	50-443
8807180374	8807180359	88/06/16	CONTRACT		8807200063	8807200054	88/07/12	50-445
8807180375	8807180370	88/07/11	50-424	P	8807200071	8807200062	88/07/13	50-443
8807180378	8807120243	88/06/28	50-250	S	8807200075	8807190268	88/07/15	50-361
8807180380	8807180377	88/07/05	CONTRACT		8807200078	8807190268	88/07/15	50-361
8807190011	8807190008	88/07/08	70-1359		8807200109	8807200102	88/07/07	50-333
8807190014	8807190008	88/07/08	70-1359		8807200134	8807200133	88/07/07	50-219
8807190016	8807190013	88/07/05	50-424	Q	8807200141	8807200124	88/07/07	50-277
8807190021	8807190019	88/07/05	50-259	P	8807200145	8807200144	88/07/07	50-309
8807190032	8807190026	88/07/12	50-249	P	8807200147	8807200142	88/07/14	CONTRACT
8807190045	8807190043	88/06/29	50-424	Q	8807200148	8807200144	88/07/07	50-309
8807190064	8807190059	88/07/08	70-024		8807200149	8807200146	88/07/08	60-410
8807190066	8807100360	88/06/30	50-263	K	8807200150	8807200146	88/07/08	50-410
8807190068	8807190060	88/06/30	50-263	K	8807200155	8807200153	88/07/11	50-334
8807190074	8807190074	88/07/08	50-271	Q	8807200157	8807200151	88/06/30	CONTRACT
8807190081	8807190078	88/07/07	50-336	P	8807200160	8807200156	88/07/08	50-352
8807190082	8807190078	88/07/07	50-336	P	8807200165	8807200164	88/07/08	50-210
8807190086	8807220308	88/07/08	50-266	F	8807200169	8807200168	88/07/06	50-354
8807190105	8807190091	88/07/06	50-331	Q	8807200176	8807200174	88/07/11	50-223
8807190108	8807190091	88/07/06	50-331	Q	8807200177	8807200174	88/07/11	50-223
8807190110	8807190098	88/06/30	FOIA		8807200166	8807200185	88/07/07	50-333
8807190126	8807190115	88/07/07	50-352	P	8807200188	8807200185	88/07/07	50-333
8807190129	8807190115	88/07/07	50-352	P	8807200189	8807200189	88/06/20	50-267
8807190131	8807190127	88/07/08	50-327	P	8807200193	8807200189	88/06/20	50-267
8807190137	8807190135	88/06/29	50-529	Q	8807200195	8807200192	88/07/08	50-220
8807190141	8807190099	88/06/30	FOIA		8807200198	8807200189	88/06/20	50-267
8807190145	8807190142	88/07/12	50-458	P	8807200202	8807200200	88/07/01	50-528
8807190152	8807190149	88/07/14	50-400	P	8807200205	8807200200	88/07/01	50-528
8807190153	8807190148	88/06/29	50-528	Q	8807200215	8807200214	88/07/08	50-280
8807190158	8807190155	88/07/13	50-361	Q	8807200218	8807200214	88/07/08	50-280
8807190161	8807190157	88/06/20	50-397	Q	8807200218	8807200217	88/07/01	50-245
8807190165	8807190157	88/06/29	50-397	Q	8807200222	8807200219	88/07/11	50-327
8807190169	8807190163	88/07/05	50-416	Q	8807200228	8807200227	88/07/06	50-272
8807190170	8807190160	88/08/30	FOIA		8807200220	8807200227	88/07/06	50-272
8807190174	8807190155	88/07/13	50-361	Q	8807200241	8807200166	88/07/14	60-293
8807190175	8807190160	88/08/30	FOIA		8807200245	8807200243	88/07/07	50-317
8807190184	8807190160	88/08/30	FOIA		8807200259	8807200254	88/07/18	50-346
8807190194	8807190188	88/06/30	50-508	A	8807200264	8807200254	88/07/18	50-346
8807190195	8807190183	88/07/08	50-346	Q	8807200260	8807200278	88/07/08	50-293
8807190196	8807190188	88/06/30	50-508	A	8807200263	8807200291	88/07/12	50-286
8807190187	8807190160	88/06/30	FOIA		8807200265	8807200280	88/07/12	50-482
8807190189	8807190188	88/07/12	50-247	P	8807200300	8807200298	88/06/20	50-288
8807190205	8807120100	88/07/07	50-10	P	8807200312	8807200309	88/07/12	50-259
8807190208	8807190206	88/07/12	50-369	P	8807200321	8807200318	88/07/07	50-443
8807190209	8807190201	88/06/10	40-7604		8807200329	8807200254	88/07/18	50-346
8807190211	8807190201	88/06/10	40-7604		8807200330	8807200324	88/06/28	60-208
8807190212	8807190210	88/07/08	50-344	P	8807200343	8807200339	88/07/13	71-488
8807190213	8807190210	88/07/08	50-344	P	8807200347	8807200346	88/07/11	50-341
8807190235	8807190232	88/08/29	70-1151		8807200348	8807200332	88/06/25	WASTE MGT
8807190241	8807190239	88/08/29	FOIA		8807200362	8807200361	88/07/05	71-0103
8807190248	8807190239	88/08/29	FOIA		8807200367	8807200365	88/07/12	50-277
8807190261	8807190239	88/06/29	FOIA		8807200374	8807200372	88/07/11	60-461
8807190281	8807190258	88/08/29	ORG		8807200377	8807200373	88/07/11	50-219
8807190267	8807190239	88/06/29	FOIA		8807200384	8807200382	88/07/01	50-146
8807190277	8807190239	88/08/29	FOIA		8807200386	8807200213	88/07/11	50-237
8807190283	8807190279	88/07/15	50-361	A	8807210009	8807210008	88/07/12	WASTE MGT
8807190284	8807190270	88/07/15	50-361	A	8807210030	8807210029	88/07/12	50-440
8807190288	8807190287	88/07/13	50-498	Q	8807210032	8807210027	88/07/13	70-3055
8807190293	8807190292	88/07/08	50-280	P	8807210039	8807210027	88/07/13	70-3055
8807190301	8807190299	88/06/29	50-324	Q	8807210048	8807210027	88/07/13	70-3055
8807190302	8807190299	88/08/29	50-324	Q	8807210053	8807210027	88/07/13	70-3055
8807190304	8807190300	88/07/08	50-327	Q	8807210060	8807210027	88/07/13	70-3055
8807190316	8807190312	88/07/13	50-312	P	8807210069	8807210063	88/07/11	50-454
8807190320	8807190319	88/07/11	50-445	Q	8807210078	8807210033	88/07/15	50-440
8807190329	8807190325	88/07/08	50-498	Q	8807210080	8807210033	88/07/15	50-440
8807190340	8807190268	88/07/15	50-361	P	8807210082	8807210033	88/07/16	50-440
8807190343	8807190341	88/07/08	50-458	Q	8807210083	8807210033	88/07/16	50-440
8807190346	8807190288	88/07/15	50-361	P	8807210084	8807210033	88/07/15	50-440
8807190347	8807190268	88/07/15	50-361	P	8807210090	8807210087	88/07/07	50-265



ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8307210093	8807210072	88/07/12	CONTRACT	8807220377	8807220373	88/07/18	50-349
8807210094	8807210088	88/07/05	CONTRACT	8807220379	8807220373	88/07/18	50-348
8807210100	8807210098	88/07/12	50-373	8807220381	8807220366	88/07/12	50-102
8807210105	8807210089	88/07/15	50-206	8807220382	8807220380	88/07/08	50-530
8807210112	8807210099	88/07/15	50-208	8807220383	8807220376	87/04/30	71-9210
8807210114	8807210208	88/06/09	40-4492	8807220385	8807220380	88/07/08	50-530
8807210115	8807210108	88/07/11	50-461	8807220386	8807220373	88/07/14	50-123
8807210134	8807210131	88/07/15	71-8182	8807220387	8807220366	88/07/13	EXPORT/IC
8807210157	8807210154	88/07/12	50-443	8807220388	8807220380	88/07/07	50-324
8807210161	8807210158	88/07/05	CONTRACT	8807220389	8807220386	88/07/12	50-102
8807210168	8807210164	88/07/12	50-275	8807220390	8807220386	88/07/12	50-102
8807210180	8807210178	88/07/12	50-327	8807220391	8807220386	88/07/13	50-334
8807210182	8807210178	88/07/12	50-327	8807220392	8807220386	88/07/13	50-334
8807210183	8807210181	88/07/08	50-388	8807220393	8807220386	88/07/13	50-334
8807210186	8807210181	88/07/08	50-388	8807220394	8807220386	88/07/15	50-331
8807210195	8807210183	88/07/08	CONTRACT	8807220395	8807220386	88/07/15	50-331
8807210208	8807210207	88/07/07	50-443	8807220396	8807220386	88/07/15	50-331
8807210211	8807210200	88/07/12	50-160	8807220397	8807220386	88/07/12	50-102
8807210213	8807210209	88/07/12	50-160	8807220398	8807220386	88/07/01	71-9073
8807210250	8807210246	88/07/06	50-321	8807220399	8807220386	88/07/15	50-259
8807210256	8807210253	88/05/27	50-382	8807220400	8807220386	88/07/15	50-259
8807210266	8807210263	88/07/12	CONTRACT	8807220401	8807220386	88/07/15	50-259
8807210270	8807210268	88/07/05	50-237	8807220402	8807220386	88/07/12	FOIA
8807210271	8807210268	88/07/05	50-237	8807220403	8807220386	88/07/01	71-9073
8807210272	8807210268	88/07/05	50-237	8807220404	8807220386	88/07/11	50-283
8807210273	8807210268	88/07/05	50-237	8807220405	8807220386	88/07/01	71-9073
8807210275	8807210268	88/07/05	50-237	8807220406	8807220386	88/07/12	50-102
8807210278	8807210268	88/07/05	50-237	8807220407	8807220386	88/07/12	50-102
8807210279	8807210145	88/07/13	60-380	8807220408	8807220386	88/07/12	50-255
8807210285	8807210282	88/07/01	50-245	8807220409	8807220386	88/07/12	50-102
8807210286	8807210280	88/07/12	50-354	8807220410	8807220386	88/07/12	50-102
8807210289	8807210281	88/07/07	50-348	8807220411	8807220386	88/07/14	50-346
8807210305	8807210302	88/07/11	50-413	8807220412	8807220386	88/07/12	50-102
8807210309	8807210304	88/07/11	50-261	8807220413	8807220386	88/07/12	50-368
8807210312	8807210308	88/07/14	50-293	8807220414	8807220386	88/07/15	50-322
8807210318	8807210314	88/07/11	50-321	8807220415	8807220386	88/07/12	50-102
8807210338	8807210322	88/06/23	50-361	8807220416	8807220386	88/07/15	50-322
8807210340	8807210337	88/07/11	50-324	8807220417	8807220386	88/07/12	60-102
8807210341	8807210329	88/07/12	50-282	8807220418	8807220386	88/07/15	50-361
8807210342	8807210339	88/07/11	50-440	8807220419	8807220386	88/07/15	50-322
8807210347	8807210320	88/07/12	50-282	8807220420	8807220386	88/07/15	50-445
8807210350	8807210320	88/07/12	50-282	8807220421	8807220386	88/07/12	50-102
8807210357	8807210354	88/07/07	50-282	8807220422	8807220386	88/07/14	50-268
8807220024	8807220023	88/06/07	40-8905	8807220423	8807220386	88/07/12	50-102
8807220032	8807220010	88/07/15	WASTE MGT	8807220424	8807220386	88/07/15	50-322
8807220035	8807220008	88/07/15	WASTE MGT	8807220425	8807220386	88/07/12	50-102
8807220048	8807220028	88/07/18	50-271	8807220426	8807220386	88/07/15	60-322
8807220047	8807220043	88/07/14	50-324	8807220427	8807220386	88/07/15	50-445
8807220062	8807220052	88/02/16	71-8159	8807220428	8807220386	88/07/15	50-381
8807220067	8807220052	88/02/16	71-8159	8807220429	8807220386	88/07/12	50-102
8807220071	8807220052	88/02/16	71-8159	8807220430	8807220386	88/07/14	CONTRACT
8807220087	8807220086	88/07/14	CONTRACT	8807220431	8807220386	88/07/15	50-322
8807220088	8807220087	88/08/29	50-201	8807220432	8807220386	88/07/12	50-102
8807220107	8807220095	88/07/01	CONTRACT	8807220433	8807220386	88/07/18	50-369
8807220115	8807220112	88/08/29	FO-369	8807220434	8807220386	88/07/15	50-322
8807220124	8807220120	88/08/28	50-425	8807220435	8807220386	88/07/15	50-322
8807220126	8807220120	88/08/28	50-425	8807220436	8807220386	88/07/15	50-445
8807220140	8807220137	88/08/28	60-425	8807220437	8807220386	88/07/15	50-322
8807220163	8807220141	88/07/01	50-322	8807220438	8807220386	88/07/12	50-102
8807220161	8807220057	88/07/16	60-324	8807220439	8807220386	88/07/15	50-322
8807220188	8807220141	88/07/01	60-322	8807220440	8807220386	88/07/15	50-322
8807220189	8807220141	88/07/01	60-322	8807220441	8807220386	88/07/15	50-322
8807220174	8807220141	88/07/01	50-322	8807220442	8807220386	88/07/15	50-322
8807220181	8807220180	88/07/12	50-416	8807220443	8807220386	88/07/19	50-285
8807220182	8807220175	87/08/01	71-8145	8807220444	8807220386	88/07/15	50-322
8807220188	8807220173	87/08/01	71-8145	8807220445	8807220386	88/07/19	50-285
8807220200	8807220186	88/07/14	50-443	8807220446	8807220386	88/07/12	FOIA
8807220203	8807220203	88/08/16	WASTE RES	8807220447	8807220386	88/07/07	50-348
8807220207	8807220205	88/07/11	50-325	8807220448	8807220386	88/07/15	50-322
8807220210	8807220206	88/08/30	FOIA	8807220449	8807220386	88/07/07	50-348
8807220225	8807220206	88/06/30	FOIA	8807220450	8807220386	88/07/16	50-322
8807220241	8807220206	88/08/30	FOIA	8807220451	8807220386	88/07/12	FOIA
8807220248	8807220082	88/07/11	WASTE MGT	8807220452	8807220386	88/07/15	50-322
8807220250	8807220257	88/07/12	50-305	8807220453	8807220386	88/07/15	50-445
8807220260	8807220256	88/06/30	50-440	8807220454	8807220386	88/07/15	50-322
8807220281	8807220257	88/07/12	50-305	8807220455	8807220386	88/07/15	50-322
8807220282	8807220214	88/07/14	60-348	8807220456	8807220386	88/07/12	50-102
8807220271	8807220268	88/06/24	WASTE MGT	8807220457	8807220386	88/07/15	60-322
8807220274	8807220272	88/07/20	WASTE MGT	8807220458	8807220386	88/07/12	50-102
8807220278	8807220269	88/07/08	71-858	8807220459	8807220386	88/07/13	60-380
8807220290	8807220289	88/07/08	71-858	8807220460	8807220386	88/07/13	60-275
8807220325	8807220323	88/07/18	60-283	8807220461	8807220386	88/07/11	50-322
8807220330	8807220324	88/07/08	FOIA	8807220462	8807220386	88/07/12	60-102
8807220342	8807220340	88/07/07	60-331	8807220463	8807220386	88/07/12	60-410
8807220344	8807220340	88/07/07	60-331	8807220464	8807220386	88/07/11	60-322
8807220351	8807220349	88/07/15	60-369	8807220465	8807220386	88/07/12	50-410
8807220374	8807220368	88/07/08	50-268	8807220466	8807220386	88/07/12	50-102

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8807250233	8807250229	88/07/18	50-382 P	8807250431	8807250426	88/04/29	40-8684
8807250236	8807250366	88/07/12	50-102 P	8807250433	8807250428	88/04/29	40-8684
8807250257	8807250255	88/07/15	50-333 O	8807250434	8807250364	88/07/13	50-322 F
8807250265	8807250262	88/07/07	50-390 O	8807250439	8807250438	88/04/27	40-3453
8807250268	8807250262	88/07/07	50-390 O	8807250440	8807250438	88/04/27	40-3453
8807250269	8807250263	88/07/14	FOIA	8807270186	8807270151	88/07/15	PR
8807250272	8807250271	88/07/13	50-369 O	8807270222	8807270151	88/07/15	PR
8807250278	8807250274	88/07/11	XPORALIC	8807270228	8807270151	88/07/15	PR
8807250284	8807250276	88/07/21	50-206 P	8807270247	8807270151	88/07/15	PR
8807250288	8807250285	88/07/14	50-309 O	8807270251	8807270151	88/07/15	PR
8807250298	8807250293	88/07/08	50-302 O	8807270257	8807270151	88/07/15	PR
8807250301	8807250293	88/07/08	50-302 O	8807270275	8807270151	88/07/15	PR
8807250314	8807250312	88/07/15	50-313 O	8807270260	8807270151	88/07/15	PR
8807250315	8807250308	88/07/08	50-338 O	8807270281	8807140305	88/07/06	50-324 R
8807250322	8807250319	88/07/07	50-261 O	8807270284	8807140305	88/07/06	50-324 R
8807250327	8807250259	88/07/15	50-271 P	8807270301	8807270298	88/07/14	FOIA
8807250340	8807250334	88/07/08	50-416 O	8807280026	8807280021	88/06/10	FOIA
8807250341	8807250335	88/07/18	50-425 A	8807280327	8807280324	88/06/27	50-254 R
8807250342	8807250337	88/07/14	50-440 P	8807280329	8807280324	88/06/27	50-254 R
8807250343	8807250337	88/07/14	50-440 P	8807280391	8806290227	88/06/16	50-528 G
8807250365	8807250357	88/07/15	50-289 P	8807280012	8807290009	88/07/21	50-443 G
8807250373	8807250364	88/07/13	50-322 F	8807290035	8807290028	88/07/21	50-322 G
8807250378	8807250375	88/04/25	50-302 F	8807290037	8807290033	88/07/21	50-443 G
8807250385	8807250380	88/07/07	50-346 P	8807290060	8807290058	88/07/22	50-443 G
8807250386	8807250382	88/07/14	50-271 O	8807290069	8807290003	88/07/20	50-320 G
8807250388	8807250383	88/07/11	50-416 V	8807290197	8807290192	88/07/22	50-443 G
8807250389	8807250364	88/07/13	50-322 F	8807290201	8807290192	88/07/22	50-443 G
8807250395	8807250392	88/07/12	50-324 P	8807290206	8807290192	88/07/22	50-443 G
8807250398	8807250364	88/07/13	50-322 F	8807290211	8807290192	88/07/22	50-443 G
8807250402	8807250400	88/07/13	50-440 Q	8807290213	8807290192	88/07/22	50-443 G
8807250409	8807250408	88/07/15	50-293 P	8807290234	8807290226	88/07/20	50-443 G
8807250422	8807250419	88/07/18	50-382 O	8807290238	8807290226	88/07/20	50-443 G
8807250423	8807250419	88/07/18	50-382 Q	8807290241	8807290226	88/07/20	50-443 G
8807250427	8807250249	88/07/15	50-346 M	8807290273	8807280271	88/07/27	50-443 G

## DEFINITIONS OF DOCKET 50 CATEGORIES

### A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. *Application for construction permit.*
2. *General Information submitted with construction permit application.*
3. *Amendments and changes to items 1 and 2.*
4. *NRC questions, requests for additional information, and applicant responses.*
5. *Correspondence and documents relating to unresolved design and construction issues.*
6. *Meeting announcements and summaries of meeting discussions on issues of Item 5.*
7. *Correspondence regarding the Preliminary Safety Analysis Report (PSAR).*
8. *Information on laws and changes in regulations or policy that affect the status of the application (NEPA, Water Quality Improvement Act, Water Pollution Control Act, etc.).*
9. *Construction Permit, amendments, and correspondence relating to the construction permit.*
10. *Scheduling of license application submission or review.*
11. *Environmental review information.*
12. *Application for operating license.*
13. *General Information submitted with operating license application.*
14. *Amendments and changes to items 12 and 13.*
15. *Correspondence regarding the Final Safety Analysis Report (FSAR).*
16. *Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.*
17. *Reports of site visits.*
18. *Backup technical documents (e.g., topical reports) submitted in support of the application.*

### B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category is strictly limited to the items listed below. All related correspondence is filed in Category A.

1. *Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).*
2. *Amendments and changes to the PSAR.*

### **C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE**

This category is strictly limited to the items listed below. Other environmental documents and correspondence are filed in Categories A, D, M, P or R.

1. Environmental Report (ER) submitted by the utility.
2. Amendments and supplements to the ER.
3. Transmittal and acknowledgement letters.
4. Information on scheduling of submittal or review of ER.
5. NRC questions, requests for additional information, and applicant responses.
6. Federal register notices citing the availability of items 1 and 2.
7. Correspondence relating to the review of ER.
8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.

### **D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE**

This category is strictly limited to the items listed below. Other environmental documents and correspondence are in categories A, C, M, P or R.

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by the NRC.
2. Supplements to the DES and FES.
3. Correspondence relating to the DES and FES.
4. Comments from other federal, state and local government agencies.
5. Transmittal and acknowledgement letters.
6. Documents related to NRC review of environmental issues or of ER obtained for purposes of writing the environmental statements.
7. Backup technical documents submitted in connection with above.
8. Federal register notice citing availability of items 1 and 2.
9. Site visits to obtain information for DES or FES.
10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.

### **E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS AND CORRESPONDENCE**

This category is strictly limited to the items listed below. Other documents dealing with safety related issues are filed in categories A, P or W, depending on the phase of the licensing process.

2. Supplements to SER.
3. Correspondence relating to SER.
4. Federal register notices citing availability of items 1 and 2.
5. Information on scheduling of SER submittals and review.
6. Requests for additional information for use in preparing SER; responses to such requests.
7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
8. Transmittal and acknowledgement letters.

#### **F. SECURITY, MEDICAL, EMERGENCY AND FIRE PROTECTION PLANS**

All plans in this category are individual submissions. Information submitted as part of the PSAR or FSAR is excluded.

1. Fire Hazard Protection Plan and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Review of Health Physics Program.
5. Correspondence relating to aforementioned plans.
6. Supplements, changes and revisions to plans.

#### **G. LEGAL AND ADJUDICATORY CORRESPONDENCE**

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing related documents.
2. Federal register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.



Items that have no substantive technical content or meaning for the status of the license or application are included.

1. Change of address notifications.
2. Changes in structure of organization.
3. Changes in service lists.
4. NRC requests to applicant for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.

#### **I. FINANCIAL INFORMATION**

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports.
2. Separately submitted financial information and related correspondence.

#### **J. INSURANCE AND INDEMNITY INFORMATION**

1. Indemnity agreements and amendments.
2. Endorsements insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

#### **K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR) AND AMENDMENTS**

This category is strictly limited to the items listed below. All related correspondence falls in category A or P.

1. Final Safety Analysis Report (FSAR) (formerly called Final Hazards Summary Report).
2. Amendments and changes to the FSAR.
3. Federal register notices citing availability of items 1 and 2.
4. Transmittal and acknowledgement letters.
5. Certificates of service to the FSAR.

category contains documents pertaining to Limited Work Authorizations (LWA) whereby applicants can carry out limited site preparation and construction prior to the granting of a construction permit.

1. Limited Work Authorizations (LWA) and amendments.
2. Correspondence pertaining to work performed under LWA s.

#### **M. ANTITRUST REVIEW AND ANTITRUST CORRESPONDENCE**

1. Document submitted as part of the applications for a construction permit and operating license entitled "Information Requested by the Attorney General for Antitrust Review".
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding related documents except for hearing transcripts, testimony and briefings, which are filed in category N.

#### **N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY AND BRIEFINGS**

This category contains word-for-word transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence falls in category M.

#### **O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE**

1. Correspondence and letter reports relating to Advisory Committee on Reactor Safeguards (ACRS) reviews.
2. Correspondence from ACRS.
3. Announcement of ACRS meetings.
4. Transmittal and acknowledgement letters.
5. ACRS reports.
6. Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings.
7. Minutes at ACRS Subcommittee Meetings.

#### **P OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE**

This file assumes the position of the Application/Construction Stage (category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. *Operating license, amendments, proposed amendments, changes and related correspondence.*
2. Technical specifications and changes.

5. Correspondence regarding the Final Safety Analysis Report (FSAR).
6. All general technical correspondence, meeting announcements or meeting summaries relating to technical specifications, the operating license or technical issues arising after the issuance of the operating license.
7. Correspondence regarding codes (e.g., ASME), regulations, laws or changes in policy that may affect plant operation or bear on the operating license.
8. Information on the Standard Review Plan (STP).
9. Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which fall in category R).
10. Correspondence relating to NRC's Systematic Evaluation Program (SEP).
11. Owner's group meeting announcements and reports.
12. Quality assurance information.
13. Environmental matters (technical).
14. Emergency core cooling system documents.
15. Radioactive waste information.
16. Correspondence regarding expansion of spent fuel storage pool.
17. Start-up test reports.
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.
19. Reports of site visits.

**Q. INSPECTION REPORTS; IE BULLETINS, CIRCULARS AND INFORMATION NOTICES; CIVIL PENALTIES AND RELATED CORRESPONDENCE**

1. Inspection reports.
2. IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars and Information Notices.
3. Responses by applicant to IE correspondence.
4. Applicant's determination of proprietary nature of inspection reports.
5. Letters concerning areas of noncompliance.
6. Pre-service and in-service inspections and procedures.
7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).
8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in category S.

1. Monthly, semiannual, or annual operating reports (other than financial).
2. Periodic environmental monitoring, effluent testing, or similar reports.
3. Periodic personnel exposure reports.
4. Operational Logbooks:  
     Logbooks on Environmental Data  
     Logbooks on Radiological Data  
     Operations Log on Plant Systems Core  
     Plant Status Summary Sheets.
5. *Correspondence or other documents relating to the above listed items.*

#### **S. REPORTABLE OCCURRENCES, PNOs, PNSs AND RELATED CORRESPONDENCE**

This category contains all materials relating to abnormal, unusual, reportable or nonroutine occurrences or events. This includes:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrence reports and reportable occurrences).
2. Potential or possible reportable deficiency reports and related correspondence.
3. Personnel exposure reports.
4. Construction deficiency reports submitted under 10 CFR 50.55e.
5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).
6. Environmental Technical Specifications violation reports and Environmental Event reports.
7. Part 21 Reports of defects and noncompliance.
8. Correspondence or other documents relating to items 1-7.

#### **T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS**

This category contains all word-for-word transcripts, except for antitrust matters (category N), testimony and briefings, and congressional matters (category U).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Advisory Committee on Reactor Safeguards (ACRS) meeting transcripts.
8. Corrections to above items.

- inquiries received in category V.
1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
  2. Preparatory and backup documents for item 1.
  3. Correspondence to and from NRC Office of Congressional Affairs, Congress and the Executive Branch on other than constituent response matters.

#### **V. LICENSING OPERATORS AND RELATED CORRESPONDENCE**

1. Operator licenses or administrative information bearing on licensing of operators.
2. NRC examination results.
3. Power plant examination summary sheet.

#### **W. DECOMMISSIONING STAGE DOCUMENTS AND CORRESPONDENCE**

This file assumes the position of the Operating License Stage (category P) file for general technical items from the application for termination of the operating license onward.

1. Application for authority to voluntarily surrender license.
2. Application to dismantle the facility and dispose of component parts.
3. Technical documents submitted in support of items 1 and 2, such as: Decommissioning Plan, Dismantling Plan, Environmental Report on Dismantling, Safety Analysis Report on Decommissioning.
4. Documents relating to disposal of radioactive material and decontamination of the site.
5. Other correspondence relating to above items.
6. All documentation relating to the ongoing operation of the plan, formerly filed in category P.

#### **X. ONSITE LOW-LEVEL WASTES STORAGE**

This category contains items related to the onsite storage of low-level radioactive wastes generated onsite.

#### **Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)**

This category contains documents with an NMSS license and/or a Docket-72 number. For installations on a reactor site, the associated Docket-50 number will also be identified.

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)
2. All related correspondence and reports to the above.



## DEFINITIONS OF NONDOCKETED CATEGORIES

### **10CFR – Commission Meeting Records**

This category contains documentation pertaining to open and closed Commission meetings. It includes:

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification of General Counsel on closed meetings.
4. Commission Determination Statements regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff requirements memoranda for open meetings; memoranda to record; record of votes of Commissioners on items under consideration at meetings.

### **ACRS – Advisory Committee on Reactor Safeguards**

This category contains documentation pertaining to the responsibilities of the Advisory Committee on Reactor Safeguards. ACRS serves as an independent advisory committee to the Commission in safety-related areas. The committee provides advice with respect to the hazards of new or existing nuclear facilities and the adequacy of related safety standards. The documents in this category are:

1. Verbatim transcripts of ACRS subcommittee and full committee meetings relating to facility license applications and safety-related matters.
2. ACRS meeting announcements; description of meeting agendas.
3. ACRS-generated reports, memoranda and correspondence that are publicly available.
4. ACRS consultant reports, comments and related correspondence.
5. ACRS and NRC technical correspondence pertaining to safety matters under review by the Advisory Committee on Reactor Safeguards.

### **ADVCM – NRC Advisory Committees**

This category contains documentation pertaining to the responsibilities of all NRC advisory committees, other than the Advisory Committee on Reactor Safeguards. The documents in this category are:

1. Charters of each advisory committee.
2. Verbatim transcripts of committee meetings.

5. Committee related correspondence.

**COMMISSION – NRC Commissioners**

This category contains documentation pertaining to the daily conduct of Commission business in the Office of the Commissioners, including:

1. Incoming and outgoing correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures.
2. Travel vouchers, telephone logs and official appointment calendars of individual Commissioners.
3. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10CFR category. For all other staff papers with a SECY series designation prepared for Commission review, see SECY category.

**CONTRACT – NRC Contracts and Modifications**

This category contains documentation pertaining to AEC and NRC contracts and Interagency Agreements, including:

1. Notifications of issuance of request for proposal (RFP) and invitations for bid (IFB).
2. Solicitations (RFP or IFB) issued by the NRC.
3. Notifications of contract execution, specifying contract number, project title, contractor name, contract type, funding, and period of performance.
4. Contractual documents and contract modifications, if any.

**DISCLOSURE – Financial Disclosure Information**

This category contains financial disclosure information in accordance with the Ethics in Government Act of 1978.

**FOIA – Freedom of Information Act Requests and Releases**

This category contains requests for agency records and records released in accordance with the provisions of the Freedom of Information Act (FOIA). Documents in this category include:

1. Requests made by any member of the public (assigned an identifying number YY-NNN for last two digits of the year-numerical sequence) for NRC records made in accordance with the provisions of the Freedom of Information Act.
2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request.
3. Records or portions of records released in response to specific requests made under FOIA.

This category contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the Division of Nuclear Reactor Regulation.

1. Draft reports of action plans to accomplish generic tasks in the regulatory program.
2. Correspondence with industry and internal correspondence regarding the methodologies, analyses, and programmatic and technical aspects of issues.
3. Meeting notifications and minutes.
4. Interim findings and status reports on generic tasks addressing related aspects of generic technical issues.

#### **1&E -- Inspection and Enforcement**

This category contains bulletins, circulars and information notices that are issued by the Office of Inspection and Enforcement. These issuances describe particular events that occur at a facility that may require some follow-up action on the part of licensees. Also included in this category are preliminary notifications of events (PNOs).

1. *1&E Circulars*, which describe an event at a licensed facility and are informational in nature.
2. *1&E Information Notices*, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. *1&E Bulletins*, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of this event.
4. *Preliminary Notifications of Events (PNOs)*, which provide updated information of an event of safety or public interest significance.

NOTE: For letters forwarding the above issuances, utility responses to such issuances, and related correspondence, see Category Q of individual docket categories.

#### **MISC -- Public Document Room Miscellaneous**

This category contains documents that do not fall into the scope of the other nondocketed categories.

#### **NUREG -- NUREG Reports and Related Correspondence**

These documents are formal reports issued by the U.S. Nuclear Regulatory Commission which carry the NUREG series code and correspondence pertaining to those reports. NUREG reports are accounts of work performed either by the NRC staff or by NRC contractors.

1. These reports are normally final work products and are characterized by the following criteria:
  - a. They are predecisional documents which present information to be considered in *Commission licensing and policy decisions*.
  - b. They present the results of *Commission licensing and policy decisions*.
  - c. They present the results of *technical research conducted for the Commission*.
2. Correspondence from industry, government and interested members of the public commenting on reports or requesting clarification or interpretation.
3. Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the reports.

other than Regulatory Guides that pertain to the activities of NRC's Office of Standards Development; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue. Included are:

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Standards Development and other government agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.
3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Standards Development.
4. Statements, motions, orders and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and re-analysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For Regulatory Guides and comments to Regulatory Guides issued by the NRC Office of Standards Development, see the REGGD category.

For petitions for rule makings filed by the public to amend, rescind or change an NRC regulation, see the PRM category.

#### **PR – Proposed Rule**

This category contains records dealing with NRC staff proposals to adopt, amend or repeal a Commission regulation. Proposed Rules (PRs) are normally the result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person. The documents in this category are:

1. Federal Register notices stating the terms or substance of the proposed rule or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Comments, statements, information, opinions or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.
4. Requests from the nuclear industry, organizations and other parties for written interpretations of the PR.

#### **PRM – Petition for Rulemaking**

This category contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation. Included are:

1. Petitions filed by any interested person or party to issue, amend or rescind an NRC regulation.
2. Federal Register cause notices of the filing of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups and others in favor of or in opposition to the PRM.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY category.

For Commission review of staff recommendations, see the 10CFR category.

## **PROJ – Projects–Predocket Licensing**

This category contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

### **1. "Pre-docketed" commercial nuclear power plants**

This category contains all documentation up until the time that the NRC considers the application and the Preliminary Safety Analysis Report (PSAR) is submitted by the utility for staff review. The unit is then assigned a docket number, and transferred to the Docket 50 category.

These documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket 50 series.

#### **A. Application/Construction Stage**

1. *Application submitted by the utility.*
2. *Meeting notices, summaries and correspondence discussing the completeness and adequacy of the PSAR.*
3. *Applicant's Quality Assurance Manual.*
4. *Early site review information.*
5. *Backup technical documents submitted in support of the application.*
6. *Early site visits.*

#### **B. Utility PSAR and Amendments**

1. *PSARs submitted by the utility.*
2. *Amendments and changes to the PSAR.*
3. *Transmittal letters.*
4. *Letters acknowledging receipt of the PSAR.*

#### **G. Adjudicatory Correspondence**

1. *Motions, briefs, orders, et al. pertaining to pre-hearing conferences, if any.*

#### **M. Antitrust Correspondence**

1. *Submittals and related material pertaining to the antitrust review.*



2. Notices of deviations.
3. Follow-up correspondence resolving deviations cited.

## 2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other government technical personnel related to test reactors, critical experiments, and DOD reactors on navy ships and other sites.

## **PT21 – Noncompliance Reports and Related Correspondence**

Deficiency reports are performed in compliance with Part 21 of Title 10 of the Code of Federal Regulations and include:

1. Reports by firms involved in the nuclear industry concerning noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.
2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.
3. NRC inspection reports of defects cited.
4. Correspondence specifying appropriate follow-up actions taken by the Agency.

## **QA999 – Quality Assurance Inspections**

This category contains inspection reports of vendors' quality assurance programs and follow-up correspondence. Each vendor facility is assigned a docket number and is part of the QA999 series.

Vendors are defined here as companies, both U.S. and foreign, that are engaged in the design or the manufacture of nuclear components for plants licensed by NRC. QA comprises all those planned and systematic actions necessary to provide adequate confidence that a structure, system or component being manufactured will perform satisfactorily once it is put in service. The controlling criteria are 10 CFR Part 50, Appendix B, vendor QA topical reports, and the PSAR and FSAR submitted by utilities for specific facilities. Documents in this category include:

1. NRC inspection reports, conducted on a quarterly or semi-annual basis, of vendor sites. Inspections may cover the design, fabrication, construction and testing of structural systems and components.
2. Notices of deviations.
3. Vendor corrective actions and other follow-up correspondence associated with the resolution of inspection findings.

## **REGGD – Regulatory Guides**

This category contains new and revised regulatory guides issued by the Commission and related correspondence. These guides describe for the industry and the public methods acceptable to the NRC

cants. Included are: \_\_\_\_\_, or provide guidance to appli-

1. Federal Register notices announcing the issuance and availability of a *proposed regulatory guide*.
2. Revised or newly issued *Regulatory Guides*.
3. NRC value/impact assessment and industry codes, when applicable, that pertain to the issuance of a specific *Regulatory Guide*.
4. Comments submitted by the nuclear industry and interested members of the public regarding a *proposed Regulatory Guide*.
5. Summary of meetings held in the NRC to discuss *proposed Regulatory Guides*.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Standards Development, see the *Organization category*.

### **RES – Research and Technical Assistance Reports**

This category contains reports, generally of an interim nature, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission. Included are:

1. Project description documents.
2. Letter reports of accomplishments and data reports; for example,
  - a. model documentation reports
  - b. code documentation reports
  - c. code verification reports
3. Pre-test prediction reports.
4. "Quick look" reports.
5. Informal experimental data reports and post-irradiation examination analyses.
6. Conceptual design descriptions.
7. Letter reports of foreign travel and site visits by contractors.
8. Letter, monthly, quarterly, interim or annual status or progress reports on other research projects contracted for by the NRC.
9. Meeting summaries and correspondence dealing with technical matters relating to research and technical assistance contracts.
10. Staff Research Information Letters (RILs) transmitting the documented results from completed research programs.

NOTE: For final reports of research conducted by contractors, see also NUREG reports.

### **REVIEW GRP – NRC Research Review Groups**

This category contains records pertaining to the activities of NRC Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in

projects, new research projects, and priorities within the technical areas covered by the research review group. Documents in this category are:

1. Agendas for quarterly review group meetings.
2. Summary minutes of review group meetings representing views expressed, including dissenting views.
3. Research plans and predicted results of major experiments; presentations by research contractors.
4. Comments on meetings from attendees, including representatives from contractors, universities, vendors and other agencies.
5. Internal memoranda relating to topics under discussion.

#### **RM – Rulemakings**

This category contains records pertaining to public hearings held on proposed changes (PRs) to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration. Documents in this category include:

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of hearing board meetings.
3. Petitions, motions, testimony and statements submitted by parties to the hearings.
4. Hearing board orders and rulings.
5. Technical reports submitted as evidence in the proceeding.
6. Reports, if any, of the special board to the Commission regarding a rulemaking proceeding.

#### **SECY – Position Papers Before the Commission**

This category consists of staff papers prepared for the information or approval of the Commissioners which are assigned a SECY report series code. Included are:

1. Commission Action papers, which normally include alternatives and recommendations by the staff on a given issue and require Commission action.
2. Consent Calendar items and Policy Session items.

NOTE: For Weekly Information Reports prepared by EDO to the Commissioners providing a summary of key events and items of interest undertaken by staff and program offices, see the NRC Commissioners category.

#### **STATE PROG – State Programs**

This category contains records that pertain to the Commission's activities and interaction with State governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; (2) the Agency's role in assisting

1. Correspondence between and among NRC Office of State Programs and State officials, mostly State liaison officers, regarding:
- cooperative programs in such technical areas as radiation control, emergency response planning to radiological incidents, water quality and transportation surveillance.
  - technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas.
2. Agendas, reports and transcripts of regional workshops and training programs on current matters of policy and regulations; i.e. decommissioning and facility siting.
3. State Legislative Reports.
4. Agreement State Licensing Statistics Reports.

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects category.

#### **TOPREP – Vendor Reports and Related Correspondence**

This category contains topical reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. General vendor related correspondence that is not docket specific is also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing and safety submitted by architect, engineers and other vendors.
2. Revisions, modifications and amendments to topical reports.
3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies and design criteria.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the Docket 50 series.

#### **WASTE MGT – Nuclear Waste Management**

This category is topical in nature and contains records dealing with the activities of the NRC Division of Waste Management. Each topic has been assigned a number, with the series designated by a WM prefix. These documents deal primarily with NRC's interaction with DOE and its future role in licensing and regulating DOE facilities designed for the disposal of high-level waste in geologic repositories. This category will be enlarged later to include records dealing with low-level waste issues and tasks. The documents in this category are:

1. Meeting agenda and minutes of DOE/NRC meetings in which DOE presents information on their geological exploration program to identify sites for nuclear waste repositories.
2. Briefings by DOE on research being conducted on spent fuel storage and nuclear waste management.

in the Waste Isolation Pilot Plan (WIPP) for burial of defense wastes.

4. NRC draft staff guides for developing positions on the content and format of environmental reports for geological repositories.

### **WASTE RES — Waste Management Research Reports**

Contains interim and final reports, and correspondence submitted to NRC by its contractors doing research on topics related to the storage of high-level radioactive waste.

1. Periodic progress reports on the status of research.
2. Trip reports of travel by NRC and contractor personnel.
3. Draft, partial or related reports submitted for NRC review or information.
4. Correspondence between NRC staff and contractors relating to technical questions or issues to be resolved.

### **EXPORTLIC — Export and Import Licenses**

This category contains records relating to the issuance of licenses to export or import nuclear facilities and materials. Included are:

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components or reactor materials.
2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.
3. Commission letters requesting Executive Branch views.
4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to U.S. common defense and security.
5. Correspondence from foreign governments, international organizations, and members of the public.
6. Staff position papers (SECY series code) prepared for Commissioners review of import or export licenses.
7. Filings pursuant to hearing requests or intervention petitions, if any.
8. Hearing records and decisions.
9. Memoranda from the Office of the Secretary to the Executive Director for Operations regarding the Commission decision on issuance of a proposed license.
10. Licenses, license amendments and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commission consideration or information, see 10CFR category.



## 2 TITLE AND SUBTITLE

Title List of Documents Made Publicly Available  
July 1-31, 1988

3 LEAVE BLANK

## 5 AUTHOR(S)

## 4 DATE REPORT COMPLETED

MONTH

YEAR

## 6 DATE REPORT ISSUED

MONTH

YEAR

October

1988

## 7 PERFORMING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code)

Division of Freedom of Information and Publications Services  
Office of Administration and Resources Management  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555

## 8 PROJECT TASK WORK UNIT NUMBER

## 9 FILL OR GRANT NUMBER

## 10 SPONSORING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code)

Same as 7, above.

## 11a TYPE OF REPORT

Monthly

## b PERIOD COVERED (Inclusive dates)

July 1-31, 1988

## 12 SUPPLEMENTARY NOTES

## 13 ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference to Principal Documents.

## 14 DOCUMENT ANALYSIS &amp; KEYWORD(S)/DESCRIPTORS

title list

## 6 IDENTIFIERS/OPEN ENDED TERMS

## 15 AVAILABILITY STATEMENT

Unlimited

## 16 SECURITY CLASSIFICATION

(This page)

Unclassified

(This report)

Unclassified

## 17 NUMBER OF PAGES

## 18 PRICE